



History

A pilot Registry grew out of the Green Highways
 Partnership and the Maryland State Highway
 Administration (MDSHA) proposal for making the
 Route 301 Project the 1st Green Highway.































WRR: Three meanings

- WRR: a collaborative, ongoing partnership with EPA Region 3, several MD agencies, the Corps (Baltimore District and HQ) and several others
- WRR: a set of eight suitability analyses
- WRR: an interactive website that provides all users, including the general public, access to the findings



























What is the WRR?

- It is a comprehensive replicable framework and GISbased targeting tool that:
 - Integrates and streamlines regulatory programs
 - Guides resource planners
 - Saves time and \$, and increases program efficiencies
 - Screens for preferred actions and maximizes watershed benefits
 - Is transparent, predictable and reliable
 - Facilitates multiagency input and coordination



























Why is the WRR unique?

Unlike many mapping and targeting tools...

There is agency collaboration and program integration between:

- CWA 319, 401,402,404, 303(d)
 - Watershed planning, permit review, mitigation assessments
 - TMDL and WIP applications
 - Stormwater management
- Resource conservation/ environmental resource planning

- Green Print and Rural Legacy priorities
- Section 7 (Threatened and Endangered Species)
- Transportation and land use planning
- NEPA review

... and more!



























Collaboration

Current partner agencies:

- U.S. Environmental Protection Agency (EPA), Region III
- U.S. Army Corps of Engineers , Baltimore District
- Maryland Department of the Environment (MDE)
- State Highway Administration
- U.S. Fish and Wildlife Services
- Maryland Environmental Services
- Maryland Department of Natural Resources
- U.S. Federal Highway Administration
- Maryland Department of Planning
- Natural Resources Conservation Service
- Prince Georges County
- Charles County
- Mattawoman Watershed Society
- Interstate Commission on the Potomac River Basis

A Technical Action Committee (TAC), consisting of individuals from these partner agencies, collaboratively strategizes the development, progress, and future of the WRR, and uses it as a vehicle to discuss how to reduce cost and maximize environmental benefit.



























The Initial Process

- The Technical Action Committee (TAC) was a product of the October 2009 Managers Meeting
- Circulated stakeholder questionnaire to explicitly:
 - Identify unique needs of each agency
 - Identify what questions need to be answered
 - Identify what data is required to answer these questions



























WRR Technical Development Process

- TAC and questionnaire helped assemble a wide variety of information and geospatial data sets, and identify data gaps
 - Highlighted commonly available datasets vs. those available <u>only</u> in MD
 - Nationally available datasets (facilitate transferability)
 - Locally available & advanced datasets
 - Green Infrastructure
- Agreed upon factors for each Suitability Analysis (SA)



























The Suitability Analyses (SA)

- Upland Preservation
- Upland Restoration
- Wetland Preservation
- Wetland Restoration
- Riparian Zone Preservation
- Riparian Zone Restoration
- Preserve Healthy Stormwater Systems
- Restore Degraded Stormwater Systems



























Goals of the Eight Suitability Analyses

- To find and score areas that might present "ecoopportunities"
- Eco-opportunity is a place where some specific action beneficial to the resource, watershed, or environment might be undertaken
- Examples:
 - find mitigation sites for a transportation project
 - find areas to create riparian buffer zones
 - evaluate which of three proposals has least impact
 - find areas to re-create a former wetland
 - find areas to construct new stormwater management system on degraded infrastructure systems





























Factors for Wetland Restoration

- in a Blue Infrastructure priority watershed
- in a Biological Restoration Initiative (BRI) watershed
- in Chesapeake Bay Commission Critical Area (LDA or RCA only)
- near (200') or in a Green Infrastructure hub or corridor
- in a Green Infrastructure "gap" area
- in a 100-year (1 point) or 500-year (½ point) flood plain
- in an impaired watershed (as indicated by §303-d)
- in or near (200 feet) of a GreenPrint Targeted Ecologic Area
- near (200') but not in a protected land

- near (within 200') but not in a Sensitive Species
 Project Review Area (SSPRA)
- near (200') but not in a stream or wetland
- within 200' (1 point) or within 600' (½ point) of a stream designated for uses II, II or IV
- in a Stronghold Watershed area 1 (1 point) or 2
 (½ point)
- in a Tier II "watershed"
- in a Trust Fund Watershed High Priority (1 point)
 or Medium Priority (½ point)
- is near (200') but not in a Wetland of Special State Concern

- cannot be a wetland
- cannot be forested and
- must be on a very poorly drained soils, somewhat poorly drained soils or poorly drained soil



Factors for Stormwater Restoration

in a Tier II watershed

Relative Factors

- in a Blue Infrastructure watershed
- in a Biological Restoration Initiative (BRI) watershed
- in an area that was probably developed before 1985 (1 point) or between 1985 and 2000 (½ point)
- is area of relatively higher impervious surfaces
- in an impaired watershed (as indicated by §303-d)
- is within 200' (1 point) or within 600' (½ point) of a stream designated for uses II, II or IV
- In a Stronghold Watershed (1 point for "1"; ½ point for "2")

Discouraged Factors

- flood plains
- forested areas
- karst geology
- in a wetland



Data Updates

- TAC has decided upon a cyclical data update
 - Critical to the success of the WRR is the need for ongoing updates to the analytic models.
 - Outreach to various entities to identify new and/or updated data
 - Maintaining data matrix to track optimal data update schedule and strategy



























Suitability Analyses Updates

- Stormwater GIS models to be updated in coming months
- Possible updates to the criteria and the data used to build the models
 - Inclusion of MS4 NPDES data from Phase I and II jurisdictions, Stormwater Print data, MS4 boundaries, drainage areas and elevation data
 - New NPDES data submission requirements will rely heavily on GIS




























Benefits of Data Integration

Use of the Stormwater
 Print data and the NPDES
 Annual Report data will
 allow users to see not
 just their data, but how
 other BMP's are being



implemented in adjacent jurisdictions.

 Data integration bridges the gap between programs and minimizes duplication of effort.



























Assisting with Compliance

- WRR can assist agencies and counties in meeting regulatory requirements
 - Utilizing the WRR GIS-based web application
 - Customizing analyses using WRR outputs as supplemental input to a more refined model
 - GIS practitioners can consume the WRR Web Map Service (WMS), directly in ESRI's ArcGIS™ to develop their own custom map products
 - Ensures a watershed based approached



























Agency Specific Uses:

MDE

- In-lieu Fee Program
 - Can be used to satisfy the Comprehensive Planning Framework requirement
- Proposed Impacts
- Impact Alternatives
- Compensatory mitigation

DNR

- Program Open Space
 - Can use WRR to determine if proposed projects meet certain eligibility criteria
 - Can use WRR to provide field ready maps to assist with design plans



























Agency Specific Uses: SHA

- Capital Program
 - Helps key stakeholders characterize and identify potential watershed needs as well as target suitable opportunity sites for protection and restoration of important resources
- Roadway Maintenance
 - Helps in avoidance of impacts to sensitive resources
- Bay TMDL
 - Can be used with the TMDL implementation plan




























SHA Strategies – Watershed Approach






























SHA Strategies – Site Specific































About Us

History

Methodology

Suitability Analyses

GIS Layers

Feedback

FAQs

Related Information

Contact Us

Supplementary **Documents:**

2 page Fact Sheet Post Cards 2x2 Cards Flyer Model Descriptions



Welcome

Welcome to the Watershed Resources Registry, an interactive mapping tool to charaterize and prioritize natural resource management opportunities using a Watershed Approach. Areas across Maryland have been scored on a scale of one to five stars based on their potential benefits for restoration or preservation. Users can either access the interactive mapping tool or download the data directly.



Watershed Resources Application



Model Descriptions



Factsheet

Using the Watershed Resources Registry allows you to:

- Identify candidate locations
- Assess and compare potential projects
- · Export data and print site maps for field visits

After exploring the site or utilizing the mapping tool for watershed information, we welcome your feedback.

Technical Requirements

To use this website we recommend using a high speed internet connection using Internet Explorer 7.0 or 8.0. Additionally, Adobe PDF Reader 9.0 and Adobe Flash Player 10.0 are required. The resolution of your monitor is also important; make sure your resolution is 1024 x 768 or above.


































Watershed Resources Registry: Web Application






























Search by County or Watershed






























Toolbar Buttons






























Overlaying Multiple Layers






























Selecting "Location Details"






























Using The "Find Opportunities" Query






























Overlaying Layers On Aerial View Map






























Print Map/Results

Watershed Resources Map



Map Projection: State Plane Maryland (NAD83 - Meters)

Selected Location - Coordinates

Latitude/Longitude: 39.6599,-77.05192

Watershed Resources Improvement Opportunities

Upland Preservation; 3
Upland Restoration: 4
Wetland Preservation: Not Suitable
Wetland Restoration: 5
Riparian Preservation: 3
Riparian Restoration: 3

Stormwater Natural Infrastruture Preservation: 1 Stormwater Compromised Infrastructure Restoration: 2

Watershed Characteristics:

View Watershed Profile HUC: 020700090404 HUC Name: Upper Big Pipe Creek Maryland 8 Digit Watershed: 02140304 Maryland 12 Digit Watershed: 021403040283

Selected Location Information

Waterways

Nearest Stream: Unnamed Tributary to Big Pipe Creek Stream Use Designation: IV-P Distance: 80 ft. Location inside the floodplain.

Metadata: Stream Use Designations| Floodplain

Water Quality Impairments

Metadata

Impairments: Biological, Nutrients, Sediments

Wetlands

Wetlands of Special State Concern: None within 500 ft. DNR: Type - Upland NWI: Distance - 276 ft., Type - Freshwater Emergent Wetland

Metadata: WSSC | DNR | NWI

Green Infrastructure

There are no hubs within 500 ft. Location inside a gap Location inside a corridor

Metadata: Hub | Gap | Corridor

Blue Infrastructure

<u>Metadata</u>

There is no blue infrastructure within 500 ft.

Species Related Data

There are no forest interior dwelling species areas within 500 ft.

Metadata: FIDs

Soils Metadata

Soil Type: Ht Hydric: Hydric Drainage: Poorly Drained Prime Farm Land: Not prime

Land Use/Land Cover

Land Use Type (2002): Decidous Forest Land Use Type (2007): Pasture

Metadata: Metadata | Metadata

Physiographic Region

letadata

Province: Piedmont Plateau Province

Geology

Metadata

Name: Marburg Schist

























WRR Analysis: Wetland Preservation

Map Contents ■ Wetland Preservation Not Suitable 2 3

ocation Details Results

Watershed Resources Improvement Opportunities

Upland Preservation: Not Suitable Upland Restoration: Not Suitable

Wetland Preservation: 3

Wetland Restoration: Not Suitable

Riparian Preservation: 3

Riparian Restoration: Not Suitable

Stormwater Natural Infrastruture Preservation: 4

Stormwater Compromised Infrastructure

Restoration: 2

Watershed Characteristics:

View Watershed Profile

HUC: 020600040203

HUC Name: Whitehall Creek-Severn River-

Chesapeake Bay

Maryland 8 Digit Watershed: 02131002 Maryland 12 Digit Watershed: 021310020997

ocation Details Results

Waterways

Nearest Stream: Clements Creek Stream Use Designation: I

Distance: 72 ft.

Location inside the floodplain.

Metadata: Stream Use Designations| Floodplain

Water Quality Impairments

Metadata

Impairments: Bacteria, Biological, Nutrients, Sediments, Toxics

Physiographic Region

Province: Atlantic Coastal Plain Province

Geology

Name: Matawan Formation

Wetlands

Wetlands of Special State Concern: None within 500 ft DNR: Type - PFO1A

















WRR Analysis: Stormwater Natural Infrastructure Preservation

Duristable Green The Double The Double

Location Details Results

Watershed Resources Improvement Opportuniti

Upland Preservation: 3

<u>Upland Restoration</u>: Not Suitable <u>Wetland Preservation</u>: Not Suitable <u>Wetland Restoration</u>: Not Suitable Riparian Preservation: 2

Riparian Restoration: Not Suitable

Stormwater Natural Infrastruture Preservation: 3

Stormwater Compromised Infrastructure Restoration:

Watershed Characteristics:

View Watershed Profile

HUC: 020600040203

HUC Name: Whitehall Creek-Severn River-Chesapea

Bay

Maryland 8 Digit Watershed: 02131002 Maryland 12 Digit Watershed: 021310020997

Metadata: HUC | MD Watershed | Stronghold

Waterways

Nearest Stream: Clements Creek Stream Use Designation: I

Distance: 108 ft.

Location Details Results

Location inside the floodplain.

Metadata: Stream Use Designations| Floodplain

Water Quality Impairments

Metadata

Impairments: Bacteria, Biological, Nutrients, Sediments

Toxics

Physiographic Region

Metadata

Province: Atlantic Coastal Plain Province

Geology

<u>Metadata</u>

Name: Aquia Formation

Wetlands

Wetlands of Special State Concern: None within 500 ft.

DNR: Type - Upland NWI: None within 500 ft.


Metadata: WSSC | DNR | NWI











WRR Analysis: Stormwater Compromised Infrastructure Restoration

Location Details Results

Watershed Resources Improvement Opportuniti

Upland Preservation: 3

Upland Restoration: Not Suitable

Wetland Preservation: Not Suitable

Wetland Restoration: Not Suitable

Riparian Preservation: 2

Riparian Restoration: Not Suitable

Stormwater Natural Infrastruture Preservation: 1

Stormwater Compromised Infrastructure Restoration

Watershed Characteristics:

View Watershed Profile

HUC: 020600040203

HUC Name: Whitehall Creek-Severn River-Chesapea

вау

Maryland 8 Digit Watershed: 02131002 Maryland 12 Digit Watershed: 021310020997

Metadata: HUC | MD Watershed | Stronghold

Waterways

Nearest Stream: Clements Creek Stream Use Designation: I Distance: 52 ft.

MARYLAND





Location Details Results

Water Quality Impairments

Metadata

Impairments: Bacteria, Biological, Nutrients, Sediments,

Toxics

Physiographic Region

Metadata

Province: Atlantic Coastal Plain Province

Geology

Metadata

Name: Aquia Formation

Wetlands

Wetlands of Special State Concern: None within 500 ft.

DNR: Type - Upland NWI: None within 500 ft.

Metadata: WSSC | DNR | NWI

Soils

Metadata

Soil Type: CSF Hydric: Not hydric



Stormwater Compromised Infrastructure Res

Not Suitable

WRR Analysis: Riparian Preservation

lap Contents iparian Preservation Not Suitable FOREST-RI

ocation Details Results.

Watershed Resources Improvement Opportunities

Upland Preservation: 3

Upland Restoration: Not Suitable Wetland Preservation: Not Suitable Wetland Restoration: Not Suitable

Riparian Preservation: 2

Riparian Restoration: Not Suitable

Stormwater Natural Infrastruture Preservation: Stormwater Compromised Infrastructure

Restoration: 1

Watershed Characteristics:

View Watershed Profile

HUC: 020600040203

HUC Name: Whitehall Creek-Severn River-

Chesapeake Bay

Maryland 8 Digit Watershed: 02131002 Maryland 12 Digit Watershed: 021310020997

Metadata: HUC | MD Watershed | Stronghold

ocation Details Results

Waterways

Nearest Stream: Clements Creek Stream Use Designation: I Distance: 42 ft

Metadata: Stream Use Designations

Water Quality Impairments

Impairments: Bacteria, Biological, Nutrients,

Sediments, Toxics

Physiographic Region

Province: Atlantic Coastal Plain Province

Geology

Name: Aguia Formation

Wetlands of Special State Concern: None within 500

DNR: Type - Upland


Wetlands

NWI: None within 500 ft









WRR Analysis: Riparian Restoration

Location Details Results

Watershed Resources Improvement Opportunities

<u>Upland Preservation</u>: Not Suitable <u>Upland Restoration</u>: Not Suitable <u>Wetland Preservation</u>: Not Suitable <u>Wetland Restoration</u>: Not Suitable

Riparian Preservation: 1 Riparian Restoration: 2

Stormwater Natural Infrastruture Preservation:

Stormwater Compromised Infrastructure

Restoration: 3

Watershed Characteristics:

View Watershed Profile

HUC: 020600040203

HUC Name: Whitehall Creek-Severn River-

Chesapeake Bay

Maryland 8 Digit Watershed: 02131002 Maryland 12 Digit Watershed: 021310020997

Metadata: HUC | MD Watershed | Stronghold

Waterways

Nearest Stream: Clements Creek

A iway

HA



Waterways

Nearest Stream: Clements Creek Stream Use Designation: I Distance: 289 ft.

Metadata: Stream Use Designations

Water Quality Impairments

metadati

Impairments: Bacteria, Biological, Nutrients,

Sediments, Toxics

Physiographic Region

<u>Metadati</u>

Province: Atlantic Coastal Plain Province

Geology

<u>Metadata</u>

Name: Monmouth Formation

Wetlands

Wetlands of Special State Concern: None within 50

DNR: Type - Upland NWI: None within 500 ft.












How to provide Feedback

 On the Menu located in the topleft of the website, click "Feedback"































Contribute Your Feedback

Please give us your feedback concerning your use of the WRR mapping tool.			Have you field-verified the results of the WRR Application?	O Yes O No	
Please select one: Which aspects of the WRR are you interested in? (Select all that	 ○ I would like to report a problem/issue ○ I have a general comment □ WRR Application Interface □ Accuracy/Relevancy of the information 		Did the application results accurately depict what you found in the field?	O Yes No Not Applicable	
apply)	basemap/data layers Website	Other (Please specify below)	If not, please elaborate.		^
Which Suitability Analysis/Ecological opportunity are you interested in? (Select all that apply)	Upland Preservation Upland Restoration Wetland Preservation Wetland Restoration Riparian Preservation Riparian Restoration Stormwater Natural Infrastru Stormwater Compromised In		How could the WRR be enhanced or improved? Would you like to be contacted regarding your comments?	○ Yes ○ No	~
Please describe the issue/comment.		A	Email (optional) Affiliation (optional)	O Government	
If possible, please provide the coordinates of a site that demonstrates the issue (Decimal Degree format).	Latitude: Longitude:			O Private O Non-Profit O Citizen	
			Submit Reset Response Survey		





















http://www.watershedresourcesregistry.org/feedback.php







Recent and Current Events

- A series of training workshops were held from October - December 2012 at several agency locations
- A team of experts is being assembled to consult on the stormwater models
- User website and application are both live
 - www.watershedresourcesregistry.org
- Upcoming private training opportunities
- Site registration being developed
- Currently soliciting feedback from participating agencies



























Dominique Lueckenhoff

Lueckenhoff.Dominique@epa.gov

THANK YOU

Contact Ralph Spagnolo with any further questions. (215) 814-2718;

M1

spagnolo.ralph@epa.gov

www.watershedresourcesregistry.org

























M1 Need Dom's Contact Info...

MHERZ, 2/26/2013