# MDEStat Meeting December 15, 2008



# Table 1: ARMA PEP Status as Reported Monthly to OS

Date of Report	FY06	FY07	FY08	FY09 end-cycle PEPs due through 11/8	FY09 end-cycle PEPs due 11/9 through 12/12
Number of End-of-Cycle PEPs Past Due	6	21	53	39	6
Projected Date by Which All Overdue PEPs Will be Completed	12/19	1/5	1/20	1/20	"later in 09"

## Table 2: Title V Permitting Summary

Category	Nov	Dec
facilities needing Title V permit but not having one	8	6
number of applications pending for new Title V permits (details appear in Table 4)	8	6
number of applications pending for new Title V permits that were received three years prior*	4	4
facilities with expired Title V permits (details appear in Table 5)	9	13
number of renewal applications pending for Title V permits	19	22
number of Title V renewal applications pending for Title V permits that were received more than 18 months prior*	3	3
facilities with permits within six months of expiration that have not submitted a renewal application	0	0

<sup>\*</sup> Standard turnaround time for new Title V permits is three years; the standard for renewals is 18 months.

#### Table 3: Facilities with Applications Pending for New Title V Permits

Facility	Date Application Received	Projected Issuance Date
BWI Airport	12/3/07	As of 12/02/08, need to respond to EPA comments; permit is still within acceptable permit turnaround times
Charles Co. Landfill	10/29/07	Issued 11/1/08
Forty West Landfill	10/9/07	Issued 12/1/08
Ingenco	12/13/07	Issued 11/1/08
Mirant Dickerson	6/5/02	Public Hearing scheduled for 12/5/08; issuance date depends on nature and quantity of public comments. Permit has been delayed due to compliance issues
Mirant Chalk Point	6/5/02	Unresolved Compliance Issue- not under Permits Program's control
New Page Paper (aka Luke Paper)	5/31/02	CAM Plan Issue- not under Permits Program's control.
Northern Landfill	12/26/07	Issued effective 1/1/09
Quarantine Road Landfill	11/9/07	02/01/09; permit is still within acceptable permit turnaround times
Social Security	5/13/03	1/1/09 (if no comments are received during public comment period).  Permit has been delayed due to multiple compliance issues.



### Table 4: Facilities with Expired Title V Permits

Facility	Permit Expira- tion Date	Date Renewal App. Received	Projected Issuance Date
Cove Point	7/1/04	7/2/04	Issued 10/1/08
U. S. Gypsum	6/30/06	1/26/06	4/1/09; delayed due to compliance issue. As of 12/02/08, company is shutting down a significant portion of plant which may resolve compliance issue but will require revisions to draft Title V permit.
Wheelabrator	8/31/06	3/1/06	6/1/09; delayed due to the need to respond to public (Eric Schaefer) and EPA comments
Mirant Morgan-town	9/30/06	4/4/06	2/1/09; public hearing held on November 5, 2008. Need to respond to Environmental Integrity Project and public hearing comments and then send to EPA for their 45-day review period.
Washington Hospital	2/28/08	8/28/07	Issued 10/1/08
NIH	4/30/08	10/31/07	Issued 10/1/08
NIST	4/30/08	10/31/07	3/1/09; Need to resolve EPA's comments
Sandy Hill Landfill	5/31/08	11/30/07	Issued 11/1/08
AES Warrior Run	8/31/08	2/28/08	3/1/09; delayed due to deficient Compliance Assurance Monitoring (CAM) Plan - this issue has been resolved as of 10/9/08.
Millennium Inorganic Chemicals	8/31/08	2/29/08	4/1/09; Initial application was grossly deficient. Application not complete until 4/28/08. As of 12/2/08, permit is undergoing public participation requirements. Issuance date will depend on nature and quantity of public comments received.
Trigen Central Avenue	9/30/08	3/28/08	As of 12/2/08, permit is undergoing public participation requirements. Permit can be issued 2/1/09 if no comments are received.
Lehigh Union Bridge	9/30/08	3/31/08	6/1/09; Permit is being drafted but there is also a pending enforcement case.
Constellation Perryman	10/31/08	4/30/08	As of 12/2/08, permit is undergoing public participation requirements. Permit can be issued 2/1/09 if no comments are received.
Constella-tion Notch Cliff	10/31/08	4/30/08	As of 12/2/08, permit is undergoing public participation requirements. Permit can be issued 2/1/09 if no comments are received.
Transconti-nental Pipeline	11/30/08	5/30/08	Permit is being drafted but has been delayed due to resource issues (Permit engineer has been tied up with a legal proceeding on another permit and other permits)
Constella-tion Crane	11/30/08	5/30/08	Comments received on 11/26/08 from Environmental Integrity Project- comments may have been submitted past the public comment deadline; if not, need to respond before permit can be issued
Constella-tion Phil. Rd.	11/30/08	5/30/08	As of 12/1/08, permit is undergoing public participation requirements. Permit can be issued 2/1/09 if no comments are received.



### Table 5: Title V Permits Issued FY05-FY08: Turnaround Times

	Number Issued	Number Issued Within Standard Time	Percent Issued Within Standard Time
New Permits	23	15	65%
Renewal Permits	88	71	80%

## Table 6: ARMA Coverage Rates FY07 and FY08

	High- Impact Facilities	Low-Impact Facilities	Complaints	Asbestos	Radiation Machines	Radioactive Materials	
	FY07						
Universe	609	11009	707	3277	4833	632	
Number of Si Evaluated for Compliance		1375	470	814	1917	283	
Coverage Ra	71% ite	12%	66%	25%	40%	45%	
FY08							
Universe	628	11090	608	3158	4846	778	
Number of Si Evaluated for Compliance		1493	409	723	1686	337	
Coverage Ra	55% ite	13%	67%	23%	35%	43%	

