

Technical Report for

Drake Petroleum Company, Inc.

BCNJCH:PC# 007805 Bel Air Xtra Fuels, 2476 Churchville Road, Bel Air, MD

146282.005.003

Accutest Job Number: JB91464

Sampling Date: 03/31/15

Report to:

Brown & Caldwell


JMaciejewski@brwncald.com

ATTN: Jen Maciejewski

Total number of pages in report: 17



Test results contained within this data package meet the requirements of the National Environmental Laboratory Accreditation Program and/or state specific certification programs as applicable.



Nancy Cole
Laboratory Director

Client Service contact: Victoria Pushkova 732-329-0200

Certifications: NJ(12129), NY(10983), CA, CT, DE, FL, IL, IN, KS, KY, LA, MA, MD, MI, MT, NC, OH VAP (CL0056), AK (UST-103), AZ (AZ0786), PA, RI, SC, TN, VA, WV, DoD ELAP (L-A-B L2248)

This report shall not be reproduced, except in its entirety, without the written approval of Accutest Laboratories.
Test results relate only to samples analyzed.

Table of Contents

-1-

Section 1: Sample Summary	3
Section 2: Summary of Hits	4
Section 3: Sample Results	5
3.1: JB91464-1: 1MS-PRE-20150331	6
3.2: JB91464-2: 1MS-MID-20150331	9
3.3: JB91464-3: 1MS-POST-20150331	12
Section 4: Misc. Forms	15
4.1: Chain of Custody	16



Sample Summary

Drake Petroleum Company, Inc.

Job No: JB91464

BCNJCH:PC# 007805 Bel Air Xtra Fuels, 2476 Churchville Road, Bel Air, MD

Project No: 146282.005.003

Sample Number	Collected		Received	Matrix		Client Sample ID
	Date	Time By		Code	Type	
JB91464-1	03/31/15	09:45 BQ	04/02/15	DW	Drinking Water	1MS-PRE-20150331
JB91464-2	03/31/15	09:50 BQ	04/02/15	DW	Drinking Water	1MS-MID-20150331
JB91464-3	03/31/15	09:55 BQ	04/02/15	DW	Drinking Water	1MS-POST-20150331

Summary of Hits

Job Number: JB91464
Account: Drake Petroleum Company, Inc.
Project: BCNJCH:PC# 007805 Bel Air Xtra Fuels, 2476 Churchville Road, Bel Air, MD
Collected: 03/31/15

Lab Sample ID	Client Sample ID	Result/ Qual	RL	MDL	Units	Method
---------------	------------------	-----------------	----	-----	-------	--------

JB91464-1 1MS-PRE-20150331

Methylene chloride	0.11 J	0.50	0.047	ug/l	EPA 524.2 REV 4.1
Methyl Tert Butyl Ether	101	5.0	0.30	ug/l	EPA 524.2 REV 4.1
tert-Amyl Methyl Ether	0.69	0.50	0.099	ug/l	EPA 524.2 REV 4.1
Tertiary Butyl Alcohol	104	5.0	0.89	ug/l	EPA 524.2 REV 4.1
Total TIC, Volatile	4.2 J			ug/l	

JB91464-2 1MS-MID-20150331

No hits reported in this sample.

JB91464-3 1MS-POST-20150331

No hits reported in this sample.

Sample Results

Report of Analysis

Report of Analysis

Client Sample ID:	1MS-PRE-20150331	Date Sampled:	03/31/15
Lab Sample ID:	JB91464-1	Date Received:	04/02/15
Matrix:	DW - Drinking Water	Percent Solids:	n/a
Method:	EPA 524.2 REV 4.1		
Project:	BCNJCH:PC# 007805 Bel Air Xtra Fuels, 2476 Churchville Road, Bel Air, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B96523.D	1	04/06/15	MD	n/a	n/a	V1B4569
Run #2	1B96546.D	10	04/07/15	MD	n/a	n/a	V1B4571

Run #	Purge Volume
Run #1	5.0 ml
Run #2	5.0 ml

VOA List

CAS No.	Compound	Result	MCL	RL	MDL	Units	Q
67-64-1	Acetone	ND		5.0	0.91	ug/l	
78-93-3	2-Butanone	ND		5.0	0.57	ug/l	
71-43-2	Benzene	ND	5.0	0.50	0.057	ug/l	
108-86-1	Bromobenzene	ND		0.50	0.035	ug/l	
74-97-5	Bromochloromethane	ND		0.50	0.088	ug/l	
75-27-4	Bromodichloromethane	ND		0.50	0.082	ug/l	
75-25-2	Bromoform	ND		0.50	0.046	ug/l	
74-83-9	Bromomethane	ND		0.50	0.077	ug/l	
104-51-8	n-Butylbenzene	ND		0.50	0.030	ug/l	
135-98-8	sec-Butylbenzene	ND		0.50	0.074	ug/l	
98-06-6	tert-Butylbenzene	ND		0.50	0.045	ug/l	
75-15-0	Carbon disulfide	ND		0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	100	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND		0.50	0.037	ug/l	
67-66-3	Chloroform	ND		0.50	0.031	ug/l	
74-87-3	Chloromethane	ND		0.50	0.044	ug/l	
95-49-8	o-Chlorotoluene	ND		0.50	0.045	ug/l	
106-43-4	p-Chlorotoluene	ND		0.50	0.073	ug/l	
56-23-5	Carbon tetrachloride	ND	5.0	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND		0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	7.0	0.50	0.054	ug/l	
563-58-6	1,1-Dichloropropene	ND		0.50	0.053	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	0.20	1.0	0.078	ug/l	
106-93-4	1,2-Dibromoethane	ND	0.050	0.50	0.031	ug/l	
107-06-2	1,2-Dichloroethane	ND	5.0	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	5.0	0.50	0.082	ug/l	
142-28-9	1,3-Dichloropropane	ND		0.50	0.041	ug/l	
594-20-7	2,2-Dichloropropane	ND		0.50	0.067	ug/l	
124-48-1	Dibromochloromethane	ND		0.50	0.042	ug/l	
74-95-3	Dibromomethane	ND		0.50	0.046	ug/l	
75-71-8	Dichlorodifluoromethane	ND		0.50	0.054	ug/l	
541-73-1	m-Dichlorobenzene	ND		0.50	0.046	ug/l	

ND = Not detected MDL = Method Detection Limit

MCL = Maximum Contamination Level (40 CFR 141)

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	1MS-PRE-20150331	Date Sampled:	03/31/15
Lab Sample ID:	JB91464-1	Date Received:	04/02/15
Matrix:	DW - Drinking Water	Percent Solids:	n/a
Method:	EPA 524.2 REV 4.1	Project: BCNJCH:PC# 007805 Bel Air Xtra Fuels, 2476 Churchville Road, Bel Air, MD	

VOA List

CAS No.	Compound	Result	MCL	RL	MDL	Units	Q
95-50-1	o-Dichlorobenzene	ND	600	0.50	0.052	ug/l	
106-46-7	p-Dichlorobenzene	ND	75	0.50	0.034	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	100	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	70	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND		0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND		0.50	0.063	ug/l	
108-20-3	Di-Isopropyl ether	ND		0.50	0.038	ug/l	
100-41-4	Ethylbenzene	ND	700	0.50	0.033	ug/l	
637-92-3	Ethyl tert Butyl Ether	ND		0.50	0.025	ug/l	
87-68-3	Hexachlorobutadiene	ND		0.50	0.073	ug/l	
110-54-3	Hexane	ND		0.50	0.094	ug/l	
591-78-6	2-Hexanone	ND		2.0	0.084	ug/l	
98-82-8	Isopropylbenzene	ND		0.50	0.054	ug/l	
99-87-6	p-Isopropyltoluene	ND		0.50	0.062	ug/l	
75-09-2	Methylene chloride	0.11	5.0	0.50	0.047	ug/l	J
1634-04-4	Methyl Tert Butyl Ether	101 ^a		5.0	0.30	ug/l	
108-10-1	4-Methyl-2-pentanone	ND		2.0	0.27	ug/l	
91-20-3	Naphthalene	ND		0.50	0.084	ug/l	
103-65-1	n-Propylbenzene	ND		0.50	0.061	ug/l	
100-42-5	Styrene	ND	100	0.50	0.028	ug/l	
994-05-8	tert-Amyl Methyl Ether	0.69		0.50	0.099	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND		0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	200	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND		0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	5.0	0.50	0.052	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND		0.50	0.024	ug/l	
96-18-4	1,2,3-Trichloropropane	ND		0.50	0.047	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	70	0.50	0.035	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND		0.50	0.031	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND		0.50	0.041	ug/l	
127-18-4	Tetrachloroethylene	ND	5.0	0.50	0.091	ug/l	
108-88-3	Toluene	ND	1000	0.50	0.044	ug/l	
79-01-6	Trichloroethylene	ND	5.0	0.50	0.024	ug/l	
75-69-4	Trichlorofluoromethane	ND		1.0	0.057	ug/l	
75-65-0	Tertiary Butyl Alcohol	104		5.0	0.89	ug/l	
75-01-4	Vinyl chloride	ND	2.0	0.50	0.032	ug/l	
	m,p-Xylene	ND		0.50	0.13	ug/l	
95-47-6	o-Xylene	ND		0.50	0.029	ug/l	
1330-20-7	Xylenes (total)	ND	10000	0.50	0.029	ug/l	

ND = Not detected MDL = Method Detection Limit

MCL = Maximum Contamination Level (40 CFR 141)

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

3.1
3

Client Sample ID: 1MS-PRE-20150331		Date Sampled: 03/31/15
Lab Sample ID: JB91464-1		Date Received: 04/02/15
Matrix: DW - Drinking Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: BCNJCH:PC# 007805 Bel Air Xtra Fuels, 2476 Churchville Road, Bel Air, MD		

VOA List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	94%	92%	78-114%
460-00-4	4-Bromofluorobenzene	102%	101%	77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	alkene	4.56	1.3	ug/l	J
109-99-9	Furan, tetrahydro-	10.29	1	ug/l	JN
75-85-4	Amylene Hydrate	10.94	1.9	ug/l	JN
	Total TIC, Volatile		4.2	ug/l	J

(a) Result is from Run# 2

ND = Not detected MDL = Method Detection Limit J = Indicates an estimated value
 MCL = Maximum Contamination Level (40 CFR 141) B = Indicates analyte found in associated method blank
 E = Indicates value exceeds calibration range N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	1MS-MID-20150331	Date Sampled:	03/31/15
Lab Sample ID:	JB91464-2	Date Received:	04/02/15
Matrix:	DW - Drinking Water	Percent Solids:	n/a
Method:	EPA 524.2 REV 4.1		
Project:	BCNJCH:PC# 007805 Bel Air Xtra Fuels, 2476 Churchville Road, Bel Air, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B96524.D	1	04/06/15	MD	n/a	n/a	V1B4569
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA List

CAS No.	Compound	Result	MCL	RL	MDL	Units	Q
67-64-1	Acetone	ND		5.0	0.91	ug/l	
78-93-3	2-Butanone	ND		5.0	0.57	ug/l	
71-43-2	Benzene	ND	5.0	0.50	0.057	ug/l	
108-86-1	Bromobenzene	ND		0.50	0.035	ug/l	
74-97-5	Bromochloromethane	ND		0.50	0.088	ug/l	
75-27-4	Bromodichloromethane	ND		0.50	0.082	ug/l	
75-25-2	Bromoform	ND		0.50	0.046	ug/l	
74-83-9	Bromomethane	ND		0.50	0.077	ug/l	
104-51-8	n-Butylbenzene	ND		0.50	0.030	ug/l	
135-98-8	sec-Butylbenzene	ND		0.50	0.074	ug/l	
98-06-6	tert-Butylbenzene	ND		0.50	0.045	ug/l	
75-15-0	Carbon disulfide	ND		0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	100	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND		0.50	0.037	ug/l	
67-66-3	Chloroform	ND		0.50	0.031	ug/l	
74-87-3	Chloromethane	ND		0.50	0.044	ug/l	
95-49-8	o-Chlorotoluene	ND		0.50	0.045	ug/l	
106-43-4	p-Chlorotoluene	ND		0.50	0.073	ug/l	
56-23-5	Carbon tetrachloride	ND	5.0	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND		0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	7.0	0.50	0.054	ug/l	
563-58-6	1,1-Dichloropropene	ND		0.50	0.053	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	0.20	1.0	0.078	ug/l	
106-93-4	1,2-Dibromoethane	ND	0.050	0.50	0.031	ug/l	
107-06-2	1,2-Dichloroethane	ND	5.0	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	5.0	0.50	0.082	ug/l	
142-28-9	1,3-Dichloropropane	ND		0.50	0.041	ug/l	
594-20-7	2,2-Dichloropropane	ND		0.50	0.067	ug/l	
124-48-1	Dibromochloromethane	ND		0.50	0.042	ug/l	
74-95-3	Dibromomethane	ND		0.50	0.046	ug/l	
75-71-8	Dichlorodifluoromethane	ND		0.50	0.054	ug/l	
541-73-1	m-Dichlorobenzene	ND		0.50	0.046	ug/l	

ND = Not detected MDL = Method Detection Limit

MCL = Maximum Contamination Level (40 CFR 141)

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	1MS-MID-20150331	Date Sampled:	03/31/15
Lab Sample ID:	JB91464-2	Date Received:	04/02/15
Matrix:	DW - Drinking Water	Percent Solids:	n/a
Method:	EPA 524.2 REV 4.1	Project: BCNJCH:PC# 007805 Bel Air Xtra Fuels, 2476 Churchville Road, Bel Air, MD	

VOA List

CAS No.	Compound	Result	MCL	RL	MDL	Units	Q
95-50-1	o-Dichlorobenzene	ND	600	0.50	0.052	ug/l	
106-46-7	p-Dichlorobenzene	ND	75	0.50	0.034	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	100	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	70	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND		0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND		0.50	0.063	ug/l	
108-20-3	Di-Isopropyl ether	ND		0.50	0.038	ug/l	
100-41-4	Ethylbenzene	ND	700	0.50	0.033	ug/l	
637-92-3	Ethyl tert Butyl Ether	ND		0.50	0.025	ug/l	
87-68-3	Hexachlorobutadiene	ND		0.50	0.073	ug/l	
110-54-3	Hexane	ND		0.50	0.094	ug/l	
591-78-6	2-Hexanone	ND		2.0	0.084	ug/l	
98-82-8	Isopropylbenzene	ND		0.50	0.054	ug/l	
99-87-6	p-Isopropyltoluene	ND		0.50	0.062	ug/l	
75-09-2	Methylene chloride	ND	5.0	0.50	0.047	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND		0.50	0.030	ug/l	
108-10-1	4-Methyl-2-pentanone	ND		2.0	0.27	ug/l	
91-20-3	Naphthalene	ND		0.50	0.084	ug/l	
103-65-1	n-Propylbenzene	ND		0.50	0.061	ug/l	
100-42-5	Styrene	ND	100	0.50	0.028	ug/l	
994-05-8	tert-Amyl Methyl Ether	ND		0.50	0.099	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND		0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	200	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND		0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	5.0	0.50	0.052	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND		0.50	0.024	ug/l	
96-18-4	1,2,3-Trichloropropane	ND		0.50	0.047	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	70	0.50	0.035	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND		0.50	0.031	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND		0.50	0.041	ug/l	
127-18-4	Tetrachloroethylene	ND	5.0	0.50	0.091	ug/l	
108-88-3	Toluene	ND	1000	0.50	0.044	ug/l	
79-01-6	Trichloroethylene	ND	5.0	0.50	0.024	ug/l	
75-69-4	Trichlorofluoromethane	ND		1.0	0.057	ug/l	
75-65-0	Tertiary Butyl Alcohol	ND		5.0	0.89	ug/l	
75-01-4	Vinyl chloride	ND	2.0	0.50	0.032	ug/l	
	m,p-Xylene	ND		0.50	0.13	ug/l	
95-47-6	o-Xylene	ND		0.50	0.029	ug/l	
1330-20-7	Xylenes (total)	ND	10000	0.50	0.029	ug/l	

ND = Not detected MDL = Method Detection Limit
MCL = Maximum Contamination Level (40 CFR 141)
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	1MS-MID-20150331	Date Sampled:	03/31/15
Lab Sample ID:	JB91464-2	Date Received:	04/02/15
Matrix:	DW - Drinking Water	Percent Solids:	n/a
Method:	EPA 524.2 REV 4.1		
Project:	BCNJCH:PC# 007805 Bel Air Xtra Fuels, 2476 Churchville Road, Bel Air, MD		

VOA List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	92%		78-114%
460-00-4	4-Bromofluorobenzene	99%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
MCL = Maximum Contamination Level (40 CFR 141)
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	1MS-POST-20150331	Date Sampled:	03/31/15
Lab Sample ID:	JB91464-3	Date Received:	04/02/15
Matrix:	DW - Drinking Water	Percent Solids:	n/a
Method:	EPA 524.2 REV 4.1		
Project:	BCNJCH:PC# 007805 Bel Air Xtra Fuels, 2476 Churchville Road, Bel Air, MD		

Run #	File ID	DF	Analyzed	By	Prep Date	Prep Batch	Analytical Batch
Run #1	1B96525.D	1	04/06/15	MD	n/a	n/a	V1B4569
Run #2							

Run #	Purge Volume
Run #1	5.0 ml
Run #2	

VOA List

CAS No.	Compound	Result	MCL	RL	MDL	Units	Q
67-64-1	Acetone	ND		5.0	0.91	ug/l	
78-93-3	2-Butanone	ND		5.0	0.57	ug/l	
71-43-2	Benzene	ND	5.0	0.50	0.057	ug/l	
108-86-1	Bromobenzene	ND		0.50	0.035	ug/l	
74-97-5	Bromochloromethane	ND		0.50	0.088	ug/l	
75-27-4	Bromodichloromethane	ND		0.50	0.082	ug/l	
75-25-2	Bromoform	ND		0.50	0.046	ug/l	
74-83-9	Bromomethane	ND		0.50	0.077	ug/l	
104-51-8	n-Butylbenzene	ND		0.50	0.030	ug/l	
135-98-8	sec-Butylbenzene	ND		0.50	0.074	ug/l	
98-06-6	tert-Butylbenzene	ND		0.50	0.045	ug/l	
75-15-0	Carbon disulfide	ND		0.50	0.028	ug/l	
108-90-7	Chlorobenzene	ND	100	0.50	0.027	ug/l	
75-00-3	Chloroethane	ND		0.50	0.037	ug/l	
67-66-3	Chloroform	ND		0.50	0.031	ug/l	
74-87-3	Chloromethane	ND		0.50	0.044	ug/l	
95-49-8	o-Chlorotoluene	ND		0.50	0.045	ug/l	
106-43-4	p-Chlorotoluene	ND		0.50	0.073	ug/l	
56-23-5	Carbon tetrachloride	ND	5.0	0.50	0.074	ug/l	
75-34-3	1,1-Dichloroethane	ND		0.50	0.039	ug/l	
75-35-4	1,1-Dichloroethylene	ND	7.0	0.50	0.054	ug/l	
563-58-6	1,1-Dichloropropene	ND		0.50	0.053	ug/l	
96-12-8	1,2-Dibromo-3-chloropropane	ND	0.20	1.0	0.078	ug/l	
106-93-4	1,2-Dibromoethane	ND	0.050	0.50	0.031	ug/l	
107-06-2	1,2-Dichloroethane	ND	5.0	0.50	0.034	ug/l	
78-87-5	1,2-Dichloropropane	ND	5.0	0.50	0.082	ug/l	
142-28-9	1,3-Dichloropropane	ND		0.50	0.041	ug/l	
594-20-7	2,2-Dichloropropane	ND		0.50	0.067	ug/l	
124-48-1	Dibromochloromethane	ND		0.50	0.042	ug/l	
74-95-3	Dibromomethane	ND		0.50	0.046	ug/l	
75-71-8	Dichlorodifluoromethane	ND		0.50	0.054	ug/l	
541-73-1	m-Dichlorobenzene	ND		0.50	0.046	ug/l	

ND = Not detected MDL = Method Detection Limit

MCL = Maximum Contamination Level (40 CFR 141)

E = Indicates value exceeds calibration range

J = Indicates an estimated value

B = Indicates analyte found in associated method blank

N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID:	1MS-POST-20150331	Date Sampled:	03/31/15
Lab Sample ID:	JB91464-3	Date Received:	04/02/15
Matrix:	DW - Drinking Water	Percent Solids:	n/a
Method:	EPA 524.2 REV 4.1		
Project:	BCNJCH:PC# 007805 Bel Air Xtra Fuels, 2476 Churchville Road, Bel Air, MD		

VOA List

CAS No.	Compound	Result	MCL	RL	MDL	Units	Q
95-50-1	o-Dichlorobenzene	ND	600	0.50	0.052	ug/l	
106-46-7	p-Dichlorobenzene	ND	75	0.50	0.034	ug/l	
156-60-5	trans-1,2-Dichloroethylene	ND	100	0.50	0.039	ug/l	
156-59-2	cis-1,2-Dichloroethylene	ND	70	0.50	0.081	ug/l	
10061-02-6	trans-1,3-Dichloropropene	ND		0.50	0.033	ug/l	
10061-01-5	cis-1,3-Dichloropropene	ND		0.50	0.063	ug/l	
108-20-3	Di-Isopropyl ether	ND		0.50	0.038	ug/l	
100-41-4	Ethylbenzene	ND	700	0.50	0.033	ug/l	
637-92-3	Ethyl tert Butyl Ether	ND		0.50	0.025	ug/l	
87-68-3	Hexachlorobutadiene	ND		0.50	0.073	ug/l	
110-54-3	Hexane	ND		0.50	0.094	ug/l	
591-78-6	2-Hexanone	ND		2.0	0.084	ug/l	
98-82-8	Isopropylbenzene	ND		0.50	0.054	ug/l	
99-87-6	p-Isopropyltoluene	ND		0.50	0.062	ug/l	
75-09-2	Methylene chloride	ND	5.0	0.50	0.047	ug/l	
1634-04-4	Methyl Tert Butyl Ether	ND		0.50	0.030	ug/l	
108-10-1	4-Methyl-2-pentanone	ND		2.0	0.27	ug/l	
91-20-3	Naphthalene	ND		0.50	0.084	ug/l	
103-65-1	n-Propylbenzene	ND		0.50	0.061	ug/l	
100-42-5	Styrene	ND	100	0.50	0.028	ug/l	
994-05-8	tert-Amyl Methyl Ether	ND		0.50	0.099	ug/l	
630-20-6	1,1,1,2-Tetrachloroethane	ND		0.50	0.028	ug/l	
71-55-6	1,1,1-Trichloroethane	ND	200	0.50	0.050	ug/l	
79-34-5	1,1,2,2-Tetrachloroethane	ND		0.50	0.035	ug/l	
79-00-5	1,1,2-Trichloroethane	ND	5.0	0.50	0.052	ug/l	
87-61-6	1,2,3-Trichlorobenzene	ND		0.50	0.024	ug/l	
96-18-4	1,2,3-Trichloropropane	ND		0.50	0.047	ug/l	
120-82-1	1,2,4-Trichlorobenzene	ND	70	0.50	0.035	ug/l	
95-63-6	1,2,4-Trimethylbenzene	ND		0.50	0.031	ug/l	
108-67-8	1,3,5-Trimethylbenzene	ND		0.50	0.041	ug/l	
127-18-4	Tetrachloroethylene	ND	5.0	0.50	0.091	ug/l	
108-88-3	Toluene	ND	1000	0.50	0.044	ug/l	
79-01-6	Trichloroethylene	ND	5.0	0.50	0.024	ug/l	
75-69-4	Trichlorofluoromethane	ND		1.0	0.057	ug/l	
75-65-0	Tertiary Butyl Alcohol	ND		5.0	0.89	ug/l	
75-01-4	Vinyl chloride	ND	2.0	0.50	0.032	ug/l	
	m,p-Xylene	ND		0.50	0.13	ug/l	
95-47-6	o-Xylene	ND		0.50	0.029	ug/l	
1330-20-7	Xylenes (total)	ND	10000	0.50	0.029	ug/l	

ND = Not detected MDL = Method Detection Limit
MCL = Maximum Contamination Level (40 CFR 141)
E = Indicates value exceeds calibration range

J = Indicates an estimated value
B = Indicates analyte found in associated method blank
N = Indicates presumptive evidence of a compound

Report of Analysis

Client Sample ID: 1MS-POST-20150331		Date Sampled: 03/31/15
Lab Sample ID: JB91464-3		Date Received: 04/02/15
Matrix: DW - Drinking Water		Percent Solids: n/a
Method: EPA 524.2 REV 4.1		
Project: BCNJCH:PC# 007805 Bel Air Xtra Fuels, 2476 Churchville Road, Bel Air, MD		

VOA List

CAS No.	Surrogate Recoveries	Run# 1	Run# 2	Limits
2199-69-1	1,2-Dichlorobenzene-d4	93%		78-114%
460-00-4	4-Bromofluorobenzene	100%		77-115%

CAS No.	Tentatively Identified Compounds	R.T.	Est. Conc.	Units	Q
	Total TIC, Volatile		0	ug/l	

ND = Not detected MDL = Method Detection Limit
 MCL = Maximum Contamination Level (40 CFR 141)
 E = Indicates value exceeds calibration range

J = Indicates an estimated value
 B = Indicates analyte found in associated method blank
 N = Indicates presumptive evidence of a compound

Misc. Forms

Custody Documents and Other Forms

Includes the following where applicable:

- Chain of Custody

2235 Route 130, Dayton, NJ 08810
 TEL: 732-329-0200 FAX: 732-329-3499/3480
 www.accutest.com

FED-EX Tracking #
 Bottle Order Control #
 Accutest Quote #
 Accutest Job # JB91464

Client / Reporting Information		Project Information		Requested Analysis (see TEST CODE sheet)				Matrix Codes
Company Name Drake Petroleum Company, Inc. Attn: Eric Harvey		Project Name Bel Air Xtra Fuels PC#007805		Requested Analysis (see TEST CODE sheet)				DW - Drinking Water GW - Ground Water WW - Water SW - Surface Water SO - Soil SL - Sludge SED - Sediment OI - Oil LIQ - Other Liquid AIR - Air SOL - Other Solid WP - Wipe FB - Field Blank EB - Equipment Blank RB - Rinse Blank TB - Trip Blank
Street Address P.O. Box 866 221 Guilnburg Road		Street 2476 Churchville Rd.						
City State Zip North Grosvenordale CT 06255		City State Bel Air MD						
Project Contact Jen Kugler jmkugler@brwncaid.com		Billing Information (if different from Report to) Company Name						
Phone # 856-330-9410		Project # 146282.005.003						
Sampler(s) Name(s)		Project Manager Jen Kugler		VOC + oxygenates via EPA 8242 Drinking Water Method				LAB USE ONLY
Field ID / Point of Collection		Collection						
MECH/DI/Vial #		Date Time						
Sampled by		Matrix						
# of bottles		HCl						
NaOH		HNO3						
H2SO4		H3PO4						
NONE		DI Water						
MEDH		ENCORE						
Turnaround Time (Business days)		Data Deliverable Information						

Accutest Sample #	Field ID / Point of Collection	MECH/DI/Vial #	Date	Time	Sampled by	Matrix	# of bottles	HCl	NaOH	HNO3	H2SO4	H3PO4	NONE	DI Water	MEDH	ENCORE	Requested Analysis	Matrix Codes
1	MS-20150331		3/31/15	0820	BR DW	DW	3	3										
2	MS-20150331		3/31/15	0830	BR DW	DW	3	3										
1	MS-PRE-20150331		3/31/15	0945	BR DW	DW	3	3										
2	MS-MID-20150331		3/31/15	0950	BR DW	DW	3	3										
3	MS-POST-20150331		3/31/15	0955	BR DW	DW	3	3										4592

<input type="checkbox"/> Std. 15 Business Days <input checked="" type="checkbox"/> Std. 10 Business Days (by Contract only) <input type="checkbox"/> 10 Day RUSH <input type="checkbox"/> 5 Day RUSH <input type="checkbox"/> 3 Day EMERGENCY <input type="checkbox"/> 2 Day EMERGENCY <input type="checkbox"/> 1 Day EMERGENCY		Approved By (Accutest PM): / Date: 7 day by WEI contract		Commercial "A" (Level 1) Commercial "B" (Level 2) FULLT1 (Level 3-4) NJ Reduced Commercial "C" NYASP Category A NYASP Category B State Forms EDD Format Other				Comments / Special Instructions IMS samples only, other samples on separate COCs INITIAL ASSESSMENT SB/DG LABEL VERIFICATION	
Turnaround Time (Business days)		Data Deliverable Information		Commercial "A" = Results Only Commercial "B" = Results + QC Summary NJ Reduced = Results + QC Summary + Partial Raw data				Preserved where applicable	
Relinquished by: <i>[Signature]</i> Date Time: <i>4-2-15</i>		Received By: <i>[Signature]</i> Date Time: <i>4-2-15</i>		Relinquished by: <i>[Signature]</i> Date Time: <i>4-2-15</i>		Received By: <i>[Signature]</i> Date Time: <i>4-2-15</i>		On Ice <input type="checkbox"/> Cool Temp <input type="checkbox"/>	

JB91464: Chain of Custody

Page 1 of 2

Accutest Laboratories Sample Receipt Summary

Accutest Job Number: JB91464 Client: _____ Project: _____

Date / Time Received: 4/2/2015 5:20:00 PM Delivery Method: _____ Airbill #'s: _____

Cooler Temps (Initial/Adjusted): #1: (4.6/2.8); 0

Cooler Security		<u>Y or N</u>		<u>Y or N</u>
1. Custody Seals Present:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	3. COC Present:	<input checked="" type="checkbox"/> <input type="checkbox"/>
2. Custody Seals Intact:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	4. Smpl Dates/Time OK	<input checked="" type="checkbox"/> <input type="checkbox"/>

Cooler Temperature		<u>Y or N</u>
1. Temp criteria achieved:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Cooler temp verification:	<u>IR Gun</u>	
3. Cooler media:	<u>Ice (Bag)</u>	
4. No. Coolers:	<u>1</u>	

Quality Control Preservation	<u>Y</u>	<u>or</u>	<u>N</u>	<u>N/A</u>
1. Trip Blank present / cooler:	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2. Trip Blank listed on COC:	<input type="checkbox"/>	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
3. Samples preserved properly:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	
4. VOCs headspace free:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	

Sample Integrity - Documentation		<u>Y or N</u>
1. Sample labels present on bottles:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. Container labeling complete:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Sample container label / COC agree:	<input checked="" type="checkbox"/>	<input type="checkbox"/>

Sample Integrity - Condition		<u>Y or N</u>
1. Sample recvd within HT:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
2. All containers accounted for:	<input checked="" type="checkbox"/>	<input type="checkbox"/>
3. Condition of sample:	<u>Intact</u>	

Sample Integrity - Instructions		<u>Y or N</u>	<u>N/A</u>
1. Analysis requested is clear:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
2. Bottles received for unspecified tests	<input type="checkbox"/>	<input checked="" type="checkbox"/>	
3. Sufficient volume recvd for analysis:	<input checked="" type="checkbox"/>	<input type="checkbox"/>	
4. Compositing instructions clear:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>
5. Filtering instructions clear:	<input type="checkbox"/>	<input type="checkbox"/>	<input checked="" type="checkbox"/>

Comments

4.1
4