

**Drinking Water Well Impact and Groundwater Investigation  
Winchester Properties/Bullet Street Properties  
14 and 15 Bullet Street  
Port Deposit, Cecil County, Maryland  
Case No. 1988-1718CE**

The Maryland Department of the Environment (MDE), Oil Control Program (OCP) continues to evaluate petroleum impacts to two residential drinking water wells located in the Bullet Street neighborhood of Cecil County. The Department was first notified of petroleum impacts to a private drinking water well in June 1988. Sampling by the builder of the 15 Bullet Street revealed benzene at the drinking water standard (MCL) of 5 parts per billion (ppb). The builder contacted the MDE-OCP to report the contamination. Cecil County Health Department (CECHD) subsequently instituted a sampling program for select residential homes in the area. CECHD also placed a moratorium on future development.

The Bullet Street neighborhood was originally farmland, owned by A.C. Winchester, and transferred to his son A.J. Winchester in 1985. Mr. Winchester sold most of the property to the Montgomery Brothers Construction Company in the late 1980s. The Montgomery Brothers Inc. subdivided the property for residential development. The residential property at 15 Bullet Street was built in 1988, as part of the Winchester Village subdivision in Port Deposit. Occupancy of the residence was delayed due to the well contamination. The builders installed a single granular activated carbon (GAC) filtration system to treat the well water. Subsequent sampling revealed that the single carbon unit was ineffective at removing the petroleum contaminants in the water, and the builder financed the installation of a second GAC filter. The builder also had a GAC unit installed at 14 Bullet Street when petroleum impact was detected. A third resident, 22 Bullet Street (adjacent to a downgradient from 14 Bullet Street), financed the installation of a GAC filter installation for their home.

The property located adjacent to and upgradient of 15 Bullet Street, 1908 Hopewell Road, is currently owned by A.J. Winchester is occupied by the old farmhouse. This property once had a 275-gallon gasoline underground storage tank (UST). The UST was located about 75 feet from the drinking water well at 15 Bullet Street. The developer removed the UST and an MDE inspector observed perforations in the tank. A *Notice of Violation* was issued to Winchester in May 1990, requiring the installation of three (3) monitoring wells. The MDE-OCP issued a *Complaint and Order* in January 1991 to A.J. Winchester, levied a fine of \$20,000 and ordered that a hydrogeological study be conducted. In May 1991, the Department withdrew the *Complaint and Order* because there was no evidence to show Winchester was the owner of the property at the time of the discharge, and the size of the UST was under the regulated 1100-gallon limit for farm tanks.

The State assumed responsibility of this case and installed a monitoring well on the Winchester property, at 1908 Hopewell Road, and discovered a heavy gasoline odor during drilling. Gauging of the monitoring well detected 1.5 inches of liquid phase product (LPH). No LPH was detected in the well during the last gauging event in October 1999. Since 1988, five residents have had GAC treatment systems installed. In January 1990, the resident at 15 Bullet Street drilled a new well and analytical results have been non-detect. Residents at 14 and 22 Bullet Street also had new wells drilled in June 1993 with petroleum contaminant decreasing at 22 Bullet Street, but no change in petroleum contaminant levels at 14 Bullet Street. In September 1993, CCHD issued approval to Montgomery Brothers Inc. to develop the remaining four properties in the subdivision. The resident at 15 Bullet Street bought the adjacent property from the builder, and the property at 60 Bullet Street was improved in 1996. Montgomery Brothers Inc. currently has two remaining undeveloped properties in the Winchester Village subdivision.

- 19 drinking water wells have been sampled to date, 9 wells in the Winchester Village subdivision and 10 wells in the adjacent subdivision:
  - 4 wells non-detect for petroleum constituents.
  - 13 wells non-detect or below drinking water standards or State action limits
  - 2 impacted private wells – Benzene > 5 ppb (MCL) ; MTBE > 20 ppb (State Action Level)

14 Bullet Street (State financed GAC system)

- First exceedance detected in 6/15/1989 *Benzene at 1617 ppb, MTBE at 326 ppb*
- Last sample event in 11/13/2007 *Benzene at 825 ppb, MTBE at 353 ppb, and 1,2 DCA at 30 ppb*

30 Bullet Street (State financed GAC system)

- First exceedance detected 8/16/2004 *Benzene at 5.6 ppb*
- Last sample event 06/21/2007 *Benzene at 2.4 ppb, MTBE at 6.2 ppb*

**Chronology:**

- December 21, 1987. Drinking water well, CE-81-3490, installed at 22 Bullet Street
- April 7, 1988. Drinking water well, CE-81-3688, installed at 15 Bullet Street
- May 26, 1988. Drinking water well samples collected by builder, Montgomery Brothers Inc., at 15 Bullet Street.
  - Drinking water well, benzene – 55 parts per billion (ppb) (*see sampling table*).
- June 6, 1988. Initial Report of Oil Spill made to MDE by builder; gasoline constituents in drinking water well at 15 Bullet Street.
- June 9, 1988. Builder financed the removal of a 275-gallon UST at the Winchester property, located at 1908 Hopewell Road.
  - Dwelling at 1908 Hopewell Road is the original farmhouse for the area.
  - Winchester property is adjacent to and upgradient from 15 Bullet Street.
  - MDE inspector on-site to observe tank removal and perforations in tank detected.
  - Additional drinking water well sampling of residents located across Bullet Street recommended by MDE.
  - Drinking water well at farmhouse about 50 feet below grade.
- July 12, 1988. Drinking water well, CE-81-4021, installed at 14 Bullet Street
- January 29, 1990. Note in analytical results that resident at 15 Bullet Street had a new well drilled in backyard.
- May 24, 1990. MDE OCP issued *Notice of Violation (NV-90-195)* to Mr. Winchester to install 3 monitoring wells.
- December 17, 1990. Resident at 22 Bullet Street letter to Delegate Ronald Guns. Requested assistance with cost for GAC maintenance. Well impacted with petroleum constituents after resident moved into house. Resident financed the installation of a GAC system, but builder not willing to accept responsibility for maintenance of GAC system.
- January 30, 1991. MDE OCP issued *Complaint and Order (COV-91-028)* to Mr. Winchester, requiring the following:
  - Perform a hydrogeological study at 15 Bullet Street
  - Levied a penalty of \$20,000.00.
- March 15, 1991. The Maryland Office of Administrative Hearings letter to Mr. Winchester for the scheduled hearing for COV-91-028.
- May 31, 1991. *Complaint & Order, COV-91-028*, withdrawn due to no evidence to find Winchester owned the property interest when discharge occurred, and UST excavated was below the 1100-gallon size for regulated farm tanks.
- June 21, 1991. MDE site visit to 1908 Hopewell Road to interview resident. Mr. Winchesters father had a trusteeship for the property at 1908 Hopewell Road where the property cannot be sold until the current resident dies. UST approximately 40 years old, contained gasoline, and was last used about 14 years ago.
- August 13, 1991. Builder letter to Cecil County Health Department (CECHD) requesting to drill a replacement well for 14 Bullet Street. CCHD does not grant approval due to concerns about possible unintended contaminant transport.

- November 18, 1991. After discussions with MDE OCP, CCHD issued approval to builder to drill new wells at 14 and 22 Bullet Street.
- June 8, 1993. New drinking water well, CE -92-0314, drilled at 14 Bullet Street. Well drilled to depth of 100 feet with casing set at 40 feet. Gasoline contaminants detected in new well.
- June 11, 1993. New drinking water well, CE-92-0315, drilled at 22 Bullet Street. Well drilled to depth of 335 feet, gasoline constituent levels non-detect, but well yield lower than original well
- August 13, 1993. CECHD letter to MDE OCP concerning builders desire to drill new drinking water wells on the remaining four undeveloped properties.
- September 14, 1993. MDE recommended drilling future wells on remaining four undeveloped properties in the subdivision, including possible carbon treatment as a requirement of building permits, and resampling of well at 22 Bullet Street to verify sample results.
- June 15, 1994. MDE letter to Mr. Winchester requesting access to Winchester property at 1908 Hopewell Road to install one monitoring well (MW) in the area where the tank was removed.
- August 16, 1994. Drilled MW at 1908 Hopewell Road.
  - Heavy gasoline odors detected during drilling.
  - Well is about 35 feet deep and groundwater was encountered at 22 feet
- August 29, 1994. MDE gauged MW on Winchester property and detected 1.5" free product.
- September 02, 1994. MDE issued directive to Mr. Winchester to remove free product, install additional MWs, and possibly begin remediation and/or soil removal to prevent further contaminant spread.
- October 6, 1994. Mr. Winchester gives permission to access property.
- February 3, 2000. MDE OCP expands drinking water sampling to include residents at adjacent subdivision (*see sample table*).
  - 24 Twin Lakes Rd
  - 50 Twin Lakes Rd
  - 57 Twin Lakes Rd
  - 60 Twin Lakes Rd
  - 69 Twin Lakes Rd
  - 84 Twin Lakes Rd
  - 87 Twin Lakes Rd
  - 103 Twin Lakes Rd
  - 111 Twin Lakes Rd
- February 27, 2002. Tert butyl alcohol (TBA) detected in well at 14 Bullet Street.
  - TBA – 4800 ppb (*see table*)
- July 24, 2002. GAC system determined to be ineffective for treating tert-butyl alcohol (TBA). MDE OCP management decided to provide bottled water to resident at 14 Bullet Street and all residents with elevated TBA detections.
- October 02, 2002. CECHD letter to MDE OCP regarding the 08/13/93 letter advising on the placement of new wells.
  - A new well was drilled on Lot 11 in 1998, and MTBE was detected at 3 ppb.
  - Lot 13 was sold to 15 Bullet Street property owner.
  - CCHD requesting advice from MDE OCP whether a house should be built on lot 11 under the requirement that a GAC system be installed, or should CCHD continue to withhold approval for construction.

- October 18, 2002. MDE OCP sends correspondence to CECHD indicating that detection of TBA, and uncertain groundwater flow in fractured rock areas, that CECHD should withhold approval for residential construction on the remaining two undeveloped lots.
- February 26, 2003. TBA detected in well at 30 and 38 Bullet Street. Bottled water to be delivered to residents (*see sample table*).
- February 28, 2003. TBA detected in well at 54 Bullet Street. Bottled water to be delivered to resident.
- September 8, 2004. MDE OCP financed GAC treatment system installation at 30 Bullet Street.
- June 29, 2005. Sampling event at 22 Bullet Street (*see sample table*).
- August 10, 2005. MDE OCP financed GAC treatment system installation at 22 Bullet Street due to elevated TBA concentrations.
- April 2, -2008. MDE OCP currently sampling two residents on Bullet Street.

**Future Updates:**

- Future updates on this case investigation will be posted at [www.mde.state.md.us](http://www.mde.state.md.us) [at the MDE homepage, (select) Land, (select) Programs, (select) Oil Control, (select) Remediation Sites].

**Contacts:**

- Maryland Department of the Environment (MDE), Oil Control Program (OCP), 410-537-3443

**Disclaimer**

The intent of this fact sheet is to provide the reader a summary of site events as they are contained within documents available to MDE. To fully understand the site and surrounding environmental conditions, MDE recommends that the reader review the case file that is available at MDE through the Public Information Act. The inclusion of a person or company's name within this fact sheet is for informational purposes only and should not be considered a conclusion by MDE on guilt, involvement in a wrongful act or contribution to environmental damage.

***Monitoring Well Sampling Data from the Bullet Street Area***

Sample Location	DATE	Sampled by	Benzene MCL at 5 ppb	MTBE State's Action Level – 20 ppb	Other Constituents 1,2 dichloroethane (DCA) MCL at 5 ppb 1,2 dibromoethane (EDB) MCL at 5 ppb
MW1	3/31/1995	MDE-OCP	1210	44.3	DCA-18.2, EDB-10.9
No well tag in records Installed 8/1994 Well Depth 35 ft Groundwater 22 ft	5/8/1998	MDE-OCP	2270	ND	----
	10/19/1999	MDE-OCP	386	ND	----

**Drinking Water Sampling Data for the Bullet Street Area in Port Deposit, Cecil County**

Sample Location	GAC Installed	Sampled by	Sample Event	Petroleum Constituents of Concern		
				Benzene MCL at 5 ppb	MTBE State's Action Level – 20 ppb	1,2 dichloroethane (DCA) – MCL at 5 ppb Tert-butyl alcohol (TBA) – unregulated compound 1,2 dibromoethane (EDB) – 1
<b>ON-SITE PRIVATE DRINKING WATER WELL</b>						
<b>14 Bullet St</b>  CE-81-4021 Installed on 8/88 Well depth 200 ft Well Casing 51 ft 6" diameter well  CE-92-0314 Installed 6/1993 Well depth 100 ft Well casing 40 ft 6" diameter well	Initial GAC filter installed by builder in August 1989  OCP initiated maintenance of GAC filters in October 1999	CCHD	6/15/1989 (raw)	1617	326	---
		CCHD	8/2/1989 (raw)	1421	366	DCA-45
		CCHD	9/5/1989 (post-filter)	ND	2	DCA-2
		CCHD	4/19/1990 (post-filter)	2	2	----
		CCHD	11/8/1990 (mid-filter)	ND	ND	----
		CCHD	11/8/1990 (post-filter)	ND	ND	----
		CCHD	3/8/1991 (raw)	ND	39	DCA-37
		CCHD	3/8/1991 (mid-filter)	ND	48	DCA-8
		CCHD	3/8/1991 (post-filter)	ND	ND	---
		CCHD	4/25/1991 (raw)	ND	ND	DCA-66
		CCHD	4/25/1991 (mid-filter)	ND	ND	----
		CCHD	4/25/1991 (post-filter)	ND	ND	----
		CCHD	10/15/1991 (raw)	887	90	DCA-46
		CCHD	10/15/1991 (mid-filter)	51	92	DCA-42
		CCHD	10/15/1991 (post-filter)	ND	62	----
		CCHD	3/23/1993 (mid-filter)	ND	ND	----
		CCHD	3/23/1993 (post-filter)	ND	ND	----
		CCHD	6/8/1993 (New well)	49	ND	----
		CCHD	6/28/1993 (New well)	125	ND	EDB-1
		CCHD	12/21/1993 (raw)	971	243	DCA-71
		CCHD	12/21/1993 (post-filter)	395	83	DCA-23, EDB-3
		CCHD	6/20/1994 (raw)	1421	185	DCA-23, EDB-7
		CCHD	6/20/1994 (mid-filter)	10	11	DCA-2
		CCHD	6/20/1994 (post-filter)	1	ND	----
		CCHD	9/19/1994 (post-filter)	ND	6	----
		CCHD	12/20/1995 (post-filter)	ND	ND	----
		MDE-OCP	6/16/1999(post-filter)	ND	ND	----
		MDE-OCP	9/8/1999 (post-filter)	ND	19.3	----
		MDE-OCP	10/4/1999 (pre-filter)	1114.2	321	----
			10/4/1999 (mid-filter)	54.2	443.7	DCA-6.9
			10/4/1999 (post-filter)	ND	68.6	----
		MDE-OCP	12/1/1999 (pre-filter)	1371.2	453.1	----
		MDE-OCP	2/3/2000 (pre-filter)	2028.2	642.6	DCA-58.3
2/3/2000 (mid-filter)	155		861.3	DCA-21.6		
2/3/2000 (post-filter)	101.2		869.1	DCA-19.5		
MDE-OCP	3/21/2000 (pre-filter)	1567.7	531.5	----		
	3/21/2000 (mid-filter)	117.5	668.9	----		
	3/21/2000 (post-filter)	ND	570.1	----		

**Drinking Water Sampling Data for the Bullet Street Area in Port Deposit, Cecil County**

Sample Location	GAC Installed	Sampled by	Sample Event	Petroleum Constituents of Concern		
				Benzene MCL at 5 ppb	MTBE State's Action Level – 20 ppb	1,2 DCA – MCL at 5 ppb TBA – unregulated compound 1.2 dibromoethane (EDB) – 1 ppb
<b>ON-SITE PRIVATE DRINKING WATER WELL</b>						
<b>14 Bullet St (continued)</b>		MDE-OCP	5/25/2000 (pre-filter)	1432.2	495.8	----
			5/25/2000 (mid-filter)	10.1	12.5	----
			5/25/2000 (post-filter)	ND	ND	----
		MDE-OCP	6/27/2000 (post-filter)	ND	ND	----
		MDE-OCP	7/25/2000 (pre-filter)	1670.4	611.6	DCA-51.7
			7/25/2000 (mid-filter)	8.50	ND	----
			7/25/2000 (post-filter)	ND	ND	----
		MDE-OCP	8/31/2000 (pre-filter)	1831.6	610.6	DCA-52.2
			8/31/2000 (mid-filter)	5	ND	----
			8/31/2000 (post-filter)	ND	ND	----
		MDE-OCP	9/28/2000 (pre-filter)	1893.70	585.50	DCA-59.8
			9/28/2000 (mid-filter)	ND	ND	----
			9/28/2000 (post-filter)	ND	1.10	----
		MDE-OCP	11/14/2000 (pre-filter)	1350	468.8	----
			11/14/2000 (mid-filter)	ND	ND	----
			11/14/2000 (post-filter)	ND	ND	----
		MDE-OCP	12/21/2000 (pre-filter)	1080.2	387.3	----
			12/21/2000 (mid-filter)	ND	ND	----
			12/21/2000 (post-filter)	ND	ND	----
		MDE-OCP	1/23/2001 (pre-filter)	1036.3	395.9	----
			1/23/2001 (mid-filter)	ND	ND	----
			1/23/2001 (post-filter)	ND	ND	----
		MDE-OCP	3/28/2001 (pre-filter)	1246.2	454.5	DCA-38.7
			3/28/2001 (mid-filter)	ND	ND	----
			3/28/2001 (post-filter)	ND	ND	----
		MDE-OCP	7/3/2001 (pre-filter)	1386.5	597.5	----
			7/3/2001 (mid-filter)	ND	ND	----
			7/3/2001 (post-filter)	ND	ND	----
		MDE-OCP	8/27/2001 (pre-filter)	1282.5	463.2	DCA-42.6
			8/27/2001 (mid-filter)	ND	ND	----
			8/27/2001 (post-filter)	ND	ND	----
		MDE-OCP	9/24/2001 (pre-filter)	1217.2	526.5	----
			9/24/2001 (mid-filter)	5.02	ND	----
			9/24/2001 (post-filter)	ND	ND	----
		MDE-OCP	10/31/2001 (pre-filter)	885.7	350.4	----
			10/31/2001 (mid-filter)	ND	ND	----
		10/31/2001 (post-filter)	ND	ND	----	
	MDE-OCP	11/27/2001 (pre-filter)	807	356	----	
		11/27/2001 (mid-filter)	ND	ND	----	
		11/27/2001 (post-filter)	ND	ND	----	

**Drinking Water Sampling Data for the Bullet Street Area in Port Deposit, Cecil County**

Sample Location	GAC Installed	Sampled by	Sample Event	Petroleum Constituents of Concern		
				Benzene MCL at 5 ppb	MTBE State's Action Level – 20 ppb	1,2 DCA – MCL at 5 ppb TBA – unregulated compound 1,2 dibromoethane (EDB) – 1 ppb
<b>ON-SITE PRIVATE DRINKING WATER WELL</b>						
<b>14 Bullet St (continued)</b>		MDE-OCP	12/19/2001 (pre-filter)	869	327	DCA-25.1
			12/19/2001 (mid-filter)	ND	ND	----
			12/19/2001 (post-filter)	ND	ND	----
		MDE-OCP	1/24/2002 (pre-filter)	486	214	DCA-21.8
			1/24/2002 (mid-filter)	ND	ND	----
			1/24/2002 (post-filter)	ND	ND	----
		MDE-OCP	2/27/2002 (pre-filter)	ND	220	TBA-4800
			2/27/2002 (mid-filter)	ND	ND	TBA-5200
			2/27/2002 (post-filter)	ND	ND	TBA-6000
		MDE-OCP	3/19/2002 (pre-filter)	554	270	DCA-23.9
			3/19/2002 (mid-filter)	ND	ND	----
			3/19/2002 (post-filter)	ND	ND	----
		MDE-OCP	5/15/2002 (pre-filter)	770	361	TBA-13100
			5/15/2002 (mid-filter)	ND	ND	TBA-7580
			5/15/2002 (post-filter)	ND	ND	TBA-6170
		MDE-OCP	6/11/2002 (pre-filter)	ND	ND	---
			6/11/2002 (mid-filter)	8	ND	TBA-918
			6/11/2002 (post-filter)	ND	ND	---
		MDE-OCP	6/18/2002 (pre-filter)	864	320	DCA-45, TBA-4910
			6/18/2002 (mid-filter)	ND	ND	TBA-4480
			6/18/2002 (post-filter)	ND	ND	TBA-57
		MDE-OCP	6/25/2002 (pre-filter)	775	359	DCA-42, TBA-11900
			6/25/2002 (mid-filter)	ND	ND	TBA-13900
			6/25/2002 (post-filter)	ND	ND	TBA-3560
		MDE-OCP	7/2/2002 (pre-filter)	760	328	DCA-38, TBA-5200
			7/2/2002 (mid-filter)	ND	ND	TBA-4140
			7/2/2002 (post-filter)	ND	ND	TBA-7480
		MDE-OCP	7/8/2002 (pre-filter)	920	342	DCA-42, TBA-5250
			7/8/2002 (mid-filter)	ND	ND	TBA-6000
			7/8/2002 (post-filter)	ND	ND	TBA-6930
MDE-OCP	7/26/2002 (pre-filter)	725	325	DCA-41, TBA-6050		
	7/26/2002 (mid-filter)	ND	ND	TBA-6900		
	7/26/2002 (post-filter)	ND	ND	TBA-7220		
MDE-OCP	8/27/2002 (pre-filter)	456	213	DCA-27, TBA-678		
	8/27/2002 (mid-filter)	ND	ND	TBA-1020		
	8/27/2002 (post-filter)	ND	ND	TBA-1220		
MDE-OCP	9/30/2002 (pre-filter)	690	330	TBA-4100		
	9/30/2002 (mid-filter)	ND	ND	TBA-2500		
	9/30/2002 (post-filter)	ND	ND	TBA-2700		

**Drinking Water Sampling Data for the Bullet Street Area in Port Deposit, Cecil County**

Sample Location	GAC Installed	Sampled by	Sample Event	Petroleum Constituents of Concern		
				Benzene MCL at 5 ppb	MTBE State's Action Level – 20 ppb	1,2 DCA – MCL at 5 ppb TBA – unregulated compound 1.2 dibromoethane (EDB) – 1 ppb
<b>ON-SITE PRIVATE DRINKING WATER WELL</b>						
<b>14 Bullet St (continued)</b>		MDE-OCP	10/24/2002 (pre-filter)	160	130	TBA-1900
			10/24/2002 (mid-filter)	ND	ND	TBA-2900
			10/24/2002 (post-filter)	ND	ND	TBA-2500
		MDE-OCP	11/22/2002 (pre-filter)	250	230	TBA-6700
			11/22/2002 (mid-filter)	ND	40	TBA-7600
			11/22/2002 (post-filter)	ND	ND	TBA-7600
		MDE-OCP	12/30/2002 (pre-filter)	490	240	TBA-3400
			12/30/2002 (mid-filter)	ND	97	TBA-3800
			12/30/2002 (post-filter)	ND	ND	TBA-2600
		MDE-OCP	1/22/2003 (pre-filter)	790	390	TBA-1200
			1/22/2003 (mid-filter)	ND	6	TBA-470
			1/22/2003 (post-filter)	ND	2	TBA-260
		MDE-OCP	2/26/2003 (pre-filter)	1300	540	TBA-11000
			2/26/2003 (mid-filter)	ND	8	TBA-8700
			2/26/2003 (post-filter)	ND	ND	TBA-39
		MDE-OCP	3/26/2003 (pre-filter)	1300	490	TBA-6100
			3/26/2003 (mid-filter)	7.00	ND	TBA-5900
			3/26/2003 (post-filter)	ND	ND	TBA-3400
		MDE-OCP	4/30/2003 (pre-filter)	1400	550	TBA-7500
			4/30/2003 (mid-filter)	ND	7.00	TBA-6200
			4/30/2003 (post-filter)	ND	ND	TBA-5200
		MDE-OCP	5/16/2003 (pre-filter)	2600	1100	TBA-8700
			5/16/2003 (mid-filter)	ND	6.00	TBA-8400
			5/16/2003 (post-filter)	ND	ND	TBA-7700
		MDE-OCP	6/25/2003 (pre-filter)	894	353	DCA-43, TBA-6350
			6/25/2003 (mid-filter)	ND	ND	TBA-8880
			6/25/2003 (post-filter)	ND	ND	TBA-5950
		MDE-OCP	7/31/2003 (pre-filter)	823	262	DCA-43, TBA-3950
			7/31/2003 (mid-filter)	ND	ND	TBA-4290
			7/31/2003 (post-filter)	ND	ND	TBA-6320
		MDE-OCP	8/27/2003 (pre-filter)	1200	580	TBA-1500
			8/27/2003 (mid-filter)	ND	15	TBA-1200
			8/27/2003 (post-filter)	ND	ND	TBA-1300
		MDE-OCP	9/23/2003 (pre-filter)	1200	420	TBA-4400
			9/23/2003 (mid-filter)	ND	17	TBA-6600
			9/23/2003 (post-filter)	ND	ND	TBA-6500
	MDE-OCP	10/29/2003 (pre-filter)	1100	460	DCA-92, TBA-1500	
		10/29/2003 (mid-filter)	ND	21	TBA-1200	
		10/29/2003 (post-filter)	ND	0.00	---	



**Drinking Water Sampling Data for the Bullet Street Area in Port Deposit, Cecil County**

Sample Location	GAC Installed	Sampled by	Sample Event	Petroleum Constituents of Concern		
				Benzene MCL at 5 ppb	MTBE State's Action Level – 20 ppb	1,2 DCA – MCL at 5 ppb TBA – unregulated compound 1,2 dibromoethane (EDB) – 1 ppb
<b>ON-SITE PRIVATE DRINKING WATER WELL</b>						
<b>14 Bullet Street (continued)</b>		MDE-OCP	11/18/2003 (pre-filter)	870	410	TBA-1000
			11/18/2003 (mid-filter)	ND	47	TBA-1600
			11/18/2003 (post-filter)	ND	0.00	TBA-1100
		MDE-OCP	12/17/2003 (pre-filter)	851.4	438.4	TBA-1095.6
			12/17/2003 (mid-filter)	ND	64.2	TBA-984.5
			12/17/2003 (post-filter)	ND	ND	TBA-1187.4
		MDE-OCP	1/19/2004 (pre-filter)	1000	590	TBA-4100
			1/19/2004 (mid-filter)	ND	62.6	TBA-3700
			1/19/2004 (post-filter)	ND	ND	TBA-4500
		MDE-OCP	2/23/2004 (pre-filter)	1000	500	TBA-3700
			2/23/2004 (mid-filter)	ND	107.8	TBA-1200
			2/23/2004 (post-filter)	ND	ND	TBA-1900
		MDE-OCP	3/30/2004 (pre-filter)	1300	650	TBA-6000
			3/30/2004 (mid-filter)	ND	128	TBA-3500
			3/30/2004 (post-filter)	ND	ND	TBA-3500
		MDE-OCP	4/21/2004 (pre-filter)	1100	550	TBA-4300
			4/21/2004 (mid-filter)	ND	202.4	TBA-2700
			4/21/2004 (post-filter)	ND	ND	TBA-2700
		MDE-OCP	5/19/2004 (pre-filter)	790	400	TBA-1500
			5/19/2004 (mid-filter)	ND	270	---
			5/19/2004 (post-filter)	ND	ND	TBA-2700
		MDE-OCP	6/23/2004 (pre-filter)	1100	560.00	TBA-3000
			6/23/2004 (mid-filter)	1.1	8.5	TBA-6
			6/23/2004 (post-filter)	ND	ND	---
		MDE-OCP	8/16/2004 (pre-filter)	1000	530	TBA-2400
			8/16/2004 (mid-filter)	ND	0.9	TBA-860
			8/16/2004 (post-filter)	ND	ND	---
		MDE-OCP	9/29/2004 (pre-filter)	1100	600	TBA-3800
			9/29/2004 (mid-filter)	ND	0.9	TBA-2800
			9/29/2004 (post-filter)	ND	ND	TBA-970
		MDE-OCP	10/22/2004 (pre-filter)	1500	690	TBA-2900
			10/22/2004 (mid-filter)	ND	1.5	TBA-1300
			10/22/2004 (post-filter)	ND	ND	TBA-2500
		MDE-OCP	11/23/2004 (pre-filter)	950	540	TBA-3200
			11/23/2004 (mid-filter)	ND	0.6	TBA-3100
			11/23/2004 (post-filter)	ND	ND	TBA-2800
	MDE-OCP	12/28/2004 (pre-filter)	1100	680	DCA-67, TBA-3700	
		12/28/2004 (mid-filter)	ND	0.6	TBA-2200	
		12/28/2004 (post-filter)	ND	ND	TBA-3100	

## Drinking Water Sampling Data for the Bullet Street Area in Port Deposit, Cecil County

Sample Location	GAC Installed	Sampled by	Sample Event	Petroleum Constituents of Concern		
				Benzene MCL at 5 ppb	MTBE State's Action Level – 20 ppb	1,2 DCA – MCL at 5 ppb TBA – unregulated compound 1,2 dibromoethane (EDB) – 1 ppb
<b>ON-SITE PRIVATE DRINKING WATER WELL</b>						
14 Bullet Street (continued)		MDE-OCP	1/26/2005 (pre-filter)	800	460	TBA-2500
			1/26/2005 (mid-filter)	ND	ND	TBA-2900
			1/26/2005 (post-filter)	ND	ND	TBA-3000
		MDE-OCP	2/23/2005 (pre-filter)	810	480	TBA-2600
			2/23/2005 (mid-filter)	ND	ND	TBA-1900
			2/23/2005 (post-filter)	ND	ND	TBA-2700
		MDE-OCP	3/21/2005 (pre-filter)	810	350	TBA-1600
			3/21/2005 (mid-filter)	ND	0.5	TBA-2500
			3/21/2005 (post-filter)	ND	ND	TBA-2700
		MDE-OCP	4/21/2005 (pre-filter)	500	300	TBA-1000
			4/21/2005 (mid-filter)	ND	0.6	TBA-830
			4/21/2005 (post-filter)	ND	ND	TBA-1100
		MDE-OCP	5/18/2005 (pre-filter)	410	270	TBA-1100
			5/18/2005 (mid-filter)	ND	1.4	TBA-850
			5/18/2005 (post-filter)	ND	ND	TBA-1200
		MDE-OCP	7/18/2005 (pre-filter)	900	490	TBA-2500
			7/18/2005 (mid-filter)	ND	2.00	TBA-1800
			7/18/2005 (post-filter)	ND	ND	TBA-2100
		MDE-OCP	8/18/2005 (pre-filter)	900	450	TBA-2300
			8/18/2005 (mid-filter)	ND	5.00	TBA-910
			8/18/2005 (post-filter)	ND	ND	TBA-720
		MDE-OCP	10/31/2005 (pre-filter)	1300	660	TBA-4900
			10/31/2005 (mid-filter)	ND	12	TBA-660
			10/31/2005 (post-filter)	ND	ND	TBA-530
		MDE-OCP	11/30/2005 (pre-filter)	1400	620	TBA-3400
			11/30/2005 (mid-filter)	ND	22	TBA-690
			11/30/2005 (post-filter)	ND	ND	TBA-640
		MDE-OCP	12/28/2005 (pre-filter)	1300	520	TBA-2200
			12/28/2005 (mid-filter)	ND	39	TBA-470
			12/28/2005 (post-filter)	ND	ND	TBA-510
		MDE-OCP	1/19/2006 (pre-filter)	1200	480	TBA-2400
			1/19/2006 (mid-filter)	ND	55	TBA-2500
			1/19/2006 (post-filter)	ND	ND	TBA-3400
		MDE-OCP	2/15/2006 (pre-filter)	900	403	DCA-28.8, TBA-2960
			2/15/2006 (mid-filter)	ND	48.9	TBA-4370
			2/15/2006 (post-filter)	ND	ND	TBA-3300
		MDE-OCP	4/17/2006 (pre-filter)	687	318	DCA-27.3, TBA-1970
			4/17/2006 (mid-filter)	ND	ND	TBA-1710
			4/17/2006 (post-filter)	ND	ND	TBA-1310

**Drinking Water Sampling Data for the Bullet Street Area in Port Deposit, Cecil County**

Sample Location	GAC Installed	Sampled by	Sample Event	Petroleum Constituents of Concern		
				Benzene MCL at 5 ppb	MTBE State's Action Level – 20 ppb	1,2 DCA – MCL at 5 ppb TBA – unregulated compound 1,2 dibromoethane (EDB) – 1 ppb
<b>ON-SITE PRIVATE DRINKING WATER WELL</b>						
		MDE-OCP	6/20/2006 (pre-filter)	442	355	DCA-31.6, TBA-1490
			6/20/2006 (mid-filter)	ND	ND	TBA-3630
			6/20/2006 (post-filter)	ND	ND	TBA-4980
		MDE-OCP	8/17/2006 (pre-filter)	876	317	DCA-28.4, TBA-1910
			8/17/2006 (mid-filter)	ND	ND	---
			8/17/2006 (post-filter)	ND	ND	---
		MDE-OCP	11/13/2006 (pre-filter)	864	401	DCA-33.2, TBA-2240
			11/13/2006 (mid-filter)	ND	ND	TBA-5500
			11/13/2006 (post-filter)	ND	ND	TBA-1250
		MDE-OCP	2/16/2007 (pre-filter)	392	211	DCA-17.4, TBA-5240
			2/16/2007 (mid-filter)	ND	7.6	TBA-8700
			2/16/2007 (post-filter)	ND	ND	TBA-1250
		MDE-OCP	5/23/2007 (pre-filter)	121	165	DCA-10.6, TBA-559
			5/23/2007 (mid-filter)	ND	ND	TBA-380
			5/23/2007 (post-filter)	ND	ND	---
		MDE-OCP	8/21/2007 (pre-filter)	833	351	DCA-278, TBA-2440
			8/21/2007 (mid-filter)	ND	ND	TBA-1280
			8/21/2007 (post-filter)	ND	ND	TBA-529
		MDE-OCP	11/13/2007 (pre-filter)	825	353	DCA-29.8, TBA-3540
			11/13/2007 (mid-filter)	ND	ND	----
			11/13/2007 (post-filter)	ND	ND	----

**Drinking Water Sampling Data for the Bullet Street Area in Port Deposit, Cecil County**

Sample Location	GAC Installed	Sampled by	Sample Event	Petroleum Constituents of Concern		
				Benzene MCL at 5 ppb	MTBE State's Action Level – 20 ppb	1,2 DCA – MCL at 5 ppb TBA – unregulated compound 1.2 dibromoethane (EDB) – 1 ppb
<b>OFF-SITE PRIVATE DRINKING WATER WELL</b>						
50 Twin Lakes Rd		MDE-OCP	2/3/2000 (raw)	ND	ND	----
		MDE-OCP	10/12/2000 (raw)	ND	0.8	----
		MDE-OCP	11/14/2000 (raw)	ND	1.6	----
		MDE-OCP	3/28/2001 (raw)	ND	2.2	----
		MDE-OCP	8/6/2001 (raw)	ND	ND	----
		MDE-OCP	8/18/2005 (raw)	ND	ND	----
		MDE-OCP	8/17/2006 (raw)	ND	ND	----
24 Twin Lakes Rd		MDE-OCP	2/3/2000 (raw)	ND	ND	----
		MDE-OCP	10/12/2000 (raw)	ND	ND	----
		MDE-OCP	3/28/2001 (raw)	ND	ND	----
		MDE-OCP	8/6/2001 (raw)	ND	ND	----
		MDE-OCP	12/19/2001 (raw)	ND	ND	----
		MDE-OCP	8/14/2002 (raw)	ND	ND	----
		MDE-OCP	2/26/2003 (raw)	ND	ND	----
		MDE-OCP	8/27/2003 (raw)	ND	ND	----
		MDE-OCP	2/10/2004 (raw)	ND	ND	----
		MDE-OCP	8/16/2004 (raw)	ND	ND	----
		MDE-OCP	2/23/2005 (raw)	ND	ND	----
		MDE-OCP	8/18/2005 (raw)	ND	ND	----
15 Bullet St CE-81-3688 Installed 4/88 Well depth 150 ft Well casing 54 ft 6" diameter well	Initial GAC filter installed by builder in June 1988	Builder	5/26/1988 (raw)	55	ND	----
		CCHD	6/20/1988 (post-filter)	15	ND	----
		CCHD	7/31/1989 (raw)	2638	721	DCA-192
		CCHD	7/31/1989 (post-filter)	2586	925	DCA-192
		CCHD	9/5/1989 (post-filter)	ND	101	DCA-117
		CCHD	11/28/1989 (raw)	3687	742	----
		CCHD	11/28/1989 (post-filter)	134	155	----
		CCHD	1/29/1990 (New well)	2	4	----
		CCHD	4/6/1990 (New well)	ND	ND	----
		CCHD	4/25/1991 (New well)	ND	ND	----
		CCHD	10/15/1991 (New well)	ND	ND	----
		CCHD	3/23/1993 (New well)	ND	ND	----
		MDE-OCP	6/16/1999 (raw)	ND	ND	----
		MDE-OCP	9/8/1999 (raw)	ND	ND	----
		MDE-OCP	12/1/1999 (raw)	ND	ND	----
		MDE-OCP	3/21/2000 (raw)	ND	ND	----
		MDE-OCP	6/27/2000 (raw)	ND	ND	----
		MDE-OCP	7/3/2001 (raw)	ND	ND	----
		MDE-OCP	9/24/2001 (raw)	ND	ND	----
		MDE-OCP	12/19/2001 (raw)	ND	ND	----
MDE-OCP	3/19/2002 (raw)	ND	ND	----		
MDE-OCP	5/15/2002 (raw)	ND	ND	----		

**Drinking Water Sampling Data for the Bullet Street Area in Port Deposit, Cecil County**

Sample Location	GAC Installed	Sampled by	Sample Event	Petroleum Constituents of Concern		
				Benzene MCL at 5 ppb	MTBE State's Action Level – 20 ppb	1,2 DCA – MCL at 5 ppb TBA – unregulated compound 1,2 dibromoethane (EDB) – 1 ppb
<b>OFF-SITE PRIVATE DRINKING WATER WELL</b>						
<b>15 Bullet Street (continued)</b>		MDE-OCP	8/14/2002 (raw)	ND	ND	----
		MDE-OCP	11/22/2002 (raw)	ND	ND	----
		MDE-OCP	2/26/2003 (raw)	ND	ND	----
		MDE-OCP	5/16/2003 (raw)	ND	ND	----
		MDE-OCP	8/27/2003 (raw)	ND	ND	----
		MDE-OCP	11/18/2003 (raw)	ND	ND	----
		MDE-OCP	2/10/2004 (raw)	ND	ND	----
		MDE-OCP	5/19/2004 (raw)	ND	ND	----
		MDE-OCP	8/16/2004 (raw)	ND	ND	----
		MDE-OCP	11/23/2004 (raw)	ND	ND	----
		MDE-OCP	2/23/2005 (raw)	ND	ND	----
		MDE-OCP	6/29/2005 (raw)	ND	ND	----
		MDE-OCP	12/28/2005 (raw)	ND	ND	----
		MDE-OCP	6/20/2006 (raw)	ND	ND	----
		MDE-OCP	12/5/2006 (raw)	ND	ND	----
<b>60 Twin Lakes Rd</b>		MDE-OCP	2/3/2000 (raw)	ND	ND	----
		MDE-OCP	10/12/2000 (raw)	ND	ND	----
		MDE-OCP	3/28/2001 (raw)	ND	ND	----
		MDE-OCP	8/6/2001 (raw)	ND	ND	----
		MDE-OCP	12/19/2001 (raw)	ND	ND	----
		MDE-OCP	8/14/2002 (raw)	ND	ND	----
		MDE-OCP	11/22/2002 (raw)	ND	ND	----
		MDE-OCP	2/26/2003 (raw)	ND	ND	----
		MDE-OCP	8/27/2003 (raw)	ND	ND	----
		MDE-OCP	2/10/2004 (raw)	ND	ND	----
		MDE-OCP	8/16/2004 (raw)	ND	ND	----
		MDE-OCP	2/21/2005 (raw)	ND	ND	----
		MDE-OCP	8/18/2005 (raw)	ND	ND	----
	MDE-OCP	2/13/2006 (raw)	ND	ND	----	
<b>103 Twin Lakes Rd</b>		MDE-OCP	2/3/2000 (raw)	ND	ND	----
		MDE-OCP	10/12/2000 (raw)	ND	1.90	----
		MDE-OCP	11/14/2000 (raw)	ND	3.70	----
		MDE-OCP	3/28/2001 (raw)	ND	1.20	----
		MDE-OCP	12/19/2001 (raw)	ND	ND	----

**Drinking Water Sampling Data for the Bullet Street Area in Port Deposit, Cecil County**

Sample Location	GAC Installed	Sampled by	Sample Event	Petroleum Constituents of Concern		
				Benzene MCL at 5 ppb	MTBE State's Action Level – 20 ppb	1,2 DCA – MCL at 5 ppb TBA – unregulated compound 1,2 dibromoethane (EDB) – 1 ppb
<b>OFF-SITE PRIVATE DRINKING WATER WELL</b>						
<b>103 Twin Lakes Rd (continued)</b>		MDE-OCP	8/14/2002 (raw)	ND	ND	----
		MDE-OCP	11/22/2002 (raw)	ND	ND	----
		MDE-OCP	2/27/2003 (raw)	ND	ND	----
		MDE-OCP	5/16/2003 (raw)	ND	ND	----
		MDE-OCP	8/27/2003 (raw)	ND	ND	----
		MDE-OCP	11/18/2003 (raw)	ND	ND	----
		MDE-OCP	2/10/2004 (raw)	ND	ND	----
		MDE-OCP	5/19/2004 (raw)	ND	ND	----
		MDE-OCP	8/16/2004 (raw)	ND	ND	----
		MDE-OCP	11/23/2004 (raw)	ND	ND	----
		MDE-OCP	2/21/2005 (raw)	ND	ND	----
		MDE-OCP	6/29/2005 (raw)	ND	ND	----
		MDE-OCP	12/28/2005 (raw)	ND	ND	----
		MDE-OCP	6/20/2006 (raw)	ND	ND	----
		MDE-OCP	12/5/2006 (raw)	ND	ND	----
<b>4 Bullet St</b>		CCHD	5/8/1991 (raw)	ND	ND	----
		MDE-OCP	6/16/1999 (raw)	ND	ND	----
		MDE-OCP	9/8/1999 (raw)	ND	ND	----
		MDE-OCP	12/1/1999 (raw)	ND	ND	----
		MDE-OCP	3/21/2000 (raw)	ND	ND	----
		MDE-OCP	6/27/2000 (raw)	ND	ND	----
		MDE-OCP	9/28/2000 (raw)	ND	ND	----
		MDE-OCP	12/21/2000 (raw)	ND	ND	----
		MDE-OCP	3/28/2001 (raw)	ND	ND	----
		MDE-OCP	7/3/2001 (raw)	ND	ND	----
		MDE-OCP	9/24/2001 (raw)	ND	ND	----
		MDE-OCP	12/19/2001 (raw)	ND	ND	----
		MDE-OCP	3/19/2002 (raw)	ND	ND	----
		MDE-OCP	5/15/2002 (raw)	ND	ND	----
		MDE-OCP	8/14/2002 (raw)	ND	ND	----
		MDE-OCP	11/22/2002 (raw)	ND	ND	----
		MDE-OCP	2/26/2003 (raw)	ND	ND	----
		MDE-OCP	5/16/2003 (raw)	ND	ND	----
		MDE-OCP	8/27/2003 (raw)	ND	ND	----
		MDE-OCP	11/18/2003 (raw)	ND	ND	----

**Drinking Water Sampling Data for the Bullet Street Area in Port Deposit, Cecil County**

Sample Location	GAC Installed	Sampled by	Sample Event	Petroleum Constituents of Concern		
				Benzene MCL at 5 ppb	MTBE State's Action Level – 20 ppb	1,2 DCA – MCL at 5 ppb TBA – unregulated compound 1,2 dibromoethane (EDB) – 1 ppb
<b>OFF-SITE PRIVATE DRINKING WATER WELL</b>						
<b>4 Bullet St (continued)</b>		MDE-OCP	2/10/2004 (raw)	ND	ND	----
		MDE-OCP	5/19/2004 (raw)	ND	ND	----
		MDE-OCP	8/16/2004 (raw)	ND	ND	----
		MDE-OCP	11/23/2004 (raw)	ND	ND	----
		MDE-OCP	2/23/2005 (raw)	ND	ND	----
		MDE-OCP	6/29/2005 (raw)	ND	ND	----
		MDE-OCP	10/31/2005 (raw)	ND	ND	----
		MDE-OCP	1/16/2007 (raw)	ND	ND	----
<b>38 Bullet St</b>		CCHD	6/15/1989 (raw)	ND	ND	----
		CCHD	1/29/1990 (raw)	ND	ND	----
		MDE-OCP	6/16/1999 (raw)	ND	ND	----
		MDE-OCP	9/8/1999 (raw)	ND	ND	----
		MDE-OCP	12/1/1999 (raw)	ND	ND	----
		MDE-OCP	3/21/2000 (raw)	ND	ND	----
		MDE-OCP	6/27/2000 (raw)	ND	ND	----
		MDE-OCP	9/28/2000 (raw)	ND	ND	----
		MDE-OCP	12/19/2001 (raw)	ND	ND	----
		MDE-OCP	5/15/2002 (raw)	ND	ND	----
		MDE-OCP	8/14/2002 (raw)	ND	ND	----
		MDE-OCP	11/22/2002 (raw)	ND	ND	----
		MDE-OCP	2/26/2003 (raw)	ND	ND	TBA-120
		MDE-OCP	3/26/2003 (raw)	53	40	TBA-770
		MDE-OCP	4/7/2003 (raw)	ND	ND	----
		MDE-OCP	5/16/2003 (raw)	ND	ND	----
		MDE-OCP	8/27/2003 (raw)	ND	ND	----
		MDE-OCP	11/18/2003 (raw)	ND	ND	----
		MDE-OCP	2/10/2004 (raw)	ND	ND	----
		MDE-OCP	5/19/2004 (raw)	ND	ND	----
		MDE-OCP	8/16/2004 (raw)	ND	ND	----
		MDE-OCP	11/23/2004 (raw)	ND	ND	----
		MDE-OCP	2/23/2005 (raw)	ND	ND	----
		MDE-OCP	6/29/2005 (raw)	ND	ND	----
		MDE-OCP	10/31/2005 (raw)	ND	ND	----
		MDE-OCP	10/20/2006 (raw)	ND	ND	----

**Drinking Water Sampling Data for the Bullet Street Area in Port Deposit, Cecil County**

Sample Location	GAC Installed	Sampled by	Sample Event	Petroleum Constituents of Concern		
				Benzene MCL at 5 ppb	MTBE State's Action Level – 20 ppb	1,2 DCA – MCL at 5 ppb TBA – unregulated compound 1,2 dibromoethane (EDB) – 1 ppb
<b>OFF-SITE PRIVATE DRINKING WATER WELL</b>						
<b>57 Twin Lakes Rd</b>		MDE-OCP	2/3/2000 (raw)	ND	ND	----
		MDE-OCP	10/12/2000 (raw)	ND	ND	----
		MDE-OCP	3/28/2001 (raw)	ND	ND	----
		MDE-OCP	8/6/2001 (raw)	ND	ND	----
		MDE-OCP	12/19/2001 (raw)	ND	ND	----
		MDE-OCP	8/14/2002 (raw)	ND	ND	----
		MDE-OCP	11/22/2002 (raw)	ND	ND	----
		MDE-OCP	5/16/2003 (raw)	ND	ND	----
		MDE-OCP	8/27/2003 (raw)	ND	ND	----
		MDE-OCP	11/18/2003 (raw)	ND	ND	----
		MDE-OCP	5/19/2004 (raw)	ND	ND	----
		MDE-OCP	8/16/2004 (raw)	ND	ND	----
		MDE-OCP	11/23/2004 (raw)	ND	2.1	----
		MDE-OCP	2/21/2005 (raw)	ND	1.3	----
		MDE-OCP	6/29/2005 (raw)	ND	0.5	----
		MDE-OCP	10/31/2005 (raw)	ND	0.8	----
		MDE-OCP	2/13/2006 (raw)	ND	ND	----
		MDE-OCP	6/20/2006 (raw)	ND	ND	----
		MDE-OCP	10/20/2006 (raw)	ND	ND	----
<b>54 Bullet St</b>		MDE-OCP	6/16/1999 (raw)	ND	3.9	----
		MDE-OCP	9/8/1999 (raw)	ND	18.4	----
		MDE-OCP	10/4/1999 (raw)	ND	53.5	----
		MDE-OCP	12/1/1999 (raw)	ND	59.5	----
		MDE-OCP	2/3/2000 (raw)	ND	74	----
		MDE-OCP	3/21/2000 (pre-filter)	ND	56.2	----
			3/21/2000 (mid-filter)	ND	ND	----
			3/21/2000 (post-filter)	ND	ND	----
		MDE-OCP	5/25/2000 (post-filter)	ND	ND	----
		MDE-OCP	6/27/2000 (post-filter)	ND	ND	----
		MDE-OCP	7/25/2000 (pre-filter)	ND	75.8	----
			7/25/2000 (mid-filter)	ND	ND	----
			7/25/2000 (post-filter)	ND	ND	----
		MDE-OCP	8/31/2000 (post-filter)	ND	ND	----
		MDE-OCP	9/28/2000 (pre-filter)	ND	ND	----
			9/28/2000 (mid-filter)	ND	ND	----
	9/28/2000 (post-filter)		ND	ND	----	
	MDE-OCP	11/14/2000 (post-filter)	ND	ND	----	



**Drinking Water Sampling Data for the Bullet Street Area in Port Deposit, Cecil County**

Sample Location	GAC Installed	Sampled by	Sample Event	Petroleum Constituents of Concern		
				Benzene MCL at 5 ppb	MTBE State's Action Level – 20 ppb	1,2 DCA – MCL at 5 ppb TBA – unregulated compound 1.2 dibromoethane (EDB) – 1 ppb
<b>OFF-SITE PRIVATE DRINKING WATER WELL</b>						
<b>54 Bullet Street (continued)</b>		MDE-OCP	12/21/2000 (pre-filter)	ND	99.4	----
			12/21/2000 (mid-filter)	ND	9.6	----
			12/21/2000 (post-filter)	ND	ND	----
		MDE-OCP	1/23/2001 (pre-filter)	ND	54.8	----
			1/23/2001 (mid-filter)	ND	19.6	----
			1/23/2001 (post-filter)	ND	ND	----
		MDE-OCP	3/28/2001 (pre-filter)	ND	29.7	----
			3/28/2001 (mid-filter)	ND	ND	----
			3/28/2001 (post-filter)	ND	ND	----
		MDE-OCP	7/3/2001 (pre-filter)	ND	15.1	----
			7/3/2001 (mid-filter)	ND	ND	----
			7/3/2001 (post-filter)	ND	ND	----
		MDE-OCP	9/24/2001 (pre-filter)	ND	29.1	----
			9/24/2001 (mid-filter)	5	ND	----
			9/24/2001 (post-filter)	ND	ND	----
		MDE-OCP	10/31/2001 (pre-filter)	ND	42.1	----
			10/31/2001 (mid-filter)	ND	ND	----
			10/31/2001 (post-filter)	ND	ND	----
		MDE-OCP	11/27/2001 (pre-filter)	ND	55.5	----
			11/27/2001 (mid-filter)	ND	ND	----
			11/27/2001 (post-filter)	ND	ND	----
		MDE-OCP	12/19/2001 (post-filter)	ND	ND	----
		MDE-OCP	1/24/2002 (pre-filter)	ND	42.6	----
			1/24/2002 (mid-filter)	ND	ND	----
			1/24/2002 (post-filter)	ND	ND	----
		MDE-OCP	2/27/2002 (pre-filter)	ND	8	----
			2/27/2002 (mid-filter)	ND	ND	----
			2/27/2002 (post-filter)	ND	ND	----
		MDE-OCP	3/19/2002 (post-filter)	ND	ND	----
		MDE-OCP	5/15/2002 (pre-filter)	ND	2.1	----
			5/15/2002 (pre-filter)	ND	2	----
			5/15/2002 (mid-filter)	ND	7	----
			5/15/2002 (post-filter)	ND	ND	----
	MDE-OCP	8/14/2002 (pre-filter)	ND	ND	----	
		8/14/2002 (mid-filter)	ND	8.2	----	
		8/14/2002 (post-filter)	ND	ND	----	
	MDE-OCP	11/26/2002 (pre-filter)	ND	ND	----	
		11/26/2002 (mid-filter)	ND	17	----	
		11/26/2002 (post-filter)	ND	ND	----	

**Drinking Water Sampling Data for the Bullet Street Area in Port Deposit, Cecil County**

Sample Location	GAC Installed	Sampled by	Sample Event	Petroleum Constituents of Concern		
				Benzene MCL at 5 ppb	MTBE State's Action Level – 20 ppb	1,2 DCA – MCL at 5 ppb TBA – unregulated compound 1.2 dibromoethane (EDB) – 1 ppb
<b>OFF-SITE PRIVATE DRINKING WATER WELL</b>						
<b>54 Bullet Street (continued)</b>		MDE-OCP	2/28/2003 (pre-filter)	ND	ND	---
			2/28/2003 (mid-filter)	ND	39	TBA-45
			2/28/2003 (post-filter)	ND	ND	TBA-35
		MDE-OCP	4/18/2003 (pre-filter)	ND	ND	----
			4/18/2003 (mid-filter)	ND	ND	----
			4/18/2003 (post-filter)	ND	ND	----
		MDE-OCP	5/16/2003 (pre-filter)	ND	ND	----
			5/16/2003 (mid-filter)	ND	ND	----
			5/16/2003 (post-filter)	ND	ND	----
		MDE-OCP	8/27/2003 (pre-filter)	ND	0.7	----
			8/27/2003 (mid-filter)	ND	ND	----
			8/27/2003 (post-filter)	ND	ND	----
		MDE-OCP	11/18/2003 (pre-filter)	ND	0.9	----
			11/18/2003 (mid-filter)	ND	ND	----
			11/18/2003 (post-filter)	ND	ND	----
		MDE-OCP	2/23/2004 (pre-filter)	ND	ND	----
			2/23/2004 (mid-filter)	ND	ND	----
			2/23/2004 (post-filter)	ND	ND	----
		MDE-OCP	5/19/2004 (pre-filter)	ND	ND	----
			5/19/2004 (mid-filter)	ND	ND	----
			5/19/2004 (post-filter)	ND	ND	----
		MDE-OCP	8/16/2004 (pre-filter)	ND	ND	----
			8/16/2004 (mid-filter)	ND	ND	----
			8/16/2004 (post-filter)	ND	ND	----
		MDE-OCP	11/23/2004 (pre-filter)	ND	ND	----
			11/23/2004 (mid-filter)	ND	ND	----
			11/23/2004 (post-filter)	ND	ND	----
		MDE-OCP	2/23/2005 (pre-filter)	ND	3	----
			2/23/2005 (mid-filter)	ND	ND	----
			2/23/2005 (post-filter)	ND	ND	----
MDE-OCP	6/29/2005 (pre-filter)	ND	ND	----		
	6/29/2005 (mid-filter)	ND	ND	----		
	6/29/2005 (post-filter)	ND	ND	----		

**Drinking Water Sampling Data for the Bullet Street Area in Port Deposit, Cecil County**

Sample Location	GAC Installed	Sampled by	Sample Event	Petroleum Constituents of Concern			
				Benzene MCL at 5 ppb	MTBE State's Action Level – 20 ppb	1,2 DCA – MCL at 5 ppb TBA – unregulated compound 1.2 dibromoethane (EDB) – 1 ppb	
<b>OFF-SITE PRIVATE DRINKING WATER WELL</b>							
<b>54 Bullet Street (continued)</b>		MDE-OCP	10/31/2005 (pre-filter)	ND	ND	----	
			10/31/2005 (mid-filter)	ND	ND	----	
			10/31/2005 (post-filter)	ND	ND	----	
		MDE-OCP	4/17/2006 (pre-filter)	4/17/2006 (pre-filter)	ND	ND	----
				4/17/2006 (mid-filter)	ND	ND	----
				4/17/2006 (post-filter)	ND	ND	----
		MDE-OCP	1/16/2007 (pre-filter)	1/16/2007 (pre-filter)	ND	ND	----
				1/16/2007 (mid-filter)	ND	ND	----
				1/16/2007 (post-filter)	ND	ND	----
<b>108 Twin Lakes Rd</b>		MDE-OCP	10/12/2000 (raw)	ND	ND	----	
			8/6/2001 (raw)	ND	ND	----	
			12/19/2001 (raw)	ND	ND	----	
			8/14/2002 (raw)	ND	ND	----	
			11/22/2002 (raw)	ND	ND	----	
			2/28/2003 (raw)	ND	ND	----	
			8/27/2003 (raw)	ND	0.5	----	
			8/16/2004 (raw)	ND	ND	----	
			2/21/2005 (raw)	ND	ND	----	
			8/18/2005 (raw)	ND	ND	----	
			3/2/2006 (raw)	ND	ND	----	
<b>46 Bullet St</b>		MDE-OCP	6/16/1999 (raw)	ND	ND	----	
			9/8/1999 (raw)	ND	ND	----	
			12/1/1999 (raw)	ND	ND	----	
			3/21/2000 (raw)	ND	ND	----	
			6/27/2000 (raw)	ND	ND	----	
			9/28/2000 (raw)	ND	14.2	----	
			11/14/2000 (raw)	ND	13.5	----	
			12/21/2000 (raw)	ND	6.1	----	
			3/28/2001 (raw)	ND	0.8	----	
			7/3/2001 (raw)	ND	0.73	----	
			9/24/2001 (raw)	ND	0.57	----	
			12/19/2001 (raw)	ND	ND	----	

**Drinking Water Sampling Data for the Bullet Street Area in Port Deposit, Cecil County**

Sample Location	GAC Installed	Sampled by	Sample Event	Petroleum Constituents of Concern		
				Benzene MCL at 5 ppb	MTBE State's Action Level – 20 ppb	1,2 DCA – MCL at 5 ppb TBA – unregulated compound 1.2 dibromoethane (EDB) – 1 ppb
<b>OFF-SITE PRIVATE DRINKING WATER WELL</b>						
46 Bullet Street (continued)		MDE-OCP	3/19/2002 (raw)	ND	1.05	----
		MDE-OCP	5/15/2002 (raw)	ND	ND	----
		MDE-OCP	8/14/2002 (raw)	ND	ND	----
		MDE-OCP	11/22/2002 (raw)	ND	1	----
		MDE-OCP	2/26/2003 (raw)	ND	ND	----
		MDE-OCP	5/16/2003 (raw)	ND	ND	----
		MDE-OCP	8/27/2003 (raw)	ND	0.6	----
		MDE-OCP	11/18/2003 (raw)	ND	0.9	----
		MDE-OCP	2/10/2004 (raw)	ND	1.4	----
		MDE-OCP	5/19/2004 (raw)	ND	1.1	----
		MDE-OCP	8/16/2004 (raw)	ND	0.6	----
		MDE-OCP	11/23/2004 (raw)	ND	0.5	----
		MDE-OCP	2/23/2005 (raw)	ND	ND	----
		MDE-OCP	6/29/2005 (raw)	ND	ND	----
		MDE-OCP	10/31/2005 (raw)	ND	ND	----
		MDE-OCP	3/15/2006 (raw)	ND	ND	----
		MDE-OCP	6/20/2006 (raw)	ND	ND	----
		MDE-OCP	10/20/2006 (raw)	ND	ND	----
	30 Bullet St		CCHD	6/6/1988 (raw)	ND	ND
		CCHD	7/31/1989 (raw)	1	ND	----
		CCHD	9/5/1989 (raw)	ND	ND	----
		CCHD	11/19/1990 (raw)	ND	ND	----
		CCHD	5/8/1991 (raw)	ND	ND	----
		CCHD	3/23/1993 (raw)	ND	ND	----
		MDE-OCP	6/16/1999 (raw)	0.5	ND	----
		MDE-OCP	9/8/1999 (raw)	ND	ND	----
		MDE-OCP	12/1/1999 (raw)	ND	ND	----
		MDE-OCP	3/21/2000 (raw)	ND	ND	----
		MDE-OCP	6/27/2000 (raw)	ND	ND	----
		MDE-OCP	9/28/2000 (raw)	1	0.8	----
		MDE-OCP	11/14/2000 (raw)	0.8	1.1	----
		MDE-OCP	12/21/2000 (raw)	ND	0.5	----
		MDE-OCP	7/3/2001 (raw)	ND	0.54	----
		MDE-OCP	9/24/2001 (raw)	ND	0.65	----

**Drinking Water Sampling Data for the Bullet Street Area in Port Deposit, Cecil County**

Sample Location	GAC Installed	Sampled by	Sample Event	Petroleum Constituents of Concern		
				Benzene MCL at 5 ppb	MTBE State's Action Level – 20 ppb	1,2 DCA – MCL at 5 ppb TBA – unregulated compound 1.2 dibromoethane (EDB) – 1 ppb
OFF-SITE PRIVATE DRINKING WATER WELL						
		MDE-OCP	11/22/2002 (raw)	ND	ND	---
		MDE-OCP	2/26/2003 (raw)	ND	ND	TBA-29
		MDE-OCP	4/7/2003 (raw)	ND	ND	----
		MDE-OCP	5/16/2003 (raw)	ND	ND	----
		MDE-OCP	8/27/2003 (raw)	ND	3	----
		MDE-OCP	11/18/2003 (raw)	ND	3	----
		MDE-OCP	5/19/2004 (raw)	ND	3.4	TBA-7
		MDE-OCP	8/16/2004 (raw)	5.6	3.8	TBA-20
		MDE-OCP	8/30/2004 (raw)	5.9	3	TBA-15
		MDE-OCP	11/23/2004 (raw)	ND	ND	---
		MDE-OCP	12/28/2004 (pre-filter)	1	4	TBA-200
			12/28/2004 (mid-filter)	ND	ND	TBA-33
			12/28/2004 (post-filter)	ND	ND	TBA-10
		MDE-OCP	2/23/2005 (pre-filter)	1	4	TBA-43
			2/23/2005 (mid-filter)	ND	ND	TBA-9
			2/23/2005 (post-filter)	ND	ND	TBA-11
		MDE-OCP	6/29/2005 (pre-filter)	7	3	TBA-21
			6/29/2005 (mid-filter)	ND	ND	TBA-12
			6/29/2005 (post-filter)	ND	ND	TBA-12
		MDE-OCP	10/31/2005 (pre-filter)	3	4	TBA-25
			10/31/2005 (mid-filter)	ND	ND	TBA-7
			10/31/2005 (post-filter)	ND	ND	---
		MDE-OCP	3/27/2006 (pre-filter)	ND	ND	TBA-29.3
			3/27/2006 (mid-filter)	ND	ND	TBA-24.5
			3/27/2006 (post-filter)	10.7	3.9	TBA-28
		MDE-OCP	4/17/2006 (post-filter)	ND	ND	TBA-23.9
		MDE-OCP	6/20/2006 (pre-filter)	1.2	4.2	---
			6/20/2006 (mid-filter)	ND	ND	----
			6/20/2006 (post-filter)	ND	ND	----
		MDE-OCP	10/20/2006 (pre-filter)	17.5	6	TBA-51.3
			10/20/2006 (mid-filter)	ND	ND	TBA-35.5
			10/20/2006 (post-filter)	ND	ND	---
		MDE-OCP	2/22/2007 (pre-filter)	29	12	TBA-62.6
			2/22/2007 (mid-filter)	ND	ND	TBA-36.9
			2/22/2007 (post-filter)	ND	ND	TBA-33.1

**Drinking Water Sampling Data for the Bullet Street Area in Port Deposit, Cecil County**

Sample Location	GAC Installed	Sampled by	Sample Event	Petroleum Constituents of Concern			
				Benzene MCL at 5 ppb	MTBE State's Action Level – 20 ppb	1,2 DCA – MCL at 5 ppb TBA – unregulated compound 1,2 dibromoethane (EDB) – 1 ppb	
<b>OFF-SITE PRIVATE DRINKING WATER WELL</b>							
		MDE-OCP	6/20/2007 (pre-filter)	15.4	7.8	TBA-97.2	
			6/20/2007 (mid-filter)	ND	ND	----	
			6/20/2007 (post-filter)	ND	ND	----	
		MDE-OCP		10/23/2007 (pre-filter)	21.6	7.8	----
				10/23/2007 (mid-filter)	ND	ND	----
				10/23/2007 (post-filter)	ND	ND	----
		MDE-OCP		2/20/2008 (pre-filter)	2.4	6.2	TBA-48.6
				2/20/2008 (mid-filter)	ND	ND	TBA-43.6
				2/20/2008 (post-filter)	ND	ND	TBA-37.3
87 Twin Lakes Rd		MDE-OCP	2/3/2000 (raw)	ND	ND	----	
		MDE-OCP	10/12/2000 (raw)	ND	1	----	
		MDE-OCP	11/14/2000 (raw)	ND	2.5	----	
		MDE-OCP	3/28/2001 (raw)	ND	3.2	----	
		MDE-OCP	8/6/2001 (raw)	ND	2.92	----	
		MDE-OCP	12/19/2001 (raw)	ND	ND	----	
		MDE-OCP	8/27/2002 (raw)	ND	ND	----	
		MDE-OCP	11/22/2002 (raw)	ND	ND	----	
		MDE-OCP	2/26/2003 (raw)	ND	ND	----	
		MDE-OCP	5/16/2003 (raw)	ND	ND	----	
		MDE-OCP	8/27/2003 (raw)	ND	ND	----	
		MDE-OCP	11/18/2003 (raw)	ND	ND	----	
		MDE-OCP	2/10/2004 (raw)	ND	ND	----	
		MDE-OCP	5/19/2004 (raw)	ND	ND	----	
		MDE-OCP	8/16/2004 (raw)	ND	ND	----	
		MDE-OCP	11/23/2004 (raw)	ND	ND	----	
		MDE-OCP	2/21/2005 (raw)	ND	ND	----	
		MDE-OCP	6/29/2005 (raw)	ND	ND	----	
		MDE-OCP	12/28/2005 (raw)	ND	ND	----	
		MDE-OCP	6/20/2006 (raw)	ND	ND	----	
MDE-OCP	12/5/2006 (raw)	ND	ND	----			

**Drinking Water Sampling Data for the Bullet Street Area in Port Deposit, Cecil County**

Sample Location	GAC Installed	Sampled by	Sample Event	Petroleum Constituents of Concern		
				Benzene MCL at 5 ppb	MTBE State's Action Level – 20 ppb	1,2 DCA – MCL at 5 ppb TBA – unregulated compound 1,2 dibromoethane (EDB) – 1 ppb
<b>OFF-SITE PRIVATE DRINKING WATER WELL</b>						
<b>69 Twin Lakes Rd</b>		MDE-OCP	2/3/2000 (raw)	ND	ND	----
<b>22 Bullet St</b>  CE-81-3490 Installed 12/1987 Well depth 224 ft Well casing 56 ft 6" diameter well  CE-92-0315 Installed 6/1993 Well depth 335' Well casing 33' 6" diameter well		CCHD	8/10/1989 (raw)	ND	ND	----
		CCHD	1/31/1990 (raw)	14	4	DCA-7
		CCHD	6/13/1990 (raw)	3	1	DCA-1
		CCHD	7/23/1990 (raw)	ND	ND	----
		CCHD	11/19/1990 (raw)	ND	ND	----
		CCHD	4/25/1991 (raw)	95	38	DCA-59, EDB-26
		CCHD	4/25/1991 (post-filter)	ND	ND	---
		CCHD	10/15/1991 (raw)	5	3.8	DCA-11
		CCHD	10/15/1991 (post-filter)	ND	ND	----
		CCHD	12/10/1991 (post-filter)	ND	ND	----
		CCHD	3/23/1993 (raw)	ND	ND	----
		CCHD	3/23/1993 (post-filter)	ND	ND	----
		CCHD	6/28/1993 (New well)	ND	ND	----
		MDE-OCP	7/8/1999 (raw)	ND	ND	----
		MDE-OCP	8/11/1999 (raw)	ND	ND	----
		MDE-OCP	3/21/2000 (raw)	ND	ND	----
		MDE-OCP	6/27/2000 (raw)	ND	ND	----
		MDE-OCP	9/28/2000 (raw)	ND	ND	----
		MDE-OCP	12/21/2000 (raw)	ND	ND	----
		MDE-OCP	3/28/2001 (raw)	ND	ND	----
		MDE-OCP	7/3/2001 (raw)	ND	ND	----
		MDE-OCP	9/24/2001 (raw)	ND	ND	----
		MDE-OCP	12/19/2001 (raw)	ND	ND	----
		MDE-OCP	3/19/2002 (raw)	ND	ND	----
		MDE-OCP	5/15/2002 (raw)	ND	ND	----
		MDE-OCP	8/14/2002 (raw)	ND	ND	----
		MDE-OCP	2/26/2003 (raw)	ND	8	----
	MDE-OCP	5/16/2003 (raw)	ND	6	----	
	MDE-OCP	8/27/2003 (raw)	ND	4	TBA-1	
	MDE-OCP	11/18/2003 (raw)	ND	2	----	
	MDE-OCP	2/10/2004 (raw)	ND	2.6	----	
	MDE-OCP	5/19/2004 (raw)	ND	7.7	----	
	MDE-OCP	8/16/2004 (raw)	ND	6.1	----	
	MDE-OCP	11/23/2004 (raw)	ND	11	----	
	MDE-OCP	2/23/2005 (raw)	ND	7.3	----	
	MDE-OCP	6/29/2005 (raw)	ND	28	TBA-18	

**Drinking Water Sampling Data for the Bullet Street Area in Port Deposit, Cecil County**

Sample Location	GAC Installed	Sampled by	Sample Event	Petroleum Constituents of Concern		
				Benzene MCL at 5 ppb	MTBE State's Action Level – 20 ppb	1,2 DCA – MCL at 5 ppb TBA – unregulated compound 1,2 dibromoethane (EDB) – 1 ppb
<b>OFF-SITE PRIVATE DRINKING WATER WELL</b>						
<b>22 Bullet St (cont)</b>		MDE-OCP	7/18/2005 (raw)	ND	27	TBA-35
		MDE-OCP	8/29/2005 (pre-filter)	2	19	----
			8/29/2005 (mid-filter)	ND	ND	----
			8/29/2005 (post-filter)	ND	ND	----
		MDE-OCP	12/28/2005 (pre-filter)	2	5.00	----
			12/28/2005 (mid-filter)	ND	ND	TBA-5
			12/28/2005 (post-filter)	ND	ND	----
		MDE-OCP	4/17/2006 (pre-filter)	2.2	4.9	----
			4/17/2006 (mid-filter)	ND	0.7	----
			4/17/2006 (post-filter)	ND	ND	----
		MDE-OCP	8/25/2006 (pre-filter)	ND	1.8	----
			8/25/2006 (mid-filter)	ND	1.1	----
			8/25/2006 (post-filter)	ND	ND	----
		MDE-OCP	2/16/2007 (pre-filter)	ND	1.3	----
			2/16/2007 (mid-filter)	ND	ND	----
			2/16/2007 (post-filter)	ND	ND	----
	MDE-OCP		8/21/2007 (raw)	ND	ND	----



**Drinking Water Sampling Data for the Bullet Street Area in Port Deposit, Cecil County**

Sample Location	GAC Installed	Sampled by	Sample Event	Petroleum Constituents of Concern		
				Benzene MCL at 5 ppb	MTBE State's Action Level – 20 ppb	1,2 DCA – MCL at 5 ppb TBA – unregulated compound 1.2 dibromoethane (EDB) – 1 ppb
<b>OFF-SITE PRIVATE DRINKING WATER WELL</b>						
<b>60 Bullet Street</b>		MDE-OCP	6/16/1999 (raw)	ND	3.4	----
		MDE-OCP	9/8/1999 (raw)	ND	2.9	----
		MDE-OCP	12/1/1999 (raw)	ND	2.3	----
		MDE-OCP	3/21/2000 (raw)	ND	6.5	----
		MDE-OCP	6/27/2000 (raw)	ND	ND	----
		MDE-OCP	9/28/2000 (raw)	ND	5.2	----
		MDE-OCP	11/14/2000 (raw)	ND	7.3	----
		MDE-OCP	12/21/2000 (raw)	ND	2.8	----
		MDE-OCP	3/28/2001 (raw)	ND	5.2	----
		MDE-OCP	7/3/2001 (raw)	ND	5.95	----
		MDE-OCP	9/24/2001 (raw)	ND	5.56	----
		MDE-OCP	12/19/2001 (raw)	ND	7.04	----
		MDE-OCP	3/19/2002 (raw)	ND	3.86	----
		MDE-OCP	5/15/2002 (raw)	ND	6.9	----
		MDE-OCP	8/14/2002 (raw)	ND	5.50	----
		MDE-OCP	11/26/2002 (raw)	ND	10	----
		MDE-OCP	2/26/2003 (raw)	ND	11	----
		MDE-OCP	5/16/2003 (raw)	ND	10	----
		MDE-OCP	8/27/2003 (raw)	ND	8	----
		MDE-OCP	11/18/2003 (raw)	ND	8	----
		MDE-OCP	2/10/2004 (raw)	ND	7.6	----
		MDE-OCP	5/19/2004 (raw)	ND	3	----
		MDE-OCP	8/16/2004 (raw)	ND	6.4	----
		MDE-OCP	11/23/2004 (raw)	ND	9.2	----
		MDE-OCP	2/23/2005 (raw)	ND	7	----
		MDE-OCP	6/29/2005 (raw)	ND	6	----
		MDE-OCP	10/31/2005 (raw)	ND	5.6	----
		MDE-OCP	2/22/2006 (raw)	ND	5	----
		MDE-OCP	6/20/2006 (raw)	ND	4.6	----
		MDE-OCP	10/20/2006 (raw)	ND	4.9	----
	MDE-OCP	2/16/2007 (raw)	ND	4.9	----	

**Drinking Water Sampling Data for the Bullet Street Area in Port Deposit, Cecil County**

Sample Location	GAC Installed	Sampled by	Sample Event	Petroleum Constituents of Concern		
				Benzene MCL at 5 ppb	MTBE State's Action Level – 20 ppb	1,2 DCA – MCL at 5 ppb TBA – unregulated compound 1.2 dibromoethane (EDB) – 1 ppb
<b>OFF-SITE PRIVATE DRINKING WATER WELL</b>						
<b>111 Twin Lakes Rd</b>		MDE-OCP	2/3/2000 (raw)	ND	ND	----
		MDE-OCP	10/12/2000 (raw)	ND	2.8	----
		MDE-OCP	11/14/2000 (raw)	ND	5.3	----
		MDE-OCP	3/28/2001 (raw)	ND	2.6	----
		MDE-OCP	8/6/2001 (raw)	ND	ND	----
		MDE-OCP	12/19/2001 (raw)	ND	ND	----
		MDE-OCP	8/14/2002 (raw)	ND	ND	----
		MDE-OCP	11/22/2002 (raw)	ND	ND	----
		MDE-OCP	2/26/2003 (raw)	ND	ND	----
		MDE-OCP	5/16/2003 (raw)	ND	ND	----
		MDE-OCP	8/27/2003 (raw)	ND	ND	----
		MDE-OCP	11/18/2003 (raw)	ND	ND	----
		MDE-OCP	2/10/2004 (raw)	ND	ND	----
		MDE-OCP	5/19/2004 (raw)	ND	ND	----
		MDE-OCP	8/16/2004 (raw)	ND	ND	----
		MDE-OCP	11/23/2004 (raw)	ND	ND	----
		MDE-OCP	2/21/2005 (raw)	ND	ND	----
		MDE-OCP	6/29/2005 (raw)	ND	ND	----
		MDE-OCP	12/28/2005 (raw)	ND	ND	----
	<b>84 Twin Lakes Rd</b>		MDE-OCP	2/3/2000 (raw)	ND	ND
		MDE-OCP	8/6/2001 (raw)	ND	ND	----
		MDE-OCP	12/19/2001 (raw)	ND	ND	----
		MDE-OCP	8/14/2002 (raw)	ND	ND	----
		MDE-OCP	11/22/2002 (raw)	ND	ND	----
		MDE-OCP	2/26/2003 (raw)	ND	ND	----
		MDE-OCP	8/27/2003 (raw)	ND	ND	----
		MDE-OCP	2/10/2004 (raw)	ND	ND	----
		MDE-OCP	8/16/2004 (raw)	ND	ND	----
		MDE-OCP	2/21/2005 (raw)	ND	ND	----
		MDE-OCP	8/18/2005 (raw)	ND	ND	----
		MDE-OCP	8/17/2006 (raw)	ND	ND	----
<b>1908 Hopewell Rd</b>		CCHD	6/6/1988 (raw)	ND	ND	----
		CCHD	7/12/1988 (raw)	ND	ND	----
		CCHD	1/29/1990 (raw)	ND	ND	----
		CCHD	10/15/1991 (raw)	ND	ND	----