



**Phase I Offshore Investigation Report  
for the  
Sparrows Point Site  
  
Baltimore, Maryland**

*Prepared for*

Sparrows Point Environmental Trust  
Maul Foster & Alongi, Inc.  
400 E. Mill Plain Blvd., Suite 400  
Vancouver, Washington 98660

*Prepared by*

EA Engineering, Science, and Technology, Inc., PBC  
225 Schilling Circle, Suite 400  
Hunt Valley, Maryland 21031  
(410) 584-7000

March 2016  
Version: FINAL  
EA Project No. 15131.01

*This page intentionally left blank*



## TABLE OF CONTENTS

	<u>Page</u>
LIST OF FIGURES.....	ix
LIST OF TABLES .....	xii
LIST OF ACRONYMS AND ABBREVIATIONS .....	xxv
EXECUTIVE SUMMARY.....	1
1. INTRODUCTION.....	1-1
1.1 SITE LOCATION, DESCRIPTION, AND HISTORY .....	1-1
1.2 PREVIOUS INVESTIGATIONS.....	1-2
1.3 RISK ASSESSMENTS FOR SURROUNDING AREAS .....	1-3
1.4 SPARROWS POINT TRUST AGREEMENT .....	1-4
1.5 PROJECT OBJECTIVES AND TECHNICAL APPROACH .....	1-4
1.6 DOCUMENT ORGANIZATION .....	1-6
2. PRELIMINARY DATA COLLECTION AND SCREENING.....	2-1
2.1 SUBAQUEOUS SURVEY .....	2-1
2.1.1 Bathymetry and Side Scan Sonar .....	2-1
2.1.2 Visual Shoreline Survey.....	2-1
2.2 SCREENING OF GROUNDWATER DATA TO IDENTIFY SITE-RELATED CONTAMINANTS OF POTENTIAL CONCERN .....	2-1
2.2.1 Groundwater Screening Criteria .....	2-2
2.2.2 Identification of Site-Related Constituents of Potential Concern .....	2-2
3. POTENTIAL CONTAMINANT SOURCES AND TRANSPORT PATHWAYS.....	3-1
3.1 CHEMICAL SOURCES .....	3-1
3.2 CHEMICAL TRANSPORT .....	3-2
4. FIELD ACTIVITIES.....	4-1
4.1 PRECISION NAVIGATION AND HORIZONTAL CONTROL .....	4-1
4.2 SEDIMENT SAMPLE COLLECTION AND ANALYSIS .....	4-2
4.2.1 Collection and Analysis of Surface Sediment Samples .....	4-2

## TABLE OF CONTENTS (continued)

	<u>Page</u>
4.2.2 Sediment Core Samples .....	4-4
4.3 STORMWATER SAMPLE COLLECTION AND ANALYSIS .....	4-5
4.4 PORE WATER SAMPLE COLLECTION AND ANALYSIS .....	4-6
4.5 SAMPLE LABELING, CHAIN-OF-CUSTODY, AND DOCUMENTATION .....	4-8
4.5.1 Field Logbook .....	4-8
4.5.2 Sample Numbering System .....	4-8
4.5.3 Sample Labeling .....	4-9
4.5.4 Chain-of-Custody Records .....	4-9
4.5.5 Sample Packaging and Shipping .....	4-10
4.6 EQUIPMENT DECONTAMINATION PROCEDURES .....	4-10
4.7 INVESTIGATION-DERIVED WASTE .....	4-10
5. ANALYTICAL RESULTS .....	5-1
5.1 SEDIMENT DATA .....	5-1
5.1.1 Surface Sediment Grab Samples .....	5-1
5.1.2 Sediment Core Samples .....	5-3
5.2 STORMWATER DATA .....	5-6
5.3 PORE WATER DATA .....	5-7
5.4 DATA QUALITY ASSESSMENT .....	5-8
5.4.1 General Data Qualifiers .....	5-8
5.4.2 Quality Control Samples .....	5-8
5.4.3 Validation Results .....	5-10
5.4.3.1 Round 1 Sediment Sampling .....	5-10
5.4.3.2 Stormwater Sampling .....	5-11
5.4.3.3 Round 2 Sediment Sampling .....	5-12
5.4.3.4 Pore Water Sampling .....	5-13
5.4.4 Data Usability .....	5-14
6. CONCEPTUAL SITE MODEL .....	6-1
6.1 DIVISION OF THE PHASE I AREA INTO TWO INVESTIGATION AREAS/ DATA GROUPINGS .....	6-1
6.2 CHEMICAL SOURCES AND TRANSPORT MECHANISMS .....	6-2

## TABLE OF CONTENTS (continued)

	<u>Page</u>
6.3 MEDIA OF CONCERN .....	6-2
6.4 ECOLOGICAL RISK – EXPOSURE PATHWAYS AND RECEPTORS .....	6-3
6.4.1 Site Ecology .....	6-3
6.4.2 Assessment Endpoints .....	6-4
6.4.3 Exposure Pathway Analysis .....	6-5
6.4.4 Selection of Representative Receptor Species .....	6-6
6.5 HUMAN HEALTH RISK – EXPOSURE PATHWAYS AND RECEPTORS .....	6-8
6.5.1 Site Conditions .....	6-8
6.5.2 Potential Receptors and Exposure Pathways .....	6-8
7. SURFACE WATER MODELING .....	7-1
7.1 MODEL INPUTS .....	7-1
7.1.1 Estimation of Stormwater Flows .....	7-1
7.1.2 Estimation of Pore Water Flow Rates .....	7-2
7.1.3 Selection of Constituents to be Modeled and Calculation of Input Concentrations .....	7-3
7.1.4 Tide Conditions .....	7-4
7.2 HYDRODYNAMICS AND CONTAMINANT FATE .....	7-5
7.2.1 Model Setup .....	7-5
7.2.2 Model Assumptions .....	7-6
7.3 MODEL RESULTS .....	7-7
8. STATISTICAL DERIVATION OF EXPOSURE POINT CONCENTRATIONS .....	8-1
8.1 DATA GROUPINGS AND CONSTITUENTS OF POTENTIAL CONCERN .....	8-1
8.2 METHODS OF SUMMATION FOR PCBS AND PAHS .....	8-2
8.3 SEDIMENT EPC CALCULATION .....	8-3
8.4 SURFACE WATER EPC CALCULATION .....	8-5
8.5 AQUATIC ORGANISM TISSUE EPC CALCULATION .....	8-5
8.5.1 EPCs Derived Using Bioaccumulation Factors (BAFs) From Coke Point Laboratory Bioaccumulation Tests .....	8-6
8.5.2 EPCs Derived From Field-Collected Fish and Crab Tissue .....	8-7
8.5.3 EPCs Derived Using Sediment BAFs From Literature Sources .....	8-9

## TABLE OF CONTENTS (continued)

	<u>Page</u>
8.5.4 EPCs Derived Using Surface Water BAFs From Literature Sources .....	8-9
9. ECOLOGICAL RISK ASSESSMENT.....	9-1
9.1 SCREENING LEVEL ASSESSMENT.....	9-1
9.2 EXPOSURE ASSESSMENT.....	9-2
9.2.1 Aquatic and Benthic Organisms .....	9-2
9.2.2 Wildlife .....	9-3
9.2.2.1 Exposure Point Concentrations and Scenarios .....	9-3
9.2.2.2 Ingestion of Chemicals from Abiotic Media.....	9-5
9.2.2.3 Ingestion of Chemicals from Food.....	9-6
9.2.2.4 Total Chemical Ingestion .....	9-6
9.3 TOXICITY ASSESSMENT.....	9-7
9.3.1 Aquatic and Benthic Organisms .....	9-7
9.3.2 Wildlife .....	9-8
9.4 ASSESSMENT OF RISKS FOR THE NORTHEAST/NEAR-SHORE GROUPING.....	9-9
9.4.1 Assessment of Risks to Aquatic and Benthic Organisms .....	9-9
9.4.1.1 Measurement Endpoint: Comparisons to Sediment EPCs.....	9-10
9.4.1.2 Measurement Endpoint: Comparisons to Surface Water TRVs.....	9-11
9.4.1.3 Measurement Endpoint: Evaluation of Bioavailability.....	9-12
9.4.1.4 Risk Characterization for Aquatic and Benthic Organisms in the Northeast/Near-Shore Grouping .....	9-13
9.4.2 Assessment of Risks to Wildlife .....	9-15
9.4.2.1 Measurement Endpoint: Comparison of Screening Level Exposure Scenario Modeled Doses to TRVs with Tissue Concentrations Based on BAFs.....	9-15
9.4.2.2 Measurement Endpoint: Comparison of Screening Level Exposure Scenario Modeled Doses to TRVs with Tissue Concentrations Based on Crab and Fish Tissue .....	9-16
9.4.2.3 Measurement Endpoint: Comparison of Reasonable Maximum Exposure Scenario Modeled Doses to TRVs with Tissue Concentrations Based on BAFs .....	9-17

**TABLE OF CONTENTS (continued)**

	<u>Page</u>
9.4.2.4 Measurement Endpoint: Comparison of Reasonable Maximum Exposure Scenario Modeled Doses to TRVs with Tissue Concentrations Based on Crab and Fish Tissue.....	9-18
9.4.2.5 Measurement Endpoint: Evaluation of Bioavailability.....	9-19
9.4.2.6 Risk Characterization for Wildlife in the Northeast/Near-Shore Grouping .....	9-19
<b>9.5 ASSESSMENT OF RISKS FOR THE SOUTHWEST/TIN MILL CANAL EFFLUENT GROUPING.....</b>	<b>9-20</b>
9.5.1 Assessment of Risks to Aquatic and Benthic Organisms .....	9-21
9.5.1.1 Measurement Endpoint: Comparisons to Sediment EPCs.....	9-21
9.5.1.2 Measurement Endpoint: Comparisons to Surface Water TRVs.....	9-23
9.5.1.3 Measurement Endpoint: Evaluation of Bioavailability.....	9-24
9.5.1.4 Risk Characterization for Aquatic and Benthic Organisms in the Southwest/Tin Mill Canal Effluent Grouping.....	9-25
9.5.2 Assessment of Risks to Wildlife .....	9-27
9.5.2.1 Measurement Endpoint: Comparison of Screening Level Exposure Scenario Modeled Doses to TRVs with Tissue Concentrations Based on BAFs.....	9-28
9.5.2.2 Measurement Endpoint: Comparison of Screening Level Exposure Scenario Modeled Doses to TRVs with Tissue Concentrations Based on Crab and Fish Tissue .....	9-30
9.5.2.3 Measurement Endpoint: Comparison of Reasonable Maximum Exposure Scenario Modeled Doses to TRVs with Tissue Concentrations Based on BAFs .....	9-31
9.5.2.4 Measurement Endpoint: Comparison of Reasonable Maximum Exposure Scenario Modeled Doses to TRVs with Tissue Concentrations Based on Crab and Fish Tissue.....	9-33
9.5.2.5 Measurement Endpoint: Qualitative Evaluation of Bioavailability.....	9-34
9.5.2.6 Risk Characterization for Wildlife in the Southwest/Tin Mill Canal Effluent Grouping .....	9-34
<b>9.6 UNCERTAINTY ANALYSIS .....</b>	<b>9-36</b>
9.6.1 Scope and the CSM.....	9-36
9.6.2 Data Used in the Risk Assessment.....	9-37
9.6.3 Exposure and Toxicity Assessment .....	9-38

## TABLE OF CONTENTS (continued)

	<u>Page</u>
9.6.4 Risk Characterization.....	9-39
9.7 CONCLUSIONS OF THE ECOLOGICAL RISK ASSESSMENT .....	9-39
10. HUMAN HEALTH RISK ASSESSMENT .....	10-1
10.1 DATA EVALUATION AND HAZARD ASSESSMENT .....	10-2
10.1.1 Field-Collected Sample Results .....	10-3
10.1.2 Modeled Sample Results.....	10-4
10.1.3 Data Validation .....	10-6
10.1.4 Risk-Based Screening .....	10-6
10.1.4.1 Data Groupings .....	10-8
10.1.5 Analytes Exceeding Risk-Based Screening Levels.....	10-9
10.1.6 COPCs Not Evaluated Further.....	10-11
10.2 EXPOSURE ASSESSMENT.....	10-11
10.2.1 Calculation of Intake.....	10-12
10.2.2 Exposure Point Concentrations.....	10-13
10.2.3 Selection of Exposure Parameters .....	10-14
10.3 TOXICITY ASSESSMENT.....	10-16
10.3.1 Toxicity Assessment for Non-Carcinogens .....	10-17
10.3.2 Toxicity Assessment for Carcinogenicity .....	10-18
10.3.3 Toxicity Assessment Modification for Dermal Contact .....	10-19
10.4 RISK CHARACTERIZATION.....	10-20
10.4.1 Hazard Index for Non-Carcinogenic Effects.....	10-20
10.4.2 Carcinogenic Risks .....	10-21
10.5 RISK CHARACTERIZATION RESULTS FOR THE NORTHEAST/NEAR SHORE AREA .....	10-21
10.5.1 Field-Collected Crab and Fish Tissue.....	10-22
10.5.1.1 Adult Recreational User.....	10-22
10.5.1.2 Adolescent Recreational User.....	10-23
10.5.1.3 Child Recreational User.....	10-23

## TABLE OF CONTENTS (continued)

	<u>Page</u>
10.5.1.4 Watermen .....	10-23
10.5.2 Modeled Crab and Fish Tissue .....	10-24
10.5.2.1 Adult Recreational User.....	10-24
10.5.2.2 Adolescent Recreational User .....	10-24
10.5.2.3 Child Recreational User .....	10-25
10.5.2.4 Watermen .....	10-25
10.6 RISK CHARACTERIZATION RESULTS FOR THE SOUTHWEST/TIN MILL CANAL EFFLUENT AREA.....	10-26
10.6.1 Field-Collected Crab and Fish Tissue .....	10-26
10.6.1.1 Adult Recreational User.....	10-26
10.6.1.2 Adolescent Recreational User .....	10-27
10.6.1.3 Child Recreational User .....	10-27
10.6.1.4 Watermen .....	10-27
10.6.2 Modeled Crab and Fish Tissue .....	10-28
10.6.2.1 Adult Recreational User.....	10-28
10.6.2.2 Adolescent Recreational User .....	10-28
10.6.2.3 Child Recreational User .....	10-29
10.6.2.4 Watermen .....	10-30
10.7 RISK ASSESSMENT UNCERTAINTY .....	10-30
10.7.1 Sampling and Analysis Uncertainties .....	10-31
10.7.2 Uncertainties Analysis of Exposure Assessment .....	10-32
10.7.2.1 Exposure Point Concentrations.....	10-32
10.7.3 Uncertainties of Toxicity Assessment.....	10-33
10.7.3.1 Uncertainties Associated With Non-Carcinogenic Effects .....	10-34
10.7.3.2 Uncertainties Associated With Carcinogenic Effects .....	10-34
10.7.4 Uncertainties in Risk Characterization .....	10-35
10.7.5 Chemicals Not Assessed in the Risk Assessment.....	10-36
10.8 HHRA CONCLUSIONS .....	10-36

**TABLE OF CONTENTS (continued)**

	<u>Page</u>
11. CONCLUSIONS AND RECOMMENDATIONS .....	11-1
12. REFERENCES .....	12-1
APPENDIX A: FIELD LOGBOOK	
APPENDIX B: PHOTOGRAPHIC LOG	
APPENDIX C: SEDIMENT BORING LOGS	
APPENDIX D: LABORATORY ANALYTICAL REPORTS	
APPENDIX E: VALIDATION REPORTS	
APPENDIX F: PROUCL OUTPUTS	
APPENDIX G: WILDLIFE EXPOSURE MODEL CALCULATIONS	
APPENDIX H: HUMAN HEALTH RISK-BASED SCREENING VALUES	



## LIST OF FIGURES

<u>Number</u>	<u>Title</u>
1-1	Phase I and Phase II Offshore Investigation Areas, Baltimore, Maryland
2-1	Phase I Offshore Investigation Area, Phase I Northwest Shoreline, Baltimore, Maryland
4-1	Sample Location Map, Phase I Northwest Shoreline, Baltimore, Maryland.
5-1	Nickel Concentrations in Surface Sediments, Phase I Northwest Shoreline, Baltimore, Maryland
5-2	Zinc Concentrations in Surface Sediments, Phase I Northwest Shoreline, Baltimore, Maryland
5-3	Total PAH Concentrations in Surface Sediments, Phase I Northwest Shoreline, Baltimore, Maryland
5-4	Total PCB Concentrations in Surface Sediments, Phase I Northwest Shoreline, Baltimore, Maryland
5-5	Oil and Grease Concentrations in Surface Sediments, Phase I Northwest Shoreline, Baltimore, Maryland
5-6	Cyanide Concentrations in Surface Sediments, Phase I Northwest Shoreline, Baltimore, Maryland
5-7	Bis(2-ethylhexyl)phthalate Concentrations in Surface Sediments, Phase I Northwest Shoreline, Baltimore, Maryland
5-8	TOC-Normalized Nickel Concentrations in Surface Sediment Grab Samples, Phase I Northwest Shoreline, Baltimore, Maryland
5-9	TOC-Normalized Zinc Concentrations in Surface Sediment Grab Samples, Phase I Northwest Shoreline, Baltimore, Maryland
5-10	TOC-Normalized Total PAH Concentrations in Surface Sediment Grab Samples, Phase I Northwest Shoreline, Baltimore, Maryland
5-11	Nickel Concentrations in Surface and Subsurface Sediment, Phase I Northwest Shoreline, Baltimore, Maryland
5-12	Zinc Concentrations in Surface and Subsurface Sediment, Phase I Northwest Shoreline, Baltimore, Maryland

### LIST OF FIGURES (continued)

<u>Number</u>	<u>Title</u>
5-13	Total PAH Concentrations in Surface and Subsurface Sediment, Phase I Northwest Shoreline, Baltimore, Maryland
5-14	Total PCB Concentrations in Surface and Subsurface Sediment, Phase I Northwest Shoreline, Baltimore, Maryland
5-15	Oil and Grease Concentrations in Surface and Subsurface Sediment, Phase I Northwest Shoreline, Baltimore, Maryland
5-16	Cyanide Concentrations in Surface and Subsurface Sediment, Phase I Northwest Shoreline, Baltimore, Maryland
5-17	Bis(2-ethylhexyl)phthalate Concentrations in Surface and Subsurface Sediment, Phase I Northwest Shoreline, Baltimore, Maryland
5-18	Cross Section Locations, Phase I Northwest Shoreline, Baltimore, Maryland
5-19	Cross-Section A-A' – Total PAH Concentrations, Phase I Northwest Shoreline, Baltimore, Maryland
5-20	Cross-Section B-B' – Total PAH Concentrations, Phase I Northwest Shoreline, Baltimore, Maryland
5-21	Cross-Section A-A' – Total PCB Concentrations, Phase I Northwest Shoreline, Baltimore, Maryland
5-22	Cross-Section B-B' – Total PCB Concentrations, Phase I Northwest Shoreline, Baltimore, Maryland
5-23	Cross-Section A-A' – Oil and Grease Concentrations, Phase I Northwest Shoreline, Baltimore, Maryland
5-24	Cross-Section B-B' – Oil and Grease Concentrations, Phase I Northwest Shoreline, Baltimore, Maryland
6-1	Ecological Components of the Conceptual Site Model for the Phase I Area, Sparrows Point
6-2	Human Health Components of the Conceptual Site Model for the Phase I Area, Sparrows Point
6-3	Data Groupings

### **LIST OF FIGURES (continued)**

<u>Number</u>	<u>Title</u>
7-1	Drainage Areas for Outfalls
7-2	Tidal Elevation Input to Model (7 days)
7-3	Surface Water Model Grid
7-4	Locations of Stormwater and Pore Water Inputs to Model Loading
7-5	Ebb Currents in Bear Creek
7-6	Flood Currents in Bear Creek
7-7	Modeled Concentrations of Low Molecular Weight PAHs under Non-Storm Condition
7-8	Modeled Concentrations of Low Molecular Weight PAHs during Storm Event
7-9	Modeled Concentrations of Cyanide under Non-Storm Condition
7-10	Modeled Concentrations Cyanide during Storm Event
7-11	Modeled Concentrations of Nickel under Non-Storm Condition
7-12	Modeled Concentrations of Nickel during Storm Event

## LIST OF TABLES

<u>Number</u>	<u>Title</u>
1-1	Chronological Summary of Previous Studies Relevant to the Phase I Investigation Area, Sparrows Point, Maryland
2-1	Summary of Constituents Exceeding Screening Criteria in Groundwater in the Phase I Area, 2001–2014
4-1	Sampling Locations, Descriptions, and Notes, Sparrows Point Phase I Offshore Investigation
4-2	Sediment Core Sampling Summary and Rationale, Sparrows Point Phase I Offshore Investigation
4-3	Comparison of Surface Water and Pore Water Quality Parameters, Sparrows Point Phase I Offshore Investigation
5-1	Metals, Cyanide, Oil and Grease, and General Chemistry Concentrations in Surface Sediment Grab Samples, Sparrows Point Phase I Offshore Investigation
5-2	Polycyclic Aromatic Hydrocarbon Concentrations in Surface Sediment Grab Samples, Sparrows Point Phase I Offshore Investigation
5-3	Polychlorinated Biphenyl Concentrations in Surface Sediment Grab Samples, Sparrows Point Phase I Offshore Investigation
5-4	Volatile Organic Compound Concentrations in Surface Sediment Grab Samples, Sparrows Point Phase I Offshore Investigation
5-5	Semivolatile Organic Compound Concentrations in Surface Sediment Grab Samples, Sparrows Point Phase I Offshore Investigation
5-6	Grain Size and Moisture Content of Surface Sediment Grab Samples, Sparrows Point Phase I Offshore Investigation
5-7	Simultaneously Extracted Metals and Acid Volatile Sulfide Concentrations in Surface Sediment Grab Samples, Sparrows Point Phase I Offshore Investigation
5-8	Metals, Cyanide, Oil and Grease, and Solids Concentrations in Sediment Core Samples, Sparrows Point Phase I Offshore Investigation
5-9	Polycyclic Aromatic Hydrocarbon Concentrations in Sediment Core Samples, Sparrows Point Phase I Offshore Investigation

**LIST OF TABLES (continued)**

<u>Number</u>	<u>Title</u>
5-10	Polychlorinated Biphenyl Concentrations in Sediment Core Samples, Sparrows Point Phase I Offshore Investigation
5-11	Volatile Organic Compound Concentrations in Sediment Core Samples, Sparrows Point Phase I Offshore Investigation
5-12	Semivolatile Organic Compound Concentrations in Sediment Core Samples, Sparrows Point Phase I Offshore Investigation
5-13	Simultaneously Extracted Metals and Acid Volatile Sulfide Concentrations in Sediment Core Samples, Sparrows Point Phase I Offshore Investigation
5-14	Depth Ranges of Maximum Constituent Concentrations in Silty Sediment Samples from Cores, Sparrows Point Phase I Offshore Investigation
5-15	Metals, Cyanide, Oil and Grease, and Solids Concentrations in Stormwater Samples, Sparrows Point Phase I Offshore Investigation
5-16	Polycyclic Aromatic Hydrocarbon Concentrations in Stormwater Samples, Sparrows Point Phase I Offshore Investigation
5-17	Polychlorinated Biphenyl Concentrations in Stormwater Samples, Sparrows Point Phase I Offshore Investigation
5-18	Volatile Organic Compound Concentrations in Stormwater Samples, Sparrows Point Phase I Offshore Investigation
5-19	Semivolatile Organic Compound Concentrations in Stormwater Samples, Sparrows Point Phase I Offshore Investigation
5-20	Metals, Cyanide, Organic Carbon, Polycyclic Aromatic Hydrocarbon, and Phthalate Concentrations in Pore Water Samples, Sparrows Point Phase I Offshore Investigation
7-1	Summary of the Drainage Area Characteristics Input into SWMM
7-2	Summary of Hydrologic Modeling Results for Outfalls 018, UNNAMED, and 070
7-3	Calculations of Groundwater Hydraulic Gradient
7-4	Input Concentrations for Surface Water Model

**LIST OF TABLES (continued)**

<u>Number</u>	<u>Title</u>
7-5	Tidal Datums at Baltimore (Fort McHenry), Patapsco River
7-6	Surface Water Exposure Point Concentrations Calculated Using Model
8-1	Summary of Data Inputs for Ecological Risk Assessment Scenarios
8-2	Summary of Data Inputs for Human Health Risk Assessment Scenarios, Phase I Area of the Sparrows Point Site
8-3	Groupings and Samples Used in the Risk Assessment of the Phase I Area of the Sparrows Point Site
8-4	Summary of Sediment and Pore Water Data Used in Calculations of EPCs for the Northeast/Near-Shore (NNS) Grouping Within the Phase I Area of the Sparrows Point Site
8-5	Sediment Concentrations of Site-Related Contaminants of Potential Concern Used in the Risk Assessments for the Northeast/Near-Shore Grouping
8-6	Sediment Concentrations of Metals and Cyanide Used in the Risk Assessments for the Southwest/Tin Mill Canal Effluent Grouping
8-7	Sediment Concentrations of Polycyclic Aromatic Hydrocarbons Used in the Risk Assessments for the Southwest/Tin Mill Canal Effluent Grouping
8-8	Sediment Concentrations of Polychlorinated Biphenyls Used in the Risk Assessments for the Southwest/Tin Mill Canal Effluent Grouping
8-9	Sediment Concentrations of Volatile Organic Compounds Used in the Risk Assessments for the Southwest/Tin Mill Canal Effluent Grouping
8-10	Sediment Concentrations of Semivolatile Organic Compounds Used in the Risk Assessments for the Southwest/Tin Mill Canal Effluent Grouping
8-11	Uptake Models Relating Concentrations in Sediment to Concentrations in Crab
8-12	Uptake Models Relating Concentrations in Surface Water to Concentrations in Fish
9-1	Detection Comparison to Screening Levels, Sparrows Point Northeast/Near-Shore

**LIST OF TABLES (continued)**

<u>Number</u>	<u>Title</u>
9-2	Detection Comparison to Screening Levels, Sparrows Point Southwest/Tin Mill Canal Effluent
9-3	Measurement Endpoints for Ecological Risk Assessment for the Sparrows Point Site
9-4	Frequency of Detection and Exposure Point Concentrations, Sparrows Point Northeast/Near-Shore
9-5	Frequency of Detection and Exposure Point Concentrations, Sparrows Point Southwest/Tin Mill Canal Effluent
9-6	Wildlife Exposure Factors for Ecological Risk Assessment for the Sparrows Point Site
9-7	Dose-based Toxicity Reference Values for Birds
9-8	Dose-based Toxicity Reference Values for Mammals
9-9	Sediment Toxicity Reference Values for Benthic Organisms Exposures
9-10	Surface Water Toxicity Reference Values for Aquatic Organism Exposures
9-11	Comparison of Exposure Point Concentrations (EPCs) in Sediment to Benthic Organism Toxicity Reference Values, Sparrows Point Northeast/Near-Shore
9-12	Comparison of Exposure Point Concentrations (EPCs) in Surface Water to Aquatic Organism Toxicity Reference Values, Sparrows Point Northeast/Near-Shore
9-13	Comparison of Screening Level Modeled Wildlife Doses to Birds based on Uptake Factors to Avian TRVs, Sparrows Point Northeast/Near-Shore
9-14	Comparison of Screening Level Modeled Wildlife Doses to Mammals based on Uptake Factors to Mammalian TRVs, Sparrows Point Northeast/Near-Shore
9-15	Comparison of Screening Level Modeled Wildlife Doses to Birds based on Tissue Concentrations to Avian TRVs, Sparrows Point Northeast/Near-Shore
9-16	Comparison of Screening Level Modeled Wildlife Doses to Mammals based on Tissue Concentrations to Mammalian TRVs, Sparrows Point Northeast/Near-Shore

**LIST OF TABLES (continued)**

<u>Number</u>	<u>Title</u>
9-17	Comparison of Reasonable Maximum Modeled Wildlife Doses to Birds based on Uptake Factors to Avian TRVs, Sparrows Point Northeast/Near-Shore
9-18	Comparison of Reasonable Maximum Modeled Wildlife Doses to Mammals based on Uptake Factors to Mammalian TRVs, Sparrows Point Northeast/Near-Shore
9-19	Comparison of Reasonable Maximum Modeled Wildlife Doses to Birds based on Tissue Concentrations to Avian TRVs, Sparrows Point Northeast/Near-Shore
9-20	Comparison of Reasonable Maximum Modeled Wildlife Doses to Mammals based on Tissue Concentrations to Mammalian TRVs, Sparrows Point Northeast/Near-Shore
9-21	Comparison of Exposure Point Concentrations (EPCs) in Sediment to Benthic Organism TRVs, Sparrows Point Southwest/Tin Mill Canal Effluent
9-22	Comparison of Exposure Point Concentrations (EPCs) in Surface Water to Aquatic Organism TRVs, Sparrows Point Southwest/Tin Mill Canal Effluent
9-23	Comparison of Screening Level Modeled Wildlife Doses to Birds based on Uptake Factors to Avian TRVs, Sparrows Point Southwest/Tin Mill Canal Effluent
9-24	Comparison of Screening Level Scenario Modeled Wildlife Doses to Mammals based on Uptake Factors to Mammalian TRVs, Sparrows Point Southwest/Tin Mill Canal Effluent
9-25	Comparison of Screening Level Modeled Wildlife Doses to Birds based on Tissue Concentrations to Avian TRVs, Sparrows Point Southwest/Tin Mill Canal Effluent
9-26	Comparison of Screening Level Modeled Wildlife Doses to Mammals based on Tissue Concentrations to Mammalian TRVs, Sparrows Point Southwest/Tin Mill Canal Effluent
9-27	Comparison of Reasonable Maximum Modeled Wildlife Doses to Birds based on Uptake Factors to Avian TRVs, Sparrows Point Southwest/Tin Mill Canal Effluent



**LIST OF TABLES (continued)**

<u>Number</u>	<u>Title</u>
9-28	Comparison of Reasonable Maximum Modeled Wildlife Doses to Mammals based on Uptake Factors to Mammalian TRVs, Sparrows Point Southwest/Tin Mill Canal Effluent
9-29	Comparison of Reasonable Maximum Modeled Wildlife Doses to Birds based on Tissue Concentrations to Avian TRVs, Sparrows Point Southwest/Tin Mill Canal Effluent
9-30	Comparison of Reasonable Maximum Modeled Wildlife Doses to Mammals based on Tissue Concentrations to Mammalian TRVs, Sparrows Point Southwest/Tin Mill Canal Effluent
10-2.1	Occurrence, Distribution and Selection of Chemicals of Potential Concern, Phase I Area of the Sparrows Point Site, Northeast/Near-Shore – Surface Sediment
10-2.2	Occurrence, Distribution and Selection of Chemicals of Potential Concern, Phase I Area of the Sparrows Point Site, Northeast/Near-Shore – Surface Water
10-2.3	Occurrence, Distribution and Selection of Chemicals of Potential Concern, Phase I Area of the Sparrows Point Site, All Areas – Field-Collected Crabs
10-2.4	Occurrence, Distribution and Selection of Chemicals of Potential Concern, Phase I Area of the Sparrows Point Site, Northeast/Near Shore – Field-Collected Fish
10-2.5	Occurrence, Distribution and Selection of Chemicals of Potential Concern, Phase I Area of the Sparrows Point Site, Northeast/Near Shore – Crabs/Uptake
10-2.6	Occurrence, Distribution and Selection of Chemicals of Potential Concern, Phase I Area of the Sparrows Point Site, Northeast/Near Shore – Finfish/Uptake
10-2.7	Occurrence, Distribution and Selection of Chemicals of Potential Concern, Phase I Area of the Sparrows Point Site, Southwest/Tin Mill Canal Effluent – Surface Sediment
10-2.8	Occurrence, Distribution and Selection of Chemicals of Potential Concern, Phase I Area of the Sparrows Point Site, Southwest/Tin Mill Canal Effluent – Surface Water

**LIST OF TABLES (continued)**

<u>Number</u>	<u>Title</u>
10-2.9	Occurrence, Distribution and Selection of Chemicals of Potential Concern, Phase I Area of the Sparrows Point Site, Southwest/Tin Mill Canal Effluent – Field-Collected Crabs
10-2.10	Occurrence, Distribution and Selection of Chemicals of Potential Concern, Phase I Area of the Sparrows Point Site, Southwest/Tin Mill Canal Effluent – Field-Collected Fish
10-2.11	Occurrence, Distribution and Selection of Chemicals of Potential Concern, Phase I Area of the Sparrows Point Site, Southwest/Tin Mill Canal Effluent – Crabs/Uptake
10-2.12	Occurrence, Distribution and Selection of Chemicals of Potential Concern, Phase I Area of the Sparrows Point Site, Southwest/Tin Mill Canal Effluent – Finfish/Uptake
10-3.1	Medium – Specific Exposure Point Concentration Summary, Phase I Area of the Sparrows Point Site, Northeast/Near Shore – Surface Sediment
10-3.2	Medium – Specific Exposure Point Concentration Summary, Phase I Area of the Sparrows Point Site, Northeast/Near Shore – Surface Water
10-3.3	Medium – Specific Exposure Point Concentration Summary, Phase I Area of the Sparrows Point Site, Northeast/Near Shore – Crabs
10-3.4	Medium – Specific Exposure Point Concentration Summary, Phase I Area of the Sparrows Point Site, Northeast/Near Shore – Finfish
10-3.5	Medium – Specific Exposure Point Concentration Summary, Phase I Area of the Sparrows Point Site, Northeast/Near Shore – Finfish/Uptake
10-3.6	Medium – Specific Exposure Point Concentration Summary, Phase I Area of the Sparrows Point Site, Northeast/Near Shore – Crab/Uptake
10-3.7	Medium – Specific Exposure Point Concentration Summary, Phase I Area of the Sparrows Point Site, Southwest/Tin Mill Canal Effluent – Surface Sediment
10-3.8	Medium – Specific Exposure Point Concentration Summary, Phase I Area of the Sparrows Point Site, Southwest/Tin Mill Canal Effluent – Surface Water

**LIST OF TABLES (continued)**

<u>Number</u>	<u>Title</u>
10-3.9	Medium – Specific Exposure Point Concentration Summary, Phase I Area of the Sparrows Point Site, Southwest/Tin Mill Canal Effluent – Crabs
10-3.10	Medium – Specific Exposure Point Concentration Summary, Phase I Area of the Sparrows Point Site, Southwest/Tin Mill Canal Effluent – Finfish
10-3.11	Medium – Specific Exposure Point Concentration Summary, Phase I Area of the Sparrows Point Site, Southwest/Tin Mill Canal Effluent – Crab/Uptake
10-3.12	Medium – Specific Exposure Point Concentration Summary, Phase I Area of the Sparrows Point Site, Southwest/Tin Mill Canal Effluent – Finfish/Uptake
10-4.1	Values Used For Adult Recreational User Daily Sediment Intake Equations, Phase I of Sparrows Point
10-4.2	Values Used For Adolescent Recreational User Daily Sediment Intake Equations, Phase I of Sparrows Point
10-4.3	Values Used For Waterman Daily Sediment Intake Equations, Phase I of Sparrows Point
10-4.4	Values Used For Adult Recreational User Daily Finfish/Crab Intake Equations, Phase I of Sparrows Point
10-4.5	Values Used For Adolescent Recreational User Daily Finfish/Crab Intake Equations, Phase I of Sparrows Point
10-4.6	Values Used For Child Recreational User Daily Finfish/Crab Intake Equations, Phase I of Sparrows Point
10-4.7	Values Used For Waterman Daily Finfish/Crab Intake Equations, Phase I of Sparrows Point
10-5.1	Non-Cancer Toxicity Data – Oral/Dermal, Phase I of Sparrows Point
10-5.2	Chemical-Specific Parameters, Phase I of Sparrows Point
10-6.1	Cancer Toxicity Data – Oral/Dermal, Phase I of Sparrows Point
10-7.1	Calculation of Chemical Cancer Risks and Non-Cancer Hazards, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Field Collected Tissue Evaluation, Current Adult Recreational User

**LIST OF TABLES (continued)**

<u>Number</u>	<u>Title</u>
10-7.2	Calculation of Chemical Cancer Risks and Non-Cancer Hazards, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Field Collected Tissue Evaluation, Current Adolescent Recreational User
10-7.3	Calculation of Chemical Cancer Risks and Non-Cancer Hazards, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Field Collected Tissue Evaluation, Current Child Recreational User
10-7.4	Calculation of Chemical Cancer Risks and Non-Cancer Hazards, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Field Collected Tissue Evaluation, Current Adult Waterman
10-7.5	Calculation of Chemical Cancer Risks and Non-Cancer Hazards, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Uptake Evaluation, Current Adult Recreational User
10-7.6	Calculation of Chemical Cancer Risks and Non-Cancer Hazards, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Uptake Evaluation, Current Adolescent Recreational User
10-7.7	Calculation of Chemical Cancer Risks and Non-Cancer Hazards, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Uptake Evaluation, Current Child Recreational User
10-7.8	Calculation of Chemical Cancer Risks and Non-Cancer Hazards, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Uptake Evaluation, Current Adult Waterman
10-7.9	Calculation of Chemical Cancer Risks and Non-Cancer Hazards, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Field Collected Tissue Evaluation, Current Adult Recreational User
10-7.10	Calculation of Chemical Cancer Risks and Non-Cancer Hazards, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Field Collected Tissue Evaluation, Current Adolescent Recreational User
10-7.11	Calculation of Chemical Cancer Risks and Non-Cancer Hazards, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Field Collected Tissue Evaluation, Current Child Recreational User

**LIST OF TABLES (continued)**

<u>Number</u>	<u>Title</u>
10-7.12	Calculation of Chemical Cancer Risks and Non-Cancer Hazards, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Field Collected Tissue Evaluation, Current Adult Waterman
10-7.13	Calculation of Chemical Cancer Risks and Non-Cancer Hazards, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Uptake Evaluation, Current Adult Recreational User
10-7.14	Calculation of Chemical Cancer Risks and Non-Cancer Hazards, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Uptake Evaluation, Current Adolescent Recreational User
10-7.15	Calculation of Chemical Cancer Risks and Non-Cancer Hazards, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Uptake Evaluation, Current Child Recreational User
10-7.16	Calculation of Chemical Cancer Risks and Non-Cancer Hazards, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Uptake Evaluation, Current Adult Waterman
10-9.1	Summary of Receptor Risks and Hazards for COPCs, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Field Collected Tissue Evaluation, Current Adult Recreational User
10-9.2	Summary of Receptor Risks and Hazards for COPCs, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Field Collected Tissue Evaluation, Current Adolescent Recreational User
10-9.3	Summary of Receptor Risks and Hazards for COPCs, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Field Collected Tissue Evaluation, Current Child Recreational User
10-9.4	Summary of Receptor Risks and Hazards for COPCs, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Field Collected Tissue Evaluation, Current Adult Waterman
10-9.5	Summary of Receptor Risks and Hazards for COPCs, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Uptake Evaluation, Current Adult Recreational User

**LIST OF TABLES (continued)**

<u>Number</u>	<u>Title</u>
10-9.6	Summary of Receptor Risks and Hazards for COPCs, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Uptake Evaluation, Current Adolescent Recreational User
10-9.7	Summary of Receptor Risks and Hazards for COPCs, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Uptake Evaluation, Current Child Recreational User
10-9.8	Summary of Receptor Risks and Hazards for COPCs, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Uptake Evaluation, Current Adult Waterman
10-9.9	Summary of Receptor Risks and Hazards for COPCs, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Field Collected Tissue Evaluation, Current Adult Recreational User
10-9.10	Summary of Receptor Risks and Hazards for COPCs, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Field Collected Tissue Evaluation, Current Adolescent Recreational User
10-9.11	Summary of Receptor Risks and Hazards for COPCs, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Field Collected Tissue Evaluation, Current Child Recreational User
10-9.12	Summary of Receptor Risks and Hazards for COPCs, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Field Collected Tissue Evaluation, Current Adult Waterman
10-9.13	Summary of Receptor Risks and Hazards for COPCs, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Uptake Evaluation, Current Adult Recreational User
10-9.14	Summary of Receptor Risks and Hazards for COPCs, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Uptake Evaluation, Current Adolescent Recreational User
10-9.15	Summary of Receptor Risks and Hazards for COPCs, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Uptake Evaluation, Current Child Recreational User

**LIST OF TABLES (continued)**

<u>Number</u>	<u>Title</u>
10-9.16	Summary of Receptor Risks and Hazards for COPCs, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Uptake Evaluation, Current Adult Waterman
10-10.1	Significant Contributors to Risk, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Field Collected Tissue Evaluation, Current Adult Recreational User
10-10.2	Significant Contributors to Risk, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Field Collected Tissue Evaluation, Current Adolescent Recreational User
10-10.3	Significant Contributors to Risk, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Field Collected Tissue Evaluation, Current Child Recreational User
10-10.4	Significant Contributors to Risk, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Field Collected Tissue Evaluation, Current Adult Waterman
10-10.5	Significant Contributors to Risk, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Uptake Evaluation, Current Adult Recreational User
10-10.6	Significant Contributors to Risk, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Uptake Evaluation, Current Adolescent Recreational User
10-10.7	Significant Contributors to Risk, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Uptake Evaluation, Current Child Recreational User
10-10.8	Significant Contributors to Risk, Reasonable Maximum Exposure, Sparrows Point Northeast/Near-Shore – Uptake Evaluation, Current Adult Waterman
10-10.9	Significant Contributors to Risk, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Field Collected Tissue Evaluation, Current Adult Recreational User

**LIST OF TABLES (continued)**

<u>Number</u>	<u>Title</u>
10-10.10	Significant Contributors to Risk, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Field Collected Tissue Evaluation, Current Adolescent Recreational User
10-10.11	Significant Contributors to Risk, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Field Collected Tissue Evaluation, Current Child Recreational User
10-10.12	Significant Contributors to Risk, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Field Collected Tissue Evaluation, Current Adult Waterman
10-10.13	Significant Contributors to Risk, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Uptake Evaluation, Current Adult Recreational User
10-10.14	Significant Contributors to Risk, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Uptake Evaluation, Current Adolescent Recreational User
10-10.15	Significant Contributors to Risk, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Uptake Evaluation, Current Child Recreational User
10-10.16	Significant Contributors to Risk, Reasonable Maximum Exposure, Sparrows Point Southwest/Tin Mill Canal Effluent – Uptake Evaluation, Current Adult Waterman
10-11.1	Occurrence, Distribution, and Selection of Chemicals of Potential Concern, Phase I Area of the Sparrows Point Site, Northeast/Near-Shore – Finfish/Uptake – Storm Conditions
10-12	Human Health Risk Assessment Summary of Results for the Northeast/Near-Shore Area
10-13	Human Health Risk Assessment Summary of Results for the Southwest/Tin Mill Canal Area



## LIST OF ACRONYMS AND ABBREVIATIONS

%D	Percent difference
µg/kg	Microgram(s) per kilogram
95%UCLM	95 Percent upper confidence limit of the mean
ABS	Fraction of contaminant absorbed dermally
ADI	Average daily intake
AF	Adherence factor
ATSDR	Agency for Toxic Substances and Disease Registry
AT	Averaging time
AVS	Acid volatile sulfide
BAF	Bioaccumulation factor
BSAF	Biota-sediment bioaccumulation factors
BSC	Bethlehem Steel Corporation
BTAG	Biological Technical Assistance Group
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act
cm <sup>2</sup>	Square centimeter(s)
COC	Contaminant of concern
COPC	Contaminant of potential concern
CSM	Conceptual site model
DO	Dissolved oxygen
DOJ	Department of Justice
EA	EA Engineering, Science, and Technology Inc., PBC
EcoSSL	Ecological Soil Screening Level
EEC	Environmental Engineering & Contracting, Inc.
EE/CA	Engineering Evaluation/Cost Analysis
EPC	Exposure point concentration
ERA	Ecological risk assessment
ER-L	Effects Range–Low
ER-M	Effects Range–Medium
FA	Fraction absorbed
FI	Food ingestion rate
ft	Foot (feet)
g	Gram(s)
GIABS	Gastrointestinal absorption factor
GPS	Global positioning system

## LIST OF ACRONYMS AND ABBREVIATIONS (continued)

HHRA	Human Health Risk Assessment
HI	Hazard index
HMW	High molecular weight
HQ	Hazard quotient
ID	Identification
IRIS	Integrated Risk Information System
ISG	International Steel Group Inc.
KCI	KCI Technologies
kg	Kilogram(s)
kg/kg bw-d	Kilogram(s) per kilogram body weight per day
LADI	Lifetime average daily intake
LCS	Laboratory control sample
LL	Low level
LMW	Low molecular weight
LOAEL	Lowest-observed-adverse-effect level
MDE	Maryland Department of the Environment
mg/cm <sup>2</sup>	Milligram(s) per square centimeter
mg/kg	Milligram(s) per kilogram
mg/kg bw-day	Milligram(s) per kilogram body weight per day
mg/L	Milligram(s) per liter
Mittal	Netherlands Corporation Mittal Steel Company N.V.
mL	Milliliter(s)
MPA	Maryland Port Administration
MS	Matrix Spike
MSD	Matrix Spike Duplicate
NNS	Northeast/Near-Shore
NOAA	National Oceanic and Atmospheric Administration
NOAEL	No-observed-adverse-effect level
NPDES	National Pollutant Discharge Elimination System
NRWQCs	National Recommended Water Quality Criteria
ORP	Oxidation-reduction potential
OSWER	Office of Solid Waste and Emergency Response
PAH	Polycyclic aromatic hydrocarbon
PC	Partition coefficient

## **LIST OF ACRONYMS AND ABBREVIATIONS (continued)**

PCB	Polychlorinated biphenyl
PEC	Probable effects concentration
PEL	Probable effects level
PPL	Priority pollutant list
QC	Quality control
RAGS	Risk Assessment Guidance for Superfund
RBC	Risk-based concentration
RCRA	Resource Conservation and Recovery Act
RfC	Reference concentration
RfD	Reference dose
RL	Reporting limit
RPD	Relative percent difference
RSL	Regional Screening Level
Rust	Rust Environment and Infrastructure
SA	Surface area
SAV	Submerged aquatic vegetation
SEM	Simultaneously extracted metals
SF	Slope factor
SLERA	Screening Level Ecological Risk Assessment
SSA	Special Study Area
SWMM	Stormwater Management Modeling
SWTM	Southwest/Tin Mill Canal Effluent
SVOC	Semivolatile organic compound
TEL	Threshold effects level
TOC	Total organic carbon
TRV	Toxicity reference value
UF	Uncertainty factor
USACE	United States Army Corps of Engineers
USEPA	United States Environmental Protection Agency
VOC	Volatile organic compound
VRS	Virtual Reference Station

*This page intentionally left blank*

## EXECUTIVE SUMMARY

The Sparrows Point Site (the Site), which was historically a steelmaking facility, is located on approximately 2,300 acres in Baltimore County, Maryland, approximately 6 miles southeast of downtown Baltimore. The Site is surrounded by the Patapsco River to the south and west, Old Road Bay to the east, and Bear Creek to the northwest. Since 2001, the Site has changed owners numerous times, and steelmaking operations ceased in 2012. The Sparrows Point Environmental Trust was established in 2014 to address potential Site-related offshore impacts in the water bodies surrounding the Site. This report presents the results of an offshore investigation, including risk assessments, for the Phase I area of the Site, which is located in Bear Creek adjacent to the northwest portion of the Site. The investigation was funded by the Sparrows Point Environmental Trust and conducted by EA Engineering, Science, and Technology, Inc., PBC (EA).

The Offshore Investigation for the Phase I area included collection of sediment, pore water, and stormwater samples to support delineation of offshore impacts to Bear Creek from the Site. Objectives of the investigation included the following: (1) identifying current Site-related impacts to the offshore environment by evaluating the quality of the sediment, pore water, and stormwater; (2) delineating impacts posing current risk identified during the investigation that are likely associated with the outlet of the Tin Mill Canal, which historically discharged wastewater from onsite industrial facilities; (3) conducting an assessment of offshore risk for the Phase I area; and (4) supporting remedial decision-making for Site-related impacts that are associated with elevated risk in Bear Creek.

Sediment sampling was conducted in two rounds: (1) surface sediment grab sampling along the shoreline, and (2) sediment coring focusing on delineation of the historical inputs in the southern portion of the Phase I area. Pore water samples were collected from selected surface sediment grab sampling locations near the shoreline, to assess potential inputs to Bear Creek via groundwater upwelling. Stormwater samples were collected from active outfalls and a stormwater pond along the shoreline during two events, to support assessment of current inputs from the Site to Bear Creek.

Results of sediment sampling and analysis indicated the concentrations of certain constituents (e.g., metals, polycyclic aromatic hydrocarbons [PAHs], bis(2-ethylhexyl)phthalate, and polychlorinated biphenyls [PCBs]) were elevated in fine-grained sediments, which are found near the center of Bear Creek and also near the outlet of the Tin Mill Canal. Additionally, select metals, PCBs, and oil and grease detected in sediment in the southern portion of the study area are likely derived from the Tin Mill Canal, based on the fact that their concentrations are highest near the outlet of the Canal, and decrease farther out in Bear Creek. Constituent concentrations reported in pore water were moderately correlated with those reported in nearby groundwater, and included metals, cyanide, bis(2-ethylhexyl)phthalate, and one PAH. Constituents detected in stormwater included metals, cyanide, PAHs, and other semivolatile organic compounds.

The results of the offshore investigation led to the division of the Phase I area into two areas for human health and ecological risk assessment, based on geography as well as the characteristics of the sediment: the Southwest/Tin Mill Canal Effluent grouping has silty-to-clayey sediments that exhibit evidence of impacts from the Tin Mill Canal effluent, while sediments in the Northeast/Near-Shore grouping are coarser and/or have fewer observable impacts.

Ecological and human health risk assessments for these two groupings were performed using the following: sediment data collected as part of this investigation, results from fish and crab tissue collected from around Coke Point and Sollers Point in Fall 2010, estimates of constituent concentrations in crab and fish tissue, and modeled surface water concentrations. Surface water concentrations were modeled using pore water and stormwater data, which yielded an estimate of current Site-related impacts to Bear Creek surface water.

In the Northeast/Near-Shore grouping, the investigation and risk assessments focused on current inputs of Site-related contaminants of potential concern (COPCs) to the offshore area via groundwater/pore water and stormwater. The lines of evidence considered in the ecological risk assessment (ERA) suggest that Site-related COPCs in this northeast area are not present in concentrations that pose a risk to wildlife; however, Site-related COPCs in sediment, as well as cyanide in surface water during storm events, may pose risks to aquatic and benthic organisms. The results of the human health risk assessment (HHRA) indicate that there are no human health concerns for exposures to Site-related COPCs in the Northeast/Near-Shore grouping compared to the federal  $10^{-4}$  to  $10^{-6}$  acceptable excess cancer risk range. The Northeast/Near-Shore grouping did reveal potential carcinogenic risks above the MDE acceptable excess cancer risk range of  $10^{-6}$  to  $10^{-5}$  for modeled PAH concentrations via fish and crab ingestion, but no excess risk for ingestion of field-collected tissue.

In the Southwest/Tin Mill Canal Effluent grouping, all constituents analyzed are potentially related to historical discharges from the Tin Mill Canal. Therefore, sediment data and modeled surface water concentrations for all constituents in the southwest area are applicable to the objective of delineating impacts from the Canal, and were used in the ERA and HHRA for this grouping. The ERA concluded that wildlife that consume aquatic and benthic organisms are potentially at risk from selenium and total PCBs in this portion of the Phase I area. Aquatic and benthic organisms are potentially at risk from COPCs in sediment, and from cyanide in surface water only during storm events. Benthic organisms are likely also at risk from oil and grease. The results of the HHRA for the Southwest/Tin Mill Canal Effluent grouping indicate potential human health concerns, primarily for modeled PCB and PAH concentrations via crab ingestion. Ingestion of field-collected fish and crab tissue posed no unacceptable hazard or carcinogenic risk compared to the federal  $10^{-4}$  to  $10^{-6}$  acceptable excess cancer risk range. However, carcinogenic risks from ingestion of field-collected fish and crab tissue were above the MDE acceptable excess cancer risk range of  $10^{-6}$  to  $10^{-5}$  based upon measured concentrations of total PCBs and arsenic and modeled concentrations of bis(2-ethylhexyl)phthalate.

Based on the results of the offshore investigation, including the risk assessments, the sediments in the southern portion of the Phase I area that were apparently impacted by historical Tin Mill

Canal effluents present potential concerns for both human health and wildlife. These impacts have been partially delineated horizontally, though vertical delineation of the identified contaminants would require additional coring and sediment sampling. The results of this investigation provide a basis for evaluating the objectives and potential approaches for remediation of Site-related impacts to the Bear Creek sediments that are associated with elevated risk.

*This page intentionally left blank*



## 1. INTRODUCTION

This Phase I Offshore Investigation Report for the Sparrows Point Site (the Site) has been prepared by EA Engineering, Science, and Technology, Inc., PBC (EA) on behalf of the Sparrows Point Environmental Trust (the Trust). This report presents the results of the offshore investigation of the Phase I area, which was designed to provide information necessary to assess Site-related impacts to the Phase I area and, as needed, support evaluation of remedial alternatives.

### 1.1 SITE LOCATION, DESCRIPTION, AND HISTORY

The Sparrows Point Site is located on approximately 2,300 acres on the north side of the Patapsco River in Baltimore County, Maryland, approximately 6 miles southeast of downtown Baltimore. The Site is surrounded by the Patapsco River to the south and west, Old Road Bay to the east, and Bear Creek to the northwest. Two portions of the offshore area surrounding the Site were originally identified for investigation by the United States Environmental Protection Agency (USEPA) and Maryland Department of the Environment (MDE): Phase I, the northwest shoreline, and Phase II, the southeast shoreline. This report addresses only the Phase I area, which is located along the northwestern shoreline of the Site, along the Bear Creek shoreline (**Figure 1-1**).

Pennsylvania Steel built the first furnace at Sparrows Point in 1887. Bethlehem Steel Corporation (BSC) purchased the facility in 1916 and enlarged it by building mills to produce hot rolled sheet, cold rolled sheet, galvanized sheet tin mill products, and steel plate. During peak steel production in 1959, the facility operated 12 coke-oven batteries, 10 blast furnaces, and 4 open-hearth furnaces.

BSC declared bankruptcy in 2001. After the bankruptcy of BSC, the assets at Sparrows Point were acquired in May 2003 by International Steel Group Inc. (ISG). The Sparrows Point assets were held by ISG's subsidiary corporation ISG Sparrows Point LLC (ISG 2005). ISG was subsequently acquired in 2005 by Netherlands Corporation Mittal Steel Company N.V. (Mittal). When Mittal proposed to acquire the Luxemburg-based Arcelor SA, the United States Department of Justice (DOJ) raised anti-trust concerns regarding tin plate production. In February 2007, DOJ notified ArcelorMittal that it had to divest itself of the Sparrows Point steel mill under the Consent Decree filed by the DOJ in August 2006. In March 2008, the Russian firm OAO Severstal announced its purchase of the Sparrows Point plant from ArcelorMittal. An article in the *Baltimore Sun* indicated that Severstal completed the acquisition for \$810 million in May 2008. In 2011, RG Steel, a subsidiary of Renco Group, Inc., purchased the Site from Severstal.

After RG Steel declared bankruptcy in 2012, the Site was bought by Environmental Liability Transfer, Inc., a liquidation firm specializing in redevelopment of commercial and industrial properties, and Hilco Sparrows Point LLC, which oversaw the auctioning of much of the remaining mill equipment in 2013. During this sale, funds were designated for investigation of

impacts to the offshore area, as required under the Consent Decree. These funds are owned and managed by the Trust, and are being used to conduct the offshore investigation described in this document. As stated in the Trust Agreement (RG Steel and Silver 2014), “the Sale Order for this property transfer provided that RG Steel deposit \$500,000 of the purchase price into an escrow account to fund the costs for an offshore site-wide investigation and a corrective measures study.”

## 1.2 PREVIOUS INVESTIGATIONS

This section presents information gathered during the review of existing documents performed as a preliminary task in the Offshore Investigation. Information is presented for the Site as a whole, with a focus on information pertinent to the Phase I area.

Corrective Action activities under the Resource Conservation and Recovery Act (RCRA) have been conducted at the Site under a Consent Decree by USEPA and MDE issued to BSC in 1997. Waste management at the Site includes air pollution controls throughout the manufacturing processes, two solid waste landfills, and waste treatment. The Consent Decree provided a synopsis of activities and conditions of concern at the Site, outlined corrective measures to be performed, and mandated a waste minimization plan. Corrective measures defined in the Consent Decree also included requirements for interim measures, a Site Wide Investigation, and a Corrective Measures Study. The Site Wide Investigation includes (1) characterization of the environmental setting, (2) source characterization, (3) contamination characterization, and (4) a risk assessment, including evaluation of the potential for current and future risk to human health and the environment from current and past releases of hazardous constituents at the Site.

Environmental investigations relating to the Phase I area are summarized in **Table 1-1**. In 1998, as part of the Site Wide Investigation, BSC submitted a *Description of Current Conditions* report (Rust Environment and Infrastructure [Rust] 1998), which described the potential contaminant sources at the Site and proposed a detailed framework for future investigations. BSC then submitted a *Site Wide Investigation Groundwater Study Report* (CH2M Hill 2001), presenting characterization of the hydrogeology of the peninsula, followed by a *Site-Wide Investigation Release Site Characterization Study* (CH2M Hill 2002), which focused on contamination in the five Special Study Areas (SSAs), including Greys Landfill in the northern portion of the Phase I area and Humphrey Impoundment at the southern end. Additional groundwater sampling was begun in 2002 to further characterize the nature and extent of contamination in the five SSAs, but was delayed in 2003 due to ownership change of the facility during Summer 2003. The sampling required was completed in 2004 and the results were presented in the *Site Wide Investigation Report, Nature and Extent of Releases to Groundwater from the Special Study Areas* (URS 2005, 2006).

Among the interim measures described in the Consent Decree was continued operation of a groundwater pump and treat system to address metals contamination of groundwater at the Rod & Wire Mill Sludge Bin Remediation Area, which is located near the center of the Phase I area. This treatment system was reinstated in 2000, and semiannual groundwater sampling and

analysis is performed in this area under the work plan for re-establishment of the interim measures. The results of semiannual sampling from 2001 to 2013 consist of cadmium and zinc concentrations in groundwater, which are contained in recent annual reports for this interim measure (URS 2011 and 2012, Environmental Engineering & Contracting, Inc. [EEC] 2013, EnviroAnalytics Group 2014a).

The Consent Decree also required groundwater monitoring at Greys Landfill, which is located in the northern portion of the Phase I area. Recent sampling events include the following: two events in 2009, two events in 2010, one event in 2011, and two events in 2013. Groundwater samples collected were analyzed for volatile organic compounds (VOCs), semivolatile organic compounds (SVOCs), and metals, and results were presented in groundwater monitoring reports (KCI Technologies [KCI] 2010 and 2011; EnviroAnalytics Group 2013 and 2014b).

Independent of the Consent Decree for Sparrows Point, a study of sedimentary contaminants in Baltimore Harbor, the Patapsco River, and Back River system was submitted to MDE in 1997 (Baker et al. 1997). This study included collection of surficial sediment samples from 80 locations in these water bodies in June 1996. These included a sample from Site 28, offshore of the Rod & Wire Mill in the Phase I area of Bear Creek. Most of the sediments collected were analyzed for polycyclic aromatic hydrocarbons (PAHs), polychlorinated biphenyls (PCBs), pesticides, and metals (including mercury); however, the sample from Site 28 contained “considerable oil and tar” that prevented accurate analysis of organics. Another study of contaminant trends in Baltimore Harbor was conducted in 2007 (Klosterhaus et al. 2007), and included collection of sediment, pore water, and a gravity core from a location in the Phase I area of Bear Creek. These samples were analyzed for PAHs, PCBs, brominated diphenyl ethers, and butyltins.

### **1.3 RISK ASSESSMENTS FOR SURROUNDING AREAS**

Risk assessments for onshore and offshore areas surrounding the Phase I area have been prepared by the Sparrows Point property owners, the Maryland Port Administration (MPA), and USEPA Region III. Although these studies do not directly relate to the Phase I area, they were referenced in planning for the Offshore Investigation (EA 2014).

ISG submitted a *Screening Level Ecological Risk Assessment for On-Site Areas* (URS 2009a), which was followed by a *Baseline Ecological Risk Assessment for On-Site Areas* submitted by Severstal (URS 2010). However, these assessments focused only on risks on the Peninsula, and deferred evaluation of offshore risks.

MPA prepared a *Risk Assessment of Offshore Areas Adjacent to the Proposed Coke Point Dredged Material Containment Facility at Sparrows Point* (EA 2011a) for the offshore areas surrounding the Coke Point area of Sparrows Point, which is located approximately 1 mile south of the Phase I area. The bases of this risk assessment were data from studies conducted by MPA in support of its proposal to build a dredged material containment facility on Coke Point. These studies included analysis of sediment and surface water samples for VOCs, PAHs, PCBs, dioxins

and furans, metals, butyltins, and cyanide. Results were presented in the *Site Assessment for the Proposed Coke Point Dredged Material Containment Facility at Sparrows Point* (EA 2009) and the *Additional Offshore Delineation for the Proposed Coke Point Dredged Material Containment Facility* (EA 2010). Samples of blue crab (meat and mustard) and fish tissue were also collected from around Coke Point to support this risk assessment, and laboratory bioaccumulation studies were conducted using clams (*Macoma nasuta*) and aquatic worms (*Nereis virens*) with sediments from offshore areas near Coke Point. These studies were part of the *Laboratory Bioaccumulation and Field-Collected Tissue Study* (EA 2011b).

In 2011, USEPA Region III issued a *Data Evaluation and Screening Level Human Health and Ecological Risk Assessment for Bear Creek Sediment* (Prince 2011). This study relied on existing sediment and tissue data from Bear Creek, including sediment data collected in 2009 from portions of Bear Creek north and west of the Phase I area for the Chesapeake Bay Foundation, crab and fish tissue analyzed by MPA as part of the 2011 Risk Assessment, and sediment data for metals from one location in the Phase I area which was used for temporal comparison, from the *Spatial Mapping of Sedimentary Contaminants in the Baltimore Harbor/Patapsco River/Back River System* (Baker et al. 1997). The evaluation concluded that there is no expectation of unacceptable risk for any possible human health exposure from contact with sediment or consumption of crab or fish in Bear Creek, and that population-level adverse effects are not expected for wildlife. However, the sediment data used in this screening level risk assessment did not include data from the Phase I area.

## **1.4 SPARROWS POINT TRUST AGREEMENT**

The Sparrows Point Trust Agreement, which was signed in January 2014 (RG Steel and Silver 2014), stated that the purpose of the Environmental Trust includes “managing and/or funding implementation of activities in the offshore environment at the Site consistent with the Consent Decree and Sale Order” (RG Steel and Silver 2014). Schedule 4 of the Agreement is a Scope of Work for Sparrows Point Offshore Investigation and Corrective Measures Study. This document is the basis for the scope of the offshore investigation.

## **1.5 PROJECT OBJECTIVES AND TECHNICAL APPROACH**

The primary original objectives of the Phase I offshore investigation, as defined in the Offshore Investigation Work Plan (EA 2014), were as follows:

- To identify current Site-related impacts to the offshore environment by evaluating the quality of the sediment, pore water, and stormwater
- To conduct an assessment of offshore risk for the Phase I area, focusing on risk associated with current impacts from the Site

- To support evaluation of the objectives and potential approaches for remediation of Site-related impacts in the Phase I offshore area.

To meet these objectives, an investigation was designed to support evaluation of potential ecological and human health risk resulting from exposure to environmental media (sediment and surface water) in the Phase I offshore area of Bear Creek. Components of the Phase I offshore investigation as defined in the work plan included the following:

- A first round of sampling and analysis of surface sediments from Bear Creek, near the Phase I shoreline
- Sampling of stormwater from active and potentially active outfalls, to assess their potential effects on the Phase I area of Bear Creek, also during the first round of sampling
- A second round of sampling and analysis of surface and/or subsurface sediment from Bear Creek, to be scoped based on the results of the first round of sampling
- Sampling and analysis of pore water from Bear Creek sediments, also as part of the second round of sampling, to characterize potential effects from discharge of groundwater from the Site into the Phase I area.

The analytical suite for pore water was specifically selected from analytes that exceeded screening values in groundwater and stormwater, to allow a focus on how these onshore media affect the offshore area. In place of surface water sampling, a numerical model of constituent concentrations in surface water was designed to assess how current inputs via pore water and stormwater affect surface water quality. The concentrations of chemical constituents analyzed in sediment and modeled surface water form the basis of the risk assessment. The findings of the risk assessment, in turn, will inform the objectives of the Engineering Evaluation/Cost Analysis (EE/CA), which is currently being planned in place of a corrective measures study for the Phase I area.

Although the investigation was originally designed to identify only current Site-related impacts, the first round of surface sediment sampling indicated substantial contamination in the southern portion of the Phase I area, possibly associated with more historical discharges from the Tin Mill Canal. Because of the magnitude of southern sediment contamination, this finding led to the objective of delineating the horizontal and vertical extent of contamination in the second round of sediment sampling.

The delineation of potential Tin Mill Canal-related impacts, which was scoped along with the pore water sampling in a memorandum (EA 2015), entailed sediment coring in the southern portion of the Phase I area. Despite the evolution of the objective for the southern area, the primary objective for the northern portion of the Phase I area (outside the apparent radius of impacts from the Tin Mill Canal) remained focused on potential current impacts from pore water


and stormwater. The two areas were therefore treated as separate data groupings in the risk assessments, reflecting the different objectives and sources of impacts.

## **1.6 DOCUMENT ORGANIZATION**

Chapter 2 summarizes preliminary data collection and screening performed in support of the offshore investigation. Chapter 3 describes the preliminary conceptual site model (CSM) for the project area. Field activities and methodologies are described in Chapter 4. Results of the investigation are presented in Chapter 5. Chapter 6 presents the detailed ecological and human health conceptual site models. Chapter 7 describes surface water modeling performed to aid in assessment of current pore water and stormwater impacts. Chapter 8 describes how the data collected were used in calculation for exposure point calculations, for use in the risk assessment. Chapter 9 and 10 present the ecological and human health risk assessments, respectively.



Document Path: \\lovetongis\GISdata\StateandLocal\Northeast\Maryland\SparrowsPoint\MXD\PhaseI and II Shorelines.mxd



#### Legend

- Phase I Northwest Shoreline
- Phase II Southeast Shoreline

Figure 1-1  
Phase I and Phase II  
Offshore Investigation Areas  
Baltimore, Maryland

Map Date: September 2015  
Image Source: ESRI 2011  
Projection: NAD 1983 StatePlane  
Maryland FIPS 1900 (US Feet)

**TABLE 1-1 CHRONOLOGICAL SUMMARY OF PREVIOUS STUDIES RELEVANT  
TO THE PHASE I INVESTIGATION AREA, SPARROWS POINT, MARYLAND**

<b>Reference</b>	<b>Summary</b>
<b>Baker et al. 1997. Spatial Mapping of Sedimentary Contaminants in the Baltimore Harbor/Patapsco River/Back River System.</b>	Presented polycyclic aromatic hydrocarbon (PAH), polychlorinated biphenyl (PCB), pesticide, and metals (including mercury) concentrations for surficial sediment samples collected in June 1996 from 80 locations. Data were screened against the effects range-low (ER-L) and effects range-median (ER-M). A sample from Site 28, in the Phase I area of Bear Creek, contained “considerable oil and tar” that prevented accurate analysis of organics. All metals analyzed at Site 28 exceeded the ER-L, and chromium, nickel, lead, and mercury also exceeded the ER-M.
<b>Rust Environment &amp; Infrastructure. 1998. Description of Current Conditions, Bethlehem Steel Corporation, Sparrows Point, Maryland.</b>	Described the potential contaminant sources and proposed a detailed framework for future investigations.
<b>CH2M Hill. 2001. Site-Wide Investigation: Groundwater Study Report, Bethlehem Steel Corporation, Sparrows Point Division.</b>	Study (1) developed improved understanding of geologic material from surface to 120 feet deep, (2) investigated permeability and hydraulic head between layers, (3) characterized inputs and outputs of groundwater flow, (4) modeled site-wide groundwater flow, and (5) provided better data regarding onsite and offsite groundwater use.
<b>CH2M Hill. 2002. Site-Wide Investigation Release Site Characterization Study.</b>	Study focused on five Special Study Areas (SSAs), including Greys Landfill and Humphrey Impoundment. Included measurement of water levels and collection of groundwater samples for analysis of volatile organic compounds (VOCs), semivolatile organic compounds (SVOCs), and metals. Defined the stratigraphy of 100–120 feet of subsurface materials.
<b>URS 2005, 2006. Site Wide Investigation, Report of Nature and Extent of Releases to Groundwater from the Special Study Areas.</b>	Evaluated the nature and extent of releases to groundwater from the SSAs. Included collection of groundwater samples from the vicinity of Greys Landfill and Humphrey Impoundment, which were analyzed for VOCs, SVOCs, and metals.
<b>Klosterhaus et al. 2007. Toxicity Identification and Evaluation and Long-Term Contaminant Trends in the Baltimore Harbor.</b>	Included collection of surficial sediment, pore water, and a gravity core at location BSM 28 in the Phase I area of Bear Creek. Sediments were analyzed for PCBs, PAHs, brominated diphenyl ethers, and butyltins.
<b>KCI Technologies. 2010 and 2011. Greys Landfill Groundwater Monitoring Reports.</b>	These reports include water level measurements and analytical results for groundwater samples collected from monitoring wells in the vicinity of Greys Landfill.
<b>EnviroAnalytics Group. 2013 and 2014. Coke Point and Greys Landfills 1<sup>st</sup> Half and 2<sup>nd</sup> Half 2013 Groundwater Monitoring Reports</b>	These reports include water level measurements and analytical results for groundwater samples collected from monitoring wells in the vicinity of Greys Landfill (as well as Coke Point Landfill).
<b>2011-2014. Interim Measures Annual Reports, Former Sludge Bin Storage Area, Rod and Wire Mill. Area</b>	Include semi-annual measurement of water levels and sampling and analysis of groundwater collected from monitoring wells in the vicinity of the former Rod & Wire Mill, where a pump and treat interim measure is ongoing. Groundwater samples are analyzed for cadmium and zinc, the primary contaminants addressed by the interim measure.



## **2. PRELIMINARY DATA COLLECTION AND SCREENING**

### **2.1 SUBAQUEOUS SURVEY**

A subaqueous survey of the Phase I area was completed in May 2014, to characterize the offshore water depths and bottom structure, and inform the selection of sampling locations for the offshore investigation. The survey was comprised of two principal study elements: (1) a detailed subaqueous survey, including bathymetry and side scan sonar, and (2) a visual shoreline survey.

#### **2.1.1 Bathymetry and Side Scan Sonar**

The bathymetric and side scan sonar elements were performed in the shallow waters of Bear Creek over areas of riverbed that have the potential to be impacted by stormwater discharge and groundwater seepage. The subaqueous survey was designed to provide a base map of subaqueous topography and benthic habitat, as well as determine the presence and abundance of possible obstructions and submerged hazards. Visual observation of sediments was also conducted, to ground-truth the side scan sonar data. Results of these surveys were included in an appendix to the Offshore Investigation Work Plan (EA 2014). The general location of the boundary between sand and fine-grained sediment, based on the surveys, is shown on **Figure 2-1**.

#### **2.1.2 Visual Shoreline Survey**

A visual shoreline survey was conducted on 12 May 2014 to characterize the general existing conditions of the shoreline, upland area along the shoreline, and the intertidal zone. Results of the survey were included in an appendix to the Offshore Investigation Work Plan (EA 2014).

### **2.2 SCREENING OF GROUNDWATER DATA TO IDENTIFY SITE-RELATED CONTAMINANTS OF POTENTIAL CONCERN**

Groundwater data from monitoring wells along the shoreline of the Phase I area were screened against risk-based surface water criteria to identify Site-related contaminants of potential concern (COPCs) for sediment and pore water in the offshore. This screening was based on the assumption that contaminants in groundwater are also potential contaminants in offshore sediment and pore water because groundwater flow is a primary mechanism of potential contaminant transport from the onshore to the offshore environment.

In the Phase I area, existing groundwater monitoring data associated with other sampling efforts were available from the vicinity of Greys Landfill, the Rod & Wire Mill, and Humphrey Impoundment. As described in Section 1.2, historical data were collected in 2002 and 2004, in association with the Nature and Extent Report (URS 2005, 2006). The data included in the Nature and Extent Report were the most recent groundwater data from the Humphrey Impoundment area. VOC, SVOC, and metals data are collected semiannually as part of

monitoring required at Greys Landfill (KCI 2010 and 2011; EnviroAnalytics Group 2013 and 2014b). Additionally, groundwater from the Rod & Wire Mill is regularly monitored for cadmium and zinc, in conjunction with a pump and treat system (URS 2011 and 2012; EEC 2013; EnviroAnalytics Group 2014a); however, no data for other potential COPCs were available for groundwater from this area.

Due to the lack of recent groundwater data from the Rod & Wire Mill and Humphrey Impoundment areas, additional groundwater data were collected in support of the Offshore Investigation, in June 2014, from 10 wells. The samples collected were analyzed for priority pollutant list (PPL) VOCs, SVOCs, metals, and cyanide. Methods and results of groundwater sampling were presented in an appendix to the Offshore Investigation Work Plan (EA 2014).

### 2.2.1 Groundwater Screening Criteria

Existing and new groundwater data were screened against the USEPA National Recommended Water Quality Criteria (NRWQCs) (USEPA 2009) for ecological risk (Saltwater Aquatic Life Continuous Criterion Concentration) and Human Health, Organism Only, where available. If NRWQCs for both ecological risk and human health risk were available for a given analyte, the lower of the two criteria was used for screening. For analytes with no NRWQCs, Biological Technical Assistance Group (BTAG) surface water benchmarks were used for screening. Marine benchmarks were used if available; if no marine benchmark was available for an organic analyte, the freshwater benchmark was used.

### 2.2.2 Identification of Site-Related Constituents of Potential Concern

Groundwater data from 12 wells or well clusters within approximately 400 feet (ft) of the Phase I shoreline (**Figure 2-1**) were screened using the screening criteria presented in Section 2.2.1.

**Table 2-1** presents a summary of the constituents that have exceeded screening criteria in groundwater from monitoring wells adjacent to the Phase I area, from screening of both historical and 2014 datasets. Constituent concentrations that are at least five times the screening criteria are shaded blue, and concentrations that are at least two times the screening criteria are shaded green.

Based on the screening results, Site-related COPCs were identified for groups of monitoring wells, which correspond to sediment and pore water sampling transects (see Chapter 4). Site-related COPCs were identified as constituents with concentrations that exceeded the screening criteria by at least five-fold, at least once during the period of interest, or which exceeded the criteria by two-fold at least three times in a single well during the period of interest. If data from 2010–2014 were available, then only these data were used in determining Site-related COPCs. However, prior exceedances were taken into account for SVOCs and cyanide, due to no or few data available from 2010–2014.


Site-related COPCs for each group of wells are summarized below:

<b>Monitoring Wells</b>	<b>Site-Related COPCs</b>
GL16, GL02, TS01	copper, nickel, zinc, bis(2-ethylhexyl)phthalate
GL05, GL15	chromium, copper, nickel, silver, zinc, bis(2-ethylhexyl)phthalate
GL12	mercury, nickel, silver, zinc, bis(2-ethylhexyl)phthalate
RW18-20, TS04	cadmium, copper, lead, nickel, zinc, cyanide, bis(2-ethylhexyl)phthalate, PAHs
HI08	copper, lead, cyanide, bis(2-ethylhexyl)phthalate, PAHs

These Site-related COPCs were used to select analytical suites for sediment and pore water from the northern area, outside of the zone of influence of the Tin Mill Canal. Although stormwater analysis was also included in identification of Site-related COPCs (see Section 5.2), stormwater did not add any additional COPCs beyond those identified in groundwater. The risk assessment for this northern area was also limited to assessment of these Site-related COPCs, consistent with the original objectives of the study, focusing on current impacts from the Site to the Phase I area.

As described in Section 1.5, a modification in objectives was made for the southern area, where impacts near the mouth of the Tin Mill Canal became apparent during round 1 sediment sampling. Therefore, the full suite of constituents considered as potential inputs from the Canal were analyzed in the southern area during the second round of sediment sampling, and were also considered in the risk assessment.

*This page intentionally left blank*



### Legend

- Phase 1 Northwest Shoreline
- ~ Perennial Creek/Stream
- Boundary between Sand and Fine Grained Sediment
- Approximate Location of Active Stormwater Outfall
- ⊗ Approximate Location of Inactive Stormwater Outfall
- ⊕ Greys Landfill Wells
- ⊕ Groundwater Well Sampled in June 2014

Figure 2-1  
Phase I Offshore Investigation Area  
Phase I Northwest Shoreline  
Baltimore, Maryland

Map Date: September 2014  
Image Source: ESRI 2011  
Projection: NAD 1983 StatePlane  
Maryland FIPS 1900 (US Feet)



*This page intentionally left blank.*

TABLE 2-1 SUMMARY OF CONSTITUENTS EXCEEDING SCREENING CRITERIA IN GROUNDWATER IN THE PHASE I AREA, 2001-2014

ALL UNITS UG/L  
-- = Concentration did not exceed the screening value; NA = Not Analyzed  
Only concentrations exceeding screening values are shown. Concentrations more than 5 times the corresponding screening value are shaded blue. Concentrations more than 2 times the corresponding screening value are shaded green.

GREYS LANDFILL										
	Screening Value	Dec-01	Jan-02	Jul-04	Jul-09	Oct-09	Mar-10	Jun-10	Apr-11	Mar-13
GL02-PZM006 / GL02(-5)										
TOTAL METALS										
Copper	3.1	--	NA	4.4	14	8.2	8.5	--	6.1	NA
Lead	8.1	--	NA	--	59	34	28	--	--	NA
Nickel	8.2	--	NA	30	25	27	22	20	31	NA
Silver	0.23	--	NA	--	--	--	0.7	--	--	NA
Thallium	0.47	--	NA	--	--	--	--	--	0.49	NA
Zinc	81	--	NA	87	630	400	250	--	120	NA
DISSOLVED METALS										
Copper	3.1	NA	NA	3.5	NA	NA	NA	NA	NA	NA
Nickel	8.2	NA	NA	30	NA	NA	NA	NA	NA	NA
MISC										
Cyanide, available	1	900	NA	NA	NA	NA	NA	NA	NA	NA
VOC										
1,1-Dichloroethane	47	69	NA	--	--	--	--	--	--	--
Vinyl Chloride	2.4	8.6	NA	--	--	--	2.5	--	--	--
SVOC										
Bis(2-Ethylhexyl)phthalate	2.2	--	NA	--	17	6.9	--	--	NA	NA
GL02-PZM028 / GL-02(-29)										
TOTAL METALS										
Arsenic	36	66	NA	90	--	--	--	--	--	--
Copper	3.1	--	NA	8.6	8.2	--	6.4	--	--	4.2
Nickel	8.2	--	NA	12	--	--	--	--	--	--
Silver	0.23	--	NA	--	--	--	0.63	--	--	--
Thallium	0.47	11.2	NA	--	--	--	--	--	--	--
Zinc	81	--	NA	--	81	--	--	--	--	--
DISSOLVED METALS										
Arsenic	36	NA	NA	91	NA	NA	NA	NA	NA	NA
Copper	3.1	NA	NA	8.2	NA	NA	NA	NA	NA	NA
Nickel	8.2	NA	NA	12	NA	NA	NA	NA	NA	NA
Thallium	0.47	NA	NA	--	NA	NA	NA	NA	NA	NA
SVOC										
Bis(2-Ethylhexyl)phthalate	2.2	--	NA	--	54	--	--	--	NA	NA



TABLE 2-1 SUMMARY OF CONSTITUENTS EXCEEDING SCREENING CRITERIA IN GROUNDWATER IN THE PHASE I AREA, 2001-2014

ALL UNITS UG/L  
-- = Concentration did not exceed the screening value; NA = Not Analyzed  
Only concentrations exceeding screening values are shown. Concentrations more than 5 times the corresponding screening value are shaded blue. Concentrations more than 2 times the corresponding screening value are shaded green.

	Screening Value	Dec-01	Jan-02	Jul-04	Jul-09	Oct-09	Mar-10	Jun-10	Apr-11	Mar-13
<b>GL-16(-6)</b>										
Note: A well with designation GL16-PZP003 was sampled in December 2001; however, the Release Site Characterization Study indicates that this well was located on the north side of the landfill.										
<b>TOTAL METALS</b>										
Copper	3.1	NA	NA	NA	6.1	5.3	20	--	--	20
Nickel	8.2	NA	NA	NA	380	360	380	380	340	400
Silver	0.23	NA	NA	NA	--	--	0.57	--	--	--
Zinc	81	NA	NA	NA	700	750	760	640	620	750
<b>SVOC</b>										
bis(2-Ethylhexyl)phthalate	2.2	NA	NA	NA	23	24	--	--	NA	NA
<b>GL-16(-32)</b>										
<b>TOTAL METALS</b>										
Copper	3.1	NA	NA	NA	20	18	11	6	--	--
Lead	8.1	NA	NA	NA	--	--	29	--	--	--
Nickel	8.2	NA	NA	NA	10	--	36	34	--	--
Silver	0.23	NA	NA	NA	--	--	0.55	--	--	--
<b>SVOC</b>										
bis(2-Ethylhexyl)phthalate	2.2	NA	NA	NA	11	6.6	--	--	NA	NA
<b>TS-01(-7)</b>										
<b>TOTAL METALS</b>										
Copper	3.1	NA	NA	NA	19	3.3	11	9.3	5.2	--
Lead	8.1	NA	NA	NA	--	8.5	--	--	--	--
Nickel	8.2	NA	NA	NA	20	23	16	14	16	--
Silver	0.23	NA	NA	NA	--	--	0.64	--	--	--
<b>GL12(-3)</b>										
<b>TOTAL METALS</b>										
Copper	3.1	NA	NA	NA	4.2	3.3	--	--	5.3	6.2
Mercury	0.94	NA	NA	NA	--	--	--	--	--	5.2
Nickel	8.2	NA	NA	NA	150	120	260	170	260	220
Silver	0.23	NA	NA	NA	--	--	1.8	--	--	--
Thallium	0.47	NA	NA	NA	2.3	--	--	--	--	--
Zinc	81	NA	NA	NA	300	340	270	310	340	323
<b>SVOC</b>										
Bis(2-Ethylhexyl)phthalate	2.2	NA	NA	NA	63	110	--	--	NA	NA
<b>GL12(-17)</b>										
<b>TOTAL METALS</b>										
Nickel	8.2	NA	NA	NA	--	--	--	--	20	--
Silver	0.23	NA	NA	NA	--	--	0.81	--	--	--
<b>SVOC</b>										
Bis(2-Ethylhexyl)phthalate	2.2	NA	NA	NA	--	7.9	--	--	NA	NA



TABLE 2-1 SUMMARY OF CONSTITUENTS EXCEEDING SCREENING CRITERIA IN GROUNDWATER IN THE PHASE I AREA, 2001-2014

ALL UNITS UG/L  
-- = Concentration did not exceed the screening value; NA = Not Analyzed  
Only concentrations exceeding screening values are shown. Concentrations more than 5 times the corresponding screening value are shaded blue. Concentrations more than 2 times the corresponding screening value are shaded green.

	Screening Value	Dec-01	Jan-02	Jul-04	Jul-09	Oct-09	Mar-10	Jun-10	Apr-11	Mar-13
<b>GL05(-7)</b>										
<b>TOTAL METALS</b>										
Arsenic	36	NA	NA	NA	--	41	--	--	--	--
Chromium	50	NA	NA	NA	--	140	--	--	--	--
Copper	3.1	NA	NA	NA	5.1	85	12	--	--	4.2
Lead	8.1	NA	NA	NA	--	61	8.6	--	--	--
Nickel	8.2	NA	NA	NA	170	290	290	260	220	240
Silver	0.23	NA	NA	NA	--	--	2.2	--	--	--
Zinc	81	NA	NA	NA	160	620	240	210	150	210
<b>SVOC</b>										
Bis(2-Ethylhexyl)phthalate	2.2	NA	NA	NA	50	28	--	--	NA	NA
<b>GL05(-25)</b>										
Note: A well with designation GL05-PZM020 was sampled in December 2001; however, the Release Site Characterization Study indicates that this well was not in the same location as the current wells GL05.										
<b>TOTAL METALS</b>										
Copper	3.1	NA	NA	NA	4.9	--	--	--	--	--
Silver	0.23	NA	NA	NA	--	--	0.92	--	--	--
<b>SVOC</b>										
Bis(2-Ethylhexyl)phthalate	2.2	NA	NA	NA	50	40	--	--	NA	NA
<b>GL15(-6)</b>										
Note: A well with designation GL15-PZP003 was sampled in December 2001; however, the Release Site Characterization Study indicates that this well was not in the same location as the current wells GL15.										
<b>TOTAL METALS</b>										
Chromium	50	NA	NA	NA	--	--	310	150	--	--
Copper	3.1	NA	NA	NA	15	9.5	10	4.8	3.8	--
Lead	8.1	NA	NA	NA	--	--	22	--	--	--
Nickel	8.2	NA	NA	NA	11	160	--	--	17	--
Silver	0.23	NA	NA	NA	--	--	2.1	--	--	--
Thallium	0.47	NA	NA	NA	2.4	--	--	--	--	--
Zinc	81	NA	NA	NA	--	240	170	--	--	--
<b>SVOC</b>										
Bis(2-Ethylhexyl)phthalate	2.2	NA	NA	NA	11	88	--	--	NA	NA
<b>GL15(-36)</b>										
Note: A well with designation GL15-PZM022 was sampled in December 2001; however, the Release Site Characterization Study indicates that this well was not in the same location as the current wells GL15.										
<b>TOTAL METALS</b>										
Chromium	50	NA	NA	NA	--	--	--	--	170	88
Copper	3.1	NA	NA	NA	5.2	--	6.8	3.3	8.1	8.3
Nickel	8.2	NA	NA	NA	--	--	19	18	17	--
Silver	0.23	NA	NA	NA	--	--	0.64	--	--	--
Thallium	0.47	NA	NA	NA	2.3	--	--	--	--	--
<b>SVOC</b>										
Bis(2-Ethylhexyl)phthalate	2.2	NA	NA	NA	26	--	--	--	NA	NA

TABLE 2-1 SUMMARY OF CONSTITUENTS EXCEEDING SCREENING CRITERIA IN GROUNDWATER IN THE PHASE I AREA, 2001-2014

ALL UNITS UG/L

-- = Concentration did not exceed the screening value; NA = Not Analyzed

Only concentrations exceeding screening values are shown. Concentrations more than 5 times the corresponding screening value are shaded blue. Concentrations more than 2 times the corresponding screening value are shaded green.

ROD & WIRE MILL

Note: Cadmium and zinc data collected semiannually 2001-2013. If both results for a given year exceeded the screening value, the higher value is shown.

	Screening Value	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	Jun-14
RW18-PZM047															
TOTAL METALS															
Cadmium	8.8	--	--	--	870	41	--	--	--	--	--	--	--	--	--
Copper	3.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	12
Nickel	8.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	26
Zinc	81	15,000	7,000	13,000	26,000	12,000	6,900	4,700	6,900	1,200	5,700	3,300	520	8,950	1,600
SVOC															
Benzo(a)anthracene	0.018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.056
bis(2-Ethylhexyl)phthalate	2.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	4.2
Chrysene	0.018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.041
Naphthalene	1.4	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	2.9
RW19-PZP000															
TOTAL METALS															
Zinc	81	88	--	140	--	--	--	--	--	--	--	--	150	--	--
MISC															
Cyanide, available	1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	1,000
RW19-PZM020															
TOTAL METALS															
Arsenic	36	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	65
Cadmium	8.8	30	150	82	280	320	200	150	110	130	96	29	13	24	38
Copper	3.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.4
Nickel	8.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	13
Zinc	81	3,400	14,000	6,000	24,000	26,000	24,000	22,000	17,000	17,000	11,000	5,600	5,000	4,720	5,800
SVOC															
bis(2-Ethylhexyl)phthalate	2.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	16
RW19-PZM050															
TOTAL METALS															
Cadmium	8.8	--	--	--	15	23	--	--	--	14	--	--	--	--	--
Nickel	8.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11
Zinc	81	530	430	230	240	92	220	86	330	540	190	160	76	129	170
SVOC															
bis(2-Ethylhexyl)phthalate	2.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	3.2
RW20-PZM020															
TOTAL METALS															
Cadmium	8.8	580	130	340	220	190	22	22	46	19	--	--	13	48	100
Nickel	8.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	18
Zinc	81	190,000	160,000	150,000	160,000	150,000	130,000	130,000	52,000	120,000	56,000	120,000	130,000	99,600	23,000
MISC															
Cyanide, available	1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	3.7
	Screening Value	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	Jun-14

TABLE 2-1 SUMMARY OF CONSTITUENTS EXCEEDING SCREENING CRITERIA IN GROUNDWATER IN THE PHASE I AREA, 2001-2014

ALL UNITS UG/L

-- = Concentration did not exceed the screening value; NA = Not Analyzed

Only concentrations exceeding screening values are shown. Concentrations more than 5 times the corresponding screening value are shaded blue. Concentrations more than 2 times the corresponding screening value are shaded green.

<b>RW20-PZP000</b>															
<b>TOTAL METALS</b>															
Arsenic	36	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	85
Cadmium	8.8	--	--	--	180	--	--	--	25	--	--	--	--	--	--
Copper	3.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	9.6
Nickel	8.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	11
Zinc	81	--	--	81	130	--	--	--	100,000	--	--	--	--	--	--
<b>SVOC</b>															
Benzo(a)anthracene	0.018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.16
bis(2-Ethylhexyl)phthalate	2.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	5.5
Chrysene	0.018	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	0.26
<b>MISC</b>															
Cyanide, available	1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	160
<b>TS04-PDM004</b>															
<b>TOTAL METALS</b>															
Arsenic	36	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	40
Cadmium	8.8	--	12	--	25	10	--	--	--	--	--	--	--	--	--
Copper	3.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	15
Lead	8.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	25
Nickel	8.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	51
Zinc	81	5,500	15,000	8,200	14,000	15,000	310	240	150	--	120	--	410	227	2,400
<b>MISC</b>															
Cyanide, available	1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	3
<b>TS04-PZM023</b>															
<b>TOTAL METALS</b>															
Cadmium	8.8	11,000	4,300	3,200	1,200	1,100	800	380	190	280	390	250	--	--	--
Copper	3.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	25
Lead	8.1	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	160
Nickel	8.2	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	NA	21
Zinc	81	220,000	110,000	78,000	34,000	39,000	32,000	17,000	140,000	12,000	19,000	9,000	5,200	247	6,600

*Intentionally Left Blank*

TABLE 2-1 SUMMARY OF CONSTITUENTS EXCEEDING SCREENING CRITERIA IN GROUNDWATER IN THE PHASE I AREA, 2001-2014

ALL UNITS UG/L

-- = Concentration did not exceed the screening value; NA = Not Analyzed

Only concentrations exceeding screening values are shown. Concentrations more than 5 times the corresponding screening value are shaded blue. Concentrations more than 2 times the corresponding screening value are shaded green.

**HUMPHREY IMPOUNDMENT**

	Screening Value	Jul-04	Jun-14
<b>HI08-PZM003</b>			
<b>TOTAL METALS</b>			
Chromium	50	--	52
Copper	3.1	6	35
Lead	8.1	--	92
Nickel	8.2	--	16
Zinc	81	--	210
<b>DISSOLVED METALS</b>			
Copper	3.1	4.8	NA
<b>SVOC</b>			
Benzo(a)anthracene	0.018	--	0.21
bis(2-Ethylhexyl)phthalate	2.2	28	11
Chrysene	0.018	--	0.22
<b>MISC</b>			
Cyanide, available	1	NA	21
<b>HI08-PZM060</b>			
<b>TOTAL METALS</b>			
Copper	3.1	3.7	--
<b>DISSOLVED METALS</b>			
Copper	3.1	3.3	NA
<b>SVOC</b>			
bis(2-Ethylhexyl)phthalate	2.2	--	14

***This page intentionally left blank.***

### **3. POTENTIAL CONTAMINANT SOURCES AND TRANSPORT PATHWAYS**

This section presents a summary of the potential contaminant sources at the Site and transport mechanisms from the Site to the Phase I area, which were the basis for design of the offshore investigation.

#### **3.1 CHEMICAL SOURCES**

Potential sources of chemicals that have affected the Phase I area include the equipment, waste, and facilities associated with the steel-making process, including Greys Landfill, the Rod & Wire Mill, Humphrey Impoundment, and the Tin Mill Canal.

The following were among the waste types identified in the Description of Current Conditions (Rust 1998) as having been disposed in Greys Landfill: oily sludge, centrifuge cake from the wastewater treatment plant, blast furnace and sinter plant centrifuge cake, spill cleanup material, and dredged material from the Tin Mill Canal. Currently, debris from demolition and non-hazardous waste from the onsite wastewater treatment facility is placed in Greys Landfill; industrial waste generated during steel production was also disposed in the landfill historically (EnviroAnalytics 2014b).

At the Rod Mill, from the 1940s to the 1980s, zinc ore was roasted with sulfuric acid, yielding high-purity zinc powder and a sludge rich in iron and cadmium. The Sludge Bin Storage Area was used for temporary storage of the dewatered sludge, until storage bins were installed in the early 1970s. Groundwater pump and treat began in this storage area in 1986, to address elevated concentrations of cadmium and zinc in the shallow and intermediate groundwater zones (Rust 1998).

Humphrey Impoundment was open water until 1970, and received wastewater from onsite industrial facilities. After this wastewater was diverted into the Tin Mill Canal, the impoundment was used as a dewatering area for various sludges and slurries generated onsite (Rust 1998).

The Tin Mill Canal received wastewater discharges from 23 discharge pipes from manufacturing facilities in the Rod & Wire Mill and Pipe Mill area, including the finishing mills and the primary rolling mills. Discharges to the canal historically included wastewater from electroplating, oily wastes, and process wastewater from steel-making operations. Five oil skimming devices were used to recover oil from the canal. The recovered oil included palm oil, which was used as a lubricant in the rolling mill, and which was transferred to the Palm Oil Recovery Plant after removal from the canal (Rust 1998).

### 3.2 CHEMICAL TRANSPORT

Fate and transport pathways govern the transfer of materials and chemicals between different environmental media and from the onshore to the offshore environment.

Chemicals in leachate from Greys Landfill may migrate into groundwater. Historically, the metals from the sludge in the Sludge Bin Storage Area also likely migrated to groundwater. Chemicals in wastewater that entered Humphrey Impoundment and the Tin Mill Canal likely flowed into Bear Creek historically, prior to installation of a treatment plant to control this discharge. Chemicals present in soil onshore may also erode, leach, or desorb into runoff and be transported to the offshore environment via stormwater.

The following currently active transport mechanisms responsible for moving chemicals from the Sparrows Point facility to the Phase I offshore area were evaluated in this offshore investigation:

- Groundwater transport – As described in Section 2.2, contaminants are present in groundwater near the Phase I area. These contaminants have the potential to migrate into surface water via groundwater seepage into Bear Creek. It is expected that preferential pathways for groundwater flow may exist in areas where slag fill was placed historically, such as north of Greys Landfill and Humphrey Impoundment. The existing ground surface elevations and groundwater potentiometric surface maps suggest that potential groundwater seeps may intersect the surface water at the tide line. Chemicals transported via this pathway can either become bound in the sediments or remain dissolved and move from the pore water into the surface water. It is expected that concentrations in surface water contributed by seeps would be highest at ebb tide.
- Stormwater discharge – Active stormwater outfalls present in the Phase I area provide another potential release mechanism for transport of contaminants from the onshore to the offshore area. Chemicals transported by stormwater may become associated with sediments in Bear Creek or may remain in the surface water. The majority of stormwater in the vicinity of the Phase I area is directed to the Tin Mill Canal. Water in the canal is then pumped to the adjacent water treatment plant, and treated water is discharged to Bear Creek through National Pollutant Discharge Elimination System (NPDES) permitted Outfall 014 (**Figure 2-1**), which is monitored daily. However, water has been observed to flow from two outfalls (UNNAMED, between I-695 and Greys Landfill, and 018, in the southern portion of the Phase I area); the origin of the water flowing from these outfalls is unknown. The Greys Landfill stormwater pond, in the northern portion of the Phase I area, collects stormwater from the landfill. It is possible that, when cumulative precipitation increases the water level sufficiently, the pond overflows via Outfall 071. Additionally, Outfall 070 is an overflow channel that may flow during prolonged periods of heavy precipitation. No overflow from Outfall 070 or 071 was observed during the Offshore Investigation.



The partitioning of chemicals between sediments and surface water is determined by the properties of the chemical as well as the surrounding geochemistry. Chemicals such as VOCs and PAHs demonstrate variable dissolution. Metals vary in their solubility based on pH, concentration, and the presence of oxygen. Reducing conditions in brackish, permanently submerged sediments tend to produce forms of most cationic metals (e.g., copper, lead, nickel, zinc) that remain bound in sediment, but these same reducing conditions may favor solubilization of anionic metals (e.g., arsenic).

Bioaccumulation is also a relevant transport pathway. Plants and animals that come in contact with elevated concentrations of chemicals in sediment or water may uptake chemicals, and, depending on the chemical and the organism, these chemicals may accumulate in tissue. Several metals (i.e., arsenic and lead) and PCBs are known bioaccumulators. PAHs may bioaccumulate in crustaceans and other organisms.

*This page intentionally left blank*

## **4. FIELD ACTIVITIES**

The offshore investigation for the Phase I area was conducted in two phases – Round 1 and Round 2, consisting of the following elements:

### Round 1

- Collection of 20 surface sediment samples on 13–14 October 2014
- Collection of stormwater samples from 3 outfalls on 16 November 2014
- Collection of 4 stormwater samples, from 3 outfalls and the Greys Landfill stormwater pond, on 1 December 2014.

### Round 2

- Collection of sediment pore water from 8 locations near the Phase I shoreline, including 6 locations where surface sediment was collected during Round 1
- Collection of 2 additional surface sediment samples, from the pore water sampling locations where no sediment was collected during Round 1
- Collection of sediment cores from 22 locations in the southern portion of the Phase I area, to a maximum depth of approximately 6 ft.

The investigation was conducted in accordance with the approved Work Plan (EA 2014), with exceptions noted in the sections below.

### **4.1 PRECISION NAVIGATION AND HORIZONTAL CONTROL**

A roving Trimble SPS 461 global positioning system (GPS) receiver was used for precision positioning information during the sediment and pore water collection effort. Differential corrections for the satellite positioning data were received real-time through a subscription to the KeyNetGPS Virtual Reference Station (VRS) Network ([www.kenetgps.com](http://www.kenetgps.com)). A broadband cellular modem aboard the vessel allowed the GPS receiver to interface directly with the VRS network and derive correctors to the satellite positioning information. Following the application of the VRS correctors, the positional information generated by the roving GPS unit provided positioning information with a geodetic accuracy 10 centimeters in the horizontal plane at an update frequency of 2 hertz.

Prior to initiating sample collection, the National Geodetic Survey benchmark located in Cockeysville, Maryland (GENT – PID-JV5657) was used as the cross-check mark to confirm geodetic accuracy for this field operation. In addition, daily performance and quality

control (QC) checks of the positioning system were also performed by verifying the GPS positioning information relative to the known position of Daymark No 5, a United States Coast Guard-maintained aid to navigation off of Long Point in Bear Creek.

The verified positioning information provided by the Trimble receiver was ported directly to HYPACK navigation and data acquisition software running on a laptop computer via a serial connection. The HYPACK software served as the primary survey management system, logging time, position, and depth data, as well as providing a helmsman display that allowed the vessel operator to maneuver the vessel to the appropriate sampling locations described above. Once in HYPACK, the geographic position data were converted to Maryland State Plane coordinates (FIPS-1900) in the units of United States Survey Feet and the horizontal control of North American Datum of 1983.

## **4.2 SEDIMENT SAMPLE COLLECTION AND ANALYSIS**

### **4.2.1 Collection and Analysis of Surface Sediment Samples**

During sampling Round 1, surface sediment samples were collected from 20 locations, along eight transects (A–H) oriented perpendicular to the shoreline, with locations designated by the transect letter and numbered consecutively away from the shoreline (**Figure 4-1**). The Round 1 sediment sampling locations were chosen to provide good spatial coverage of the Phase I area, and also to fulfill the following objectives:

- Assess potential transport of contaminants in groundwater to the offshore as follows:
  - Sample sediment adjacent to contaminated groundwater, and
  - Sample sediment in near-shore areas where groundwater seeps likely occur
- Assess potential transport of contaminants to the offshore environment via stormwater, by sampling sediment in proximity to one or more active stormwater outfalls
- Collect sediment from areas with a variety of sediment types and thus a variety of habitats
- Collect sediment from locations in the southern portion of the Phase I area where petroleum odor and sheen were observed during the subaqueous survey.

Following receipt of analytical data for the Round 1 surface sediments, the results were reported in a Technical Memorandum, which also provided scoping and methodology information for the Round 2 sampling (EA 2015). Round 2 focused on pore water sampling and sediment coring; however, surface sediments were collected from two additional locations (DE01 and F05), co-located with pore water sampling locations (see Section 4.4).

Surface sediment sampling operations were conducted from a 23-ft Monark aluminum hull survey boat during Round 1, and from a 26-ft boat, which was also used for pore water sampling, during Round 2. The boat was navigated to each targeted sampling location and surface sediment samples were collected to approximately 6 inches below the sediment surface using a Ponar grab sampler. Where needed, replicate grab samples were collected using the Ponar until adequate volume had been obtained for the required analysis (including volume required for quality control samples and for independent analysis by the Chesapeake Bay Foundation). Each grab sample was taken within 10 ft of the target location for the sample; **Table 4-1** presents the coordinates and a description of each grab sample. The field logbook documenting the sampling is included in **Appendix A**, and descriptions of the sediment grab samples collected are recorded in **Table 4-1**.

Following collection of the required sample volume, each sample was homogenized using a decontaminated stainless steel spoon in a stainless steel pot. Sub-samples for analysis of VOCs and simultaneously extracted metals (SEM)/acid volatile sulfide (AVS) were not collected prior to homogenization, as indicated in the work plan, because of the heterogeneity within and between Ponar samples at many of the locations (see **Table 4-1** and photographic log, **Appendix B**). Rather, these sub-samples were collected expediently following homogenization, and placed in laboratory-cleaned, 4-ounce bottles with no headspace. The other required sub-samples were then placed into appropriate laboratory-cleaned containers using stainless steel sampling tools. Sample processing equipment that came into direct contact with the sediment (e.g., the Ponar sampler and stainless steel pot) was decontaminated (see Section 4.6).

Two field duplicate surface sediment samples were collected during Round 1, from locations SD-B02 and SD-F01, and a trip blank was included in each cooler containing bottles for analysis of VOCs. Two rinsate blanks were also collected after the sampling effort, one from the Ponar sampler and one from the stainless steel pot used to homogenize the samples.

Samples were packaged as described in Section 4.5.5, and shipped via overnight delivery to TestAmerica–Pittsburgh in Pittsburgh, Pennsylvania, on the day following collection.

The suites of analytes for which surface sediment samples were analyzed included the following:

- PPL VOCs by USEPA Method 8260C
- Low-level (LL) PPL SVOCs by USEPA Method 8270D LL
- Low-level PCB Aroclors by USEPA Method 8082A LL
- PPL metals by USEPA Method 6020A
- Mercury by USEPA Method 7471B
- Cyanide by USEPA Method 9014
- Oil and Grease by USEPA Method 9071B
- SEM/AVS by USEPA Methods 6010B and 9034
- Total Solids by USEPA Method SM 2540G
- Total Organic Carbon (TOC) by Lloyd Kahn

- Grain Size by ASTM D422
- Moisture Content by D2216-90.

Samples from transects adjacent to active stormwater outfalls (transects B, C, F, G, and H) were analyzed by TestAmerica for all potential COPCs: VOCs, SVOCs (including PAHs), PCB Aroclors, PPL metals, mercury, cyanide, and oil and grease. Sediments from other areas (transects A, D, DE, and E) were analyzed for the COPCs that had been identified from groundwater data (see Section 2.2.2): PAHs, bis(2-ethylhexyl)phthalate (an SVOC), PPL metals, and cyanide. All surface sediment samples were also analyzed for AVS and SEM, to provide information regarding bioavailability of metals for the risk assessment, as well as total solids and TOC. Additionally, sediment from two transects (B and E), where sediments of a variety of textures were observed during the subaqueous survey, were analyzed for grain size and moisture content, to provide information regarding the hydraulic conductivity of the sediment. Grain size analysis of the sample from location C02 was also added, due to the finding of unexpectedly coarse sediment, possibly associated with a washout from the shoreline.

#### 4.2.2 Sediment Core Samples

Subsurface sediment cores were collected from 22 locations during Round 2, from the vicinity of Transect G (locations G01 to G06) and Transect H (locations H01 to H07), where Round 1 results indicated that the lateral and vertical extent of contamination required delineation to support a future Corrective Measures Study for the Phase I area. Coring locations and brief descriptions are presented in **Table 4-1**.

Cores were advanced using an electric vibracorer deployed from a 28-ft, aluminum-hull survey and research vessel, to refusal at penetration depths up to approximately 6 ft below the sediment-water interface. If less than 5.5 ft of sediment was recovered, due to shallow refusal or other factors, then up to three attempts were made to collect a core of at least 5.5 ft in length. These replicate cores were named “A,” “B,” and “C,” and the replicate with the best recovery was selected for sampling and laboratory analysis. Upon recovery, the cores were held at 4 degrees Celsius, and the replicates selected for sampling were transferred to a processing facility, then split, described and photographed as described below. Boring logs were completed for the core replicates that were sampled (**Appendix C**). Observable impacts (sheen and/or odor) were assessed and recorded.

Sediment cores were sampled on 2-ft intervals below the sediment-water interface (0–2 ft, 2–4 ft, 4–6 ft, etc.). A surface interval sample from every core was submitted for analysis. If a core had no observable impacts, then the next deeper interval (2–4 ft) was also submitted for analysis. Alternatively, if multiple intervals in the middle and/or bottom portions of a core contained observable impacts, then only the lowest of the impacted intervals, and any un-impacted intervals below the lowest impacted interval, were submitted for laboratory analysis. The samples submitted for analysis in each core, and corresponding rationale, are summarized in **Table 4-2** and detailed in the boring logs (**Appendix C**).

Each interval for analysis was homogenized using decontaminated stainless steel mixing equipment. Sub-samples for VOC and SEM/AVS analyses were collected from the core as soon as possible after sample homogenization and placed in laboratory-cleaned, 4-ounce bottles with no headspace, as with the surface sediment samples. The other required sub-samples were then placed into appropriate laboratory-cleaned containers using stainless steel sampling tools. Sample processing equipment that came into direct contact with the sediment was decontaminated according to the protocols specified in Section 4.6.

Samples from each core were packaged as described in Section 4.5.5 and shipped via overnight delivery to TestAmerica–Pittsburgh on the day that the core was processed or the following day.

Sediment core samples were analyzed for the following:

- PPL VOCs by USEPA Method 8260C
- LL PPL SVOCs by USEPA Method 8270D LL
- Low-level PCB Aroclors by USEPA Method 8082A LL
- PPL metals by USEPA Method 6020A
- Mercury by USEPA Method 7471B
- Cyanide by USEPA Method 9014
- Oil and Grease by USEPA Method 9071B
- Total Solids by USEPA Method SM 2540G
- TOC by Lloyd Kahn
- SEM/AVS by USEPA Methods 6010B and 9034 (surface interval only).

### 4.3 STORMWATER SAMPLE COLLECTION AND ANALYSIS

Stormwater samples were collected to assess potential inputs of contaminants to the offshore via outfalls. Stormwater samples for analysis were collected during two storm events, on 16 November and 1 December 2014, from two active outfalls in the Phase I area (018 and UNNAMED), and one NPDES-permitted outfall (014). During the second sampling event, a sample was also collected from the Greys Landfill stormwater pond (**Figure 4-1**).

Outfall 014 is monitored regularly for metals (chromium and lead), phosphorus, nitrogen, and chlorine, and periodically also for other parameters (e.g., cyanide and VOCs), under the NPDES permit.

Effort was made to collect grab samples of stormwater from Outfalls 018 and UNNAMED during approximately the first two hours of the storm event, to capture the “first flush” of runoff. Outfall 014 was sampled last. *In situ* water quality (temperature, conductivity, pH, dissolved oxygen [DO], and turbidity) was measured during sampling. Generally, pH was between 6.5 and 9.5, with the exception of outfall ST018 during the second event, where a pH of 11.02 and a sulfur-like odor were observed. Turbidity was relatively low, between 0.4 and 7.5 nephelometric turbidity units, with the highest turbidity in the stormwater pond.

Stormwater samples were collected in certified cleaned, laboratory-prepared containers with appropriate preservatives, packaged as described in Section 4.5.5, and shipped via overnight delivery to TestAmerica–Pittsburgh. Samples were analyzed for VOCs, SVOCs (including PAHs), PCB Aroclors, PPL metals, mercury, cyanide, oil and grease, and suspended solids.

Note that sample collection was originally planned from stormwater outfalls 070 and 071, which drain overflow from the Greys Landfill stormwater pond. However, during reconnaissance visits and during the first sampling event, it was observed that the pond water level was not sufficiently high to cause overflow into these outfalls. Therefore, in accordance with the contingency from the Work Plan (EA 2014), EA coordinated with USEPA, MDE, and the Site owner, to sample directly from the pond. The concentrations of COPCs from the pond were therefore used in modeling flow from Outfall 070 (see Chapter 7).

#### **4.4 PORE WATER SAMPLE COLLECTION AND ANALYSIS**

Pore water samples were collected from eight surface sediment grab sampling locations (**Figure 4-1**) during Round 2 and analyzed for COPCs.

The following criteria were identified for selection of pore water sampling locations:

- Offshore locations near onshore monitoring wells where groundwater COPCs exceeded the BTAG surface water screening criteria by at least five-fold (or consistently exceeded the criteria by two-fold) (see Section 2.2.2).
- Sandy (or silty) locations within approximately 200 ft of the shoreline, where pore water upwelling is thought to be likely. Upwelling is thought to be most likely in the near-shore area because the underlying geology does not include prominent shallow confining layers, and because sandy sediment lithology had been observed in the near-shore area.
- Locations without highly impacted sediments, such that any inputs from groundwater in the pore water would not be overshadowed by impacts from sediment.

In selecting locations, preference was given to locations where surface sediments were collected during Round 1, so that co-located sediment and pore water concentrations could be compared. However, sampling locations DE01 and F05 were not sampled during Round 1 and therefore required additional collection of co-located surface sediments during Round 2 (see Section 4.2.1).

The locations of pore water sampling were adjusted somewhat based on field observations:

- Locations F03 and F04 were initially scoped for sampling; however, sediments at these locations were found to be heavily impacted. Locations A02 and B02 were considered as substitutes, but the water depth at these locations was found to be greater than 6 ft, and



therefore too deep for sampling using the readily available sampling equipment. Ultimately, therefore, C02 was sampled in place of F03 and F04, to provide a sandy-to-silty transect with location C01.

- Location D02 was substituted for location D01, due to refusal encountered at 6–8 inches at location D01. This refusal was interpreted to likely indicate the presence of a hard clay layer which would also limit groundwater upwelling. Both locations D01 and D02 had sandy sediment at the surface.
- Pore water extraction at Location F01 was found to be slow/intermittent and turbid, due to soft clay underlying the sand. Similar difficulties were encountered at location F04, which was attempted as an alternative sampling location due to its proximity to groundwater well HI08, despite the impacts described above. Ultimately, the sample from this location was moved southeast to new location F05, where sand was found to overlie impacted silt. Although the presence of sediment impacts at F05 contradicted the third criterion for selecting pore water sampling locations, the project team selected this location for sampling to attempt to capture any impacts from impacted groundwater in the vicinity of well HI08.

Although the Work Plan stated that pore water samples would be collected at times of low tide, boat access challenges associated with the shallow depth of the selected pore water sampling locations prevented this, and samples were collected when access was obtainable.

Pore water samples were collected using push-point samplers, from approximately 1 ft below the sediment-water interface. Collection of pore water from this depth was selected to produce data relevant to the biologically active zone for the risk assessment, while minimizing any possible intrusion of surface water from above the sediment-water interface. *In situ* water quality measurements (temperature, conductivity, pH, DO and/or oxidation-reduction potential (ORP), and turbidity) were used to monitor for potential incursion of surface water. As expected, these data indicated that pore water had generally higher conductivity and lower DO and ORP than the overlying surface water (**Table 4-3**). Differences in temperature were also observed. The least clear distinction between pore water and surface water quality was observed at location C02, where sediments contained 28.7 percent gravel; however, the temperature of pore water at this location was substantially lower than that of surface water. These measurements confirmed that the pore water samples were collected from a unique water body, separate from the surface water.

Each pore water sample was analyzed for the COPCs identified in the associated monitoring wells (see Section 2.2.2, and also for dissolved organic carbon, and magnesium and calcium (to allow calculation of surface water screening criteria).

Pore water results were used in modeling steady-state concentrations of COPCs in surface water (Chapter 7), and were also evaluated directly as part of the ecological risk assessment (Chapter 9).

## 4.5 SAMPLE LABELING, CHAIN-OF-CUSTODY, AND DOCUMENTATION

### 4.5.1 Field Logbook

Field notes for the field sampling were recorded in permanently bound, dedicated field logbooks (**Appendix A**). Information including the time and location of sampling, water depth, *in situ* water quality, and core recoveries were recorded in the log in indelible ink. Personnel names, local weather conditions, and other information with the potential to impact the field sampling program were also recorded during sampling as well as sample processing and shipping. Each page of the logbooks was dated and signed by the personnel entering information. Corrections to documentation were made with a single line through the error with the author's initials and date.

### 4.5.2 Sample Numbering System

Field samples collected during this investigation were assigned unique sample identifiers. Sample designations were based on an alpha-numeric code which identifies each sample by the matrix and location. The matrices were identified by two-letter codes (SD = Sediment, ST = Stormwater, PW = Pore Water).

- Each sediment sampling transect was assigned a letter, and sediment sampling locations within each transect were numbered consecutively, generally moving away from the shoreline. Surface sediment samples were identified by "SD" with the transect letter and location number. For samples from sediment cores, the depths (in feet) over which the sample was collected were added (for example, 0204 indicates the 2–4 ft core interval).

<b>SD -</b>	<b>A</b>	<b>01</b>	<b>0204</b>
Sample Matrix	Sediment Transect	Location on Transect	Depth

- Stormwater samples were named with "ST" followed by the outfall number, and the date of sampling.

<b>ST -</b>	<b>014 -</b>	<b>111614</b>
Sample Matrix	Outfall Number	Date

- Pore water samples were assigned identifiers similar to their co-located surface sediment samples, but with "PW" rather than "SD."

<b>PW -</b>	<b>A</b>	<b>01</b>
Sample Matrix	Sediment Transect	Location on Transect

### **Field QC Samples**

Sediment duplicate samples, collected for quality assurance/quality control purposes, were designated by the parent sample identification (ID), with the addition of “-FD.” The stormwater duplicate, collected from outfall UNNAMED on 16 November 2014, was designated ST-DUP1-111614.

Rinsate blanks and field blanks collected during sediment sampling were named sequentially, with the “RB” prefix for rinsate blanks and “FB” prefix for field blanks.

### **4.5.3 Sample Labeling**

Sample containers were affixed with sample labels that were filled out at the time of collection. Information on the sample label included the following:

- Client
- EA project number
- Site location
- Sample location
- Date and time of collection
- Name of sampler
- Sample preservative(s).

Sample Label Template:

EA Engineering – Sparrows Point Project Number: 15131.01 , Task 0004 , Dept. 2123 Sample ID: __Matrix: _____ Collection Date: _____ Time: _____ Sampled by: _____ Bottle: _____ Sample type: _____ 1 of 2
--

### **4.5.4 Chain-of-Custody Records**

Samples collected in the field were documented on a chain-of-custody sheet that included the date and time the sample was collected, the analyses requested, and the signatures of the personnel who collected and relinquished the samples. These chains of custody accompanied all samples shipped for sample analyses, and are included in the laboratory analytical reports in **Appendix D**.

#### **4.5.5 Sample Packaging and Shipping**

Samples and QC samples were stored in an ice-filled cooler on the work platform until the end of each sampling day. Samples for laboratory analysis were packaged in bubble wrap, placed in an ice-filled cooler (or cooler with blue ice), and shipped via overnight delivery to TestAmerica—Pittsburgh in Pittsburgh, Pennsylvania. Bubble wrap was used to line the bottom and sides of the sample cooler and fill voids where needed to cushion the sample containers during transportation. Cooler(s) were sealed with packing tape and custody seals, and a completed chain-of-custody record representing the packaged samples was taped to the inside of the cooler lid.

#### **4.6 EQUIPMENT DECONTAMINATION PROCEDURES**

Equipment that came into direct contact with sediment or water during sampling was decontaminated prior to deployment in the field, and between sampling locations, to minimize cross-contamination. This included ponar samplers, core samplers, core catchers, and stainless steel processing equipment (knives, bowls, scoops, etc.). While performing the decontamination procedure, phthalate-free nitrile gloves were used to prevent phthalate contamination of the sampling equipment or the samples.



The decontamination procedure is described below:

- Rinse with site water
- Rinse with 10 percent nitric acid
- Rinse with distilled or de-ionized water
- Rinse with methanol followed by hexane
- Rinse with distilled or de-ionized water.

Waste liquids were contained during decontamination procedures and transferred to EA's facility in Hunt Valley, Maryland, for disposal.

#### **4.7 INVESTIGATION-DERIVED WASTE**

Unused sediment and decontamination water were containerized in 50-gallon drums, in accordance with the special condition included in Maryland Wetlands License No. 14-0543, under which the Maryland Board of Public Works authorized this sampling on 1 October 2014. The containerized material was drummed and transported to a secure offsite staging area. The results of the sediment sampling were used to characterize the material for disposal.



# Legend

- Phase 1 Northwest Shoreline
- ~ Perennial Creek/Stream
- Boundary between Sand and Fine Grained Sediment
- Approximate Location of Active Stormwater Outfall
- ✕ Approximate Location of Inactive Stormwater Outfall

## Sample Location

- Coring Location
- Surface Grab and Coring Location
- Surface Grab
- ▲ Surface Grab and Pore Water Sampling Location
- Stormwater Pond Sampling Location

**Figure 4-1**  
**Sample Location Map**  
 Phase I Northwest Shoreline  
 Baltimore, Maryland

Map Date: September 2015  
 Image Source: ESRI 2011  
 Projection: NAD 1983 StatePlane  
 Maryland FIPS 1900 (US Feet)



***This page intentionally left blank.***

TABLE 4-1 SAMPLING LOCATIONS, DESCRIPTIONS, AND NOTES  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

Transect	Location	Replicate	Sampling Coordinates (Maryland State Plane North American Datum 1983, feet)		Description/Notes
			Northing	Easting	
Round 1 Surface Sediment Samples					
A	SD-A01	1	574690.52	1457218.52	Tan/brown sand with limited silt; live <i>Rangia</i>
		2	574691.32	1457220.22	
	SD-A02	1	574761.03	1457115.22	Soft black silty clay or clayey silt; natural woody debris; thin RPD
		2	574762.83	1457100.44	
	SD-A03	1	574856.16	1456789.55	Soft black silty clay or clayey silt; thin RPD
		2	574855.50	1456792.20	
		3	574860.25	1456784.19	
B	SD-B01	1	573948.43	1456594.99	Medium brown sand with limited silt
	SD-B02	1	574072.49	1456481.57	Soft black silty clay or clayey silt; live <i>Macoma</i>
		2	574064.85	1456482.79	
		3	574066.08	1456475.66	
		4	574065.18	1456477.74	
C	SD-C01	1	573470.89	1456425.63	Fine to medium brown sand with silt; live <i>Macoma</i>
		2	573467.02	1456427.87	
	SD-C02	1	573679.97	1455991.59	Soft black sediment; surface mussel bed; rocks
		2	573557.24	1456289.81	
		3	573554.97	1456284.44	
		4	573551.03	1456286.54	
		5	1456284.89	573558.49	
	SD-C03	1	573685.25	1455990.90	Black silty clay or clayey silt; diffusional RPD; slight odor and sheen noted
D	SD-D01	1	571951.83	1455699.33	Brown fine to medium sand with limited silt; live <i>Rangia</i> ; woody debris
	SD-D02	1	571880.12	1455597.76	Brown fine to medium sand with limited silt; live <i>Rangia</i>
		2	571881.24	1455593.22	
E	SD-E01	1	570752.56	1455847.24	Fine to medium brown sand with limited silt; live <i>Rangia</i>
	SD-E02	1	570703.47	1455752.80	Brown fine to medium sand; pebbles; live <i>Rangia</i> ; mussel shell fragments
		2	570699.22	1455751.79	
		3	570703.79	1455755.97	
		4	570701.13	1455756.97	
		5	570701.83	1455752.39	
		6	570701.52	1455750.93	
	SD-E03	1	570393.30	1455242.98	Soft black silty clay or clayey silt; live <i>Macomb</i> ; slight petroleum odor
		2	570392.45	1455232.98	
3		570393.77	1455229.48		
F	SD-F01	1	569781.52	1456283.64	Fine to medium brown sand (2-3 inch) at surface; black impacted (oily) sediments at lower depth; live <i>Rangia</i> in clean sediments; shell fragments; clean horizon between two layers
	SD-F02	1	569718.72	1456202.64	Fine to medium brown sand at surface; black impacted silty sediment at depth; live <i>Rangia</i> in clean sediments; clean horizon between two layers.
G	SD-G01	1	569145.01	1456413.15	Diffusional RPD; shells; heavy sheen upon recovery with oily runoff; black silty clay or clayey silt; heavy odor
	SD-G02	1	569208.68	1455854.34	Black silty clay or clayey silt; diffusional RPD; shell fragments; slight sheen
H	SD-H01	1	568923.83	1456418.11	RPD layer; heavy oil based odor; surface sheen on sediments
	SD-H02	1	568894.52	1456300.10	RPD layer; some shells; slight oil based odor and sheen (Note: methane release when weight hit sediment surface)
	SD-H03	1	568750.80	1455879.69	Diffusional RPD; black silty clay or clayey silt; heavy sheen upon recovery and heavy petroleum odor

TABLE 4-1 SAMPLING LOCATIONS, DESCRIPTIONS, AND NOTES  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

Transect	Location	Replicate	Sampling Coordinates (Maryland State Plane North American Datum 1983, feet)		Description/Notes
			Northing	Easting	
Round 2 Surface Sediment Samples					
DE	SD-DE01	1	571507.18	1455712.52	Medium brown sand (3 inch) at surface; black impacted sand at lower depth
		2	571507.18	1455712.52	
F	SD-F05	1	569574.24	1456230.94	Brown sand over black impacted silt
		2	569574.24	1456230.94	
Round 2 Sediment Cores					
DE	SD-DE02	B	571195.36	1454862.70	Black, impacted estuarine silt over soft dark gray clay with a light sheen from surface sediments; recovery of 6.3 ft.
E	SD-E03	B	570389.68	1455241.92	Black, impacted estuarine silt over soft gray clay underlain by denser gray clay and oyster shells at the bottom of core; light to moderate sheen from surface sediments; recovery of 4.8 ft.
F	SD-F03	B	569596.99	1455740.35	Core encountered refusal just below surface-water interface; black, impacted estuarine silt over cohesive yellow clay/sand; recovery of 1.4 ft.
	SD-F04	A	569367.73	1456323.76	Black, impacted estuarine silt with a visible sheen over gray sand at depth without visible impacts; recovery of 6.0 ft.
	SD-F06	A	569799.08	1454133.12	Black, impacted estuarine silt throughout with a light to moderate sheen; recovery of 6.2 ft.
	SD-F07	A	569803.84	1454943.07	Black, impacted estuarine silt with a light sheen over dark gray clay; recovery of 6.2 ft.
G	SD-G01	A	569140.65	1456414.40	Black, impacted estuarine silt with a heavy sheen in surface sediments overlying soft to semi-firm gray clay; recovery of 6.0 ft.
	SD-G02	A	569199.38	1455851.70	Black, impacted silts throughout with a heavy sheen in rinsates from surface sediments, and heavy odor in bottom sediments; recovery of 4.0ft. and 5.9 ft.
		B	569196.56	1455852.14	
	SD-G03	A	569222.31	1455410.12	Black, impacted silt throughout with a heavy sheen in rinsates; recovery of 5.9 ft.
	SD-G04	A	569186.32	1454896.30	Black, impacted silt with a light sheen overlying soft, clean gray clay; recovery of 5.6 ft.
	SD-G05	A	569195.34	1454296.32	Black, impacted silt with no sheen over soft gray clay; recovery of 5.4ft. and 6.7 ft.
		B	569209.39	1454300.33	
	SD-G06	A	569503.76	1453481.21	Black, impacted silt over gray clay; appears less impacted than other sites with a lighter color and deeper RPD; recovery of 5.5 ft.
H	SD-H01	A	568928.12	1456414.22	Black, impacted silt with a heavy sheen in surface sediments over soft gray clay; recovery of 6.4 ft.
	SD-H03	A	568796.70	1455914.04	Sampling location was shifted 50 ft NE due to water depths; black, impacted silt over soft gray clay; appears to be alternating layering in core potentially due to runoff events; recovery of 6.7 ft.
	SD-H04	A	568778.06	1455464.14	Sampling location was shifted 40 ft NE to avoid floating and subsurface conduit; black, impacted silt with heavy sheen in surface sediments over soft gray clay; recovery of 6.5 ft.
	SD-H05	A	568757.40	1454845.69	Black, impacted silt throughout with contaminant/heavy sheen present at bottom of cores; recovery of 5.5 ft and 6.1 ft.
		B	568758.62	1454842.52	
	SD-H06	A	568756.63	1454267.96	Black, impacted silt throughout, heavy sheen in surface sediments and lighter sheen in bottom sediments; core reached refusal, recovery of 4.3 ft and 4.0 ft.
		B	1454274.65	568753.05	
		C	568776.26	1454266.84	
	SD-H07	A	568748.96	1453315.68	Black, impacted silt at surface with a lighter sheen over soft gray clay; recovery of 4.6 ft and 5.5 ft.
B		568753.79	1453300.59		
I	SD-I01	B	568312.91	1454403.47	Minimal black silt, multiple layers of fine sand over firm, gray clayey sand; core met refusal, recovery of 2.0 ft.
	SD-I02	A	568278.11	1453756.79	Black, impacted silt with a heavy sheen in surface sediments over soft gray clay; recovery of 4.9 ft.
	SD-I03	A	568326.84	1453177.58	Black, likely impacted silt over clean gray clay; light sheen with noticeable oxidized layer at the sediment-water interface; recovery of 6.3 ft.
J	SD-J02	A	567802.77	1453430.73	Black, impacted silt with a light sheen over soft gray clay; recovery of 5.0 ft.



TABLE 4-1 SAMPLING LOCATIONS, DESCRIPTIONS, AND NOTES  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

Transect	Location	Replicate	Sampling Coordinates (Maryland State Plane North American Datum 1983, feet)		Description/Notes
			Northing	Easting	
Round 2 Pore Water Samples					
A	PW-A01	1	574689.12	1457228.49	Probes deployed on either side of vessel
B	PW-B01	1	573957.01	1456608.58	Probes deployed on either side of vessel
C	PW-C01	1	573467.44	1456424.78	Probes deployed on either side of vessel
	PW-C02	1	573563.19	1456278.45	Probes deployed on port side of vessel
D	PW-D02	1	571875.77	1455581.16	Probes deployed on either side of vessel
DE	PW-DE01	1	571514.94	1455712.80	Original attempts to insert probes resulted in refusal at 6-8 inches; site was relocated to the west to allow for full penetration, a single probe was deployed off the bow of the boat due to vessel drift
E	PW-E01	1	570752.22	1455827.01	Probes deployed on either side of vessel
F	PW-F01 (not sampled)	1	569766.69	1456274.86	Probes deployed on either side of vessel, sampling discontinued due to lack of yield, approximately 250 mL captured
	PW-F04 (not sampled)	1	569363.41	1456323.03	Probes deployed on either side of vessel, after 25 minutes of pumping, there was no yield. Site abandoned, will be relocated for future efforts.
	PW-F05	1	569582.12	1456233.24	Probes deployed on starboard side of vessel
Notes: Macoma = genus of clams Rangia = genus of clams RPD = Redox potential discontinuity (vertical boundary between oxidized and reduced sediments)					

*This page intentionally left blank.*

TABLE 4-2 SEDIMENT CORE SAMPLING SUMMARY AND RATIONALE  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

Core ID	Core Length (feet)	Depth Range(s) of Visible Contamination	Sample Identification	Beginning of Interval	End of Interval	Analyzed (Y/N)	Rationale
DE02B	6.3	0-5.8	SD-DE02-0002	0	2	Y	Surface sample analyzed for each location. Visible contamination/sheen, strong petroleum odor.
			SD-DE02-0204	2	4	N	Visible contamination extending into deeper interval.
			SD-DE02-0406	4	6.3	Y	Dark gray to black clay in last 0.5 ft of core; possibly contaminated, not enough volume for separate analytical sample so included it in -0406 sample.
E03B	4.8	0-3.9	SD-E03-0002	0	2	Y	Surface sample analyzed for each location. Visible contamination/sheen, strong petroleum odor.
			SD-E03-0204	2	4	Y	Based on observation, deepest extent of contamination
			SD-E03-0406	4	4.8	Y	Cleaner clay sample
F03B	1.2	0-0.8	SD-F03-0002	0	2	Y	Surface sample analyzed for each location. Visible contamination/sheen, strong petroleum odor from 0-0.8 ft.
F04A	6.0	0-2.2; 2.8-4.8	SD-F04-0002	0	2	Y	Surface sample analyzed for each location. Visible contamination/sheen, strong petroleum odor.
			SD-F04-0204	2	4	N	Visible contamination extending into deeper interval.
			SD-F04-0406	4	6.3	Y	Higher sand content in last 1.2 ft of core; likely less contaminated than above material.
F06A	6.2	0-6.2	SD-F06-0002	0	2	Y	Surface sample analyzed for each location. Visible contamination/sheen, strong petroleum odor.
			SD-F06-0204	2	4	N	Visible contamination extending into deeper interval.
			SD-F06-0406	4	6.2	Y	Entire core visibly contaminated; sample contains deepest collected depth of contamination.
F07A	6.2	0-6.2	SD-F07-0002	0	2	Y	Surface sample analyzed for each location. Visible contamination/sheen, strong petroleum odor.
			SD-F07-0204	2	4	N	Visible contamination extending into deeper interval.
			SD-F07-0406	4	6.2	Y	Entire core visibly contaminated; sample contains deepest collected depth of contamination.
G01A	6.0	0-2.5; 3.4-4.0; 4.8-5.3; 5.9-6.0	SD-G01-0002	0	2	Y	Surface sample analyzed for each location. Visible contamination/sheen, strong petroleum odor.
			SD-G01-0204	2	4	N	Visible contamination extending into deeper interval.
			SD-G01-0406	4	6	Y	Entire core layered with visibly contaminated material; sample contains deepest collected depth of contamination.
G02B	5.9	0-1; 3.3-3.6; 4.2-4.5; 4.7-5.9	SD-G02-0002	0	2	Y	Surface sample analyzed for each location. Visible contamination/sheen, strong petroleum odor.
			SD-G02-0204	2	4	N	Visible contamination extending into deeper interval.
			SD-G02-0406	4	5.9	Y	Entire core layered with visibly contaminated material; sample contains deepest collected depth of contamination.
G03A	5.9	0-5.9	SD-G03-0002	0	2	Y	Surface sample analyzed for each location. Visible contamination/sheen, strong petroleum odor.
			SD-G03-0204	2	4	N	Visible contamination extending into deeper interval.
			SD-G03-0406	4	5.9	Y	Entire core visibly contaminated; sample contains deepest collected depth of contamination.
G04A	5.6	0-5.6	SD-G04-0002	0	2	Y	Surface sample analyzed for each location. Visible contamination/sheen, strong petroleum odor.
			SD-G04-0204	2	4	N	Visible contamination extending into deeper interval.
			SD-G04-0406	4	5.6	Y	Entire core visibly contaminated; sample contains deepest collected depth of contamination.
G05B	6.7	0-6.3	SD-G05-0002	0	2	Y	Surface sample analyzed for each location. Visible contamination/sheen, strong petroleum odor.
			SD-G05-0204	2	4	N	Visible contamination extending into deeper interval.
			SD-G05-0406	4	6	Y	Entire core visibly contaminated; sample contains deepest collected depth of contamination.
			SD-G05-0607	6	6.7	Y	Clean clay sample.

TABLE 4-2 SEDIMENT CORE SAMPLING SUMMARY AND RATIONALE  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

Core ID	Core Length (feet)	Depth Range(s) of Visible Contamination	Sample Identification	Beginning of Interval	End of Interval	Analyzed (Y/N)	Rationale
G06A	5.5	0-3.3	SD-G06-0002	0	2	Y	Surface sample analyzed for each location. Visible contamination/sheen, strong petroleum odor.
			SD-G06-0204	2	4	N	Visible contamination extending into deeper interval.
			SD-G06-0406	4	5.5	Y	Possibly cleaner silty clay sample; last 0.6 ft of core less impacted than material above.
H01A	6.4	0-6.3	SD-H01-0002	0	2	Y	Surface sample analyzed for each location. Visible contamination/sheen, strong petroleum odor.
			SD-H01-0204	2	4	N	Visible contamination extending into deeper interval.
			SD-H01-0406	4	6.4	Y	Clean clay in deepest 1 inch of core. Not enough volume for analytical sample, included in -0406 sample. Above clay, entire core visibly contaminated; sample contains deepest collected depth of contamination.
H03A	6.7	0-6.2	SD-H03-0002	0	2	Y	Surface sample analyzed for each location. Visible contamination/sheen, strong petroleum odor.
			SD-H03-0204	2	4	N	Visible contamination extending into deeper interval.
			SD-H03-0406	4	6	Y	Sample contains deepest collected depth of contamination.
			SD-H03-0607	6	6.7	Y	Cleaner clay sample, still somewhat impacted (hydrocarbon odor evident).
H04A	6.5	0-6.5	SD-H04-0002	0	2	Y	Surface sample analyzed for each location. Visible contamination/sheen, strong petroleum odor.
			SD-H04-0204	2	4	N	Visible contamination extending into deeper interval.
			SD-H04-0406	4	6.5	Y	Entire core visibly contaminated; sample contains deepest collected depth of contamination.
H05B	6.1	0-6.1	SD-H05-0002	0	2	Y	Surface sample analyzed for each location. Visible contamination/sheen, strong petroleum odor.
			SD-H05-0204	2	4	N	Visible contamination extending into deeper interval.
			SD-H05-0406	4	6.1	Y	Entire core visibly contaminated; sample contains deepest collected depth of contamination.
H06A	4.3	0-4.3	SD-H06-0002	0	2	Y	Surface sample analyzed for each location. Visible contamination/sheen, strong petroleum odor.
			SD-H06-0204	2	4.3	Y	Entire core visibly contaminated; sample contains deepest collected depth of contamination.
H07B	5.5	5.5	SD-H07-0002	0	2	Y	Surface sample analyzed for each location. Visible contamination/sheen, strong petroleum odor.
			SD-H07-0204	2	4	N	Visible contamination extending into deeper interval.
			SD-H07-0406	4	5.5	Y	Entire core visibly contaminated; sample contains deepest collected depth of contamination.
I01B	2.0	0-1	SD-I01-0001	0	1	Y	Surface sample analyzed for each location. Visible contamination, strong petroleum odor.
			SD-I01-0102	1	2	Y	Cleaner clay sample, higher sand content
I02A	4.9	0-3.2	SD-I02-0002	0	2	Y	Surface sample analyzed for each location. Visible contamination/sheen, strong petroleum odor.
			SD-I02-0204	2	4	Y	Sample contains deepest depth of visible contamination.
			SD-I02-0406	4	4.9	Y	Clean clay sample.
I03A	6.3	0-3.6	SD-I03-0002	0	2	Y	Surface sample analyzed for each location. Visible contamination/sheen, strong petroleum odor.
			SD-I03-0204	2	4	Y	Sample contains deepest depth of visible contamination.
			SD-I03-0406	4	6.3	Y	Cleaner clay sample.
J02A	5.8	0-3.4	SD-J02-0002	0	2	Y	Surface sample analyzed for each location. Visible contamination/sheen, strong petroleum odor.
			SD-J02-0204	2	4	Y	Sample contains deepest depth of visible contamination.
			SD-J02-0406	4	5.8	Y	Clean clay sample.

TABLE 4-3 COMPARISON OF SURFACE WATER AND PORE WATER QUALITY PARAMETERS  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

Location	Sampling Date	Temperature (°C)			Conductivity (mS/cm)			DO (mg/L)			ORP (mV)		
		SW	PW	% Difference	SW	PW	% Difference	SW	PW	% Difference	SW	PW	Difference
<b>A01</b>	4/10/2015	9.04	10.13	11%	9.591	14.51	41%	7.45	2.12	-111%	195	36.5	-159
<b>B01</b>	4/10/2015	9.42	9.56	1%	8.941	16.56	60%	6.22	2.86	-74%	49.7	-104.3	-154
<b>C01</b>	4/10/2015	9.2	9.67	5%	8.909	10.46	16%	5.66	2.8	-68%	40.4	-66.9	-107
<b>C02</b>	4/17/2015	14.36	21.9	42%	6.81	8.661	24%	1.43	1.69	17%	-174.5	-176	-2
<b>D02</b>	4/17/2015	14.34	16.42	14%	5.115	12.89	86%	9.89	1.94	-134%	-7.7	-306	-298
<b>DE01</b>	4/23/2015	14.51	12.64	-14%	10.87	18.56	52%	10.69	8.19	-26%	175.2	-21.9	-197
<b>E01</b>	4/16/2015	15.13	16.4	8%	6.403	11.32	55%	9.33	2.12	-126%	220.7	-121.8	-343
<b>F05</b>	4/23/2015	13.81	12.79	-8%	10.539	20.856	66%	11.33	2.97	-117%	126.4	-149	-275
Notes: °C = Degrees Celsius mg/L = Milligrams per liter mS/cm = Milli-Siemens per centimeter mV = Millivolts ORP = Oxidation-Reduction Potential PW = Pore Water SW = Surface Water													

***This page intentionally left blank.***

## 5. ANALYTICAL RESULTS

### 5.1 SEDIMENT DATA

#### 5.1.1 Surface Sediment Grab Samples

Results from analysis of surface sediment grab samples collected in October 2014 (Round 1) and April 2015 (Round 2) are presented in **Tables 5-1 through 5-7**. Note that not all data included in these tables were used in the risk assessments; additional tables presenting data used in the risk assessments are provided in Chapter 8. **Figures 5-1 through 5-7** display the highest concentrations of selected analytes reported in surface sediment from each sampling location (either grab samples or the surface intervals of sediment cores, see Section 5.1.2).

For all metals for which BTAG benchmarks are available, at least one sediment grab sample had a reported concentration exceeding the benchmark. Additionally, cadmium, chromium, copper, lead, nickel, and zinc were reported in multiple samples at concentrations exceeding the probable effects concentration (PEC). Nickel and zinc were chosen to represent metals in the figures (**Figures 5-1 and 5-2**), as they show spatial distribution similar to other metals. The highest concentrations of nickel and zinc among the surface grab samples (170 and 10,000 milligrams per kilogram [mg/kg], respectively) were reported in sample SD-H03, from the southern end of the Phase I area near the outlet of the Tin Mill Canal. Other sediment grab samples from Transect G (locations G01 and G02) and Transect H (H01 and H02), as well as samples SD-A03, SD-B02, SD-C03, and SD-E03, also contained elevated metals concentrations. All of these samples were classified as fine-grained (silt and clay).

Total PAH concentrations exceeded the BTAG sediment benchmark of 2,900 micrograms per kilogram ( $\mu\text{g/kg}$ ) in sediment grab samples from locations C03, E03, F05, G02, H01, H02, and H03, with concentrations generally higher farther offshore, where sediment has higher clay and silt content. No sediment grab samples had reported Total PAH concentrations exceeding the PEC (22,800  $\mu\text{g/kg}$ ). The highest concentrations of Total PAHs (**Figure 5-3**) in surface sediment grab samples were reported in samples SD-E03, SD-G02, and SD-H03 (10,360, 14,330, and 11,600  $\mu\text{g/kg}$ , respectively).

Sediment grab samples from the DE, E, F, G, and H transects were observed to have sheen and/or odor indicating likely petroleum contamination. Sample SD-E03 was observed to have a slight odor, SD-G02 had a slight sheen, and SD-H03 had a heavy sheen and heavy petroleum odor. Samples SD-G01 and SD-H01 were also observed to have a heavy petroleum odor with sheen, while SD-H02 had a slight odor with sheen, and SD-G02 had slight sheen but no observed odor. Samples SD-DE01, F01, F02, and F05 contained sediment that appeared oily at depths greater than a few inches. A slight odor and sheen were also noted in sample SD-C03.

All samples were analyzed for TOC, and concentrations ranged from 2,300 mg/kg in the sandy sediments from location E-01 to 180,000 mg/kg in the fine-grained sediments from locations

G02 and H03. To better assess which areas show impacts by groundwater COPCs in the near-shore sediments, the metals and PAH data for the surface sediment grab samples were normalized to TOC concentrations (**Figures 5-8, 5-9, and 5-10**). Because coarser-grained sediments, often located near-shore, tend to contain less organic carbon and also contain less surface area for adsorption of constituents such as metals and PAHs, the concentrations of contaminants in these sediments may be diluted out and appear less significant than they are. By normalizing to the TOC concentration, this effect is removed and the possibility of groundwater impacts can be better assessed. **Figures 5-8 and 5-9** illustrate that the highest concentrations of metals per mass of organic carbon overall were reported for surface sediment from locations D01, D02, E01, and F02, in the vicinity of the Rod & Wire Mill. Thus it appears that metals impacting groundwater upwelling in this area, where an active treatment system is now present, may have also resulted in impacts to sediments. As shown in **Figure 5-10**, the highest concentrations of PAHs per mass of organic carbon were reported in surface sediments from locations G01 and G02. PAHs were detected in groundwater adjacent to the G transect; thus, the elevated PAH concentrations in these sediments may reflect some groundwater impacts, in addition to likely impacts from the historical discharges from the Tin Mill Canal.

Analyses of PCB Aroclors and oil and grease were performed only on samples from transects associated with active stormwater outfalls (B, C, F, G, and H). PCB concentrations were higher than the PEC (676 µg/kg) in H transect locations H01 and H03 and in the sample from location F01 (**Figure 5-4**). All sediment grab samples except those from locations B01, C01, and F05 contained PCBs at concentrations exceeding the BTAG sediment benchmark (40 µg/kg). Oil and grease concentrations exceeding 80,000 mg/kg (i.e., 8 percent) were reported in samples from the G transect (locations G01 and G02) and the H transect (**Figure 5-5**). In other transects, oil and grease concentrations varied from 260 to 18,000 mg/kg.

Cyanide concentrations showed a similar pattern to the metals, with the highest concentration (21 mg/kg) in the sample from location G02, and concentrations over 1 mg/kg also in samples from locations C03, DE01, E03, H01, H02, and H03 (**Figure 5-6**).

Bis(2-ethylhexyl)phthalate was the only SVOC detected in multiple sediment grab samples, while phenol was also detected in one sample (from F05). However, several of the samples were diluted prior to SVOC analysis, at a factor of up to 25, due to matrix interference from constituents in the sediment; this resulted in elevated reporting limits, particularly for samples from the G and H transects. The sediment grab sample from location H03 contained the highest concentration of bis(2-ethylhexyl)phthalate among the grab samples (33,000 µg/kg). Concentrations exceeding the PEC (2,647 µg/kg) were reported in all grab samples from the G and H transects, in the grab sample location E03, and in none of the samples collected farther north (although in two samples the reporting limit for this compound exceeded the PEC). Concentrations exceeding the BTAG benchmark but less than the PEC were reported in grab samples from locations A02, B02, F01, F02, and F05 (**Figure 5-7**).



Like PCB Aroclors, VOCs were also analyzed only in samples from transects associated with active stormwater outfalls (B, C, F, G, and H). Chlorobenzene was the only VOC detected at a concentration exceeding the BTAG benchmark.

All of the surface sediment grab samples collected were analyzed for AVS and SEM, to aid with assessment of bioavailability for toxicity. These results are discussed in Chapter 9, *Ecological Risk Assessment*.

Sediments from the B and E transects (locations B01, B02, E01, E02, and E03), along with the sample from location SD-C02, underwent grain size analysis. As expected, the near-shore samples (SD-B01, SD-E01, and SD-E-01) contained the highest percentages of sand (92.5, 96.8, and 83.4 percent, respectively). The samples from B-02 and E-03 were composed of approximately three-quarters silt and one-quarter sand, with no gravel and only trace amounts of clay. Sample SD-C02, which was added to the grain size analysis due to its unexpectedly coarse composition, was composed of 28.7 percent gravel and 56.6 percent sand.

Overall, an observable trend exists between the elevation of these constituents and grain size: higher concentration associated with finer grained sediments, which are found near the center of Bear Creek and also near the outlet of the Tin Mill Canal. The most elevated concentrations of metals, PAHs, bis(2-ethylhexyl)phthalate, and PCBs in sediment grab samples were associated with fine-grained sediments toward the southern end of the study area, adjacent to the outlet of the Tin Mill Canal. Therefore, the sediment core sampling focused on this area (see Section 5.1.2).

### 5.1.2 Sediment Core Samples

The lithology of the sediment cores collected in March and April 2015 in the southern portion of the Phase I area indicated that the river bottom in this area consists of silty sediments underlain by low permeability, natural gray clay. In most locations, indications of impacts (odor and/or sheen) were observed throughout the column of silty sediments, but were not observed in the clay (**Tables 4-1 and 4-2** and **Appendix C**). The shallowest depth at which clay was encountered was approximately 3 ft, while in some locations, clay was not observed in cores extending to a depth of more than 6 ft. Where sufficient clay was encountered in sediment cores, samples consisting only of clay were collected: SD-E03-0406, SD-G05-0607, SD-H03-0607, SD-I01-0102, SD-I02-0406, SD-I03-0406, SD-J02-0406. Results from analysis of the sediment core samples are presented in **Tables 5-8 through 5-13**. Note that not all data included in these tables were used in the risk assessments; additional tables presenting data used in the risk assessments are provided in Chapter 8. **Figures 5-1 through 5-7** display the highest concentrations of selected analytes reported in surface sediment from each sediment location (either grab samples or the surface intervals of sediment cores), while **Figures 5-11 through 5-17** display the highest concentration of a given analyte reported in surface or subsurface sediment at each location. **Figures 5-18 through 5-24** illustrate the vertical trends in concentration along two cross sections. Results indicate that elevated concentrations of potential contaminants are largely

limited to the shallow silty sediments, with much lower or non-detectable concentrations in the underlying gray clay.

As with the fine-grained (silty) sediment grab samples, metals concentrations in sediment core samples exceeded BTAG benchmarks and PECs. Concentrations of certain metals (cadmium, chromium, copper, nickel, silver, and zinc) were generally highest in samples from cores in the G transect (locations G01 through G06) and H transect (locations H01 and H03 through H07), which are most directly offshore from the Tin Mill Canal (**Figures 5-1, 5-2, 5-11, and 5-12**). Concentrations of these metals also generally decreased with distance from the shoreline in these transects, suggesting that the Tin Mill Canal may have been a historical source of these metals. Concentrations of these metals in the cores taken farthest from the shoreline in this southern area were similar in magnitude to the concentrations reported in fine-grained grab samples A03, B02, and C03. If these concentrations are taken to approximate the upstream background values in fine-grained Bear Creek samples, then the offshore investigation appears to have achieved at least partial delineation of horizontal impacts of these metals related to Tin Mill Canal.

Vertical trends in metals concentrations varied within each sediment core (**Table 5-14**). In the DE, E, F, I, and J transects, and certain cores in the G and H transects, concentrations of the metals listed above generally decreased with depth within the silty sediments. However, at other locations in the G and H transects, impacts of these metals were generally more pronounced in silty sediments at depth. This suggests burial of the most impacted sediments at these locations. Relatively low metals concentrations, below the PEC values, were reported in samples of the gray clay that underlies the impacted silty sediments.

Total PAH concentrations exceeded the PEC (22,800 µg/kg) in at least one sediment sample from each coring location except E03, F03, G05, G06, I01, I02, and J02. Although the highest concentrations of Total PAHs (**Figures 5-3 and 5-13**) in sediment core samples were in the H transect, there was no clear trend in PAH concentrations from near-shore to offshore cores. The highest concentrations of Total PAHs were reported in the surface sediment interval (0–2 ft below sediment surface) at locations SD-H04 (82,800 µg/kg in the surface interval), SD-H01 (79,500 µg/kg in the surface interval), and SD-H07 (62,850 µg/kg in the surface interval). Vertical trends in PAH concentrations were similar to those for metals; however, the highest PAH concentration in each location was more often at the surface (**Table 5-14 and Figures 5-3, 5-13, 5-19, and 5-20**). Again, the clay underlying the silt was found to be relatively less impacted. PAH concentrations throughout the coring area were higher than concentrations observed in surface grabs from the northern portion of the Phase I area. Based on these results, the observed PAH impacts appear to be less clearly tied to impacts from Tin Mill Canal than the impacts of certain metals, and do not appear to have been well delineated by the offshore investigation.

Total PCB concentrations exceeded the PEC (676 µg/kg) in at least one sediment sample from each coring location except G06, I01, and I03 (**Figure 5-14**). The highest concentrations of total PCBs in sediment core samples were in the G and H transects. Although there was no clear

spatial trend in PCB concentrations across these transects, the cores farthest offshore (G05, G06, and H07) had the lowest reported PCB concentrations. Vertically, PCB concentrations showed similar trends to the metals discussed above, but with the highest concentrations more often in the subsurface (**Table 5-14** and **Figures 5-4, 5-14, 5-21 and 5-22**). Overall, the spatial distribution suggests a possible historical source of PCBs, as well as metals, from the Tin Mill Canal. As with metals, PCB concentrations in the core from locations G06 and I03 were similar in magnitude to the concentrations reported in fine-grained grab samples B02 and C03. Thus, the offshore investigation appears to have achieved at least partial horizontal delineation of PCB impacts related to Tin Mill Canal.

Oil and grease concentrations in the sediment core samples were substantially lower (0.025 to 0.125 times) than the concentrations reported in co-located sediment grab samples (at G01, G02, H01 and H03). Photographs of the cores from these locations (**Appendix B**) in some cases show darker gray/black sediment at in the top 6 inches, which may have been diluted by the remainder of the surface intervals (0-2 ft), leading to lower concentrations than in the grab samples collected from 0-6 inches. However, the generally dark color of the sediments in the southern portion of the Phase I area makes it difficult to visually evaluate the amount of oil and grease impacts in the sediments, and to compare between samples and intervals. The highest concentration reported in a core sample was 11,000 mg/kg in surface sediment at location G01; the grab sample collected from this location contained 89,000 mg/kg oil and grease. Oil and grease concentrations in the southern portion of the Phase I area generally decrease with distance from the Tin Mill Canal; however, concentrations in grab samples from locations B02 and C03 exceeded concentrations reported in many of the southern cores (**Figure 5-15**). Vertically, oil and grease was generally higher in the surface interval, and extended only minimally into the clay underlying the silt. (**Table 5-14** and **Figures 5-5, 5-15, 5-23, and 5-24**), as expected based on the dramatically higher concentrations observed in grab samples of the top 6 inches. The distribution of oil and grease seems to indicate historical impacts from the Tin Mill Canal, as expected based on historical uses. The offshore investigation delineated these impacts horizontally, to a concentration of less than 1,500 mg/kg.

Cyanide concentrations exceeded the BTAG benchmark in all but three of the sediment core samples. The highest concentrations (27–36 mg/kg) were reported at locations H07 and E03 (**Figure 5-16**). Cyanide did not show a consistent vertical trend within cores, and did not closely track the trends seen in metals concentrations (**Table 5-14**). The overall spatial distribution of cyanide concentrations does not suggest that cyanide in the Bear Creek sediments is derived from the Tin Mill Canal.

As with surface sediment grab samples, bis(2-ethylhexyl)phthalate was the SVOC most often detected in sediment core samples. The following SVOCs were also detected at concentrations exceeding BTAG benchmarks: 2,4-dimethylphenol, benzoic acid, and phenol. The highest concentrations of bis(2-ethylhexyl)phthalate reported in the core samples were from locations H03, H04, H05, G01, and G02 (**Figure 5-17**). Concentrations exceeding the BTAG benchmark and PEC from MacDonald (1996) were reported in samples from all coring locations except G06

and I01. The distribution of phthalate concentrations indicate that this constituent may be Site-related, although the highest concentrations are not centered on the Tin Mill Canal.

TOC concentrations in the sediment core samples ranged from 6,800 to 270,000 mg/kg, with most samples containing at least 50,000 mg/kg TOC.

No VOCs were detected at concentrations exceeding BTAG benchmarks in sediment core samples.

A SEM/AVS ratio was calculated for the surface interval of each core. These results are discussed in Chapter 9, *Ecological Risk Assessment*.

The sediment core results indicate that, of the contaminants identified, select metals, PCBs, and oil and grease show the strongest association with the Tin Mill Canal, and the impacts by these contaminants have been at least partially delineated. PAHs, cyanide, and bis(2-ethylhexyl)phthalate do not appear to be clearly associated with the Canal and are less well delineated horizontally, with elevated concentrations extending to the farthest extent of coring. Vertical delineation of the identified contaminants was achieved where the relatively unimpacted gray clay was encountered; more complete delineation (e.g., in areas where the clay was not encountered) would require additional coring, using equipment capable of reaching the depth of clay throughout the area.

## 5.2 STORMWATER DATA

Results from analysis of stormwater samples collected on 16 November and 1 December 2014 are presented in **Tables 5-15 through 5-19**.

The only analyte reported at a concentration exceeding screening criteria was cyanide, in samples from Outfalls 014 and 018. Therefore, cyanide was identified as the primary COPC in stormwater.

Metals reported at concentrations below screening criteria were antimony, arsenic, chromium, copper, mercury, nickel, selenium, and zinc. All outfalls had detections of at least four of these metals.

PAHs were detected, at concentrations below screening levels, primarily during the 16 November sampling event. The highest PAH concentrations were reported in samples from Outfall 014, with multiple detections in Outfall 018 as well. No PAHs were detected in the sample from the Greys landfill stormwater pond (named after Outfall 071). Concentrations of oil and grease near the detection limit were also reported in all of the outfalls sampled.

Other SVOCs detected, at concentrations below screening levels, included 2,4-dimethylphenol, phenol, and four phthalates.

Total suspended solids concentrations were between 2 and 3.6 milligrams per liter (mg/L) in the November samples, and between non-detectable and 30 mg/L in the December samples. The solids concentration in Outfall 018 increased the most between November and December; however, chemical constituent concentrations reported in samples from this outfall were not consistently higher in December than November, as would be expected if the constituents were associated with solid particles.

No PCB detections, and only one VOC detection (chloroform in the sample from Outfall 014) were reported.

Because cyanide at Outfalls 014 and 018 was the only constituent exceeding the screening criteria used in identification of Site-related COPCs (Section 2.2.1), and because the exceedances were reported in the southern portion of the Phase I area where cyanide was already identified as a COPC based on groundwater data (see Section 2.2.2), the stormwater results do not result in addition of any Site-related COPCs.

### 5.3 PORE WATER DATA

Results from analysis of pore water samples are presented in **Table 5-20**.

Site-related COPC metals reported at concentrations exceeding ecological surface water screening values were lead, mercury, nickel, and zinc. Mercury and zinc exceeded screening values in sample PW-C02, located offshore from Greys Landfill. All three Site-related COPCs for the C transect, identified based on results from groundwater well GL12, were detected in the sample PW-C02. Lead, nickel, and zinc exceeded screening values in the sample from PW-DE01, located offshore from the Rod & Wire Mill. Cadmium and copper were also COPCs for the DE transect, identified based on results from groundwater well clusters RW18, RW19, RW20, and TS04, but these metals were not detected in pore water.

Cyanide was reported at concentrations exceeding ecological surface water screening values in the samples for which it was analyzed (PW-D02, PW-DE01, PW-E01, and PW-F05). The highest concentration was reported in sample PW-F05, near the location of the highest stormwater cyanide concentration (Outfall 018). The concentration in PW-05 (24 µg/L) was similar to the concentration reported in nearby groundwater well HI08 (21 µg/L) (**Table 2-1**). However, the highest cyanide concentration in groundwater was 1,000 µg/L in the RW-19 well cluster (**Table 2-1**), adjacent to the DE transect, where the cyanide concentration in pore water was only 2.5 µg/L. This discrepancy could be partially attributable to the pump and treat system in the Rod & Wire Mill, which effectively reverses the groundwater gradient (toward the shore) in portions of this area.

Only one PAH (naphthalene) was detected in pore water, at a concentration below screening levels, in sample PW-DE01. In comparison, multiple PAHs were detected at low concentrations

in groundwater from throughout the Rod & Wire Mill and Humphrey Impoundment/Tin Mill Canal areas.

Bis(2-ethylhexyl)phthalate was detected, at concentrations exceeding the human health screening value for surface water, in samples PW-C01 and PW-F05. The reported concentrations in pore water (0.24 to 1.1 µg/L) were one to two orders of magnitude lower than those reported in nearby shallow groundwater wells (5.5-110 µg/L) (**Table 2-1**).

## 5.4 DATA QUALITY ASSESSMENT

To support the assessment of data quality, the data underwent 20 percent Level IV and 80 percent Level III validation, in accordance with the pertinent USEPA National Functional Guidelines for Organic and Inorganic Data Review. Validation was conducted by a third-party validator (Environmental Data Services, Inc.) (**Appendix E**).

The findings of the data validation are summarized in this section.

### 5.4.1 General Data Qualifiers

As required by USEPA protocols, analytes that were identified at concentrations greater than their respective method detection limit, but less than their respective reporting limit, were assigned a “J” qualifier on the data summary reports and data tables to indicate that the results are quantitative estimates.

### 5.4.2 Quality Control Samples

**Field Duplicates**—Field duplicates are separate samples collected in the field at the same time and place as the parent sample. Duplicates are utilized to determine the accuracy and precision of field sampling and laboratory analytical activities. Field duplicates are also indicative of sample homogeneity. Duplicate samples were collected, processed, and transported in the same manner as the parent samples. Field duplicate samples were collected, analyzed, and evaluated at a frequency of approximately 10 percent for all media except for pore water, as summarized below:

	# Duplicates	# Project Samples
Round 1 Sediment Sampling	2	20
Stormwater Sampling	1	7
Round 2 Sediment Sampling	5	51

**Rinsate Blanks**—Rinsate blanks are collected to determine the extent of contamination, if any, from the sampling equipment used as part of the project. Rinsate blanks were collected by pouring deionized water, provided by EA’s Ecotoxicology Laboratory, over or through sampling equipment (e.g., Ponar samplers or push-point samplers) that had been decontaminated using the

procedure outlined in Section 4.6. Rinsate water was preserved and treated in the same manner as the field samples. The rinsate water was placed in laboratory-prepared containers, submitted to the analytical laboratory with the project samples, and tested for the same chemical parameters as the sediments and site water. Rinsate blanks were collected in association with sediment and pore water sampling, which utilized reusable equipment. The results of the rinsate blanks are used to evaluate the effectiveness of the field decontamination procedures.

**Field Blanks**—Field blanks were also collected in association with sediment and pore water sampling. The field blanks were prepared by pouring deionized water directly into a sample container. The results of the field blanks are used to help evaluate whether any analytes detected in rinsate blanks are associated with the decontaminated equipment, or whether they are associated with the deionized water or a source of contamination present in the sampling or sample storage environment.

**Trip Blanks**—A trip blank (also called a transport blank) is a sample of laboratory reagent water (preserved with hydrochloric acid) that is provided with the sample containers by the laboratory. It accompanies the sample containers into the field and back to the laboratory. Analysis of trip blanks was used to identify possible contamination associated with the residence of samples and containers during the collection, transport, and laboratory time. Trip blanks were analyzed for VOCs only. One trip blank was included in each cooler containing water samples for VOC analysis.

**Method Blanks**—The method (reagent) blank is used to monitor laboratory contamination. The method blank is usually a sample of laboratory reagent water processed through the same analytical procedure as the sample (i.e., digested, extracted, distilled). One method blank is analyzed at a frequency of one per every analytical preparation batch of 20 or fewer samples.

**Laboratory Control Samples**—The laboratory control sample (LCS) is a fortified method blank consisting of reagent water or solid fortified with the analytes of interest for single-analyte methods and selected analytes for multi-analyte methods according to the appropriate analytical method. LCSs are prepared and analyzed with each analytical batch, and analyte recoveries are used to monitor analytical accuracy and precision.

**Matrix Spike (MS) / Matrix Spike Duplicate (MSD)**—A fortified sample (MS) is an aliquot of a field sample that is fortified with the analyte(s) of interest and analyzed to monitor matrix effects associated with a particular sample. Samples to be spiked were chosen at random. The final spiked concentration of each analyte in the sample should be at least 10 times the calculated method detection limit. A duplicate-fortified sample (MSD) is also performed with each MS. Analysis of site-specific MS/MSDs was performed on sediment and water samples, where sample volumes allowed.

**Laboratory Sample Duplicates**—A sample duplicate is a second aliquot of a field sample that is analyzed to monitor analytical precision associated with that particular sample. Sample

duplicates were performed on sediment, stormwater, and pore water samples for every batch of 20 samples, or for batches of fewer samples for those analytes that do not have MS/MSD analyses.

**Surrogates**—Surrogates are organic compounds that are similar to analytes of interest in chemical composition, extraction, and chromatography, but are not normally found in environmental samples. These compounds were spiked into all blanks, samples, and spiked samples prior to analysis for organic parameters. Generally, surrogates are not used for inorganic analyses. Percent recoveries were calculated for each surrogate. Surrogates were spiked into samples according to the requirements of the reference analytical method. Surrogate spike recoveries were evaluated against the laboratory recovery limits and used to assess method performance and sample measurement bias. If sample dilution caused the surrogate concentration to fall below the quantitation limit, surrogate recoveries were calculated.

### **5.4.3 Validation Results**

The validation reports are provided in **Appendix E**. Data were qualified during validation due to minor issues with data quality, as prescribed by USEPA methodology. Data tables referenced above incorporate these validation qualifiers. Substantial data quality issues (e.g., rejected data), and quality issues resulting in qualification of results for analytes detected in project samples are summarized below, by sampling medium/round.

#### **5.4.3.1 Round 1 Sediment Sampling**

##### **SVOCs**

Results for two SVOCs (benzidine and hexachlorocyclopentadiene) in one sample (SDG J37750) were rejected due to severely low MS/MSD recoveries.

The continuing calibration percent difference (%D) was reported high for 4-nitrophenol, resulting in J or UJ qualification of associated results (SDG J37750).

Low internal standard area counts resulted in J or UJ-qualification of associated SVOCs (SDG J37760).

##### **PAHs**

No data were qualified during validation.

##### **VOCs**

The following constituent was detected in method blanks, resulting in U-qualification of associated results: toluene (SDGs J37750 and J37760).



### **PCBs**

Results for PCB-1248 and PCB-1260 were J-qualified due to high %D between two gas chromatography columns used for the laboratory analysis (SDGs J37750 and J37760).

### **Metals and AVS/SEM**

Results for the following metals were J- or UJ-qualified due to MS/MSD percent recoveries and/or relative percent differences (RPDs) outside control limits: beryllium and selenium (SDG J37750).

Results for the following metals were J- or UJ-qualified due to serial dilution %D outside control limits: antimony and zinc (SDG J37750).

Results for the following SEM metals were J- or UJ-qualified due to MS/MSD percent recoveries and/or RPDs outside control limits: cadmium SEM (SDG J37750) and copper SEM (SDGs J37750 and J37760).

The following results were J-qualified due to field duplicate RPDs exceeding 100 percent: cadmium SEM, copper SEM, lead SEM, and nickel SEM in the duplicate and parent sample SD-F01 (SDG J37760).

### **Oil and Grease, TOC, and Cyanide**

No data were qualified during validation.

#### **5.4.3.2 Stormwater Sampling**

### **SVOCs**

SVOC results from the re-analysis of samples ST-018-111614 and ST-DUP-111614 were J- or UJ-qualified due to re-extraction of the samples after 9 days, outside the recommended holding time of 7 days. However, the validator determined that the results from re-analysis should be used because acceptable surrogate recoveries were achieved during re-analysis.

### **PAHs**

No data were qualified during validation.

### **VOCs**

VOC results for sample ST-018-120114 were UJ-qualified due to low recovery of one surrogate.

### **PCBs**

No PCB data were qualified during validation.

### **Metals**

The following metals were detected in method blanks, resulting in U-qualification of associated results: antimony (SDG J39026), lead, and thallium (SDGs J39026 and J39432), and copper (SDG J39432).

### **Oil and Grease, TSS, and Cyanide**

No results for these analytes were qualified during validation.

#### **5.4.3.3 Round 2 Sediment Sampling**

Greater than 70 percent moisture in the following samples from the sediment cores resulted in J- or UJ-qualification of all results for these samples during validation: SD-DE02-0002, SD-E03-0002, SD-F06-0002, SD-F07-0002, SD-G01-0406, SD-G02-0002, SD-G03-0002, SD-G04-0002, SD-G05-0002, SD-H01-0406, SD-H03-0002, SD-H04-0002 (and duplicate), SD-H05-0406, SD-H06-0002 (and duplicate), SD-H06-0204, SD-H07-0002, SD-I02-0002, and SD-J02-0002.

Additional qualification of results for specific analytes detected in project samples is described below.

### **SVOCs**

The continuing calibration %D was reported high for the following VOCs, resulting in J or UJ qualification of associated results: benzoic acid and 4-nitrophenol (SDG J43699).

One phenol result was J-qualified due to low surrogate recovery (SDG J43699).

Seven SVOC results were rejected due to severely low internal standard area counts (SDG J43699).

Multiple SVOC results were J- or UJ-qualified due to high internal standard area count (SDG J43699).

One pyrene result was J-qualified due to a field duplicate RPD exceeding 50 percent.

Note that the field blank and rinsate blank results were not considered in the validation. Bis(2-ethylhexyl)phthalate was the only SVOC detected at a concentration exceeding the reporting limit. The concentrations of this phthalate in rinsate blanks were higher than in field blanks, indicating that some phthalate exposure may have occurred in the field, despite use of non-plastic equipment whenever possible. However, the concentrations detected in the blanks are not expected to have substantially impacted the sediment concentrations, which were in many cases orders of magnitude higher.

### **VOCs**

The following constituent was detected in method blanks, resulting in U-qualification of associated results: toluene (SDG J43411).

The toluene result for one sample was J-qualified due to high MS/MSD percent recovery.

### **PCBs**

Detected PCB results for the following samples were J-qualified due to patterns that did not closely match the Aroclor standards, presumably due to weathering: SD-H05-0002, SD-F07-0406, SD-G03-0002, SD-H06-0002 (and duplicate), SD-G02-0002, SD-DE02-0002, SD-DE02-0406, SD-H07-0002 (and duplicate), SD-G06-0002, SD-I03-0204, SD-I03-0406, SD-I02-0002, SD-I02-0406, SD-G05-0002.

Several additional PCB results were J-qualified due to low surrogate recovery and due to high %D between two gas chromatography columns used for the laboratory analysis (SDG J43699).

### **Metals and AVS/SEM**

Results for the following metals were J- or UJ-qualified due to MS/MSD percent recoveries and/or RPDs outside control limits: antimony, cadmium, copper SEM, nickel, selenium, and silver (SDG J43699).

Results for the following metals were J-qualified due to serial dilution %D outside control limits: copper SEM and zinc SEM (SDG J43699).

Note that the field blank and rinsate blank results were not considered in the validation. Metals detected in the blanks at concentrations exceeding the reporting limits included antimony, nickel, and zinc, with higher concentrations in the blanks associated with field sampling than in those associated with core processing. The concentrations of these metals in rinsate blanks and field blanks were similar, indicating a source independent of the sampling equipment. The metals concentrations detected in the blanks are not expected to have substantially impacted the sediment concentrations, which were orders of magnitude higher.

### **Oil and Grease and Cyanide**

Cyanide results for multiple samples were J- or UJ-qualified due to MS/MSD percent recoveries outside control limits (SDG J43699).

#### **5.4.3.4 Pore Water Sampling**

### **PAHs/Phthalate**

No data were qualified during validation.

Note that the field blank and rinsate blank results were not considered in the validation. Bis(2-ethylhexyl)phthalate was detected in these blanks at concentrations just above the reporting limit.

### **Metals**

The following metals were detected in method blanks, resulting in U-qualification of associated results: antimony (SDG J42982), copper (SDG 43409), lead (SDG 43409), and thallium (SDG J42982).



Note that the field blank and rinsate blank results were not considered in the validation. The following metals were detected in both of these blanks at concentrations below the average reporting limits: chromium, copper, lead, nickel, and zinc.

### **Cyanide**

No cyanide data were qualified during validation.

## **5.4.4 Data Usability**

As noted above, the only data rejected during validation were two SVOC results for one Round 1 sediment sample, and seven SVOC results for one Round 2 sediment sample. The data validation results and subsequent data usability assessment indicate that, with the exception of these rejected data, the data are fully usable for the purposes intended, for characterization of the Phase I Offshore Area and use in the risk assessments (Chapters 9 and 10).



#### Legend

- Phase 1 Northwest Shoreline
- ~ Perennial Creek/Stream
- Boundary between Sand and Fine Grained Sediment
- Approximate Location of Active Stormwater Outfall
- ⊗ Approximate Location of Inactive Stormwater Outfall

#### Nickel Concentration in Sediment



- Coring Location 15.9-48.6 mg/kg
- Coring Location >48.6 mg/kg
- Surface Grab and Coring Location >48.6 mg/kg
- Surface Grab <15.9 mg/kg
- Surface Grab 15.9-48.6 mg/kg
- Surface Grab >48.6 mg/kg

**Figure 5-1**  
**Nickel Concentrations in Surface Sediment**  
 Phase I Northwest Shoreline  
 Baltimore, Maryland

Map Date: January 2016  
 Image Source: ESRI 2011  
 Projection: NAD 1983 StatePlane  
 Maryland FIPS 1900 (US Feet)









**Figure 5-2**  
**Zinc Concentrations in Surface Sediment**  
Phase I Northwest Shoreline  
Baltimore, Maryland  
Map Date: January 2016  
Image Source: ESRI 2011  
Projection: NAD 1983 StatePlane Maryland FIPS 1900 (US Feet)







### Legend

- Phase I Northwest Shoreline
- ~ Perennial Creek/Stream
- Boundary between Sand and Fine Grained Sediment
- Approximate Location of Active Stormwater Outfall
- ⊠ Approximate Location of Inactive Stormwater Outfall

### Total PAH in Sediments



- Coring Location 2,900-22,800 ug/kg
- Coring Location >22,800 ug/kg
- Surface Grab and Coring Location 2,900-22,800 ug/kg
- Surface Grab and Coring Location >22,800 ug/kg
- Surface Grab <2,900 ug/kg
- Surface Grab 2,900-22,800 ug/kg

**Figure 5-3**  
**Total PAH Concentrations**  
**in Surface Sediment**  
**Phase I Northwest Shoreline**  
**Baltimore, Maryland**

Map Date: January 2016  
Image Source: ESRI 2011  
Projection: NAD 1983 StatePlane  
Maryland FIPS 1900 (US Feet)







**Legend**

- Phase I Northwest Shoreline
- Perennial Creek/Stream
- Boundary between Sand and Fine Grained Sediment
- Approximate Location of Active Stormwater Outfall
- Approximate Location of Inactive Stormwater Outfall
- Surface Grab <40 ug/kg
- Surface Grab 40-676 ug/kg
- Surface Grab 676-6,000 ug/kg
- Coring Location <40 ug/kg
- Coring Location 40-676 ug/kg
- Coring Location 676-6,000 ug/kg
- Coring Location >6,000 ug/kg
- Surface Grab and Coring Location 40-676 ug/kg
- Surface Grab and Coring Location 676-6,000 ug/kg
- Surface Grab and Coring Location >6,000 ug/kg

**Total PCBs in Sediments**



- Surface Grab <40 ug/kg
- Surface Grab 40-676 ug/kg
- Surface Grab 676-6,000 ug/kg
- Coring Location <40 ug/kg
- Coring Location 40-676 ug/kg
- Coring Location 676-6,000 ug/kg
- Coring Location >6,000 ug/kg

● Coring Location 40-676 ug/kg  
 ● Coring Location 676-6,000 ug/kg  
 ● Coring Location >6,000 ug/kg  
 ● Surface Grab and Coring Location 40-676 ug/kg  
 ● Surface Grab and Coring Location 676-6,000 ug/kg  
 ● Surface Grab and Coring Location >6,000 ug/kg  
 ■ Surface Grab <40 ug/kg  
 ■ Surface Grab 40-676 ug/kg  
 ■ Surface Grab 676-6,000 ug/kg

**Figure 5-4**  
**Total PCB Concentrations**  
**in Surface Sediment**  
**Phase I Northwest Shoreline**  
**Baltimore, Maryland**  
 Map Date: January 2016  
 Image Source: ESRI 2011  
 Projection: NAD 1983 StatePlane  
 Maryland FIPS 1900 (US Feet)







#### Legend

- Not Sampled for Oil or Grease
- Phase 1 Northwest Shoreline
- ~ Perennial Creek/Stream
- Boundary between Sand and Fine Grained Sediment
- Approximate Location of Active Stormwater Outfall
- ⊗ Approximate Location of Inactive Stormwater Outfall

#### Oil and Grease in Sediments



- Coring Location <1,000 mg/kg
- Coring Location 1,000-10,000 mg/kg
- Surface Grab and Coring Location 1,000-10,000 mg/kg
- Surface Grab and Coring Location >50,000 mg/kg
- Surface Grab <1,000 mg/kg
- Surface Grab 1,000-10,000 mg/kg
- Surface Grab 10,000-50,000 mg/kg
- Surface Grab >50,000 mg/kg

**Figure 5-5**  
**Oil and Grease Concentrations**  
**in Surface Sediment**  
**Phase I Northwest Shoreline**  
**Baltimore, Maryland**

Map Date: January 2016  
Image Source: ESRI 2011  
Projection: NAD 1983 StatePlane  
Maryland FIPS 1900 (US Feet)







### Legend



- Phase 1 Northwest Shoreline
  - Perennial Creek/Stream
  - Boundary between Sand and Fine Grained Sediment
  - Approximate Location of Active Stormwater Outfall
  - Approximate Location of Inactive Stormwater Outfall
  - Coring Location 1-10 mg/kg
  - Coring Location >10 mg/kg
  - Surface Grab and Coring Location 1-10 mg/kg
  - Surface Grab and Coring Location >10 mg/kg
  - Surface Grab <0.1 (BTAG) mg/kg
  - Surface Grab 0.1 (BTAG) -1 mg/kg
  - Surface Grab 1-10 mg/kg
  - Coring Location <1 ug/kg
- Total Cyanide in Sediment**
- Coring Location <1 ug/kg

**Figure 5-6**  
**Total Cyanide Concentrations**  
**in Surface Sediment**  
 Phase I Northwest Shoreline  
 Baltimore, Maryland

Map Date: January 2016  
 Image Source: ESRI 2011  
 Projection: NAD 1983 StatePlane  
 Maryland FIPS 1900 (US Feet)







0 250 500 1,000  
 Feet  
 1 inch = 1,000 feet

#### Legend

- Phase 1 Northwest Shoreline
- Perennial Creek/Stream
- Boundary between Sand and Fine Grained Sediment
- Approximate Location of Active Stormwater Outfall
- Approximate Location of Inactive Stormwater Outfall

**Bis(2-ethylhexyl)phthalate in Sediments**

- Coring Location <182 (BTAG) ug/kg
- Coring Location 182 (BTAG) - 2647 (PEC) ug/kg

- Coring Location 2647 (PEC) - 20,000 ug/kg
- Coring Location >20,000 ug/kg
- Surface Grab and Coring Location 2647 (PEC) - 20,000 ug/kg
- Surface Grab and Coring Location >20,000 ug/kg
- Surface Grab <182 (BTAG) ug/kg
- Surface Grab 182 (BTAG) - 2647 (PEC) ug/kg
- Surface Grab 2647 (PEC) - 20,000 ug/kg
- Surface Grab >20,000 ug/kg



#### Figure 5-7 Bis(2-ethylhexyl)phthalate Concentrations in Surface Sediment

Phase I Northwest Shoreline  
 Baltimore, Maryland

Map Date: January 2016  
 Image Source: ESRI 2011  
 Projection: NAD 1983 StatePlane  
 Maryland FIPS 1900 (US Feet)







### Legend

- Phase 1 Northwest Shoreline
- Perennial Creek/Stream
- Boundary between Sand and Fine Grained Sediment
- Approximate Location of Active Stormwater Outfall
- Approximate Location of Inactive Stormwater Outfall

### Nickel in Sediments (milligrams nickel per decagram organic carbon)

- <5
- 5-10
- 10-15
- >15



**Figure 5-8**  
**TOC-Normalized Nickel Concentrations**  
**in Surface Sediment Grab Samples**  
Phase I Northwest Shoreline  
Baltimore, Maryland

Note: Data for each sample were normalized by dividing the data by the Total Organic Carbon concentration in the sample (in g/kg divided by 10).

Map Date: January 2016  
Image Source: ESRI 2011  
Projection: NAD 1983 StatePlane  
Maryland FIPS 1900 (US Feet)







### Legend

- Phase 1 Northwest Shoreline
- Perennial Creek/Stream
- Boundary between Sand and Fine Grained Sediment
- Approximate Location of Active Stormwater Outfall
- Approximate Location of Inactive Stormwater Outfall

### Zinc in Sediments (milligrams zinc per decagram organic carbon)

- <100
- 100-500
- 500-1,000
- >1,000




**Figure 5-9**  
**TOC-Normalized Zinc Concentrations**  
**in Surface Sediment Grab Samples**  
Phase I Northwest Shoreline  
Baltimore, Maryland

Note: Data for each sample were normalized by dividing the data by the Total Organic Carbon concentration in the sample (in g/kg divided by 10).

Map Date: January 2016  
Image Source: ESRI 2011  
Projection: NAD 1983 StatePlane  
Maryland FIPS 1900 (US Feet)









**Figure 5-10**  
**TOC-Normalized PAH Concentrations**  
**in Surface Sediment Grab Samples**  
Phase I Northwest Shoreline  
Baltimore, Maryland

Note: Data for each sample were normalized by dividing the data by the Total Organic Carbon concentration in the sample (in g/kg divided by 10).

Map Date: January 2016  
Image Source: ESRI 2011  
Projection: NAD 1983 StatePlane Maryland FIPS 1900 (US Feet)





#### Legend

- Phase 1 Northwest Shoreline
- ~ Perennial Creek/Stream
- Boundary between Sand and Fine Grained Sediment
- Approximate Location of Active Stormwater Outfall
- ✕ Approximate Location of Inactive Stormwater Outfall

#### Nickel Concentration in Sediment

- Coring Location 15.9-48.6 mg/kg
- Coring Location >48.6 mg/kg
- Surface Grab and Coring Location >48.6 mg/kg
- Surface Grab <15.9 mg/kg
- Surface Grab 15.9-48.6 mg/kg
- Surface Grab >48.6 mg/kg



**Figure 5-11**

### Nickel Concentrations in Surface and Subsurface Sediment Phase I Northwest Shoreline Baltimore, Maryland

Map Date: January 2016  
 Image Source: ESRI 2011  
 Projection: NAD 1983 StatePlane Maryland FIPS 1900 (US Feet)







**Legend**

- Phase 1 Northwest Shoreline
- ~ Perennial Creek/Stream
- Boundary between Sand and Fine Grained Sediment
- Approximate Location of Active Stormwater Outfall
- ⊗ Approximate Location of Inactive Stormwater Outfall

**Zinc in Sediments**



- Coring Location 459-5,000 mg/kg
- Coring Location >5,000 mg/kg
- Surface Grab and Coring Location 459-5,000 mg/kg
- Surface Grab and Coring Location >5,000 mg/kg
- Surface Grab < 124 mg/kg
- Surface Grab 124-459 mg/kg
- Surface Grab 459-5,000 mg/kg

**Figure 5-12**  
**Zinc Concentrations in Surface and Subsurface Sediment Phase I Northwest Shoreline Baltimore, Maryland**

Map Date: January 2016  
 Image Source: ESRI 2011  
 Projection: NAD 1983 StatePlane Maryland FIPS 1900 (US Feet)







### Legend

- Phase I Northwest Shoreline
- ~ Perennial Creek/Stream
- Boundary between Sand and Fine Grained Sediment
- Approximate Location of Active Stormwater Outfall
- ⊠ Approximate Location of Inactive Stormwater Outfall

### Total PAH in Sediments

- Coring Location 2,900-22,800 ug/kg
- Coring Location >22,800 ug/kg
- Surface Grab and Coring Location 2,900-22,800 ug/kg
- Surface Grab and Coring Location >22,800 ug/kg
- Surface Grab <2,900 ug/kg
- Surface Grab 2,900-22,800 ug/kg



### Total PAH Concentrations in Surface and Subsurface Sediment Phase I Northwest Shoreline Baltimore, Maryland

Map Date: January 2016  
 Image Source: ESRI 2011  
 Projection: NAD 1983 StatePlane Maryland FIPS 1900 (US Feet)



**Figure 5-13**





**Legend**

- Phase I Northwest Shoreline
- ~ Perennial Creek/Stream
- Boundary between Sand and Fine Grained Sediment
- Approximate Location of Active Stormwater Outfall
- Approximate Location of Inactive Stormwater Outfall

**Total PCBs in Sediments**



- Coring Location <40 ug/kg
- Coring Location 40-676 ug/kg
- Coring Location 676-6,000 ug/kg
- Coring Location >6,000 ug/kg
- Surface Grab and Coring Location 676-6,000 ug/kg
- Surface Grab and Coring Location >6,000 ug/kg
- Surface Grab <40 ug/kg
- Surface Grab 40-676 ug/kg
- Surface Grab 676-6,000 ug/kg

**Figure 5-14**  
**Total PCB Concentrations in**  
**Surface and Subsurface Sediment**  
 Phase I Northwest Shoreline  
 Baltimore, Maryland

Map Date: January 2016  
 Image Source: ESRI 2011  
 Projection: NAD 1983 StatePlane  
 Maryland FIPS 1900 (US Feet)









**Figure 5-15**  
**Oil and Grease Concentrations in Surface and Subsurface Sediment**  
Phase I Northwest Shoreline  
Baltimore, Maryland  
Map Date: January 2016  
Image Source: ESRI 2011  
Projection: NAD 1983 StatePlane Maryland FIPS 1900 (US Feet)





#### Legend



- Phase I Northwest Shoreline
- Perennial Creek/Stream
- Boundary between Sand and Fine Grained Sediment
- Approximate Location of Active Stormwater Outfall
- Approximate Location of Inactive Stormwater Outfall
- Total Cyanide in Sediment
- Coring Location >10 mg/kg
- Surface Grab and Coring Location 1-10 mg/kg
- Surface Grab and Coring Location >10 mg/kg
- Surface Grab <0.1 (BTAG) mg/kg
- Surface Grab 0.1 (BTAG)-1 mg/kg
- Surface Grab 1-10 mg/kg
- Coring Location 1-10 mg/kg

**Figure 5-16**  
**Total Cyanide Concentrations in**  
**Surface and Subsurface Sediment**  
**Phase I Northwest Shoreline**  
**Baltimore, Maryland**

Map Date: January 2016  
 Image Source: ESRI 2011  
 Projection: NAD 1983 StatePlane  
 Maryland FIPS 1900 (US Feet)







0 250 500 1,000  
Feet  
1 inch = 1,000 feet

#### Legend

- Phase 1 Northwest Shoreline
- Perennial Creek/Stream
- Boundary between Sand and Fine Grained Sediment
- Approximate Location of Active Stormwater Outfall
- Approximate Location of Inactive Stormwater Outfall

#### Bis(2-ethylhexyl)phthalate in Sediments

- Coring Location <182 (BTAG) ug/kg
- Coring Location 182 (BTAG) - 2647 (PEC) ug/kg



- Coring Location 2647 (PEC) - 20,000 ug/kg
- Coring Location >20,000 ug/kg
- Surface Grab and Coring Location 2647 (PEC) - 20,000 ug/kg
- Surface Grab and Coring Location >20,000 ug/kg
- Surface Grab <182 (BTAG) ug/kg
- Surface Grab 182 (BTAG) - 2647 (PEC) ug/kg
- Surface Grab 2647 (PEC) - 20,000 ug/kg
- Surface Grab >20,000 ug/kg

**Figure 5-17**  
**Bis(2-ethylhexyl)phthalate**  
**Concentrations in Surface and**  
**Subsurface Sediment**  
**Phase I Northwest Shoreline**  
**Baltimore, Maryland**

Map Date: January 2016  
Image Source: ESRI 2011  
Projection: NAD 1983 StatePlane  
Maryland FIPS 1900 (US Feet)







#### Legend

- Transect Survey
- - - Phase 1 Northwest Shoreline
- ~~~~~ Perennial Creek/Stream
- Boundary between Sand and Fine Grained Sediment
- Approximate Location of Active Stormwater Outfall
- X Approximate Location of Inactive Stormwater Outfall


#### Sample Location

- Coring Location
- Surface Grab and Coring Location
- Surface Grab
- ▲ Surface Grab and Pore Water Sampling Location

**Figure 5-18**  
**Cross-Section Locations**  
 Phase I Northwest Shoreline  
 Baltimore, Maryland

Map Date: January 2016  
 Image Source: ESRI 2011  
 Projection: NAD 1983 StatePlane  
 Maryland FIPS 1900 (US Feet)





NOTES:

1. DASHED LINES INDICATE AREAS WHERE DEPTH TO CLAY WAS NOT DELINEATED.
2. CONCENTRATIONS IN **BLUE** EXCEED THE BIOLOGICAL TECHNICAL ASSISTANCE GROUP (BTAG) SEDIMENT BENCHMARK (2900 ug/kg).
3. CONCENTRATIONS IN **GREEN** EXCEED THE PROBABLE EFFECTS CONCENTRATION (22800 ug/kg).





FIGURE 5-19  
CROSS-SECTION A-A' - TOTAL PAH CONCENTRATIONS  
PHASE I NORTHWEST SHORELINE  
BALTIMORE, MARYLAND



NOTES:

1. DASHED LINES INDICATE AREAS WHERE DEPTH TO CLAY WAS NOT DELINEATED.
2. CONCENTRATIONS IN **BLUE** EXCEED THE BIOLOGICAL TECHNICAL ASSISTANCE GROUP (BTAG) SEDIMENT BENCHMARK (2900 ug/kg).
3. CONCENTRATIONS IN **GREEN** EXCEED THE PROBABLE EFFECTS CONCENTRATION (22800 ug/kg).





FIGURE 5-20  
CROSS-SECTION B-B' - TOTAL PAH CONCENTRATIONS  
PHASE I NORTHWEST SHORELINE  
BALTIMORE, MARYLAND





NOTES:

1. DASHED LINES INDICATE AREAS WHERE DEPTH TO CLAY WAS NOT DELINEATED.
2. CONCENTRATIONS IN **BLUE** EXCEED THE BIOLOGICAL TECHNICAL ASSISTANCE GROUP (BTAG) SEDIMENT BENCHMARK (40 ug/kg).
3. CONCENTRATIONS IN **GREEN** EXCEED THE PROBABLE EFFECTS CONCENTRATION (676 ug/kg).
4. CONCENTRATIONS IN **ORANGE** EXCEED 6000 ug/kg.





FIGURE 5-21  
CROSS-SECTION A-A' - TOTAL PCB CONCENTRATIONS  
PHASE I NORTHWEST SHORELINE  
BALTIMORE, MARYLAND



NOTES:

1. DASHED LINES INDICATE AREAS WHERE DEPTH TO CLAY WAS NOT DELINEATED.
2. CONCENTRATIONS IN **BLUE** EXCEED THE BIOLOGICAL TECHNICAL ASSISTANCE GROUP (BTAG) SEDIMENT BENCHMARK (40 ug/kg).
3. CONCENTRATIONS IN **GREEN** EXCEED THE PROBABLE EFFECTS CONCENTRATION (676 ug/kg).
4. CONCENTRATIONS IN **ORANGE** EXCEED 6000 ug/kg.





FIGURE 5-22  
CROSS-SECTION B-B' - TOTAL PCB CONCENTRATIONS  
PHASE I NORTHWEST SHORELINE  
BALTIMORE, MARYLAND



NOTES:

1. DASHED LINES INDICATE AREAS WHERE DEPTH TO CLAY WAS NOT DELINEATED.
2. CONCENTRATIONS IN **BLUE** EXCEED 1000 mg/kg.
3. CONCENTRATIONS IN **GREEN** EXCEED 5000 mg/kg.





FIGURE 5-23  
CROSS-SECTION A-A' - OIL AND GREASE CONCENTRATIONS  
PHASE I NORTHWEST SHORELINE  
BALTIMORE, MARYLAND



NOTES:

1. DASHED LINES INDICATE AREAS WHERE DEPTH TO CLAY WAS NOT DELINEATED.
2. CONCENTRATIONS IN **BLUE** EXCEED 1000 mg/kg.




FIGURE 5-24  
CROSS-SECTION B-B' - OIL AND GREASE CONCENTRATIONS  
PHASE I NORTHWEST SHORELINE  
BALTIMORE, MARYLAND

TABLE 5-1 METALS, CYANIDE, OIL AND GREASE, AND GENERAL CHEMISTRY CONCENTRATIONS IN SURFACE SEDIMENT GRAB SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

						Northeast/Near-Shore Grouping																	Southwest/Tin Mill Canal Effluent Grouping						
						SD-A01	SD-A02	SD-A03	SD-B01	SD-B02	SD-B02-FD	SD-C01	SD-C02	SD-C03	SD-D01	SD-D02	DE01-SD <sup>4</sup>	SD-E01	SD-E02	SD-F01	SD-F01-FD	SD-F02	F05-SD <sup>4</sup>	SD-E03	SD-G01	SD-G02	SD-H01	SD-H02	SD-H03
ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	0.17 J	1.5 J	2.5 J	0.12 J	2.7 J	2.5 J	0.13 J	0.41 J	2.6 J	0.27	0.36	0.29	0.27	0.22	1.1	1.1	0.68	1.9	4.1	7.8	7	6.1	6.6	6.8
ANTIMONY	MG/KG	0.51	--	--	410	1.8	17	26	1.7	27	24	1.6	7.1	28	4.8	5.4	5	3.5	2.8	9.7	10	6.1	5.9	25	17	23	20	23	27
ARSENIC	MG/KG	0.14	7.24	33	92	0.082 J	0.72 J	1 J	0.053 J	1 J	0.94 J	0.056 J	0.24 J	1 J	0.15	0.13	0.1	0.082	0.15	0.18	0.16	0.13	0.1	0.92	0.24 J	0.46 J	0.35 J	0.31 J	0.29 J
BERYLLIUM	MG/KG	0.25	--	--	96	0.94	5.4	7.1	0.78	9.2	8.3	0.73	3	8.5	4.4	4.8	1.8	0.97	0.72	4	4.1	2.5	5.3	5.3	2.5	5.7	4.9	4.5	45
CADMIUM	MG/KG	0.25	0.68	4.98	1706	46	400	760	33	790	710	32	130	800	44	170	110	97	66	530	530	250	860	1400	800	2700	1400	1700	2600
CHROMIUM	MG/KG	0.67	52.3	111	133098	8.7	98.00	160	5.5	160	140	5.6	28	170	11	19	8.5	9.1	11	77	80	29	66	190	110	260	180	190	470
COPPER	MG/KG	0.51	18.7	149	273022	13	160	240	9.7	260	230	11	51	250	16	25	15	16	16	110	110	46	75	190	67	130	110	120	260
LEAD	MG/KG	0.25	30.2	128	--	0.018 J	0.26	0.36	0.0096 J	0.46	0.36	0.0079 J	0.086	0.42	---	---	---	---	---	0.26	0.17	0.072	0.088	---	0.26	0.53	0.38	0.36	0.83
MERCURY	MG/KG	0.05	0.18*	1.06	48	3.7	30	46	2.2	46	41	2.7	8.6	46	5.5	6.4	4.1	4.9	5.6	19	19	10	41	76	63	130	95	120	170
NICKEL	MG/KG	0.25	15.9	48.6	136511	0.17 J	2 J	2.8 J	0.12 J	3.1 J	2.6 J	0.12 J	0.77 J	3.1 J	0.22 J	0.25 J	0.13 J	0.14 J	0.22 J	0.54	0.56	0.3 J	0.34	2.6	6 U	8.7 U	5.2 U	4.9 U	7.7 U
SELENIUM	MG/KG	1.28	2*	--	34128	0.047 J	0.86	1.6	0.026 J	1.7	1.5	0.03 J	0.23	1.7	0.071 J	0.16	0.073	0.063	0.075 J	1.1	1	0.28	0.8	2.5	0.89 J	5.4	1.9	2	4.8
SILVER	MG/KG	0.25	0.73	--	1365	0.047 J	0.40	0.55	0.033 J	0.58	0.52	0.034 J	0.11	0.54	0.039 J	0.062 J	0.032 J	0.032 J	0.054 J	0.12	0.11	0.079	0.093	0.49	0.14 J	0.3 J	0.3 J	0.27 J	0.2 J
THALLIUM	MG/KG	0.25	--	--	68	130 J	980 J	1400 J	99 J	1600 J	1500 J	98 J	380 J	1500 J	510	670	290	220	140	850	850	490	1200	1200	1100	1700	1900	1900	10000
ZINC	MG/KG	1.83	124	459	2047665																								

CYANIDE, TOTAL	MG/KG	0.72	0.1*	--	4095	0.12 J	0.73 U	1.1 U	0.35 U	1 U	0.95 U	0.37 U	0.36 J	1.5	0.38 U	0.66	1.60	0.21 J	0.18 J	0.4	0.22 J	0.31 J	0.74	7.3	0.37 J	21	2.8	1.2	12
OIL AND GREASE	MG/KG	364.57	--	--	--	--	--	--	260	12000	12000	310	1600	18000	--	--	--	--	--	15000	--	2500	14000	--	89000	95000	90000	110000	110000

PERCENT MOISTURE	%	0.10	--	--	--	32	66	77	29	76	73	32	42	77	34	27	28	20	35	39	33	31	29	77	62	75	57	59	74
TOTAL ORGANIC CARBON	MG/KG	2873.00	--	--	--	2700	42000	62000	2400	63000	55000	3100	16000	63000	3500	3700	3200	2300	5000	18000	20000	5900	17000	120000	130000	180000	150000	150000	180000

NOTES: Bold values represent detected concentrations. RL is reported for non-detected constituents.

This table includes data that were not considered in the risk assessment (i.e., data for constituents that are not Site-related COPCs for the Northeast Grouping). Tables 8-5 through 8-10 present data used in the risk assessment for each grouping.

<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

\*BTAG freshwater sediment benchmark

<sup>2</sup> Probable Effects Concentrations from MacDonald, 2000.

<sup>3</sup> Calculated site-specific human health screening levels, Appendix H.

<sup>4</sup> Samples DE01-SD and F05-SD are identified on data figures as SD-DE01 and SD-F05, respectively, for consistency.

Value exceeds BTAG benchmark

Value exceeds PEC

-- = no screening criterion or not analyzed, as applicable

mg/kg = milligrams per kilogram

RL = reporting limit

J = compound was detected, but below the reporting limit (value is estimated)

U = compound was analyzed, but not detected

TABLE 5-2 POLYCYCLIC AROMATIC HYDROCARBON CONCENTRATIONS IN SURFACE SEDIMENT GRAB SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE      UNITS    AVG RL   BTAG <sup>1</sup> PEC <sup>2</sup> HHRA <sup>3</sup>						Northeast/Near-Shore Grouping																Southwest/Tin Mill Canal Effluent Grouping						
						SD-A01	SD-A02	SD-A03	SD-B01	SD-B02	SD-B02-FD	SD-C01	SD-C02	SD-C03	SD-D01	SD-D02	DE01-SD <sup>4</sup>	SD-E01	SD-E02	SD-F01	SD-F02	F05-SD <sup>4</sup>	SD-E03	SD-G01	SD-G02	SD-H01	SD-H02	SD-H03
ACENAPHTHENE	UG/KG	298.57	6.71	--	3.15E+07	20 U	49 U	300 U	19 U	350 U	310 U	49 U	140 U	360 U	25 U	18 U	23 U	17 U	26 U	82 UJ	48 U	23 U	730 U	880 UJ	660 UJ	1200 UJ	1200 UJ	1900 UJ
ACENAPHTHYLENE	UG/KG	298.57	5.87	--	3.15E+07	20 U	76	110 J	19 U	89 J	310 U	49 U	140 U	120 J	25 U	18 U	23 U	17 U	8.5 J	82 UJ	48 U	110	320 J	880 UJ	660 UJ	1200 UJ	1200 UJ	1900 UJ
ANTHRACENE	UG/KG	298.57	46.9	845	1.58E+08	20 U	73	79 J	19 U	110 J	310 U	49 U	28 J	140 J	25 U	18 U	23 U	17 U	26 U	82 U	48 U	62	730 U	880 UJ	660 UJ	1200 UJ	1200 UJ	1900 UJ
FLUORENE	UG/KG	298.57	21.2	536	2.10E+07	20 U	29 J	300 U	19 U	350 U	310 U	49 U	140 U	360 U	25 U	18 U	23 U	17 U	26 U	82 UJ	48 U	23 U	730 U	880 UJ	660 UJ	1200 UJ	1200 UJ	1900 UJ
NAPHTHALENE	UG/KG	298.57	34.6	561	1.05E+07	8.7 J	200	310	4.1 J	380	330	7.9 J	74 J	560	25 U	4.2 J	23 U	17 U	17 J	34 J	16 J	37	530 J	200 J	430 J	220 J	210 J	4000
PHENANTHRENE	UG/KG	298.57	86.7	1170	1.58E+07	20 U	120	180 J	19 U	220 J	310 U	49 U	54 J	200 J	25 U	18 U	23 U	17 U	26 U	82 U	48 U	37	730 U	880 UJ	660 UJ	1200 UJ	1200 UJ	1900 UJ
BENZO[A]ANTHRACENE	UG/KG	298.57	74.8	1050	1.68E+04	20 U	160	300 U	19 U	280 J	210 J	49 U	140 U	270 J	14 J	18 U	23 U	17 U	26 U	130	48 U	320	610 J	880 U	2300	1200 U	1200 U	1900 U
BENZO[A]PYRENE	UG/KG	298.57	88.8	1450	1.68E+03	20 U	210	300 U	19 U	350 U	380	49 U	140 U	500	25 U	18 U	23 U	17 U	26 U	82 U	48 U	400	1300	880 U	1700	1200 U	1200 U	1900 U
BENZO[B]FLUORANTHENE	UG/KG	298.57	27.2	--	1.68E+04	20 U	310	300 U	19 U	350 U	310 U	49 U	140 U	690	11 J	18 U	23 U	17 U	26 U	82 U	48 U	370	1700	880 U	660 U	1200 U	1200 U	1900 U
BENZO[G,H,I]PERYLENE	UG/KG	298.57	170*	--	--	20 U	260	300 U	19 U	350 U	310 U	49 U	140 U	670	25 U	18 U	23 U	17 U	26 U	82 U	48 U	500	1000	880 U	660 U	1200 U	1200 U	1900 U
BENZO[K]FLUORANTHENE	UG/KG	298.57	240*	--	1.68E+05	20 U	110	300 U	19 U	350 U	310 U	49 U	140 U	280 J	25 U	18 U	23 U	17 U	26 U	82 U	48 U	160	280 J	880 U	660 U	1200 U	1200 U	1900 U
CHRYSENE	UG/KG	298.57	108	1290	1.68E+06	20 U	210	300 U	19 U	250 J	260 J	49 U	140 U	360	13 J	18 U	23 U	17 U	26 U	240	48 U	280	720 J	880 U	2200	1200 U	1200 U	1900 U
DIBENZ(A,H)ANTHRACENE	UG/KG	298.57	6.22	--	1.68E+03	20 U	61	300 U	19 U	350 U	310 U	49 U	140 U	360 U	25 U	18 U	23 U	17 U	26 U	82 U	48 U	45	730 U	880 U	660 U	1200 U	1200 U	1900 U
FLUORANTHENE	UG/KG	298.57	113	2230	2.10E+07	18 J	410	390	7.7 J	490	430	49 U	110 J	680	22 J	14 J	7.2 J	17	17 J	450	75	1400	1900	1200 J	4900 J	1400 J	3200 J	2600 J
INDENO[1,2,3-CD]PYRENE	UG/KG	298.57	17	--	1.68E+04	20 U	250	300 U	19 U	350 U	310 U	49 U	140 U	470	25 U	18 U	23 U	17 U	26 U	82 U	48 U	310	730 U	880 U	660 U	1200 U	1200 U	1900 U
PYRENE	UG/KG	298.57	153	1520	1.58E+07	14 J	270	380	7.9 J	490	440	49 U	90 J	690	16 J	6.3 J	6.5 J	7.1 J	18 J	750	140	690	2000	1000	2800	1300	2500	5000
TOTAL PAHs ND=0	UG/KG	--	2900	22800	--	40.7	2639	1449	19.7	2309	2050	7.9	356	5630	76	24.5	13.7	24.1	60.5	1604	231	4524	10360	2400	14330	2920	5910	11600

NOTES: Bold values represent detected concentrations. RL is reported for non-detected constituents.

This table includes data that were not considered in the risk assessment (i.e., data for constituents that are not Site-related COPCs for the Northeast Grouping). Tables 8-5 through 8-10 present data used in the risk assessment for each grouping. Samples were diluted (by factors of 4 to 25) to address matrix interference, resulting in RLs elevated to varying degrees.

<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

\*BTAG freshwater sediment benchmark

<sup>2</sup> Probable Effects Concentrations from MacDonald, 2000.

<sup>3</sup> Calculated site-specific human health screening levels, Appendix H.

<sup>4</sup> Samples DE01-SD and F05-SD are identified on data figures as SD-DE01 and SD-F05, respectively, for consistency.

- Value exceeds BTAG benchmark
- Value exceeds PEC
- Value exceeds human health screening level

-- = no screening criterion

ug/kg = micrograms per kilogram

RL = reporting limit

J = compound was detected, but below the reporting limit (value is estimated)

U = compound was analyzed, but not detected

\*BTAG value from freshwater sediment screening values

TABLE 5-3 POLYCHLORINATED BIPHENYL CONCENTRATIONS IN SURFACE SEDIMENT GRAB SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	Northeast/Near-Shore Grouping									Southwest/Tin Mill Canal Effluent Grouping				
						SD-B01	SD-B02	SD-B02-FD	SD-C01	SD-C02	SD-C03	SD-F01	SD-F02	F05-SD <sup>4</sup>	SD-G01	SD-G02	SD-H01	SD-H02	SD-H03
PCB-1016	UG/KG	26.56	---	---	3.41E+04	5.9 U	17 U	15 U	6.1 U	7.2 U	18 U	6.8 U	6 U	2.9 U	22 U	17 U	19 U	20 U	32 U
PCB-1221	UG/KG	26.56	---	---	1.48E+04	5.9 U	17 U	15 U	6.1 U	7.2 U	18 U	6.8 U	6 U	2.9 U	22 U	17 U	19 U	20 U	32 U
PCB-1232	UG/KG	26.56	---	---	1.48E+04	5.9 U	17 U	15 U	6.1 U	7.2 U	18 U	6.8 U	6 U	2.9 U	22 U	17 U	19 U	20 U	32 U
PCB-1242	UG/KG	26.56	---	---	---	5.9 U	17 U	15 U	6.1 U	7.2 U	18 U	6.8 U	6 U	2.9 U	22 U	17 U	19 U	20 U	32 U
PCB-1248	UG/KG	26.56	---	---	1.48E+04	5.9 U	<b>78 J</b>	<b>130</b>	6.1 U	<b>26</b>	<b>140 J</b>	<b>1600</b>	<b>190</b>	2.9 U	<b>260</b>	<b>230</b>	<b>680</b>	<b>570</b>	<b>910 J</b>
PCB-1254	UG/KG	26.56	---	---	9.75E+03	<b>2.9 J</b>	17 U	15 U	<b>3.7 J</b>	7.2 U	18 U	6.8 U	6 U	<b>38</b>	22 U	17 U	19 U	20 U	32 U
PCB-1260	UG/KG	26.56	---	---	1.48E+04	<b>1.9 J</b>	<b>49</b>	<b>84</b>	<b>1.9 J</b>	<b>21 J</b>	<b>88</b>	6.8 U	6 U	2.9 U	22 U	17 U	19 U	20 U	<b>1000 J</b>
Total PCBs ND=0 <sup>5</sup>	UG/KG	---	40	676	---	4.8	127	214	5.6	47	228	1600	190	38	260	230	680	570	1910

NOTES: Bold values represent detected concentrations. RL is reported for non-detected constituents.

This table includes data that were not considered in the risk assessment (i.e., data for constituents that are not Site-related COPCs for the Northeast Grouping). Tables 8-5 through 8-10 present data used in the risk assessment for each grouping.

<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group.

<sup>2</sup> Probable Effects Concentrations from MacDonald, 2000.

<sup>3</sup> Calculated site-specific human health screening levels, Appendix H.

<sup>4</sup> Sample F05-SD is identified on data figures as SD-F05 for consistency.

<sup>5</sup> Sum of detected Aroclors (including J-qualified). Non-detects not included.

Value exceeds BTAG benchmark

Value exceeds PEC

-- = no screening criterion

ug/kg = micrograms per kilogram

RL = reporting limit

J = compound was detected, but below the reporting limit (value is estimated)

U = compound was analyzed, but not detected

TABLE 5-4 VOLATILE ORGANIC COMPOUND CONCENTRATIONS IN SURFACE SEDIMENT GRAB SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	HHRA <sup>2</sup>	Northeast/Near-Shore Grouping									Southwest/Tin Mill Canal Effluent Grouping				
					SD-B01	SD-B02	SD-B02-FD	SD-C01	SD-C02	SD-C03	SD-F01	SD-F02	F05-SD <sup>3</sup>	SD-G01	SD-G02	SD-H01	SD-H02	SD-H03
1,1,1-TRICHLOROETHANE	UG/KG	15.11	--	--	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 U	19 U
1,1,2,2-TETRACHLOROETHANE	UG/KG	15.11	--	--	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 U	19 U
1,1,2-TRICHLOROETHANE	UG/KG	15.11	--	--	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 U	19 U
1,1-DICHLOROETHANE	UG/KG	15.11	--	--	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 U	19 U
1,1-DICHLOROETHENE	UG/KG	15.11	--	--	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 U	19 U
1,2-DICHLOROBENZENE	UG/KG	15.11	989	6.14E+07	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	<b>8.8 J</b>	12 U	12 U	19 U
1,2-DICHLOROETHANE	UG/KG	15.11	--	--	7.1 UJ	21 UJ	18 UJ	7.4 UJ	8.6 UJ	21 UJ	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 UJ	19 UJ
1,2-DICHLOROPROPANE	UG/KG	15.11	--	--	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 U	19 U
1,3-DICHLOROBENZENE	UG/KG	15.11	--	6.14E+07	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 U	19 U
1,4-DICHLOROBENZENE	UG/KG	15.11	--	7.67E+06	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 U	19 U
2-CHLOROETHYL VINYL ETHER	UG/KG	30.27	--	--	14 U	42 U	37 U	15 U	17 U	43 U	16 U	14 U	14 U	26 U	40 U	23 U	24 U	38 U
ACROLEIN	UG/KG	302.72	--	--	140 U	420 U	370 U	150 U	170 U	430 U	160 U	140 U	140 U	260 U	400 U	230 U	240 U	380 U
ACRYLONITRILE	UG/KG	302.72	--	--	140 U	420 U	370 U	150 U	170 U	430 U	160 U	140 U	140 U	260 U	400 U	230 U	240 U	380 U
BENZENE	UG/KG	15.11	137	1.51E+08	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 U	<b>6.9 J</b>
BROMOFORM	UG/KG	15.11	--	--	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 U	19 U
BROMOMETHANE	UG/KG	15.11	--	--	7.1 UJ	21 UJ	18 UJ	7.4 UJ	8.6 UJ	21 UJ	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 UJ	19 UJ
CARBON TETRACHLORIDE	UG/KG	15.11	--	--	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 UJ	19 UJ
CHLOROBENZENE	UG/KG	15.11	162	1.37E+07	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	<b>16 J</b>	12 U	<b>2.4 J</b>	250
CHLORODIBROMOMETHANE	UG/KG	15.11	--	--	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 U	19 U
CHLOROETHANE	UG/KG	15.11	--	--	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 U	19 U
CHLOROFORM	UG/KG	15.11	--	--	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 U	19 U
CHLOROMETHANE	UG/KG	15.11	--	--	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 U	19 U
CIS-1,3-DICHLOROPROPENE	UG/KG	15.11	--	--	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 U	19 U
DICHLOROBROMOMETHANE	UG/KG	15.11	--	--	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 U	19 U
ETHYLBENZENE	UG/KG	15.11	305	1.26E+07	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	<b>2.1 J</b>	<b>5.8 J</b>	12 U	12 U	<b>33</b>
METHYLENE CHLORIDE	UG/KG	15.11	--	--	7.1 UJ	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 U	19 U
TETRACHLOROETHENE	UG/KG	15.11	--	--	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 U	19 U
TOLUENE	UG/KG	15.11	1090*	1.82E+08	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	<b>1.8 J</b>	<b>1.6 J</b>	7 U	<b>3.6 J</b>	<b>5.3 J</b>	<b>2.6 J</b>	12 U	<b>16 J</b>
TRANS-1,2-DICHLOROETHENE	UG/KG	15.11	--	--	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 U	19 U
TRANS-1,3-DICHLOROPROPENE	UG/KG	15.11	--	--	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 U	19 U
TRICHLOROETHENE	UG/KG	15.11	--	--	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 U	13 U	20 U	12 U	12 U	19 U
VINYL CHLORIDE	UG/KG	15.11	--	--	7.1 U	21 U	18 U	7.4 U	8.6 U	21 U	8.2 U	7.2 U	7 UJ	13 U	20 U	12 U	12 U	19 U

**NOTES:** Bold values represent detected concentrations. RL is reported for non-detected constituents.

This table includes data that were not considered in the risk assessment (i.e., data for constituents that are not Site-related COPCs for the Northeast Grouping). Tables 8-5 through 8-10 present data used in the risk assessment for each grouping.

<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

\*BTAG freshwater sediment benchmark

<sup>2</sup> Calculated site-specific human health screening levels, Appendix H.

<sup>3</sup> Sample F05-SD is identified on data figures as SD-F05 for consistency.

Value exceeds BTAG benchmark

-- = no screening criterion

ug/kg = micrograms per kilogram

RL = reporting limit

J = compound was detected, but below the reporting limit (value is estimated)

U = compound was analyzed, but not detected



TABLE 5-5 SEMIVOLATILE ORGANIC COMPOUND CONCENTRATIONS IN SURFACE SEDIMENT GRAB SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	Northeast/Near-Shore Grouping															Southwest/Tin Mill Canal Effluent Grouping							
						SD-A01	SD-A02	SD-A03	SD-B01	SD-B02	SD-B02-FD	SD-C01	SD-C02	SD-C03	SD-D01	SD-D02	DE01-SD <sup>4</sup>	SD-E01	SD-E02	SD-F01	SD-F02	F05-SD <sup>4</sup>	SD-E03	SD-G01	SD-G02	SD-H01	SD-H02	SD-H03
1,2,4-TRICHLOROBENZENE	UG/KG	1419.15	473	--	--	---	---	---	93 U	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 U	240 U	120 U	---	4300 U	3300 U	5800 U	5900 U	9400 U
1,2-DIPHENYLHYDRAZINE(AS AZOBENZENE)	UG/KG	1419.15	--	--	--	---	---	---	93 U	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 U	240 U	120 U	---	4300 UJ	3300 UJ	5800 UJ	5900 UJ	9400 UJ
2,2'-OXYBIS[1-CHLOROPROPANE]	UG/KG	289.25	--	--	--	---	---	---	19 U	350 U	310 U	49 U	140 U	360 U	---	---	---	---	---	82 U	48 U	23 U	---	880 U	660 U	1200 U	1200 U	1900 U
2,4,6-TRICHLOROPHENOL	UG/KG	1419.15	2650	--	--	---	---	---	93 U	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 UJ	240 U	120 U	---	4300 UJ	3300 UJ	5800 UJ	5900 UJ	9400 UJ
2,4-DICHLOROPHENOL	UG/KG	289.25	117*	--	--	---	---	---	19 U	350 U	310 U	49 U	140 U	360 U	---	---	---	---	---	82 U	48 U	23 U	---	880 U	660 U	1200 U	1200 U	1900 U
2,4-DIMETHYLPHENOL	UG/KG	1419.15	29*	--	1.37E+07	---	---	---	93 U	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 U	240 U	120 U	---	4300 U	3300 U	5800 U	5900 U	9400 U
2,4-DINITROPHENOL	UG/KG	7311.47	41.6*	--	--	---	---	---	480 U	8800 U	7800 U	1200 U	3700 U	9000 U	---	---	---	---	---	2100 UJ	1200 U	600 U	---	22000 UJ	17000 UJ	30000 UJ	31000 UJ	49000 UJ
2,4-DINITROTOLUENE	UG/KG	1419.15	41.60	--	--	---	---	---	93 U	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 UJ	240 U	120 U	---	4300 UJ	3300 UJ	5800 UJ	5900 UJ	9400 UJ
2,6-DINITROTOLUENE	UG/KG	1419.15	--	--	--	---	---	---	93 U	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 UJ	240 U	120 U	---	4300 UJ	3300 UJ	5800 UJ	5900 UJ	9400 UJ
2-CHLORONAPHTHALENE	UG/KG	289.25	--	--	--	---	---	---	19 U	350 U	310 U	49 U	140 U	360 U	---	---	---	---	---	82 UJ	48 U	23 U	---	880 UJ	660 UJ	1200 UJ	1200 UJ	1900 UJ
2-CHLOROPHENOL	UG/KG	1419.15	344	--	--	---	---	---	93 U	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 U	240 U	120 U	---	4300 U	3300 U	5800 U	5900 U	9400 U
2-NITROPHENOL	UG/KG	1419.15	--	--	--	---	---	---	93 U	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 U	240 U	120 U	---	4300 U	3300 U	5800 U	5900 U	9400 U
3,3'-DICHLOROBENZIDINE	UG/KG	1419.15	2060	--	--	---	---	---	93 U	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 U	240 U	120 U	---	4300 U	3300 U	5800 U	5900 U	9400 U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	7311.47	--	--	--	---	---	---	480 U	8800 U	7800 U	1200 U	3700 U	9000 U	---	---	---	---	---	2100 U	1200 U	600 U	---	22000 UJ	17000 UJ	30000 UJ	31000 UJ	49000 UJ
4-BROMOPHENYL PHENYL ETHER	UG/KG	1419.15	1230*	--	--	---	---	---	93 U	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 U	240 U	120 U	---	4300 UJ	3300 UJ	5800 UJ	5900 UJ	9400 UJ
4-CHLORO-3-METHYLPHENOL	UG/KG	1419.15	--	--	--	---	---	---	93 U	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 U	240 U	120 U	---	4300 U	3300 U	5800 U	5900 U	9400 U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	1419.15	--	--	--	---	---	---	93 U	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 UJ	240 U	120 U	---	4300 UJ	3300 UJ	5800 UJ	5900 UJ	9400 UJ
4-NITROPHENOL	UG/KG	7311.47	--	--	--	---	---	---	480 U	8800 UJ	7800 UJ	1200 UJ	3700 UJ	9000 UJ	---	---	---	---	---	2100 UJ	1200 U	600 U	---	22000 UJ	17000 UJ	30000 UJ	31000 UJ	49000 UJ
BENZIDINE	UG/KG	28924.85	--	--	--	---	---	---	<b>R</b>	35000 U	31000 U	4900 U	14000 U	36000 U	---	---	---	---	---	8200 U	4800 U	2300 U	---	88000 U	66000 U	120000 U	120000 U	190000 U
BENZOIC ACID	UG/KG	7311.47	650*	--	2.73E+09	---	---	---	480 U	8800 U	7800 U	1200 U	3700 U	9000 U	---	---	---	---	---	2100 U	1200 U	600 U	---	22000 U	17000 U	30000 U	31000 U	49000 U
BIS(2-CHLOROETHOXY)METHANE	UG/KG	1419.15	--	--	--	---	---	---	93 U	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 U	240 U	120 U	---	4300 U	3300 U	5800 U	5900 U	9400 U
BIS(2-CHLOROETHYL)ETHER	UG/KG	289.25	--	--	--	---	---	---	19 U	350 U	310 U	49 U	140 U	360 U	---	---	---	---	---	82 U	48 U	23 U	---	880 U	660 U	1200 U	1200 U	1900 U
BIS(2-ETHYLHEXYL) PHTHALATE	UG/KG	2689.99	182.16	2647	2.96E+06	<b>27 J</b>	<b>250 J</b>	2900 U	190 U	<b>910 J</b>	3100 U	490 U	1400 U	3500 U	250 U	<b>29 J</b>	230 U	<b>18 J</b>	<b>42 J</b>	<b>1600</b>	<b>300 J</b>	<b>790</b>	<b>3700 J</b>	<b>3300 J</b>	<b>13000</b>	<b>7500 J</b>	<b>3500 J</b>	<b>33000</b>
BUTYL BENZYL PHTHALATE	UG/KG	1419.15	16800	--	--	---	---	---	93 U	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 U	240 U	120 U	---	4300 U	3300 U	5800 U	5900 U	9400 U
DIETHYL PHTHALATE	UG/KG	1419.15	218	--	--	---	---	---	93 U	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 UJ	240 U	120 U	---	4300 UJ	3300 UJ	5800 UJ	5900 UJ	9400 UJ
DIMETHYL PHTHALATE	UG/KG	1419.15	--	--	--	---	---	---	93 U	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 UJ	240 U	120 U	---	4300 UJ	3300 UJ	5800 UJ	5900 UJ	9400 UJ
DI-N-BUTYL PHTHALATE	UG/KG	1419.15	1160	--	6.83E+07	---	---	---	93 U	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 U	240 U	120 U	---	4300 UJ	3300 UJ	5800 UJ	5900 UJ	9400 UJ
DI-N-OCTYL PHTHALATE	UG/KG	1419.15	--	--	--	---	---	---	93 U	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 U	240 U	120 U	---	4300 U	3300 U	5800 U	5900 U	9400 U
HEXACHLOROBENZENE	UG/KG	289.25	20*	--	--	---	---	---	19 U	350 U	310 U	49 U	140 U	360 U	---	---	---	---	---	82 U	48 U	23 U	---	880 UJ	660 UJ	1200 UJ	1200 UJ	1900 UJ
HEXACHLOROBUTADIENE	UG/KG	289.25	--	--	--	---	---	---	19 U	350 U	310 U	49 U	140 U	360 U	---	---	---	---	---	82 U	48 U	23 U	---	880 U	660 U	1200 U	1200 U	1900 U
HEXACHLOROCYCLOPENTADIENE	UG/KG	1419.15	139	--	--	---	---	---	<b>R</b>	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 UJ	240 U	120 U	---	4300 UJ	3300 UJ	5800 UJ	5900 UJ	9400 UJ
HEXACHLOROETHANE	UG/KG	1419.15	804	--	--	---	---	---	93 U	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 U	240 U	120 U	---	4300 U	3300 U	5800 U	5900 U	9400 U
ISOPHORONE	UG/KG	1419.15	--	--	--	---	---	---	93 U	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 U	240 U	120 U	---	4300 U	3300 U	5800 U	5900 U	9400 U
NITROBENZENE	UG/KG	2869.99	--	--	--	---	---	---	190 U	3500 U	3100 U	490 U	1400 U	3500 U	---	---	---	---	---	820 U	480 U	230 U	---	8800 U	6600 U	12000 U	12000 U	19000 U
N-NITROSODIMETHYLAMINE	UG/KG	1419.15	--	--	--	---	---	---	93 U	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 U	240 U	120 U	---	4300 U	3300 U	5800 U	5900 U	9400 U
N-NITROSODI-N-PROPYLAMINE	UG/KG	289.25	--	--	--	---	---	---	19 U	350 U	310 U	49 U	140 U	360 U	---	---	---	---	---	82 U	48 U	23 U	---	880 U	660 U	1200 U	1200 U	1900 U
N-NITROSODIPHENYLAMINE	UG/KG	1419.15	422000	--	--	---	---	---	93 U	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 U	240 U	120 U	---	4300 UJ	3300 UJ	5800 UJ	5900 UJ	9400 UJ
PENTACHLOROPHENOL	UG/KG	1419.15	7970	--	--	---	---	---	93 UJ	1700 U	1500 U	240 U	710 U	1800 U	---	---	---	---	---	410 U	240 U	120 U	---	4300 UJ	3300 UJ	5800 UJ	5900 UJ	9400 UJ
PHENOL	UG/KG	289.25	420*	--	2.05E+08	---	---	---	19 U	350 U	310 U	49 U	140 U	360 U	---	---	---	---	---	82 U	48 U	<b>20 J</b>	---	880 U	660 U	1200 U	1200 U	1900 U

**NOTES:** Bold values represent detected concentrations. RL is reported for non-detected constituents.

This table includes data that were not considered in the risk assessment (i.e., data for constituents that are not Site-related COPCs for the Northeast Grouping). Tables 8-5 through 8-10 present data used in the risk assessment for each grouping.

Samples were diluted (by factors of 4 to 25) to address matrix interference, resulting in RLs elevated to varying degrees.

<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

\*BTAG freshwater sediment benchmark

<sup>2</sup> Probable Effects Concentrations from MacDonald, 1996.

<sup>3</sup> Calculated site-specific human health screening levels, Appendix H.

<sup>4</sup> Samples DE01-SD and F05-SD are identified on data figures as SD-DE01 and SD-F05, respectively, for consistency.

**Value exceeds BTAG benchmark**

**Value exceeds PEC**

-- = no screening criterion or not analyzed, as applicable

**ug/kg** = micrograms per kilogram

**R** = data point rejected during validation (see Appendix E)

**RL** = reporting limit

**J** = compound was detected, but below the reporting limit (value is estimated)

**U** = compound was analyzed, but not detected

TABLE 5-6 GRAIN SIZE AND MOISTURE CONTENT OF SURFACE SEDIMENT GRAB SAMPLES.  
SPARROWS POINT TRUST OFFSHORE INVESTIGATION

ANALYTE	UNITS	Northeast/Near-Shore Grouping					Southwest/Effluent Grouping
		SD-B01	SD-B02	SD-C02	SD-E01	SD-E02	SD-E03
<b>Hydrometer Analysis</b>							
GRAVEL	%	0	0	28.7	0	1.7	0
SAND	%	92.5	22.6	56.6	96.8	83.4	26.3
SILT	%	5.4	73.90	10.5	1.8	10	68.2
CLAY	%	2.1	3.5	4.2	1.4	4.9	5.6
SILT+CLAY	%	7.5	77.4	14.7	3.2	14.9	73.8
MOISTURE CONTENT	%	36.6	228.7	49.6	29.5	29.1	312.6

TABLE 5-7 SIMULTANEOUSLY EXTRACTED METALS AND ACID VOLATILE SULFIDE CONCENTRATIONS IN SURFACE SEDIMENT GRAB SAMPLES.  
SPARROWS POINT TRUST OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	Northeast/Near-Shore Grouping																		Southwest/Tin Mill Canal Effluent Grouping					
			SD-A01	SD-A02	SD-A03	SD-B01	SD-B02	SD-B02-FD	SD-C01	SD-C02	SD-C03	SD-D01	SD-D02	DE01-SD <sup>1</sup>	SD-E01	SD-E02	SD-F01	SD-F01-FD	SD-F02	F05-SD <sup>1</sup>	SD-E03	SD-G01	SD-G02	SD-H01	SD-H02	SD-H03
CADMIUM SEM	UMOL/G	0.00	0.0082 J	0.034 J	0.057 J	0.0072 J	0.073 J	0.063 J	0.0058 J	0.025 J	0.07 J	0.032	0.026	0.022	0.0071	0.015	0.085 J	0.027 J	0.062	0.027	0.11	0.072	0.11	0.11	0.1	0.81
COPPER SEM	UMOL/G	0.03	0.11 J	0.62 J	1.8 J	0.075 J	1.8 J	1.5 J	0.067 J	0.37 J	0.86 J	0.094 J	0.14 J	0.14	0.078 J	0.28 J	1.7 J	0.45 J	1.4 J	0.34	4.2 J	3.6 J	5 J	4.7 J	5.2 J	7.2 J
LEAD SEM	UMOL/G	0.01	0.049	0.41	0.79	0.037	0.85	0.73	0.035	0.18	0.84	0.043	0.052	0.067	0.047	0.13	0.84 J	0.21 J	0.62	0.16	1.5	0.73	1.1	1.1	1.1	2.2
NICKEL SEM	UMOL/G	0.07	0.033	0.26	0.49	0.029	0.5	0.47	0.027	0.13	0.55	0.047	0.047	0.059	0.041	0.13	0.48 J	0.14 J	0.35	0.28	2.2	2.3	3.5	2.8	3.5	5.6
ZINC SEM	UMOL/G	0.11	2	10	18	1.6	21	19	1.4	5.5	20	5.9	6.2	6.4	2.6	5.1	26	9.2	21	8.7	40	37	41	56	46	280
ACID VOLATILE SULFIDES (AVS)	UMOL/G	62.01	0.68 U	23	41	0.66 U	39	32	0.69 U	11	23	0.71 U	0.17 J	0.35 J	0.29 J	1.5 U	31	25	16	34	83	51	150	32	34	15
SEM/AVS RATIO	NONE	0.00	NC	0.51	0.53	NC	0.63	0.67	NC	0.57	1	NC	38	19	9.7	NC	0.92	0.4	1.5	0.28	0.58	0.87	1	2.00	1.7	21

NOTES: Bold values represent detected concentrations. RL is reported for non-detected constituents.

<sup>1</sup> Samples DE01-SD and F05-SD are identified on data figures as SD-DE01 and SD-F05, respectively, for consistency.

AVS = Acid volatile sulfide

J = compound was detected, but below the reporting limit (value is estimated)

NC = not calculated because AVS was not detected

RL = reporting limit

SEM = simultaneously extracted metal

U = compound was analyzed, but not detected

umol/g = micromoles per gram

TABLE 5-8 METALS, CYANIDE, OIL AND GREASE, AND GENERAL CHEMISTRY CONCENTRATIONS IN SEDIMENT CORE SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	Southwest/Tin Mill Canal Effluent Grouping													
						SD-DE02-0002	SD-DE02-0406	SD-E03-0002	SD-E03-0204	SD-E03-0204-FD	SD-E03-0406	SD-F03-0002	SD-F04-0002	SD-F04-0406	SD-F06-0002	SD-F06-0406	SD-F07-0002	SD-F07-0406	SD-G01-0002
ANTIMONY	MG/KG	0.51	--	--	410	3.7 J	3.2	6.2 J	2.3 J	2.7 J	0.37 J	3.2 J	6.3 J	1.5 J	4.6 J	3.7 J	0.48 UJ	3.3	6.2 J
ARSENIC	MG/KG	0.14	7.24	33	92	35 J	83	60 J	65	72	29	22	27	5.3	79 J	140	77 J	97	21
BERYLLIUM	MG/KG	0.25	--	--	96	1.3 J	1.1	0.5 J	0.86	0.83	1.2	0.2	0.36	0.11	1.6 J	0.94	1.1 J	1.3	0.17
CADMIUM	MG/KG	0.25	0.68	4.98	1706	26 J	3.5 J	13 J	6.6 J	6.5 J	0.4 J	7.5	4.6	2.7	27 J	6.5	22 J	6.1 J	2.1 J
CHROMIUM	MG/KG	0.67	52.3	111	133098	2300 J	440	1600 J	330	360	67	1500	3100	340	3300 J	560	2700 J	460	2900
COPPER	MG/KG	0.51	18.7	149	273022	290 J	190	330 J	200	200	58	260	250	54	540 J	300	480 J	270	200
LEAD	MG/KG	0.25	30.2	128	--	320 J	1000	860 J	1000	1100	88	290	130	82	710 J	1200	920 J	1300	77
MERCURY	MG/KG	0.05	0.18*	1.06	48	0.69 J	1	1 J	0.86	0.87	0.29	0.77	0.4	0.31	1.3 J	0.88	1.6 J	1.5	0.32
NICKEL	MG/KG	0.25	15.9	48.6	136511	67 J	36	56 J	45	48	32	49 J	160 J	15 J	71 J	34 J	69 J	43	180
SELENIUM	MG/KG	1.28	2*	--	34128	4.4 J	15 J	9.7 J	17	25	1.5	1.9 J	1.3 J	0.44 J	14 J	21 J	13 J	30 J	0.88
SILVER	MG/KG	0.25	0.73	--	1365	3.9 J	1	3.8 J	1	0.8	0.16	3.5 J	2.3 J	0.79 J	5.5 J	1.4 J	6.2 J	1	2
THALLIUM	MG/KG	0.25	--	--	68	0.7 J	0.49	0.51 J	0.57	0.52	0.25	0.16	0.22	0.043 J	0.98 J	0.63	0.86 J	0.7	0.16
ZINC	MG/KG	1.83	124	459	2047665	4100 J	2100	3400 J	4000	4500	190	2200	2000	650	4200 J	2300	4600 J	2400	880
CYANIDE, TOTAL	MG/KG	0.72	0.1*	--	4095	4.5 J	8.2	29 J	27 J	13 J	0.26 J	6.2	4.2	0.63	0.42 J	26 J	15 J	13	17 J
OIL AND GREASE	MG/KG	364.57	--	--	--	1400 J	280 U	3100 J	470	310 U	200 U	450	4400	660	430 UJ	380	4400 J	470	11000
PERCENT MOISTURE	%	0.10	--	--	--	81	67	80	68	68	52	37	61	31	78	68	79	68	64
TOTAL ORGANIC CARBON	MG/KG	2873	--	--	--	120000	47000	84000	38000	40000	22000	34000	180000	44000	140000	59000	180000	50000	190000

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	Southwest/Tin Mill Canal Effluent Grouping													
						SD-H01-0002	SD-H01-0406	SD-H03-0002	SD-H03-0406	SD-H03-0607	SD-H04-0002	SD-H04-0002-FD	SD-H04-0406	SD-H05-0002	SD-H05-0406	SD-H06-0002	SD-H06-0002-FD	SD-H06-0204	SD-H07-0002
ANTIMONY	MG/KG	0.51	--	--	410	10 J	7.7 J	3.8 J	6 J	0.29 J	7.4 J	10 J	4.6 J	6.8	11 J	4.2 J	4 J	5.9 J	3.2 J
ARSENIC	MG/KG	0.14	7.24	33	92	25	42 J	43 J	56	16	28 J	37 J	90	31	69 J	26 J	28 J	62 J	67 J
BERYLLIUM	MG/KG	0.25	--	--	96	0.35	0.35 J	0.26 J	0.53	1.6	0.37 J	0.35 J	0.88	0.63	0.7 J	1 J	1.2 J	1 J	1.2 J
CADMIUM	MG/KG	0.25	0.68	4.98	1706	3.5 J	81 J	110 J	32	0.73	21 J	22 J	7.6	4.6 J	62 J	4.4 J	5.4 J	36 J	8.6 J
CHROMIUM	MG/KG	0.67	52.3	111	133098	1900	5300 J	4600 J	3700	68	3400 J	4300 J	420	2100	6900 J	1600 J	2100 J	4000 J	1100 J
COPPER	MG/KG	0.51	18.7	149	273022	180	400 J	550 J	510	38	350 J	510 J	300	240	940 J	200 J	240 J	610 J	290 J
LEAD	MG/KG	0.25	30.2	128	--	94	940 J	500 J	1000	63	300 J	410 J	1200	130	1000 J	150 J	190 J	680 J	570 J
MERCURY	MG/KG	0.05	0.18*	1.06	48	0.053 U	0.046 UJ	0.74 J	1.3	0.2	0.74 J	0.67 J	0.91	0.38	2.3 J	0.47 J	0.54 J	1.5 J	0.91 J
NICKEL	MG/KG	0.25	15.9	48.6	136511	110	120 J	210 J	130 J	35 J	140 J	220 J	36 J	120	120 J	78 J	79 J	83 J	43 J
SELENIUM	MG/KG	1.28	2*	--	34128	1.2	1.8 J	1.3 J	5.4 J	1.8 J	1.8 J	2.2 J	17 J	2.1 J	7.6 J	2.6 J	2.8 J	7.7 J	9.9 J
SILVER	MG/KG	0.25	0.73	--	1365	2.1	8.6 J	6 J	6.6 J	0.15 J	5.4 J	6.3 J	1.1 J	3.1	15 J	2.4 J	3.2 J	7.5 J	2.5 J
THALLIUM	MG/KG	0.25	--	--	68	0.23	0.18 J	0.65 J	0.38	0.26	0.35 J	0.44 J	0.54	0.41	1.1 J	0.4 J	0.48 J	0.85 J	0.81 J
ZINC	MG/KG	1.83	124	459	--	1400	10000 J	17000 J	8600	250	5500 J	11000 J	3500	1700	9800 J	1300 J	1500 J	5600 J	2000 J
CYANIDE, TOTAL	MG/KG	0.72	0.1*	--	4095	0.81 UJ	5.2 J	16 J	6.4	7 J	7.1 J	9.5 J	7.2 J	3.3	13 J	2.5 J	6.5 J	14 J	34 J
OIL AND GREASE	MG/KG	364.57	--	--	--	4900	5300 J	5700 J	3000	210 U	4700 J	2300 J	1300	3300	2000 J	1100 J	1400 J	1900 J	470 J
PERCENT MOISTURE	%	0.1	--	--	--	69	73	78	66	54	75	75	64	69	72	78	79	76	70
TOTAL ORGANIC CARBON	MG/KG	2873	--	--	--	260000	220000	250000	130000	19000	240000	200000	81000	210000	230000	150000	140000	150000	87000

NOTES: Bold values represent detected concentrations. RL is reported for non-detected constituents

This table includes data that were not considered in the risk assessments (i.e., data for subsurface sediments). Tables 8-6 through 8-10 present data used in the risk assessment for the Southwest Grouping.

<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

\*BTAG freshwater sediment benchmark

<sup>2</sup> Probable Effects Concentrations from MacDonald, 2000.

<sup>3</sup> Calculated site-specific human health screening levels, Appendix H.

- Value exceeds BTAG benchmark
- Value exceeds PEC
- Value exceeds human health screening level

-- = no screening criterion or not analyzed

mg/kg = milligrams per kilogram

RL = reporting limit

J = compound was detected, but below the reporting limit (value is estimated)

U = compound was analyzed, but not detected

TABLE 5-8 METALS, CYANIDE, OIL AND GREASE, AND GENERAL CHEMISTRY CONCENTRATIONS IN SEDIMENT CORE SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	Southwest/Tin Mill Canal Effluent Grouping												
						SD-G01-0406	SD-G02-0002	SD-G02-0406	SD-G03-0002	SD-G03-0406	SD-G04-0002	SD-G04-0406	SD-G04-0406-FD	SD-G05-0002	SD-G05-0406	SD-G05-0607	SD-G06-0002	SD-G06-0406
ANTIMONY	MG/KG	0.51	--	--	410	7.6 J	6.9 J	13	6.7 J	11	6.2 J	3.3 J	3.2 J	3.1 J	2.3 J	0.21 J	3	0.22
ARSENIC	MG/KG	0.14	7.24	33	92	50 J	29 J	57	29 J	84	41 J	71	69	22 J	31	9.8	120	10
BERYLLIUM	MG/KG	0.25	--	--	96	0.15 J	0.26 J	0.24	0.6 J	0.75	0.36 J	0.92	0.95	0.84 J	0.76	1.4	0.99	1.1
CADMIUM	MG/KG	0.25	0.68	4.98	1706	90 J	33 J	71 J	14 J	20 J	34 J	5.6 J	5.5 J	8 J	11 J	0.35 J	5.8 J	0.26 J
CHROMIUM	MG/KG	0.67	52.3	111	133098	7300 J	3900 J	5600	2600 J	1900	4200 J	350	410	1100 J	1100	66	560	50
COPPER	MG/KG	0.51	18.7	149	273022	540 J	400 J	580	290 J	500	440 J	210	210	180 J	240	35	230	38.00
LEAD	MG/KG	0.25	30.2	128	--	890 J	300 J	840	190 J	1200	560 J	840	800	180 J	300	45	1100	45
MERCURY	MG/KG	0.05	0.18*	1.06	48	1.1 J	0.63 J	1.8	0.53 J	1.7	1.5 J	1.4	1	0.49 J	0.74	0.19	0.95	0.17
NICKEL	MG/KG	0.25	15.9	48.6	136511	170 J	170 J	160	140 J	54	92 J	37	41	60 J	32	26	30	26
SELENIUM	MG/KG	1.28	2*	--	34128	1.4 J	1.5 J	2.7 J	2 J	13 J	3.4 J	30	30	2.3 J	4	0.81	16 J	0.87 J
SILVER	MG/KG	0.25	0.73	--	1365	10 J	4.8 J	12	3 J	7.6	8.1 J	0.64	0.64	2.2 J	3	0.14	1.4	0.12
THALLIUM	MG/KG	0.25	--	--	68	0.16 J	0.28 J	0.28	0.34 J	0.82	0.55 J	0.62	0.66	0.38 J	0.41	0.21	0.7	0.19
ZINC	MG/KG	1.83	124	459	2047665	16000 J	11000 J	12000	3900 J	3500	8000 J	1600	1500	1900 J	1300	110	2000	100
CYANIDE, TOTAL	MG/KG	0.72	0.1*	--	4095	4.8 J	8.4 J	15	4 J	24	8.2 J	7 J	9.1 J	12 J	3 J	7.4 J	18	0.2 J
OIL AND GREASE	MG/KG	364.57	--	--	--	3500 J	2500 J	1700	5000 J	2000	2900 J	260	270 U	740 J	330	190 U	290 U	200 U
PERCENT MOISTURE	%	0.10	--	--	--	70	74	69	74	70	75	63	64	78	59	52	67	54
TOTAL ORGANIC CARBON	MG/KG	2873	--	--	--	220000	240000	270000	160000	120000	210000	43000	38000	130000	45000	26000	57000	20000

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	Southwest/Tin Mill Canal Effluent Grouping												
						SD-H07-0002-FD	SD-H07-0406	SD-I01-0001	SD-I01-0102	SD-I02-0002	SD-I02-0204	SD-I02-0406	SD-I03-0002	SD-I03-0204	SD-I03-0406	SD-J02-0002	SD-J02-0204	SD-J02-0406
ANTIMONY	MG/KG	0.51	--	--	410	2.6	0.97 J	1.1 J	0.13 J	3.3 J	1.8 J	0.15 J	3.4	0.69	0.1 J	2.1 J	1.4 J	0.11 J
ARSENIC	MG/KG	0.14	7.24	33	92	57	43	35	9.6	47 J	33	7.1	99	30	7.6	27 J	40	8.1
BERYLLIUM	MG/KG	0.25	--	--	96	1	1.1	0.6	0.32	0.96 J	0.77	1	1.1	1.1	1	1.5 J	1.7	1.4
CADMIUM	MG/KG	0.25	0.68	4.98	1706	7.5 J	3.5 J	2.9	0.26	17 J	7.3 J	0.25 J	8.9 J	1.5 J	0.16 J	4.8 J	3.7	0.2
CHROMIUM	MG/KG	0.67	52.3	111	133098	900	360	190	22	1900 J	850	39	1000	210	30	750 J	470	41
COPPER	MG/KG	0.51	18.7	149	273022	230	120	110	13	370 J	210	15	270	74	14	200 J	150	17
LEAD	MG/KG	0.25	30.2	128	--	570	360	450	27	430 J	250	19	840	170	16	210 J	210	17
MERCURY	MG/KG	0.05	0.18*	1.06	48	0.97	1.1	0.72	0.054	0.58 J	0.63	0.018 J	1.5	1.1	0.018 J	0.57 J	0.9	0.018 J
NICKEL	MG/KG	0.25	15.9	48.6	136511	39	40	23 J	9.1 J	61 J	30	21	46	36	19	56 J	40 J	24 J
SELENIUM	MG/KG	1.28	2*	--	34128	10 J	9.8	8 J	0.67 J	7.3 J	4.8	0.71	17 J	3.6 J	0.73 J	3.7 J	5.3 J	0.78 J
SILVER	MG/KG	0.25	0.73	--	1365	2	0.39	0.51 J	0.057 J	4.3 J	2	0.067 J	1.6	0.27	0.052 J	1.8 J	0.94 J	0.064 J
THALLIUM	MG/KG	0.25	--	--	68	0.64	0.41	0.36	0.085	0.86 J	0.43	0.18	0.81	0.31	0.16	0.41 J	0.45	0.16
ZINC	MG/KG	1.83	124	459	--	1700	680	990	71	3000 J	990	71	1900	380	58	1200 J	710	73
CYANIDE, TOTAL	MG/KG	0.72	0.1*	--	4095	36	8.1 J	9.6 J	2 J	13 J	6.5 J	0.23 J	22	0.58 U	0.77 J	2.8 J	11	0.58 U
OIL AND GREASE	MG/KG	364.57	--	--	--	420	250	170 U	140 U	420 J	660	240 U	1600	220	230 U	410 UJ	500	230 U
PERCENT MOISTURE	%	0.1	--	--	--	69	53	47	31	77	68	61	66	57	58	76	64	58
TOTAL ORGANIC CARBON	MG/KG	2873	--	--	--	79000	25000	18000	6800	78000	75000	21000	53000	32000	19000	81000	62000	17000

**NOTES:** Bold values represent detected concentrations. RL is reported for non-detected constituents

This table includes data that were not considered in the risk assessments (i.e., data for subsurface sediments). Tables 8-6 through 8-10 present data used in the risk assessment for the Southwest Grouping.

<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

\*BTAG freshwater sediment benchmark

<sup>2</sup> Probable Effects Concentrations from MacDonald, 2000.

<sup>3</sup> Calculated site-specific human health screening levels, Appendix H.

**Value exceeds BTAG benchmark**

**Value exceeds PEC**

**Value exceeds human health screening level**

-- = no screening criterion or not analyzed

mg/kg = milligrams per kilogram

RL = reporting limit

J = compound was detected, but below the reporting limit (value is estimated)

U = compound was analyzed, but not detected

TABLE 5-9 POLYCYCLIC AROMATIC HYDROCARBON CONCENTRATIONS IN SEDIMENT CORE SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	Southwest/Tin Mill Canal Effluent Grouping												
						SD-DE02-0002	SD-DE02-0406	SD-E03-0002	SD-E03-0204	SD-E03-0204-FD	SD-E03-0406	SD-F03-0002	SD-F04-0002	SD-F04-0406	SD-F06-0002	SD-F06-0406	SD-F07-0002	SD-F07-0406
ACENAPHTHENE	UG/KG	298.57	6.71	--	3.15E+07	240 J	110 J	140 J	46 J	53	35 U	770	840 U	160	670 J	160	850 J	190
ACENAPHTHYLENE	UG/KG	298.57	5.87	--	3.15E+07	610 J	250	360 J	170	190	35 U	170	1500	66 J	740 J	390	620 J	540
ANTHRACENE	UG/KG	298.57	46.9	845	1.58E+08	1100 J	350	750 J	280	350	15 J	460 J	2100	76 J	1100 J	440	1300 J	830
FLUORENE	UG/KG	298.57	21.2	536	2.10E+07	380 J	250	170 J	100	150	35 U	980	1700	290	650 J	230	1500 J	370
NAPHTHALENE	UG/KG	298.57	34.6	561	1.05E+07	1200 J	1400	950 J	580	850	41	230	1700	22 J	9100 J	2000	2900 J	2200
PHENANTHRENE	UG/KG	298.57	86.7	1170	1.58E+07	1400 J	780	930 J	370	510	29 J	3500 J	7900	1400	2800 J	870	7000 J	1300
BENZO[A]ANTHRACENE	UG/KG	298.57	74.8	1050	1.68E+04	3700 J	860	2000 J	940	760	35	660	2600	210	3800 J	1000	3600 J	2000
BENZO[A]PYRENE	UG/KG	298.57	88.8	1450	1.68E+03	3500 J	840	1500 J	900	850	42	110 U	2500	120 U	3000 J	1000	3700 J	1700
BENZO[B]FLUORANTHENE	UG/KG	298.57	27.2	--	1.68E+04	3000 J	1100	1400 J	810	1000	35	440	2600	120 U	3100 J	1200	4600 J	2100
BENZO[G,H,I]PERYLENE	UG/KG	298.57	170*	--	--	3200 J	670	1400 J	810	730	32 J	110 U	2800	120 U	2500 J	950	3500 J	1700
BENZO[K]FLUORANTHENE	UG/KG	298.57	240*	--	1.68E+05	1500 J	310	890 J	220	330	23 J	370	810 J	120 U	1600 J	620	2400 J	910
CHRYSENE	UG/KG	298.57	108	1290	1.68E+06	3600 J	890	2000 J	980	700	35	1100	2800	430	4300 J	1200	4100 J	1700
DIBENZ(A,H)ANTHRACENE	UG/KG	298.57	6.22	--	1.68E+03	600 J	200 U	330 J	160	230	35 U	110 U	840 U	120 U	610 J	250	320 UJ	400
FLUORANTHENE	UG/KG	298.57	113	2230	2.10E+07	7600 J	1800	4900 J	1000	900	64	2300 J	8600	610	6900 J	2100	7900 J	4700
INDENO[1,2,3-CD]PYRENE	UG/KG	298.57	17	--	1.68E+04	2400 J	660	1100 J	440	640	23 J	110 U	1800	120 U	1900 J	830	2600 J	1400
PYRENE	UG/KG	298.57	153	1520	1.58E+07	5700 J	1300	2800 J	2200 J	1300 J	55	1700	6600	550	4700 J	1600	5300 J	2300
TOTAL PAHs ND=0	UG/KG	--	2900	22800	--	39730	11570	21620	10006	9543	429	12680	46010	3814	47470	14840	51870	24340

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	Southwest/Tin Mill Canal Effluent Grouping												
						SD-H01-0002	SD-H01-0406	SD-H03-0002	SD-H03-0406	SD-H03-0607	SD-H04-0002	SD-H04-0002-FD	SD-H04-0406	SD-H05-0002	SD-H05-0406	SD-H06-0002	SD-H06-0002-FD	SD-H06-0204
ACENAPHTHENE	UG/KG	298.57	6.71	--	--	1400	1500 J	1400 UJ	810	11 J	1400 UJ	3100 J	660	330 J	1100 J	150 J	280 J	590 J
ACENAPHTHYLENE	UG/KG	298.57	5.87	--	3.15E+07	2500	450 J	1000 UJ	440	43	2500 J	2900 J	610	920	1100 J	640 J	1000 J	850 J
ANTHRACENE	UG/KG	298.57	46.9	845	1.58E+08	4100	850 J	950 UJ	640 J	76	3200 J	3300 J	1300	1300	1600 J	520 J	930 J	880 J
FLUORENE	UG/KG	298.57	21.2	536	2.10E+07	3200	2000 J	2000 J	1200	23	4000 J	4600 J	750	850	2400 J	220 J	490 J	960 J
NAPHTHALENE	UG/KG	298.57	34.6	561	1.05E+07	3300	7000 J	6000 J	1500	130	5500 J	5900 J	6400	760	2700 J	820 J	1000 J	3100 J
PHENANTHRENE	UG/KG	298.57	86.7	1170	1.58E+07	14000	9500 J	6400 J	5500 J	100	14000 J	17000 J	3400	3900	12000 J	950 J	2000 J	3800 J
BENZO[A]ANTHRACENE	UG/KG	298.57	74.8	1050	1.68E+04	4900	1400 J	980 J	1200	190	4400 J	4100 J	2700	2400	3800 J	1600 J	2000 J	3200 J
BENZO[A]PYRENE	UG/KG	298.57	88.8	1450	1.68E+03	4300	240 UJ	300 UJ	890	160	3300 J	3500 J	2100	2200	2900 J	1700 J	1900 J	2600 J
BENZO[B]FLUORANTHENE	UG/KG	298.57	27.2	--	1.68E+04	5800	240 UJ	300 UJ	1300	220	2600 J	2100 J	2800	2100	3000 J	1600 J	1800 J	2800 J
BENZO[G,H,I]PERYLENE	UG/KG	298.57	170*	--	--	4300	240 UJ	300 UJ	200 U	130	1400 UJ	2800 J	1900	2600	2400 J	2000 J	2200 J	2700 J
BENZO[K]FLUORANTHENE	UG/KG	298.57	240*	--	1.68E+05	1100 U	240 UJ	300 UJ	480	57	2200 J	3300 J	1000	890	940 J	730 J	720 J	850 J
CHRYSENE	UG/KG	298.57	108	1290	1.68E+06	4500	2200 J	1300 UJ	1800	180	5200 J	5400 J	2900	2400	5300 J	1600 J	1900 J	3400 J
DIBENZ(A,H)ANTHRACENE	UG/KG	298.57	6.22	--	1.68E+03	1100 U	240 UJ	300 UJ	200 U	43	1400 UJ	1400 UJ	440	440 U	470 UJ	310 UJ	410 J	530 J
FLUORANTHENE	UG/KG	298.57	113	2230	2.10E+07	14000	4700 J	2800 J	3800 J	330	11000 J	12000 J	6200	7300	13000 J	4300 J	4900 J	8100 J
INDENO[1,2,3-CD]PYRENE	UG/KG	298.57	17	--	1.68E+04	3200	240 UJ	300 UJ	200 U	120	1800 J	1800 J	1700	1800	1600 J	1300 J	1500 J	1700 J
PYRENE	UG/KG	298.57	153	1520	1.58E+07	10000	3800 J	3200 J	2800	240	9500 J	11000 J	4700	3800	8400 J	2400 J	2700 J	4300 J
TOTAL PAHs ND=0	UG/KG	--	2900	22800	--	79500	33400	26030	22360	2053	69200	82800	39560	33550	62240	20530	25730	40360

**NOTES:** Bold values represent detected concentrations. RL is reported for non-detected constituents  
This table includes data that were not considered in the risk assessments (i.e., data for subsurface sediments).  
Tables 8-6 through 8-10 present data used in the risk assessment for the Southwest Grouping.  
<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.  
\*BTAG freshwater sediment benchmark  
<sup>2</sup> Probable Effects Concentrations from MacDonald, 2000.  
<sup>3</sup> Calculated site-specific human health screening levels, Appendix H.  
Value exceeds BTAG benchmark  
Value exceeds PEC  
Value exceeds human health screening level  
-- = no screening criterion  
ug/kg = micrograms per kilogram  
RL = reporting limit  
J = compound was detected, but below the reporting limit (value is estimated)  
U = compound was analyzed, but not detected

TABLE 5-9 POLYCYCLIC AROMATIC HYDROCARBON CONCENTRATIONS IN SEDIMENT CORE SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	Southwest/Tin Mill Canal Effluent Grouping													
						SD-G01-0002	SD-G01-0406	SD-G02-0002	SD-G02-0406	SD-G03-0002	SD-G03-0406	SD-G04-0002	SD-G04-0406	SD-G04-0406-FI	SD-G05-0002	SD-G05-0406	SD-G05-0607	SD-G06-0002	SD-G06-0406
ACENAPHTHENE	UG/KG	298.57	6.71	--	3.15E+07	450	1700 J	890 J	1700	380 J	310	640 J	110	110	110 J	170	4.8 J	110	36 U
ACENAPHTHYLENE	UG/KG	298.57	5.87	--	3.15E+07	1800	530 J	950 J	580	710 J	470	580 J	370	440	260 J	240	5 J	400	36 U
ANTHRACENE	UG/KG	298.57	46.9	845	1.58E+08	3100	1200 J	1000 J	1600	560 J	1300	1200 J	510	690	280 J	410 J	10 J	660	15 J
FLUORENE	UG/KG	298.57	21.2	536	2.10E+07	2000	2800 J	2000 J	3200	730 J	740	1200 J	210	290	180 J	250	9.5 J	290	36 U
NAPHTHALENE	UG/KG	298.57	34.6	561	1.05E+07	1800	730 J	2100 J	1000 J	1600 J	2200	920 J	1700	2600	690 J	4400	67	3500	26 J
PHENANTHRENE	UG/KG	298.57	86.7	1170	1.58E+07	11000	11000 J	5800 J	15000	2400 J	3600	5800 J	740	980	630 J	1000 J	29	990	34 J
BENZO[A]ANTHRACENE	UG/KG	298.57	74.8	1050	1.68E+04	3500	1400 J	1200 J	1700	1100 J	2900	1300 J	1400	1500	710 J	1200	24	1500	34 J
BENZO[A]PYRENE	UG/KG	298.57	88.8	1450	1.68E+03	3300	R	260 UJ	430 U	950 J	1900	2600 J	1200	1500	800 J	850	25	1600	31 J
BENZO[B]FLUORANTHENE	UG/KG	298.57	27.2	--	1.68E+04	1300	R	800 J	860	1000 J	2100	680 J	1500	2000	660 J	720	30	1800	35 J
BENZO[G,H,I]PERYLENE	UG/KG	298.57	170*	--	--	3500	R	760 J	430 U	1500 J	1600	1000 J	1200	1400	830 J	630	22	1600	30 J
BENZO[K]FLUORANTHENE	UG/KG	298.57	240*	--	1.68E+05	3300	R	350 J	1400	260 J	710	1000 J	590	430	500 J	590	12 J	800	11 J
CHRYSENE	UG/KG	298.57	108	1290	1.68E+06	3200	2200 J	1500 J	3200	1100 J	3100	2200 J	1400	1500	710 J	1100	27	1300	35 J
DIBENZ(A,H)ANTHRACENE	UG/KG	298.57	6.22	--	1.68E+03	800	R	260 UJ	430 U	250 UJ	600	130 UJ	270	350	140 J	180	21 U	380	36 U
FLUORANTHENE	UG/KG	298.57	113	2230	2.10E+07	12000	5900 J	4000 J	6700	3100 J	7300	5300 J	3400	3900	1600 J	2200 J	52	4000	64
INDENO[1,2,3-CD]PYRENE	UG/KG	298.57	17	--	1.68E+04	2600	R	520 J	430 U	840 J	1300	630 J	1200	1300	580 J	560	21	1400	22 J
PYRENE	UG/KG	298.57	153	1520	1.58E+07	6300	4400 J	2700 J	4700	2000 J	3500	3800 J	1800	2000	1100 J	1300	41	2400	51
TOTAL PAHs ND=0	UG/KG	--	2900	22800	--	59950	31860	24570	41640	18230	33630	28850	17600	20990	9780	15800	379.3	22730	388

ANALYTE						Southwest/Tin Mill Canal Effluent Grouping													
						UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	SD-H07-0002	SD-H07-0002-FD	SD-H07-0406	SD-I01-0001	SD-I01-0102	SD-I02-0002	SD-I02-0204	SD-I02-0406	SD-I03-0002
ACENAPHTHENE	UG/KG	298.57	6.71	--	--	160 J	110	60	32	7.1 J	100 J	190	43 U	79	36 J	7.9 U	91 J	200 J	16 U
ACENAPHTHYLENE	UG/KG	298.57	5.87	--	3.15E+07	790 J	660	260	220	14 J	250 J	290	43 U	560	130	7.9 U	280 J	260	16 U
ANTHRACENE	UG/KG	298.57	46.9	845	1.58E+08	1300 J	1000	300	280	20	440 J	360	43 U	650	220	7.9 U	340 J	370	16 U
FLUORENE	UG/KG	298.57	21.2	536	2.10E+07	300 J	280	110	77	12 J	170 J	270	43 U	210	91	7.9 U	110 J	190 J	16 U
NAPHTHALENE	UG/KG	298.57	34.6	561	1.05E+07	4800 J	4200	1400	750	89	1000 J	3400	43 U	2300	530	7.9 U	1400 J	3000	6.4 J
PHENANTHRENE	UG/KG	298.57	86.7	1170	1.58E+07	1000 J	920	400	240	42	920 J	1300	43 U	660	310	7.9 U	390 J	760	16 U
BENZO[A]ANTHRACENE	UG/KG	298.57	74.8	1050	1.68E+04	6400 J	5600	860	790	52	2000 J	1800	43 U	3500	590	7.9 U	1300 J	1400	16 U
BENZO[A]PYRENE	UG/KG	298.57	88.8	1450	1.68E+03	5300 J	4600	890	930	56	1800 J	1300	43 U	3200	570	7.9 U	1700 J	1200	16 U
BENZO[B]FLUORANTHENE	UG/KG	298.57	27.2	--	1.68E+04	6100 J	5000	1100	1100	74	1700 J	1400	43 U	3300	640	7.9 U	2000 J	1400	16 U
BENZO[G,H,I]PERYLENE	UG/KG	298.57	170*	--	--	4500 J	4000	880	820	47	1900 J	1100	43 U	2700	580	7.9 U	1700 J	1100	16 U
BENZO[K]FLUORANTHENE	UG/KG	298.57	240*	--	1.68E+05	1500 J	1700	360	550	18	830 J	550	43 U	1500	240	7.9 U	550 J	580	16 U
CHRYSENE	UG/KG	298.57	108	1290	1.68E+06	5800 J	4900	700	750	49	1700 J	1600	43 U	3000	450	7.9 U	1400 J	1500	16 U
DIBENZ(A,H)ANTHRACENE	UG/KG	298.57	6.22	--	1.68E+03	1100 J	1100	250	250	14 J	320 J	250	43 U	780	140	7.9 U	390 J	260	16 U
FLUORANTHENE	UG/KG	298.57	113	2230	2.10E+07	13000 J	10000	1700	950	75	4100 J	3200	15 J	6700	1000	7.9 U	2800 J	2500	6 J
INDENO[1,2,3-CD]PYRENE	UG/KG	298.57	17	--	1.68E+04	3600 J	3300	740	750	42	1200 J	810	43 U	2400	480	7.9 U	1300 J	830	16 U
PYRENE	UG/KG	298.57	153	1520	1.58E+07	7200 J	6500	1100	940	70	2800 J	2000	11 J	4200	730	7.9 U	1800 J	1700	4.4 J
TOTAL PAHs ND=0	UG/KG	--	2900	22800	--	62850	53870	11110	9429	681.1	21230	19820	26	35739	6737	0	17551	17250	16.8

NOTES: Bold values represent detected concentrations. RL is reported for non-detected constituents

This table includes data that were not considered in the risk assessments (i.e., data for subsurface sediments).

Tables 8-6 through 8-10 present data used in the risk assessment for the Southwest Grouping.

<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

\*BTAG freshwater sediment benchmark

<sup>2</sup> Probable Effects Concentrations from MacDonald, 2000.

<sup>3</sup> Calculated site-specific human health screening levels, Appendix H.

Value exceeds BTAG benchmark

Value exceeds PEC

Value exceeds human health screening level

-- = no screening criterion

ug/kg = micrograms per kilogram

RL = reporting limit

J = compound was detected, but below the reporting limit (value is estimated)

U = compound was analyzed, but not detected



TABLE 5-10 POLYCHLORINATED BIPHENYL CONCENTRATIONS IN SEDIMENT CORE SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE      UNITS      AVG RL   BTAG <sup>1</sup> PEC <sup>2</sup> HHRA <sup>3</sup>						Southwest/Tin Mill Canal Effluent Grouping												
						SD-DE02-0002	SD-DE02-0406	SD-E03-0002	SD-E03-0204	SD-E03-0204-FD	SD-E03-0406	SD-F03-0002	SD-F04-0002	SD-F04-0406	SD-F06-0002	SD-F06-0406	SD-F07-0002	SD-F07-0406
PCB-1016	UG/KG	26.56	--	--	3.41E+04	21 UJ	6.3 U	10 UJ	6.5 U	6.5 U	4.3 U	66 U	11 U	60 U	19 UJ	13 U	200 UJ	6.5 U
PCB-1221	UG/KG	26.56	--	--	1.48E+04	21 UJ	6.3 U	10 UJ	6.5 U	6.5 U	4.3 U	66 U	11 U	60 U	19 UJ	13 U	200 UJ	6.5 U
PCB-1232	UG/KG	26.56	--	--	1.48E+04	21 UJ	6.3 U	10 UJ	6.5 U	6.5 U	4.3 U	66 U	11 U	60 U	19 UJ	13 U	200 UJ	6.5 U
PCB-1242	UG/KG	26.56	--	--	--	21 UJ	6.3 U	10 UJ	6.5 U	6.5 U	4.3 U	66 U	11 U	60 U	19 UJ	13 U	200 UJ	6.5 U
PCB-1248	UG/KG	26.56	--	--	1.48E+04	320 J	23 J	2500 J	5.7 J	5.9 J	4.3 U	5100	220	2800	2200 J	34 J	5100 J	5.7 J
PCB-1254	UG/KG	26.56	--	--	9.75E+03	290 J	22 J	840 J	6.5 U	6.5 U	4.3 U	1800	230	1300 J	1400 J	47 J	1800 J	3.5 J
PCB-1260	UG/KG	26.56	--	--	1.48E+04	160 J	12 J	320 J	4.5 J	4.1 J	4.3 U	540	160	250	490 J	33 J	550 J	6.5 U
Total PCBs ND=0	UG/KG	--	40	676	--	770	57	3660	10.2	10	0	7440	610	4350	4090	114	7450	9.2

ANALYTE                      UNITS                      AVG RL   BTAG <sup>1</sup> PEC <sup>2</sup> HHRA <sup>3</sup>						Southwest/Tin Mill Canal Effluent Grouping												
						SD-H01-0002	SD-H01-0406	SD-H03-0002	SD-H03-0406	SD-H03-0607	SD-H04-0002	SD-H04-0002-FD	SD-H04-0406	SD-H05-0002	SD-H05-0406	SD-H06-0002	SD-H06-0002-FD	SD-H06-0204
PCB-1016	UG/KG	26.56	--	--	3.41E+04	13 U	150 UJ	19 UJ	12 U	0.91 U	17 UJ	17 UJ	12 U	6.8 U	150 UJ	9.7 UJ	9.9 UJ	85 UJ
PCB-1221	UG/KG	26.56	--	--	1.48E+04	13 U	150 UJ	19 UJ	12 U	0.91 U	17 UJ	17 UJ	12 U	6.8 U	150 UJ	9.7 UJ	9.9 UJ	85 UJ
PCB-1232	UG/KG	26.56	--	--	1.48E+04	13 U	150 UJ	19 UJ	12 U	0.91 U	17 UJ	17 UJ	12 U	6.8 U	150 UJ	9.7 UJ	9.9 UJ	85 UJ
PCB-1242	UG/KG	26.56	--	--	--	13 U	150 UJ	19 UJ	12 U	0.91 U	17 UJ	17 UJ	12 U	6.8 U	150 UJ	9.7 UJ	9.9 UJ	85 UJ
PCB-1248	UG/KG	26.56	--	--	1.48E+04	300 J	8100 J	1600 J	1900	7.7	530 J	510 J	44 J	120 J	6900 J	89 J	100 J	5700 J
PCB-1254	UG/KG	26.56	--	--	9.75E+03	13 U	3800 J	2400 J	620	5.7	770 J	690 J	41 J	6.8 U	3200 J	9.7 UJ	9.9 UJ	2300 J
PCB-1260	UG/KG	26.56	--	--	1.48E+04	44 J	860 J	2000 J	170	3.4	560 J	540 J	31 J	37 J	990 J	42 J	47 J	810 J
Total PCBs ND=0 <sup>4</sup>	UG/KG	--	40	676	--	344	12760	6000	2690	16.8	1860	1740	116	157	11090	131	147	8810

NOTES: Bold values represent detected concentrations. RL is reported for non-detected constituents

This table includes data that were not considered in the risk assessments (i.e., data for subsurface sediments). Tables 8-6 through 8-10 present data used in the risk assessment for the Southwest Grouping.

<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group.

<sup>2</sup> Probable Effects Concentrations from MacDonald, 2000.

<sup>3</sup> Calculated site-specific human health screening levels, Appendix H.

<sup>4</sup> Sum of detected Aroclors (including J-qualified). Non-detects not included.

Value exceeds BTAG benchmark

Value exceeds PEC

RL = reporting limit

P = The %RPD between the primary and confirmation column/detector is >40%. The lower value has been reported

U = compound was analyzed, but not detected



TABLE 5-10 POLYCHLORINATED BIPHENYL CONCENTRATIONS IN SEDIMENT CORE SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE      UNITS      AVG RL    BTAG <sup>1</sup> PEC <sup>2</sup> HHRA <sup>3</sup>						Southwest/Tin Mill Canal Effluent Grouping													
						SD-G01-0002	SD-G01-0406	SD-G02-0002	SD-G02-0406	SD-G03-0002	SD-G03-0406	SD-G04-0002	SD-G04-0406	SD-G04-0406-FD	SD-G05-0002	SD-G05-0406	SD-G05-0607	SD-G06-0002	SD-G06-0406
PCB-1016	UG/KG	26.56	--	--	3.41E+04	11 U	140 UJ	16 UJ	140 U	16 UJ	140 U	170 UJ	5.6 U	5.7 U	9.4 UJ	25 U	0.87 U	6.3 U	4.5 U
PCB-1221	UG/KG	26.56	--	--	1.48E+04	11 U	140 UJ	16 UJ	140 U	16 UJ	140 U	170 UJ	5.6 U	5.7 U	9.4 UJ	25 U	0.87 U	6.3 U	4.5 U
PCB-1232	UG/KG	26.56	--	--	1.48E+04	11 U	140 UJ	16 UJ	140 U	16 UJ	140 U	170 UJ	5.6 U	5.7 U	9.4 UJ	25 U	0.87 U	6.3 U	4.5 U
PCB-1242	UG/KG	26.56	--	--	--	11 U	140 UJ	16 UJ	140 U	16 UJ	140 U	170 UJ	5.6 U	5.7 U	9.4 UJ	25 U	0.87 U	6.3 U	4.5 U
PCB-1248	UG/KG	26.56	--	--	1.48E+04	260	6500 J	600 J	8200 J	470 J	8900 J	9000 J	5.6 U	5.7 U	290 J	1900	10	94 J	4.5 U
PCB-1254	UG/KG	26.56	--	--	9.75E+03	100	2600 J	560 J	2800	580 J	2700	3200 J	5.6 U	5.7 U	320 J	540	6.1 J	130 J	4.5 U
PCB-1260	UG/KG	26.56	--	--	1.48E+04	11 U	850 J	390 J	840	300 J	760	1000 J	2.7 J	1.7 J	170 J	25 U	2.1	50 J	4.5 U
Total PCBs ND=0	UG/KG	--	40	676	--	360	9950	1550	11840	1350	12360	13200	2.7	1.7	780	2440	18.2	274	0

						Southwest/Tin Mill Canal Effluent Grouping													
						SD-H07-0002	SD-H07-0002-FD	SD-H07-0406	SD-I01-0001	SD-I01-0102	SD-I02-0002	SD-I02-0204	SD-I02-0406	SD-I03-0002	SD-I03-0204	SD-I03-0406	SD-J02-0002	SD-J02-0204	SD-J02-0406
ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	35 UJ	34 U	4.5 U	0.78 U	0.6 U	9.2 UJ	6.6 U	5.4 U	6.2 U	4.9 U	4.9 U	17 UJ	12 U	0.98 U
PCB-1016	UG/KG	26.56	--	--	3.41E+04	35 UJ	34 U	4.5 U	0.78 U	0.6 U	9.2 UJ	6.6 U	5.4 U	6.2 U	4.9 U	4.9 U	17 UJ	12 U	0.98 U
PCB-1221	UG/KG	26.56	--	--	1.48E+04	35 UJ	34 U	4.5 U	0.78 U	0.6 U	9.2 UJ	6.6 U	5.4 U	6.2 U	4.9 U	4.9 U	17 UJ	12 U	0.98 U
PCB-1232	UG/KG	26.56	--	--	1.48E+04	35 UJ	34 U	4.5 U	0.78 U	0.6 U	9.2 UJ	6.6 U	5.4 U	6.2 U	4.9 U	4.9 U	17 UJ	12 U	0.98 U
PCB-1242	UG/KG	26.56	--	--	--	35 UJ	34 U	4.5 U	0.78 U	0.6 U	9.2 UJ	6.6 U	5.4 U	6.2 U	4.9 U	4.9 U	17 UJ	12 U	0.98 U
PCB-1248	UG/KG	26.56	--	--	1.48E+04	520 J	420 J	4.5 U	4.4 J	0.33 J	650 J	1300 J	5.7 J	260 J	4.9 U	4.9 U	200 J	620	1.1
PCB-1254	UG/KG	26.56	--	--	9.75E+03	310 J	260 J	4.5 U	9.2	0.55 J	470 J	450	5.4 U	120 J	4.9 U	4.9 U	190 J	420	0.83 J
PCB-1260	UG/KG	26.56	--	--	1.48E+04	100 J	81 J	4.5 U	5.3 J	0.35 J	160 J	160	5.4 U	40 J	4.9 U	4.9 U	100 J	150	0.37 J
Total PCBs ND=0 <sup>4</sup>	UG/KG	--	40	676	--	930	761	0	18.9	1.23	1280	1910	5.7	420	0	0	490	1190	2.3

NOTES: Bold values represent detected concentrations. RL is reported for non-detected constituents

This table includes data that were not considered in the risk assessments (i.e., data for subsurface sediments). Tables 8-6 through 8-10 present data used in the risk assessment for the Southwest Grouping.

<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group.

<sup>2</sup> Probable Effects Concentrations from MacDonald, 2000.

<sup>3</sup> Calculated site-specific human health screening levels, Appendix H.

<sup>4</sup> Sum of detected Aroclors (including J-qualified). Non-detects not included.

Value exceeds BTAG benchmark

Value exceeds PEC

RL = reporting limit

P = The %RPD between the primary and confirmation column/detector is

U = compound was analyzed, but not detected

TABLE 5-11 VOLATILE ORGANIC COMPOUND CONCENTRATIONS IN SEDIMENT CORE SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	HHRA <sup>2</sup>	Southwest/Tin Mill Canal Effluent Grouping														
					SD-DE02-0002	SD-DE02-0406	SD-E03-0002	SD-E03-0204	SD-E03-0204-FD	SD-E03-0406	SD-F03-0002	SD-F04-0002	SD-F04-0406	SD-F06-0002	SD-F06-0406	SD-F07-0002	SD-F07-0406	SD-G01-0002	SD-G01-0406
1,1,1-TRICHLOROETHANE	UG/KG	15.11	856	--	26 UJ	15 U	25 UJ	16 UJ	16 UJ	10 UJ	7.9 U	13 U	7.2 UJ	22 UJ	15 U	24 UJ	16 U	14 UJ	17 UJ
1,1,2,2-TETRACHLOROETHANE	UG/KG	15.11	202	--	26 UJ	15 U	25 UJ	16 U	16 U	10 U	7.9 U	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	14 U	17 UJ
1,1,2-TRICHLOROETHANE	UG/KG	15.11	570	--	26 UJ	15 U	25 UJ	16 U	16 U	10 U	7.9 U	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	14 U	17 UJ
1,1-DICHLOROETHANE	UG/KG	15.11	--	--	26 UJ	15 U	25 UJ	16 U	16 U	10 U	7.9 U	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	14 U	17 UJ
1,1-DICHLOROETHENE	UG/KG	15.11	2780	--	26 UJ	15 U	25 UJ	16 U	16 U	10 U	7.9 U	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	14 U	17 UJ
1,2-DICHLOROBENZENE	UG/KG	15.11	989	6.14E+07	26 UJ	15 U	25 UJ	16 U	16 U	10 U	7.9 U	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	14 U	17 UJ
1,2-DICHLOROETHANE	UG/KG	15.11	--	--	26 UJ	15 U	25 UJ	16 U	16 U	10 U	7.9 U	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	14 U	17 UJ
1,2-DICHLOROPROPANE	UG/KG	15.11	--	--	26 UJ	15 U	25 UJ	16 U	16 U	10 U	7.9 U	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	14 U	17 UJ
1,3-DICHLOROBENZENE	UG/KG	15.11	842	6.14E+07	26 UJ	15 U	25 UJ	16 U	16 U	10 U	<b>2.4 J</b>	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	14 U	17 UJ
1,4-DICHLOROBENZENE	UG/KG	15.11	460	7.67E+06	26 UJ	15 U	25 UJ	16 U	16 U	10 U	<b>3.5 J</b>	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	<b>2.8 J</b>	17 UJ
2-CHLOROETHYL VINYL ETHER	UG/KG	30.27	--	--	52 UJ	31 U	50 UJ	31 U	31 U	21 U	16 U	25 U	14 U	45 UJ	31 U	48 UJ	31 U	28 U	34 UJ
ACROLEIN	UG/KG	302.72	--	--	520 UJ	310 U	500 UJ	310 UJ	310 UJ	210 UJ	160 U	250 U	140 U	450 UJ	310 U	480 UJ	310 U	280 UJ	340 UJ
ACRYLONITRILE	UG/KG	302.72	--	--	520 UJ	310 U	500 UJ	310 U	310 U	210 U	160 U	250 U	140 U	450 UJ	310 U	480 UJ	310 U	280 U	340 UJ
BENZENE	UG/KG	15.11	137	1.51E+08	26 UJ	15 U	25 UJ	16 U	16 U	10 U	7.9 U	<b>2.6 J</b>	<b>2.6 J</b>	22 UJ	15 U	24 UJ	16 U	<b>2.7 J</b>	<b>17 J</b>
BROMOFORM	UG/KG	15.11	1310	--	26 UJ	15 U	25 UJ	16 U	16 U	10 U	7.9 U	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	14 U	17 UJ
BROMOMETHANE	UG/KG	15.11	--	--	26 UJ	15 U	25 UJ	16 U	16 U	10 U	7.9 U	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	14 U	17 UJ
CARBON TETRACHLORIDE	UG/KG	15.11	7240	--	26 UJ	15 U	25 UJ	16 UJ	16 UJ	10 UJ	7.9 U	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	14 UJ	17 UJ
CHLOROBENZENE	UG/KG	15.11	162	1.37E+07	26 UJ	15 U	25 UJ	16 U	16 U	10 U	<b>32</b>	<b>4.6 J</b>	7.2 U	22 UJ	15 U	24 UJ	16 U	<b>9.7 J</b>	<b>2.8 J</b>
CHLORODIBROMOMETHANE	UG/KG	15.11	--	--	26 UJ	15 U	25 UJ	16 U	16 U	10 U	7.9 U	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	14 U	17 UJ
CHLOROETHANE	UG/KG	15.11	--	--	26 UJ	15 U	25 UJ	16 U	16 U	10 U	7.9 U	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	14 U	17 UJ
CHLOROFORM	UG/KG	15.11	--	--	26 UJ	15 U	25 UJ	16 U	16 U	10 U	7.9 U	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	14 U	17 UJ
CHLOROMETHANE	UG/KG	15.11	--	--	26 UJ	15 U	25 UJ	16 U	16 U	10 U	7.9 U	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	14 U	17 UJ
CIS-1,3-DICHLOROPROPENE	UG/KG	15.11	--	--	26 UJ	15 U	25 UJ	16 U	16 U	10 U	7.9 U	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	14 U	17 UJ
DICHLOROBROMOMETHANE	UG/KG	15.11	--	--	26 UJ	15 U	25 UJ	16 U	16 U	10 U	7.9 U	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	14 U	17 UJ
ETHYLBENZENE	UG/KG	15.11	305	1.26E+07	26 UJ	15 U	25 UJ	16 U	16 U	10 U	7.9 U	<b>4.7 J</b>	<b>2.5 J</b>	22 UJ	15 U	24 UJ	16 U	<b>8.6 J</b>	<b>19 J</b>
METHYLENE CHLORIDE	UG/KG	15.11	--	--	26 UJ	15 U	25 UJ	16 U	16 U	10 U	7.9 U	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	14 U	17 UJ
TETRACHLOROETHENE	UG/KG	15.11	190	--	26 UJ	15 U	25 UJ	16 U	16 U	10 U	7.9 U	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	14 U	17 UJ
TOLUENE	UG/KG	15.11	1090	1.82E+08	26 UJ	15 U	25 UJ	16 U	16 U	10 U	<b>1.3 J</b>	<b>12 J</b>	<b>30</b>	22 UJ	15 U	24 UJ	16 U	<b>34</b>	<b>220 J</b>
TRANS-1,2-DICHLOROETHENE	UG/KG	15.11	1050*	--	26 UJ	15 U	25 UJ	16 U	16 U	10 U	7.9 U	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	14 U	17 UJ
TRANS-1,3-DICHLOROPROPENE	UG/KG	15.11	--	--	26 UJ	15 U	25 UJ	16 U	16 U	10 U	7.9 U	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	14 U	17 UJ
TRICHLOROETHENE	UG/KG	15.11	8950	--	26 UJ	15 U	25 UJ	16 U	16 U	10 U	7.9 U	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	14 U	17 UJ
VINYL CHLORIDE	UG/KG	15.11	--	--	26 UJ	15 U	25 UJ	16 U	16 U	10 U	7.9 U	13 U	7.2 U	22 UJ	15 U	24 UJ	16 U	14 U	17 UJ

NOTES: Bold values represent detected concentrations. RL is reported for non-detected constituents

This table includes data that were not considered in the risk assessments (i.e., data for subsurface sediments). Tables 8-6 through 8-10 present data used in the risk assessment for the Southwest Grouping.

<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

\*BTAG freshwater sediment benchmark

<sup>2</sup> Calculated site-specific human health screening levels, Appendix H.

RL = reporting limit

J = compound was detected, but below the reporting limit (value is estimated)

U = compound was analyzed, but not detected

\*BTAG value from freshwater sediment screening values

TABLE 5-11 VOLATILE ORGANIC COMPOUND CONCENTRATIONS IN SEDIMENT CORE SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	HHRA <sup>2</sup>	Southwest/Tin Mill Canal Effluent Grouping																	
					SD-G02-0002	SD-G02-0406	SD-G03-0002	SD-G03-0406	SD-G04-0002	SD-G04-0406	SD-G04-0406-FD	SD-G05-0002	SD-G05-0406	SD-G05-0607	SD-G06-0002	SD-G06-0406	SD-H01-0002	SD-H01-0406	SD-H03-0002	SD-H03-0406	SD-H03-0607	SD-H03-0607
1,1,1-TRICHLOROETHANE	UG/KG	15.11	856	--	19 UJ	16 U	19 UJ	17 U	20 UJ	13 UJ	14 UJ	23 UJ	12 UJ	10 UJ	15 U	11 U	16 UJ	18 UJ	22 UJ	15 U	11 U	20 UJ
1,1,2,2-TETRACHLOROETHANE	UG/KG	15.11	202	--	19 UJ	16 U	19 UJ	17 U	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	16 U	18 UJ	22 UJ	15 U	11 U	20 UJ
1,1,2-TRICHLOROETHANE	UG/KG	15.11	570	--	19 UJ	15 J	19 UJ	17 U	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	16 U	18 UJ	22 UJ	15 U	11 U	20 UJ
1,1-DICHLOROETHANE	UG/KG	15.11	--	--	19 UJ	16 U	19 UJ	17 U	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	16 U	18 UJ	22 UJ	15 U	11 U	20 UJ
1,1-DICHLOROETHENE	UG/KG	15.11	2780	--	19 UJ	16 U	19 UJ	17 U	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	16 U	18 UJ	22 UJ	15 U	11 U	20 UJ
1,2-DICHLOROBENZENE	UG/KG	15.11	989	6.14E+07	180 J	11 J	16 J	17 U	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	16 U	18 UJ	92 J	15 U	11 U	5.1 J
1,2-DICHLOROETHANE	UG/KG	15.11	--	--	19 UJ	16 U	19 UJ	17 U	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	16 U	18 UJ	22 UJ	15 U	11 U	20 UJ
1,2-DICHLOROPROPANE	UG/KG	15.11	--	--	19 UJ	16 U	19 UJ	17 U	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	16 U	18 UJ	22 UJ	15 U	11 U	20 UJ
1,3-DICHLOROBENZENE	UG/KG	15.11	842	6.14E+07	19 UJ	16 U	6.7 J	17 U	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	16 U	18 UJ	13 J	15 U	11 U	4.8 J
1,4-DICHLOROBENZENE	UG/KG	15.11	460	7.67E+06	28 J	16 U	10 J	17 U	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	4.4 J	18 UJ	19 J	15 U	11 U	6.7 J
2-CHLOROETHYL VINYL ETHER	UG/KG	30.27	--	--	39 UJ	32 U	38 UJ	33 U	40 UJ	27 U	28 U	46 UJ	24 U	21 U	30 U	22 U	32 U	37 UJ	45 UJ	30 U	22 U	41 UJ
ACROLEIN	UG/KG	302.72	--	--	390 UJ	320 U	380 UJ	330 U	400 UJ	270 UJ	280 UJ	460 UJ	240 U	210 UJ	300 U	220 U	320 UJ	370 UJ	450 UJ	300 U	220 U	410 UJ
ACRYLONITRILE	UG/KG	302.72	--	--	390 UJ	320 U	380 UJ	330 U	400 UJ	270 U	280 U	460 UJ	240 U	210 U	300 U	220 U	320 U	370 UJ	450 UJ	300 U	220 U	410 UJ
BENZENE	UG/KG	15.11	137	1.51E+08	12 J	16	4.5 J	2.4 J	8 J	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	4.5 J	15 J	9.6 J	8.3 J	11 U	3.6 J
BROMOFORM	UG/KG	15.11	1310	--	19 UJ	16 U	19 UJ	17 U	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	16 U	18 UJ	22 UJ	15 U	11 U	20 UJ
BROMOMETHANE	UG/KG	15.11	--	--	19 UJ	16 U	19 UJ	17 U	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	16 U	18 UJ	22 UJ	15 U	11 U	20 UJ
CARBON TETRACHLORIDE	UG/KG	15.11	7240	--	19 UJ	16 U	19 UJ	17 U	20 UJ	13 UJ	14 UJ	23 UJ	12 U	10 UJ	15 U	11 U	16 UJ	18 UJ	22 UJ	15 U	11 U	20 UJ
CHLOROBENZENE	UG/KG	15.11	162	1.37E+07	45 J	16 U	84 J	3.9 J	14 J	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	11 J	18 UJ	50 J	15 U	11 U	67 J
CHLORODIBROMOMETHANE	UG/KG	15.11	--	--	19 UJ	16 U	19 UJ	17 U	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	16 U	18 UJ	22 UJ	15 U	11 U	20 UJ
CHLOROETHANE	UG/KG	15.11	--	--	19 UJ	16 U	19 UJ	17 U	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	16 U	18 UJ	22 UJ	15 U	11 U	20 UJ
CHLOROFORM	UG/KG	15.11	--	--	19 UJ	16 U	19 UJ	17 U	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	16 U	18 UJ	22 UJ	15 U	11 U	20 UJ
CHLOROMETHANE	UG/KG	15.11	--	--	19 UJ	16 U	19 UJ	17 U	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	16 U	18 UJ	22 UJ	15 U	11 U	20 UJ
CIS-1,3-DICHLOROPROPENE	UG/KG	15.11	--	--	19 UJ	16 U	19 UJ	17 U	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	16 U	18 UJ	22 UJ	15 U	11 U	20 UJ
DICHLOROBROMOMETHANE	UG/KG	15.11	--	--	19 UJ	16 U	19 UJ	17 U	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	16 U	18 UJ	22 UJ	15 U	11 U	20 UJ
ETHYLBENZENE	UG/KG	15.11	305	1.26E+07	89 J	14 J	33 J	3.3 J	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	4.8 J	8.9 J	80 J	4.6 J	11 U	20 UJ
METHYLENE CHLORIDE	UG/KG	15.11	--	--	19 UJ	16 U	19 UJ	17 U	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	16 U	18 UJ	22 UJ	15 U	11 U	20 UJ
TETRACHLOROETHENE	UG/KG	15.11	190	--	19 UJ	16 U	19 UJ	17 U	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	16 U	18 UJ	22 UJ	15 U	11 U	20 UJ
TOLUENE	UG/KG	15.11	1090	1.82E+08	66 J	190	21 J	4.3 J	6.3 J	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	24	120 J	71 J	83 J	11 U	11 J
TRANS-1,2-DICHLOROETHENE	UG/KG	15.11	1050*	--	19 UJ	16 U	19 UJ	17 U	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	16 U	18 UJ	22 UJ	15 U	11 U	20 UJ
TRANS-1,3-DICHLOROPROPENE	UG/KG	15.11	--	--	19 UJ	16 U	19 UJ	17 U	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	16 U	18 UJ	22 UJ	15 U	11 U	20 UJ
TRICHLOROETHENE	UG/KG	15.11	8950	--	19 UJ	16 U	19 UJ	17 U	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	16 U	18 UJ	22 UJ	15 U	11 U	20 UJ
VINYL CHLORIDE	UG/KG	15.11	--	--	19 UJ	16 U	19 UJ	17 U	20 UJ	13 U	14 U	23 UJ	12 U	10 U	15 U	11 U	16 U	18 UJ	22 UJ	15 U	11 U	20 UJ

**NOTES:** Bold values represent detected concentrations. RL is reported for non-detected constituents

This table includes data that were not considered in the risk assessments (i.e., data for subsurface sediments). Tables 8-6 through 8-10 present data used in the risk assessment for the Southwest Grouping.

<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assist: unless marked with asterisk.

\*BTAG freshwater sediment benchmark

<sup>2</sup> Calculated site-specific human health screening levels, Appendix H.

**RL** = reporting limit

**J** = compound was detected, but below the reporting limit (value is estimated)

**U** = compound was analyzed, but not detected

\*BTAG value from freshwater sediment screening values

TABLE 5-11 VOLATILE ORGANIC COMPOUND CONCENTRATIONS IN SEDIMENT CORE SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	HHRA <sup>2</sup>	Southwest/Tin Mill Canal Effluent Grouping																				
					SD-H04-0002-FD	SD-H04-0406	SD-H05-0002	SD-H05-0406	SD-H06-0002	SD-H06-0002-FD	SD-H06-0204	SD-H07-0002	SD-H07-0002-FD	SD-H07-0406	SD-I01-0001	SD-I01-0102	SD-I02-0002	SD-I02-0204	SD-I02-0406	SD-I03-0002	SD-I03-0204	SD-I03-0406	SD-J02-0002	SD-J02-0204	SD-J02-0406
1,1,1-TRICHLOROETHANE	UG/KG	15.11	856	--	20 UJ	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 UJ	9.4 U	7.3 UJ	22 UJ	16 UJ	13 UJ	15 U	12 UJ	12 UJ	21 UJ	14 U	12 U
1,1,2,2-TETRACHLOROETHANE	UG/KG	15.11	202	--	20 UJ	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
1,1,2-TRICHLOROETHANE	UG/KG	15.11	570	--	20 UJ	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
1,1-DICHLOROETHANE	UG/KG	15.11	--	--	20 UJ	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
1,1-DICHLOROETHENE	UG/KG	15.11	2780	--	20 UJ	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
1,2-DICHLOROBENZENE	UG/KG	15.11	989	6.14E+07	3.4 J	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
1,2-DICHLOROETHANE	UG/KG	15.11	--	--	20 UJ	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
1,2-DICHLOROPROPANE	UG/KG	15.11	--	--	20 UJ	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
1,3-DICHLOROBENZENE	UG/KG	15.11	842	6.14E+07	6.1 J	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
1,4-DICHLOROBENZENE	UG/KG	15.11	460	7.67E+06	7.9 J	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
2-CHLOROETHYL VINYL ETHER	UG/KG	30.27	--	--	41 UJ	28 U	32 U	35 UJ	46 UJ	48 UJ	41 UJ	34 UJ	33 U	21 U	19 U	15 U	44 UJ	32 U	26 U	30 U	23 U	24 U	41 UJ	28 U	24 U
ACROLEIN	UG/KG	302.72	--	--	410 UJ	280 U	320 U	350 UJ	460 UJ	480 UJ	410 UJ	340 UJ	330 U	210 U	190 U	150 U	440 UJ	320 UJ	260 UJ	300 U	230 UJ	240 UJ	410 UJ	280 U	240 U
ACRYLONITRILE	UG/KG	302.72	--	--	410 UJ	280 U	320 U	350 UJ	460 UJ	480 UJ	410 UJ	340 UJ	330 U	210 U	190 U	150 U	440 UJ	320 U	260 U	300 U	230 U	240 U	410 UJ	280 U	240 U
BENZENE	UG/KG	15.11	137	1.51E+08	3.8 J	14 U	16 U	10 J	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
BROMOFORM	UG/KG	15.11	1310	--	20 UJ	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
BROMOMETHANE	UG/KG	15.11	--	--	20 UJ	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
CARBON TETRACHLORIDE	UG/KG	15.11	7240	--	20 UJ	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 UJ	13 UJ	15 U	12 UJ	12 UJ	21 UJ	14 U	12 U
CHLOROBENZENE	UG/KG	15.11	162	1.37E+07	72 J	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
CHLORODIBROMOMETHANE	UG/KG	15.11	--	--	20 UJ	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
CHLOROETHANE	UG/KG	15.11	--	--	20 UJ	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
CHLOROFORM	UG/KG	15.11	--	--	20 UJ	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
CHLOROMETHANE	UG/KG	15.11	--	--	20 UJ	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
CIS-1,3-DICHLOROPROPENE	UG/KG	15.11	--	--	20 UJ	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
DICHLOROBROMOMETHANE	UG/KG	15.11	--	--	20 UJ	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
ETHYLBENZENE	UG/KG	15.11	305	1.26E+07	20 UJ	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
METHYLENE CHLORIDE	UG/KG	15.11	--	--	20 UJ	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
TETRACHLOROETHENE	UG/KG	15.11	190	--	20 UJ	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
TOLUENE	UG/KG	15.11	1090	1.82E+08	12 J	14 U	16 U	2.7 J	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
TRANS-1,2-DICHLOROETHENE	UG/KG	15.11	1050*	--	20 UJ	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
TRANS-1,3-DICHLOROPROPENE	UG/KG	15.11	--	--	20 UJ	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
TRICHLOROETHENE	UG/KG	15.11	8950	--	20 UJ	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U
VINYL CHLORIDE	UG/KG	15.11	--	--	20 UJ	14 U	16 U	18 UJ	23 UJ	24 UJ	20 UJ	17 UJ	16 U	11 U	9.4 U	7.3 U	22 UJ	16 U	13 U	15 U	12 U	12 U	21 UJ	14 U	12 U

NOTES: Bold values represent detected concentrations. RL is reported for non-detected constituents

This table includes data that were not considered in the risk assessments (i.e., data for subsurface sediments). Tables 8-6 through 8-10 present data used in the risk assessment for the Southwest Grouping.

<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assist unless marked with asterisk.

\*BTAG freshwater sediment benchmark

<sup>2</sup> Calculated site-specific human health screening levels, Appendix H.

RL = reporting limit

J = compound was detected, but below the reporting limit (value is estimated)

U = compound was analyzed, but not detected

\*BTAG value from freshwater sediment screening values

TABLE 5-12 SEMIVOLATILE ORGANIC COMPOUND CONCENTRATIONS IN SEDIMENT CORE SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	Southwest/Tin Mill Canal Effluent Grouping																
						SD-DE02-0002	SD-DE02-0406	SD-E03-0002	SD-E03-0204	SD-E03-0204-FD	SD-E03-0406	SD-F03-0002	SD-F04-0002	SD-F04-0406	SD-F06-0002	SD-F06-0406	SD-F07-0002	SD-F07-0406	SD-G01-0002	SD-G01-0406	SD-G02-0002	SD-G02-0406
1,2,4-TRICHLOROBENZENE	UG/KG	1419.15	473	--	--	1700 UJ	1000 U	410 UJ	260 U	260 U	170 U	520 U	4200 U	600 U	1500 UJ	510 U	1600 UJ	520 U	910 U	1100 UJ	1300 UJ	2100 U
1,2-DIPHENYLHYDRAZINE(AS AZOBENZENE)	UG/KG	1419.15	--	--	--	1700 UJ	1000 U	410 UJ	260 U	260 U	170 U	520 UJ	4200 U	600 U	1500 UJ	510 U	1600 UJ	520 U	910 U	1100 UJ	1300 UJ	2100 U
2,2'-OXYBIS[1-CHLOROPROPANE]	UG/KG	289.25	--	--	--	340 UJ	200 U	83 UJ	52 U	52 U	35 U	110 U	840 U	120 U	300 UJ	100 U	320 UJ	100 U	180 U	230 UJ	260 UJ	430 U
2,4,6-TRICHLOROPHENOL	UG/KG	1419.15	2650	--	--	1700 UJ	1000 U	410 UJ	260 U	260 U	170 U	520 U	4200 U	600 U	1500 UJ	510 U	1600 UJ	520 U	910 U	1100 UJ	1300 UJ	2100 U
2,4-DICHLOROPHENOL	UG/KG	289.25	117*	--	--	340 UJ	200 U	83 UJ	52 U	52 U	35 U	110 U	840 U	120 U	300 UJ	100 U	320 UJ	100 U	180 U	230 UJ	260 UJ	430 U
2,4-DIMETHYLPHENOL	UG/KG	1419.15	29*	--	1.37E+07	1700 UJ	1000 U	410 UJ	260 U	260 U	170 U	520 U	4200 U	600 U	1500 UJ	510 U	1600 UJ	520 U	910 U	2400 J	1300 UJ	5100 J
2,4-DINITROPHENOL	UG/KG	7311.47	41.6*	--	--	8700 UJ	5200 U	2100 UJ	1300 U	1300 U	880 U	2700 U	21000 U	3100 U	7600 UJ	2600 U	8200 UJ	2700 U	4700 U	5700 UJ	6600 UJ	11000 U
2,4-DINITROTOLUENE	UG/KG	1419.15	41.6	--	--	1700 UJ	1000 U	410 UJ	260 U	260 U	170 U	520 U	4200 U	600 U	1500 UJ	510 U	1600 UJ	520 U	910 U	1100 UJ	1300 UJ	2100 U
2,6-DINITROTOLUENE	UG/KG	1419.15	--	--	--	1700 UJ	1000 U	410 UJ	260 U	260 U	170 U	520 U	4200 U	600 U	1500 UJ	510 U	1600 UJ	520 U	910 U	1100 UJ	1300 UJ	2100 U
2-CHLORONAPHTHALENE	UG/KG	289.25	--	--	--	340 UJ	200 U	83 UJ	52 U	52 U	35 U	110 U	840 U	120 U	300 UJ	100 U	320 UJ	100 U	180 U	230 UJ	260 UJ	430 U
2-CHLOROPHENOL	UG/KG	1419.15	344	--	--	1700 UJ	1000 U	410 UJ	260 U	260 U	170 U	520 U	4200 U	600 U	1500 UJ	510 U	1600 UJ	520 U	910 U	1100 UJ	1300 UJ	2100 U
2-NITROPHENOL	UG/KG	1419.15	--	--	--	1700 UJ	1000 U	410 UJ	260 U	260 U	170 U	520 U	4200 U	600 U	1500 UJ	510 U	1600 UJ	520 U	910 U	1100 UJ	1300 UJ	2100 U
3,3'-DICHLOROBENZIDINE	UG/KG	1419.15	2060	--	--	1700 UJ	1000 U	410 UJ	260 U	260 U	170 U	520 U	4200 U	600 U	1500 UJ	510 U	1600 UJ	520 U	910 U	1100 UJ	1300 UJ	2100 U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	7311.47	--	--	--	8700 UJ	5200 U	2100 UJ	1300 U	1300 U	880 U	2700 UJ	21000 U	3100 U	7600 UJ	2600 U	8200 UJ	2700 U	4700 U	5700 UJ	6600 UJ	11000 U
4-BROMOPHENYL PHENYL ETHER	UG/KG	1419.15	1230*	--	--	1700 UJ	1000 U	410 UJ	260 U	260 U	170 U	520 UJ	4200 U	600 U	1500 UJ	510 U	1600 UJ	520 U	910 U	1100 UJ	1300 UJ	2100 U
4-CHLORO-3-METHYLPHENOL	UG/KG	1419.15	--	--	--	1700 UJ	1000 U	410 UJ	260 U	260 U	170 U	520 U	4200 U	600 U	1500 UJ	510 U	1600 UJ	520 U	910 U	1100 UJ	1300 UJ	2100 U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	1419.15	--	--	--	1700 UJ	1000 U	410 UJ	260 U	260 U	170 U	520 U	4200 U	600 U	1500 UJ	510 U	1600 UJ	520 U	910 U	1100 UJ	1300 UJ	2100 U
4-NITROPHENOL	UG/KG	7311.47	--	--	--	8700 UJ	5200 U	2100 UJ	1300 U	1300 U	880 U	2700 U	21000 UJ	3100 UJ	7600 UJ	2600 U	3600 J	2700 U	4700 U	5700 UJ	6600 UJ	11000 U
BENZIDINE	UG/KG	28924.85	--	--	--	34000 UJ	20000 UJ	8300 UJ	5200 U	5200 U	3500 U	11000 U	84000 U	12000 U	30000 UJ	10000 U	32000 UJ	10000 U	18000 U	23000 UJ	26000 UJ	43000 UJ
BENZOIC ACID	UG/KG	7311.47	650*	--	2.73E+09	8700 UJ	5200 U	1400 J	810 J	1300 U	880 U	2700 U	21000 UJ	3100 UJ	7600 UJ	2600 U	8200 UJ	1600 J	4700 U	5700 UJ	6600 UJ	11000 U
BIS(2-CHLOROETHOXY)METHANE	UG/KG	1419.15	--	--	--	1700 UJ	1000 U	410 UJ	260 U	260 U	170 U	520 U	4200 U	600 U	1500 UJ	510 U	1600 UJ	520 U	910 U	1100 UJ	1300 UJ	2100 U
BIS(2-CHLOROETHYL)ETHER	UG/KG	289.25	--	--	--	340 UJ	200 U	83 UJ	52 U	52 U	35 U	110 U	840 U	120 U	300 UJ	100 U	320 UJ	100 U	180 U	230 UJ	260 UJ	430 U
BIS(2-ETHYLHEXYL) PHTHALATE	UG/KG	2689.99	182.16	2647	2.96E+06	12000 J	2000 U	3600 J	520 U	520 U	350 U	6500	7600 J	2400	16000 J	1000 U	14000 J	1000 U	6600	27000 J	18000 J	29000
BUTYL BENZYL PHTHALATE	UG/KG	1419.15	16800	--	--	1700 UJ	1000 U	410 UJ	260 U	260 U	36 J	520 U	4200 U	600 U	1500 UJ	510 U	1600 UJ	520 U	910 U	1100 UJ	1300 UJ	2100 U
DIETHYL PHTHALATE	UG/KG	1419.15	218	--	--	1700 UJ	1000 U	410 UJ	260 U	260 U	170 U	520 U	4200 U	600 U	1500 UJ	510 U	1600 UJ	520 U	910 U	1100 UJ	1300 UJ	2100 U
DIMETHYL PHTHALATE	UG/KG	1419.15	--	--	--	1700 UJ	1000 U	410 UJ	260 U	260 U	170 U	520 U	4200 U	600 U	1500 UJ	510 U	1600 UJ	520 U	910 U	1100 UJ	1300 UJ	2100 U
DI-N-BUTYL PHTHALATE	UG/KG	1419.15	1160	--	6.83E+07	1700 UJ	1000 U	410 UJ	260 U	260 U	170 U	520 UJ	4200 U	600 U	1500 UJ	510 U	1600 UJ	520 U	910 U	1100 UJ	1300 UJ	2100 U
DI-N-OCTYL PHTHALATE	UG/KG	1419.15	--	--	--	1700 UJ	1000 U	410 UJ	260 U	260 U	170 U	520 U	4200 U	600 U	1500 UJ	510 U	1600 UJ	520 U	910 U	R	1300 UJ	2100 U
HEXACHLOROBENZENE	UG/KG	289.25	20*	--	--	340 UJ	200 U	83 UJ	52 U	52 U	35 U	110 UJ	840 U	120 U	300 UJ	100 U	320 UJ	100 U	180 U	230 UJ	260 UJ	430 U
HEXACHLOROBUTADIENE	UG/KG	289.25	--	--	--	340 UJ	200 U	83 UJ	52 U	52 U	35 U	110 U	840 U	120 U	300 UJ	100 U	320 UJ	100 U	180 U	230 UJ	260 UJ	430 U
HEXACHLOROCYCLOPENTADIENE	UG/KG	1419.15	139	--	--	1700 UJ	1000 UJ	410 UJ	260 UJ	260 UJ	170 UJ	520 U	4200 U	600 U	1500 UJ	510 U	1600 UJ	520 UJ	910 UJ	1100 UJ	1300 UJ	2100 UJ
HEXACHLOROETHANE	UG/KG	1419.15	804	--	--	1700 UJ	1000 U	410 UJ	260 U	260 U	170 U	520 U	4200 U	600 U	1500 UJ	510 U	1600 UJ	520 U	910 U	1100 UJ	1300 UJ	2100 U
ISOPHORONE	UG/KG	1419.15	--	--	--	1700 UJ	1000 U	410 UJ	260 U	260 U	170 U	520 U	4200 U	600 U	1500 UJ	510 U	1600 UJ	520 U	910 U	1100 UJ	1300 UJ	2100 U
NITROBENZENE	UG/KG	2869.99	--	--	--	3400 UJ	2000 U	830 UJ	520 U	520 U	350 U	1100 U	8400 U	1200 U	3000 UJ	1000 U	3200 UJ	1000 U	1800 U	2200 UJ	2600 UJ	4300 U
N-NITROSODIMETHYLAMINE	UG/KG	1419.15	--	--	--	1700 UJ	1000 UJ	410 UJ	260 UJ	260 UJ	170 UJ	520 U	4200 U	600 U	1500 UJ	510 U	1600 UJ	520 U	910 UJ	1100 UJ	1300 UJ	2100 UJ
N-NITROSODI-N-PROPYLAMINE	UG/KG	289.25	--	--	--	340 UJ	200 U	83 UJ	52 U	52 U	35 U	110 U	840 U	120 U	300 UJ	100 U	320 UJ	100 U	180 U	230 UJ	260 UJ	430 U
N-NITROSODIPHENYLAMINE	UG/KG	1419.15	422000	--	--	1700 UJ	1000 U	410 UJ	260 U	260 U	170 U	520 UJ	4200 U	600 U	1500 UJ	510 U	1600 UJ	520 U	910 U	1100 UJ	1300 UJ	2100 U
PENTACHLOROPHENOL	UG/KG	1419.15	7970	--	--	1700 UJ	1000 UJ	410 UJ	260 UJ	260 UJ	170 UJ	520 UJ	4200 UJ	600 UJ	1500 UJ	510 U	1600 UJ	520 U	910 UJ	1100 UJ	1300 UJ	2100 UJ
PHENOL	UG/KG	289.25	420*	--	2.05E+08	180 J	210 J	250 J	290	210	96	110 U	840 U	160	330 J	370	390 J	300	180 U	370 J	260 UJ	700

NOTES: Bold values represent detected concentrations. RL is reported for non-detected constituents.

This table includes data that were not considered in the risk assessments (i.e., data for subsurface sediments). Tables 8-6 through 8-10 present data used in the risk assessment for the Southwest Grouping.

<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

\*BTAG freshwater sediment benchmark

<sup>2</sup> Probable Effects Concentrations from MacDonald, 1996.

<sup>3</sup> Calculated site-specific human health screening levels, Appendix H.

Value exceeds BTAG benchmark

Value exceeds PEC

R = data point rejected during validation (see Appendix E)

RL = reporting limit

J = compound was detected, but below the reporting limit (value is estimated)

U = compound was analyzed, but not detected

TABLE 5-12 SEMIVOLATILE ORGANIC COMPOUND CONCENTRATIONS IN SEDIMENT CORE SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	Southwest/Tin Mill Canal Effluent Grouping																			
						SD-G03-0002	SD-G03-0406	SD-G04-0002	SD-G04-0406	SD-G04-0406-FD	SD-G05-0002	SD-G05-0406	SD-G05-0607	SD-G06-0002	SD-G06-0406	SD-H01-0002	SD-H01-0406	SD-H03-0002	SD-H03-0406	SD-H03-0607	SD-H04-0002	SD-H04-0002-FD	SD-H04-0406	SD-H05-0002	SD-H05-0406
1,2,4-TRICHLOROBENZENE	UG/KG	1419.15	473	--	--	1300 UJ	1100 U	650 UJ	220 U	230 U	380 UJ	200 U	100 U	250 U	180 U	5300 U	1200 UJ	1500 UJ	980 U	110 U	6700 UJ	6700 UJ	690 U	2100 U	2300 UJ
1,2-DIPHENYLHYDRAZINE(AS AZOBENZENE)	UG/KG	1419.15	--	--	--	1300 UJ	1100 U	650 UJ	220 U	230 U	380 UJ	200 UJ	100 U	250 U	180 U	5300 U	1200 UJ	1500 UJ	980 UJ	110 U	6700 UJ	6700 UJ	690 U	2100 U	2300 UJ
2,2'-OXYBIS[1-CHLOROPROPANE]	UG/KG	289.25	--	--	--	250 UJ	220 U	130 UJ	45 U	46 U	76 UJ	41 U	21 U	50 U	36 U	1100 U	240 UJ	300 UJ	200 U	22 U	1400 UJ	1400 UJ	140 U	440 U	470 UJ
2,4,6-TRICHLOROPHENOL	UG/KG	1419.15	2650	--	--	1300 UJ	1100 U	650 UJ	220 U	230 U	380 UJ	200 U	100 U	250 U	180 U	5300 U	1200 UJ	1500 UJ	980 U	110 U	6700 UJ	6700 UJ	690 U	2100 U	2300 UJ
2,4-DICHLOROPHENOL	UG/KG	289.25	117*	--	--	250 UJ	220 U	130 UJ	45 U	46 U	76 UJ	41 U	21 U	50 U	36 U	1100 U	240 UJ	300 UJ	200 U	22 U	1400 UJ	1400 UJ	140 U	440 U	470 UJ
2,4-DIMETHYLPHENOL	UG/KG	1419.15	29*	--	1.37E+07	1300 UJ	1100 U	650 UJ	220 U	230 U	380 UJ	200 U	100 U	250 U	180 U	5300 U	7300 J	1500 UJ	5300	290	6700 UJ	6700 UJ	690 U	2100 U	2300 UJ
2,4-DINITROPHENOL	UG/KG	7311.47	41.6*	--	--	6500 UJ	5600 U	3400 UJ	1100 U	1200 U	1900 UJ	1000 U	530 U	1300 U	930 U	27000 U	6200 UJ	7600 UJ	5100 U	550 U	35000 UJ	34000 UJ	3600 U	11000 U	12000 UJ
2,4-DINITROTOLUENE	UG/KG	1419.15	41.6	--	--	1300 UJ	1100 U	650 UJ	220 U	230 U	380 UJ	200 U	100 U	250 U	180 U	5300 U	1200 UJ	1500 UJ	980 U	110 U	6700 UJ	6700 UJ	690 U	2100 U	2300 UJ
2,6-DINITROTOLUENE	UG/KG	1419.15	--	--	--	1300 UJ	1100 U	650 UJ	220 U	230 U	380 UJ	200 U	100 U	250 U	180 U	5300 U	1200 UJ	1500 UJ	980 U	110 U	6700 UJ	6700 UJ	150 J	2100 U	2300 UJ
2-CHLORONAPHTHALENE	UG/KG	289.25	--	--	--	250 UJ	220 U	130 UJ	45 U	46 U	76 UJ	41 U	21 U	50 U	36 U	1100 U	240 UJ	300 UJ	200 U	22 U	1400 UJ	1400 UJ	140 U	440 U	470 UJ
2-CHLOROPHENOL	UG/KG	1419.15	344	--	--	1300 UJ	1100 U	650 UJ	220 U	230 U	380 UJ	200 U	100 U	250 U	180 U	5300 U	1200 UJ	1500 UJ	980 U	110 U	6700 UJ	6700 UJ	690 U	2100 U	2300 UJ
2-NITROPHENOL	UG/KG	1419.15	--	--	--	1300 UJ	1100 U	650 UJ	220 U	230 U	380 UJ	200 U	100 U	250 U	180 U	5300 U	1200 UJ	1500 UJ	980 U	110 U	6700 UJ	6700 UJ	690 U	2100 U	2300 UJ
3,3'-DICHLOROBENZIDINE	UG/KG	1419.15	2060	--	--	1300 UJ	1100 U	650 UJ	220 U	230 U	380 UJ	200 U	100 U	250 U	180 U	5300 U	1200 UJ	1500 UJ	980 U	110 U	6700 UJ	6700 UJ	690 U	2100 U	2300 UJ
4,6-DINITRO-2-METHYLPHENOL	UG/KG	7311.47	--	--	--	6500 UJ	5600 U	3400 UJ	1100 U	1200 U	1900 UJ	1000 UJ	530 U	1300 U	930 U	27000 U	6200 UJ	7600 UJ	5100 UJ	550 U	35000 UJ	34000 UJ	3600 U	11000 U	12000 UJ
4-BROMOPHENYL PHENYL ETHER	UG/KG	1419.15	1230*	--	--	1300 UJ	1100 U	650 UJ	220 U	230 U	380 UJ	200 UJ	100 U	250 U	180 U	5300 U	1200 UJ	1500 UJ	980 UJ	110 U	6700 UJ	6700 UJ	690 U	2100 U	2300 UJ
4-CHLORO-3-METHYLPHENOL	UG/KG	1419.15	--	--	--	1300 UJ	1100 U	650 UJ	220 U	230 U	380 UJ	200 U	100 U	250 U	180 U	5300 U	1200 UJ	1500 UJ	980 U	110 U	6700 UJ	6700 UJ	690 U	2100 U	2300 UJ
4-CHLOROPHENYL PHENYL ETHER	UG/KG	1419.15	--	--	--	1300 UJ	1100 U	650 UJ	220 U	230 U	380 UJ	200 U	100 U	250 U	180 U	5300 U	1200 UJ	1500 UJ	980 U	110 U	6700 UJ	6700 UJ	690 U	2100 U	2300 UJ
4-NITROPHENOL	UG/KG	7311.47	--	--	--	6500 UJ	5600 U	3400 UJ	1100 U	1200 U	1900 UJ	1000 U	530 U	1300 U	930 U	27000 U	6200 UJ	7600 UJ	5100 U	550 U	35000 UJ	34000 UJ	3600 U	11000 U	12000 UJ
BENZIDINE	UG/KG	28924.85	--	--	--	25000 UJ	22000 U	13000 UJ	4500 U	4600 U	7600 UJ	4100 U	2100 U	5000 UJ	3600 UJ	110000 U	24000 UJ	30000 UJ	20000 U	2200 U	140000 UJ	140000 UJ	14000 U	44000 U	47000 UJ
BENZOIC ACID	UG/KG	7311.47	650*	--	2.73E+09	6500 UJ	3700 J	3400 UJ	630 J	700 J	1900 UJ	1000 U	530 U	790 J	930 U	27000 U	6200 UJ	7600 UJ	5100 U	550 U	35000 UJ	34000 UJ	3600 U	11000 UJ	12000 UJ
BIS(2-CHLOROETHOXY)METHANE	UG/KG	1419.15	--	--	--	1300 UJ	1100 U	650 UJ	220 U	230 U	380 UJ	200 U	100 U	250 U	180 U	5300 U	1200 UJ	1500 UJ	980 U	110 U	6700 UJ	6700 UJ	690 U	2100 U	2300 UJ
BIS(2-CHLOROETHYL)ETHER	UG/KG	289.25	--	--	--	250 UJ	220 U	130 UJ	45 U	46 U	76 UJ	41 U	21 U	50 U	36 U	1100 U	240 UJ	300 UJ	200 U	22 U	1400 UJ	1400 UJ	140 U	440 U	470 UJ
BIS(2-ETHYLHEXYL) PHTHALATE	UG/KG	2689.99	182.16	2647	2.96E+06	11000 J	4600	17000 J	450 U	460 U	3900 J	2200	50 J	180 J	360 U	23000	17000 J	19000 UJ	9700	49 J	48000 J	54000 J	1400 U	8700	29000 J
BUTYL BENZYL PHTHALATE	UG/KG	1419.15	16800	--	--	1300 UJ	1100 U	650 UJ	220 U	230 U	380 UJ	200 U	16 J	250 U	180 U	5300 U	1200 UJ	1500 UJ	980 U	110 U	6700 UJ	6700 UJ	690 U	2100 U	2300 UJ
DIETHYL PHTHALATE	UG/KG	1419.15	218	--	--	1300 UJ	1100 U	650 UJ	220 U	230 U	380 UJ	200 U	100 U	250 U	180 U	5300 U	1200 UJ	1500 UJ	980 U	110 U	6700 UJ	6700 UJ	690 U	2100 U	2300 UJ
DIMETHYL PHTHALATE	UG/KG	1419.15	--	--	--	1300 UJ	1100 U	650 UJ	220 U	230 U	380 UJ	200 U	100 U	250 U	180 U	5300 U	1200 UJ	1500 UJ	980 U	110 U	6700 UJ	6700 UJ	690 U	2100 U	2300 UJ
DI-N-BUTYL PHTHALATE	UG/KG	1419.15	1160	--	6.83E+07	1300 UJ	1100 U	650 UJ	220 U	230 U	180 J	200 UJ	100 U	250 U	180 U	5300 U	1200 UJ	1500 UJ	980 UJ	110 U	6700 UJ	6700 UJ	690 U	2100 U	2300 UJ
DI-N-OCTYL PHTHALATE	UG/KG	1419.15	--	--	--	1300 UJ	1100 U	650 UJ	220 U	230 U	380 UJ	200 U	100 U	250 U	180 U	5300 U	1200 UJ	1500 UJ	980 U	110 U	6700 UJ	6700 UJ	690 U	2100 U	2300 UJ
HEXACHLOROBENZENE	UG/KG	289.25	20*	--	--	250 UJ	220 U	130 UJ	45 U	46 U	76 UJ	41 UJ	21 U	50 U	36 U	1100 U	240 UJ	300 UJ	200 UJ	22 U	1400 UJ	1400 UJ	140 U	440 U	470 UJ
HEXACHLOROBUTADIENE	UG/KG	289.25	--	--	--	250 UJ	220 U	130 UJ	45 U	46 U	76 UJ	41 U	21 U	50 U	36 U	1100 U	240 UJ	300 UJ	200 U	22 U	1400 UJ	1400 UJ	140 U	440 U	470 UJ
HEXACHLOROCYCLOPENTADIENE	UG/KG	1419.15	139	--	--	1300 UJ	1100 UJ	650 UJ	220 UJ	230 UJ	380 UJ	200 UJ	100 U	250 UJ	180 UJ	5300 U	1200 UJ	1500 UJ	980 U	110 U	6700 UJ	6700 UJ	690 U	2100 UJ	2300 UJ
HEXACHLOROETHANE	UG/KG	1419.15	804	--	--	1300 UJ	1100 U	650 UJ	220 U	230 U	380 UJ	200 U	100 U	250 U	180 U	5300 U	1200 UJ	1500 UJ	980 U	110 U	6700 UJ	6700 UJ	690 U	2100 U	2300 UJ
ISOPHORONE	UG/KG	1419.15	--	--	--	1300 UJ	1100 U	650 UJ	220 U	230 U	380 UJ	200 U	100 U	250 U	180 U	5300 U	1200 UJ	1500 UJ	980 U	110 U	6700 UJ	6700 UJ	690 U	2100 U	2300 UJ
NITROBENZENE	UG/KG	2869.99	--	--	--	2500 UJ	2200 U	1300 UJ	450 U	460 U	760 UJ	400 U	210 U	500 U	360 U	11000 U	2400 UJ	3000 UJ	2000 U	220 U	14000 UJ	13000 UJ	1400 U	4300 U	4700 UJ
N-NITROSODIMETHYLAMINE	UG/KG	1419.15	--	--	--	1300 UJ	1100 U	650 UJ	220 UJ	230 UJ	380 UJ	200 UJ	100 U	250 UJ	180 UJ	5300 U	1200 UJ	1500 UJ	980 UJ	110 U	6700 UJ	6700 UJ	690 U	2100 U	2300 UJ
N-NITROSODI-N-PROPYLAMINE	UG/KG	289.25	--	--	--	250 UJ	220 U	130 UJ	45 U	46 U	76 UJ	41 U	21 U	50 U	36 U	1100 U	240 UJ	300 UJ	200 U	22 U	1400 UJ	1400 UJ	140 U	440 U	470 UJ
N-NITROSODIPHENYLAMINE	UG/KG	1419.15	422000	--	--	1300 UJ	1100 U	650 UJ	220 U	230 U	380 UJ	200 UJ	100 U	250 U	180 U	5300 U	1200 UJ	1500 UJ	980 U	110 U	6700 UJ	6700 UJ	690 U	2100 U	2300 UJ
PENTACHLOROPHENOL	UG/KG	1419.15	7970	--	--	1300 UJ	1100 U	650 UJ	220 UJ	230 UJ	380 UJ	200 UJ	100 U	250 UJ	180 UJ	5300 U	1200 UJ	1500 UJ	980 UJ	110 U	6700 UJ	6700 UJ	690 U	2100 U	2300 UJ
PHENOL	UG/KG	289.25	420*	--	2.05E+08	250 UJ	220 U	110 J	30 J	46 U	76 UJ	55	47	170	120	1100 U	290 J	300 UJ	200 U	22 U	1400 UJ	1400 UJ	140 U	440 U	470 UJ

NOTES: Bold values represent detected concentrations. RL is reported for non-detected constituents.

This table includes data that were not considered in the risk assessments (i.e., data for subsurface sediments). Tables 8-6 through 8-10 present data used in the risk assessment for the Southwest Grouping.

<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

\*BTAG freshwater sediment benchmark

<sup>2</sup> Probable Effects Concentrations from MacDonald, 1996.

<sup>3</sup> Calculated site-specific human health screening levels, Appendix H.

Value exceeds BTAG benchmark

Value exceeds PEC

R = data point rejected during validation (see Appendix E)

RL = reporting limit

J = compound was detected, but below the reporting limit (value is estimated)

U = compound was analyzed, but not detected

TABLE 5-12 SEMIVOLATILE ORGANIC COMPOUND CONCENTRATIONS IN SEDIMENT CORE SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	Southwest/Tin Mill Canal Effluent Grouping																
						SD-H06-0002	SD-H06-0002-FD	SD-H06-0204	SD-H07-0002	SD-H07-0002-FD	SD-H07-0406	SD-I01-0001	SD-I01-0102	SD-I02-0002	SD-I02-0204	SD-I02-0406	SD-I03-0002	SD-I03-0204	SD-I03-0406	SD-J02-0002	SD-J02-0204	SD-J02-0406
1,2,4-TRICHLOROBENZENE	UG/KG	1419.15	473	--	--	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 U	180 U	120 U	72 U	360 UJ	260 U	210 U	240 U	190 U	39 U	1700 UJ	1200 U	78 U
1,2-DIPHENYLHYDRAZINE(AS AZOBENZENE)	UG/KG	1419.15	--	--	--	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 U	180 U	120 U	72 U	360 UJ	260 U	210 U	240 U	190 U	39 U	1700 UJ	1200 U	78 U
2,2'-OXYBIS[1-CHLOROPROPANE]	UG/KG	289.25	--	--	--	310 UJ	320 UJ	270 UJ	110 UJ	110 U	36 U	25 U	15 U	74 UJ	53 U	43 U	50 U	39 U	7.9 U	350 UJ	240 U	16 U
2,4,6-TRICHLOROPHENOL	UG/KG	1419.15	2650	--	--	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 U	180 U	120 U	72 U	360 UJ	260 U	210 U	240 U	190 U	39 U	1700 UJ	1200 U	78 U
2,4-DICHLOROPHENOL	UG/KG	289.25	117*	--	--	310 UJ	320 UJ	270 UJ	110 UJ	110 U	36 U	25 U	15 U	74 UJ	53 U	43 U	50 U	39 U	7.9 U	350 UJ	240 U	16 U
2,4-DIMETHYLPHENOL	UG/KG	1419.15	29*	--	1.37E+07	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 U	180 U	120 U	72 U	360 UJ	260 U	210 U	59 J	190 U	39 U	1700 UJ	1200 U	78 U
2,4-DINITROPHENOL	UG/KG	7311.47	41.6*	--	--	7900 UJ	8100 UJ	6900 UJ	2800 UJ	2800 U	910 U	640 U	370 U	1900 UJ	1300 U	1100 U	1300 U	990 U	200 U	8800 UJ	6000 U	400 U
2,4-DINITROTOLUENE	UG/KG	1419.15	41.6	--	--	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 U	180 U	120 U	72 U	360 UJ	260 U	210 U	240 U	190 U	39 U	1700 UJ	1200 U	78 U
2,6-DINITROTOLUENE	UG/KG	1419.15	--	--	--	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 U	180 U	120 U	72 U	360 UJ	260 U	210 U	240 U	190 U	39 U	1700 UJ	1200 U	78 U
2-CHLORONAPHTHALENE	UG/KG	289.25	--	--	--	310 UJ	320 UJ	270 UJ	110 UJ	110 U	36 U	25 U	15 U	74 UJ	53 U	43 U	50 U	39 U	7.9 U	350 UJ	240 U	16 U
2-CHLOROPHENOL	UG/KG	1419.15	344	--	--	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 U	180 U	120 U	72 U	360 UJ	260 U	210 U	240 U	190 U	39 U	1700 UJ	1200 U	78 U
2-NITROPHENOL	UG/KG	1419.15	--	--	--	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 U	180 U	120 U	72 U	360 UJ	260 U	210 U	240 U	190 U	39 U	1700 UJ	1200 U	78 U
3,3'-DICHLOROBENZIDINE	UG/KG	1419.15	2060	--	--	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 U	180 U	120 U	72 U	360 UJ	260 U	210 U	240 U	190 U	39 U	1700 UJ	1200 U	78 U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	7311.47	--	--	--	7900 UJ	8100 UJ	6900 UJ	2800 UJ	2800 U	910 U	640 U	370 U	1900 UJ	1300 U	1100 U	1300 U	990 U	200 U	8800 UJ	6000 U	400 U
4-BROMOPHENYL PHENYL ETHER	UG/KG	1419.15	1230*	--	--	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 U	180 U	120 U	72 U	360 UJ	260 U	210 U	240 U	190 U	39 U	1700 UJ	1200 U	78 U
4-CHLORO-3-METHYLPHENOL	UG/KG	1419.15	--	--	--	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 U	180 U	120 U	72 U	360 UJ	260 U	210 U	240 U	190 U	39 U	1700 UJ	1200 U	78 U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	1419.15	--	--	--	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 U	180 U	120 U	72 U	360 UJ	260 U	210 U	240 U	190 U	39 U	1700 UJ	1200 U	78 U
4-NITROPHENOL	UG/KG	7311.47	--	--	--	7900 UJ	8100 UJ	6900 UJ	2800 UJ	2800 U	910 U	640 U	370 U	1900 UJ	1300 U	1100 U	1300 U	990 U	200 U	8800 UJ	6000 UJ	400 UJ
BENZIDINE	UG/KG	28924.85	--	--	--	31000 UJ	32000 UJ	27000 UJ	11000 UJ	11000 UJ	3600 UJ	2500 U	1500 U	7400 UJ	5300 U	4300 U	5000 UJ	3900 UJ	790 UJ	35000 UJ	24000 U	1600 U
BENZOIC ACID	UG/KG	7311.47	650*	--	2.73E+09	7900 UJ	8100 UJ	4400 J	2800 UJ	2800 U	910 U	640 U	370 U	1900 UJ	1300 U	1100 U	960 J	990 U	200 U	8800 UJ	6000 UJ	400 UJ
BIS(2-CHLOROETHOXY)METHANE	UG/KG	1419.15	--	--	--	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 U	180 U	120 U	72 U	360 UJ	260 U	210 U	240 U	190 U	39 U	1700 UJ	1200 U	78 U
BIS(2-CHLOROETHYL)ETHER	UG/KG	289.25	--	--	--	310 UJ	320 UJ	270 UJ	110 UJ	110 U	36 U	25 U	15 U	74 UJ	53 U	43 U	50 U	39 U	7.9 U	350 UJ	240 U	16 U
BIS(2-ETHYLHEXYL) PHTHALATE	UG/KG	2689.99	182.16	2647	2.96E+06	5200 J	7600 J	16000 J	3300 J	2800	360 U	250 U	150 U	2800 J	5100	430 U	220 J	390 U	13 J	2000 J	3900	160 U
BUTYL BENZYL PHTHALATE	UG/KG	1419.15	16800	--	--	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 U	180 U	120 U	72 U	360 UJ	260 U	210 U	240 U	190 U	19 J	1700 UJ	1200 U	78 U
DIETHYL PHTHALATE	UG/KG	1419.15	218	--	--	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 U	180 U	120 U	72 U	360 UJ	260 U	210 U	240 U	190 U	39 U	1700 UJ	1200 U	78 U
DIMETHYL PHTHALATE	UG/KG	1419.15	--	--	--	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 U	180 U	120 U	72 U	360 UJ	260 U	210 U	240 U	190 U	39 U	1700 UJ	1200 U	78 U
DI-N-BUTYL PHTHALATE	UG/KG	1419.15	1160	--	6.83E+07	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 U	180 U	120 U	72 U	77 J	120 J	48 J	240 U	190 U	39 U	1700 UJ	1200 U	78 U
DI-N-OCTYL PHTHALATE	UG/KG	1419.15	--	--	--	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 U	180 U	120 U	72 U	360 UJ	260 U	210 U	240 U	190 U	39 U	1700 UJ	1200 U	78 U
HEXACHLOROBENZENE	UG/KG	289.25	20*	--	--	310 UJ	320 UJ	270 UJ	110 UJ	110 U	36 U	25 U	15 U	74 UJ	53 U	43 U	50 U	39 U	7.9 U	350 UJ	240 U	16 U
HEXACHLOROBUTADIENE	UG/KG	289.25	--	--	--	310 UJ	320 UJ	270 UJ	110 UJ	110 U	36 U	25 U	15 U	74 UJ	53 U	43 U	50 U	39 U	7.9 U	350 UJ	240 U	16 U
HEXACHLOROCYCLOPENTADIENE	UG/KG	1419.15	139	--	--	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 UJ	180 UJ	120 U	72 U	360 UJ	260 UJ	210 UJ	240 UJ	190 UJ	39 UJ	1700 UJ	1200 U	78 U
HEXACHLOROETHANE	UG/KG	1419.15	804	--	--	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 U	180 U	120 U	72 U	360 UJ	260 U	210 U	240 U	190 U	39 U	1700 UJ	1200 U	78 U
ISOPHORONE	UG/KG	1419.15	--	--	--	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 U	180 U	120 U	72 U	360 UJ	260 U	210 U	240 U	190 U	39 U	1700 UJ	1200 U	78 U
NITROBENZENE	UG/KG	2869.99	--	--	--	3100 UJ	3200 UJ	2700 UJ	1100 UJ	1100 U	360 U	250 U	150 U	730 UJ	530 U	430 U	490 U	390 U	79 U	3400 UJ	2300 U	160 U
N-NITROSODIMETHYLAMINE	UG/KG	1419.15	--	--	--	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 UJ	180 UJ	120 U	72 U	360 UJ	260 UJ	210 UJ	240 UJ	190 UJ	39 UJ	1700 UJ	1200 U	78 U
N-NITROSODI-N-PROPYLAMINE	UG/KG	289.25	--	--	--	310 UJ	320 UJ	270 UJ	110 UJ	110 U	36 U	25 U	15 U	74 UJ	53 U	43 U	50 U	39 U	7.9 U	350 UJ	240 U	16 U
N-NITROSODIPHENYLAMINE	UG/KG	1419.15	422000	--	--	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 U	180 U	120 U	72 U	360 UJ	260 U	210 U	240 U	190 U	39 U	1700 UJ	1200 U	78 U
PENTACHLOROPHENOL	UG/KG	1419.15	7970	--	--	1500 UJ	1600 UJ	1300 UJ	550 UJ	540 UJ	180 UJ	120 U	72 U	360 UJ	260 UJ	210 UJ	240 UJ	190 UJ	39 UJ	1700 UJ	1200 UJ	78 UJ
PHENOL	UG/KG	289.25	420*	--	2.05E+08	310 UJ	320 UJ	270 UJ	110 UJ	110 U	36 U	58	15 U	74 UJ	53 U	28 J	79	57	7.9 U	170 J	160 J	110

NOTES: Bold values represent detected concentrations. RL is reported for non-detected constituents.

This table includes data that were not considered in the risk assessments (i.e., data for subsurface sediments). Tables 8-6 through 8-10 present data used in the risk assessment for the Southwest Grouping.

<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

\*BTAG freshwater sediment benchmark

<sup>2</sup> Probable Effects Concentrations from MacDonald, 1996.

<sup>3</sup> Calculated site-specific human health screening levels, Appendix H.

Value exceeds BTAG benchmark

Value exceeds PEC

R = data point rejected during validation (see Appendix E)

RL = reporting limit

J = compound was detected, but below the reporting limit (value is estimated)

U = compound was analyzed, but not detected

TABLE 5-13 SIMULTANEOUSLY EXTRACTED METALS AND ACID VOLATILE SULFIDE CONCENTRATIONS IN SEDIMENT CORE SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	Southwest/Tin Mill Canal Effluent Grouping											
			SD-DE02-0002	SD-E03-0002	SD-F03-0002	SD-F04-0002	SD-F06-0002	SD-F07-0002	SD-G01-0002	SD-G02-0002	SD-G03-0002	SD-G04-0002	SD-G05-0002	SD-G06-0002
CADMIUM SEM	UMOL/G	0.00	0.19 J	0.12 J	0.065	0.049	0.22 J	0.27 J	0.031	0.27 J	0.17 J	0.37 J	0.077 J	0.057
COPPER SEM	UMOL/G	0.04	2.4 J	0.095 J	0.39 J	2.3 J	6.1 J	1.7 J	2 J	4 J	3 J	2.6 J	2.4 J	2.4 J
LEAD SEM	UMOL/G	0.02	1.3 J	3.9 J	1.4	0.62	2.5 J	3.2 J	0.38	1.2 J	0.89 J	2.8 J	0.86 J	3.6
NICKEL SEM	UMOL/G	0.26	0.84 J	0.77 J	0.58	1.7	0.85 J	0.85 J	2.2	2.3 J	1.8 J	1.5 J	1.1 J	0.34
ZINC SEM	UMOL/G	0.30	49 J	57 J	35	24	57 J	78 J	16 J	120 J	67 J	130 J	31 J	25 J
ACID VOLATILE SULFIDES	UMOL/G	2.03	650 J	750 J	150	160	520 J	560 J	150	270 J	500 J	500 J	550 J	240
SEM/AVS RATIO	NONE	0.001	0.082	0.083	0.25	0.18	0.13	0.15	0.14	0.46	0.15	0.27	0.065	0.13

ANALYTE	UNITS	AVG RL	Southwest/Tin Mill Canal Effluent Grouping												
			SD-H01-0002	SD-H03-0002	SD-H04-0002	SD-H04-0002-FD	SD-H05-0002	SD-H06-0002	SD-H06-0002-FD	SD-H07-0002	SD-H07-0002-FD	SD-I01-0001	SD-I02-0002	SD-I03-0002	SD-J02-0002
CADMIUM SEM	UMOL/G	0.00	0.033	1.1 J	0.16 J	0.22 J	0.044	0.043 J	0.044 J	0.078 J	0.071	0.028	0.08 J	0.08	0.073 J
COPPER SEM	UMOL/G	0.04	2	7.3 J	4.5 J	5.5 J	2.2 J	1.9 J	2.1 J	2.6 J	0.81 J	1.2 J	2.4 J	2.7 J	3 J
LEAD SEM	UMOL/G	0.02	0.36	2.1 J	1.1 J	1.7 J	0.53	0.67 J	0.71 J	2 J	2	1.9	1.2 J	3.5	1.2 J
NICKEL SEM	UMOL/G	0.26	1.8	3.2 J	2.4 J	2.6 J	1.4	0.87 J	0.84 J	0.5 J	0.49	0.2	0.61 J	0.51	0.66 J
ZINC SEM	UMOL/G	0.30	18	280 J	68 J	130 J	19 J	19 J	20 J	26 J	24 J	13	25 J	23 J	24 J
ACID VOLATILE SULFIDES	UMOL/G	2.03	260	120 J	550 J	490 J	260	590 J	500 J	270 J	210	60	320 J	170	340 J
SEM/AVS RATIO	NONE	0.001	0.083	2.6	0.14	0.29	0.091	0.038	0.047	0.12	0.13	0.28	0.093	0.18	0.085

NOTES: Bold values represent detected concentrations. RL is reported for non-detected constituents.

AVS = Acid volatile sulfide

J = compound was detected, but below the reporting limit (value is estimated)

RL = reporting limit

SEM = simultaneously extracted metal

umol/g = micromoles per gram



TABLE 5-14 DEPTH RANGES OF MAXIMUM CONSTITUENT CONCENTRATIONS IN SILTY SEDIMENT SAMPLES FROM CORES

Coring Location	Metals <sup>1</sup>	Total PAHs	Total PCBs	Oil & Grease	Cyanide	Bis(2-ethylhexyl)phthalate
DE02	Surface	Surface	Surface	Surface	Subsurface	Surface
E03	Surface	Surface	Surface	Surface	Surface	Surface
F04	Surface	Surface	Subsurface	Surface	Surface	Surface
F06	Surface	Surface	Surface	No Trend	Subsurface	Surface
F07	Surface	Surface	Surface	Surface	No Trend	Surface
G01	Subsurface	Surface	Subsurface	Surface	Surface	Subsurface
G02	Subsurface	Subsurface	Subsurface	Surface	Subsurface	Subsurface
G03	Subsurface	Subsurface	Subsurface	Surface	Subsurface	Surface
G04	Surface	Surface	Surface	Surface	No Trend	Surface
G05	Subsurface	Subsurface	Subsurface	Surface	Surface	Surface
G06	Surface	Surface	Surface	No Trend	Surface	No Trend
H01	Subsurface	Surface	Subsurface	No Trend	Subsurface	Surface
H03	Surface	Surface	Surface	Surface	Surface	Subsurface
H04	Subsurface	Surface	Surface	Surface	No Trend	No Trend
H05	Subsurface	Subsurface	Subsurface	Surface	Subsurface	Subsurface
H06	Subsurface	Subsurface	Subsurface	Subsurface	Subsurface	Subsurface
H07	Surface	Surface	Surface	Surface	Surface	Surface
I01	Surface	Surface	Surface	No Trend	Surface	No Trend
I02	Surface	Surface	Subsurface	Subsurface	Surface	Subsurface
I03	Surface	Surface	Surface	Surface	Surface	No Trend
J02	Surface	No Trend	Subsurface	Subsurface	Subsurface	Subsurface
Notes:						
(1) Refers to the following metals, which exhibited similar trends, as discussed in the text: cadmium, chromium, copper, nickel, silver, and zinc.						

TABLE 5-15 METALS, CYANIDE, OIL AND GREASE, AND SOLIDS CONCENTRATIONS IN STORMWATER SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	Aquatic Life NRWQC <sup>2</sup>	Human Health NRWQC <sup>3</sup>	Storm Event 1				Storm Event 2			
						ST-014- 111614	ST-018- 111614	ST-DUP1- 111614	ST-UNNAMED- 111614	ST-014- 120114	ST-018- 120114	ST-071- 120114	ST- UNNAMED- 120114
ANTIMONY	UG/L	2	500	---	640	2 U	2 U	2 U	2 U	1.1 J	0.88 J	0.63 J	1.2 J
ARSENIC	UG/L	1	12.5	36	0.14 <sup>4</sup>	1 U	3.4	0.67 J	1 U	1.1	2.2	2.4	1 U
BERYLLIUM	UG/L	1	0.66*	---	---	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
CADMIUM	UG/L	1	0.12	8.8	---	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
CHROMIUM	UG/L	2	57.5**	50	---	1.2 J	3.7	1 J	0.96 J	1.4 J	6.8	1.7 J	0.89 J
COPPER	UG/L	2	3.1	3.1	---	0.69 J	1.3 J	1.1 J	1.1 J	2 U	2 U	3	3.1
LEAD	UG/L	1	8.1	8.1	---	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
MERCURY	UG/L	0.2	0.02	0.94	---	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.2 U	0.051 J	0.083 J
NICKEL	UG/L	1	8.2	8.2	4600	4.1	0.3 J	1.9	1.5	6.3	1.2	4.1	2.8
SELENIUM	UG/L	5	71	71	4200	5 U	2.3 J	0.45 J	5 U	5 U	0.9 J	0.42 J	5 U
SILVER	UG/L	1	0.23	---	---	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
THALLIUM	UG/L	1	21.3	---	0.47	1 U	1 U	1 U	1 U	1 U	1 U	1 U	1 U
ZINC	UG/L	5	81	81	26000	10	1.6 J	14	10	20	9.40	75	12

CYANIDE, TOTAL	UG/L	10	1	1	140	4.3 J	40	10 U	10 U	10 U	14	10 U	10 U
HEM	MG/L	5.2	---	---	---	5.2 U	2 J	2 J	2 J	3 J	2.7 J	3.4 J	2.7 J
TOTAL SUSPENDED SOLIDS	MG/L	2	---	---	---	2.4	3.6	3.2	2	6.4	30	20	2 U

NOTES: Bold values represent detected concentrations. RL is reported for non-detected constituents

ST-DUP1 was collected at site ST-UNNAMED

<sup>1</sup> Surface Water Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

\*BTAG freshwater surface water benchmark

<sup>2</sup> National Recommended Water Quality Criteria for Saltwater Aquatic Life, Chronic

<sup>3</sup> National Recommended Water Quality Criteria for Human Health, Consumption of Organism Only

<sup>4</sup> EPA is currently reassessing the human health criteria for arsenic; therefore, the current value is not used for screening.

\*\* total chromium screening level

Value exceeds BTAG criteria

Value exceeds NRWQC criteria

RL = reporting limit

J = compound was detected, but below the reporting limit (value is estimated)

U = compound was analyzed, but not detected

TABLE 5-16 POLYCYCLIC AROMATIC HYDROCARBON CONCENTRATIONS IN STORMWATER SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	Aquatic Life NRWQC <sup>2</sup>	Human Health NRWQC <sup>3</sup>	Storm Event 1				Storm Event 2			
						ST-014- 111614	ST-018- 111614	ST-DUP1- 111614	ST-UNNAMED- 111614	ST-014- 120114	ST-018- 120114	ST-071- 120114	ST-UNNAMED- 120114
ACENAPHTHENE	UG/L	0.19	6.6	---	990	0.19 U	<b>0.029 J</b>	0.19 UJ	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U
ACENAPHTHYLENE	UG/L	0.19	---	---	--	0.19 U	0.19 UJ	0.19 UJ	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U
ANTHRACENE	UG/L	0.19	0.18	---	40000	<b>0.05 J</b>	<b>0.024 J</b>	<b>0.019 J</b>	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U
FLUORENE	UG/L	0.19	2.5	---	5300	<b>0.14 J</b>	<b>0.025 J</b>	0.19 UJ	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U
NAPHTHALENE	UG/L	0.19	1.4	---	---	0.19 U	<b>0.05 J</b>	0.19 UJ	0.19 U	0.19 U	<b>0.13 J</b>	0.19 U	0.19 U
PHENANTHRENE	UG/L	0.19	1.5	---	---	<b>0.19</b>	<b>0.061 J</b>	0.19 UJ	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U
BENZO[A]ANTHRACENE	UG/L	0.19	0.018*	---	0.018	0.19 U	0.19 UJ	0.19 UJ	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U
BENZO[A]PYRENE	UG/L	0.19	0.015*	---	0.018	0.19 U	0.19 UJ	0.19 UJ	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U
BENZO[B]FLUORANTHENE	UG/L	0.19	---	---	0.018	0.19 U	0.19 UJ	0.19 UJ	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U
BENZO[G,H,I]PERYLENE	UG/L	0.19	---	---	---	0.19 U	0.19 UJ	0.19 UJ	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U
BENZO[K]FLUORANTHENE	UG/L	0.19	---	---	0.018	0.19 U	0.19 UJ	0.19 UJ	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U
CHRYSENE	UG/L	0.19	---	---	0.018	0.19 U	0.19 UJ	0.19 UJ	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U
DIBENZ(A,H)ANTHRACENE	UG/L	0.19	---	---	0.018	0.19 U	0.19 UJ	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U
FLUORANTHENE	UG/L	0.19	1.6	---	140	<b>0.11 J</b>	<b>0.028 J</b>	0.19 UJ	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U
INDENO[1,2,3-CD]PYRENE	UG/L	0.19	---	---	--	0.19 U	0.19 UJ	0.19 UJ	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U
PYRENE	UG/L	0.19	0.24	---	4000	<b>0.078 J</b>	0.19 UJ	0.19 UJ	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U
TOTAL PAHs (ND=0)	UG/L	---	---	---	---	0.568	0.452	0.019	0	0	0.13	0	0

NOTES: Bold values represent detected concentrations. RL is reported for non-detected constituents

ST-DUP1 was collected at site ST-UNNAMED

<sup>1</sup> Surface Water Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

\*BTAG freshwater surface water benchmark

<sup>2</sup> National Recommended Water Quality Criteria for Saltwater Aquatic Life, Chronic

<sup>3</sup> National Recommended Water Quality Criteria for Human Health, Consumption of Organism Only, prior to June 2015 update. Pre-2015 values were used in identification of Site-Related COPCs, due to project timing and consistent with the Work Plan.  
RL = reporting limit

J = compound was detected, but below the reporting limit (value is estimated)

U = compound was analyzed, but not detected

TABLE 5-17 POLYCHLORINATED BIPHENYL CONCENTRATIONS IN STORMWATER SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	BTAG <sup>1</sup>	AVG RL	Storm Event 1				Storm Event 2			
				ST-014-111614	ST-018-111614	ST-DUP1-111614	ST-UNNAMED-111614	ST-014-120114	ST-018-120114	ST-071-120114	ST-UNNAMED-120114
PCB-1016	UG/L	0.000074*	0.0094	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U
PCB-1221	UG/L	0.000074*	0.0094	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U
PCB-1232	UG/L	0.000074*	0.0094	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U
PCB-1242	UG/L	0.000074*	0.0094	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U
PCB-1248	UG/L	0.000074*	0.0094	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U
PCB-1254	UG/L	0.000074*	0.0094	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U
PCB-1260	UG/L	0.000074*	0.0094	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U	0.0094 U

**NOTES:** Bold values represent detected concentrations. RL is reported for non-detected constituents

ST-DUP1 was collected at site ST-UNNAMED

<sup>1</sup> Surface Water Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

\*BTAG freshwater surface water benchmark

**RL** = reporting limit

**U** = compound was analyzed, but not detected

TABLE 5-18 VOLATILE ORGANIC COMPOUND CONCENTRATIONS IN STORMWATER SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	Aquatic Life NRWQC <sup>2</sup>	Human Health NRWQC <sup>3</sup>	Storm Event 1				Storm Event 2			
						ST-014- 111614	ST-018- 111614	ST-DUP1- 111614	ST-UNNAMED- 111614	ST-014- 120114	ST-018- 120114	ST-071- 120114	ST-UNNAMED- 120114
1,1,1-TRICHLOROETHANE	UG/L	5	312	---	--	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
1,1,2,2-TETRACHLOROETHANE	UG/L	5	90.2	---	4.0	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
1,1,2-TRICHLOROETHANE	UG/L	5	550	---	16	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
1,1-DICHLOROETHANE	UG/L	5	47*	---	--	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
1,1-DICHLOROETHENE	UG/L	5	2240	---	7100	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
1,2-DICHLOROBENZENE	UG/L	5	42	---	1300	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
1,2-DICHLOROETHANE	UG/L	5	1130	---	37	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
1,2-DICHLOROPROPANE	UG/L	5	2400	---	15	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
1,3-DICHLOROBENZENE	UG/L	5	28.5	---	960	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
1,4-DICHLOROBENZENE	UG/L	5	19.9	---	190	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
2-CHLOROETHYL VINYL ETHER	UG/L	10	---	---	--	10 U	10 U	10 U	10 U	10 U	10 UJ	10 U	10 U
ACROLEIN	UG/L	100	0.55	3*	9.00	100 U	100 U	100 U	100 U	100 U	100 UJ	100 U	100 U
ACRYLONITRILE	UG/L	50	581	---	0.25	50 U	50 U	50 U	50 U	50 U	50 UJ	50 U	50 U
BENZENE	UG/L	5	110	---	51	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
BROMOFORM	UG/L	5	640	---	140	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
BROMOMETHANE	UG/L	5	120	---	--	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
CARBON TETRACHLORIDE	UG/L	5	1500	---	1.6	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
CHLOROBENZENE	UG/L	5	25	---	1600	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
CHLORODIBROMOMETHANE	UG/L	5	---	---	--	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
CHLOROETHANE	UG/L	5	---	---	--	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
CHLOROFORM	UG/L	5	815	---	470	<b>1 J</b>	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
CHLOROMETHANE	UG/L	5	2700	---	--	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
CIS-1,3-DICHLOROPROPENE	UG/L	5	---	---	21	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
DICHLOROBROMOMETHANE	UG/L	5	---	---	13	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
ETHYLBENZENE	UG/L	5	25	---	2100	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
METHYLENE CHLORIDE	UG/L	5	2560	---	590	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
TETRACHLOROETHENE	UG/L	5	45	---	3.3	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
TOLUENE	UG/L	5	215	---	15000	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
TRANS-1,2-DICHLOROETHENE	UG/L	5	---	---	10000	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
TRANS-1,3-DICHLOROPROPENE	UG/L	5	---	---	21	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
TRICHLOROETHENE	UG/L	5	1940	---	30	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U
VINYL CHLORIDE	UG/L	5	930*	---	2.4	5 U	5 U	5 U	5 U	5 U	5 UJ	5 U	5 U

NOTES: Bold values represent detected concentrations. RL is reported for non-detected constituents

ST-DUP1 was collected at site ST-UNNAMED

<sup>1</sup> Surface Water Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

<sup>2</sup> National Recommended Water Quality Criteria for Aquatic Life, Chronic. Saltwater value unless marked with an asterisk

\*BTAG freshwater surface water benchmark or freshwater NRWQC

<sup>3</sup> National Recommended Water Quality Criteria for Human Health, Consumption of Organism Only, prior to June 2015 update. Pre-2015 values were used in identification of Site-Related COPCs, due to project timing and consistent with the Work Plan.

RL = reporting limit

J = compound was detected, but below the reporting limit (value is estimated)

U = compound was analyzed, but not detected

TABLE 5-19 SEMIVOLATILE ORGANIC COMPOUND CONCENTRATIONS IN STORMWATER SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	Aquatic Life NRWQC <sup>2</sup>	Human Health NRWQC <sup>3</sup>	Storm Event 1				Storm Event 2			
						ST-014- 111614	ST-018- 111614	ST-DUP1- 111614	ST-UNNAMED- 111614	ST-014- 120114	ST-018- 120114	ST-071- 120114	ST-UNNAMED- 120114
1,2,4-TRICHLOROBENZENE	UG/L	0.96	5.4	---	70	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
1,2-DIPHENYLHYDRAZINE(AS AZOBENZENE)	UG/L	0.96	---	---	--	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
2,2'-OXYBIS[1-CHLOROPROPANE]	UG/L	0.96	---	---	--	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
2,4,6-TRICHLOROPHENOL	UG/L	0.96	61	---	2	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
2,4-DICHLOROPHENOL	UG/L	0.96	48.5	---	290	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
2,4-DIMETHYLPHENOL	UG/L	0.96	---	---	850	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	<b>1.80</b>	0.96 U	0.96 U
2,4-DINITROPHENOL	UG/L	4.8	48.5	---	5300	4.8 U	4.8 UJ	4.8 UJ	4.8 U	4.8 U	4.8 U	4.8 U	4.8 U
2,4-DINITROTOLUENE	UG/L	0.96	44*	---	3.4	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
2,6-DINITROTOLUENE	UG/L	0.96	81*	---	--	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
2-CHLORONAPHTHALENE	UG/L	0.19	---	---	1600	0.19 U	0.19 UJ	0.19 UJ	0.19 U	0.19 U	0.19 U	0.19 U	0.19 U
2-CHLOROPHENOL	UG/L	0.96	265	---	150	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
2-NITROPHENOL	UG/L	0.96	2940	---	--	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
3,3'-DICHLOROBENZIDINE	UG/L	0.96	73	---	0	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
4,6-DINITRO-2-METHYLPHENOL	UG/L	4.8	---	---	280	4.8 U	4.8 UJ	4.8 UJ	4.8 U	4.8 U	4.8 U	4.8 U	4.8 U
4-BROMOPHENYL PHENYL ETHER	UG/L	0.96	1.5*	---	--	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
4-CHLORO-3-METHYLPHENOL	UG/L	0.96	---	---	--	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
4-CHLOROPHENYL PHENYL ETHER	UG/L	0.96	---	---	--	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
4-NITROPHENOL	UG/L	4.8	71.7	---	--	4.8 U	4.8 UJ	4.8 UJ	4.8 U	4.8 U	4.8 U	4.8 U	4.8 U
BENZIDINE	UG/L	19	3.9*	---	0.00002	19 U	19 UJ	19 UJ	19 U	19 U	19 U	19 U	19 U
BENZOIC ACID	UG/L	4.8	42*	---	--	4.8 U	4.8 UJ	4.8 UJ	4.8 U	4.8 U	4.8 U	4.8 U	4.8 U
BIS(2-CHLOROETHOXY)METHANE	UG/L	0.96	---	---	--	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
BIS(2-CHLOROETHYL)ETHER	UG/L	0.96	---	---	0.53	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
BIS(2-ETHYLHEXYL) PHTHALATE	UG/L	1.9	16*	---	2.2	1.9 U	<b>1.5 J</b>	<b>0.42 J</b>	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U
BUTYL BENZYL PHTHALATE	UG/L	0.96	29.4	---	1900	<b>0.35 J</b>	<b>0.41 J</b>	<b>0.47 J</b>	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
DIETHYL PHTHALATE	UG/L	0.96	75.9	---	44000	0.96 U	0.96 UJ	<b>0.53 J</b>	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
DIMETHYL PHTHALATE	UG/L	0.96	580	---	1100000	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
DI-N-BUTYL PHTHALATE	UG/L	0.96	3.4	---	4500	0.96 U	0.96 UJ	0.96 UJ	0.96 U	<b>0.49 J</b>	0.96 U	0.96 U	0.96 U
DI-N-OCTYL PHTHALATE	UG/L	0.96	22*	---	--	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
HEXACHLOROBENZENE	UG/L	0.96	0.0003	---	0.00029	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
HEXACHLOROBUTADIENE	UG/L	0.96	0.3	---	18	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
HEXACHLOROCYCLOPENTADIENE	UG/L	0.96	0.07	---	1100	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
HEXACHLOROETHANE	UG/L	0.96	9.4	---	3.3	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
ISOPHORONE	UG/L	0.96	129	---	960	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
NITROBENZENE	UG/L	1.9	66.8	---	690	1.9 U	1.9 UJ	1.9 UJ	1.9 U	1.9 U	1.9 U	1.9 U	1.9 U
N-NITROSODIMETHYLAMINE	UG/L	0.96	330000	---	3	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
N-NITROSODI-N-PROPYLAMINE	UG/L	0.96	120	---	0.51	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
N-NITROSODIPHENYLAMINE	UG/L	0.96	33000	---	6	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
PENTACHLOROPHENOL	UG/L	0.96	7.9	7.90	3	0.96 U	0.96 UJ	0.96 UJ	0.96 U	0.96 U	0.96 U	0.96 U	0.96 U
PHENOL	UG/L	0.96	58	---	860000	0.96 U	<b>0.14 J</b>	0.96 UJ	0.96 U	0.96 U	<b>3.3</b>	0.96 U	0.96 U

NOTES: Bold values represent detected concentrations. RL is reported for non-detected constituents

ST-DUP1 was collected at site ST-UNNAMED

<sup>1</sup> Surface Water Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

\*BTAG freshwater surface water benchmark

<sup>2</sup> National Recommended Water Quality Criteria for Saltwater Aquatic Life, Chronic

<sup>3</sup> National Recommended Water Quality Criteria for Human Health, Consumption of Organism Only, prior to June 2015 update. Pre-2015 values were used in identification of Site-Related COPCs, due to project timing and consistent with the Work Plan.

J = compound was detected, but below the reporting limit (value is estimated)

U = compound was analyzed, but not detected

RL = reporting limit



TABLE 5-20 METALS, CYANIDE, ORGANIC CARBON, POLYCYCLIC AROMATIC HYDROCARBON, AND PHTHALATE CONCENTRATIONS IN PORE WATER SAMPLES.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	Units	AVG RL	BTAG <sup>1</sup>	Aquatic Life NRWQC <sup>2</sup>	Human Health NRWQC <sup>3</sup>	PW-A01	PW-B01	PW-C01	PW-C02	PW-D02	PW-DE01	PW-E01	PW-F05
<b>METALS</b>													
CADMIUM	UG/L	7.75	0.12	8.8	---	--	--	--	--	10 U	10 U	10 U	--
CHROMIUM	UG/L	14.9	57.5**	50	---	--	20 U	--	--	--	--	--	--
COPPER	UG/L	16.4	3.1	3.1	---	20 U	20 U	--	--	<b>2.6 J</b>	20 U	20 U	20 U
LEAD	UG/L	8.20	8.1	8.1	---	--	--	--	--	<b>0.74 J</b>	<b>10</b>	10 U	10 U
MERCURY	UG/L	0.20	0.016	0.94	---	--	--	0.2 U	<b>0.095 J</b>	--	--	--	--
NICKEL	UG/L	8.20	8.2	8.2	4600	<b>2.9 J</b>	<b>2 J</b>	<b>2.1 J</b>	<b>3.5 J</b>	10 U	<b>20</b>	10 U	--
SILVER	UG/L	6.40	0.23	---	---	--	10 U	10 U	--	--	--	--	--
ZINC	UG/L	41	81	81	26000	50 U	50 U	<b>12 J</b>	<b>210</b>	<b>22 J</b>	<b>160</b>	50 U	--
<b>GENERAL CHEMISTRY</b>													
CYANIDE, TOTAL	UG/L	10	1	1	140	--	--	--	--	<b>4.4 J</b>	<b>2.5 J</b>	<b>3.5 J</b>	<b>24</b>
HARDNESS AS CALCIUM CARBONATE	MG/L	56.9	---	---	---	<b>1700</b>	<b>2100</b>	<b>1300</b>	<b>920</b>	<b>1400</b>	<b>1800</b>	<b>1700</b>	<b>1400</b>
TOTAL ORGANIC CARBON	MG/L	1	---	---	---	<b>0.96 J</b>	<b>1</b>	<b>1.2</b>	<b>1.7</b>	<b>1.8</b>	<b>2.8</b>	<b>2.1</b>	<b>6.7</b>
<b>POLYCYCLIC AROMATIC HYDROCARBONS</b>													
ACENAPHTHENE	UG/L	0.19	6.6	---	990	--	--	--	--	0.19 U	0.19 U	0.19 U	0.19 U
ACENAPHTHYLENE	UG/L	0.19	---	---	---	--	--	--	--	0.19 U	0.19 U	0.19 U	0.19 U
ANTHRACENE	UG/L	0.19	0.18	---	40000	--	--	--	--	0.19 U	0.19 U	0.19 U	0.19 U
BENZO[A]ANTHRACENE	UG/L	0.19	0.018*	---	0.018	--	--	--	--	0.19 U	0.19 U	0.19 U	0.19 U
BENZO[A]PYRENE	UG/L	0.19	0.015*	---	0.018	--	--	--	--	0.19 U	0.19 U	0.19 U	0.19 U
BENZO[B]FLUORANTHENE	UG/L	0.19	---	---	0.018	--	--	--	--	0.19 U	0.19 U	0.19 U	0.19 U
BENZO[G,H,I]PERYLENE	UG/L	0.19	---	---	---	--	--	--	--	0.19 U	0.19 U	0.19 U	0.19 U
BENZO[K]FLUORANTHENE	UG/L	0.19	---	---	0.018	--	--	--	--	0.19 U	0.19 U	0.19 U	0.19 U
CHRYSENE	UG/L	0.19	---	---	0.018	--	--	--	--	0.19 U	0.19 U	0.19 U	0.19 U
DIBENZ(A,H)ANTHRACENE	UG/L	0.19	---	---	0.018	--	--	--	--	0.19 U	0.19 U	0.19 U	0.19 U
FLUORANTHENE	UG/L	0.19	1.6	---	140	--	--	--	--	0.19 U	0.19 U	0.19 U	0.19 U
FLUORENE	UG/L	0.19	2.5	---	5300	--	--	--	--	0.19 U	0.19 U	0.19 U	0.19 U
INDENO[1,2,3-CD]PYRENE	UG/L	0.19	---	---	---	--	--	--	--	0.19 U	0.19 U	0.19 U	0.19 U
NAPHTHALENE	UG/L	0.19	1.4	---	---	--	--	--	--	0.19 U	<b>0.15 J</b>	0.19 U	0.19 U
PHENANTHRENE	UG/L	0.19	1.5	---	---	--	--	--	--	0.19 U	0.19 U	0.19 U	0.19 U
PYRENE	UG/L	0.19	0.24	---	4000	--	--	--	--	0.19 U	0.19 U	0.19 U	0.19 U
TOTAL PAHs (ND=0)	UG/L	---	---	---	---	--	--	--	--	0	0.15	0	0
<b>SEMIVOLATILE ORGANIC COMPOUNDS</b>													
BIS(2-ETHYLHEXYL) PHTHALATE	UG/L	1.92	16*	---	2.2	2 U	1.9 U	<b>0.73 J</b>	--	1.9 U	<b>0.24 J</b>	1.9 U	<b>1.1 J</b>

NOTES: Bold values represent detected concentrations. RL is reported for non-detected constituents

<sup>1</sup> Surface Water Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

\*BTAG freshwater surface water benchmark

<sup>2</sup> National Recommended Water Quality Criteria for Saltwater Aquatic Life, Chronic

<sup>3</sup> National Recommended Water Quality Criteria for Human Health, Consumption of Organism Only, prior to June 2015 update. Pre-2015 values were used in identification of Site-Related COPCs and screening pore water, due to project timing and consistent with the Work Plan.

\*\* total chromium screening level

Value exceeds BTAG criteria

Value exceeds NRWQC criteria

J = compound was detected, but below the reporting limit (value is estimated)

U = compound was analyzed, but not detected

NA = not analyzed

RL = reporting limit

***This page intentionally left blank.***

## 6. CONCEPTUAL SITE MODEL

The CSMs for ecological and human health risk, presented in the following sections, identify exposure pathways that link receptors (e.g., wildlife and humans) to elevated chemical constituent concentrations observed in the offshore environment and that therefore require assessment.

The CSMs identify:

- the potential sources and release mechanisms for chemicals with elevated concentrations
- the fate and transport of these chemicals
- the media of concern
- potential pathways for ecological and human receptors
- potential wildlife receptors and human populations that could be exposed.

Exposure pathways that are complete and significant for the area are included in the risk characterization. An exposure pathway describes the mechanism by which a potential receptor contacts chemicals present in the area. A complete exposure pathway requires the following four components:

- a source and mechanism of chemical release to the environment
- an environmental transport medium for the released chemical
- a point of potential contact with medium containing chemicals
- an exposure route (e.g., ingestion or dermal absorption) at the point of exposure.

All four components must exist for an exposure pathway to be complete and for exposure to occur. Incomplete exposure pathways do not result in actual exposure of receptors (wildlife or human) and are not evaluated in the risk assessment. The exposure pathways for the ecological and human health components of the risk assessment are summarized in **Figures 6-1** and **6-2**, respectively.

### 6.1 DIVISION OF THE PHASE I AREA INTO TWO INVESTIGATION AREAS/ DATA GROUPINGS

As described in previous sections of this report, the results of the offshore investigation led to the division of the Phase I area into two areas, with distinct conceptual site models and investigation objectives. The data from these two areas were divided into separate groupings, which are described below, and risk was assessed for each grouping. However, it should be noted that these groupings do not represent clearly defined exposure areas. Rather, the groupings were selected to reflect the differentiation in risk assessment objectives and nature and extent of contamination, as described below.

The Southwest/Tin Mill Canal Effluent (SWTM) Grouping includes all of transects G, H, I, and J, as well as the following locations in Transects DE, E, and F: DE02, E03, F03, F04, F06, and F07 (**Figure 6-3**). Sediments from locations in this grouping are generally silty-to-clayey and show preliminary evidence of impacts from the Tin Mill Canal effluent. In this grouping, all constituents analyzed are potentially related to historical discharges from the Tin Mill Canal, which are the focus of the risk assessment in this area. Therefore, all available data from the offshore investigation are used in calculating exposure point concentrations (EPCs) for use in the risk assessment for this grouping. The primary use of the investigation and risk assessment results for this grouping is delineation of areas requiring cleanup in the southern area that has been impacted by the Tin Mill Canal effluent.

The Northeast/Near-Shore (NNS) Grouping includes all samples from Transects A, B, C, and D, as well as the following locations in Transects DE, E, and F: DE01, E01, E02, F01, F02, and F05 (**Figure 6-3**). Sediments from locations in this grouping are coarser and/or have less observable impacts (e.g., odor, sheen). In this grouping, since there is no clear evidence of historical impacts in the sample results, current inputs to the offshore area via groundwater/pore water and stormwater remain the focus of this investigation, including the risk assessment. The primary use anticipated for the investigation and risk assessment results for this grouping is evaluation of whether current impacts are associated with unacceptable risk in this area.

## 6.2 CHEMICAL SOURCES AND TRANSPORT MECHANISMS

Potential sources of chemicals from the Site that have affected the Phase I area, and the mechanisms by which these chemicals are transported from the Site to Bear Creek, are described in Section 3.1, and summarized on **Figures 6-1 and 6-2**. Sources of interest for the SWTM grouping include historical wastewater from the Tin Mill Canal, as well as current stormwater and groundwater inputs. Sources of interest for the NNS grouping include current stormwater and groundwater (pore water) inputs, since there is no clear evidence of historical impacts in the sample results.

## 6.3 MEDIA OF CONCERN

Based upon chemical sources and release mechanisms, potential media of concern for this risk assessment are sediment, sediment pore water, and surface water within the Phase I Offshore Investigation Area. As discussed in Section 3.1, chemicals in groundwater may be transported to sediment pore water and surface water via groundwater seepage into Bear Creek, and active stormwater outfalls may also transport chemicals to offshore sediment and surface water. Pore water sampling was conducted in the NNS to evaluate inputs via groundwater seepage. Surface sediments are the primary concern because these are the media fish, wildlife, and other receptors are most likely to contact. Subsurface sediments (sediments deeper than 1 ft in depth) are unlikely to provide a significant route of exposure to ecological or human receptors; therefore, exposure pathways for subsurface sediments are not considered complete. However, the data for the uppermost interval analyzed (0–1 ft or 0–2 ft) from sediment cores, as well as the grab

sample results collected to approximately 6 inches below the sediment surface, are included in the risk assessment for the SWTM. The purpose of collection of pore water was to identify linkages between groundwater and surface water, as identified in planning documents. Based on the methods used in the Coke Point risk assessment, the exposure assessment focused on bulk sediment and surface water. Exposures to pore water were not directly assessed, in favor of a conservative evaluation of bulk sediment chemistry.

The risk assessment does not evaluate future hypothetical risks that could occur if conditions in the Phase I area change; such changes would include redistribution of constituent concentrations in the sediment profile due to erosion or mixing.

## **6.4 ECOLOGICAL RISK – EXPOSURE PATHWAYS AND RECEPTORS**

The conceptual site model for the ecological risk assessment (ERA) is based on an examination of site ecology. Based on the habitats and species expected offshore, complete pathways, assessment endpoints, and representative receptor species are selected for evaluation in the risk assessment.

### **6.4.1 Site Ecology**

The Phase I area is located along the eastern side of Bear Creek, which flows into the Patapsco River. This is a moderately well mixed mesohaline aquatic environment, in which chemical transport is affected by tidal flow and surface water input from storm events. As defined by the Subaqueous Survey (see Section 2.1), water depths in the Phase I area of Bear Creek vary from less than 1 ft along the shoreline to 13 ft near the centerline of Bear Creek, and the water is generally deeper in the northern portion of the area. Substrate is generally sandy near the shoreline, with silt and clay farther offshore and at the outflow of the Tin Mill Canal. Water quality in the Patapsco River is often poor because of eutrophication (EA 2003), a condition that is also expected to affect Bear Creek.

The Visual Shoreline Survey (see Section 2.1.2) included documentation of shoreline habitats. The survey found that the intertidal zone in the Phase I area was largely covered by slag and rock, with a very low diversity of plant species as well as wildlife. The second most abundant habitat type in the intertidal zone was sandy shoreline dominated by *Phragmites*, an invasive plant. These areas have low plant diversity but provide habitat for a variety of wildlife, including birds and frogs. Debris and trash were commonly found along the shoreline, particularly in the areas dominated by *Phragmites*, where floating debris can become trapped.

The offshore environment adjacent to the Coke Point Peninsula on Sparrows Point was characterized in a reconnaissance study through fisheries studies, benthic community surveys, and review of submerged aquatic vegetation (SAV) maps (EA 2003). White perch and Atlantic silversides dominated fish surveys, although other fish species and blue crabs were collected. The study also found that birds, including herons, cormorants, terns, gulls, and ospreys utilize offshore areas, including the shoreline and/or open water. Herons and cormorants were observed

perching on a deteriorating wooden structure in the southern portion of the Phase I area during the Visual Shoreline Survey. Polychaetes and amphipods were dominant in the benthic community surveys, which indicated somewhat degraded conditions at two stations south and southwest of Coke Point and generally good benthic community health at the other three survey stations. No evidence of mammals or rare, threatened, or endangered species was observed during the reconnaissance study (EA 2003).

#### **6.4.2 Assessment Endpoints**

Assessment endpoints are clear statements of an environmental value to be protected from impacts (USEPA 1997a). The selection of assessment endpoints is based on the fundamental knowledge of site ecology, and incorporates consideration of the COPCs, exposure pathways, toxic mechanisms, and potentially important exposure groups. Per USEPA guidance (USEPA 1997a), the focus of the ecological risk assessment is to protect the ecological values at the site-wide population or community level except where threatened or endangered species are concerned.

The following preliminary assessment endpoints were defined to reflect the potential impacts of complete and significant exposure pathways and to aid in selecting representative receptor species:

- Viability of aquatic and benthic organism communities
- Viability of wildlife communities including piscivorous (fish-eating) birds and mammals.

Given the poor shoreline habitat, water depth, and poor water quality, the current offshore environment of the Phase I area is considered unlikely to support SAV or wetland plants (Maryland Department of Natural Resources 2013). Therefore, viability of wetland plants/SAV was not considered as an assessment endpoint. Phytoplankton that are present in the surface waters of the Phase I area are considered part of the aquatic and benthic community in the assessment.

The assessment endpoint for wildlife includes feeding guilds or taxa likely to use offshore area habitats. Previous studies have identified several species of fish as utilizing the offshore area. Therefore, piscivorous species which may consume benthos, crabs, or fish are appropriate as potential wildlife receptors for wildlife. Because the Phase I area is not expected to support SAV or wetland plants, herbivorous wildlife are not considered potential receptors.

Birds have been observed using the offshore area around Sparrows Point (EA 2003), and mammals, while they were not observed during habitat surveys (EA 2003), could be expected in near-shore environments of Bear Creek. Therefore, birds and mammals are considered potential receptors. There are limited methods to assess risks to reptiles and amphibians quantitatively. Therefore, reptiles and amphibians are not included in the selection of representative receptors.



### 6.4.3 Exposure Pathway Analysis

Ecological receptors of concern that are potentially present in the Phase I area include wildlife (birds and mammals) and aquatic/benthic organisms (fish, crab, invertebrates, and plankton). The major routes of exposure and their applicability to each of these receptor groups are presented in **Figure 6-1** and discussed below. The major routes of exposure for the identified receptor species are direct/dermal contact, ingestion, and inhalation.

#### Ingestion

The most significant exposure route for wildlife is ingestion of chemicals in impacted media (USEPA 2003a). Wildlife may ingest chemicals in environmental media by incidentally drinking brackish surface water or by incidentally ingesting soil and sediment while grooming or foraging. Chemicals may bioaccumulate in the tissue of plants and animals. Wildlife may also ingest chemicals accumulated in plants and animals that they consume as food. The Phase I area is expected to support a range of wildlife, including species that consume invertebrates, small birds and mammals, and fish or aquatic organisms. Ingestion of chemicals in sediment, surface water, and/or food is considered a complete and potentially significant exposure pathway for aquatic and benthic organisms and wildlife. Because surface water is brackish, consumption would be primarily through incidental ingestion.

Exposure through ingestion varies based on the feeding habits and foraging range of the species evaluated. Some aquatic organisms such as clams and worms have small home ranges and may live and feed within the same several hundred foot wide area their entire lives. Other organisms such as fish, crabs, and wildlife may feed in a specific area for days or months, but may leave the area to forage elsewhere.

#### Direct Contact/Dermal Contact

Aquatic and benthic organisms may be exposed to chemicals in sediment and surface water through direct contact and absorption through the skin and gills. Based on this information, direct exposure to sediment and surface water is considered a complete and significant pathway for aquatic and benthic organisms. Organisms such as clams and worms that live in the sediment and have small home ranges are likely to receive the greatest direct contact exposures, while more mobile organisms that also inhabit the water column are likely to have lower exposures.

Wildlife may be exposed to chemicals in air, soil (both surface and subsurface), sediment, or water via direct contact during foraging or burrowing. USEPA guidance identifies that, in most cases, dermal exposures are likely to be less significant than exposures through ingestion and their evaluation involves considerable uncertainty (USEPA 2003a). Given that fur and feathers are likely to limit dermal absorption of many chemicals, this exposure route is considered complete but relatively insignificant for wildlife. Therefore, dermal exposure for wildlife is not quantitatively evaluated in the ERA.

## Inhalation

Inhalation is a potentially complete pathway for wildlife. Animals may inhale chemicals which have volatilized or which are adsorbed to airborne particulates. USEPA guidance indicates that, in general, inhalation pathways are likely to be insignificant compared to ingestion pathways (USEPA 2003a). Given the low importance set for both airborne fate and exposure, inhalation exposures are not quantitatively evaluated in the ERA.

### 6.4.4 Selection of Representative Receptor Species

Ecological receptors potentially present in the Phase I area include piscivorous wildlife (birds and mammals) and aquatic and benthic organisms. Because the Phase I area is not expected to support SAV or wetland plants other than *Phragmites*, herbivorous wildlife are not considered potential receptors. Because the ERA cannot quantitatively evaluate all of the species/receptors potentially present at a site, representative receptor species are selected. These species act as surrogates for other species that have similar diets/feeding habitats.

Selection of representative receptor species is based on several factors:

- 1) the likelihood of a species to use the Phase I area and the area immediately surrounding the area
- 2) the potential for exposure to site-related chemicals based on the feeding habits and life history of the organisms/guild represented by the receptor species
- 3) the availability of life history and exposure information for the selected receptor species
- 4) the availability of toxicity information for the representative receptor species.

To identify potentially affected species, groups, or guilds, the feeding guilds of the organisms known to occur in the area were reviewed. Previous studies indicated that fish and crustaceans are present in the offshore area adjacent to the Sparrows Point Peninsula (EA 2003); therefore, aquatic and benthic organisms as well as crab- or fish-eating (piscivorous) wildlife are potential receptors. Based on this information and the determination of the assessment endpoints, the receptors evaluated in this ERA are:

- aquatic organisms including crustaceans, fish, and algae
- benthic organisms including crustaceans, bivalves, worms, and algae
- piscivorous birds
- piscivorous mammals.

## **Aquatic and Benthic Organisms**

Toxicological benchmarks for the evaluation of risk to aquatic and benthic organisms are based on a wide variety of species and taxa, including crustaceans, fish, bivalves, worms, and algae. Therefore, the overall aquatic community or benthic community is identified as the representative receptor. The benchmarks used in the evaluation are highly precautionary and are typically based on organism exposures to environmental media through a variety of pathways, including direct exposure and ingestion. Therefore, both of these pathways are examined in the assessment.

### **Piscivorous Wildlife**

The great blue heron (*Ardea herodias*) was selected as a representative receptor for piscivorous avian species, to evaluate potential adverse effects to birds from the ingestion of aquatic and benthic prey in the Phase I area. Great blue heron are known to eat fish, invertebrates, and amphibians among other things. The heron is chosen as a receptor because it is likely to hunt in the shallower waters along the shoreline of the Phase I area, where it can walk through the water and capture prey with its bill. Exposure data are available for quantitative evaluation of great blue heron food chain exposures. As a representative receptor, herons act as surrogates for other piscivorous birds including gulls, cormorants, and terns.

The raccoon (*Procyon lotor*) was selected as a representative receptor for piscivorous mammal species, to evaluate potential adverse effects to mammals from the ingestion of fish and aquatic invertebrates. The raccoon's diet is very diverse but includes the consumption of fish and other aquatic animals. Although the raccoon is unlikely to feed in deeper water, they may feed in the shallows along the shore. Exposure data are available for quantitative evaluation of raccoon food chain exposures. As a representative receptor, raccoons act as surrogates for other piscivorous mammals. While piscivorous mammals have not been directly observed utilizing the Phase I area, raccoon are evaluated as a precautionary measure.

In addition to the ingestion of chemicals in food items (prey), the inadvertent ingestion of chemicals in sediment and direct exposure to chemicals in surface water is evaluated for the above species. Wildlife may consume prey from different levels within the food chain. Prey may include lower trophic level organisms such as worms, mussels, small crustaceans, or other bivalves. Prey may also include fish or mature crabs higher in the food chain. Prey lower on the food chain are often less mobile and would experience more prolonged direct exposure to chemicals in sediments of the Phase I area. Prey higher on the food chain are often very mobile, and may spend less time in the Phase I area; however, they may bioaccumulate high concentrations of chemicals such as PCBs which tend to biomagnify up the food chain. Therefore, separate evaluation of different types of prey is warranted.

It is important to note that, while the risk assessment typically quantifies the potential for adverse effects to individual organisms, the objective is to be protective of the populations that use the Phase I area (given the absence of threatened and endangered species). Because few methods are

available to extrapolate the potential for adverse effects from the individual level to the population level, it is assumed that if there is no potential for direct adverse effects to individual organisms, then it is also unlikely for there to be the potential for direct adverse effects to populations. Similarly, it is assumed that if there is the potential for adverse effects to individual organisms, then there is also the potential for adverse effects to populations. The methodology used to evaluate exposure scenarios for these receptors is discussed further in Chapters 8 and 9.

## **6.5 HUMAN HEALTH RISK – EXPOSURE PATHWAYS AND RECEPTORS**

The CSM for the human health risk assessment (HHRA) is based on a determination of expected activities within the Phase I area. Based on the types of activities expected in this area, representative receptor populations and their activities are selected for evaluation in the HHRA.

### **6.5.1 Site Conditions**

The Phase I area, in Bear Creek adjacent to the Sparrows Point facility, is a low frequency use recreational area overall. Other areas that present a more attractive area for recreational use are present in close proximity but not adjacent to the Sparrows Point Peninsula. As described in Section 6.4.1, the shoreline of the Phase I area is largely covered by slag, rock, and *Phragmites*, making the shoreline generally unattractive for use and difficult to access on foot. Access by boat is also made more difficult by shallow water and a lack of boat ramps or docking facilities. It is therefore expected that people will visit the shoreline of the Phase I area infrequently and for short periods of time. However, during the field sampling for the offshore investigation, fishing from shore was observed in the far northern portion of the Phase I shoreline, where nearby road access and near-shore deep water are present. Additionally, the offshore environments of the Phase I area are not controlled, and access to these areas is not limited. The land across Bear Creek from the Phase I area consists of residential properties, most with private boat piers, and with a number of attractive shoreline parks. People clearly use this shoreline opposite, but outside of, the Phase I area for boating, swimming, and fishing. Recreational boat traffic in the channel that runs through the offshore portion of Phase I area is also common. During the field sampling, bottom trawling from vessels was observed in the channel in the southern portion of the Phase I area. Based on the observed and potential human uses of the Phase I area, two populations were identified as potential receptors: recreational users and commercial watermen. White perch, Atlantic silversides, blue crabs, and other fish species were found in fish surveys completed adjacent to the Sparrows Point Peninsula (EA 2003).

### **6.5.2 Potential Receptors and Exposure Pathways**

Based on the observed and potential uses of the Phase I area, two populations are identified as potential receptors: recreational users and commercial watermen. Complete exposure pathways for these receptors are presented on **Figure 6-2**.

## **Recreational Users**

Recreational users can access the Phase I area by boat. Recreational users could use the Phase I area of Bear Creek for swimming or fishing. This results in a complete contact point with chemicals modeled in surface water. Because of the brackish nature of the surface water, only incidental ingestion of surface water while swimming is expected to occur. Incidental ingestion of surface water is not included as a complete exposure pathway because the previous risk assessment for the Coke Point portion of the Sparrows Point Site (EA 2011a) indicated that risks associated with this pathway were insignificant. The primary contact with surface water is expected to be through dermal contact while swimming. Surface water depths in the Phase I area, as characterized during the Subaqueous Survey (Section 2.1), range from 1 ft along the shoreline to 13 ft near the centerline of Bear Creek. As a result, there is a possibility that recreational users may contact sediment while swimming within shallow portions of the Phase I area. Therefore, dermal contact with sediment is also considered a complete exposure pathway for recreational users except for the age range for the child (3-6 years old), as a conservative measure. The dermal area of the recreational user exposed to sediment is the foot and lower leg. It is also expected that recreational users engage in fishing and crabbing in the area and consume their catch. Therefore, recreational users are evaluated for both fish and crab ingestion. Recreational users are evaluated for three age ranges: a child (3 to 6), an adolescent (age 6 to 16), and an adult (>16 years). Although regulatory guidance suggests the use of the age range of 0 to 6 years for a child exposure, it is assumed that a child aged 0 to 3 years would not swim or consume fish/crabs from the Phase I area.

The following exposure routes are considered complete for recreational users:

- Dermal contact with surface water
- Dermal contact with sediment
- Ingestion of fish and crabs.

## **Commercial Watermen**

Commercial watermen are also potential users of the Phase I area. Based upon local fishing methods, it is assumed that the fishermen come in contact with surface water and sediment during fishing activities. Therefore, surface water and sediment dermal contact with the skin is considered a complete exposure pathway. The dermal area of the watermen exposed to surface water and sediment is the hands and forearms only. Incidental ingestion of surface water and sediment while fishing is likely to be non-existent to minimal and is not considered a complete exposure route. It is expected that the watermen ingest the fish and crabs collected from the Phase I area. Commercial watermen are assumed to be adults (>16 years).

The following exposure routes are considered complete for the commercial watermen:

- Dermal contact with surface water
- Dermal contact with sediment
- Ingestion of fish and crabs.

The methodology used to evaluate exposure scenarios for these receptors is discussed further in Chapters 8 and 10.




Figure 6-1. Ecological Components of the Conceptual Site Model for the Phase I Area, Sparrows Point








Figure 6-2. Human Health Components of the Conceptual Site Model for the Phase I Area, Sparrows Point



#### Legend

- Phase 1 Northwest Shoreline
- Perennial Creek/Stream
- Boundary between Sand and Fine Grained Sediment
- Approximate Location of Active Stormwater Outfall
- Approximate Location of Inactive Stormwater Outfall

#### Sample Location

- Coring Location
- Surface Grab and Coring Location
- Surface Grab
- Northeast/Near-Shore Grouping
- Southwest/Tin Mill Canal Effluent Grouping

Figure 6-3  
Data Groupings  
Phase I Northwest Shoreline  
Baltimore, Maryland

Map Date: September 2015  
Image Source: ESRI 2011  
Projection: NAD 1983 StatePlane  
Maryland FIPS 1900 (US Feet)



*This page intentionally left blank.*

## 7. SURFACE WATER MODELING

As stated in Section 1.5, identification of Site-related impacts to the offshore environment was a key objective of the offshore investigation. To this end, it was important to understand how the measured concentrations of constituents in stormwater and pore water would be expected to impact the quality of surface water in Bear Creek. A hydrodynamic model was used to model these surface water concentrations. This section describes the inputs and methods used in modeling, as well as the results of the model.

### 7.1 MODEL INPUTS

#### 7.1.1 Estimation of Stormwater Flows

As described in Section 4.3, two unmonitored stormwater outfalls (018 and UNNAMED), one stormwater pond (representing outfall 070), and one monitored outfall (014) were sampled in November and December 2014 to support the offshore investigation. In order to estimate the contaminant loading into Bear Creek from Outfalls 018, UNNAMED, and 070 during a storm event, it was necessary to generate storm event hydrographs. A constant flow of 38.68 cubic feet per second was modeled for Outfall 014, which was previously fed by a water treatment system. Currently, the Outfall 014 base flow is primarily groundwater and stormwater. The flow used represents an above average flow from the outfall, based on available data.

The USEPA Stormwater Management Modeling (SWMM) software was used to generate storm event hydrographs for Outfalls 018, UNNAMED, and 070. SWMM is a dynamic rainfall-runoff-routing simulation model used for single event or continuous simulation of runoff quantity and quality from urban areas. The runoff component of SWMM simulates runoff and pollutant loads from subcatchment areas receiving precipitation. SWMM enables the user to design the routing component to transport this runoff through a variety of transport/treatment devices including pipes, channels, storage/treatment devices, pumps, and regulators. Throughout a model simulation, SWMM tracks the quantity and quality of the water in both the runoff and routing components.

SWMM relies on information about the subcatchments or drainage areas to be modeled. The portion of the Site adjacent to the Phase I area is generally flat, with minimal slope, except in areas adjacent to roads, on Greys Landfill, or along the shoreline. Consequently, delineation of drainage areas for each of the outfalls was not straightforward. Combining the physical data from the contour map, and field observations of site drainage recorded during the storm sampling events and other site reconnaissance visits, EA developed three conservative drainage areas, which collect and transport water to outfalls 018, UNNAMED, and 070 (**Figure 7-1**).

After delineating the drainage areas, the SWMM requires inputs describing the areas and their permeability. The runoff component of SWMM is highly sensitive to the percent impervious area and the subcatchment width. Conservative estimates of these parameters were used for

each drainage area, to support a conservative estimate of the pollutant load into Bear Creek. The percent impervious area was determined by delineating the impervious areas within each of the areas as depicted on the most up-to-date aerial imagery available, as well as from photos taken during field reconnaissance visits and storm sampling events. The subcatchment width was calculated by dividing the drainage area by the average maximum overland flow length. The maximum overland flow length was defined in SWMM as the length of the flow path from the drainage area outlet to the furthest drainage point of the drainage area. The maximum overland flow lengths for each of the drainage areas were estimated using aerial imagery and field observations. **Table 7-1** summarizes the results of the impervious area and subcatchment width analyses. All other drainage area characteristics were left as their default value in the SWMM model.

No information was available regarding the underground piping, conduits, and other transport devices within the Phase I area. Therefore, for conservative purposes, the model was constructed under the assumption that no matter the routing mechanism, all flow within each drainage area is routed to the designated outfall. This assumption produced conservative estimates of flow from each outfall, which in turn generated the most conservative pollutant load estimates.

The last component of the SWMM model that is necessary to generate stormwater hydrographs for each outfall is the rainfall data. Within the SWMM model, rainfall data were input as a rain gauge, which can contain a single rainfall amount or time series data for storm events. This modeling effort used different storm events, including the 24-hour rainfall data for the 16 November 2014 and 1 December 2014 sampling events, and the Soil Conservation Service type II rainfall distribution for the 1-year design storm as described in the Maryland Stormwater Design Manual. **Table 7-2** summarizes the hydrologic modeling results for the peak runoff from each drainage area, and the peak flow and average flow from each outfall.

### 7.1.2 Estimation of Pore Water Flow Rates

The rate flux of COPCs from groundwater to pore water and ultimately to surface water in Bear Creek was estimated using pore water concentrations of constituents of interest, along with the approximate rate of flow of upland groundwater into surface water. Generally, flow velocity in the subsurface is a function of the porosity and permeability of the aquifer, as well as its hydraulic gradient (slope). As described below, the rate of groundwater upwelling was estimated using the hydraulic gradient, porosity, and hydraulic conductivity of the upper zone of the aquifer onshore. The flow from onshore to offshore was then distributed across the sandy portion of the offshore (see below).

The upper zone of the aquifer that is of interest for potential upwelling into Bear Creek consists of steel-making slag fill material, which typically has permeability similar to that of sand, and an underlying sandy aquifer. As described in the Subaqueous Survey of the Phase I area, the sandy portion of the offshore extends from the shoreline to approximately 500 ft into Bear Creek.

**Hydraulic gradient** – The hydraulic gradient  $dh/dl$  was calculated from groundwater flow contours for Greys Landfill, the Rod & Wire Mill, and the southern portion of the Phase I area, as the change in water table height ( $dh$ ) in feet divided by the surface distance in feet between two points ( $dl$ ). Calculations were performed for multiple timepoints in each area (**Table 7-3**). Based on these calculations, a hydraulic gradient of 0.01 was estimated for the Phase I shoreline overall.

Note that the drawdown associated with groundwater extraction in the southern portion of the Rod & Wire Mill Area, particularly in the vicinity of the RW20 well cluster, was not taken into account. Well RW20PZM020 is an active pumping well screened in the intermediate groundwater zone, pumping at approximately 2 gallons per minute, and also causes a cone of depression in the shallow groundwater zone in this area. However, as a conservative measure and taking into account the possible cessation of pumping, the flow rate calculations from the Rod & Wire Mill area are based on the gradient farther north, between wells RW18 and RW19.

**Porosity** – A soil porosity value of  $n = 0.3$  was assumed for both the shallow zone of the aquifer and the sandy sediments, based on Site records and literature values for similar geologic materials (Domenico and Schwartz 1990).

**Hydraulic conductivity** – The average hydraulic conductivity ( $K$ ) of the shallow zone of the aquifer in the Phase I area was estimated to be 10 ft/day, based on the average  $K$  modeled for this area in the *Site Wide Investigation Groundwater Study Report* (CH2M Hill 2001).

**Groundwater velocity** – The groundwater velocity  $v$  flowing from the onshore to the offshore environment was calculated using Darcy's Law ( $v = K/n * dh/dl$ ), based on the parameter values described above. This yielded a velocity of 0.33 ft/day.

**Groundwater flux** – Based on the velocity above, the flux of groundwater through each 1-ft-wide, 30-ft-deep cross section of the interface between the onshore and offshore environments was calculated at 10 cubic feet per day ( $0.33 \text{ ft/day} * 30 \text{ square feet}$ ). This flux was then distributed across a 500-ft-long strip of sandy offshore environment, yielding an upwelling velocity of 0.02 ft/day through the pore water into the surface water. This upwelling velocity was applied across the sandy zone of the offshore in the surface water model, and used in estimating the flux of contaminants from pore water into surface water (**Table 7-4**).

### 7.1.3 Selection of Constituents to be Modeled and Calculation of Input Concentrations

Constituents modeled in surface water met the following criteria:

- Constituents that were detected in pore water and/or stormwater

- Constituents that were reported in at least one pore water, stormwater, or surface sediment sample at a concentration exceeding the BTAG screening criteria, or which had no available BTAG screening criteria.

However, oil and grease was not modeled because it is not quantitatively considered in the risk assessment process, although it did meet the above criteria. The decision not to model oil and grease in surface water was also justified by the fact that concentrations in sediment were substantially higher than those in stormwater samples.

The following constituents were modeled:

- Antimony
- Arsenic
- Chromium
- Copper
- Lead
- Mercury
- Nickel
- Selenium
- Zinc
- Cyanide
- Bis(2-ethylhexyl) phthalate
- Low molecular weight (LMW) PAHs
- High molecular weight (HMW) PAHs
- 2,4-Dimethylphenol.

For each constituent selected to be modeled, all detected pore water concentrations were used as inputs. For stormwater, the highest detection from the two sampling events was used as the input concentration. For LMW and HMW PAHs, the sums of concentrations of PAHs in each group (see Section 8.2) were used as input concentrations in the models for LMW and HMW PAHs.

The calculated fluxes of modeled constituents entering Bear Creek surface water via pore water transport are presented in **Table 7-4**. These fluxes were used as inputs to the hydrodynamic model.

#### 7.1.4 Tide Conditions

Monthly tide elevations at Fort McHenry in Baltimore Harbor, available from the National Oceanic and Atmospheric Administration (NOAA), were used to assess tide conditions in Bear Creek. The mean high water tide elevation in Baltimore Harbor is 1.11 ft relative to mean low water and the hydrodynamic model was driven with average tidal range of this magnitude as a downstream boundary condition. Tidal datums at Baltimore (Fort McHenry), Patapsco River are presented in **Table 7-5**, and the tidal input to the model is presented on **Figure 7-2**.



## 7.2 HYDRODYNAMICS AND CONTAMINANT FATE

### 7.2.1 Model Setup

A tidally dynamic model was developed to examine the fate and transport of COPCs in stormwater and pore water from the shoreline surrounding Sparrows Point into Bear Creek and the adjoining Baltimore Harbor. The United States Army Corps of Engineers models RMA2 (hydrodynamics) and RMA4 (water quality) were used. Both are finite element numerical models. RMA2 calculates fluid flow velocities within a two-dimensional grid system, and RMA4 uses the solutions to calculate movement of mass through the grid, based on advection and diffusion processes. These models were executed within the framework provided by the Surface-water Modeling System. The downstream end of the model domain had a tidal boundary at a transect between the middle of Key Bridge on the west to the Dundalk Marine Terminal area on the east. The model included Bear Creek and adjoining Baltimore Harbor (**Figure 7-3**), with 951 cells and 2,706 nodes. The maximum nodal water depth in Bear Creek is 29 ft.

An average flow of 7.6 cubic feet per second (Stammerjohn et al. 1991) was applied at the northern end of Bear Creek that represents the total Bear Creek watershed flow as an upstream boundary condition. A 1.1-ft sinusoidal tide curve with a 12.4-hour period was applied at the downstream model boundary. The model was executed with a 0.5-hour time step and output saved every hour. The hydrodynamic output file from RMA2 is used as an input file to RMA4.

The simulation for each modeled constituent was run for a period of 1,200 hours (50 days). For the first 1,000 hours of the simulation, only the continuous fluxes of constituents (pore water and Outfall 014) (**Table 7-4**) were included, to allow the modeled constituent concentrations to approach an equilibrium concentration at nodes in the north and south boundaries Bear Creek model. At 1,000 hours, stormwater flows representing the 1-year design storm, with associated constituent concentrations (**Table 7-4**), were added to the model.

Model cells where pore water and stormwater loading was included in the model are shown on **Figure 7-4**. Stormwater inputs were placed in the cell closest to the corresponding sampled outfall (**Figure 4-1**). Pore water constituent inputs were included in each cell corresponding to a pore water sampling location (**Figure 4-1**), and also to the cells extending to the west, up to approximately 500–600 ft offshore from that location. Additionally, pore water concentrations were extrapolated between sampling locations, so that pore water inputs were applied to all cells within 500–600 ft of the shoreline (**Figure 7-4**). This extrapolation was based on the conservative assumption that pore water fluxes are continuous in the near-shore area.

All constituents were modeled as conservative tracers. Thus, the model only represents physical processes affecting chemical transport and mixing, and does not include any chemical effects. A zero background concentration was used for all constituents, such that the model only represents constituent concentrations derived from Sparrows Point stormwater and pore water inputs.

### 7.2.2 Model Assumptions

A number of assumptions were made in constructing the surface water model. Generally, as noted above, conservative assumptions were employed to avoid underestimating the surface water concentrations resulting from inputs from the Site:

- All groundwater from a 30-ft-thick vertical section of the aquifer was assumed to flow upward into the surface water of Bear Creek. This is a conservative assumption, consistent with the analysis presented in the *Site Assessment for the Proposed Coke Point Dredged Material Containment Facility at Sparrows Point* (EA 2009).
- Groundwater upwelling velocity and the mass flux of each COPC were assumed to be constant from the shoreline to approximately 500 ft offshore. This is also a likely a conservative assumption, as the mass flux likely decreases somewhat with distance traveled through the aquifer, away from the source area.
- Because pore water data were only available from one location per transect, pore water concentrations were also assumed to be constant from the shoreline to approximately 500–600 ft offshore. This is also likely to be a conservative assumption, as dilution and absorption processes could decrease groundwater constituent concentrations in pore water farther away from the shoreline.
- The maximum reported COPC concentration from each stormwater outfall was used in calculating the flux to be modeled. Outfall 014, the water treatment plant outfall, was sampled with the other outfalls during storm events. The maximum concentration of each constituent measured during these events was used as continuous inputs to the model (with pore water, as part of the non-storm condition). Thus, it was assumed that concentrations measured from samples collected during storm events represent the typical discharge from Outfall 014. The stormwater pond adjacent to Greys Landfill was sampled at the beginning of the 1 December 2014 storm. The results for this sample were used to model the constituent flux from Outfall 070, although it is unknown how often water overflows through this outfall or adjacent Outfall 071. Thus, use of the stormwater pond water to model flux from this outfall to the offshore represents a conservative assumption.
- The model runs were carried out in a screening-level mode. Neither hydrodynamic nor constituent concentration models were calibrated or validated with independent surface water data from field samples, as the objective was to determine only the impacts to surface water resulting from Site-related inputs.

### 7.3 MODEL RESULTS

The model results indicate that, as expected, flow velocities during both ebb and flood tides are relatively high in the center of Bear Creek, and are diminished near the mouth of the Tin Mill canal, thus reducing the flushing rates of this area (**Figures 7-5 and 7-6**).

Isocontour plots showing the modeled concentrations of select constituents (LMW PAHs, HMW PAHs, cyanide, and nickel) in Bear Creek surface water are provided in **Figures 7-7 through 7-12**. For LMW PAHs, cyanide, and nickel, two figures are provided: one illustrating the modeled surface water concentrations after equilibration of the non-storm (pore water and Outfall 014) simulation, and the other illustrating concentrations at the peak of the modeled 1-year storm. Note that HMW PAHs were only detected in Outfall 014 (not in any of the active stormwater outfalls); therefore, only the non-storm simulation applies.


Output from the model was used to compute screening (maximum) EPCs and reasonable maximum EPCs for surface water within the NNS and SWTM Phase I data groupings, for use in the risk assessments (Chapters 9 and 10). EPCs were computed for both the non-storm condition (including pore water and Outfall 014) and the 1-year storm condition (**Table 7-6**). Maximum concentrations for the non-storm and storm conditions were calculated as the highest concentration modeled in any single model cell under the given scenario. The reasonable maximum EPCs for the non-storm condition were calculated as the highest volume-weighted average within the grouping of interest (NNS or SWTM) for a single timepoint during one tide cycle. The reasonable maximum EPCs for the storm condition represent the highest volume-weighted average concentration within the grouping of interest for a single timepoint during the course of the 24-hour design storm. Application of these EPCs to the risk assessments is discussed in Section 8.4.

*This page intentionally left blank*



**Figure 7-1 Drainage Areas for Outfalls**






Source: National Oceanic and Atmospheric Administration, tidal data for Baltimore (Fort McHenry), Patapsco River

**Figure 7-2 Tidal elevation input to model (7 days)**



\\lovetongs\GISdata\StateandLocal\Map\land\SparrowsPoint\MXD\BearCreek\SP\_BearCreek\_Figure 7-3 Surface Water Model Grid.mxd







C:\Users\kminczuk\Documents\Katie M\Projects\Sparrows Point\SP\_BearCreek\_Figure4 Model Grid\_Copy.mxd



#### Legend

-  Cells with Pore Water Inputs
-  Locations of Stormwater Inputs






Figure 7-4  
Locations of Stormwater and Pore  
Water Inputs to Model  
Loading  
Bear Creek  
Sparrows Point, Maryland





\\lovelongs\GISData\StateandLocal\Northeast\Maryland\SparrowsPoint\MXD\BearCreek\SP\_BearCreek\_Figure 7-5 Ebb Currents.mxd








\\lovelongs\GISData\StateandLocal\Northeast\Maryland\SparrowsPoint\MXD\BearCreek\SP\_BearCreek\_Figure 7-6 Flood Currents.mxd





\\lovetongis\GIS\StateandLocal\Northeast\Maryland\SparrowsPoint\MXD\BearCreek\SP\_BearCreek\_Figure 7-7 LMW PAHs Conc Non Storm Cond.mxd







**Bear Creek Low Molecular Weight PAHs (ug/l) Storm Event**



**EA** EA Engineering, Science, and Technology, Inc., PBC

Figure 7-8  
Modeled Concentrations  
of Low Molecular Weight  
PAHs (ug/l) during Storm Event  
Bear Creek  
Sparrows Point, Maryland




\\lovetongis\GISdata\StateandLocal\Northeast\Maryland\SparrowsPoint\MXD\BearCreek\SP\_BearCreek\_Figure 7-9 CN Conc Non Storm Cond.mxd





\\lovetongis\GIS\data\StateandLocal\Northeast\Maryland\SparrowsPoint\MXD\BearCreek\SP\_BearCreek\_Figure 7-10 CN Conc Storm Event.mxd





\\lovetongis\GIS\data\StateandLocal\NortheastMaryland\SparrowsPoint\MXD\BearCreek\SP\_BearCreek\_Figure 7-11 NI Conc Non Storm Cond.mxd




Figure 7-11  
Modeled Concentrations  
of Nickel (ug/l) under  
Non-Storm Conditions  
Bear Creek  
Sparrows Point, Maryland



\\lovetongis\GIS\StateandLocal\Northeast\Maryland\SparrowsPoint\MXD\BearCreek\SP\_BearCreek\_Figure 7-12 Ni Conc Storm Event.mxd




Figure 7-12  
Modeled Concentrations  
of Nickel (ug/l) during Storm Event  
Bear Creek  
Sparrows Point, Maryland



TABLE 7-3 CALCULATIONS OF GROUNDWATER HYDRAULIC GRADIENT

<i>Date</i>	<i>December 2003</i>			<i>June 2004</i>			<i>July 2009</i>			<i>March-April 2011</i>			<i>October-November 2011</i>		
<i>Area</i>	<i>Tin Mill Canal Vicinity</i>			<i>Tin Mill Canal Vicinity</i>			<i>Greys Landfill</i>			<i>Greys Landfill</i>			<i>Rod&amp;Wire Mill</i>		
	Water table height (ft)	Distance (ft)	Hydraulic gradient	Water table height (ft)	Distance (ft)	Hydraulic gradient	Water table height (ft)	Distance (ft)	Hydraulic gradient	Water table height (ft)	Distance (ft)	Hydraulic gradient	Water table height (ft)	Distance (ft)	Hydraulic gradient
	<i>dh</i>	<i>dl</i>	<i>dh/dl</i>	<i>dh</i>	<i>dl</i>	<i>dh/dl</i>	<i>dh</i>	<i>dl</i>	<i>dh/dl</i>	<i>dh</i>	<i>dl</i>	<i>dh/dl</i>	<i>dh</i>	<i>dl</i>	<i>dh/dl</i>
	6	900	0.0067	6	600	0.0100	5	456	0.0110	5	468	0.0107	4	300	0.0133
<i>Source</i>	Site-Wide Investigation: Report of Nature & Extent of Releases to Groundwater from the Special Study Area, January 2005						Grey's Landfill 2009 Groundwater Monitoring Report, January 2010			Grey's Landfill June 2011 Groundwater Monitoring Report, June 2011			Interim Measures 2011 Annual Report, Former Sludge Bin Storage Area, Rod&Wire Mill, January 2012		

<i>Date</i>	<i>October 2012</i>			<i>March 2013</i>			<i>April-May 2013</i>			<i>September 2013</i>		
<i>Area</i>	<i>Rod&amp;Wire Mill</i>			<i>Greys Landfill</i>			<i>Rod&amp;Wire Mill</i>			<i>Greys Landfill</i>		
	Water table height (ft)	Distance (ft)	Hydraulic gradient	Water table height (ft)	Distance (ft)	Hydraulic gradient	Water table height (ft)	Distance (ft)	Hydraulic gradient	Water table height (ft)	Distance (ft)	Hydraulic gradient
	<i>dh</i>	<i>dl</i>	<i>dh/dl</i>	<i>dh</i>	<i>dl</i>	<i>dh/dl</i>	<i>dh</i>	<i>dl</i>	<i>dh/dl</i>	<i>dh</i>	<i>dl</i>	<i>dh/dl</i>
	4	380	0.0105	8	380	0.0211	2	125	0.0160	8	560	0.0143
<i>Source</i>	Interim Measures 2012 Annual Report, Former Sludge Bin Storage Area, Rod and Wire Mill Area, January 2013			Coke Point and Greys Landfills Semi-Annual Groundwater Monitoring Report, 1st Half 2013, June 2013			Interim Measures 2013 Annual Report, Former Sludge Bin Storage Area, Rod and Wire Mill Area, January 2014			Coke Point and Greys Landfills Semi-Annual Groundwater Monitoring Report, 2nd Half 2013, February 2014		

Notes:

ft = feet

dl = change in distance

dh = change in height/elevation

TABLE 7-4 INPUT CONCENTRATIONS FOR SURFACE WATER MODEL

Analyte	Pore Water Location	Groundwater Velocity (ft/day)	Porosity	Concentration <sup>1</sup> (µg/L)	Mass Flux (g/s/ft <sup>2</sup> )	Stormwater Location	Reported Concentrations <sup>2</sup> (µg/L)		Modeled Concentration (µg/L)
		v	n	C	J		111614	120114	
Antimony	Not Site-Related COPC					ST-071	--	0.63	0.63
						ST-UNNAMED	2 U	1.2	1.2
						ST-018	2 U	0.88	0.9
						ST-014	2 U	1.1	1.1
Arsenic	Not Site-Related COPC					ST-071	--	2.4	2.4
						ST-UNNAMED	0.67	1 U	0.67
						ST-018	3.4	2.2	3.4
						ST-014	1 U	1.1	1.1
Chromium	Not Detected at location PW-B01, where a Site-Related COPC					ST-071	--	1.7	1.7
						ST-UNNAMED	1	0.89	1.0
						ST-018	3.7	6.8	6.8
						ST-014	1.2	1.4	1.4
Copper	PW-D02	0.02	0.3	2.6	5.10972E-12	ST-071	--	3	3
	Not Detected in Other Pore Water Samples					ST-UNNAMED	1.1	3.1	3.1
						ST-018	1.3	2 U	1.3
						ST-014	0.69	2U	0.69
Lead	PW-D02	0.02	0.3	0.74	1.45431E-12	Not Detected in Stormwater			
	PW-DE01	0.02	0.3	10	1.96528E-11				
Mercury	PW-C02	0.02	0.3	0.095	1.86701E-13	ST-071	--	0.051	0.051
	Not Detected in Other Pore Water Samples					ST-UNNAMED	0.2 U	0.083	0.083
Nickel	PW-A01	0.02	0.3	2.9	5.69931E-12	ST-071	--	4.1	4.1
	PW-B01	0.02	0.3	2	3.93056E-12	ST-UNNAMED	1.9	2.8	2.8
	PW-C01	0.02	0.3	2.1	4.12708E-12	ST-018	0.3	1.2	1.2
	PW-C02	0.02	0.3	3.5	6.87847E-12	ST-014	4.1	6.3	6.3
	PW-DE01	0.02	0.4	20	5.24074E-11				
Selenium	Not Site-Related COPC					ST-071	--	0.42	0.42
						ST-UNNAMED	0.45	5 U	0.45
						ST-018	2.3	0.9	2.3
Zinc	PW-C01	0.02	0.3	12	2.35833E-11	ST-071	--	75	75
	PW-C02	0.02	0.3	210	4.12708E-10	ST-UNNAMED	14	12	14
	PW-D02	0.02	0.3	22	4.32361E-11	ST-018	1.6	9.4	9.4
	PW-DE01	0.02	0.4	160	4.19259E-10	ST-014	10	20	20
Cyanide	PW-D02	0.02	0.3	4.4	8.64722E-12	ST-018	40	14	40
	PW-DE01	0.02	0.3	2.5	4.91319E-12	ST-014	4.3	10 U	4.3
	PW-E01	0.02	0.3	3.5	6.87847E-12	Not Detected in Outfalls 071 or UNNAMED			
	PW-F05	0.02	0.4	24	6.28889E-11				
Bis(2-ethylhexyl) phthalate	PW-C01	0.02	0.3	0.73	1.43465E-12	ST-018	1.5	1.9 U	1.5
	PW-DE01	0.02	0.3	0.24	4.71667E-13	ST-UNNAMED	0.42	1.9 U	0.42
	PW-F05	0.02	0.4	1.1	2.88241E-12				
LMW PAHs <sup>3</sup>	PW-DE01	0.02	0.3	0.15	2.94792E-13	ST-018	0.217	0.13	0.217
	Not Detected in Other Pore Water Samples					ST-UNNAMED	0.019	0.19 U	0.019
						ST-014	0.49	0.19 U	0.49
HMW PAHs <sup>4</sup>	Not Detected in Pore Water					ST-014	0.078	0.19 U	0.078
2,4-Dimethylphenol	Not Site-Related COPC					ST-018	0.96 UJ	1.8	1.8

Notes:

(1) As reported in Table 5-20

(2) As reported in Tables 5-15, 5-16, and 5-19

(3) Low Molecular Weight Polycyclic Aromatic Hydrocarbons: acenaphthene, acenaphthylene, anthracene, fluorene, fluoranthene, naphthalene, and phenanthrene

(4) High Molecular Weight Polycyclic Aromatic Hydrocarbons: Sum of concentrations of benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(g,h,i)perylene, benzo(k)fluoranthene, chrysene, dibenzo(a,h)anthracene, indeno(1,2,3-cd)pyrene, and pyrene

COPC = constituent of potential concern

ft/day = feet per day

µg/L = micrograms per liter

g/s/ft<sup>2</sup> = grams per second per square foot of river bottom



TABLE 7-5 TIDAL DATUMS AT BALTIMORE (FORT MCHENRY), PATAPSCO RIVER

Tidal Datum (ft)	Elevations referred to MLLW	Tidal range between MHW and MLW (feet)
HIGHEST OBSERVED WATER LEVEL (08/23/1933)	7.9	
MEAN HIGHER HIGH WATER	1.66	
MEAN HIGH WATER	<b>1.35</b>	
MEAN TIDE LEVEL	0.8	
NATIONAL MEAN LOW WATER GEODETIC VERTICAL DATUM (NGVD29)	0.28	
MEAN LOW WATER	<b>0.24</b>	
MEAN LOWER LOW WATER	0	
Notes: Tidal datums are based on a 19-year time series (1960-1978), and referenced to NGVD based on adjustment of 1972 AND NOS levels of 1984. MHW = Mean high water MLLW = Mean lower low water MLW = Mean Low Water		

TABLE 7-6 SURFACE WATER EXPOSURE POINT CONCENTRATIONS CALCULATED USING MODEL

Analyte	Northeast/Near-Shore Grouping				Southwest/Tin Mill Canal Effluent Grouping			
	Non-Storm Reasonable Maximum EPC <sup>3</sup> (µg/L)	Non-Storm Maximum <sup>4</sup> (µg/L)	Storm Reasonable Maximum EPC <sup>5</sup> (µg/L)	Storm Maximum <sup>6</sup> (µg/L)	Non-Storm Reasonable Maximum EPC <sup>3</sup> (µg/L)	Non-Storm Maximum <sup>4</sup> (µg/L)	Storm Reasonable Maximum EPC <sup>5</sup> (µg/L)	Storm Maximum <sup>6</sup> (µg/L)
<b>Antimony</b>	0.0734	0.187	0.376	0.894	0.120	0.329	0.186	0.588
<b>Arsenic</b>	0.180	0.708	0.388	2.10	0.513	0.960	0.547	1.03
<b>Chromium</b>	0.216	0.671	0.524	4.26	0.257	0.963	0.318	1.26
<b>Copper</b>	0.248	0.641	0.642	2.57	0.299	0.969	0.335	0.979
<b>Lead</b>	0.0980	0.440	0.103	0.447	0.0799	0.537	0.0874	0.544
<b>Mercury</b>	0.154	0.663	0.157	0.664	0.114	0.325	0.120	0.328
<b>Nickel</b>	1.34	3.77	1.66	4.09	1.68	5.80	1.80	5.81
<b>Selenium</b>	0	0	0.0338	1.08	0	0	0.00572	0.0748
<b>Zinc</b>	4.41	12.5	8.95	46.0	5.56	19.3	6.03	19.4
<b>Cyanide</b>	0.930	2.52	1.97	23.7	1.15	3.87	1.42	6.50
<b>Bis(2-ethylhexyl) phthalate</b>	0.0317	0.10	0.0790	1.04	0.0257	0.0733	0.0381	0.261
<b>LMW PAHs<sup>1</sup></b>	0.123	0.312	0.130	0.379	0.130	0.472	0.139	0.474
<b>HMW PAHs<sup>2</sup></b>	0.0115	0.0510	0.0118	0.0510	0.00843	0.0232	0.00891	0.0235
<b>2,4-Dimethylphenol</b>	0	0	0.0479	1.00	0	0	0.0108	0.184
Notes: (1) Low Molecular Weight Polycyclic Aromatic Hydrocarbons: acenaphthene, acenaphthylene, anthracene, fluorene, fluoranthene, naphthalene, and phenanthrene (2) High Molecular Weight Polycyclic Aromatic Hydrocarbons: Sum of concentrations of benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(g,h,i)perylene, benzo(k)fluoranthene, chrysene, dibenzo(a,h)anthracene, indeno(1,2,3-cd)pyrene, and pyrene (3) Calculated as the highest volume-weighted average during one tide cycle. (4) Calculated as the highest concentration modeled in a single model cell over one tide cycle. (5) Calculated as the highest volume-weighted average during the 24-hour design storm (6) Calculated as the highest concentration modeled in a single model cell during the 24-hour design storm EPC = Exposure Point Concentration µg/L = micrograms per liter								

***This page intentionally left blank.***

## 8. STATISTICAL DERIVATION OF EXPOSURE POINT CONCENTRATIONS

The primary use of chemical analytical data in the risk assessment is to develop EPCs. The EPC represents a reasonable estimate of the COPC concentration that likely will be contacted by a risk assessment receptor over time. Chemical analyses provide the constituent concentrations detected at each sample location. Some organisms, such as clams and worms, may be exposed to concentrations at a single location for most of their life span. However, most fish, crustaceans, wildlife, and humans are likely to move throughout the offshore area and may be exposed to sediment or surface water at many locations over time. Therefore, statistics were used to calculate EPCs that represent overall exposures to sediment and water in the Phase I area of Bear Creek (USEPA 1989, 1991, 1997a).

As discussed in the CSM (Section 6), ecological and human receptors may be exposed to chemicals in surface sediment and surface water. These receptors also may be exposed to chemicals through consumption of fish, crabs, or other aquatic organisms that have accumulated chemicals from sediment or surface water. Therefore, the risk assessment uses EPCs for exposure to three media: sediment, surface water, and tissue of organisms that accumulate chemicals from water and sediment. EPCs for sediment were calculated directly from chemical analytical results of this media. EPCs for surface water were calculated based on the results of the surface water modeling, as described in Chapter 7. EPCs for metals, PAHs, and PCBs in aquatic organism tissue are derived from the field-collected fish and crabs collected from adjacent areas in association with the Coke Point Risk Assessment and from associated laboratory bioaccumulation studies (clams and worms) (EA 2011b). EPCs for other chemicals in aquatic organism tissue are calculated using uptake factors from the scientific literature. EPCs for tissue are further distinguished as derived from fish or crab; EPCs for fish are used primarily to represent uptake of chemicals into the food chain from water, while EPCs for crab are used to represent uptake from sediment. **Tables 8-1 and 8-2** provide a description of how different EPCs for each media are used in ecological and human health risk exposure scenarios.

### 8.1 DATA GROUPINGS AND CONSTITUENTS OF POTENTIAL CONCERN

As described in Section 6.1, data and modeling results from the offshore investigation were divided into two data groupings/areas for separate consideration in the risk assessments:

- **Grouping NNS:** The Northeast/Near-Shore Grouping includes all samples from Transects A, B, C, and D, as well as the following locations in Transects DE, E, and F: DE01, E01, E02, F01, F02, and F05.
- **Grouping SWTM:** The Southwest/Tin Mill Canal Effluent Grouping includes all of Transects G, H, I, and J, as well as the following locations in Transects DE, E, and F: DE02, E03, F03, F04, F06, and F07.

**Table 8-3** presents a summary of the samples included in each grouping. Because current inputs to the offshore area via groundwater/pore water and stormwater remain the focus in the NNS, only the Site-related COPCs for each transect presented in Section 2.2.2 are considered in calculating EPCs for this grouping. **Table 8-4** presents a summary of the Site-related COPCs in sediment for which data were used in calculating EPCs for use in the risk assessment for the NNS. In contrast, all available data from the offshore investigation are used in calculating EPCs for use in the risk assessment for the SWTM. **Tables 8-5 through 8-10** present the sediment data used in the risk assessments for each grouping. **Table 7-6** presents the modeled surface water exposure point concentrations used in the risk assessments.

## 8.2 METHODS OF SUMMATION FOR PCBs AND PAHs

In calculating EPCs, some classes of organic chemicals are best evaluated as a summation of individual concentrations to provide a total concentration for the group because they share similar fate and toxicity. This is the case for PCB congeners, for which special methods of summation have been developed for use in calculations for both the human health and ecological risk assessment. The exposure estimate procedures used for available PCB congener data for fish and crab tissue are described below.

- **PCB Congeners** – There are over 200 PCB congeners that can be commonly found in environmental media. USEPA guidance has identified a standard method for using congener-specific data to estimate the total concentration of PCBs (Van den Berg et al. 1998). Per this method, the concentrations of 18 specific congeners are summed and the sum doubled for each sample. The specific PCB congeners used in the evaluation are: PCB 8, PCB 18, PCB 28, PCB 44, PCB 49, PCB 52, PCB 66, PCB 77, PCB 87, PCB 90, PCB 101, PCB 105, PCB 118, PCB 126, PCB 128, PCB 138, PCB 153, PCB 156, PCB 169, PCB 170, PCB 180, PCB 183, PCB 184, PCB 187, PCB 195, PCB 206, and PCB 209. Two estimates of total PCBs are provided: one in which reporting limits (RLs) are used to represent non-detected compounds, and one in which non-detects are assumed to indicate that no compound is present. Using RLs is likely to overestimate the total amount of PCB present, while use of zero concentrations to represent non-detects is likely to underestimate concentrations.

This is also the case for PAHs and PCB Aroclors, but only as applied to the ERA. The HHRA evaluates PAHs and PCB Aroclors on an individual chemical basis. The exposure estimate procedures for each of these classes are described below.

- **LMW PAHs** – LMW PAH compounds have fewer than four aromatic rings and share similar modes of toxicity, and it is appropriate to examine exposures to these compounds as a whole for some ecological receptors (USEPA 2007a). Therefore, concentrations for individual LMW PAHs were summed. Two estimates of LMW PAHs are provided: one in which RLs are used to represent non-detected compounds, and one in which non-detects are assumed to indicate that no compound is present. Using RLs is likely to



overestimate the total amount of PAHs present, while use of zero concentrations is likely to underestimate concentrations. Therefore, both estimates are used in statistical calculation of EPCs. LMW PAHs include 1-methylnaphthalene, 2-methylnaphthalene, acenaphthene, acenaphthylene, anthracene, fluorene, fluoranthene, naphthalene, and phenanthrene.

- **HMW PAHs** – EPCs for HMW PAH compounds have four or more aromatic rings share similar modes of toxicity, and it is most appropriate to examine exposures to these compounds as a whole. Therefore, concentrations for individual HMW PAHs were summed. Two estimates of HMW PAH are provided: one in which RLs are used to represent non-detected compounds, and one in which non-detects are assumed to indicate that no compound is present. Using RLs is likely to overestimate the total amount of PAH present, while use of zero concentrations is likely to underestimate concentrations. Therefore, both estimates are used in statistical calculation of EPCs. HMW PAHs include benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(g,h,i)perylene, benzo(k)fluoranthene, chrysene, dibenzo(a,h)anthracene, indeno(1,2,3-cd)pyrene, and pyrene.
- **PCB Aroclors** – PCB Aroclors are mixtures of PCBs congeners that are grouped together based on the percentage of chlorination by weight. The specific PCB Aroclor mixtures used in the evaluation are: Aroclor 1016, Aroclor 1221, Aroclor 1232, Aroclor 1242, Aroclor 1248, Aroclor 1254, and Aroclor 1260. Two estimates of total PCB Aroclors are provided: one in which reporting limits (RLs) are used to represent non-detected compounds, and one in which non-detects are assumed to indicate that no compound is present. Using RLs is likely to overestimate the total amount of PCB Aroclors present and is highly conservative. Use of zero concentrations to represent non-detects is realistic for the lower chlorinated Aroclors, which are not expected to occur in the sediment matrix, while this method may underestimate concentrations of Aroclors 1248, 1254, and 1260.

It is important to note that making different assumptions (Non-detects as 0 or non-detects as the RL) can drastically affect the outcome of calculations of the 95 percent upper confidence limit of the mean (95%UCLM), as it may increase not only the mean but also the variability of the data set. Sediment EPCs for use in the ERA were developed using the LMW PAH, HMW PAH, and PCB Aroclor summations as described above. To develop tissue EPCs, PAHs and PCB congeners were summed as described above for use in developing EPCs and bioaccumulation factors (BAFs). For Aroclors, tissue concentrations were not summed but were carried through exposure models for wildlife separately so that food web doses could be summed instead.

### 8.3 SEDIMENT EPC CALCULATION

The ERA and the HHRA evaluate two separate EPCs for sediment for each data grouping: one representing the maximum detected concentration (screening level concentration) to which a

receptor could be exposed, and one representing overall or average exposures for each constituent.

In both the HHRA and ERA, evaluation of the maximum detected concentration to which a receptor could be exposed is called the screening level EPC, and evaluation of the overall or average concentration to which a receptor could be exposed is called the reasonable maximum EPC. Assessment using the screening level EPC evaluates a worst case scenario by assuming biota or humans are exposed to the location(s) with the highest concentrations of chemicals for their entire lives/duration of exposure. This provides useful information for the ERA because some bottom-dwelling organisms live their entire lives in or around a single location. The screening level EPC is evaluated in the ERA for aquatic organism and wildlife exposures as a precautionary measure to identify COPCs that require further evaluation in the assessment. The HHRA evaluates the maximum detected concentration in sediment for initial screening of constituent concentrations as a precautionary measure.

Screening is used to identify COPCs to be carried forward into the risk assessment, but is not representative of most exposures for people or mobile organisms such as fish, crustaceans, birds, and mammals which may use the entire Phase I area. Therefore, for these receptors, a statistically derived value is used to estimate overall exposures across each grouping in the Phase I area. EPCs calculated using this statistically derived value are referred to as reasonable maximum EPCs because the exposure level is more reasonable given the fact that receptors may move around the area. The statistically derived value is a precautionary estimate of the central tendency of the chemical constituent concentrations for each grouping and represents overall exposures over time (USEPA 1989).

For both groupings within the Phase I area, the 95%UCLM is used as a precautionary estimate of central tendency; this is consistent with USEPA guidance (USEPA 1989). The 95%UCLM is determined through the use of the USEPA ProUCL program version 5.00.0 (USEPA 2013). The 95%UCLM is used as the reasonable maximum EPC except in cases where a 95%UCLM could not be calculated or where it exceeds the maximum detected concentration. In these cases, the maximum detected concentration is used as the reasonable maximum EPC. Output files of the ProUCL program are included in **Appendix F**. For inputs to the program, RLs were used to represent non-detected results.

The ERA uses both the screening level EPCs and reasonable maximum EPCs to model food web exposures for biota (**Table 8-1**). In accordance with USEPA guidance (USEPA 1989), the HHRA uses reasonable maximum EPC for all modeled exposure scenarios (**Table 8-2**). EPC calculations for both ecological and human health risk assessments utilize chemical analytical results from each sediment sample as an independent data point in the statistical evaluation.

## 8.4 SURFACE WATER EPC CALCULATION

Derivation of screening and reasonable maximum EPCs for modeled constituents in surface water in the NNS and SWTM groupings under the non-storm and storm scenarios (**Table 7-6**) is described in Section 7.3. The screening level EPC represents the maximum modeled concentration to which a receptor could be exposed, and the reasonable maximum EPC represents overall or average exposures for each constituent.

The screening level EPC is evaluated in the ERA for aquatic organism and wildlife exposures to identify COPCs that require further evaluation in the assessment. The ERA also uses both the screening level EPCs and reasonable maximum EPCs to model food web exposures for biota. In accordance with USEPA guidance (USEPA 1989), the HHRA uses the reasonable maximum EPC for all modeled exposure scenarios. Both risk assessments focus on the non-storm EPCs, which represent typical conditions, when a storm is not occurring.

## 8.5 AQUATIC ORGANISM TISSUE EPC CALCULATION

As discussed above, both wildlife and humans may be exposed to chemicals through ingestion of tissue from fish or other aquatic organisms that have accumulated chemicals from surface water or sediment. Therefore, EPCs representative of constituent concentrations in aquatic organisms are used in ingestion exposure models. The ERA and HHRA use aquatic organism food item EPCs derived from several sources in assessing each data grouping.

The ERA and HHRA examine separate scenarios that represent consumption of two different types of prey item – crab and fish. **Table 8-1** summarizes the data source used for each of these scenarios. The risk assessments assess two different scenarios for fish and crab consumption by humans and wildlife, one based on site-specific data from field-collected specimens collected near the adjacent Coke Point Peninsula (EA 2011b) and the other using tissue concentrations derived from BAFs. Where site-specific data are not available, BAFs from the scientific literature are used in both scenarios.

There are advantages to each of the two methods discussed above (BAFs versus field-collected tissue) for calculating tissue EPCs. The lab bioaccumulation tests used to derive BAFs as part of the site-specific bioaccumulation study (EA 2011b) are a highly reliable means of linking exposure to constituent concentrations in sediment to concentrations accumulated in tissue. Uptake is not influenced by the mobility of organisms or variations in field conditions. Thus, scenarios based on BAFs from lab bioaccumulation tests provide the best measure of potential contributions from chemical sources in sediments in the Phase I area to site-specific exposures and risks, assuming contact only to sediments within the grouping evaluated. Alternatively, EPCs derived from field-collected tissue are more likely to incorporate the influence of field variations and organism movement beyond the Phase I area. Therefore, tissue EPCs based on concentrations detected in actual fish and crab collected from the vicinity of Sparrows Point provide a better measure for predicting the actual exposures experienced by people and wildlife

consuming these organisms from the Phase I area at the time of sampling. Different scenarios were evaluated so that the advantages of each data source can be used to interpret risk assessment results.

Tissue concentrations for crabs are based either on tissue analyses of field collected crabs or based sediment BAFs. Sediment BAFs are multipliers that relate the concentration of chemicals expected in crab tissue to the concentrations detected in sediment. For some chemicals, site-specific BAFs are available from bioaccumulation studies using worms and clams as part of the Coke Point Risk Assessment (EA 2011b). Where available, these BAFs are used to calculate uptake from the sediment into crabs in the Phase I area. BAFs from the Coke Point Risk Assessment are considered relevant for use at Sparrows Point because the sediments evaluated for Coke Point are immediately adjacent to and generally similar to those in the Phase 1 Area. Additionally, uptake into worms and clams exposed to sediments in a controlled, enclosed setting is expected to be a conservative surrogate estimate of uptake into crabs. Fish tissue concentrations are also estimated in two different ways: based on site-specific data from field-collected specimens or using surface water BAFs from the scientific literature. Surface water BAFs are multipliers that relate the concentration of chemicals expected in fish tissue to the concentrations detected in surface water. For both crabs and fish, field collected specimens were caught and analyzed as part of the Coke Point Risk Assessment (EA 2011b). Data from these specimens are considered relevant to the Phase I area because these species are mobile and caught from other areas close to the Site.

For tissue estimates, concentrations of PCBs were summed prior to use in food web models by applying the methods described in Section 8.2 to tissue concentrations. In the HHRA, PAHs were carried through exposure models individually and risks were summed afterwards. In the ERA, individual PAHs and total summed PAHs (low molecular and high molecular weight) were evaluated during the screen, but only combined total PAHs were used for exposure and toxicity assessment.

#### **8.5.1 EPCs Derived Using Bioaccumulation Factors (BAFs) From Coke Point Laboratory Bioaccumulation Tests**

As part of the Coke Point Risk Assessment (EA 2011b), sediment from the offshore area was used in 28-day laboratory bioaccumulation tests in which clams and worms were exposed to sediment in a controlled laboratory environment. These bioaccumulation tests were specifically designed to measure uptake from sediment into the tissues of aquatic organisms (USEPA 2000a; USEPA/ United States Army Corps of Engineers [USACE] 1991, 1998). After 28 days of exposure, the organisms were removed from the test chambers, depurated, and analyzed for metals, PAHs, and PCBs.

The test species (clams and worms) used in standardized bioaccumulation tests are lower trophic level organisms. These species are directly representative of the kinds of organisms that wildlife, fish, and crabs consume routinely. They indirectly represent bottom-dwelling species that

humans are more likely to consume such as crabs, assuming that such organisms spend large amounts of time around Sparrows Point. Based on this information, laboratory bioaccumulation estimates based on lab bioaccumulation test results were determined to be applicable to ERA for the Phase I area as well.

The concentrations of metals, PAHs, and PCBs detected in clam and worm tissues were used to develop site-specific sediment BAFs (EA 2011b). Sediment BAFs are multipliers that relate the concentration of chemicals expected in tissue to the concentrations detected in sediment. Sediment BAFs used in this risk assessment are presented in **Table 8-11**. Sediment BAFs are used to predict benthic organism tissue concentrations using the following equation:

$$C_{\text{org-sed}} = C_{\text{sed}} * \text{BAF}_{\text{org-sed}}$$

where:

$C_{\text{org-sed}}$	=	EPC of chemical in benthic organism tissue (mg/kg wet weight) taken up from sediment
$C_{\text{sed}}$	=	EPC of chemical in sediment (mg/kg dry weight)
$\text{BAF}_{\text{org-sed}}$	=	bioaccumulation factor for chemicals from sediment into aquatic organism (unitless).

Either the screening or the reasonable maximum exposure EPCs were used as  $C_{\text{sed}}$  in the equation, dependent on the scenario. BAFs from organisms exposed to Coke Point sediment were applied to sediment concentrations from the Phase I area.

There are several advantages to using laboratory bioaccumulation test results to derive tissue EPCs. Organisms in laboratory bioaccumulation tests are exposed directly to the sediments in question under controlled conditions, providing certainty as to where and when uptake occurred. This is an advantage over field-collection of organisms because it is often uncertain as to whether certain types of field-collected organisms may have migrated from other areas. It also accounts for the effects of site-specific grain size, carbon content, and sulfide-minerals on bioavailability and uptake.

### 8.5.2 EPCs Derived From Field-Collected Fish and Crab Tissue

Field collection of tissue characterizes actual tissue concentrations in aquatic organisms. This presents a more realistic representation of bioaccumulation in higher trophic level game species at Sparrows Point because many aquatic organisms are mobile and may spend time feeding in other parts of Bear Creek, the Patapsco River, Baltimore Harbor, or the Chesapeake Bay.

The bioaccumulation studies performed to support the Coke Point Risk Assessment (EA 2011b) included field-collection of fish and crab tissue from the area around Sparrows Point. The species collected (white perch and blue crab) are directly representative of the kinds of organisms



that humans and larger wildlife may consume. Therefore, bioaccumulation estimates based on field-collected tissue are most directly applicable to HHRA but also bear relevance to ecological exposures. Crab and fish tissues were analyzed for metals, PAHs, and PCBs.

Tissues from common game fish species (white perch and blue crab) were collected to provide an indicator of the concentrations of chemicals to which watermen and wildlife might be exposed around Sparrows Point. Composited fish filets were analyzed as representative of what humans would most likely consume, and composited whole body fish were analyzed as representative of what wildlife would most likely consume. For crabs, both meat and “mustard” were analyzed separately. Mustard is a digestive organ within the crab that may accumulate higher concentrations of chemicals than muscle. It is often consumed as a delicacy. It was assumed that both humans and wildlife would consume all of the meat and mustard within an individual crab.

Therefore, to determine the total concentration of a chemical constituent within the edible portion of the crab, the following equation was used:

$$C_{EdCrab} = \frac{C_{Mustard} * M_{Mustard} + C_{Meat} * M_{Meat}}{M_{EdCrab}}$$

where:

$C_{EdCrab}$	=	Concentration of chemical in the edible portion of the crab(mg/kg wet weight)
$C_{Mustard}$	=	Concentration of chemical in crab mustard (mg/kg wet weight)
$C_{Meat}$	=	Concentration of chemical in crabmeat (mg/kg wet weight)
$M_{Mustard}$	=	Weight of mustard per individual crab (grams [g] wet weight)
$M_{Meat}$	=	Weight of meat per individual crab (g wet weight)
$M_{EdCrab}$	=	Summed Weight of the meat and mustard from individual crab (g wet weight).

The ratio of meat to mustard in the crab by mass was assumed to be 4.36:1 based on information from the literature (Weidou 1981).

Tissue concentrations were summarized statistically to create EPCs. **Tables 8-1** and **8-2** present which EPCs (screening or reasonable maximum) were used for each ecological and human health scenario and each data grouping. For the reasonable maximum exposure scenario, the 95%UCLM of tissue concentrations for each chemical constituent were used as the EPCs in fish filets and whole body fish. The 95%UCLMs for crab meat and mustard were used as described above to calculate the concentration in edible crab tissue.

### 8.5.3 EPCs Derived Using Sediment BAFs From Literature Sources

Laboratory bioaccumulation tests for Coke Point (EA 2011b) focused on the environmental medium (sediment) and the chemical constituent types (metals, PAHs, and PCBs) considered most likely to drive source-related risks. Therefore, they did not include testing and analysis of other chemicals in tissue. Instead, BAFs for these chemicals and media were derived from the scientific literature.

**Literature Sources for Sediment BAFs** – Sediment BAFs are derived from the scientific literature for VOCs and non-PAH SVOCs. These compounds were not included in site-specific bioaccumulation studies as a cost-saving measure because screening analysis indicated that these chemicals were likely to produce risks lower than metals, PAHs, and PCBs. Sediment BAFs are presented in **Table 8-11**. These sediment BAFs are considered technically defensible for use in wildlife exposure models because they are developed from consideration of a variety of studies and organisms, incorporate site-specific physical data factors, are developed from well-accepted guidance, and are specific to marine and estuarine environments. When sediment BAFs were not available from this source, a default value of 1 was assigned. This assumes that the concentration in the organism is the same as the concentration in the sediment. This default is used as a standard practice in risk assessment.

### 8.5.4 EPCs Derived Using Surface Water BAFs From Literature Sources

As discussed above, laboratory bioaccumulation tests for Coke Point (EA 2011b) focused on the environmental medium (sediment) considered most likely to drive source-related risks. Therefore, they did not include testing and analysis of uptake from surface water. Instead, BAFs for chemicals in surface water are derived from information reported in the scientific literature.

Literature-based water-to-fish uptake factors or bioaccumulation equations are used to estimate concentrations of COPCs in fish tissue using the following equation:

$$C_{\text{fish}} = C_{\text{water}} * \text{BAF}_{\text{fish - water}}$$

where:

$C_{\text{fish}}$	=	Concentration of chemical in fish (mg/kg wet weight)
$C_{\text{water}}$	=	Maximum concentration or 95% UCLM of COPC in water (mg/L)
$\text{BAF}_{\text{fish-water}}$	=	Uptake factor for chemicals in fish (unitless).

The maximum or reasonable maximum scenario COPC concentrations detected in surface water are used as the  $C_{\text{water}}$  value in the equation. Bioaccumulation factors and their sources are summarized in **Table 8-12**. Uptake factors for several organics are derived using regressions from the BCF Win Program developed by the USEPA's Office of Pollution Prevention and Toxics and Syracuse Research Corporation (USEPA 2012a). When these uptake factors are not

available for a chemical, literature-based factors are used from sources such as the Risk Assessment Information System (Oak Ridge National Laboratory 2009); USEPA's Ambient Aquatic Life Water Quality Criteria documents (USEPA 1980, 1985a-c, 1986, 1987a,b) the California Office of Environmental Health Hazard Assessment (2000); and sources cited in USEPA guidance for risk assessment of hazardous waste combustion products (USEPA 1999).

In the absence of a literature-based bioaccumulation model or uptake factor for a COPC, an accumulation factor of 1 is used to estimate constituent concentrations in fish. Use of this default accumulation factor assumes that the concentration in the organism is the same as the concentration in the surface water, is expected to provide a conservative estimate of accumulation for most chemicals, and is expected to overestimate accumulation for non-bioaccumulative compounds. This default is used as a standard practice in risk assessment.

**TABLE 8-1**  
**SUMMARY OF DATA INPUTS FOR ECOLOGICAL RISK ASSESSMENT SCENARIOS**  
**SPARROWS POINT AREAS**

Media of Concern	Aquatic Organism Exposures to Sediment and Surface Water	Wildlife Exposures for Birds and Mammals	
		Exposures via Ingestion of Sediment, Crab, and Surface Water	Exposures via Ingestion of Sediment, Fish, and Surface Water
Sediment	<ul style="list-style-type: none"> <li>Site-specific data used from field collected sediment samples</li> <li>Both Screening Level EPCs and Reasonable Maximum EPCs, evaluated separately</li> </ul>	<ul style="list-style-type: none"> <li>Site-specific data used from field collected sediment samples</li> <li>Both Screening Level EPCs and Reasonable Maximum EPCs, evaluated separately</li> </ul>	<ul style="list-style-type: none"> <li>Site-specific data used from field collected sediment samples</li> <li>Both Screening Level EPCs and Reasonable Maximum EPCs, evaluated separately</li> </ul>
Surface Water	<ul style="list-style-type: none"> <li>Modeled surface water concentrations derived from site-specific stormwater and pore water concentrations</li> <li>Both Screening Level EPCs and Reasonable Maximum EPCs, evaluated separately</li> </ul>	<ul style="list-style-type: none"> <li>Modeled surface water concentrations derived from site-specific stormwater and pore water concentrations</li> <li>Both Screening Level EPCs and Reasonable Maximum EPCs, evaluated separately</li> </ul>	<ul style="list-style-type: none"> <li>Modeled surface water concentrations derived from site-specific stormwater and pore water concentrations</li> <li>Assessed typical conditions (influence from porewater and constant outfalls) for both groupings; assessed conditions when stormwater affects concentrations during storm event</li> <li>Both Screening Level EPCs and Reasonable Maximum EPCs, evaluated separately</li> </ul>
Prey Item Tissue	<ul style="list-style-type: none"> <li>Tissue EPCs were not used in quantitative evaluation for this receptor.</li> </ul>	<ul style="list-style-type: none"> <li>Both Screening Level EPCs and Reasonable Maximum EPCs evaluated separately</li> <li>Scenario evaluating uptake using BAFs: identifies contributions of site to food chain <ul style="list-style-type: none"> <li>Tissue concentrations modeled using sediment BAFs developed from worm and clam bioassays collected in conjunction with the Coke Point Risk Assessment*</li> <li>Tissue concentrations modeled using sediment BAFs developed from the scientific literature for analytes not included in bioassays</li> </ul> </li> <li>Scenario evaluating uptake based on actual tissue: most realistic indicator of risk <ul style="list-style-type: none"> <li>Tissue concentrations statistically derived from field collected crab tissue data collected in conjunction with the Coke Point Risk Assessment*</li> <li>Meat and mustard concentrations were weighted and summed to estimate total edible crab concentrations.</li> </ul> </li> </ul>	<ul style="list-style-type: none"> <li>Both Screening Level EPCs and Reasonable Maximum EPCs evaluated separately</li> <li>Scenario evaluating uptake using BAFs: identifies contributions of site to food chain <ul style="list-style-type: none"> <li>Tissue concentrations modeled using surface water BAFs from the scientific literature</li> </ul> </li> <li>Scenario evaluating uptake based on actual tissue: most realistic indicator of risk <ul style="list-style-type: none"> <li>Tissue concentrations statistically derived from field collected fish tissue data collected in conjunction with the Coke Point Risk Assessment*</li> </ul> </li> </ul>

\* EA Engineering, Science, and Technology, Inc. 2011. *Laboratory Bioaccumulation and Field-Collected Tissue Study in Support of the Risk Assessment of the Offshore Areas Adjacent to the Proposed Coke Point Dredged Material Containment Facility at Sparrows Point*. January.

BAFs = Bioaccumulation Factors

EPCs = Exposure Point Concentrations

PAHs = Polyaromatic Hydrocarbons

PCBs = Polychlorinated Biphenyls

SVOCs = Semi-Volatile Organic Compounds

VOCs = Volatile Organic Compounds

TABLE 8-2 SUMMARY OF DATA INPUTS FOR HUMAN HEALTH RISK ASSESSMENT SCENARIOS PHASE I AREA OF THE SPARROWS POINT SITE

Media of Concern	Initial Comparison to Screening Levels	Human Health Risk Assessment
Sediment	<ul style="list-style-type: none"> <li>Site-specific data used from field collected sediment samples</li> <li>Based on Screening level EPCs</li> </ul>	<ul style="list-style-type: none"> <li>Site-specific data used from field collected sediment samples</li> <li>Based on Reasonable Maximum EPCs</li> </ul>
Surface Water	<ul style="list-style-type: none"> <li>Modeled surface water EPCs from site-specific porewater and stormwater data</li> <li>Based on Reasonable Maximum EPCs</li> </ul>	<ul style="list-style-type: none"> <li>Modeled surface water EPCs from site-specific porewater and stormwater data</li> <li>Based on Reasonable Maximum EPCs</li> </ul>
Crab	<ul style="list-style-type: none"> <li>Site-specific data used from field collected tissue samples*</li> <li>Based on Reasonable Maximum EPCs</li> </ul>	<p><u>For inorganics, PAHs, and PCBs:</u></p> <ul style="list-style-type: none"> <li>Tissue concentrations statistically derived from field collected crab tissue data*</li> <li>Meat and mustard concentrations were weighted and summed to estimate total edible crab concentrations</li> <li>Based on Reasonable Maximum EPCs in tissue</li> </ul>
	<ul style="list-style-type: none"> <li>Tissue concentrations modeled using sediment BAFs developed from the scientific literature</li> <li>Based on Reasonable Maximum EPCs</li> </ul>	<ul style="list-style-type: none"> <li>Tissue concentrations modeled using sediment BAFs developed from the scientific literature</li> <li>Based on Reasonable Maximum EPCs in sediment</li> </ul>
Fish	<ul style="list-style-type: none"> <li>Site-specific data used from field collected tissue samples*</li> <li>Based on Reasonable Maximum EPCs</li> </ul>	<p><u>For inorganics, PAHs, and PCBs:</u></p> <ul style="list-style-type: none"> <li>Tissue concentrations statistically derived from field collected fish filet tissue data*</li> <li>Based on Reasonable Maximum EPCs in tissue</li> </ul>
	<ul style="list-style-type: none"> <li>Tissue concentrations modeled using sediment BAFs developed from the scientific literature</li> <li>Based on Reasonable Maximum EPCs</li> </ul>	<ul style="list-style-type: none"> <li>Tissue concentrations modeled using surface water BAFs developed from the scientific literature</li> <li>Based on Reasonable Maximum EPCs in surface water</li> </ul>

\* EA Engineering, Science, and Technology, Inc. 2011. *Laboratory Bioaccumulation and Field-Collected Tissue Study in Support of the Risk Assessment of the Offshore Areas Adjacent to the Proposed Coke Point Dredged Material Containment Facility at Sparrows Point*. January.

Notes:

PAHs = Polyaromatic Hydrocarbons

PCBs = Polychlorinated Biphenyls

VOCs = Volatile Organic Compounds

SVOCs = Semi-Volatile Organic Compounds

BAFs = Bioaccumulation Factors

EPCs = Exposure Point Concentrations



TABLE 8-3 GROUPINGS AND SAMPLES USED IN THE RISK ASSESSMENT OF THE PHASE I AREA OF THE SPARROWS POINT SITE

Group	Media	Sample Location	Sample Name	Sample Date
Northeast/Near Shore	Sediment	A01	SD-A01	10/13/2014
Northeast/Near Shore	Sediment	A02	SD-A02	10/13/2014
Northeast/Near Shore	Sediment	A03	SD-A03	10/13/2014
Northeast/Near Shore	Sediment	B01	SD-B01	10/13/2014
Northeast/Near Shore	Sediment	B02	SD-B02	10/13/2014
Northeast/Near Shore	Sediment	C01	SD-C01	10/13/2014
Northeast/Near Shore	Sediment	C02	SD-C02	10/13/2014
Northeast/Near Shore	Sediment	C03	SD-C03	10/13/2014
Northeast/Near Shore	Sediment	D01	SD-D01	10/14/2014
Northeast/Near Shore	Sediment	D02	SD-D02	10/14/2014
Northeast/Near Shore	Sediment	DE01	DE01-SD	4/23/2015
Northeast/Near Shore	Sediment	E01	SD-E01	10/14/2014
Northeast/Near Shore	Sediment	E02	SD-E02	10/14/2014
Northeast/Near Shore	Sediment	F01	SD-F01	10/14/2014
Northeast/Near Shore	Sediment	F02	SD-F02	10/14/2014
Northeast/Near Shore	Sediment	F05	F05-SD	4/23/2015
Northeast/Near Shore	Surface Water	Modeled	Modeled	NA
Southwest/Tin Mill Canal Effluent	Sediment	DE02	SD-DE02-0002	4/30/2015
Southwest/Tin Mill Canal Effluent	Sediment	E03	SD-E03	10/14/2014
Southwest/Tin Mill Canal Effluent	Sediment	E03	SD-E03-0002	4/30/2015
Southwest/Tin Mill Canal Effluent	Sediment	F03	SD-F03-0002	5/1/2015
Southwest/Tin Mill Canal Effluent	Sediment	F04	SD-F04-0002	5/1/2015
Southwest/Tin Mill Canal Effluent	Sediment	F06	SD-F06-0002	5/1/2015
Southwest/Tin Mill Canal Effluent	Sediment	F07	SD-F07-0002	4/30/2015
Southwest/Tin Mill Canal Effluent	Sediment	G01	SD-G01	10/14/2014
Southwest/Tin Mill Canal Effluent	Sediment	G01	SD-G01-0002	5/1/2015
Southwest/Tin Mill Canal Effluent	Sediment	G02	SD-G02	10/14/2014
Southwest/Tin Mill Canal Effluent	Sediment	G02	SD-G02-0002	4/30/2015
Southwest/Tin Mill Canal Effluent	Sediment	G03	SD-G03-0002	4/30/2015
Southwest/Tin Mill Canal Effluent	Sediment	G04	SD-G04-0002	5/1/2015
Southwest/Tin Mill Canal Effluent	Sediment	G05	SD-G05-0002	5/1/2015
Southwest/Tin Mill Canal Effluent	Sediment	G06	SD-G06-0002	4/30/2015
Southwest/Tin Mill Canal Effluent	Sediment	H01	SD-H01	10/14/2014
Southwest/Tin Mill Canal Effluent	Sediment	H01	SD-H01-0002	5/1/2015
Southwest/Tin Mill Canal Effluent	Sediment	H02	SD-H02	10/14/2014
Southwest/Tin Mill Canal Effluent	Sediment	H03	SD-H03	10/14/2014
Southwest/Tin Mill Canal Effluent	Sediment	H03	SD-H03-0002	5/1/2015
Southwest/Tin Mill Canal Effluent	Sediment	H04	SD-H04-0002	5/1/2015
Southwest/Tin Mill Canal Effluent	Sediment	H05	SD-H05-0002	4/30/2015
Southwest/Tin Mill Canal Effluent	Sediment	H06	SD-H06-0002	4/30/2015
Southwest/Tin Mill Canal Effluent	Sediment	H07	SD-H07-0002	4/30/2015
Southwest/Tin Mill Canal Effluent	Sediment	I01	SD-I01-0001	5/1/2015
Southwest/Tin Mill Canal Effluent	Sediment	I01	SD-I01-0102	5/1/2015
Southwest/Tin Mill Canal Effluent	Sediment	I02	SD-I02-0002	4/30/2015
Southwest/Tin Mill Canal Effluent	Sediment	I03	SD-I03-0002	4/30/2015
Southwest/Tin Mill Canal Effluent	Sediment	J02	SD-J02-0002	5/1/2015
Southwest/Tin Mill Canal Effluent	Surface Water	Modeled	Modeled	NA
Coke Point Offshore Area*	Crab Tissue	--	CP-CASA-MT-A	10/4/2010
Coke Point Offshore Area*	Crab Tissue	--	CP-CASA-MT-B	10/4/2010
Coke Point Offshore Area*	Crab Tissue	--	CP-CASA-MT-C	10/4/2010
Coke Point Offshore Area*	Crab Tissue	--	CP-CASA-MT-D	10/4/2010
Coke Point Offshore Area*	Crab Tissue	--	CP-CASA-MT-E	10/4/2010

TABLE 8-3 GROUPINGS AND SAMPLES USED IN THE RISK ASSESSMENT OF THE PHASE I AREA OF THE SPARROWS POINT SITE

Group	Media	Sample Location	Sample Name	Sample Date
Coke Point Offshore Area*	Crab Tissue	--	CP-CASA-MU-A	10/4/2010
Coke Point Offshore Area*	Crab Tissue	--	CP-CASA-MU-B	10/4/2010
Coke Point Offshore Area*	Crab Tissue	--	CP-CASA-MU-C	10/4/2010
Coke Point Offshore Area*	Crab Tissue	--	CP-CASA-MU-D	10/4/2010
Coke Point Offshore Area*	Crab Tissue	--	CP-CASA-MU-E	10/4/2010
Coke Point Offshore Area*	Fish Tissue	--	CP-MOAM-FT-A	10/1/2010
Coke Point Offshore Area*	Fish Tissue	--	CP-MOAM-FT-B	10/1/2010
Coke Point Offshore Area*	Fish Tissue	--	CP-MOAM-FT-C	10/1/2010
Coke Point Offshore Area*	Fish Tissue	--	CP-MOAM-FT-D	10/1/2010
Coke Point Offshore Area*	Fish Tissue	--	CP-MOAM-FT-E	10/1/2010
Coke Point Offshore Area*	Fish Tissue	--	CP-MOAM-WB-A	10/1/2010
Coke Point Offshore Area*	Fish Tissue	--	CP-MOAM-WB-B	10/1/2010
Coke Point Offshore Area*	Fish Tissue	--	CP-MOAM-WB-C	10/1/2010
Coke Point Offshore Area*	Fish Tissue	--	CP-MOAM-WB-D	10/1/2010
Coke Point Offshore Area*	Fish Tissue	--	CP-MOAM-WB-E	10/1/2010

\* EA Engineering, Science, and Technology, Inc. 2011. *Laboratory Bioaccumulation and Field-Collected Tissue Study in Support of the Risk Assessment of the Offshore Areas Adjacent to the Proposed Coke Point Dredged Material Containment Facility at Sparrows Point* . January.

TABLE 8-4 SUMMARY OF SEDIMENT AND PORE WATER DATA USED IN CALCULATION OF EPCs FOR THE NORTHEAST/NEAR-SHORE (NNS) GROUPING WITHIN THE PHASE I AREA OF THE SPARROWS POINT SITE

Transect	Associated Monitoring Wells/Outfalls	Location	Medium	Cadmium	Chromium	Copper	Lead	Mercury	Nickel	Silver	Zinc	Cyanide	DEHP	LMW PAHs	HMW PAHs
A	GL16, GL02, TS01	A01	Sediment			X			X		X		X		
		A02	Sediment			X			X		X		X		
		A03	Sediment			X			X		X		X		
B	GL05, GL15, Outfall 071	B01	Sediment		X	X			X	X	X		X		
		B02	Sediment		X	X			X	X	X				
C	GL12, Outfall UNNAMED	C01	Sediment					X	X	X	X		X		
		C02	Sediment					X	X	X	X		X		
		C03	Sediment					X	X	X	X		X		
D	RW18-20, TS04	D01	Sediment	X		X	X		X		X	X	X	X	X
		D02	Sediment	X		X	X		X		X	X			
DE	RW18-20, TS04	DE01	Sediment	X		X	X		X		X	X	X	X	X
E	RW18-20, TS04	E01	Sediment	X		X	X		X		X	X	X	X	X
		E02	Sediment	X		X	X		X		X	X	X	X	X
F	HI08, Outfall 018	F01	Sediment			X	X					X	X	X	X
		F02	Sediment			X	X					X	X	X	X
		F05	Sediment			X	X					X	X	X	X
Notes: X = Site-related COPC for the transect, for which sediment and surface water data were utilized in calculating EPCs for the Northeast/Near-Shore Grouping. Grey cells represent analytes which were not found to be Site-related COPCs for a given transect (based on screening of groundwater and stormwater).															

***This page intentionally left blank.***

TABLE 8-5 SEDIMENT CONCENTRATIONS OF SITE-RELATED CONTAMINANTS OF POTENTIAL CONCERN USED IN THE RISK ASSESSMENTS FOR THE NORTHEAST/NEAR-SHORE GROUPING.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	SD-A01	SD-A02	SD-A03	SD-B01	SD-B02	SD-B02-FD	SD-C01	SD-C02	SD-C03	SD-D01	SD-D02	DE01-SD <sup>4</sup>	SD-E01	SD-E02	SD-F01	F05-SD <sup>4</sup>	SD-F02	F05-SD
CADMIUM	MG/KG	0.25	0.68	4.98	1706	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	4.4	4.8	1.8	0.97	0.72	NCOPC	NCOPC	NCOPC	NCOPC
CHROMIUM	MG/KG	0.67	52.3	111	133098	NCOPC	NCOPC	NCOPC	33	790	710	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC
COPPER	MG/KG	0.51	18.7	149	273022	8.7	98.00	160	5.5	160	140	NCOPC	NCOPC	NCOPC	11	19	8.5	9.1	11	77	80	29	66
LEAD	MG/KG	0.25	30.2	128	--	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	16	25	15	16	16	110	110	46	75
MERCURY	MG/KG	0.05	0.18*	1.06	48	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	0.0079 J	0.086	0.42	NCOPC	NCOPC	NCOPC	NCOPC	SE	NCOPC	NCOPC	NCOPC	NCOPC
NICKEL	MG/KG	0.25	15.9	48.6	136511	3.7	30	46	2.2	46	41	2.7	8.6	46	5.5	6.4	4.1	4.9	5.6	NCOPC	NCOPC	NCOPC	NCOPC
SILVER	MG/KG	0.25	0.73	--	1365	NCOPC	NCOPC	NCOPC	0.026 J	1.7	1.5	0.03 J	0.23	1.7	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC
ZINC	MG/KG	1.83	124	459	2047665	130 J	980 J	1400 J	99 J	1600 J	1500 J	98 J	380 J	1500 J	510	670	290	220	140	NCOPC	NCOPC	NCOPC	NCOPC

CYANIDE, TOTAL	MG/KG	0.72	0.1*	--	4095	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	0.38 U	0.66	1.60	0.21 J	0.18 J	0.4	0.22 J	0.31 J	0.74
BIS(2-ETHYLHEXYL) PHTHALATE	UG/KG	2689.99	182.16	2647	2959359	27 J	250 J	2900 U	190 U	910 J	3100 U	490 U	1400 U	3500 U	250 U	29 J	230 U	18 J	42 J	1600	--	300 J	790	

ACENAPHTHENE	UG/KG	298.57	6.71	--	31502532	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	25 U	18 U	23 U	17 U	26 U	82 UJ	--	48 U	23 U
ACENAPHTHYLENE	UG/KG	298.57	5.87	--	31502532	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	25 U	18 U	23 U	17 U	8.5 J	82 UJ	--	48 U	110
ANTHRACENE	UG/KG	298.57	46.9	845	157512659	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	25 U	18 U	23 U	17 U	26 U	82 U	--	48 U	62
FLUORENE	UG/KG	298.57	21.2	536	21001688	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	25 U	18 U	23 U	17 U	26 U	82 UJ	--	48 U	23 U
NAPHTHALENE	UG/KG	298.57	34.6	561	10500844	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	25 U	4.2 J	23 U	17 U	17 J	34 J	--	16 J	37
PHENANTHRENE	UG/KG	298.57	86.7	1170	15751266	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	25 U	18 U	23 U	17 U	26 U	82 U	--	48 U	37
BENZO[A]ANTHRACENE	UG/KG	298.57	74.8	1050	16782	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	14 J	18 U	23 U	17 U	26 U	130	--	48 U	320
BENZO[A]PYRENE	UG/KG	298.57	88.8	1450	1678	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	25 U	18 U	23 U	17 U	26 U	82 U	--	48 U	400
BENZO[B]FLUORANTHENE	UG/KG	298.57	27.2	--	16782	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	11 J	18 U	23 U	17 U	26 U	82 U	--	48 U	370
BENZO[G,H,I]PERYLENE	UG/KG	298.57	170*	--	--	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	25 U	18 U	23 U	17 U	26 U	82 U	--	48 U	500
BENZO[K]FLUORANTHENE	UG/KG	298.57	240*	--	167822	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	25 U	18 U	23 U	17 U	26 U	82 U	--	48 U	160
CHRYSENE	UG/KG	298.57	108	1290	1678217	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	13 J	18 U	23 U	17 U	26 U	240	--	48 U	280
DIBENZ(A,H)ANTHRACENE	UG/KG	298.57	6.22	--	1678	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	25 U	18 U	23 U	17 U	26 U	82 U	--	48 U	45
FLUORANTHENE	UG/KG	298.57	113	2230	21001688	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	22 J	14 J	7.2 J	17	17 J	450	--	75	1400
INDENO[1,2,3-CD]PYRENE	UG/KG	298.57	17	--	16782	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	25 U	18 U	23 U	17 U	26 U	82 U	--	48 U	310
PYRENE	UG/KG	298.57	153	1520	15751266	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	16 J	6.3 J	6.5 J	7.1 J	18 J	750	--	140	690
TOTAL LMW PAHs ND=0	UG/KG	--	312	--	--	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	0	4.2	0	0	25.5	34	--	16	246
TOTAL LMW PAHs ND=RL	UG/KG	--	312	--	--	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	150	94.2	138	102	129.5	444	--	256	292
TOTAL HMW PAHs ND=0	UG/KG	--	655	--	--	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	76	20.3	13.7	24.1	35	1570	--	215	4475
TOTAL HMW PAHs ND=RL	UG/KG	--	655	--	--	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	201	164.3	197.7	160.1	243	2062	--	599	4475
TOTAL PAHs ND=0	UG/KG	--	2900	22800	--	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	76	24.5	13.7	24.1	60.5	1604	--	231	4524
TOTAL PAHs ND=DL	UG/KG	--	2900	22800	--	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	NCOPC	351	258.5	335.7	262.1	372.5	2506	--	855	4767

**NOTES:** Bold values represent detected concentrations. RL is reported for non-detected constituents. In the case of duplicate (FD) samples, 1) if an analyte is detected in both samples, the average of the two detected concentrations is retained in the risk assessment, 2) if an analyte is detected in neither sample, the average of the two RLs is retained for the non-detect, and 3) if an analyte is detected in only one sample, the detected concentration is retained.

Note that only surface grab samples (no core samples) were collected in the Northeast/Near-Shore Grouping.

<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

\*BTAG freshwater sediment benchmark

<sup>2</sup> Probable Effects Concentrations from MacDonald, 2000.

<sup>3</sup> Calculated site-specific human health screening levels, Appendix H.

<sup>4</sup> Samples DE01-SD and F05-SD are identified on data figures as SD-DE01 and SD-F05, respectively, for consistency.

Value exceeds BTAG benchmark

Value exceeds PEC

-- = no screening criterion or not analyzed

mg/kg = milligrams per kilogram

NCOPC = not identified as a site-related constituent of potential concern for the transect/location; therefore, not included in the risk assessments for the northeast grouping.

RL = reporting limit

J = compound was detected, but below the reporting limit (value is estimated)

U = compound was analyzed, but not detected



TABLE 8-6 SEDIMENT CONCENTRATIONS OF METALS AND CYANIDE USED IN THE RISK ASSESSMENTS FOR THE SOUTHWEST/TIN MILL CANAL EFFLUENT GROUPING.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	SD-DE02-0002	SD-E03-0002	SD-E03	SD-F03-0002	SD-F04-0002	SD-F06-0002	SD-F07-0002	SD-G01-0002	SD-G01	SD-G02-0002	SD-G02	SD-G03-0002	SD-G04-0002	SD-G05-0002	SD-G06-0002
ANTIMONY	MG/KG	0.51	--	--	410	3.7 J	6.2 J	4.1	3.2 J	6.3 J	4.6 J	0.48 UJ	6.2 J	7.8	6.9 J	7	6.7 J	6.2 J	3.1 J	3
ARSENIC	MG/KG	0.14	7.24	33	92	35 J	60 J	25	22	27	79 J	77 J	21	17	29 J	23	29 J	41 J	22 J	120
BERYLLIUM	MG/KG	0.25	--	--	96	1.3 J	0.5 J	0.92	0.2	0.36	1.6 J	1.1 J	0.17	0.24 J	0.26 J	0.46 J	0.6 J	0.36 J	0.84 J	0.99
CADMIUM	MG/KG	0.25	0.68	4.98	1706	26 J	13 J	5.3	7.5	4.6	27 J	22 J	2.1 J	2.5	33 J	5.7	14 J	34 J	8 J	5.8 J
CHROMIUM	MG/KG	0.67	52.3	111	133098	2300 J	1600 J	1400	1500	3100	3300 J	2700 J	2900	800	3900 J	2700	2600 J	4200 J	1100 J	560
COPPER	MG/KG	0.51	18.7	149	273022	290 J	330 J	190	260	250	540 J	480 J	200	110	400 J	260	290 J	440 J	180 J	230
LEAD	MG/KG	0.25	30.2	128	--	320 J	860 J	190	290	130	710 J	920 J	77	67	300 J	130	190 J	560 J	180 J	1100
MERCURY	MG/KG	0.05	0.18*	1.06	48	0.69 J	1 J	---	0.77	0.4	1.3 J	1.6 J	0.32	0.26	0.63 J	0.53	0.53 J	1.5 J	0.49 J	0.95
NICKEL	MG/KG	0.25	15.9	48.6	136511	67 J	56 J	76	49 J	160 J	71 J	69 J	180	63	170 J	130	140 J	92 J	60 J	30
SELENIUM	MG/KG	1.28	2*	--	34128	4.4 J	9.7 J	2.6	1.9 J	1.3 J	14 J	13 J	0.88	6 U	1.5 J	8.7 U	2 J	3.4 J	2.3 J	16 J
SILVER	MG/KG	0.25	0.73	--	1365	3.9 J	3.8 J	2.5	3.5 J	2.3 J	5.5 J	6.2 J	2	0.89 J	4.8 J	5.4	3 J	8.1 J	2.2 J	1.4
THALLIUM	MG/KG	0.25	--	--	68	0.7 J	0.51 J	0.49	0.16	0.22	0.98 J	0.86 J	0.16	0.14 J	0.28 J	0.3 J	0.34 J	0.55 J	0.38 J	0.7
ZINC	MG/KG	1.83	124	459	2047665	4100 J	3400 J	1200	2200	2000	4200 J	4600 J	880	1100	11000 J	1700	3900 J	8000 J	1900 J	2000

CYANIDE, TOTAL	MG/KG	0.72	0.1*	--	4095	4.5 J	29 J	7.3	6.2	4.2	0.42 J	15 J	17 J	0.37 J	8.4 J	21	4 J	8.2 J	12 J	18
----------------	-------	------	------	----	------	-------	------	-----	-----	-----	--------	------	------	--------	-------	----	-----	-------	------	----

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	SD-H01-0002	SD-H01	SD-H02	SD-H03-0002	SD-H03	SD-H04-0002	SD-H04-0002-FD	SD-H05-0002	SD-H06-0002	SD-H06-0002-FD	SD-H07-0002	SD-H07-0002-FD	SD-I01-0001	SD-I01-0102	SD-I02-0002	SD-I03-0002	SD-J02-0002
ANTIMONY	MG/KG	0.51	--	--	410	10 J	6.1	6.6	3.8 J	6.8	7.4 J	10 J	6.8	4.2 J	4 J	3.2 J	2.6	1.1 J	0.13 J	3.3 J	3.4	2.1 J
ARSENIC	MG/KG	0.14	7.24	33	92	25	20	23	43 J	27	28 J	37 J	31	26 J	28 J	67 J	57	35	9.6	47 J	99	27 J
BERYLLIUM	MG/KG	0.25	--	--	96	0.35	0.35 J	0.31 J	0.26 J	0.29 J	0.37 J	0.35 J	0.63	1 J	1.2 J	1.2 J	1	0.6	0.32	0.96 J	1.1	1.5 J
CADMIUM	MG/KG	0.25	0.68	4.98	1706	3.5 J	4.9	4.5	110 J	45	21 J	22 J	4.6 J	4.4 J	5.4 J	8.6 J	7.5 J	2.9	0.26	17 J	8.9 J	4.8 J
CHROMIUM	MG/KG	0.67	52.3	111	133098	1900	1400	1700	4600 J	2600	3400 J	4300 J	2100	1600 J	2100 J	1100 J	900	190	22	1900 J	1000	750 J
COPPER	MG/KG	0.51	18.7	149	273022	180	180	190	550 J	470	350 J	510 J	240	200 J	240 J	290 J	230	110	13	370 J	270	200 J
LEAD	MG/KG	0.25	30.2	128	--	94	110	120	500 J	260	300 J	410 J	130	150 J	190 J	570 J	570	450	27	430 J	840	210 J
MERCURY	MG/KG	0.05	0.18*	1.06	48	0.053 U	0.38	0.36	0.74 J	0.83	0.74 J	0.67 J	0.38	0.47 J	0.54 J	0.91 J	0.97	0.72	0.054	0.58 J	1.5	0.57 J
NICKEL	MG/KG	0.25	15.9	48.6	136511	110	95	120	210 J	170	140 J	220 J	120	78 J	79 J	43 J	39	23 J	9.1 J	61 J	46	56 J
SELENIUM	MG/KG	1.28	2*	--	34128	1.2	5.2 U	4.9 U	1.3 J	7.7 U	1.8 J	2.2 J	2.1 J	2.6 J	2.8 J	9.9 J	10 J	8 J	0.67 J	7.3 J	17 J	3.7 J
SILVER	MG/KG	0.25	0.73	--	1365	2.1	1.9	2	6 J	4.8	5.4 J	6.3 J	3.1	2.4 J	3.2 J	2.5 J	2	0.51 J	0.057 J	4.3 J	1.6	1.8 J
THALLIUM	MG/KG	0.25	--	--	68	0.23	0.3 J	0.27 J	0.65 J	0.2 J	0.35 J	0.44 J	0.41	0.4 J	0.48 J	0.81 J	0.64	0.36	0.085	0.86 J	0.81	0.41 J
ZINC	MG/KG	1.83	124	459	--	1400	1900	1900	17000 J	10000	5500 J	11000 J	1700	1300 J	1500 J	2000 J	1700	990	71	3000 J	1900	1200 J

CYANIDE, TOTAL	MG/KG	0.72	0.1*	--	4095	0.81 UJ	2.8	1.2	16 J	12	7.1 J	9.5 J	3.3	2.5 J	6.5 J	34 J	36	9.6 J	2 J	13 J	22	2.8 J
----------------	-------	------	------	----	------	---------	-----	-----	------	----	-------	-------	-----	-------	-------	------	----	-------	-----	------	----	-------

**NOTES:** Bold values represent detected concentrations. RL is reported for non-detected constituents.  
In the case of duplicate (FD) samples, 1) if an analyte is detected in both samples, the average of the two detected concentrations is retained in the risk assessment, 2) if an analyte is detected in neither sample, the average of the two RLs is retained for the non-detect, and 3) if an analyte is detected in only one sample, the detected concentration is retained.  
<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

\*BTAG freshwater sediment benchmark  
<sup>2</sup> Probable Effects Concentrations from MacDonald, 2000.  
<sup>3</sup> Calculated site-specific human health screening levels, Appendix H.

Value exceeds BTAG benchmark  
Value exceeds PEC  
Value exceeds human health screening level  
-- = no screening criterion or not analyzed

mg/kg = milligrams per kilogram  
RL = reporting limit  
J = compound was detected, but below the reporting limit (value is estimated)  
U = compound was analyzed, but not detected

TABLE 8-7 SEDIMENT CONCENTRATIONS OF POLYCYCLIC AROMATIC HYDROCARBONS USED IN THE RISK ASSESSMENTS FOR THE SOUTHWEST/TIN MILL CANAL EFFLUENT GROUPING.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	SD-DE02-0002	SD-E03-0002	SD-E03	SD-F03-0002	SD-F04-0002	SD-F06-0002	SD-F07-0002	SD-G01-0002	SD-G01	SD-G02-0002	SD-G02	SD-G03-0002	SD-G04-0002	SD-G05-0002	SD-G06-0002
ACENAPHTHENE	UG/KG	298.57	6.71	--	3.15E+07	240 J	140 J	730 U	770	840 U	670 J	850 J	450	880 UJ	890 J	660 UJ	380 J	640 J	110 J	110
ACENAPHTHYLENE	UG/KG	298.57	5.87	--	3.15E+07	610 J	360 J	320 J	170	1500	740 J	620 J	1800	880 UJ	950 J	660 UJ	710 J	580 J	260 J	400
ANTHRACENE	UG/KG	298.57	46.9	845	1.58E+08	1100 J	750 J	730 U	460 J	2100	1100 J	1300 J	3100	880 UJ	1000 J	660 UJ	560 J	1200 J	280 J	660
FLUORENE	UG/KG	298.57	21.2	536	2.10E+07	380 J	170 J	730 U	980	1700	650 J	1500 J	2000	880 UJ	2000 J	660 UJ	730 J	1200 J	180 J	290
NAPHTHALENE	UG/KG	298.57	34.6	561	1.05E+07	1200 J	950 J	530 J	230	1700	9100 J	2900 J	1800	200 J	2100 J	430 J	1600 J	920 J	690 J	3500
PHENANTHRENE	UG/KG	298.57	86.7	1170	1.58E+07	1400 J	930 J	730 U	3500 J	7900	2800 J	7000 J	11000	880 UJ	5800 J	660 UJ	2400 J	5800 J	630 J	990
BENZO[A]ANTHRACENE	UG/KG	298.57	74.8	1050	1.68E+04	3700 J	2000 J	610 J	660	2600	3800 J	3600 J	3500	880 U	1200 J	2300	1100 J	1300 J	710 J	1500
BENZO[A]PYRENE	UG/KG	298.57	88.8	1450	1.68E+03	3500 J	1500 J	1300	110 U	2500	3000 J	3700 J	3300	880 U	260 UJ	1700	950 J	2600 J	800 J	1600
BENZO[B]FLUORANTHENE	UG/KG	298.57	27.2	--	1.68E+04	3000 J	1400 J	1700	440	2600	3100 J	4600 J	1300	880 U	800 J	660 U	1000 J	680 J	660 J	1800
BENZO[G,H,I]PERYLENE	UG/KG	298.57	170*	--	--	3200 J	1400 J	1000	110 U	2800	2500 J	3500 J	3500	880 U	760 J	660 U	1500 J	1000 J	830 J	1600
BENZO[K]FLUORANTHENE	UG/KG	298.57	240*	--	1.68E+05	1500 J	890 J	280 J	370	810 J	1600 J	2400 J	3300	880 U	350 J	660 U	260 J	1000 J	500 J	800
CHRYSENE	UG/KG	298.57	108	1290	1.68E+06	3600 J	2000 J	720 J	1100	2800	4300 J	4100 J	3200	880 U	1500 J	2200	1100 J	2200 J	710 J	1300
DIBENZ(A,H)ANTHRACENE	UG/KG	298.57	6.22	--	1.68E+03	600 J	330 J	730 U	110 U	840 U	610 J	320 UJ	800	880 U	260 UJ	660 U	250 UJ	130 UJ	140 J	380
FLUORANTHENE	UG/KG	298.57	113	2230	2.10E+07	7600 J	4900 J	1900	2300 J	8600	6900 J	7900 J	12000	1200 J	4000 J	4900 J	3100 J	5300 J	1600 J	4000
INDENO[1,2,3-CD]PYRENE	UG/KG	298.57	17	--	1.68E+04	2400 J	1100 J	730 U	110 U	1800	1900 J	2600 J	2600	880 U	520 J	660 U	840 J	630 J	580 J	1400
PYRENE	UG/KG	298.57	153	1520	1.58E+07	5700 J	2800 J	2000	1700	6600	4700 J	5300 J	6300	1000	2700 J	2800	2000 J	3800 J	1100 J	2400
TOTAL LMW PAHs ND=0	UG/KG	--	312	--	--	4930	3300	850	6110	14900	15060	14170	20150	200	12740	430	6380	10340	2150	5950
TOTAL LMW PAHs ND=RL	UG/KG	--	312	--	--	4930	3300	3770	6110	15740	15060	14170	20150	4600	12740	3730	6380	10340	2150	5950
TOTAL HMW PAHs ND=0	UG/KG	--	655	--	--	34800	18320	9510	6570	31110	32410	37700	39800	2200	11830	13900	11850	18510	7630	16780
TOTAL HMW PAHs ND=RL	UG/KG	--	655	--	--	34800	18320	10970	7010	31950	32410	38020	39800	9240	12350	17200	12100	18640	7630	16780
TOTAL PAHs ND=0	UG/KG	--	2900	22800	--	39730	21620	10360	12680	46010	47470	51870	59950	2400	24570	14330	18230	28850	9780	22730
TOTAL PAHs ND=RL	UG/KG	--	2900	22800	--	39730	21620	14740	13120	47690	47470	52190	59950	13840	25090	20930	18480	28980	9780	22730

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	SD-H01-0002	SD-H01	SD-H02	SD-H03-0002	SD-H03	SD-H04-0002	SD-H04-0002-FD	SD-H05-0002	SD-H06-0002	SD-H06-0002-FD	SD-H07-0002	D-H07-0002-F	SD-I01-0001	SD-I01-0102	SD-I02-0002	SD-I03-0002	SD-J02-0002
ACENAPHTHENE	UG/KG	298.57	6.71	--	3.15E+07	1400	1200 UJ	1200 UJ	1400 UJ	1900 UJ	1400 UJ	3100 J	330 J	150 J	280 J	160 J	110	32	7.1 J	100 J	79	91 J
ACENAPHTHYLENE	UG/KG	298.57	5.87	--	3.15E+07	2500	1200 UJ	1200 UJ	1000 UJ	1900 UJ	2500 J	2900 J	920	640 J	1000 J	790 J	660	220	14 J	250 J	560	280 J
ANTHRACENE	UG/KG	298.57	46.9	845	1.58E+08	4100	1200 UJ	1200 UJ	950 UJ	1900 UJ	3200 J	3300 J	1300	520 J	930 J	1300 J	1000	280	20	440 J	650	340 J
FLUORENE	UG/KG	298.57	21.2	536	2.10E+07	3200	1200 UJ	1200 UJ	2000 J	1900 UJ	4000 J	4600 J	850	220 J	490 J	300 J	280	77	12 J	170 J	210	110 J
NAPHTHALENE	UG/KG	298.57	34.6	561	1.05E+07	3300	220 J	210 J	6000 J	4000	5500 J	5900 J	760	820 J	1000 J	4800 J	4200	750	89	1000 J	2300	1400 J
PHENANTHRENE	UG/KG	298.57	86.7	1170	1.58E+07	14000	1200 UJ	1200 UJ	6400 J	1900 UJ	14000 J	17000 J	3900	950 J	2000 J	1000 J	920	240	42	920 J	660	390 J
BENZO[A]ANTHRACENE	UG/KG	298.57	74.8	1050	1.68E+04	4900	1200 U	1200 U	980 J	1900 U	4400 J	4100 J	2400	1600 J	2000 J	6400 J	5600	790	52	2000 J	3500	1300 J
BENZO[A]PYRENE	UG/KG	298.57	88.8	1450	1.68E+03	4300	1200 U	1200 U	300 UJ	1900 U	3300 J	3500 J	2200	1700 J	1900 J	5300 J	4600	930	56	1800 J	3200	1700 J
BENZO[B]FLUORANTHENE	UG/KG	298.57	27.2	--	1.68E+04	5800	1200 U	1200 U	300 UJ	1900 U	2600 J	2100 J	2100	1600 J	1800 J	6100 J	5000	1100	74	1700 J	3300	2000 J
BENZO[G,H,I]PERYLENE	UG/KG	298.57	170*	--	--	4300	1200 U	1200 U	300 UJ	1900 U	1400 UJ	2800 J	2600	2000 J	2200 J	4500 J	4000	820	47	1900 J	2700	1700 J
BENZO[K]FLUORANTHENE	UG/KG	298.57	240*	--	1.68E+05	1100 U	1200 U	1200 U	300 UJ	1900 U	2200 J	3300 J	890	730 J	720 J	1500 J	1700	550	18	830 J	1500	550 J
CHRYSENE	UG/KG	298.57	108	1290	1.68E+06	4500	1200 U	1200 U	1300 UJ	1900 U	5200 J	5400 J	2400	1600 J	1900 J	5800 J	4900	750	49	1700 J	3000	1400 J
DIBENZ(A,H)ANTHRACENE	UG/KG	298.57	6.22	--	1.68E+03	1100 U	1200 U	1200 U	300 UJ	1900 U	1400 UJ	1400 UJ	440 U	310 UJ	410 J	1100 J	1100	250	14 J	320 J	780	390 J
FLUORANTHENE	UG/KG	298.57	113	2230	2.10E+07	14000	1400 J	3200 J	2800 J	2600 J	11000 J	12000 J	7300	4300 J	4900 J	13000 J	10000	950	75	4100 J	6700	2800 J
INDENO[1,2,3-CD]PYRENE	UG/KG	298.57	17	--	1.68E+04	3200	1200 U	1200 U	300 UJ	1900 U	1800 J	1800 J	1800	1300 J	1500 J	3600 J	3300	750	42	1200 J	2400	1300 J
PYRENE	UG/KG	298.57	153	1520	1.58E+07	10000	1300	2500	3200 J	5000	9500 J	11000 J	3800	2400 J	2700 J	7200 J	6500	940	70	2800 J	4200	1800 J
TOTAL LMW PAHs ND=0	UG/KG	--	312	--	--	28500	220	210	17750	4000	29200	36800	8060	3300	5700	8350	7170	1599	184.1	2880	4459	2611
TOTAL LMW PAHs ND=RL	UG/KG	--	312	--	--	28500	6220	6210	17750	13500	30600	36800	8060	3300	5700	8350	7170	1599	184.1	2880	4459	2611
TOTAL HMW PAHs ND=0	UG/KG	--	655	--	--	51000	2700	5700	8280	7600	40000	46000	25490	17230	20030	54500	46700	7830	497	18350	31280	14940
TOTAL HMW PAHs ND=RL	UG/KG	--	655	--	--	53200	12300	15300	10080	22800	42800	47400	25930	17540	20030	54500	46700	7830	497	18350	31280	14940
TOTAL PAHs ND=0	UG/KG	--	2900	22800	--	79500	2920	5910	26030	11600	69200	82800	33550	20530	25730	62850	53870	9429	681.1	21230	35739	17551
TOTAL PAHs ND=RL	UG/KG	--	2900	22800	--	81700	18520	21510	27830	36300	73400	84200	33990	20840	25730	62850	53870	9429	681.1	21230	35739	17551

**NOTES:** Bold values represent detected concentrations. RL is reported for non-detected constituents.  
In the case of duplicate (FD) samples, 1) if an analyte is detected in both samples, the average of the two detected concentrations is retained in the risk assessment, 2) if an analyte is detected in neither sample, the average of the two RLs is retained for the non-detect, and 3) if an analyte is detected in only one sample, the detected concentration is retained.

<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

\*BTAG freshwater sediment benchmark

<sup>2</sup> Probable Effects Concentrations from MacDonald, 2000.

<sup>3</sup> Calculated site-specific human health screening levels, Appendix H.

Value exceeds BTAG benchmark
Value exceeds PEC
Value exceeds human health screening level

-- = no screening criterion

ug/kg = micrograms per kilogram

RL = reporting limit

J = compound was detected, but below the reporting limit (value is estimated)

U = compound was analyzed, but not detected

TABLE 8-8 SEDIMENT CONCENTRATIONS OF POLYCHLORINATED BIPHENYLS USED IN THE RISK ASSESSMENTS FOR THE SOUTHWEST/TIN MILL CANAL EFFLUENT GROUPING.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	SD-DE02-0002	SD-E03-0002	SD-F03-0002	SD-F04-0002	SD-F06-0002	SD-F07-0002	SD-G01-0002	SD-G01	SD-G02-0002	SD-G02	SD-G03-0002	SD-G04-0002	SD-G05-0002	SD-G06-0002
PCB-1016	UG/KG	26.56	--	--	3.41E+04	21 UJ	10 UJ	66 U	11 U	19 UJ	200 UJ	11 U	22 U	16 UJ	17 U	16 UJ	170 UJ	9.4 UJ	6.3 U
PCB-1221	UG/KG	26.56	--	--	1.48E+04	21 UJ	10 UJ	66 U	11 U	19 UJ	200 UJ	11 U	22 U	16 UJ	17 U	16 UJ	170 UJ	9.4 UJ	6.3 U
PCB-1232	UG/KG	26.56	--	--	1.48E+04	21 UJ	10 UJ	66 U	11 U	19 UJ	200 UJ	11 U	22 U	16 UJ	17 U	16 UJ	170 UJ	9.4 UJ	6.3 U
PCB-1242	UG/KG	26.56	--	--	--	21 UJ	10 UJ	66 U	11 U	19 UJ	200 UJ	11 U	22 U	16 UJ	17 U	16 UJ	170 UJ	9.4 UJ	6.3 U
PCB-1248	UG/KG	26.56	--	--	1.48E+04	320 J	2500 J	5100	220	2200 J	5100 J	260	260	600 J	230	470 J	9000 J	290 J	94 J
PCB-1254	UG/KG	26.56	--	--	9.75E+03	290 J	840 J	1800	230	1400 J	1800 J	100	22 U	560 J	17 U	580 J	3200 J	320 J	130 J
PCB-1260	UG/KG	26.56	--	--	1.48E+04	160 J	320 J	540	160	490 J	550 J	11 U	22 U	390 J	17 U	300 J	1000 J	170 J	50 J
Total PCBs ND=0	UG/KG	--	40	676	--	770	3660	7440	610	4090	7450	360	260	1550	230	1350	13200	780	274
Total PCBs ND=RL	UG/KG	--	40	676	--	854	3700	7704	654	4166	8250	415	392	1614	332	1414	13880	817.6	299.2

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	SD-H01-0002	SD-H01	SD-H02	SD-H03-0002	SD-H03	SD-H04-0002	SD-H04-0002-FD	SD-H05-0002	SD-H06-0002	SD-H06-0002-FD	SD-H07-0002	SD-H07-0002-FD	SD-I01-0001	SD-I01-0102	SD-I02-0002	SD-I03-0002	SD-J02-0002
PCB-1016	UG/KG	26.56	--	--	3.41E+04	13 U	19 U	20 U	19 UJ	32 U	17 UJ	17 UJ	6.8 U	9.7 UJ	9.9 UJ	35 UJ	34 U	0.78 U	0.6 U	9.2 UJ	6.2 U	17 UJ
PCB-1221	UG/KG	26.56	--	--	1.48E+04	13 U	19 U	20 U	19 UJ	32 U	17 UJ	17 UJ	6.8 U	9.7 UJ	9.9 UJ	35 UJ	34 U	0.78 U	0.6 U	9.2 UJ	6.2 U	17 UJ
PCB-1232	UG/KG	26.56	--	--	1.48E+04	13 U	19 U	20 U	19 UJ	32 U	17 UJ	17 UJ	6.8 U	9.7 UJ	9.9 UJ	35 UJ	34 U	0.78 U	0.6 U	9.2 UJ	6.2 U	17 UJ
PCB-1242	UG/KG	26.56	--	--	--	13 U	19 U	20 U	19 UJ	32 U	17 UJ	17 UJ	6.8 U	9.7 UJ	9.9 UJ	35 UJ	34 U	0.78 U	0.6 U	9.2 UJ	6.2 U	17 UJ
PCB-1248	UG/KG	26.56	--	--	1.48E+04	300 J	680	570	1600 J	910 J	530 J	510 J	120 J	89 J	100 J	520 J	420 J	4.4 J	0.33 J	650 J	260 J	200 J
PCB-1254	UG/KG	26.56	--	--	9.75E+03	13 U	19 U	20 U	2400 J	32 U	770 J	690 J	6.8 U	9.7 UJ	9.9 UJ	310 J	260 J	9.2	0.55 J	470 J	120 J	190 J
PCB-1260	UG/KG	26.56	--	--	1.48E+04	44 J	19 U	20 U	2000 J	1000 J	560 J	540 J	37 J	42 J	47 J	100 J	81 J	5.3 J	0.35 J	160 J	40 J	100 J
Total PCBs ND=0	UG/KG	--	40	676	--	344	680	570	6000	1910	1860	1740	157	131	147	930	761	18.9	1.23	1280	420	490
Total PCBs ND=RL	UG/KG	--	40	676	--	409	794	690	6076	2070	1928	1808	191	179.5	196.5	1070	897	22.02	3.63	1316.8	444.8	558

NOTES: Bold values represent detected concentrations. RL is reported for non-detected constituents.  
In the case of duplicate (FD) samples, 1) if an analyte is detected in both samples, the average of the two detected concentrations is retained in the risk assessment, 2) if an analyte is detected in neither sample, the average of the two RLs is retained for the non-detect, and 3) if an analyte is detected in only one sample, the detected concentration is retained.

<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group.

<sup>2</sup> Probable Effects Concentrations from MacDonald, 2000.

<sup>3</sup> Calculated site-specific human health screening levels, Appendix H.

Value exceeds BTAG benchmark

Value exceeds PEC

RL = reporting limit

P = The %RPD between the primary and confirmation column/detector is >40%. The lower value has been reported

U = compound was analyzed, but not detected

TABLE 8-9 SEDIMENT CONCENTRATIONS OF VOLATILE ORGANIC COMPOUNDS USED IN THE RISK ASSESSMENTS FOR THE SOUTHWEST/TIN MILL CANAL EFFLUENT GROUPING.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	HHRA <sup>2</sup>	SD-DE02-0002	SD-E03-0002	SD-F03-0002	SD-F04-0002	SD-F06-0002	SD-F07-0002	SD-G01-0002	SD-G01	SD-G02-0002	SD-G02	SD-G03-0002	SD-G04-0002	SD-G05-0002	SD-G06-0002
1,1,1-TRICHLOROETHANE	UG/KG	15.11	856	--	26 UJ	25 UJ	7.9 U	13 U	22 UJ	24 UJ	14 UJ	13 U	19 UJ	20 U	19 UJ	20 UJ	23 UJ	15 U
1,1,2,2-TETRACHLOROETHANE	UG/KG	15.11	202	--	26 UJ	25 UJ	7.9 U	13 U	22 UJ	24 UJ	14 U	13 U	19 UJ	20 U	19 UJ	20 UJ	23 UJ	15 U
1,1,2-TRICHLOROETHANE	UG/KG	15.11	570	--	26 UJ	25 UJ	7.9 U	13 U	22 UJ	24 UJ	14 U	13 U	19 UJ	20 U	19 UJ	20 UJ	23 UJ	15 U
1,1-DICHLOROETHANE	UG/KG	15.11	--	--	26 UJ	25 UJ	7.9 U	13 U	22 UJ	24 UJ	14 U	13 U	19 UJ	20 U	19 UJ	20 UJ	23 UJ	15 U
1,1-DICHLOROETHENE	UG/KG	15.11	2780	--	26 UJ	25 UJ	7.9 U	13 U	22 UJ	24 UJ	14 U	13 U	19 UJ	20 U	19 UJ	20 UJ	23 UJ	15 U
1,2-DICHLOROBENZENE	UG/KG	15.11	989	6.14E+07	26 UJ	25 UJ	7.9 U	13 U	22 UJ	24 UJ	14 U	13 U	<b>180 J</b>	<b>8.8 J</b>	<b>16 J</b>	20 UJ	23 UJ	15 U
1,2-DICHLOROETHANE	UG/KG	15.11	--	--	26 UJ	25 UJ	7.9 U	13 U	22 UJ	24 UJ	14 U	13 U	19 UJ	20 U	19 UJ	20 UJ	23 UJ	15 U
1,2-DICHLOROPROPANE	UG/KG	15.11	--	--	26 UJ	25 UJ	7.9 U	13 U	22 UJ	24 UJ	14 U	13 U	19 UJ	20 U	19 UJ	20 UJ	23 UJ	15 U
1,3-DICHLOROBENZENE	UG/KG	15.11	842	6.14E+07	26 UJ	25 UJ	<b>2.4 J</b>	13 U	22 UJ	24 UJ	14 U	13 U	19 UJ	20 U	<b>6.7 J</b>	20 UJ	23 UJ	15 U
1,4-DICHLOROBENZENE	UG/KG	15.11	460	7.67E+06	26 UJ	25 UJ	<b>3.5 J</b>	13 U	22 UJ	24 UJ	<b>2.8 J</b>	13 U	<b>28 J</b>	20 U	<b>10 J</b>	20 UJ	23 UJ	15 U
2-CHLOROETHYL VINYL ETHER	UG/KG	30.27	--	--	52 UJ	50 UJ	16 U	25 U	45 UJ	48 UJ	28 U	26 U	39 UJ	40 U	38 UJ	40 UJ	46 UJ	30 U
ACROLEIN	UG/KG	302.72	--	--	520 UJ	500 UJ	160 U	250 U	450 UJ	480 UJ	280 UJ	260 U	390 UJ	400 U	380 UJ	400 UJ	460 UJ	300 U
ACRYLONITRILE	UG/KG	302.72	--	--	520 UJ	500 UJ	160 U	250 U	450 UJ	480 UJ	280 U	260 U	390 UJ	400 U	380 UJ	400 UJ	460 UJ	300 U
BENZENE	UG/KG	15.11	137	1.51E+08	26 UJ	25 UJ	7.9 U	<b>2.6 J</b>	22 UJ	24 UJ	<b>2.7 J</b>	13 U	<b>12 J</b>	20 U	<b>4.5 J</b>	<b>8 J</b>	23 UJ	15 U
BROMOFORM	UG/KG	15.11	1310	--	26 UJ	25 UJ	7.9 U	13 U	22 UJ	24 UJ	14 U	13 U	19 UJ	20 U	19 UJ	20 UJ	23 UJ	15 U
BROMOMETHANE	UG/KG	15.11	--	--	26 UJ	25 UJ	7.9 U	13 U	22 UJ	24 UJ	14 U	13 U	19 UJ	20 U	19 UJ	20 UJ	23 UJ	15 U
CARBON TETRACHLORIDE	UG/KG	15.11	7240	--	26 UJ	25 UJ	7.9 U	13 U	22 UJ	24 UJ	14 UJ	13 U	19 UJ	20 U	19 UJ	20 UJ	23 UJ	15 U
CHLOROBENZENE	UG/KG	15.11	162	1.37E+07	26 UJ	25 UJ	<b>32</b>	<b>4.6 J</b>	22 UJ	24 UJ	<b>9.7 J</b>	13 U	<b>45 J</b>	<b>16 J</b>	<b>84 J</b>	<b>14 J</b>	23 UJ	15 U
CHLORODIBROMOMETHANE	UG/KG	15.11	--	--	26 UJ	25 UJ	7.9 U	13 U	22 UJ	24 UJ	14 U	13 U	19 UJ	20 U	19 UJ	20 UJ	23 UJ	15 U
CHLOROETHANE	UG/KG	15.11	--	--	26 UJ	25 UJ	7.9 U	13 U	22 UJ	24 UJ	14 U	13 U	19 UJ	20 U	19 UJ	20 UJ	23 UJ	15 U
CHLOROFORM	UG/KG	15.11	--	--	26 UJ	25 UJ	7.9 U	13 U	22 UJ	24 UJ	14 U	13 U	19 UJ	20 U	19 UJ	20 UJ	23 UJ	15 U
CHLOROMETHANE	UG/KG	15.11	--	--	26 UJ	25 UJ	7.9 U	13 U	22 UJ	24 UJ	14 U	13 U	19 UJ	20 U	19 UJ	20 UJ	23 UJ	15 U
CIS-1,3-DICHLOROPROPENE	UG/KG	15.11	--	--	26 UJ	25 UJ	7.9 U	13 U	22 UJ	24 UJ	14 U	13 U	19 UJ	20 U	19 UJ	20 UJ	23 UJ	15 U
DICHLOROBROMOMETHANE	UG/KG	15.11	--	--	26 UJ	25 UJ	7.9 U	13 U	22 UJ	24 UJ	14 U	13 U	19 UJ	20 U	19 UJ	20 UJ	23 UJ	15 U
ETHYLBENZENE	UG/KG	15.11	305	1.26E+07	26 UJ	25 UJ	7.9 U	<b>4.7 J</b>	22 UJ	24 UJ	<b>8.6 J</b>	<b>2.1 J</b>	<b>89 J</b>	<b>5.8 J</b>	<b>33 J</b>	20 UJ	23 UJ	15 U
METHYLENE CHLORIDE	UG/KG	15.11	--	--	26 UJ	25 UJ	7.9 U	13 U	22 UJ	24 UJ	14 U	13 U	19 UJ	20 U	19 UJ	20 UJ	23 UJ	15 U
TETRACHLOROETHENE	UG/KG	15.11	190	--	26 UJ	25 UJ	7.9 U	13 U	22 UJ	24 UJ	14 U	13 U	19 UJ	20 U	19 UJ	20 UJ	23 UJ	15 U
TOLUENE	UG/KG	15.11	1090	1.82E+08	26 UJ	25 UJ	<b>1.3 J</b>	<b>12 J</b>	22 UJ	24 UJ	<b>34</b>	<b>3.6 J</b>	<b>66 J</b>	<b>5.3 J</b>	<b>21 J</b>	<b>6.3 J</b>	23 UJ	15 U
TRANS-1,2-DICHLOROETHENE	UG/KG	15.11	1050*	--	26 UJ	25 UJ	7.9 U	13 U	22 UJ	24 UJ	14 U	13 U	19 UJ	20 U	19 UJ	20 UJ	23 UJ	15 U
TRANS-1,3-DICHLOROPROPENE	UG/KG	15.11	--	--	26 UJ	25 UJ	7.9 U	13 U	22 UJ	24 UJ	14 U	13 U	19 UJ	20 U	19 UJ	20 UJ	23 UJ	15 U
TRICHLOROETHENE	UG/KG	15.11	8950	--	26 UJ	25 UJ	7.9 U	13 U	22 UJ	24 UJ	14 U	13 U	19 UJ	20 U	19 UJ	20 UJ	23 UJ	15 U
VINYL CHLORIDE	UG/KG	15.11	--	--	26 UJ	25 UJ	7.9 U	13 U	22 UJ	24 UJ	14 U	13 U	19 UJ	20 U	19 UJ	20 UJ	23 UJ	15 U

**NOTES:** Bold values represent detected concentrations. RL is reported for non-detected constituents.

In the case of duplicate (FD) samples, 1) if an analyte is detected in both samples, the average of the two detected concentrations is retained in the risk assessment, 2) if an analyte is detected in neither sample, the average of the two RLs is retained for the non-detect, and 3) if an analyte is detected in only one sample, the detected concentration is retained.

<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

\*BTAG freshwater sediment benchmark

<sup>2</sup> Calculated site-specific human health screening levels, Appendix H.

**RL** = reporting limit

**J** = compound was detected, but below the reporting limit (value is estimated)

**U** = compound was analyzed, but not detected

\*BTAG value from freshwater sediment screening values

TABLE 8-9 SEDIMENT CONCENTRATIONS OF VOLATILE ORGANIC COMPOUNDS USED IN THE RISK ASSESSMENTS FOR THE SOUTHWEST/TIN MILL CANAL EFFLUENT GROUPING.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	HHRA <sup>2</sup>	SD-H01-0002	SD-H01	SD-H02	SD-H03-0002	SD-H03	SD-H04-0002	SD-H04-0002-FD	SD-H05-0002	SD-H06-0002	SD-H06-0002-FD	SD-H07-0002	SD-H07-0002-FD	SD-I01-0001	SD-I01-0102	SD-I02-0002	SD-I03-0002	SD-J02-0002
1,1,1-TRICHLOROETHANE	UG/KG	15.11	856	--	16 UJ	12 U	12 U	22 UJ	19 U	20 UJ	20 UJ	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 UJ	22 UJ	15 U	21 UJ
1,1,2,2-TETRACHLOROETHANE	UG/KG	15.11	202	--	16 U	12 U	12 U	22 UJ	19 U	20 UJ	20 UJ	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
1,1,2-TRICHLOROETHANE	UG/KG	15.11	570	--	16 U	12 U	12 U	22 UJ	19 U	20 UJ	20 UJ	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
1,1-DICHLOROETHANE	UG/KG	15.11	--	--	16 U	12 U	12 U	22 UJ	19 U	20 UJ	20 UJ	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
1,1-DICHLOROETHENE	UG/KG	15.11	2780	--	16 U	12 U	12 U	22 UJ	19 U	20 UJ	20 UJ	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
1,2-DICHLOROBENZENE	UG/KG	15.11	989	6.14E+07	16 U	12 U	12 U	<b>92 J</b>	19 U	<b>5.1 J</b>	<b>3.4 J</b>	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
1,2-DICHLOROETHANE	UG/KG	15.11	--	--	16 U	12 U	12 UJ	22 UJ	19 UJ	20 UJ	20 UJ	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
1,2-DICHLOROPROPANE	UG/KG	15.11	--	--	16 U	12 U	12 U	22 UJ	19 U	20 UJ	20 UJ	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
1,3-DICHLOROBENZENE	UG/KG	15.11	842	6.14E+07	16 U	12 U	12 U	<b>13 J</b>	19 U	<b>4.8 J</b>	<b>6.1 J</b>	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
1,4-DICHLOROBENZENE	UG/KG	15.11	460	7.67E+06	<b>4.4 J</b>	12 U	12 U	<b>19 J</b>	19 U	<b>6.7 J</b>	<b>7.9 J</b>	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
2-CHLOROETHYL VINYL ETHER	UG/KG	30.27	--	--	32 U	23 U	24 U	45 UJ	38 U	41 UJ	41 UJ	32 U	46 UJ	48 UJ	34 UJ	33 U	19 U	15 U	44 UJ	30 U	41 UJ
ACROLEIN	UG/KG	302.72	--	--	320 UJ	230 U	240 U	450 UJ	380 U	410 UJ	410 UJ	320 U	460 UJ	480 UJ	340 UJ	330 U	190 U	150 U	440 UJ	300 U	410 UJ
ACRYLONITRILE	UG/KG	302.72	--	--	320 U	230 U	240 U	450 UJ	380 U	410 UJ	410 UJ	320 U	460 UJ	480 UJ	340 UJ	330 U	190 U	150 U	440 UJ	300 U	410 UJ
BENZENE	UG/KG	15.11	137	1.51E+08	<b>4.5 J</b>	12 U	12 U	<b>9.6 J</b>	<b>6.9 J</b>	<b>3.6 J</b>	<b>3.8 J</b>	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
BROMOFORM	UG/KG	15.11	1310	--	16 U	12 U	12 U	22 UJ	19 U	20 UJ	20 UJ	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
BROMOMETHANE	UG/KG	15.11	--	--	16 U	12 U	12 UJ	22 UJ	19 UJ	20 UJ	20 UJ	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
CARBON TETRACHLORIDE	UG/KG	15.11	7240	--	16 UJ	12 U	12 UJ	22 UJ	19 UJ	20 UJ	20 UJ	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
CHLOROBENZENE	UG/KG	15.11	162	1.37E+07	<b>11 J</b>	12 U	<b>2.4 J</b>	<b>50 J</b>	<b>250</b>	<b>67 J</b>	<b>72 J</b>	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
CHLORODIBROMOMETHANE	UG/KG	15.11	--	--	16 U	12 U	12 U	22 UJ	19 U	20 UJ	20 UJ	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
CHLOROETHANE	UG/KG	15.11	--	--	16 U	12 U	12 U	22 UJ	19 U	20 UJ	20 UJ	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
CHLOROFORM	UG/KG	15.11	--	--	16 U	12 U	12 U	22 UJ	19 U	20 UJ	20 UJ	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
CHLOROMETHANE	UG/KG	15.11	--	--	16 U	12 U	12 U	22 UJ	19 U	20 UJ	20 UJ	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
CIS-1,3-DICHLOROPROPENE	UG/KG	15.11	--	--	16 U	12 U	12 U	22 UJ	19 U	20 UJ	20 UJ	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
DICHLOROBROMOMETHANE	UG/KG	15.11	--	--	16 U	12 U	12 U	22 UJ	19 U	20 UJ	20 UJ	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
ETHYLBENZENE	UG/KG	15.11	305	1.26E+07	<b>4.8 J</b>	12 U	12 U	<b>80 J</b>	<b>33</b>	20 UJ	20 UJ	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
METHYLENE CHLORIDE	UG/KG	15.11	--	--	16 U	12 U	12 U	22 UJ	19 U	20 UJ	20 UJ	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
TETRACHLOROETHENE	UG/KG	15.11	190	--	16 U	12 U	12 U	22 UJ	19 U	20 UJ	20 UJ	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
TOLUENE	UG/KG	15.11	1090	1.82E+08	<b>24</b>	<b>2.6 J</b>	12 U	<b>71 J</b>	<b>16 J</b>	<b>11 J</b>	<b>12 J</b>	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
TRANS-1,2-DICHLOROETHENE	UG/KG	15.11	1050*	--	16 U	12 U	12 U	22 UJ	19 U	20 UJ	20 UJ	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
TRANS-1,3-DICHLOROPROPENE	UG/KG	15.11	--	--	16 U	12 U	12 U	22 UJ	19 U	20 UJ	20 UJ	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
TRICHLOROETHENE	UG/KG	15.11	8950	--	16 U	12 U	12 U	22 UJ	19 U	20 UJ	20 UJ	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ
VINYL CHLORIDE	UG/KG	15.11	--	--	16 U	12 U	12 U	22 UJ	19 U	20 UJ	20 UJ	16 U	23 UJ	24 UJ	17 UJ	16 U	9.4 U	7.3 U	22 UJ	15 U	21 UJ

**NOTES:** Bold values represent detected concentrations. RL is reported for non-detected constituents.

In the case of duplicate (FD) samples, 1) if an analyte is detected in both samples, the average of the two detected concentrations is retained in the risk assessment, 2) if an analyte is detected in neither sample, the average of the two RLs is retained for the non-detect, and 3) if an analyte is detected in only one sample, the detected concentration is retained.

<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

\*BTAG freshwater sediment benchmark

<sup>2</sup> Calculated site-specific human health screening levels, Appendix H.

**RL** = reporting limit

**J** = compound was detected, but below the reporting limit (value is estimated)

**U** = compound was analyzed, but not detected

\*BTAG value from freshwater sediment screening values



TABLE 8-10 SEDIMENT CONCENTRATIONS OF SEMIVOLATILE ORGANIC COMPOUNDS USED IN THE RISK ASSESSMENTS FOR THE SOUTHWEST/TIN MILL CANAL EFFLUENT GROUPING.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	SD-DE02-0002	SD-E03-0002	SD-E03	SD-F03-0002	SD-F04-0002	SD-F06-0002	SD-F07-0002	SD-G01-0002	SD-G01	SD-G02-0002	SD-G02	SD-G03-0002	SD-G04-0002	SD-G05-0002	SD-G06-0002	SD-H01-0002	SD-H01
1,2,4-TRICHLOROBENZENE	UG/KG	1419.15	473	--	--	1700 UJ	410 UJ	---	520 U	4200 U	1500 UJ	1600 UJ	910 U	4300 U	1300 UJ	3300 U	1300 UJ	650 UJ	380 UJ	250 U	5300 U	5800 U
1,2-DIPHENYLHYDRAZINE(AS AZOBENZENE)	UG/KG	1419.15	--	--	--	1700 UJ	410 UJ	---	520 UJ	4200 U	1500 UJ	1600 UJ	910 U	4300 UJ	1300 UJ	3300 UJ	1300 UJ	650 UJ	380 UJ	250 U	5300 U	5800 UJ
2,2'-OXYBIS[1-CHLOROPROPANE]	UG/KG	289.25	--	--	--	340 UJ	83 UJ	---	110 U	840 U	300 UJ	320 UJ	180 U	880 U	260 UJ	660 U	250 UJ	130 UJ	76 UJ	50 U	1100 U	1200 U
2,4,6-TRICHLOROPHENOL	UG/KG	1419.15	2650	--	--	1700 UJ	410 UJ	---	520 U	4200 U	1500 UJ	1600 UJ	910 U	4300 UJ	1300 UJ	3300 UJ	1300 UJ	650 UJ	380 UJ	250 U	5300 U	5800 UJ
2,4-DICHLOROPHENOL	UG/KG	289.25	117*	--	--	340 UJ	83 UJ	---	110 U	840 U	300 UJ	320 UJ	180 U	880 U	260 UJ	660 U	250 UJ	130 UJ	76 UJ	50 U	1100 U	1200 U
2,4-DIMETHYLPHENOL	UG/KG	1419.15	29*	--	1.37E+07	1700 UJ	410 UJ	---	520 U	4200 U	1500 UJ	1600 UJ	910 U	4300 U	1300 UJ	3300 U	1300 UJ	650 UJ	380 UJ	250 U	5300 U	5800 U
2,4-DINITROPHENOL	UG/KG	7311.47	41.6*	--	--	8700 UJ	2100 UJ	---	2700 U	21000 U	7600 UJ	8200 UJ	4700 U	22000 UJ	6600 UJ	17000 UJ	6500 UJ	3400 UJ	1900 UJ	1300 U	27000 U	30000 UJ
2,4-DINITROTOLUENE	UG/KG	1419.15	41.6	--	--	1700 UJ	410 UJ	---	520 U	4200 U	1500 UJ	1600 UJ	910 U	4300 UJ	1300 UJ	3300 UJ	1300 UJ	650 UJ	380 UJ	250 U	5300 U	5800 UJ
2,6-DINITROTOLUENE	UG/KG	1419.15	--	--	--	1700 UJ	410 UJ	---	520 U	4200 U	1500 UJ	1600 UJ	910 U	4300 UJ	1300 UJ	3300 UJ	1300 UJ	650 UJ	380 UJ	250 U	5300 U	5800 UJ
2-CHLORONAPHTHALENE	UG/KG	289.25	--	--	--	340 UJ	83 UJ	---	110 U	840 U	300 UJ	320 UJ	180 U	880 UJ	260 UJ	660 UJ	250 UJ	130 UJ	76 UJ	50 U	1100 U	1200 UJ
2-CHLOROPHENOL	UG/KG	1419.15	344	--	--	1700 UJ	410 UJ	---	520 U	4200 U	1500 UJ	1600 UJ	910 U	4300 U	1300 UJ	3300 U	1300 UJ	650 UJ	380 UJ	250 U	5300 U	5800 U
2-NITROPHENOL	UG/KG	1419.15	--	--	--	1700 UJ	410 UJ	---	520 U	4200 U	1500 UJ	1600 UJ	910 U	4300 U	1300 UJ	3300 U	1300 UJ	650 UJ	380 UJ	250 U	5300 U	5800 U
3,3'-DICHLOROBENZIDINE	UG/KG	1419.15	2060	--	--	1700 UJ	410 UJ	---	520 U	4200 U	1500 UJ	1600 UJ	910 U	4300 U	1300 UJ	3300 U	1300 UJ	650 UJ	380 UJ	250 U	5300 U	5800 U
4,6-DINITRO-2-METHYLPHENOL	UG/KG	7311.47	--	--	--	8700 UJ	2100 UJ	---	2700 UJ	21000 U	7600 UJ	8200 UJ	4700 U	22000 UJ	6600 UJ	17000 UJ	6500 UJ	3400 UJ	1900 UJ	1300 U	27000 U	30000 UJ
4-BROMOPHENYL PHENYL ETHER	UG/KG	1419.15	1230*	--	--	1700 UJ	410 UJ	---	520 UJ	4200 U	1500 UJ	1600 UJ	910 U	4300 UJ	1300 UJ	3300 UJ	1300 UJ	650 UJ	380 UJ	250 U	5300 U	5800 UJ
4-CHLORO-3-METHYLPHENOL	UG/KG	1419.15	--	--	--	1700 UJ	410 UJ	---	520 U	4200 U	1500 UJ	1600 UJ	910 U	4300 U	1300 UJ	3300 U	1300 UJ	650 UJ	380 UJ	250 U	5300 U	5800 U
4-CHLOROPHENYL PHENYL ETHER	UG/KG	1419.15	--	--	--	1700 UJ	410 UJ	---	520 U	4200 U	1500 UJ	1600 UJ	910 U	4300 UJ	1300 UJ	3300 UJ	1300 UJ	650 UJ	380 UJ	250 U	5300 U	5800 UJ
4-NITROPHENOL	UG/KG	7311.47	--	--	--	8700 UJ	2100 UJ	---	2700 U	21000 UJ	7600 UJ	3600 J	4700 U	22000 UJ	6600 UJ	17000 UJ	6500 UJ	3400 UJ	1900 UJ	1300 U	27000 U	30000 UJ
BENZIDINE	UG/KG	28924.85	--	--	--	34000 UJ	8300 UJ	---	11000 U	84000 U	30000 UJ	32000 UJ	18000 U	88000 U	26000 UJ	66000 U	25000 UJ	13000 UJ	7600 UJ	5000 UJ	110000 U	120000 U
BENZOIC ACID	UG/KG	7311.47	650*	--	2.73E+09	8700 UJ	1400 J	---	2700 U	21000 UJ	7600 UJ	8200 UJ	4700 U	22000 U	6600 UJ	17000 U	6500 UJ	3400 UJ	1900 UJ	790 J	27000 U	30000 U
BIS(2-CHLOROETHOXY)METHANE	UG/KG	1419.15	--	--	--	1700 UJ	410 UJ	---	520 U	4200 U	1500 UJ	1600 UJ	910 U	4300 U	1300 UJ	3300 U	1300 UJ	650 UJ	380 UJ	250 U	5300 U	5800 U
BIS(2-CHLOROETHYL)ETHER	UG/KG	289.25	--	--	--	340 UJ	83 UJ	---	110 U	840 U	300 UJ	320 UJ	180 U	880 U	260 UJ	660 U	250 UJ	130 UJ	76 UJ	50 U	1100 U	1200 U
BIS(2-ETHYLHEXYL) PHTHALATE	UG/KG	2689.99	182.16	2647	2.96E+06	12000 J	3600 J	3700 J	6500	7600 J	16000 J	14000 J	6600	3300 J	18000 J	13000	11000 J	17000 J	3900 J	180 J	23000	7500 J
BUTYL BENZYL PHTHALATE	UG/KG	1419.15	16800	--	--	1700 UJ	410 UJ	---	520 U	4200 U	1500 UJ	1600 UJ	910 U	4300 U	1300 UJ	3300 U	1300 UJ	650 UJ	380 UJ	250 U	5300 U	5800 U
DIETHYL PHTHALATE	UG/KG	1419.15	218	--	--	1700 UJ	410 UJ	---	520 U	4200 U	1500 UJ	1600 UJ	910 U	4300 UJ	1300 UJ	3300 UJ	1300 UJ	650 UJ	380 UJ	250 U	5300 U	5800 UJ
DIMETHYL PHTHALATE	UG/KG	1419.15	--	--	--	1700 UJ	410 UJ	---	520 U	4200 U	1500 UJ	1600 UJ	910 U	4300 UJ	1300 UJ	3300 UJ	1300 UJ	650 UJ	380 UJ	250 U	5300 U	5800 UJ
DI-N-BUTYL PHTHALATE	UG/KG	1419.15	1160	--	6.83E+07	1700 UJ	410 UJ	---	520 UJ	4200 U	1500 UJ	1600 UJ	910 U	4300 UJ	1300 UJ	3300 UJ	1300 UJ	650 UJ	180 J	250 U	5300 U	5800 UJ
DI-N-OCTYL PHTHALATE	UG/KG	1419.15	--	--	--	1700 UJ	410 UJ	---	520 U	4200 U	1500 UJ	1600 UJ	910 U	4300 U	1300 UJ	3300 U	1300 UJ	650 UJ	380 UJ	250 U	5300 U	5800 U
HEXACHLOROBENZENE	UG/KG	289.25	20*	--	--	340 UJ	83 UJ	---	110 UJ	840 U	300 UJ	320 UJ	180 U	880 UJ	260 UJ	660 UJ	250 UJ	130 UJ	76 UJ	50 U	1100 U	1200 UJ
HEXACHLOROBUTADIENE	UG/KG	289.25	--	--	--	340 UJ	83 UJ	---	110 U	840 U	300 UJ	320 UJ	180 U	880 U	260 UJ	660 U	250 UJ	130 UJ	76 UJ	50 U	1100 U	1200 U
HEXACHLOROCYCLOPENTADIENE	UG/KG	1419.15	139	--	--	1700 UJ	410 UJ	---	520 U	4200 U	1500 UJ	1600 UJ	910 UJ	4300 UJ	1300 UJ	3300 UJ	1300 UJ	650 UJ	380 UJ	250 UJ	5300 U	5800 UJ
HEXACHLOROETHANE	UG/KG	1419.15	804	--	--	1700 UJ	410 UJ	---	520 U	4200 U	1500 UJ	1600 UJ	910 U	4300 U	1300 UJ	3300 U	1300 UJ	650 UJ	380 UJ	250 U	5300 U	5800 U
ISOPHORONE	UG/KG	1419.15	--	--	--	1700 UJ	410 UJ	---	520 U	4200 U	1500 UJ	1600 UJ	910 U	4300 U	1300 UJ	3300 U	1300 UJ	650 UJ	380 UJ	250 U	5300 U	5800 U
NITROBENZENE	UG/KG	2869.99	--	--	--	3400 UJ	830 UJ	---	1100 U	8400 U	3000 UJ	3200 UJ	1800 U	8800 U	2600 UJ	6600 U	2500 UJ	1300 UJ	760 UJ	500 U	11000 U	12000 U
N-NITROSODIMETHYLAMINE	UG/KG	1419.15	--	--	--	1700 UJ	410 UJ	---	520 U	4200 U	1500 UJ	1600 UJ	910 UJ	4300 U	1300 UJ	3300 U	1300 UJ	650 UJ	380 UJ	250 UJ	5300 U	5800 U
N-NITROSODI-N-PROPYLAMINE	UG/KG	289.25	--	--	--	340 UJ	83 UJ	---	110 U	840 U	300 UJ	320 UJ	180 U	880 U	260 UJ	660 U	250 UJ	130 UJ	76 UJ	50 U	1100 U	1200 U
N-NITROSODIPHENYLAMINE	UG/KG	1419.15	422000	--	--	1700 UJ	410 UJ	---	520 UJ	4200 U	1500 UJ	1600 UJ	910 U	4300 UJ	1300 UJ	3300 UJ	1300 UJ	650 UJ	380 UJ	250 U	5300 U	5800 UJ
PENTACHLOROPHENOL	UG/KG	1419.15	7970	--	--	1700 UJ	410 UJ	---	520 UJ	4200 UJ	1500 UJ	1600 UJ	910 UJ	4300 UJ	1300 UJ	3300 UJ	1300 UJ	650 UJ	380 UJ	250 UJ	5300 U	5800 UJ
PHENOL	UG/KG	289.25	420*	--	2.05E+08	180 J	250 J	---	110 U	840 U	330 J	390 J	180 U	880 U	260 UJ	660 U	250 UJ	110 J	76 UJ	170	1100 U	1200 U

NOTES: Bold values represent detected concentrations. RL is reported for non-detected constituents.

In the case of duplicate (FD) samples, 1) if an analyte is detected in both samples, the average of the two detected concentrations is retained in the risk assessment, 2) if an analyte is detected in neither sample, the average of the two RLs is retained for the non-detect, and 3) if an analyte is detected in only one sample, the detected concentration is retained.

<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

\*BTAG freshwater sediment benchmark

<sup>2</sup> Probable Effects Concentrations from MacDonald, 1996.

<sup>3</sup> Calculated site-specific human health screening levels, Appendix H.

Value exceeds BTAG benchmark

Value exceeds PEC

RL = reporting limit

J = compound was detected, but below the reporting limit (value is estimated)

U = compound was analyzed, but not detected

TABLE 8-10 SEDIMENT CONCENTRATIONS OF SEMIVOLATILE ORGANIC COMPOUNDS USED IN THE RISK ASSESSMENTS FOR THE SOUTHWEST/TIN MILL CANAL EFFLUENT GROUPING.  
SPARROWS POINT PHASE I OFFSHORE INVESTIGATION

ANALYTE	UNITS	AVG RL	BTAG <sup>1</sup>	PEC <sup>2</sup>	HHRA <sup>3</sup>	SD-H02	SD-H03-0002	SD-H03	SD-H04-0002	SD-H04-0002-FD	SD-H05-0002	SD-H06-0002	SD-H06-0002-FD	SD-H07-0002	SD-H07-0002-FD	SD-I01-0001	SD-I01-0102	SD-I02-0002	SD-I03-0002	SD-J02-0002
1,2,4-TRICHLOROBENZENE	UG/KG	1419.15	473	--	--	5900 U	1500 UJ	9400 U	6700 UJ	6700 UJ	2100 U	1500 UJ	1600 UJ	550 UJ	540 U	120 U	72 U	360 UJ	240 U	1700 UJ
1,2-DIPHENYLHYDRAZINE(AS AZOBENZENE)	UG/KG	1419.15	--	--	--	5900 UJ	1500 UJ	9400 UJ	6700 UJ	6700 UJ	2100 U	1500 UJ	1600 UJ	550 UJ	540 U	120 U	72 U	360 UJ	240 U	1700 UJ
2,2'-OXYBIS[1-CHLOROPROPANE]	UG/KG	289.25	--	--	--	1200 U	300 UJ	1900 U	1400 UJ	1400 UJ	440 U	310 UJ	320 UJ	110 UJ	110 U	25 U	15 U	74 UJ	50 U	350 UJ
2,4,6-TRICHLOROPHENOL	UG/KG	1419.15	2650	--	--	5900 UJ	1500 UJ	9400 UJ	6700 UJ	6700 UJ	2100 U	1500 UJ	1600 UJ	550 UJ	540 U	120 U	72 U	360 UJ	240 U	1700 UJ
2,4-DICHLOROPHENOL	UG/KG	289.25	117*	--	--	1200 U	300 UJ	1900 U	1400 UJ	1400 UJ	440 U	310 UJ	320 UJ	110 UJ	110 U	25 U	15 U	74 UJ	50 U	350 UJ
2,4-DIMETHYLPHENOL	UG/KG	1419.15	29*	--	1.37E+07	5900 U	1500 UJ	9400 U	6700 UJ	6700 UJ	2100 U	1500 UJ	1600 UJ	550 UJ	540 U	120 U	72 U	360 UJ	59 J	1700 UJ
2,4-DINITROPHENOL	UG/KG	7311.47	41.6*	--	--	31000 UJ	7600 UJ	49000 UJ	35000 UJ	34000 UJ	11000 U	7900 UJ	8100 UJ	2800 UJ	2800 U	640 U	370 U	1900 UJ	1300 U	8800 UJ
2,4-DINITROTOLUENE	UG/KG	1419.15	41.6	--	--	5900 UJ	1500 UJ	9400 UJ	6700 UJ	6700 UJ	2100 U	1500 UJ	1600 UJ	550 UJ	540 U	120 U	72 U	360 UJ	240 U	1700 UJ
2,6-DINITROTOLUENE	UG/KG	1419.15	--	--	--	5900 UJ	1500 UJ	9400 UJ	6700 UJ	6700 UJ	2100 U	1500 UJ	1600 UJ	550 UJ	540 U	120 U	72 U	360 UJ	240 U	1700 UJ
2-CHLORONAPHTHALENE	UG/KG	289.25	--	--	--	1200 UJ	300 UJ	1900 UJ	1400 UJ	1400 UJ	440 U	310 UJ	320 UJ	110 UJ	110 U	25 U	15 U	74 UJ	50 U	350 UJ
2-CHLOROPHENOL	UG/KG	1419.15	344	--	--	5900 U	1500 UJ	9400 U	6700 UJ	6700 UJ	2100 U	1500 UJ	1600 UJ	550 UJ	540 U	120 U	72 U	360 UJ	240 U	1700 UJ
2-NITROPHENOL	UG/KG	1419.15	--	--	--	5900 U	1500 UJ	9400 U	6700 UJ	6700 UJ	2100 U	1500 UJ	1600 UJ	550 UJ	540 U	120 U	72 U	360 UJ	240 U	1700 UJ
3,3'-DICHLOROBENZIDINE	UG/KG	1419.15	2060	--	--	5900 U	1500 UJ	9400 U	6700 UJ	6700 UJ	2100 U	1500 UJ	1600 UJ	550 UJ	540 U	120 U	72 U	360 UJ	240 U	1700 UJ
4,6-DINITRO-2-METHYLPHENOL	UG/KG	7311.47	--	--	--	31000 UJ	7600 UJ	49000 UJ	35000 UJ	34000 UJ	11000 U	7900 UJ	8100 UJ	2800 UJ	2800 U	640 U	370 U	1900 UJ	1300 U	8800 UJ
4-BROMOPHENYL PHENYL ETHER	UG/KG	1419.15	1230*	--	--	5900 UJ	1500 UJ	9400 UJ	6700 UJ	6700 UJ	2100 U	1500 UJ	1600 UJ	550 UJ	540 U	120 U	72 U	360 UJ	240 U	1700 UJ
4-CHLORO-3-METHYLPHENOL	UG/KG	1419.15	--	--	--	5900 U	1500 UJ	9400 U	6700 UJ	6700 UJ	2100 U	1500 UJ	1600 UJ	550 UJ	540 U	120 U	72 U	360 UJ	240 U	1700 UJ
4-CHLOROPHENYL PHENYL ETHER	UG/KG	1419.15	--	--	--	5900 UJ	1500 UJ	9400 UJ	6700 UJ	6700 UJ	2100 U	1500 UJ	1600 UJ	550 UJ	540 U	120 U	72 U	360 UJ	240 U	1700 UJ
4-NITROPHENOL	UG/KG	7311.47	--	--	--	31000 UJ	7600 UJ	49000 UJ	35000 UJ	34000 UJ	11000 U	7900 UJ	8100 UJ	2800 UJ	2800 U	640 U	370 U	1900 UJ	1300 U	8800 UJ
BENZIDINE	UG/KG	28924.85	--	--	--	120000 U	30000 UJ	190000 U	140000 UJ	140000 UJ	44000 U	31000 UJ	32000 UJ	11000 UJ	11000 UJ	2500 U	1500 U	7400 UJ	5000 UJ	35000 UJ
BENZOIC ACID	UG/KG	7311.47	650*	--	2.73E+09	31000 U	7600 UJ	49000 U	35000 UJ	34000 UJ	11000 UJ	7900 UJ	8100 UJ	2800 UJ	2800 U	640 U	370 U	1900 UJ	960 J	8800 UJ
BIS(2-CHLOROETHOXY)METHANE	UG/KG	1419.15	--	--	--	5900 U	1500 UJ	9400 U	6700 UJ	6700 UJ	2100 U	1500 UJ	1600 UJ	550 UJ	540 U	120 U	72 U	360 UJ	240 U	1700 UJ
BIS(2-CHLOROETHYL)ETHER	UG/KG	289.25	--	--	--	1200 U	300 UJ	1900 U	1400 UJ	1400 UJ	440 U	310 UJ	320 UJ	110 UJ	110 U	25 U	15 U	74 UJ	50 U	350 UJ
BIS(2-ETHYLHEXYL) PHTHALATE	UG/KG	2689.99	182.16	2647	2.96E+06	3500 J	19000 UJ	33000	48000 J	54000 J	8700	5200 J	7600 J	3300 J	2800	250 U	150 U	2800 J	220 J	2000 J
BUTYL BENZYL PHTHALATE	UG/KG	1419.15	16800	--	--	5900 U	1500 UJ	9400 U	6700 UJ	6700 UJ	2100 U	1500 UJ	1600 UJ	550 UJ	540 U	120 U	72 U	360 UJ	240 U	1700 UJ
DIETHYL PHTHALATE	UG/KG	1419.15	218	--	--	5900 UJ	1500 UJ	9400 UJ	6700 UJ	6700 UJ	2100 U	1500 UJ	1600 UJ	550 UJ	540 U	120 U	72 U	360 UJ	240 U	1700 UJ
DIMETHYL PHTHALATE	UG/KG	1419.15	--	--	--	5900 UJ	1500 UJ	9400 UJ	6700 UJ	6700 UJ	2100 U	1500 UJ	1600 UJ	550 UJ	540 U	120 U	72 U	360 UJ	240 U	1700 UJ
DI-N-BUTYL PHTHALATE	UG/KG	1419.15	1160	--	6.83E+07	5900 UJ	1500 UJ	9400 UJ	6700 UJ	6700 UJ	2100 U	1500 UJ	1600 UJ	550 UJ	540 U	120 U	72 U	77 J	240 U	1700 UJ
DI-N-OCTYL PHTHALATE	UG/KG	1419.15	--	--	--	5900 U	1500 UJ	9400 U	6700 UJ	6700 UJ	2100 U	1500 UJ	1600 UJ	550 UJ	540 U	120 U	72 U	360 UJ	240 U	1700 UJ
HEXACHLOROBENZENE	UG/KG	289.25	20*	--	--	1200 UJ	300 UJ	1900 UJ	1400 UJ	1400 UJ	440 U	310 UJ	320 UJ	110 UJ	110 U	25 U	15 U	74 UJ	50 U	350 UJ
HEXACHLOROBUTADIENE	UG/KG	289.25	--	--	--	1200 U	300 UJ	1900 U	1400 UJ	1400 UJ	440 U	310 UJ	320 UJ	110 UJ	110 U	25 U	15 U	74 UJ	50 U	350 UJ
HEXACHLOROCYCLOPENTADIENE	UG/KG	1419.15	139	--	--	5900 UJ	1500 UJ	9400 UJ	6700 UJ	6700 UJ	2100 UJ	1500 UJ	1600 UJ	550 UJ	540 UJ	120 U	72 U	360 UJ	240 UJ	1700 UJ
HEXACHLOROETHANE	UG/KG	1419.15	804	--	--	5900 U	1500 UJ	9400 U	6700 UJ	6700 UJ	2100 U	1500 UJ	1600 UJ	550 UJ	540 U	120 U	72 U	360 UJ	240 U	1700 UJ
ISOPHORONE	UG/KG	1419.15	--	--	--	5900 U	1500 UJ	9400 U	6700 UJ	6700 UJ	2100 U	1500 UJ	1600 UJ	550 UJ	540 U	120 U	72 U	360 UJ	240 U	1700 UJ
NITROBENZENE	UG/KG	2869.99	--	--	--	12000 U	3000 UJ	19000 U	14000 UJ	13000 UJ	4300 U	3100 UJ	3200 UJ	1100 UJ	1100 U	250 U	150 U	730 UJ	490 U	3400 UJ
N-NITROSODIMETHYLAMINE	UG/KG	1419.15	--	--	--	5900 U	1500 UJ	9400 U	6700 UJ	6700 UJ	2100 U	1500 UJ	1600 UJ	550 UJ	540 UJ	120 U	72 U	360 UJ	240 UJ	1700 UJ
N-NITROSODI-N-PROPYLAMINE	UG/KG	289.25	--	--	--	1200 U	300 UJ	1900 U	1400 UJ	1400 UJ	440 U	310 UJ	320 UJ	110 UJ	110 U	25 U	15 U	74 UJ	50 U	350 UJ
N-NITROSODIPHENYLAMINE	UG/KG	1419.15	422000	--	--	5900 UJ	1500 UJ	9400 UJ	6700 UJ	6700 UJ	2100 U	1500 UJ	1600 UJ	550 UJ	540 U	120 U	72 U	360 UJ	240 U	1700 UJ
PENTACHLOROPHENOL	UG/KG	1419.15	7970	--	--	5900 UJ	1500 UJ	9400 UJ	6700 UJ	6700 UJ	2100 U	1500 UJ	1600 UJ	550 UJ	540 UJ	120 U	72 U	360 UJ	240 UJ	1700 UJ
PHENOL	UG/KG	289.25	420*	--	2.05E+08	1200 U	300 UJ	1900 U	1400 UJ	1400 UJ	440 U	310 UJ	320 UJ	110 UJ	110 U	58	15 U	74 UJ	79	170 J

NOTES: Bold values represent detected concentrations. RL is reported for non-detected constituents.

In the case of duplicate (FD) samples, 1) if an analyte is detected in both samples, the average of the two detected concentrations is retained in the risk assessment, 2) if an analyte is detected in neither sample, the average of the two RLs is retained for the non-detect, and 3) if an analyte is detected in only one sample, the detected concentration is retained.

<sup>1</sup> Sediment Benchmarks from the U.S. Environmental Protection Agency Biological Technical Assistance Group. Marine values unless marked with asterisk.

\*BTAG freshwater sediment benchmark

<sup>2</sup> Probable Effects Concentrations from MacDonald, 1996.

<sup>3</sup> Calculated site-specific human health screening levels, Appendix H.

Value exceeds BTAG benchmark

Value exceeds PEC

RL = reporting limit

J = compound was detected, but below the reporting limit (value is estimated)

U = compound was analyzed, but not detected

**Table 8-11**  
**Uptake Models Relating Concentrations in Sediment to Concentrations in Benthos**

Chemical	Food Item (Benthos) Uptake			
	Uptake Model <sup>A, B</sup>	SEDBAF (mg/kg dry wt. sediment to mg/kg wet wt. tissue)	SEDBAF (mg/kg dry wt. to mg/kg dry wt.)	Source
<b>Inorganics</b>				
Antimony	Uptake Factor	3.15E-02	1.26E-01	95% UCLM from bioaccumulation tests - clam value
Arsenic	Uptake Factor	5.41E-02	2.16E-01	95% UCLM from bioaccumulation tests - clam value
Beryllium	Uptake Factor	1.00E+00	4.00E+00	Default
Cadmium	Uptake Factor	7.76E-03	3.10E-02	95% UCLM from bioaccumulation tests - worm value
Chromium	Uptake Factor	4.68E-03	1.87E-02	95% UCLM from bioaccumulation tests - worm value
Copper	Uptake Factor	7.75E-03	3.10E-02	95% UCLM from bioaccumulation tests - worm value
Cyanide (Total) <sup>C</sup>	Uptake Factor	1.00E+00	4.00E+00	Default
Iron	Uptake Factor	4.63E-03	1.85E-02	95% UCLM from bioaccumulation tests - worm value
Lead	Uptake Factor	3.62E-03	1.45E-02	95% UCLM from bioaccumulation tests - worm value
Mercury	Uptake Factor	1.43E-02	5.73E-02	95% UCLM from bioaccumulation tests - worm value
Nickel	Uptake Factor	1.14E-02	4.55E-02	95% UCLM from bioaccumulation tests - worm value
Selenium	Uptake Factor	5.24E-02	2.10E-01	95% UCLM from bioaccumulation tests - worm value
Silver	Uptake Factor	2.02E-02	8.09E-02	95% UCLM from bioaccumulation tests - worm value
Thallium	Uptake Factor	1.39E-02	5.56E-02	95% UCLM from bioaccumulation tests - clam value
Zinc	Uptake Factor	2.45E-02	9.78E-02	95% UCLM from bioaccumulation tests - worm value
<b>PAHs</b>				
Total LMW PAH (ND=0)	Uptake Factor	1.13E-01	4.53E-01	95% UCLM from bioaccumulation tests - clam value
Total LMW PAH (ND=1/2)	Uptake Factor	1.13E-01	4.53E-01	95% UCLM from bioaccumulation tests - clam value
Total LMW PAH (ND=DL)	Uptake Factor	1.15E-01	4.62E-01	95% UCLM from bioaccumulation tests - clam value
Total HMW PAH (ND=0)	Uptake Factor	1.11E-01	4.44E-01	95% UCLM from bioaccumulation tests - clam value
Total HMW PAH (ND=1/2)	Uptake Factor	1.11E-01	4.44E-01	95% UCLM from bioaccumulation tests - clam value
Total HMW PAH (ND=DL)	Uptake Factor	1.12E-01	4.48E-01	95% UCLM from bioaccumulation tests - clam value
Total PAH (ND=0)	Uptake Factor	1.09E-01	4.36E-01	95% UCLM from bioaccumulation tests - clam value
Total PAH (ND=1/2DL)	Uptake Factor	1.10E-01	4.39E-01	95% UCLM from bioaccumulation tests - clam value
Total PAH (ND=DL)	Uptake Factor	1.11E-01	4.43E-01	95% UCLM from bioaccumulation tests - clam value
<b>PCBs</b>				
Aroclor-1248	Uptake Factor	3.53E+00	1.41E+01	BSAF value from EPA 2009 dataset used to calculate uptake factor using 7.1% lipids and 6.8% TOC
Aroclor-1254	Uptake Factor	3.53E+00	1.41E+01	BSAF value from EPA 2009 dataset used to calculate uptake factor using 7.1% lipids and 6.8% TOC
Aroclor-1260	Uptake Factor	3.53E+00	1.41E+01	BSAF value from EPA 2009 dataset used to calculate uptake factor using 7.1% lipids and 6.8% TOC
Total PCBs (ND=0)	Uptake Factor	6.35E+00	2.54E+01	95% UCLM from bioaccumulation tests - clam value
Total PCBs (ND=1/2DL)	Uptake Factor	6.63E+00	2.65E+01	95% UCLM from bioaccumulation tests - clam value
Total PCBs (ND=DL)	Uptake Factor	6.90E+00	2.76E+01	95% UCLM from bioaccumulation tests - clam value
<b>SVOCs</b>				
Bis(2-ethylhexyl)phthalate	Uptake Factor	1.00E+00	4.00E+00	Default
<b>VOCs</b>				
Chlorobenzene	Uptake Factor	1.00E+00	4.00E+00	Default

A - Equation types:

Uptake Factor:

B - Uptake factor from bioaccumulation tests of worms and clams

C - It is recognized that cyanide does not bioaccumulate into crab tissue.

HMW= High Molecular Weight

LMW= Low Molecular Weight

NA - TRV not available

NAWQC - National Ambient Water Quality Criteria.

PAH= Polyaromatic Hydrocarbon

PCB= Polychlorinated Biphenyl

PEC= Probable Effects Concentration

SVOC= Semi-Volatile Organic Compound

TEC= Threshold Effects Concentration

TRV= Toxicity Reference Value

**Table 8-12**  
**Uptake Models Relating Concentrations in Surface Water to Concentrations in Fish**

Chemical	Food Item (Fish) Uptake			
	Uptake Model <sup>A, B, C</sup>	BCFBAF value (L/kg wet weight)	BAF (mg/L dry wt. to mg/kg dry wt.)	Source
<b>Inorganics</b>				
Antimony	Uptake Factor	1.00E+00	4.00E+00	Based on bluegill in Table 5 - USEPA 1980
Arsenic	Uptake Factor	4.00E+00	1.60E+01	Based on bluegill in Table 5 - USEPA 1985a
Beryllium	Uptake Factor	6.20E+01	2.48E+02	From Table C-5 - USEPA 1999
Cadmium	Uptake Factor	5.90E+01	2.36E+02	Based on bluegill in Table 5 geometric mean - USEPA 2001
Chromium	Uptake Factor	2.00E+02	8.00E+02	BCF from <a href="http://rais.ornl.gov/cgi-bin/tools/TOX_search">http://rais.ornl.gov/cgi-bin/tools/TOX_search</a>
Copper	Uptake Factor	4.64E+02	1.86E+03	Based on fathead minnow in Table 5 - USEPA 2003
Cyanide (Total) <sup>D</sup>	Uptake Factor	1.00E+00	4.00E+00	Default
Iron	Uptake Factor	2.50E-01	1.00E+00	Default
Lead	Uptake Factor	1.13E+01	4.50E+01	Based on bluegill in Table 5 - USEPA 1985b
Mercury	Uptake Factor	1.80E+03	7.20E+03	Based on rainbow trout in Table 5 - USEPA 1985c
Nickel	Uptake Factor	2.40E+01	9.60E+01	Based on rainbow trout/fathead minnow in Table 5 geometric mean - USEPA 1986
Selenium	Uptake Factor	2.42E+02	9.70E+02	Based on bluegill in Table 5 geometric mean - USEPA 1987a
Silver	Uptake Factor	8.77E+01	3.51E+02	From Table C-5 - USEPA 1999
Thallium	Uptake Factor	1.00E+04	4.00E+04	BCF from <a href="http://rais.ornl.gov/cgi-bin/tools/TOX_search">http://rais.ornl.gov/cgi-bin/tools/TOX_search</a>
Zinc	Uptake Factor	6.30E+01	2.52E+02	Based on mummichog in Table 5 geometric mean - USEPA 1987b
<b>PAHs</b>				
1-Methylnaphthalene	Uptake Factor	1.66E+02	6.64E+02	BCF calculated via Regression from BCFBAF Program
2-Methylnaphthalene	Uptake Factor	1.64E+02	6.56E+02	BCF calculated via Regression from BCFBAF Program
Acenaphthene	Uptake Factor	7.17E+02	1.79E+02	BCF calculated via Regression from BCFBAF Program
Acenaphthylene	Uptake Factor	1.85E+02	7.40E+02	BCF calculated via Regression from BCFBAF Program
Anthracene	Uptake Factor	4.01E+02	1.60E+03	BCF calculated via Regression from BCFBAF Program
Benzo(a)Anthracene	Uptake Factor	3.18E+03	1.27E+04	BCF calculated via Regression from BCFBAF Program
Benzo(a)Pyrene	Uptake Factor	5.15E+03	2.06E+04	BCF calculated via Regression from BCFBAF Program
Benzo(b)Fluoranthene	Uptake Factor	3.02E+03	1.21E+04	BCF calculated via Regression from BCFBAF Program
Benzo(g,h,i)Perylene	Uptake Factor	1.10E+04	4.40E+04	BCF calculated via Regression from BCFBAF Program
Benzo(k)Fluoranthene	Uptake Factor	4.99E+03	2.00E+04	BCF calculated via Regression from BCFBAF Program
Chrysene	Uptake Factor	3.17E+03	1.27E+04	BCF calculated via Regression from BCFBAF Program
Dibenzo(a,h)Anthracene	Uptake Factor	9.60E+03	3.84E+04	BCF calculated via Regression from BCFBAF Program
Fluoranthene	Uptake Factor	1.18E+03	4.72E+03	BCF calculated via Regression from BCFBAF Program
Fluorene	Uptake Factor	2.66E+02	1.06E+03	BCF calculated via Regression from BCFBAF Program
Indeno(1,2,3-Cd)Pyrene	Uptake Factor	1.22E+04	4.88E+04	BCF calculated via Regression from BCFBAF Program
Naphthalene	Uptake Factor	6.99E+01	2.80E+02	BCF calculated via Regression from BCFBAF Program
Phenanthrene	Uptake Factor	1.86E+03	7.44E+03	BCF calculated via Regression from BCFBAF Program
Pyrene	Uptake Factor	7.71E+02	3.08E+03	BCF calculated via Regression from BCFBAF Program
Total LMW PAH (ND=0)	Uptake Factor	--	1.28E+04	Average of BCFs of individual PAH BAFs calculated via Regression from BCFBAF Program
Total LMW PAH (ND=DL)	Uptake Factor	--	1.28E+04	Average of BCFs of individual PAH BAFs calculated via Regression from BCFBAF Program
Total HMW PAH (ND=0)	Uptake Factor	--	1.28E+04	Average of BCFs of individual PAH BAFs calculated via Regression from BCFBAF Program
Total HMW PAH (ND=1/2DL)	Uptake Factor	--	1.28E+04	Average of BCFs of individual PAH BAFs calculated via Regression from BCFBAF Program
Total HMW PAH (ND=DL)	Uptake Factor	--	1.28E+04	Average of BCFs of individual PAH BAFs calculated via Regression from BCFBAF Program
Total PAH (ND=0)	Uptake Factor	--	1.28E+04	Average of BCFs of individual PAH BAFs calculated via Regression from BCFBAF Program
Total PAH (ND=DL)	Uptake Factor	--	1.28E+04	Average of BCFs of individual PAH BAFs calculated via Regression from BCFBAF Program
<b>PCBs</b>				
Aroclor-1248	Uptake Factor	2.21E+04	8.83E+04	BCF calculated via Regression from BCFBAF Program
Aroclor-1254	Uptake Factor	5.41E+04	2.16E+05	BCF calculated via Regression from BCFBAF Program
Aroclor-1260	Uptake Factor	2.76E+04	1.10E+05	BCF calculated via Regression from BCFBAF Program
Total PCBs (ND=0)	Uptake Factor	2.53E+04	1.01E+05	BCF calculated via Regression from BCFBAF Program
Total PCBs (ND=1/2DL)	Uptake Factor	2.53E+04	1.01E+05	BCF calculated via Regression from BCFBAF Program
Total PCBs (ND=DL)	Uptake Factor	2.53E+04	1.01E+05	BCF calculated via Regression from BCFBAF Program
<b>SVOCs</b>				
Bis(2-ethylhexyl)phthalate	Uptake Factor	1.71E+03	6.85E+03	BCF calculated via Regression from BCFBAF Program
<b>VOCs</b>				
Chlorobenzene	Uptake Factor	3.47E+01	8.68E+00	BCF calculated via Regression from BCFBAF Program

A - Equation types:

Uptake Factor:

B - Uptake factor for organics derived using the BCFBAF Program from USEPA, in EPI Suite<sup>TM</sup>

<http://www.epa.gov/tsc-screening-tools/epi-suite/tetm-estimation-program-interface>

C - Uptake factor for inorganics from the following sources:

ORNL 2009, BCF from [http://rais.ornl.gov/cgi-bin/tox/TOX\\_select?select=chem](http://rais.ornl.gov/cgi-bin/tox/TOX_select?select=chem)

ORNL 2009, BCF from [http://rais.ornl.gov/cgi-bin/tools/TOX\\_search](http://rais.ornl.gov/cgi-bin/tools/TOX_search)

USEPA 1999, Table C-5

USEPA 1980, Table 5 (bluegill)

USEPA 1985a, Table 5

USEPA 1985b, Table 5

USEPA 1985c, Table 5

Uptake factors from given in wet weight were divided by 0.25 to account for wet weight to dry weight conversion

D - It is recognized that cyanide does not bioaccumulate into fish tissue.

HMW= High Molecular Weight

LMW= Low Molecular Weight

NA - TRV not available

NAWQC - National Ambient Water Quality Criteria

PAH= Polyaromatic Hydrocarbon

PCB= Polychlorinated Biphenyl

PEC= Probable Effects Concentration

SVOC= Semi-Volatile Organic Compound

TEC= Threshold Effects Concentration

TRV= Toxicity Reference Value

## 9. ECOLOGICAL RISK ASSESSMENT

The CSM for ecological receptors presented in Chapter 6 identified specific assessment endpoints and representative receptor species for evaluation. The ERA for the Phase I area is conducted in accordance with USEPA guidance applicable to RCRA sites (USEPA 1997a). ERA follows a process in which exposure and toxicity data are combined to develop an estimate of the potential for adverse impacts on ecological receptors from chemicals in the environment. Per USEPA guidance, an ERA begins with a very precautionary evaluation of the potential for risks (USEPA 1997a). This is called a screening level ERA (SLERA). The ERA for the Phase I area includes methods typical of a SLERA, but also incorporates more refined evaluation methods such as evaluation of a reasonable maximum exposure scenario, inclusion of site-specific tissue data, and discussion of site-specific habitat and bioavailability considerations. **Tables 9-1 and 9-2** present a summary of the COPCs for the NNS and SWTM groupings, respectively, for sediment and surface water. Consistent with guidance (USEPA 1997a), the ERA includes an exposure assessment, toxicity assessment, risk characterization, and uncertainty analysis for each receptor evaluated.

The ERA applies a weight of evidence approach in which multiple lines of evidence are evaluated, and their individual significance, or weight, is considered to derive a conclusion. In the case of ERA, each line of evidence is a measurement endpoint. Measurement endpoints are quantifiable ecological characteristics that are related to each assessment endpoint (USEPA 1989). Because assessment endpoints are often defined in terms of ecological characteristics that are difficult to measure (e.g., the health of a population or community), measurement endpoints are selected to provide a quantifiable means of characterizing risks. The measurement endpoints for this ERA were selected based on standard risk assessment methodology (USEPA 1997a) with consideration of the available data.

Quantitative and qualitative measurement endpoints are summarized in **Table 9-3** and used to characterize risks as described in the sections below. Section 9.1 presents the screening level assessment. Section 9.2 describes the methods used to assess exposure. Section 9.3 presents the methods used to assess toxicity. Assessment of ecological risks for the NNS grouping is presented in Section 9.4. Assessment of ecological risks for the SWTM grouping is presented in Section 9.5. Discussion of uncertainties is presented in Section 9.6 and the ERA conclusions are presented in Section 9.7.

### 9.1 SCREENING LEVEL ASSESSMENT

A screening level evaluation of the potential for risk was conducted by comparing concentrations in sediment and surface water to the lower value of either the freshwater or marine USEPA Region III BTAG screening values (USEPA Region III 2006). Screening levels are presented in **Tables 9-1 and 9-2**.



It is important to note that sediments in the SWTM grouping contain oil and grease. Toxicity-based comparison criteria are not available from regulatory guidance. As such, comparisons for oil and grease are not presented in ERA tables. Instead, a qualitative discussion of oil and grease toxicity is included as part of the weights of evidence involving sediment screening in the SWTM grouping; this includes a discussion of the ways in which oil and grease can cause both toxicologically mediated impacts and physical impacts.

## **9.2 EXPOSURE ASSESSMENT**

### **9.2.1 Aquatic and Benthic Organisms**

The primary route of exposure for aquatic or free swimming organisms is through direct contact with and ingestion of surface water. The primary route of exposure for benthic organisms is through direct contact with and ingestion of sediment.

To represent potential aquatic and benthic organism exposures in Grouping NNS in the Phase I area, two scenarios were evaluated as representative of potential exposures. Because some bottom-dwelling organisms live their entire lives in or around a single location, the maximum concentration of each constituent detected in sediment and surface water was evaluated as an EPC. EPCs are presented in **Tables 9-4** and **9-5**. This is referred to as the screening level exposure scenario, and evaluates a worst case scenario for relatively immobile organisms that could be exposed to the location(s) with the highest concentrations of chemicals for their entire lives. Similarly, the maximum detected concentration in surface water was used as the EPC for the screening level exposure scenario to represent potential worst case conditions that could occur in water, and to provide a conservative estimate given uncertainty in modeling water concentrations in the Phase I area.

The screening level exposure scenario is not realistically representative for mobile aquatic and benthic organisms such as fish and crustaceans, which may use the entire offshore area. Also, the screening level exposure scenario focused only on the highest concentrations within each grouping in the Phase I area, and does not represent population-wide exposures, that are the focus of ERA (USEPA 1997b). Therefore, the reasonable maximum exposure scenario was also assessed.

Several classes of organic chemicals assessed for aquatic and benthic organisms share a common mode of exposure and/or toxicity. For example, chemical analytical data are available for a range of PCB Aroclors. While each Aroclor is a different chemical, all Aroclors produce the same types of effects and share similar patterns of uptake. The same is true for HMW PAHs and LMW PAHs. As discussed in Chapter 8, concentrations of individual compounds were combined for these chemical classes in sediment and surface water using methodologies specific to their chemical class.

It is important to note that sediments in the SWTM grouping contain oil and grease. Oil and grease cannot be evaluated quantitatively because, as discussed below, toxicity-based comparison criteria are not available for this analyte. As such, EPCs for oil and grease are not presented in ERA tables. Instead, a qualitative discussion of oil and grease is included as part of weights of evidence involving sediment screening in the SWTM grouping; this includes a discussion of the range of oil and grease concentrations detected.

### 9.2.2 Wildlife

As discussed in the CSM (Chapter 6), the primary route of exposure for wildlife to chemicals in sediment and surface water is through the food chain. Wildlife may be exposed to chemicals in sediment and surface water through direct ingestion. They also may be exposed to chemicals in sediment and surface water through ingestion of prey items (i.e., benthic organisms, crabs, and fish) that have accumulated chemicals from these media. Food web modeling was performed to estimate combined exposures from these pathways. EPCs for sediment, surface water, and prey item tissue (**Tables 9-4 and 9-5**) were combined with data concerning ingestion rates to estimate a dose to each receptor.

This section presents the methods used to quantify the potential exposure of wildlife to chemicals via the ingestion of food, surface water, and sediment. The methods were derived based on equations presented in USEPA (1993) and Sample et al. (1996). The equations and exposure parameters discussed below are consistent with USEPA (1997b) guidance and standard risk assessment practice. All chemicals detected in sediment and surface water were evaluated in the exposure models. Concentrations of these chemicals within other media to which a receptor could be exposed were then also considered for evaluation. Wildlife exposure factors are presented in **Table 9-6**. Dose-based toxicity reference values (TRVs) for birds and mammals are presented in **Tables 9-7 and 9-8**, respectively.

It should be noted that, in general, conservative assumptions were used in the food web models. The objective of the models was to provide an upper bound risk estimate. Accordingly, in almost all cases, actual risks are likely to be over-estimated by the models. Uncertainties associated with precautionary assumptions and other exposure estimation factors are discussed in Section 9.6.

#### 9.2.2.1 Exposure Point Concentrations and Scenarios

To represent wildlife exposures to chemicals in sediment, surface water, and prey items, two EPCs (screening level and reasonable maximum) were evaluated for each of two exposure scenarios (modeled uptake versus measured tissue) for each of two types of prey (crab and fish). For EPCs, both screening and reasonable maximum exposure scenario EPCs for all media were used in exposure models. The screening level exposure scenario was included to provide a precautionary bound, but the reasonable maximum exposure scenario is considered most representative of exposures for wildlife because birds and mammals may range over the entire

offshore area, contacting exposure media in multiple locations and consuming organisms that have similarly utilized other portions of the Phase I area. As discussed in Chapter 8, the 95%UCLM is used as a precautionary estimate of mean exposures over time, with the maximum detected concentration used as the reasonable maximum EPC when there are too few samples to calculate a 95%UCLM.

For sediment, a single set of EPCs were utilized to represent conditions within each grouping. For the NNS grouping, EPCs were developed only for those chemicals identified as related to groundwater or stormwater by screening conducted at the direction of USEPA and MDE, as documented in the discussion of Site-related COPCs in Section 2.2.2. This is because only groundwater and stormwater can be ongoing sources from the Sparrows Point property in this area. For the SWTM grouping, EPCs were developed for all chemicals, since the Tin Mill Canal outfall may have contained any of the potential chemicals. For surface water, two sets of EPCs were evaluated. The risk assessment relies primarily on EPCs modeled assuming discharge from groundwater/pore water into surface water as the long term typical, non-storm condition in the Phase I area. The model for the non-storm condition incorporated both the groundwater/pore water flux and flow from Outfall 014 as inputs (see Section 7.3). The risk assessment also considers the EPCs modeled for a 1-year storm condition, using stormwater inputs into surface water, in addition to the groundwater/pore water flux and flow from Outfall 014, as a short term worst case scenario condition; this was evaluated for aquatic and benthic receptors only, and showed little difference from groundwater/pore water-based model results.

Two separate exposure scenarios were evaluated based on two different methods for estimating concentrations in prey-item tissue. The first scenario uses BAFs to evaluate localized exposures of wildlife to crabs and fish. Using BAFs to estimate bioaccumulation provides a direct link between concentrations in each grouping within the Phase I area and concentrations in prey and serves as a useful indicator of contributions of chemicals from the Phase I area to the food chain. Use of BAFs provides conservative estimates of chemical contributions if prey and wildlife travel beyond the Phase I area. As discussed in Chapter 8, concentrations of metals, PAHs, and PCBs in the tissue of prey items were derived from site-specific laboratory bioaccumulation studies performed using sediment from Coke Point (EA 2011b). Site-specific BAFs are available from bioaccumulation studies to estimate uptake of chemicals from sediment into benthos such as clams and worms. For chemicals that were not included in these bioaccumulation studies, sediment-to-benthos BAFs are available from the scientific literature. BAFs are also available from scientific literature and regulatory guidance that relate surface water concentrations to concentrations in fish.

Site-specific tissue EPCs are also available for chemical concentrations in whole body fish and total crab tissue from field-collected specimens. These EPCs are most representative of tissue concentrations in higher trophic level prey. Measured tissue concentrations represent the most realistic estimate of bioaccumulation into prey. Therefore, the ERA evaluates risks from consumption of crabs and fish; consumption of each type of prey was modeled separately. Data inputs to each scenario are detailed in **Table 8-1**. EPCs are presented in **Tables 9-4 and 9-5**.

Tissue EPCs for metals and SVOCs in aquatic and benthic organisms were derived from sediment and surface water concentrations using literature-based BAFs. BAFs were developed to separately model accumulation of chemicals into prey item tissues from sediment and surface water.

As discussed for aquatic and benthic organisms, several classes of organic chemicals (PAHs and PCBs) share a common mode of exposure and/or toxicity and concentrations were summed as discussed in Chapter 8.

#### 9.2.2.2 Ingestion of Chemicals from Abiotic Media

As discussed in the conceptual model (Section 6.4), terrestrial wildlife may ingest sediment while foraging or grooming. Therefore, food web models account for incidental ingestion of sediment. Based on their foraging and habitat characteristics, it was assumed for the purposes of the models that great blue heron and raccoon would be exposed to sediment.

The following equation was used to calculate the dose of chemical that piscivorous wildlife would obtain from the ingestion of sediment ( $Dose_{sed}$ , mg/kg):

$$Dose_{sed} = SI * C_{sed}$$

where:

- $Dose_{sed}$  = amount of chemical ingested per day from sediment [milligrams per kilogram body weight per day (mg/kg bw-day)];
- SI = sediment ingestion rate [kilograms per kilogram body weight per day (kg/kg bw-d) on a dry weight basis]; and
- $C_{sed}$  = chemical concentration in surface sediment (mg/kg dry weight).

Percent sediment ingestion values taken from the scientific literature for the terrestrial wildlife species of concern were multiplied by the food ingestion rates (FIs) for these species to estimate sediment ingestion rates. A summary of the percent sediment ingestion rates and food ingestion rates taken from the scientific literature is presented in **Table 9-6**.

Exposures to surface water were calculated in a manner similar to those in sediment by multiplying the daily drinking water ingestion rate by the concentrations of chemicals in surface water. The following equation was used to calculate the upper bound dose of chemical that terrestrial wildlife could obtain from the ingestion of surface water:

$$\text{Dose}_{sw} = \text{WI} * C_{sw}$$

where:

$\text{Dose}_{sw}$  = amount of chemical ingested per day from surface water (mg/kg bw-day)  
 $\text{WI}$  = surface water ingestion rate (liters per kilogram body weight per day)  
 $C_{sw}$  = maximum chemical concentration in surface water ( $\mu\text{g/L}$ ).

### 9.2.2.3 Ingestion of Chemicals from Food

The following equation was used to calculate the dose of chemicals that a terrestrial wildlife species could obtain from the ingestion of food ( $\text{Dose}_{\text{food/prey}}$ , mg/kg bw-day):

$$\text{Dose}_{prey} = \text{FI} * C_{org}$$

where:

$\text{FI}$  = food ingestion rate (kg/kg bw-d on a wet weight basis)  
 $C_{org}$  = estimated maximum concentration of chemical in food/prey (mg/kg wet weight).

A summary of the FIs used in the Baseline ERA for each of the wildlife species selected for evaluation is presented in **Table 9-6**. As discussed above, separate scenarios were run to model ingestion of lower trophic level benthos (e.g., clams and worms), higher trophic level benthos (crabs), and higher trophic level fish.

### 9.2.2.4 Total Chemical Ingestion

The total dietary exposure doses for piscivorous birds (heron) and piscivorous mammals (raccoon) ( $\text{Dose}_{\text{total}}$ , mg/kg bw-day) for the evaluated chemicals were determined using the following equation:

$$\text{Dose}_{total} = \text{Dose}_{prey} + \text{Dose}_{sed} + \text{Dose}_{water}$$

where:

$\text{Dose}_{prey}$  = amount of chemical ingested per day from prey (mg/kg bw-day)  
 $\text{Dose}_{sed}$  = amount of chemical ingested per day from sediment (mg/kg bw-day)  
 $\text{Dose}_{water}$  = amount of chemical ingested per day from water (mg/kg bw-day).

The total dietary intakes were compared to dietary toxicity values to determine if adverse effects are likely to occur to wildlife from the ingestion of chemicals in food, sediment, and surface water.



## 9.3 TOXICITY ASSESSMENT

### 9.3.1 Aquatic and Benthic Organisms

To assess the potential impact on aquatic and benthic organisms from exposures to chemicals in sediment and surface water, benchmarks have been compiled from guidance and the scientific literature. Therefore, these benchmarks are considered protective comparison values for aquatic and benthic organisms and are referred to as TRVs. Two types of TRVs were considered. The first group, referred to as threshold effects levels (TELs), are benchmarks that represent concentrations corresponding to either no toxicological effect or a very low toxicological effect of chemicals on aquatic and benthic organisms. As discussed further below, these TEL TRVs are considered precautionary. The second type, referred to as probable effects levels (PELs), are values above which effects are probable. These benchmarks are considered a strong indicator that there is risk.

TRVs for comparison against sediment concentrations were derived from a number of sources. TELs and PELs for coastal sediments derived by MacDonald et al. (1996 and 2000), and reported in Buchman (2008), were employed as TRVs. Effects Range–Low (ER-L) and Effects Range–Medium (ER-M) values reported in Long et al. (1995) and Long and Morgan (1991) were used in the absence of TELs and PELs. In the absence of these TRVs, the lowest value was chosen from sediment quality benchmark values in Jones et al. (1997), ecotoxicological threshold values from USEPA (1996), and Washington State sediment quality standards from Jones et al. (1997). If TRVs were not available from these sources, sources were sought from scientific literature and other guidance (Persaud et al. 1993, DiToro et al. 2000). TRVs for sediment are presented in **Table 9-9**. Threshold level TRVs were unavailable for cyanide and two metals, and PEL TRVs were unavailable for cyanide, five metals, and volatiles; uncertainty associated with the lack of TRVs is discussed in Section 9.6.

For comparisons involving surface water, NRWQCs developed by USEPA (2009) for the protection of aquatic life were used as TRVs. These values were developed to be protective of a broad range of taxa, feeding habits, and life stages of aquatic receptors. When a chronic or acute NRWQC was not available for a particular constituent, the Tier II chronic value from Suter and Tsao (1996) was used as the TRV. These values are also highly conservative. TRVs for surface water are presented in **Table 9-10**. It is important to note that benchmarks for metals are usually established for dissolved concentrations, rather than total concentrations in water; only total surface water concentrations were available for the risk assessment.

It is also important to note that TRVs derived from these sources are highly precautionary. They are typically developed to be protective of highly sensitive organisms, and are often based on studies using highly bioavailable or toxic forms of chemicals in laboratory bioaccumulation tests. As such, these TRVs are not necessarily reflective of conditions specific to the Phase I area, and may overestimate risks. Chemical conditions in sediment may decrease the toxicity of metals

through formation of sulfides and insoluble chemical compounds. The precautionary nature of benchmarks is a source of uncertainty discussed further in Section 9.6.

### 9.3.2 Wildlife

Potential impacts on wildlife were evaluated using dose-based toxicological benchmarks. **Tables 9-7** and **9-8** show the dose based TRVs for birds and mammals, respectively. First, modeled doses were compared to dose-based no-observed-adverse-effect levels (NOAELs). NOAELs are doses that have been shown to cause no adverse impacts in test species. Because NOAELs are precautionary and highly protective, they are used as TRVs in this ERA. The NOAELs used in this ERA were derived, in descending order of preference, from studies by USEPA (USEPA 2003 a-b, 2005 b-f, 2006, 2007 a-g) and by Oak Ridge National Laboratory (Sample et al. 1996). The Oak Ridge National Laboratory NOAELs were generally derived based upon measurements of survival, growth, or reproduction in the laboratory. The derived NOAEL values from USEPA Ecological Soil Screening Levels (EcoSSLs) are either equal to the greatest NOAEL, less than the lowest LOAEL from multiple toxicological studies, or are equal to the geometric mean of the NOAELs based upon growth and reproduction endpoints. While the EcoSSLs were developed for soil exposures, the models used to develop these benchmarks include ingestion rates, dose-based toxicity values, and other useful information for use in assessing exposures of the receptors to sediment dwelling organisms (benthos and crabs) in the study.

The second set of benchmarks utilized were lowest-observed-adverse-effect levels (LOAELs). These are doses at which a very low level of adverse effect is observed on individual test organisms. The severity of effects considered “low level” varies based on the study from which LOAELs are derived; in general, they correspond to minor changes in growth or reproduction. LOAELs are useful because there is considerable uncertainty associated with NOAELs. Because NOAELs are associated with no effects in a test study, it is uncertain whether they are close to or far below the threshold value at which effects would first be observed. LOAELs thus serve to bound the range of NOAELs, and the threshold of toxic effects is considered to lie between the NOAEL and the LOAEL. Therefore, LOAELs are also utilized as TRVs. It is often standard practice to focus on NOAEL exceedances in the risk assessment, which is more precautionary, and focus on LOAEL exceedances in risk management and risk reduction. In this risk assessment, exceedance of a NOAEL was considered an indicator of risk, and exceedance of a LOAEL was considered an indicator that the constituent in exceedance is a primary risk driver.

Where available, the LOAEL corresponding to the selected NOAEL from USEPA EcoSSL sources was utilized. In the cases where the selected NOAEL was based upon a geometric mean, the geometric means of the LOAELs based on growth and reproduction endpoints was utilized. LOAELs for several chemicals are available from studies by Oak Ridge National Laboratory (Sample et al. 1996).

In some cases, TRVs were not available for specific organic chemicals, but TRVs were available for compounds with similar structures and expected biological activity. In these cases, one chemical was used to provide a surrogate for the other. This is a standard risk assessment practice with a sound technical basis in toxicology; however, use of surrogates does introduce uncertainty as discussed in Section 9.6. Specific surrogates are indicated in **Tables 9-7 and 9-8**.

## **9.4 ASSESSMENT OF RISKS FOR THE NORTHEAST/NEAR-SHORE GROUPING**

Ecological receptors potentially present in the Phase I area include aquatic and benthic organisms and wildlife (birds, mammals, etc.). Selection of representative receptor species was based primarily on several factors: (1) the likelihood of a species to use the Phase I area and the immediately surrounding area, (2) the potential for exposure to site-related contaminants based on the feeding habits and life history of the organisms/guild represented by the receptor species, (3) the availability of life history and exposure information for the selected receptor species, and (4) the availability of toxicity information for the representative receptor species. Based on these factors, aquatic and benthic organisms, great blue heron, and raccoon were chosen as the representative receptor species for the Phase I area. The primary use anticipated for the risk assessment results for this grouping is evaluation of whether current impacts are associated with unacceptable risk in this area.

### **9.4.1 Assessment of Risks to Aquatic and Benthic Organisms**

The CSM for the Phase I area in **Figure 6-1** identifies the viability of aquatic and benthic organism communities as an assessment endpoint for protection. Because most toxicological data for benthic and aquatic organisms are based on a broad range of species, specific representative receptors were not selected. Instead the overall aquatic and benthic communities were identified as representative receptors.

Measurement endpoints evaluated for aquatic and benthic organisms include the following:

- Comparison of screening level and reasonable maximum EPCs in sediment to toxicological benchmarks
- Comparison of non-storm conditions and storm event conditions exposure EPCs in surface water to toxicological benchmarks
- Evaluation of bioavailability for the Phase I area.

Exposure and toxicity assessments are presented in Sections 9.2 and 9.3 to support evaluation of these measurement endpoints.

#### 9.4.1.1 Measurement Endpoint: Comparisons to Sediment EPCs

The first measurement endpoint evaluated is comparison of sediment EPCs to TEL and PEL TRVs protective of benthic organisms. EPCs are divided by TRVs to produce a hazard quotient (HQ). If the HQ is greater than 1 (rounded to one significant digit), the EPC is greater than the TRV, and there is a potential for risks. If the HQ is less than or equal to 1, the EPC does not exceed the TRV, and there is no expected potential for risks. Comparisons and HQs for sediment are presented in **Table 9-11**.

##### 9.4.1.1.1 Screening Level Exposure Scenario: Long Term Maximum Concentrations

When screening level exposure scenario EPCs are compared to sediment TEL TRVs for benthic organisms, nine metals, total HMW and LMW PAHs, total PAHs, and bis(2-ethylhexyl)phthalate, exceed TEL TRVs and produce HQs greater than 1. Each constituent for which the screening level scenario HQ is greater than or equal to 1 is listed below with the HQ in parentheses. Chemicals with doses also exceeding PELs are bolded with an asterisk:

- Cadmium (7.06)
- **Chromium (14.3)\***
- Copper (8.56)
- Cyanide (total) (1.60)
- Lead (3.64)
- Mercury (3.23)
- Nickel (2.89)
- Silver (2.33)
- **Zinc (12.5)\***
- Total HMW PAH (ND = RL) (4.69)
- Total LMW PAH (ND = RL) (5.42)
- Total PAHs (ND = RL) (2.83)
- Bis(2-ethylhexyl)phthalate (8.79)

The fact that maximum concentrations of these chemicals exceed TEL TRVs indicates that there is a potential for risks to benthic organisms. Exceedance of PEL TRVs in addition to TELs represents a more certain potential for risk. Comparison of the screening level EPC to TRVs is precautionary, and results should be evaluated in light of the additional measurement endpoints listed below.

##### 9.4.1.1.2 Reasonable Maximum Exposure Scenario: Long Term Reasonable Maximum EPCs

Because some benthic organisms are mobile, and because the screening level EPC may represent exposures for only a small portion of the benthic organism community as a whole, reasonable maximum exposure scenarios are evaluated using reasonable maximum exposure scenario EPCs. When reasonable maximum exposure scenario EPCs are compared to TRVs for benthic organisms, eight metals, total HMW and LMW PAHs, total PAHs, and bis(2-ethylhexyl)phthalate exceed TEL TRVs and produce HQs greater than 1 (**Table 9-11**). Each constituent for which the reasonable maximum exposure scenario HQ are greater than or equal to 1 is listed below with the HQ in parentheses.

Chemicals with doses also exceeding PELs are bolded with an asterisk:

- Cadmium (7.06)
- Copper (5.01)
- **Chromium (14.3)\***
- Lead (2.45)
- Mercury (3.23)
- Nickel (2.38)
- Silver (2.33)
- **Zinc (8.34)\***
- Total HMW PAH (ND = RL) (4.69)
- Total LMW PAH (ND = RL) (4.24)
- Total PAHs (ND = RL) (2.83)
- Bis(2-ethyhexyl)phthalate (2.99)

Cyanide is the only constituent with concentrations that exceed TRVs under screening level exposure scenarios that do not exceed under reasonable maximum exposure scenario. The fact that reasonable maximum exposure scenario concentrations of the above chemicals exceed TRVs indicates that elevated concentrations of these chemicals produce a potential for risks to benthic organisms.

#### 9.4.1.2 Measurement Endpoint: Comparisons to Surface Water TRVs

The primary exposure medium for many free swimming aquatic organisms is surface water. Therefore, comparison of modeled surface water EPCs to chronic and acute TRVs protective of aquatic organisms is evaluated as a measurement endpoint. EPCs are divided by TRVs to produce an HQ. If the HQ is greater than 1 (rounded to one significant digit), the EPC is greater than the TRV, and there is a potential for risks. If the HQ is less than or equal to 1, the EPC does not exceed the TRV, and there is no expected potential for risks. Comparisons and HQs for surface water are presented in **Table 9-12**.

##### 9.4.1.2.1 Screening Level and Reasonable Maximum Exposure Scenarios – Non-Storm Conditions

When screening level exposure scenario surface water EPCs from the modeled non-storm condition are compared to surface water TRVs for aquatic organisms, only one constituent (cyanide, total) produced an HQ greater than 1 (2.52) when compared both chronic and acute TRVs. For the reasonable maximum exposure scenario, no constituents exceed TRVs.

The fact that the screening level concentration of total cyanide exceeds both chronic and acute surface water TRVs indicates a potential risk to aquatic organisms. It is worth noting that in the case of cyanide, the chronic and acute surface water TRVs are both 1 µg/L. Comparison of the modeled screening level EPC to TRVs is precautionary, and results should be evaluated in light of the additional measurement endpoints listed below.

##### 9.4.1.2.2 Screening Level Exposure Scenario: Storm Event Conditions

When storm events occur in the NNS area, EPCs for COPCs in surface water based on the modeled 1-year design storm scenario (Chapter 7) apply. This scenario represents a periodic

acute exposure scenario reflecting likely surface water maximum concentrations during moderate storm events only.

When screening level exposure scenario EPCs for storm conditions are compared to surface water TRVs for aquatic organisms (**Table 9-12**), only one constituent (cyanide, total) produced an HQ greater than 1 (23.7) when compared to both chronic and acute TRVs.

The fact that the maximum concentration of total cyanide exceeds both chronic and acute surface water TRVs indicates that the concentration may be occasionally elevated in surface water and produce a potential for risk to aquatic organisms. Comparison of the modeled screening level EPC to TRVs is precautionary, and results should be evaluated in light of the additional measurement endpoints listed below.

#### **9.4.1.3 Measurement Endpoint: Evaluation of Bioavailability**

Evaluation of bioavailability information for the offshore area is included as a measurement endpoint because, as discussed in Section 9.3, TRVs may overestimate risks because they do not incorporate consideration of site-specific bioavailability. This is especially true of metals in anaerobic sediments where chemically reducing conditions favor the binding of metals in sulfide compounds, which are relatively non-bioavailable and non-toxic. It is also true for organic compounds that may bind to organic carbon or fine-grained sediments. Several sources of data are available to evaluate site-specific bioavailability.

##### **9.4.1.3.1 Simultaneously Extracted Metals/Acid Volatile Sulfides**

One measure of the potential for metals to bind in sediments and become less bioavailable is the ratio of SEM to AVS. In reduced, anoxic systems, many metals bind to sulfides and become non-bioavailable. As a general guideline, SEM/AVS ratios of less than 1.0 are an indicator that metals are bound and unlikely to be bioavailable to organisms (USEPA 2005a). The SEM/AVS ratio in the sediment samples from the NNS grouping ranged from 0.28 to 38 (**Table 5-7**). Ratios less than 1 were reported in the A, B, C, and F transects, providing an indication that metals are likely to be bound in sulfide compounds that reduce their bioavailability and toxicity in these areas. However, the SEM/AVS ratios at locations D02 (38), DE01 (19), and E01 (9.7), adjacent to the former location of the Rod & Wire Mill, suggest that metals in this area may be bioavailable. The non-detectable AVS, which prevented calculation of ratios for locations A01, B01, C01, D01, and E02, also suggests that metals may be bioavailable in these near-shore locations, where metals concentrations are relatively low. Overall, ratios less than 1 were reported in nearly half of the sampling locations in the NNS grouping, including locations with high metals concentrations; therefore, bioavailability is expected to be overestimated.



#### **9.4.1.3.2 Site-Specific Uptake Evaluation and Field-Collected Fish and Crab Tissue**

As part of the Coke Point Risk Assessment (EA 2011b), sediment from the Coke Point Offshore Area was used in 28-day laboratory bioaccumulation tests in which clams and worms were exposed to sediment in a controlled laboratory environment. At the end of the exposure period, tissues were analyzed for lipids, metals, PAHs, and PCBs. The resulting concentration data were analyzed statistically to provide descriptive statistics and perform comparison between pre-test and post-test tissue concentrations. The statistical results indicated that most metals, PAHs, and PCB congeners were bioavailable in sediments from the Coke Point Offshore Area, as evidenced by uptake into clam and worm tissues compared to pre-test tissues. Concentrations of metals in tissue were typically less than 1 percent of sediment concentrations on a wet weight tissue to dry weight sediment basis. A few metals had higher percentages between 1 and 6 percent. Percentages for PAHs and PCBs were higher, with several PAHs and PCBs found at wet weight concentrations in tissue of 10 to 35 percent of the concentration in sediment. Due to the proximity of Coke Point to the Phase I area, it is expected that metals, PAHs, and PCBs are likely to be bioavailable in the Phase I area as well.

Also as part of the Coke Point Risk Assessment, white perch (*Morone americana*) and blue crabs (*Callinectes sapidus*) were collected from the Coke Point Offshore Area. Specimens were collected and processed to create composites consisting of tissue from several individual organisms. Separate analyses of lipids, metals, PAHs, and PCBs were performed on whole body fish tissue, fish filets, crab meat, and crab digestive gland (mustard). Concentration data were analyzed statistically to provide descriptive statistics, and create crab and fish EPCs for use in the risk assessment. Results showed that metals, PAHs, and PCBs were present in whole body fish and crab tissues. Based on the proximity of Coke Point to the Phase I area and the typical range of fish and crabs, these results are considered applicable to the Phase I area.

#### **9.4.1.4 Risk Characterization for Aquatic and Benthic Organisms in the Northeast/Near-Shore Grouping**

The risk characterization of aquatic and benthic organisms draws from three measurement endpoints to obtain conclusions regarding the potential for risks. The results for each measurement endpoint are discussed and weighed as evidence to determine whether chemicals in the Phase I area are expected to pose potential risk to aquatic and benthic organisms.

The first measurement endpoint is a comparison of sediment EPCs to TEL and PEL TRVs protective of benthic organisms. TEL benchmarks are most precautionary, while PEL benchmarks provide a more definite indicator of risks. Screening level exposure scenario concentrations of nine metals (cadmium, chromium, copper, cyanide, lead, mercury, nickel, silver, and zinc), total HMW and LMW PAHs, total PAHs, and bis(2-ethylhexyl)phthalate exceed TELs. Concentrations of chromium and zinc also exceed PELs. Reasonable maximum exposure scenario concentrations of eight metals (cadmium, chromium, copper, lead, mercury,

nickel, silver, and zinc), total HMW and LMW PAHs, total PAHs, and bis(2-ethylhexyl)phthalate exceed TELs. Concentrations of chromium and zinc also exceed PELs.

The second measurement endpoint is a comparison of modeled surface water EPCs to chronic and acute TRVs protective of aquatic organisms. Chronic benchmarks are most precautionary, while acute benchmarks provide a more definite indicator of risks. Screening level and reasonable maximum exposure scenario concentrations are evaluated for non-storm conditions. Concentrations of cyanide exceed both chronic and acute TRVs in the screening level exposure scenario but not in the reasonable maximum exposure scenario. Periodic acute exposure scenario concentrations represent a periodic acute exposure scenario reflecting likely surface water maximum concentrations during storm events only. Periodic acute concentrations of cyanide exceed both chronic and acute TRVs under this scenario.

The third measurement endpoint is consideration of chemical bioavailability. Reasonable maximum exposure scenario doses of chromium and zinc exceed PEL benchmarks. SEM/AVS data for nearly half of the NNS grouping locations indicate that not all of the metal present in sediment is available for uptake through direct exposure; this indicates that risks from direct exposure to sediment may be over-estimated. Also, concentrations of metals in tissue were typically less than 1 percent of sediment concentrations on a wet weight tissue to dry weight sediment basis, further indicating that bioavailability may be overestimated.

Taken together, the lines of evidence presented above indicate that two metals (chromium and zinc) had concentrations exceeding sediment PEL benchmarks and pose a risk to benthic organisms. The screening level exposure scenario concentration of cyanide and the cyanide concentration during storm event conditions pose a potential risk to aquatic organisms but the reasonable maximum exposure scenario does not pose risk to aquatic organisms.

The finding of the ERA is that aquatic and benthic organisms are potentially at risk from chromium and zinc from sediment in the NNS grouping and cyanide from surface water only during storm events in the NNS grouping. Based on maximum case exposures, which are precautionary, and TELs, which are conservative, initial screening identified cadmium, chromium, copper, cyanide, lead, mercury, nickel, silver, zinc, total HMW and LMW PAHs, total PAHs, and bis(2-ethylhexyl)phthalate as a potential concern in sediment. When a more reasonable estimate of exposures based on the 95%UCLM is considered with less conservative PELs, which are a better indicator of the potential for actual impacts, chromium and zinc exceed. While sediment metals and PAHs appear to be somewhat bioavailable based on uptake and tissue studies, the SEM/AVS data indicate that metal bioavailability may be over-estimated. Conclusions are synthesized and used as the basis for recommendations in Chapter 11. There are a number of uncertainties associated with the risk assessment that are discussed in Section 9.6.

## 9.4.2 Assessment of Risks to Wildlife

The CSM for the Phase I area in Chapter 6 identifies the viability of wildlife, including birds and mammals, as an assessment endpoint for evaluation. Great blue heron and raccoon are selected as specific representative receptor species.

Because wildlife may be exposed to multiple media via the food chain, measurement endpoints for wildlife are based on food web modeling to estimate ingested doses (**Table 9-6**).

Measurement endpoints evaluated for wildlife in the NNS grouping include:

- Comparison of modeled food web doses to NOAEL and LOAEL TRVs for birds and mammals using a precautionary screening level exposure scenarios with tissue concentrations based on BAFs
- Comparison of modeled food web doses to NOAEL and LOAEL TRVs for birds and mammals using a precautionary screening level exposure scenarios with tissue concentrations based on field-collected crab and fish tissue
- Comparison of modeled food web doses to NOAEL and LOAEL TRVs for birds and mammals using a reasonable maximum exposure scenario with tissue concentrations based on BAFs
- Comparison of modeled food web doses to NOAEL and LOAEL TRVs for birds and mammals using a reasonable maximum exposure scenario with tissue concentrations based on field-collected crab and fish tissue
- Qualitative evaluation of chemical bioavailability in sediment.

Exposure and toxicity assessments are presented below to support evaluation of these measurement endpoints.

### 9.4.2.1 Measurement Endpoint: Comparison of Screening Level Exposure Scenario Modeled Doses to TRVs with Tissue Concentrations Based on BAFs

The first measurement endpoint evaluated is a comparison of modeled doses based on screening level EPCs to NOAEL- and LOAEL-based TRVs protective of birds and mammals. Use of screening level EPCs is highly precautionary and represents exposures that are limited to areas of highest concentrations offshore; this is a relatively unrealistic exposure scenario for wildlife such as heron and raccoon, which may have home ranges of several hundred acres or more. However, the measurement endpoint is evaluated as a precaution.

Doses are calculated based on direct ingestion of sediment, ingestion of surface water, and ingestion of aquatic organisms as food (**Appendix G**). Screening level exposure scenario doses

are presented side-by-side with both NOAEL and LOAEL TRVs in **Table 9-13** for birds and **Table 9-14** for mammals. These tables include one set of results assuming uptake from crab and one set of results assuming prey uptake from fish. Chemicals with doses exceeding their NOAEL-based HQs are listed below. Chemicals with doses also exceeding LOAELs are bolded with an asterisk.

#### **Chemicals with screening level scenario doses exceeding TRVs for Great Blue Heron**

##### Prey: Crabs

- None

##### Prey: Fish

- None

#### **Chemicals with screening level scenario doses exceeding TRVs for Raccoon**

##### Prey: Crabs

- Chromium (2.06)

##### Prey: Fish

- None

No doses exceed NOAEL-based TRVs for birds. When screening level exposure scenario doses are compared to benchmarks for mammals, one metal (chromium) exceeds NOAEL-based TRVs. No doses exceed LOAEL-based TRVs.

Results for this measurement endpoint indicate that chromium may cause a potential for risk to mammalian wildlife at locations where concentrations are highest. Given the highly precautionary nature of this measurement endpoint, it must be interpreted in light of results for other endpoints and given a relatively low weight of evidence.

#### **9.4.2.2 Measurement Endpoint: Comparison of Screening Level Exposure Scenario Modeled Doses to TRVs with Tissue Concentrations Based on Crab and Fish Tissue**

The second measurement endpoint evaluated is a comparison of modeled doses based on maximum EPCs derived from field-collected fish and crab tissue from the area around Sparrows Point to NOAEL- and LOAEL-based TRVs protective of birds and mammals. Use of EPCs derived from field-collected tissue presents a more realistic representation of bioaccumulation in higher trophic level game species at Sparrows Point because many aquatic organisms are mobile and may spend time feeding in other parts of Bear Creek, the Patapsco River, Baltimore Harbor, or the Chesapeake Bay.

Doses are calculated based on direct ingestion of sediment, ingestion of surface water, and ingestion of aquatic organisms as food (**Appendix G**). Screening level exposure scenario doses are presented side-by-side with both NOAEL and LOAEL TRVs in **Table 9-15** for birds and **Table 9-16** for mammals. These tables include one set of results assuming prey uptake of chemicals from crab and one set of results assuming prey uptake from fish. Chemicals with

doses exceeding their NOAEL-based HQs are listed below. Chemicals with doses also exceeding LOAELs are bolded with an asterisk.

#### **Chemicals with screening level scenario doses exceeding TRVs for Great Blue Heron**

Prey: Crabs

- None

Prey: Fish

- None

#### **Chemicals with screening level scenario doses exceeding TRVs for Raccoon**

Prey: Crabs

- None

Prey: Fish

- None

When screening level exposure scenario doses are compared to benchmarks, no constituents exceed NOAEL-based TRVs for heron or raccoon under either prey uptake scenarios.

#### **9.4.2.3 Measurement Endpoint: Comparison of Reasonable Maximum Exposure Scenario Modeled Doses to TRVs with Tissue Concentrations Based on BAFs**

The third measurement endpoint evaluated is a comparison of modeled doses based on reasonable maximum EPCs to NOAEL- and LOAEL-based TRVs protective of birds and mammals. Use of reasonable maximum EPCs is more realistic for wildlife and provides the most representative results for exposures experienced by wildlife populations.

Doses are calculated based on direct ingestion of sediment, ingestion of surface water, and ingestion of aquatic organisms as food (**Appendix G**). Reasonable maximum exposure scenario doses are presented side-by-side with both NOAEL and LOAEL TRVs in **Table 9-17** for birds and **Table 9-18** for mammals. These tables include one set of results assuming prey uptake of chemicals from crab and one set of results assuming prey uptake from fish. Chemicals with doses exceeding their NOAEL-based HQs are listed below. Chemicals with doses also exceeding LOAELs are bolded with an asterisk.

#### **Chemicals with reasonable maximum exposure scenario doses exceeding TRVs for Great Blue Heron**

Prey: Crabs

- None

Prey: Fish

- None

### **Chemicals with reasonable maximum exposure scenario doses exceeding TRVs for Raccoon**

#### Prey: Crabs

- Chromium (2.06)

#### Prey: Fish

- None

When reasonable maximum exposure scenario doses are compared to benchmarks, chromium exceeds NOAEL-based TRVs for raccoon under the crab uptake scenario. For heron, no doses exceed NOAEL-based TRVs. No chemicals had doses that exceed LOAEL-based TRVs for birds or mammals.

#### **9.4.2.4 Measurement Endpoint: Comparison of Reasonable Maximum Exposure Scenario Modeled Doses to TRVs with Tissue Concentrations Based on Crab and Fish Tissue**

The fourth measurement endpoint evaluated is a comparison of modeled doses based on reasonable maximum EPCs derived from field-collected fish and crab tissue from the area around Sparrows Point to NOAEL- and LOAEL-based TRVs protective of birds and mammals. Use of EPCs derived from field-collected tissue presents a more realistic representation of bioaccumulation in higher trophic level game species at Sparrows Point because many aquatic organisms are mobile and may spend time feeding in other parts of Bear Creek, the Patapsco River, Baltimore Harbor, or the Chesapeake Bay.

Doses are calculated based on direct ingestion of sediment, ingestion of surface water, and ingestion of aquatic organisms as food (**Appendix G**). Reasonable maximum exposure scenario doses are presented side-by-side with both NOAEL and LOAEL TRVs in **Table 9-19** for birds and **Table 9-20** for mammals. These tables include one set of results assuming prey uptake of chemicals from crab and one set of results assuming prey uptake from fish. Chemicals with doses exceeding their NOAEL-based HQs are listed below. Chemicals with doses also exceeding LOAELs are bolded with an asterisk.

### **Chemicals with reasonable maximum exposure scenario doses exceeding TRVs for Great Blue Heron**

#### Prey: Crabs

- None

#### Prey: Fish

- None

### **Chemicals with reasonable maximum exposure scenario doses exceeding TRVs for Raccoon**

#### Prey: Crabs

- None

#### Prey: Fish

- None



When reasonable maximum exposure scenario doses are compared to benchmarks, no constituents exceed NOAEL-based TRVs for raccoon or heron under either uptake scenario.

#### **9.4.2.5 Measurement Endpoint: Evaluation of Bioavailability**

Evaluation of bioavailability information for the offshore area is included as a measurement endpoint because, as discussed in Section 9.3, TRVs may overestimate risks because they do not incorporate consideration of site-specific bioavailability from sediment. As discussed above for aquatic and benthic organisms, there is evidence from SEM/AVS data that metals in sediment in Grouping NNS may be bound to sulfides that decrease their bioavailability and toxicity. This bears relevance for wildlife food web modeling, especially where a precautionary default factor of 1 is assumed for bioaccumulation of chemicals into prey item tissue. If metals are bound to sulfides in sediment, their potential to bioaccumulate would be limited. This measurement endpoint indicates that the potential for risks associated with these metals in sediment may be over-estimated.

While sediment metals and PAHs appear to be somewhat bioavailable based on uptake and tissue studies, the metal BAFs derived from the laboratory bioaccumulation studies of Coke Point sediments (EA 2011b) are lower, sometimes an order of magnitude, than commonly used reference BAFs (i.e., Bechtel Jacobs Company LLC 1998). Concentrations of metals in tissue were typically less than 1 percent of sediment concentrations on a wet weight tissue to dry weight sediment basis based on site-specific uptake. Additionally, the SEM/AVS data indicate that metal bioavailability may be over-estimated.

#### **9.4.2.6 Risk Characterization for Wildlife in the Northeast/Near-Shore Grouping**

The risk characterization for wildlife draws from five measurement endpoints (Section 9.4.2) to derive conclusions regarding the potential for risks. The results for each measurement endpoint are discussed and weighed as evidence to determine whether chemicals in the Phase I area are expected to pose potential risk to wildlife. Within these measurement endpoints, bioaccumulation to wildlife from consumption of two different types of prey – crabs and fish – were considered, as well as consumption of sediment and water.

The first measurement endpoint—benchmark comparisons using screening level exposure scenario doses and tissue concentrations based on BAFs—provides a precautionary initial estimate of risks under worst case exposures in which a receptor is constantly exposed to the highest concentrations detected in the grouping. Use of BAFs to estimate transfer from sediment and water into tissue provides a strong indicator of potential contributions to the food chain from environmental media within the NNS grouping. NOAEL benchmarks are most precautionary, while LOAEL benchmarks provide a more definite indicator of risks. Based on screening level exposure scenario doses (based on maximum detected sediment and water concentrations), one metal (chromium) exceeds NOAEL-based TRVs for mammals. No doses exceed LOAEL TRVs.

The second measurement endpoint—benchmark comparisons using screening level exposure scenario doses and tissue concentrations based on field-collected crab and fish tissue—provides precautionary initial estimate of risks under worst case exposures in which a receptor is constantly exposed to the highest concentrations detected in the NNS grouping. Use of actual tissue concentrations from specimens in the vicinity of the Site provides an indication of whether contributions from the area translate into increased exposures across wild populations. NOAEL benchmarks are most precautionary, while LOAEL benchmarks provide a more definite indicator of risks. Screening level exposure scenario doses did not exceed bird or mammal TRVs.

The third and fourth measurement endpoints—benchmark comparisons using reasonable maximum exposure scenario doses with tissue concentrations based on BAFs and benchmark comparisons using reasonable maximum exposure scenario doses with tissue concentrations based on field-collected crab and fish tissue—provide a more realistic indicator of risks to wildlife because they characterize exposures throughout the NNS grouping rather than worst case exposures. The reasonable maximum exposure scenario dose for chromium based on BAF uptake into crab was the only dose to exceed mammal NOAEL-based TRVs. No doses exceeded LOAEL-based TRVs.

The fifth measurement endpoint is consideration of chemical bioavailability. As described in Section 9.4.1.3.2, laboratory bioaccumulation tests provide evidence that chemicals in sediment are bioavailable and may be taken up into prey tissue. BAFs and tissue data provide site-specific estimates of bioaccumulation that were used in exposure models. However, concentrations of metals in tissue were typically less than 1 percent of sediment concentrations on a wet weight tissue to dry weight sediment basis. SEM/AVS data indicate that not all of the metal present in sediment is available for uptake and direct exposure; this indicates that risks from direct exposure to sediment may be over-estimated.

Taken together, these lines of evidence indicate that chemicals in the NNS grouping area are not present in concentrations that pose a risk to wildlife. Chromium had screening level scenario doses that exceeded NOAELs; however, chromium is not considered a contaminant of concern (COC) because it demonstrates reasonable maximum scenario doses that are below LOAELs.

The finding of the ERA is that wildlife that consume aquatic and benthic organisms are not at risk from sediment in the NNS grouping. Conclusions are synthesized and used as the basis for recommendations in Chapter 11. There are a number of uncertainties associated with the risk assessment that are discussed in Section 9.6.

## **9.5 ASSESSMENT OF RISKS FOR THE SOUTHWEST/TIN MILL CANAL EFFLUENT GROUPING**

Ecological receptors potentially present at the SWTM area of the Phase I area include aquatic and benthic organisms and wildlife (birds, mammals, etc.). Selection of representative receptor species was based primarily on factors described in Section 9.4. Based on these factors, aquatic

and benthic organisms, great blue heron, and raccoon were chosen as the representative receptor species for the Phase I area. As discussed in Section 9.2.1, a qualitative discussion of oil and grease toxicity is included for each receptor in the SWTM grouping.

### 9.5.1 Assessment of Risks to Aquatic and Benthic Organisms

The CSM for the Phase I area in **Figure 6-1** identifies the viability of aquatic and benthic organism communities as an assessment endpoint for protection. Because most toxicological data for benthic and aquatic organisms are based on a broad range of species, specific representative receptors were not selected. Instead the overall aquatic and benthic communities are identified as representative receptors.

Measurement endpoints evaluated for aquatic and benthic organisms include:

- Comparison of screening level and reasonable maximum EPCs in sediment to toxicological benchmarks
- Comparison of screening level exposure EPCs in surface water to toxicological benchmarks
- Evaluation of bioavailability for the Phase I area.

Exposure and toxicity assessments are presented in Sections 9.2 and 9.3 to support evaluation of these measurement endpoints.

#### 9.5.1.1 Measurement Endpoint: Comparisons to Sediment EPCs

The first measurement endpoint evaluated is comparison of sediment EPCs to TEL and PEL TRVs protective of benthic organisms. EPCs are divided by TRVs to produce an HQ. If the HQ is greater than 1 (rounded to one significant digit), the EPC is greater than the TRV, and there is a potential for risks. If the HQ is less than or equal to 1, the EPC does not exceed the TRV, and there is no expected potential for risks. Comparisons and HQs for sediment are presented in **Table 9-21**.

##### 9.5.1.1.1 Screening Level Exposure Scenario

When screening level exposure scenario EPCs are compared to sediment TEL TRVs for benthic organisms, 12 metals, total HMW and LMW PAHs, total PAHs, bis(2-ethylhexyl)phthalate, total PCBs, and chlorobenzene exceed TEL TRVs and produce HQs greater than 1. Each constituent for which the screening level exposure scenario HQ is greater than or equal to 1 is listed below with the HQ in parentheses. Chemicals with doses also exceeding PELs are bolded with an asterisk:

- Antimony (5.0)
- **Arsenic (16.6)\***
- **Cadmium (162)\***
- **Chromium (88)\***
- **Copper (29.4)\***
- **Cyanide (total) (35)\***
- **Lead (36.4)\***
- **Mercury (12.3)\***
- **Nickel (13.2)\***
- Selenium (24.3)
- **Silver (11.1)\***
- **Zinc (137)\***
- **Total HMW PAH (ND = RL) (59.8)\***
- **Total LMW PAH (ND = RL) (145)\***
- **Total PAHs (ND = RL) (48.5)\***
- **Total PCBs (ND = RL) (232)\***
- **Bis(2-ethylhexyl)phthalate (280)\***
- Chlorobenzene (8.33)

The fact that maximum concentrations of these chemicals exceed TEL TRVs indicates that there is a potential for risks to benthic organisms. Exceedance of PEL TRVs in addition to TELs represents a more certain potential for risk. Comparison of the screening level EPC to TRVs is precautionary, and results should be evaluated in light of the additional measurement endpoints listed below.

#### 9.5.1.1.2 Reasonable Maximum Exposure Scenario: Long Term Reasonable Maximum EPCs

Because some benthic organisms are mobile, and because the screening level EPC may represent exposures for only a small portion of the benthic organism community as a whole, reasonable maximum exposure scenarios are evaluated using reasonable maximum exposure scenario EPCs. When reasonable maximum exposure scenario EPCs are compared to TRVs for benthic organisms, 12 metals, total HMW and LMW PAHs, total PAHs, bis(2-ethylhexyl)phthalate, and total PCBs exceed TEL TRVs and produce HQs greater than 1 (**Table 9-21**). Each constituent for which the screening level exposure scenario HQ are greater than or equal to 1 is listed below with the HQ in parentheses.

Chemicals with doses also exceeding PELs are bolded with an asterisk:

- Antimony (2.82)
- Arsenic (6.62)
- **Cadmium (44.7)\***
- **Chromium (46.5)\***
- **Copper (17.2)\***
- Cyanide (total) (17.1)
- **Lead (15.4)\***
- Mercury (6.36)
- **Nickel (6.99)\***
- Selenium (12.6)
- **Silver (5.3)\***
- **Zinc (53.8)\***
- **Total HMW PAH (ND = RL) (32.2)\***
- **Total LMW PAH (ND = RL) (59.7)\***
- **Total PAHs (ND = RL) (23.3)\***
- **Total PCBs (ND = RL) (59.0)\***
- **Bis(2-ethylhexyl)phthalate (103)\***

The fact that reasonable maximum exposure scenario concentrations of the above chemicals exceed TRVs indicates that elevated concentrations of these chemicals produce a potential for risks to benthic organisms.

#### **9.5.1.1.3 Qualitative Evaluation of Oil and Grease**

Oil and grease were observed in Sparrows Point sediments in the SWTM grouping. Oil and grease are suspected to have been deposited from discharges from Tin Mill Canal. Concentrations of hexane extractable oil and grease in sediment range up to 110,000 mg/kg or 11 percent, and field observations indicate oily, grease sediment and sheens as part of sediment lithology. While the exact composition of this material is uncertain, it is expected to consist largely of palm oil which was frequently used in steelmaking as part of rolling steel. It is also possible the material could be a mix of palm oil and petroleum-based oils.

Oil and grease can impact aquatic organisms in two general ways. The first is as a source of chemical toxicity. Natural oils (e.g., palm oil) are typically considered to have low toxicity (USEPA 1976). Petroleum-based oils can contain PAHs and metals, and other industrial oils (hydraulic fluid) may contain PCBs. These man-made oils may produce toxic effects on organisms; this has already been evaluated quantitatively using concentrations of these chemicals and toxicity-based comparison criteria in the sections above.

The second way in which oil and grease can impact aquatic and benthic organisms is through physical impacts. These are often difficult to quantify but can have substantive effects on the ability of invertebrates and fish to utilize and survive in benthic habitats. Both natural and artificial oils can produce the following major physical effects on aquatic and benthic organisms:

- Coating the gills of fish and invertebrates, which inhibits respiration (USEPA 1976)
- Increasing biological oxygen demand which can lead to fish kills due to low oxygen in the water column (USEPA 1976)
- Interferences with organism mobility and foraging by fouling and adhesion.

Based on these factors there is a potential for sediments which contain oil and grease to cause impacts to aquatic and benthic organisms.

#### **9.5.1.2 Measurement Endpoint: Comparisons to Surface Water TRVs**

The primary exposure medium for many free-swimming aquatic organisms is surface water. Therefore, comparison of modeled surface water EPCs to chronic and acute TRVs protective of aquatic organisms is evaluated as a measurement endpoint. EPCs are divided by TRVs to produce an HQ. If the HQ is greater than 1 (rounded to 1 significant digit), the EPC is greater than the TRV, and there is a potential for risks. If the HQ is less than or equal to 1, the EPC does

not exceed the TRV, and there is no expected potential for risks. Comparisons and HQs for surface water are presented in **Table 9-22**.

#### **9.5.1.2.1 Non-Storm Conditions**

When screening level exposure scenario EPCs are compared to surface water TRVs for aquatic organisms, only one constituent produced an HQ greater than 1 when compared to acute TRVs. Cyanide (total) had a screening level exposure scenario HQ of 3.87 for chronic and acute TRVs, as they are both equal to 1 µg/L. When compared to chronic TRVs, cyanide had a reasonable maximum exposure scenario HQ equal to 1.

The fact that screening level exposure concentrations of total cyanide exceed both chronic and acute surface water TRVs indicates that the concentration may be occasionally elevated in surface water and produce a potential for risk to aquatic organisms. As the reasonable maximum exposure scenario is equal to the TRVs, surface water will generally not pose risk to aquatic organisms. Comparison of the modeled screening level EPC to TRVs is precautionary, and results should be evaluated in light of the additional measurement endpoints listed below.

#### **9.5.1.2.2 Screening Level Exposure Scenario: Storm Event Conditions**

When storm events occur in the SWTM area, EPCs for COPCs in surface water based on the modeled 1-year design storm scenario (Chapter 7) apply. This scenario represents a periodic acute exposure scenario reflecting likely surface water maximum concentrations during moderate storm events only.

When screening level exposure scenario EPCs for storm conditions are compared to surface water TRVs for aquatic organisms (**Table 9-22**), only one constituent (cyanide, total) produced an HQ greater than 1 (6.5) when compared to both chronic and acute TRVs.

The fact that the maximum concentration of total cyanide exceeds both chronic and acute surface water TRVs indicates that the concentration may be occasionally elevated in surface water and produce a potential for risk to aquatic organisms. Comparison of the modeled screening level EPC to TRVs is precautionary, and results should be evaluated in light of the additional measurement endpoints listed below.

#### **9.5.1.3 Measurement Endpoint: Evaluation of Bioavailability**

Evaluation of bioavailability information for the offshore area is included as a measurement endpoint because, as discussed in Section 9.3, TRVs may overestimate risks because they do not incorporate consideration of site-specific bioavailability. This is especially true of metals in anaerobic sediments where chemically reducing conditions favor the binding of metals in sulfide compounds which are relatively non-bioavailable and non-toxic. It is also true for organic



compounds that may bind to organic carbon or fine-grained sediments. Several sources of data are available to evaluate site-specific bioavailability.

#### **9.5.1.3.1 Simultaneously Extracted Metals/Acid Volatile Sulfides**

One measure of the potential for metals to bind in sediments and become less bioavailable is the ratio of SEM to AVS. In reduced, anoxic systems, many metals bind to sulfides and become non-bioavailable. As a general guideline, SEM/AVS ratios of less than 1.0 are an indicator that metals are bound and unlikely to be bioavailable to organisms (USEPA 2005a). The SEM/AVS ratio in the sediments samples from Grouping SWTM ranged from 0.038 to 21 (**Tables 5-7 and 5-13**). Ratios less than 1 were reported in the majority of locations in this grouping, providing an indication that metals are likely to be bound in sulfide compounds that reduce their bioavailability and toxicity in most of the SWTM. SEM/AVS ratios in excess of 1 were reported in samples from H transect locations H01 (grab sample), H02 (grab sample), and H03 (grab sample and surface interval of core), suggesting that metals in this area may be bioavailable. As ratios less than 1 were reported for most samples, bioavailability is expected to be overestimated.

#### **9.5.1.3.2 Site-Specific Uptake Evaluation and Field-Collected Fish and Crab Tissue**

As discussed for the NNS grouping, tissue data from studies of Coke Point indicate that metals, PAHs, and PCBs are likely to be bioavailable in the SWTM grouping as well. Concentrations of metals in tissue were typically less than 1 percent of sediment concentrations on a wet weight tissue to dry weight sediment basis. A few metals had higher percentages between 1 and 6 percent. Percentages for PAHs and PCBs were higher, with several PAHs and PCBs found at wet weight concentrations in tissue of 10 to 35 percent of the concentration in sediment.

Also as part of the Coke Point Risk Assessment, white perch and blue crabs were collected from the Coke Point Offshore Area. Specimens were collected and processed to create composites consisting of tissue from several individual organisms. Separate analyses of lipids, metals, PAHs, and PCBs were performed on whole body fish tissue, fish filets, crab meat, and crab digestive gland (mustard). Concentration data were analyzed statistically to provide descriptive statistics, and create crab and fish EPCs for use in the risk assessment. Results showed that metals, PAHs, and PCBs were present in whole body fish and crab tissues. Based on the proximity of Coke Point to the Phase I area and the typical range of fish and crabs, these results are considered applicable to the Phase I area.

#### **9.5.1.4 Risk Characterization for Aquatic and Benthic Organisms in the Southwest/Tin Mill Canal Effluent Grouping**

The risk characterization of aquatic and benthic organisms draws from three measurement endpoints (Section 9.5.1) to obtain conclusions regarding the potential for risks. The results for each measurement endpoint are discussed and weighed as evidence to determine whether

chemicals in the Phase I area are expected to pose potential risk to aquatic and benthic organisms.

The first measurement endpoint is a comparison of sediment EPCs to TEL and PEL TRVs protective of benthic organisms. TEL benchmarks are most precautionary, while PEL benchmarks provide a more definite indicator of risks. Screening level exposure scenario concentrations of 12 metals (antimony, arsenic, cadmium, chromium, copper, cyanide, lead, mercury, nickel, selenium, silver, and zinc), total HMW and LMW PAHs, total PAHs, total PCBs, bis(2-ethylhexyl)phthalate, and chlorobenzene exceed TELs. Concentrations of arsenic, cadmium, chromium, copper, cyanide, lead, mercury, nickel, silver, zinc, HMW and LMW PAHs, total PAHs, total PCBs, and bis(2-ethylhexyl)phthalate also exceed PELs. Reasonable maximum exposure scenario concentrations of 12 metals (antimony, arsenic, cadmium, chromium, copper, cyanide, lead, mercury, nickel, selenium, silver, and zinc), total HMW and LMW PAHs, total PAHs, total PCBs, and bis(2-ethylhexyl)phthalate exceed TELs. Concentrations of cadmium, chromium, copper, lead, nickel, silver, zinc, HMW and LMW PAHs, total PAHs, total PCBs, and bis(2-ethylhexyl)phthalate also exceed PELs.

Screening level and reasonable maximum exposure scenario concentrations are evaluated for non-storm conditions. Concentrations of cyanide exceed both chronic and acute TRVs in the screening level exposure scenario but not in the reasonable maximum exposure scenario. Periodic acute exposure scenario concentrations represent a periodic acute exposure scenario reflecting likely surface water maximum concentrations during storm events only. Periodic acute concentrations of cyanide exceed both chronic and acute TRVs under this scenario.

The third measurement endpoint is consideration of chemical bioavailability. Reasonable maximum exposure scenario doses of cadmium, chromium, copper, lead, nickel, silver, zinc, HMW and LMW PAHs, total PAHs, total PCBs, and bis(2-ethylhexyl)phthalate exceed PEL benchmarks. SEM/AVS data indicate that not all of the metal present in sediment is available for uptake and direct exposure in most of the SWTM; this indicates that risks from direct exposure to sediment may be over-estimated. Also, concentrations of metals in tissue were typically less than 1 percent of sediment concentrations on a wet weight tissue to dry weight sediment basis, indicating bioavailability may be overestimated.

Taken together, the lines of evidence presented above indicate that 9 metals (arsenic, cadmium, chromium, copper, lead, mercury, nickel, silver, and zinc), total HMW and LMW PAHs, total PAHs, total PCBs, and bis(2-ethylhexyl)phthalate had screening level exposure scenario concentrations exceeding sediment PEL benchmarks and potentially pose a risk to benthic organisms. The screening level exposure scenario concentration of cyanide and the cyanide concentration during storm event conditions pose a potential risk to aquatic organisms but the reasonable maximum exposure scenario does not pose risk to aquatic organisms.

In addition to risks from chemical toxicity, there is also the potential for risk from oil and grease, which may cause physical impacts associated with coating gills, increasing biological oxygen demand, and fouling organisms.

The findings of the ERA are that benthic organisms are potentially at risk from metals, PAHs, PCBs, and bis(2-ethylhexyl)phthalate in sediment and aquatic organisms are potentially at risk from cyanide during storm events in the SWTM grouping. Based on maximum case exposures, which are precautionary, and TELs, which are conservative, initial screening identified 12 metals (antimony, arsenic, cadmium, chromium, copper, cyanide, lead, mercury, nickel, selenium, silver, and zinc), total HMW and LMW PAHs, total PAHs, total PCBs, bis(2-ethylhexyl)phthalate, and chlorobenzene as a potential concern. When a more reasonable estimate of exposures based on the 95%UCLM is considered with less conservative PELs, which are a better indicator of the potential for actual impacts, 7 metals (cadmium, chromium, copper, lead, nickel, silver, and zinc), total HMW and LMW PAHs, total PAHs, total PCBs, and bis(2-ethylhexyl)phthalate exceed PELs. While sediment metals, PAHs, and PCBs appear to be somewhat bioavailable based on uptake and tissue studies, the SEM/AVS data indicate that metal bioavailability may be over-estimated. Benthic organisms are likely also at risk from oil and grease. Conclusions are synthesized and used as the basis for recommendations in Chapter 11. There are a number of uncertainties associated with the risk assessment that are discussed in Section 9.6.

### 9.5.2 Assessment of Risks to Wildlife

The CSM for the Phase I area in Chapter 6 identifies the viability of wildlife, including birds and mammals, as an assessment endpoint for evaluation. Great blue heron and raccoon are selected as specific representative receptor species.

Because wildlife may be exposed to multiple media via the food chain, measurement endpoints for wildlife are based on food web modeling to estimate ingested doses (**Table 9-6**).

Measurement endpoints evaluated for wildlife include:

- Comparison of modeled food web doses to NOAEL and LOAEL TRVs for birds and mammals using a precautionary screening level scenario with tissue concentrations based on BAFs
- Comparison of modeled food web doses to NOAEL and LOAEL TRVs for birds and mammals using a precautionary screening level scenario with tissue concentrations based on field-collected crab and fish tissue
- Comparison of modeled food web doses to NOAEL and LOAEL TRVs for birds and mammals using a reasonable maximum scenario with tissue concentrations based on BAFs

- Comparison of modeled food web doses to NOAEL and LOAEL TRVs for birds and mammals using a reasonable maximum scenario with tissue concentrations based on field-collected crab and fish tissue
- Qualitative evaluation of chemical bioavailability.

Exposure and toxicity assessments are presented below to support evaluation of these measurement endpoints.

#### **9.5.2.1 Measurement Endpoint: Comparison of Screening Level Exposure Scenario Modeled Doses to TRVs with Tissue Concentrations Based on BAFs**

The first measurement endpoint evaluated is a comparison of modeled doses based on screening level EPCs to NOAEL- and LOAEL-based TRVs protective of birds and mammals. Use of screening level EPCs is highly precautionary and represents exposures that are limited to areas highest concentrations offshore; this is a relatively unrealistic exposure scenario for wildlife such as heron and raccoon, which may have home ranges of several hundred acres or more. However, the measurement endpoint is evaluated as a precaution.

Doses are calculated based on direct ingestion of sediment, ingestion of surface water, and ingestion of aquatic organisms as food (**Appendix G**). Screening level exposure scenario doses are presented side-by-side with both NOAEL and LOAEL TRVs in **Table 9-23** for birds and **Table 9-24** for mammals. These tables include one set of results assuming uptake from crab and one set of results assuming prey uptake from fish. Chemicals with doses exceeding their NOAEL-based HQs are listed below. Chemicals with doses also exceeding LOAELs are bolded with an asterisk.

#### **Chemicals with screening level scenario level exposure doses exceeding for Great Blue Heron**

##### Prey: Crabs

- Chromium (3.01)
- **Total PCBs (ND=RL) (95.9)\***
- Bis(2-ethylhexyl)phthalate (8.39)

##### Prey: Fish

- Chromium (1.57)

### Chemicals with screening level scenario level exposure doses exceeding TRVs for Raccoon

#### Prey: Crabs

- Antimony (4.20)
- **Arsenic (4.64)\***
- **Beryllium (2.06)\***
- Chromium (12.6)
- **Selenium (4.64)\***
- Thallium (1.70)
- Zinc (4.52)
- Total HMW PAH (ND = RL)  
(5.07)
- **Total PAHs (ND=RL) (10.4)\***
- **Total PCBs (ND=RL) (6,520)\***
- Bis(2-ethylhexyl)phthalate  
(1.90)

#### Prey: Fish

- Chromium (6.57)
- Total PAHs  
(ND=RL) (2.20)
- Total PCBs  
(ND=RL) (4.72)

Doses exceeded TRVs more often for mammals than for birds. When screening level exposure scenario doses are compared to benchmarks, 7 metals, total HMW PAHs, total PAHs, total PCBs, and bis(2-ethylhexyl)phthalate exceed NOAEL-based TRVs for raccoon under one of the two prey uptake scenarios. Chromium, total PCBs, and bis(2-ethylhexyl)phthalate exceed NOAEL-based TRVs for heron under one of the two prey uptake scenarios.

When LOAEL TRVs are considered, doses for three metals (arsenic, beryllium, and selenium), total PAHs, and total PCBs exceed for raccoon. Total PCBs exceed for heron.

In addition to these TRV exceedances, oil and grease were observed in Sparrows Point sediments in the SWTM grouping with concentrations in sediment up to 110,000 mg/kg or 11 percent, and field observations included sheen and odor indicating likely petroleum contamination in sediment. While the potential toxicity of chemicals in oil and grease is evaluated as part of the benchmark comparisons, the potential physical impacts warrant further evaluation.

Both natural and artificial oils can produce the following major impacts on wildlife through physical effects:

- Coating feathers, which affects the ability of waterfowl to float and insulate themselves (USEPA 1976)

- Coating fur, which impacts the ability to groom and maintain insulation for mammals
- Decreased mobility due to fouling, which increases vulnerability to predators and decreases ability to forage (USEPA 1976)
- Impacts on benthic and aquatic organisms (USEPA 1976) that may serve as a food source.

Based on these factors, there is a potential for sediments which contain oil and grease to cause impacts to wildlife.

Results for this measurement endpoint indicate that these constituents may cause a potential for risk at locations where concentrations are highest. Given the highly precautionary nature of this measurement endpoint, it must be interpreted in light of results for other endpoints and given a relatively low weight of evidence.

#### **9.5.2.2 Measurement Endpoint: Comparison of Screening Level Exposure Scenario Modeled Doses to TRVs with Tissue Concentrations Based on Crab and Fish Tissue**

The second measurement endpoint evaluated is a comparison of modeled doses based on maximum EPCs derived from field-collected fish and crab tissue from the area around Sparrows Point to NOAEL- and LOAEL-based TRVs protective of birds and mammals. Use of EPCs derived from field-collected tissue presents a more realistic representation of bioaccumulation in higher trophic level game species at Sparrows Point because many aquatic organisms are mobile and may spend time feeding in other parts of Bear Creek, the Patapsco River, Baltimore Harbor, or the Chesapeake Bay.

Doses are calculated based on direct ingestion of sediment, ingestion of surface water, and ingestion of aquatic organisms as food (**Appendix G**). Screening level exposure scenario doses are presented side-by-side with both NOAEL and LOAEL TRVs in **Table 9-25** for birds and **Table 9-26** for mammals. These tables include one set of results assuming prey uptake of chemicals from crab and one set of results assuming prey uptake from fish. Chemicals with doses exceeding their NOAEL-based HQs are listed below. Chemicals with doses also exceeding LOAELs are bolded with an asterisk.

#### **Chemicals with screening level exposure scenario doses exceeding TRVs for Great Blue Heron**

##### Prey: Crabs

- Chromium (1.56)

##### Prey: Fish

- Chromium (1.56)



## Chemicals with screening level exposure scenario doses exceeding TRVs for Raccoon

### Prey: Crabs

- Chromium (6.53)
- Selenium (1.68)
- Thallium (1.53)
- Total PCBs (ND=RL) (8.28)

### Prey: Fish

- Chromium (6.54)
- **Selenium (2.54)\***
- Total PCBs (ND=RL) (14.2)

Doses exceeded TRVs more often for mammals than for birds. When screening level exposure scenario doses are compared to benchmarks, chromium exceeds NOAEL-based TRVs for heron under both prey uptake scenarios. Three metals and total PCBs exceed NOAEL-based TRVs for raccoon under the crab prey scenario, while two metals and total PCBs exceed under the fish prey scenario.

When LOAEL TRVs are considered, selenium doses exceed for raccoon under the fish uptake scenario.

### 9.5.2.3 Measurement Endpoint: Comparison of Reasonable Maximum Exposure Scenario Modeled Doses to TRVs with Tissue Concentrations Based on BAFs

The third measurement endpoint evaluated is a comparison of modeled doses based on reasonable maximum EPCs to NOAEL- and LOAEL-based TRVs protective of birds and mammals. Use of reasonable maximum EPCs is more realistic for wildlife and provides the most representative results for exposures experienced by wildlife populations.

Doses are calculated based on direct ingestion of sediment, ingestion of surface water, and ingestion of aquatic organisms as food. Reasonable maximum exposure scenario doses are presented side-by-side with both NOAEL and LOAEL TRVs in **Table 9-27** for birds and **Table 9-28** for mammals. These tables include one set of results assuming uptake from crab and one set of results assuming prey uptake from fish. Chemicals exceeding their NOAEL-based HQs are listed below. Chemicals with doses also exceeding LOAELs are bolded with an asterisk.

### Chemicals with reasonable maximum exposure scenario doses exceeding TRVs for Great Blue Heron

Prey: Crabs

- Chromium (1.59)
- **Total PCBs (ND=RL) (24.4)\***
- Bis(2-ethylhexyl)phthalate (3.09)

Prey: Fish

- None

### Chemicals with reasonable maximum exposure scenario doses exceeding TRVs for Raccoon

Prey: Crabs

- Antimony (2.37)
- Arsenic (1.85)
- Chromium (6.67)
- **Selenium (2.41)\***
- Zinc (1.77)
- HMW PAH (ND=RL) (2.73)
- Total PAHs (ND=RL) (5.02)
- **Total PCBs (ND=RL) (1,660)\***

Prey: Fish

- Chromium (3.46)

Doses exceeded TRVs more often for mammals than for birds. When reasonable maximum exposure scenario doses are compared to benchmarks, chromium, total PCBs, and bis(2-ethylhexyl)phthalate exceed NOAEL-based TRVs for heron under the crab prey uptake scenario. Five metals, total PCBs, total HMW PAHs, and total PAHs exceed NOAEL-based TRVs for raccoon under the crab uptake scenario, while only chromium exceeds under the fish uptake scenario. When LOAEL TRVs are considered for raccoon, doses of selenium and total PCBs also exceed LOAELs. For heron, doses of total PCBs exceed LOAEL TRVs.

Results for this measurement endpoint indicate that, based on exceedance of LOAEL TRVs, selenium and total PCBs may cause a potential for risks to wildlife in the Phase I area. Antimony, arsenic, chromium, zinc, HMW PAHs, total PAHs, and bis(2-ethylhexyl)phthalate could also pose a risk, although to a lesser extent, based on the fact that reasonable maximum exposure scenario doses exceed NOAEL TRVs. Given the highly precautionary nature of TRVs, it is recommended that results for benchmark comparisons be interpreted with consideration of the role of factors that may affect site-specific bioavailability.

#### 9.5.2.4 Measurement Endpoint: Comparison of Reasonable Maximum Exposure Scenario Modeled Doses to TRVs with Tissue Concentrations Based on Crab and Fish Tissue

The fourth measurement endpoint evaluated is a comparison of modeled doses based on reasonable maximum EPCs derived from field-collected fish and crab tissue from the area around Sparrows Point to NOAEL- and LOAEL-based TRVs protective of birds and mammals. Use of EPCs derived from field-collected tissue presents a more realistic representation of bioaccumulation in higher trophic level game species at Sparrows Point because many aquatic organisms are mobile and may spend time feeding in other parts of Bear Creek, the Patapsco River, Baltimore Harbor, or the Chesapeake Bay.

Doses are calculated based on direct ingestion of sediment, ingestion of surface water, and ingestion of aquatic organisms as food (**Appendix G**). Reasonable maximum scenario doses are presented side-by-side with both NOAEL and LOAEL TRVs in **Table 9-29** for birds and **Table 9-30** for mammals. These tables include one set of results assuming prey uptake of chemicals from crab and one set of results assuming prey uptake from fish. Chemicals with doses exceeding their NOAEL-based HQs are listed below. Chemicals with doses also exceeding LOAELs are bolded with an asterisk.

##### Chemicals with reasonable maximum exposure scenario doses exceeding TRVs for Great Blue Heron

###### Prey: Crabs

- None

###### Prey: Fish

- None

##### Chemicals with reasonable maximum exposure scenario doses exceeding TRVs for Raccoon

###### Prey: Crabs

- Chromium (3.46)
- Total PCBs (ND=RL)  
(4.76)

###### Prey: Fish

- Chromium (3.47)
- **Selenium (2.35) \***
- Total PCBs (ND=RL)  
(10.7)

Doses did not exceed TRVs for birds. When reasonable maximum exposure scenario doses are compared to benchmarks, chromium and total PCBs, exceed NOAEL-based TRVs for raccoon under the crab uptake scenario, and chromium, selenium, and total PCBs exceed under the fish uptake scenario.

When LOAEL TRVs are considered, the dose for selenium exceeded for raccoon under the fish prey uptake scenario.

### **9.5.2.5 Measurement Endpoint: Qualitative Evaluation of Bioavailability**

Evaluation of bioavailability information for the offshore area is included as a measurement endpoint because, as discussed in Section 9.3, TRVs may overestimate risks because they do not incorporate consideration of site-specific bioavailability from sediment. As discussed in Section 9.5.1.3.1, the SEM/AVS ratios in sediment samples from the SWTM grouping indicate that metals in sediment may be bound to sulfides that decrease their bioavailability and toxicity in a majority of samples. This bears relevance for wildlife food web modeling, especially where a precautionary default factor of 1 is assumed for bioaccumulation of chemicals into prey item tissue. If metals are bound to sulfides in sediment, their potential to bioaccumulate would be limited. This measurement endpoint indicates that the potential for risks associated with these metals in sediment may be over-estimated.

Concentrations of metals in tissue were typically less than 1 percent of sediment concentrations on a wet weight tissue to dry weight sediment basis based on site-specific uptake. While sediment metals, PAHs, and PCBs appear to be somewhat bioavailable based on uptake and tissue studies, the metal BAFs derived from the laboratory bioaccumulation studies of Sparrows Point sediments are lower, sometimes an order of magnitude, than commonly used reference BAFs (*i.e.*, *Bechtel Jacobs 1998*). Additionally, the SEM/AVS data indicate that metal bioavailability may be over-estimated.

### **9.5.2.6 Risk Characterization for Wildlife in the Southwest/Tin Mill Canal Effluent Grouping**

The risk characterization for wildlife draws from five measurement endpoints to derive conclusions regarding the potential for risks. The results for each measurement endpoint are discussed and weighed as evidence to determine whether chemicals in the Phase I area are expected to pose potential risk to wildlife. Within these measurement endpoints, bioaccumulation to wildlife from consumption of two different types of prey—crabs, and fish—were considered, as well as consumption of sediment and water.

The first measurement endpoint—benchmark comparisons using screening level doses with tissue concentrations from BAFs—provides a precautionary initial estimate of risks under worst case exposures in which a receptor is constantly exposed to the highest concentrations detected onsite. Use of BAFs to estimate transfer from sediment and water into tissue provides a strong indicator of the Site's potential contributions to the food chain from environmental media within the SWTM grouping. NOAEL benchmarks are most precautionary, while LOAEL benchmarks provide a more definite indicator of risks. For this measurement endpoint, screening level scenario doses (based on maximum detected sediment and water concentrations) of 7 metals, total HMW PAHs, total PAHs, total PCBs, and bis(2-ethylhexyl)phthalate exceed NOAEL-based TRVs under the crab prey scenario. The 7 metals are antimony, arsenic, beryllium, chromium, selenium, thallium, and zinc. Doses of chromium, total PAHs, and total PCBs exceed NOAEL-based TRVs for the fish uptake scenario.

When LOAEL TRVs are considered, screening level scenario doses for three metals (arsenic, beryllium, and selenium), total PAHs, and total PCBs exceed under the crab uptake scenario. In addition to the TRV exceedances, there is the potential for risk from oil and grease, which may cause physical impacts associated with fouling wildlife and decreasing their supply of prey.

The second measurement endpoint—benchmark comparisons using screening level doses with tissue concentrations from field-collected crab and fish tissue—provides the most realistic precautionary initial estimate of risks under worst case exposures in which a receptor is constantly exposed to the highest concentrations detected in the grouping. Use of actual tissue concentrations from specimens in the vicinity of the Site provides an indication of whether contributions from the area translate into increased exposures across wild populations. Where tissue data were not available for a COPC, overall findings were based on literature-based BAFs. NOAEL benchmarks are most precautionary, while LOAEL benchmarks provide a more definite indicator of risks. For this endpoint, screening level scenario doses (based on maximum detected sediment and water concentrations) of three metals (chromium, selenium, and thallium), and total PCBs exceed NOAEL based TRVs under the crab scenario. Doses for two metals (chromium and selenium) and total PCBs exceed NOAEL-based TRVs under the fish uptake scenario. When LOAEL TRVs are considered, the screening level scenario dose of selenium under the fish uptake scenario exceeds.

The third measurement endpoint—benchmark comparisons using reasonable maximum exposure scenario doses with tissue concentrations based on BAFs—provides a more realistic indicator of risks to wildlife because it characterizes exposures throughout the grouping rather than worst case exposures. Using BAFs, reasonable maximum exposure scenario doses of five metals (antimony, arsenic, chromium, selenium, and zinc), total PCBs, total HMW PAHs, total PAHs, and bis(2-ethylhexyl)phthalate exceed NOAEL-based TRVs under the crab uptake scenario, while chromium exceeds NOAEL based TRVs under the fish uptake scenario. When LOAEL TRVs are considered, doses for selenium and total PCBs exceed under the crab prey scenario and no doses exceed under the fish prey scenario. Reasonable maximum exposure scenario results are considered more relevant than screening level scenario results to characterization of risks to wildlife.

The fourth measurement endpoint—benchmark comparisons using reasonable maximum exposure scenario doses with tissue concentrations based on field-collected crab and fish tissue—provides a more realistic indicator of risks to wildlife because it characterizes exposures throughout the grouping rather than worst case exposures. Using tissue concentrations, reasonable maximum exposure scenario doses of chromium and total PCBs exceed NOAEL-based TRVs under the crab uptake scenario, while chromium, selenium, and total PCBs exceed under fish uptake scenario. When LOAEL TRVs are considered, doses for selenium under the fish uptake scenario exceed LOAELs.

The fifth measurement endpoint is consideration of chemical bioavailability. As described in Section 9.5.1.3.2, laboratory bioaccumulation tests provide evidence that chemicals in sediment

are bioavailable and may be taken up into prey tissue. BAFs and tissue data provide site-specific estimates of bioaccumulation that were used in exposure models. Results of exposure models based on ingestion of fish and crab produced fewer exceedances than exposure models based on ingestion of benthos. This indicates that wildlife exposures are greater when wildlife ingest benthos than fish and crab. SEM/AVS data indicate that not all of the metal present in sediment is available for uptake and direct exposure; this indicates that risks from direct exposure to sediment may be over-estimated.

Taken together, these lines of evidence indicate selenium and total PCBs are the COCs for the Phase I area SWTM grouping based on reasonable maximum exposure scenario dose exceedances of LOAEL-based TRVs. Doses for selenium exceed LOAEL-based TRVs when EPCs are derived from both BAFs and field-collected tissue, while total PCBs exceed LOAEL-based TRVs only when EPCs are derived from BAFs. While doses for antimony, arsenic, beryllium, chromium, thallium, zinc, total HMW PAHs, total PAHs, and bis(2-ethylhexyl)phthalate demonstrate HQs greater than 1 when the screening level exposure scenario dose is compared to NOAEL-based TRVs, these are not considered COCs because the screening level exposure scenario considers worst case exposures in which a receptor is constantly exposed to the highest concentrations detected onsite and is therefore not representative of actual site conditions.

The finding of the ERA is that wildlife which consume aquatic and benthic organisms are potentially at risk from selenium and total PCBs in sediment in the SWTM grouping. However, SEM/AVS data indicate that not all of the metal present in sediment is available for uptake and direct exposure; this indicates that risks from direct exposure to sediment may be over-estimated. Wildlife are also at risk from oil and grease. Conclusions are synthesized and used as the basis for recommendations in Chapter 11. There are a number of uncertainties associated with the risk assessment that are discussed in Section 9.6.

## **9.6 UNCERTAINTY ANALYSIS**

ERAs conducted under USEPA guidance for contaminated sites involve a number of uncertainties (USEPA 1997a). These uncertainties must be taken into consideration when interpreting risk characterization results. The following sections discuss uncertainties associated with the ERA for the Phase I area, and how these uncertainties may affect interpretation.

### **9.6.1 Scope and the CSM**

Several uncertainties are associated with the scope of the ERA and the ecological CSM. The ERA is designed to evaluate potential risks under existing conditions in the Phase I area. The risk assessment focuses on surface sediments (up to 2 ft in depth) and surface water because these are the most likely exposure media for ecological receptors. However, the Site Assessment (EA 2009) found higher concentrations of some metals and PAHs in offshore subsurface sediments than in surface sediments. The risk assessment does not evaluate future hypothetical



risks that could occur if erosion or mixing changes the distribution of constituent concentrations in the sediment profile. If higher constituent concentrations in the subsurface are exposed, risks would be expected to increase.

The ERA concludes that COPCs in the NNS grouping area are not present in concentrations that pose a risk to wildlife; however, Site-related COPCs in sediment may pose risks to benthic organisms. It is important to note that the risk assessment for the NNS included only Site-related COPCs for each sediment and pore water sampling transect. Since there is no clear evidence of historical impacts in the sample results for the NNS grouping, constituents potentially derived from current inputs via groundwater/pore water and stormwater were the focus of the risk assessment for this grouping. Therefore, not all constituents included in the risk assessment for the SWTM grouping were included in the risk assessment for the NNS grouping.

There are also uncertainties associated in differences between the area of concern selected for evaluation in the assessment and the home ranges of ecological receptors. Heron, raccoon, and represented wildlife may have home ranges larger than the Phase I area. The risk assessment assumes that these receptors receive all of their food and ingested media from the offshore area. In actuality, wildlife may receive inputs from other nearby areas. Depending on the inputs received from other nearby sources, total risks to receptors may be either over or underestimated. Data from fish and crabs collected from the nearby Coke Point Offshore Area (EA 2011b) help diminish this uncertainty because these are mobile receptors and because these are likely prey species for wildlife; there is some uncertainty associated with field collected tissue since it is not known what percentage of the time specimens were present at the Site.

## **9.6.2 Data Used in the Risk Assessment**

There are uncertainties associated with the data set used in the ERA. Constituent concentrations in environmental media may vary over space and time. If this variation occurs over small scales, it is possible that the data set over- or under-estimates overall concentrations.

As described in Chapter 7, the surface water EPCs were derived from a numerical model which used stormwater and pore water concentrations as inputs to Bear Creek surface water. The model was not calibrated using measured surface water concentrations, because the objective of the modeling was to determine surface water concentrations derived from Site-related inputs. Many conservative assumptions were made in constructing the model, as described in Chapter 7, and these likely resulted in overestimation of the constituent concentrations in surface water resulting from Site-related inputs. Conversely, the model did not include constituents from other potential sources, which could also affect ecological receptors.

Use of tissue data from laboratory bioaccumulation studies (EA 2011b) reduces the potential uncertainty associated with food web exposure models used in the risk assessment when compared to use of literature-based BAFs. However, there are some uncertainties associated with these data. Laboratory bioaccumulation tests are conducted in a controlled environment.

Because lab bioaccumulation test conditions may differ from those experienced by aquatic organisms in the field, bioaccumulation may differ and thus be over-estimated or under-estimated by laboratory bioaccumulation test results. To minimize this uncertainty, the sediment used for laboratory bioaccumulation tests was carefully selected to represent site-wide conditions as closely as possible, and standard test methods were used which utilize organisms and parameters representative of a range of situations. There are also uncertainties associated with field-collection of fish and crabs for tissue. Collection of tissue in a single event may not account for variability in concentrations over long periods of time due to seasonal variation, migration, or changing site conditions. This may result in over- or under- estimation of risks. To minimize these uncertainties, a large number of individual specimens were collected and composited using sampling criteria that help minimize the impacts of variation.

### 9.6.3 Exposure and Toxicity Assessment

The selection of exposure and toxicity data for inclusion in the ERA involves a number of uncertainties. Actual exposure factors and toxic responses for ecological receptors vary. The risk assessment mitigates for uncertainty associated with this variability by utilizing technically defensible values provided by guidance, scientific literature, and field/laboratory collected tissue data. Where necessary, statistical analyses are used to summarize a range of exposure and toxicity data to provide a single value for use in the ERA. In cases where estimation is necessary, values are selected with precaution to further mitigate uncertainty. In cases where no data are available for a constituent, exposure or toxicity data for chemicals with similar structures and expected modes of toxicity are substituted as surrogates. Where surrogate data are not available for exposure factors, conservative default values consistent with standard practices are utilized.

Surface water ingestion by wildlife is a source of uncertainty. Surface water ingestion rates are based on USEPA guidance (USEPA 1993), which provides rates based on estimated metabolic requirements for consumption of water. However, while wildlife are likely to consume some water while swimming (for mammals) or grooming and feeding (birds and mammals), they are unlikely to intentionally consume brackish water such as that of the Bear Creek for metabolic purposes. No rates are available for incidental ingestion of water; therefore, available values are used unchanged as a precaution. These surface water ingestion rates provide conservative overestimates of exposure. Based on the rates and body masses provided in **Table 9-6**, the ingestion rates used in the assessment equate to ingestion of 107 milliliters (mL) per day (1/3 to 1/5 cup) of water per day for heron, and 564 mL per day (2.4 to 2.5 cups) of water per day for raccoon.

Area use by wildlife is a source of uncertainty. The Phase I area provides little upland habitat to support nearby foraging for wildlife, and offshore area may provide limited habitat for foraging. Additionally, the NNS and SWTM groupings do not represent clearly defined exposure areas, but rather were selected to reflect the differentiation in risk assessment objectives and nature and

extent of contamination. Thus, the assumption that wildlife use one grouping within the Phase I area 100 percent of the time is likely an over-estimate and could lead to over-estimation of risks.

In some cases, toxicity data are unavailable for specific chemicals, and no surrogates are found appropriate. In such cases, risks from these chemicals cannot be quantitatively evaluated. The potential for risks from these chemicals is identified as an uncertainty. Also, some of the benchmarks used in the ERA for metals may be inherently conservative because they utilize bioavailable, more toxic forms of metals that may not be present at the site.

#### **9.6.4 Risk Characterization**

There are uncertainties associated with the overall characterization of risks in the ERA. One apparent uncertainty results from the extrapolation of assumptions about the potential for adverse effects from individual organisms to populations. The intent of this ERA, as set forth in the assessment endpoints, is to ultimately evaluate risks to populations. However, for wildlife, the models perform calculations concerning the potential for adverse effects to individual organisms. Few methods are available to extrapolate the potential for adverse effects from the individual level to the population level. It is generally assumed that if there is no potential for direct adverse effects to individual organisms then it is also unlikely for there to be the potential for direct adverse effects to populations. Similarly, it is assumed that if there is the potential for adverse effects to individual organisms there is also the potential for adverse effects to populations. However, there is uncertainty associated with the assumption that potential impacts at the individual level will impact the populations in the surrounding ecosystem.

### **9.7 CONCLUSIONS OF THE ECOLOGICAL RISK ASSESSMENT**

The risk characterization for aquatic and benthic organisms draws from measurement endpoints to derive conclusions regarding the potential for risks. The results for each measurement endpoint were discussed and weighed as evidence to determine whether chemicals in the Phase I area are expected to pose potential risk to aquatic and benthic organisms. Conclusions of the risk assessment are drawn from reasonable maximum exposure scenario doses, as these doses represent the most realistic exposure scenario for receptors within each grouping in the Phase I area.

The finding of the ERA for the NNS grouping is that aquatic and benthic organisms are potentially at risk from chromium and zinc from sediment based on comparison to PELs and cyanide from surface water only during storm events based on comparison to acute and chronic TRVs at the NNS grouping. It should be noted that based on SEM/AVS data, metal bioavailability may be over-estimated.

The finding of the ERA for the SWTM grouping is that aquatic and benthic organisms are potentially at risk from cadmium, chromium, copper, lead, nickel, silver, zinc, HMW and LMW PAHs, total PAHs, PCBs, and bis(2-ethylhexyl)phthalate in sediment based on comparison to

PELs and cyanide in surface water only during storm events. It should be noted that based on SEM/AVS data, metal bioavailability may be over-estimated. Benthic organisms are likely also at risk from oil and grease in the SWTM grouping.

The risk characterization for wildlife draws from measurement endpoints to derive conclusions regarding the potential for risks. The results for each measurement endpoint were discussed and weighed as evidence to determine whether chemicals in the Phase I area are expected to pose potential risk to wildlife. Conclusions of the risk assessment are drawn from reasonable maximum exposure scenario doses, as these doses represent the most realistic exposure scenario for receptors within each grouping in the Phase I area.

The lines of evidence suggest that the Site-related COPCs identified based on groundwater and stormwater screening in the NNS grouping area are not present at concentrations that pose a risk to wildlife. However, as discussed above, COPCs in sediment may pose risks to benthic organisms. It is important to note that the risk assessment for the NNS included only Site-related COPCs for each sediment and pore water sampling transect. Because current inputs via groundwater/pore water and stormwater were the focus of the risk assessment for the NNS grouping, not all constituents included in the risk assessment for the SWTM grouping were included in the risk assessment for the NNS grouping. Therefore, the ERA concludes that aquatic and benthic organisms are potentially at risk from chromium and zinc from sediment and cyanide from surface water only during storm events and wildlife in the NNS grouping are not at risk from the Site-related COPCs, derived from the adjacent onshore areas, in sediment and surface water.

In the SWTM grouping, lines of evidence indicate selenium and total PCBs are the COCs based on reasonable maximum exposure scenario dose exceedances of LOAEL-based TRVs. However, doses for total PCBs only exceed when EPCs are derived from BAFs; doses from EPCs derived from field-collected tissue fall below LOAEL-based TRVs. Doses for selenium exceed LOAEL-based TRVs when EPCs are derived from both BAFs and field-collected tissue. Doses from tissue are considered to best represent realistic conditions in the Phase I area, as these concentrations are based on actual data from field-collected crabs and fish. Although the potential risk from chemicals is based on tissue concentrations, it is important to note that since doses of total PCBs exceed LOAEL-based TRVs when BAFs are used, it is likely that media in this grouping are contributing these constituents to the food chain. Also, oil and grease were identified as likely to pose risks in the SWTM grouping because of their potential physical effects on wildlife. The overall conclusions for the SWTM grouping are that aquatic and benthic organisms are potentially at risk from metals, PAHs, PCBs, and bis(2-ethylhexyl)phthalate in sediment and cyanide from surface water only during storm events, and that wildlife that consume aquatic and benthic organisms are potentially at risk from selenium and total PCBs in sediment.

Table 9-1  
Detection Comparison to Screening Levels  
Sparrows Point Northeast/Near-Shore

Chemical <sup>A</sup>	Sediment (mg/kg)				Surface Water - Modeled (µg/L)				COPC?
	Frequency	Screening Level EPC (mg/kg)	Reasonable Maximum (95% UCLM) EPC (mg/kg) <sup>B</sup>	Screening Criteria (mg/kg) <sup>C</sup>	Screening Level (Maximum) EPC- Non-Storm Conditions (µg/L)	Reasonable Maximum (weighted average) EPC- Non-Storm Conditions (µg/L) <sup>D</sup>	Screening Level (Maximum) EPC-Storm Conditions (µg/L)	Screening Criteria (µg/L)	
Inorganics									
Cadmium	5/5	4.80E+00	4.80E+00	6.80E-01	0.00E+00	0.00E+00	0.00E+00	1.20E-01	YES
Chromium	2/2	7.50E+02	7.50E+02	5.23E+01	6.71E-01	2.16E-01	4.26E+00	5.75E+01	YES
Copper	13/13	1.60E+02	9.38E+01	1.87E+01	6.41E-01	2.48E-01	2.57E+00	3.10E+00	YES
Cyanide (Total)	7/8	1.60E+00	8.25E-01	1.00E-01	2.52E+00	9.30E-01	2.37E+01	1.00E+00	YES
Lead	8/8	1.10E+02	7.41E+01	3.02E+01	4.40E-01	9.80E-02	4.47E-01	8.10E+00	YES
Mercury	3/3	4.20E-01	4.20E-01	1.80E-01	6.63E-01	1.54E-01	6.64E-01	1.60E-02	YES
Nickel	13/13	4.60E+01	3.79E+01	1.59E+01	3.77E+00	1.34E+00	4.09E+00	8.20E+00	YES
Silver	5/5	1.70E+00	1.70E+00	7.30E-01	0.00E+00	0.00E+00	0.00E+00	2.30E-01	YES
Zinc	13/13	1.55E+03	1.03E+03	1.24E+02	1.25E+01	4.41E+00	4.60E+01	8.10E+01	YES
PAHs									
Total LMW PAH (ND=RL)	8/8	1.69E+00	1.32E+00	3.12E-01	3.12E-01	1.23E-01	3.79E-01	NA	YES
Total HMW PAH (ND=RL)	8/8	3.08E+00	3.08E+00	6.55E-01	5.10E-02	1.15E-02	5.10E-02	NA	YES
Total PAH (ND=RL)	8/8	4.77E+00	4.77E+00	2.90E+00	3.63E-01	1.34E-01	4.30E-01	NA	YES
SVOCs									
Bis(2-ethylhexyl)phthalate	9/16	1.60E+00	5.45E-01	1.82E-01	1.00E-01	3.17E-02	1.04E+00	1.60E+01	YES

A-Only analytes identified based on the groundwater/porewater/stormwater screen for source-relatedness were included in the risk assessment per direction from USEPA and MDE as described in Section 9.2 .

B-For analytes with insufficient sample number to calculate a 95% UCLM, the maximum concentration was used as the best available predictor of the 95% UCLM.

C-Screening criteria are the lower value of either the freshwater or marine USEPA Region III BTAG screening values (USEPA Region III 2006)

D-For some analytes, surface water concentrations were not selected for modeling based on the source-relatedness screen performed at the direction of USEPA as described in Section 3.0.

COPC=Chemical of Potential Concern

EPC=Exposure Point Concentration

HMW = High Molecular Weight

LMW= Low Molecular Weight

NA= Not Applicable

ND= Non-detect

PAH= Polycyclic Aromatic Hydrocarbon

RL= Reporting Limit

SVOC= Semi-volatile Organic Compound

UCLM=Upper Confidence Limit of the Mean

Table 9-2  
Detection Comparison to Screening Levels  
Sparrows Point Southwest/Tin Mill Canal Effluent

Chemical	Sediment (mg/kg)				Surface Water - Modeled (µg/L)				COPC?
	Frequency of detection	Screening Level EPC (mg/kg)	Reasonable Maximum (95% UCLM) EPC (mg/kg) <sup>A</sup>	Screening Criteria (mg/kg) <sup>B</sup>	Screening Level (Maximum) EPC- Non-Storm Conditions (µg/L)	Reasonable Maximum (weighted average) EPC- Non-Storm Conditions (µg/L) <sup>C</sup>	Screening Level (Maximum) EPC-Storm Conditions (µg/L)	Screening Criteria (µg/L)	
Inorganics									
Antimony	28/29	1.00E+01	5.64E+00	2.00E+00	3.29E-01	1.20E-01	5.88E-01	5.00E+02	YES
Arsenic	29/29	1.20E+02	4.79E+01	7.24E+00	9.60E-01	5.13E-01	1.03E+00	1.25E+01	YES
Beryllium	29/29	1.60E+00	8.68E-01	NA	0.00E+00	0.00E+00	0.00E+00	6.60E-01	YES
Cadmium	29/29	1.10E+02	3.04E+01	6.80E-01	0.00E+00	0.00E+00	0.00E+00	1.20E-01	YES
Chromium	29/29	4.60E+03	2.43E+03	5.23E+01	9.63E-01	2.57E-01	1.26E+00	5.75E+01	YES
Copper	29/29	5.50E+02	3.22E+02	1.87E+01	9.69E-01	2.99E-01	9.79E-01	3.10E+00	YES
Cyanide (Total)	28/29	3.50E+01	1.71E+01	1.00E-01	3.87E+00	1.15E+00	6.50E+00	1.00E+00	YES
Lead	29/29	1.10E+03	4.67E+02	3.02E+01	5.37E-01	7.99E-02	5.44E-01	8.10E+00	YES
Mercury	27/28	1.60E+00	8.27E-01	1.80E-01	3.25E-01	1.14E-01	3.28E-01	1.60E-02	YES
Nickel	29/29	2.10E+02	1.11E+02	1.59E+01	5.80E+00	1.68E+00	5.81E+00	8.20E+00	YES
Selenium	24/29	1.70E+01	8.83E+00	2.00E+00	0.00E+00	0.00E+00	7.48E-02	7.10E+01	YES
Silver	29/29	8.10E+00	3.87E+00	7.30E-01	0.00E+00	0.00E+00	0.00E+00	2.30E-01	YES
Thallium	29/29	9.80E-01	5.23E-01	NA	0.00E+00	0.00E+00	0.00E+00	2.13E+01	YES
Zinc	29/29	1.70E+04	6.68E+03	1.24E+02	1.93E+01	5.56E+00	1.94E+01	8.10E+01	YES
PAHs									
Total LMW PAH (ND=RL)	29/29	4.52E+01	1.86E+01	3.12E-01	4.72E-01	1.30E-01	4.74E-01	NA	YES
Total HMW PAH (ND=RL)	29/29	3.92E+01	2.11E+01	6.55E-01	2.32E-02	8.43E-03	2.35E-02	NA	YES
Total PAH (ND=RL)	29/29	8.17E+01	3.93E+01	2.90E+00	4.95E-01	1.38E-01	4.98E-01	NA	YES
PCBs									
Aroclor-1248	28/28	9.00E+00	3.58E+00	NA	0.00E+00	0.00E+00	0.00E+00	7.40E-05	YES
Aroclor-1254	20/28	3.20E+00	1.24E+00	6.33E-02	0.00E+00	0.00E+00	0.00E+00	7.40E-05	YES
Aroclor-1260	23/28	2.00E+00	6.57E-01	NA	0.00E+00	0.00E+00	0.00E+00	7.40E-05	YES
Total PCBs (ND=0)	28/28	1.32E+01	3.40E+00	4.00E-02	0.00E+00	0.00E+00	0.00E+00	7.40E-05	YES
Total PCBs (ND=RL)	28/28	1.39E+01	3.53E+00	4.00E-02	0.00E+00	0.00E+00	0.00E+00	7.40E-05	YES
SVOCs									
2,4-Dimethylphenol	1/28	5.90E-02	5.90E-02	2.90E-02	0.00E+00	0.00E+00	1.84E-01	NA	YES
4-Nitrophenol	1/28	3.60E+00	3.60E+00	NA	0.00E+00	0.00E+00	0.00E+00	7.17E+01	YES
Benzoic Acid	3/28	1.40E+00	1.40E+00	6.50E-01	0.00E+00	0.00E+00	0.00E+00	4.20E+01	YES
Bis(2-ethylhexyl)phthalate	26/29	5.10E+01	1.88E+01	1.82E-01	7.33E-02	2.57E-02	2.61E-01	1.60E+01	YES
Butyl benzyl phthalate	2/28	1.80E-01	1.80E-01	1.68E+01	0.00E+00	0.00E+00	0.00E+00	2.94E+01	NO
Phenol	9/28	3.90E-01	1.90E-01	4.20E-01	0.00E+00	0.00E+00	0.00E+00	5.80E+01	NO



Table 9-2  
Detection Comparison to Screening Levels  
Sparrows Point Southwest/Tin Mill Canal Effluent

Chemical	Sediment (mg/kg)				Surface Water - Modeled (µg/L)				COPC?
	Frequency of detection	Screening Level EPC (mg/kg)	Reasonable Maximum (95% UCLM) EPC (mg/kg) <sup>A</sup>	Screening Criteria (mg/kg) <sup>B</sup>	Screening Level (Maximum) EPC- Non-Storm Conditions (µg/L)	Reasonable Maximum (weighted average) EPC- Non-Storm Conditions (µg/L) <sup>C</sup>	Screening Level (Maximum) EPC-Storm Conditions (µg/L)	Screening Criteria (µg/L)	
VOCs									
1,2-Dichlorobenzene	4/28	1.80E-01	3.67E-02	9.89E-01	0.00E+00	0.00E+00	0.00E+00	ND	NO
1,3-Dichlorobenzene	5/28	1.30E-02	8.59E-03	8.42E-01	0.00E+00	0.00E+00	0.00E+00	ND	NO
1,4-Dichlorobenzene	7/28	2.80E-02	9.56E-03	4.60E-01	0.00E+00	0.00E+00	0.00E+00	ND	NO
Benzene	9/28	1.20E-02	7.05E-03	1.37E-01	0.00E+00	0.00E+00	0.00E+00	ND	NO
Chlorobenzene	12/28	2.50E-01	4.10E-02	1.62E-01	0.00E+00	0.00E+00	0.00E+00	0.00E+00	YES
Ethylbenzene	9/28	8.90E-02	2.00E-02	3.05E-01	0.00E+00	0.00E+00	0.00E+00	ND	NO
Toluene	13/28	7.10E-02	1.89E-02	1.09E+00	0.00E+00	0.00E+00	0.00E+00	ND	NO

A-For analytes with insufficient sample number to calculate a 95% UCLM, the maximum concentration was used as the best available predictor of the 95% UCLM.

B-Screening criteria are the lower value of either the freshwater or marine USEPA Region III BTAG screening values (USEPA Region III 2006).

C-For some analytes, surface water concentrations were not selected for modeling based on the source-relatedness screen performed at the direction of USEPA as described in Section 3.0.

COPC=Chemical of Potential Concern

EPC=Exposure Point Concentration

HMW = High Molecular Weight

LMW = Low Molecular Weight

NA = Not Applicable

ND = Non-detect

PAH = Polycyclic Aromatic Hydrocarbon

PCB = Polychlorinated biphenyl

RL = Reporting Limit

SVOC = Semi-volatile Organic Compound

UCLM=Upper Confidence Limit of the Mean

VOC = Volatile Organic Compound

*Intentionally Left Blank*

**TABLE 9-3**  
**MEASUREMENT ENDPOINTS FOR ECOLOGICAL RISK ASSESSMENT FOR THE SPARROWS POINT SITE**

Assessment Endpoint	Measurement Endpoint	On Site-Measurements/Exposure Point Concentrations (EPC)	Evaluation Method	Risk Indicators
<b>Receptor-Specific Evaluation (SLERA &amp; BRAPF)</b>				
Viability of aquatic and benthic organism communities • Fish • Crustaceans • Algae	Comparison of sediment and surface water concentrations to toxicological benchmarks	• Sediment concentrations measured at site, and modeled surface water concentrations - Screening Level Concentrations - Reasonable Maximum concentrations and concentrations on a sample by sample basis	• Direct comparison to aquatic organism benchmarks from literature-based studies • Direct comparison to NRWQCs • Qualitative evaluation of oil and grease in sediment	• Exceedence of benchmarks indicates potential for risks • Exceedence of benchmarks indicates a site related potential for risks
	Evaluation of bioavailability	• Sediment concentrations measured at site, and modeled surface water concentrations	• Measure the potential for metals to bind using the ratio of simultaneously extracted metals (SEM) to acid volatile sulfides (AVS) • Measure uptake into clam and worm tissue in bioassays and into fish and crab tissue in the field	• SEM/AVS ratios of less than 1.0 are an indicator that metals are bound and unlikely to be bioavailable to organisms
Viability of wildlife communities • Piscivorous mammals and birds	Comparison of modeled food web doses to benchmarks • Great Blue Heron • Raccoon	Tissue concentrations from bioassays and field collected organisms from Coke Point Offshore Investigation: • Using a precautionary screening level scenario • Using a reasonable maximum scenario	• Compare modeled wildlife doses to no-effects benchmarks • Compare modeled wildlife doses to low-effects benchmarks • Dose-based benchmarks from 1) USEPA EcoSSL Methodology 2) ORNL benchmarks (Sample et al., 1996) 3) Additional literature-based sources as relevant • Qualitative evaluation of oil and grease in sediment	• Exceedence of no-effects benchmarks indicates a potential for risks • Exceedence of low-effects benchmarks indicates a more certain potential for risks
	Evaluation of bioavailability	• Sediment concentrations measured at site	• Measure the potential for metals to bind using the ratio of SEM to AVS • Measure uptake into clam and worm tissue in bioassays and into fish and crab tissue in the field	• SEM/AVS ratios of less than 1.0 are an indicator that metals are bound and unlikely to be bioavailable to organisms

BRAPF: Baseline Risk Assessment Problem Formulation  
 EcoSSL= Ecological Soil Screening Level  
 NRWQC: National Recommended Water Quality Criteria  
 ORNL: Oak Ridge National Laboratory  
 SLERA: Screening Level Ecological Risk Assessment  
 TRVs: Toxicity Reference Value  
 USEPA: U.S. Environmental Protection Agency

***This page intentionally left blank.***

Table 9-4  
Frequency of Detection and Exposure Point Concentrations  
Sparrows Point Northeast/Near-Shore

Chemical	Surface Water (Modeled Concentration)				Sediment			Crab Tissue		Whole Body Fish Tissue	
	Frequency of Detection	Screening Level (Maximum) EPC- Non-Storm Conditions (µg/L)	Reasonable Maximum (weighted average) EPC- Non-Storm Conditions (µg/L)	Screening Level (Maximum) EPC-Storm Conditions (µg/L)	Frequency of Detection	Screening Level EPC (mg/kg)	Reasonable Maximum (95% UCLM) EPC (mg/kg)	Frequency of Detection	Maximum EPC (mg/kg)	Frequency of Detection	Maximum EPC (mg/kg)
<i>Inorganics</i>											
Cadmium	NA	0.00E+00	0.00E+00	0.00E+00	5/5	4.80E+00	4.80E+00	5/5	1.58E-01	ND	0.00E+00
Chromium	NA	6.71E-01	2.16E-01	4.26E+00	2/2	7.50E+02	7.50E+02	3.4/5	2.39E-01	5/5	3.60E-01
Copper	NA	6.41E-01	2.48E-01	2.57E+00	13/13	1.60E+02	9.38E+01	5/5	1.25E+01	5/5	3.41E+01
Cyanide (Total)	NA	2.52E+00	9.30E-01	2.37E+01	7/8	1.60E+00	8.25E-01	ND	0.00E+00	ND	0.00E+00
Lead	NA	4.40E-01	9.80E-02	4.47E-01	8/8	1.10E+02	7.41E+01	5/5	1.71E-01	5/5	7.80E-01
Mercury	NA	6.63E-01	1.54E-01	6.64E-01	3/3	4.20E-01	4.20E-01	4.3/5	2.10E-02	5/5	3.40E-02
Nickel	NA	3.77E+00	1.34E+00	4.09E+00	13/13	4.60E+01	3.79E+01	5/5	1.95E-01	5/5	1.50E-01
Silver	NA	0.00E+00	0.00E+00	0.00E+00	5/5	1.70E+00	1.70E+00	5/5	3.61E-01	5/5	4.90E-01
Zinc	NA	1.25E+01	4.41E+00	4.60E+01	13/13	1.55E+03	1.03E+03	5/5	4.59E+01	5/5	3.21E+01
<i>PAHs</i>											
Total LMW PAH (ND=RL)	NA	3.12E-01	1.23E-01	3.79E-01	8/8	1.69E+00	1.32E+00	4.19/5	2.59E-01	5/5	1.78E-01
Total HMW PAH (ND=RL)	NA	5.10E-02	1.15E-02	5.10E-02	8/8	3.08E+00	3.08E+00	2.37/5	2.27E-01	2/5	1.33E-01
Total PAH (ND=RL)	NA	3.63E-01	1.34E-01	4.30E-01	8/8	4.77E+00	4.77E+00	4.19/5	5.44E-01	5/5	3.11E-01
<i>SVOCs</i>											
Bis(2-ethylhexyl)phthalate	NA	1.00E-01	3.17E-02	1.04E+00	9/16	1.60E+00	5.45E-01	ND	0.00E+00	ND	0.00E+00

A-Crab frequency of detection is a mass-weighted average based on the combined detection of chemicals in the meat and mustard of crab samples.

EPC=Exposure Point Concentration  
HMW= High Molecular Weight  
LMW= Low Molecular Weight  
NA= Not Applicable  
ND= Non-detect  
PAH = Polycyclic Aromatic Hydrocarbon  
RL= Reporting Limit  
SVOC= Semi-volatile Organic Compound  
UCLM=Upper Confidence Limit of the Mean

Table 9-5  
Frequency of Detection and Exposure Point Concentrations  
Sparrows Point Southwest/Tin Mill Canal Effluent

Analyte	Sediment			Surface Water (Modeled Concentration)			Crab Tissue		Whole Body Fish Tissue	
	Frequency	Screening Level EPC (mg/kg)	Reasonable Maximum (95% UCLM) EPC (mg/kg)	Screening Level (Maximum) EPC- Non-Storm Conditions (µg/L)	Reasonable Maximum (weighted average) EPC- Non-Storm Conditions (µg/L)	Screening Level (Maximum) EPC- Storm Conditions (µg/L)	Frequency <sup>A</sup>	Maximum EPC (mg/kg)	Frequency	Maximum EPC (mg/kg)
<i>Inorganics</i>										
Antimony	28/29	1.00E+01	5.64E+00	3.29E-01	1.20E-01	5.88E-01	5/5	3.91E-02	5/5	8.30E-02
Arsenic	29/29	1.20E+02	4.79E+01	9.60E-01	5.13E-01	1.03E+00	5/5	1.24E+00	5/5	7.00E-01
Beryllium	29/29	1.60E+00	8.68E-01	0.00E+00	0.00E+00	0.00E+00	ND	0.00E+00	ND	0.00E+00
Cadmium	29/29	1.10E+02	3.04E+01	0.00E+00	0.00E+00	0.00E+00	5/5	1.58E-01	ND	0.00E+00
Chromium	29/29	4.60E+03	2.43E+03	9.63E-01	2.57E-01	1.26E+00	3.4/5	2.39E-01	5/5	3.60E-01
Copper	29/29	5.50E+02	3.22E+02	9.69E-01	2.99E-01	9.79E-01	5/5	1.25E+01	5/5	3.41E+01
Cyanide (Total)	28/29	3.50E+01	1.71E+01	3.87E+00	1.15E+00	6.50E+00	ND	0.00E+00	ND	0.00E+00
Lead	29/29	1.10E+03	4.67E+02	5.37E-01	7.99E-02	5.44E-01	5/5	1.71E-01	5/5	7.80E-01
Mercury	27/28	1.60E+00	8.27E-01	3.25E-01	1.14E-01	3.28E-01	4.3/5	2.10E-02	5/5	3.40E-02
Nickel	29/29	2.10E+02	1.11E+02	5.80E+00	1.68E+00	5.81E+00	5/5	1.95E-01	5/5	1.50E-01
Selenium	24/29	1.70E+01	8.83E+00	0.00E+00	0.00E+00	7.48E-02	5/5	1.07E+00	5/5	1.80E+00
Silver	29/29	8.10E+00	3.87E+00	0.00E+00	0.00E+00	0.00E+00	5/5	3.61E-01	5/5	4.90E-01
Thallium	29/29	9.80E-01	5.23E-01	0.00E+00	0.00E+00	0.00E+00	0.56/5	4.69E-02	2/5	4.40E-02
Zinc	29/29	1.70E+04	6.68E+03	1.93E+01	5.56E+00	1.94E+01	5/5	4.59E+01	5/5	3.21E+01
<i>PAHs</i>										
Total LMW PAH (ND=RL)	29/29	4.52E+01	1.86E+01	4.72E-01	1.30E-01	4.74E-01	4.19/5	2.59E-01	5/5	1.78E-01
Total HMW PAH (ND=RL)	29/29	3.92E+01	2.11E+01	2.32E-02	8.43E-03	2.35E-02	2.37/5	2.27E-01	2/5	1.33E-01
Total PAH (ND=RL)	29/29	8.17E+01	3.93E+01	4.95E-01	1.38E-01	4.98E-01	4.19/5	5.44E-01	5/5	3.11E-01
<i>PCBs</i>										
Aroclor-1248	28/28	9.00E+00	3.58E+00	0.00E+00	0.00E+00	0.00E+00	ND	0.00E+00	ND	0.00E+00
Aroclor-1254	20/28	3.20E+00	1.24E+00	0.00E+00	0.00E+00	0.00E+00	ND	0.00E+00	ND	0.00E+00
Aroclor-1260	23/28	2.00E+00	6.57E-01	0.00E+00	0.00E+00	0.00E+00	ND	0.00E+00	ND	0.00E+00
Total PCBs (ND=0)	28/28	1.32E+01	3.40E+00	0.00E+00	0.00E+00	0.00E+00	5/5	1.44E-01	5/5	5.37E-01
Total PCBs (ND=RL)	28/28	1.39E+01	3.53E+00	0.00E+00	0.00E+00	0.00E+00	5/5	2.10E-01	5/5	5.57E-01
<i>SVOCs</i>										
2,4-Dimethylphenol	1/28	5.90E-02	5.90E-02	0.00E+00	0.00E+00	1.84E-01	ND	0.00E+00	ND	0.00E+00
4-Nitrophenol	1/28	3.60E+00	3.60E+00	0.00E+00	0.00E+00	0.00E+00	ND	0.00E+00	ND	0.00E+00
Benzoic Acid	3/28	1.40E+00	1.40E+00	0.00E+00	0.00E+00	0.00E+00	ND	0.00E+00	ND	0.00E+00
Bis(2-ethylhexyl)phthalate	26/29	5.10E+01	1.88E+01	7.33E-02	2.57E-02	2.61E-01	ND	0.00E+00	ND	0.00E+00
<i>VOCs</i>										
Chlorobenzene	12/28	2.50E-01	4.10E-02	0.00E+00	0.00E+00	0.00E+00	ND	0.00E+00	ND	0.00E+00

A-Crab frequency of detection is a mass-weighted average based on the combined detection of chemicals in the meat and mustard of crab samples.

EPC=Exposure Point Concentration  
HMW = High Molecular Weight  
LMW = Low Molecular Weight  
ND = Non-detect  
PAH = Polycyclic Aromatic Hydrocarbon  
PCB = Polychlorinated biphenyl  
RL = Reporting Limit  
SVOC = Semi-volatile Organic Compound  
UCLM=Upper Confidence Limit of the Mean  
VOC = Volatile Organic Compound



**TABLE 9-6**  
**WILDLIFE EXPOSURE FACTORS FOR ECOLOGICAL RISK ASSESSMENT**  
**FOR THE SPARROWS POINT SITE**

Exposure Parameter	Value	Units	Notes
<b>GREAT BLUE HERON</b>			
Body Weight	2.390	kg	USEPA 1993 (Value is average of male and female weights, 2.576 and 2.204 respectively)
Dry Food Ingestion Rate	0.045	g dry wt./g-day	USEPA 1993, converted assuming 75% prey moisture (USACHPPM 2004)
Wet Food Ingestion Rate	0.18	g wet wt./g-day	USEPA 1993
Incidental Sediment Ingestion Rate	2%	% of total mass of diet, dry wt.	As a default, ingestion rate is assumed to be 2%.
Water Ingestion Rate	0.045	g/g-day	USEPA, 1993
<b>RACCOON</b>			
Body Weight	6.8	kg	USEPA, 1993 (Value is average of adult male and female weights, 7.6 and 6.0 respectively)
Dry Food Ingestion Rate	0.17	kg dry wt./kg-day	FI (kg dry wt./kg-day) = $[(0.235 \text{ Wt}^{0.822}) / \text{Wt. (kg)}]$ (USEPA 1993, supported by USACHPPM 2004)
Wet Food Ingestion Rate	0.68	kg wet wt./kg-day	Converted assuming 75% prey moisture (USACHPPM 2004)
Incidental Sediment Ingestion Rate	2%	% of total mass of diet, dry wt.	As a default, ingestion rate is assumed to be 2%.
Water Ingestion Rate	0.083	g/g-day	USEPA, 1993

***This page intentionally left blank.***

**Table 9-7**  
**Dose-based Toxicity Reference Values for Birds**

Chemical	Avian NOAEL (mg/kg-bw day)	Avian NOAEL Source and Notes	Avian LOAEL (mg/kg-bw day)	Avian LOAEL Source and Notes
<b><i>Inorganics</i></b>				
Aluminum	1.10E+02	Sample et al. 1996	NA	---
Antimony	NA	---	NA	---
Arsenic	2.24E+00	USEPA 2005b	7.40E+00	Sample et al. 1996
Barium	2.08E+01	Sample et al. 1996	4.17E+01	Sample et al. 1996
Beryllium	NA	---	NA	---
Cadmium	1.47E+00	USEPA 2005e	6.35E+00	Geometric mean of LOAELs for growth and reproduction in USEPA 2005e
Calcium	NA	---	NA	---
Chromium	2.66E+00	USEPA 2008	1.56E+01	Geometric mean of LOAELs for growth and reproduction in USEPA 2008
Chromium, hexavalent	2.66E+00	USEPA 2008 value for triavalent chromium	1.56E+01	Geometric mean of LOAELs for growth and reproduction for trivalent chromium in USEPA 2008
Cobalt	7.61E+00	USEPA 2005f	1.83E+01	Geometric mean of LOAELs for growth and reproduction in USEPA 2005f
Copper	4.05E+00	USEPA 2007b	1.21E+01	Corresponding LOAEL from USEPA 2007b
Cyanide (Total)	NA	---	NA	--
Iron	NA	---	NA	---
Lead	1.63E+00	USEPA 2005g	3.26E+00	Corresponding LOAEL from USEPA 2005g
Magnesium	NA	---	NA	---
Manganese	1.79E+02	USEPA 2007c	3.77E+02	Geometric mean of LOAELs for growth and reproduction in USEPA 2007c
Mercury	4.50E-01	Sample et al. 1996	9.00E-01	Sample et al. 1996
Nickel	6.71E+00	USEPA 2007d	1.86E+01	Geometric mean of LOAELs for growth and reproduction in USEPA 2007d
Potassium	NA	---	NA	---
Selenium	2.90E-01	USEPA 2007f	5.79E-01	Corresponding LOAEL from USEPA 2007f
Silver	2.02E+00	USEPA 2006	2.02E+01	Corresponding LOAEL from USEPA 2006
Sodium	NA	---	NA	---
Thallium	NA	---	NA	---
Tin	6.80E+00	Sample et al. 1996	1.69E+01	Sample et al. 1996
Vanadium	3.44E-01	USEPA 2005h	6.88E-01	Corresponding LOAEL from USEPA 2005h

**Table 9-7**  
**Dose-based Toxicity Reference Values for Birds**

Chemical	Avian NOAEL (mg/kg-bw day)	Avian NOAEL Source and Notes	Avian LOAEL (mg/kg-bw day)	Avian LOAEL Source and Notes
Zinc	6.61E+01	USEPA 2007g	1.71E+02	Geometric mean of LOAELs for growth and reproduction in USEPA 2007g
<b>PAHs</b>				
Total LMW PAH (ND=RL)	5.62E+03	USEPA 2007e did not derive value due to too few studies, value is from the only study not rejected for use (Landis Associates Inc. 1985)	NA	---
Total HMW PAH (ND=RL)	2.00E+00	USEPA 2007e did not derive value due to too few studies, value if from the only study not rejected for use (Trust et al. 1994)	2.00E+01	USEPA 2007e did not derive value due to too few studies, value if from the only study not rejected for use (Trust et al. 1994)
Total PAH (ND=RL)	2.00E+00	More conservative value for LMW and HMW PAHs chosen--value for HMW PAHs from USEPA 2007e	2.00E+01	More conservative value for LMW and HMW PAHs chosen--value for HMW PAHs from USEPA 2007e
<b>PCBs</b>				
Aroclor-1248	1.80E-01	Sample et al. 1996, value for Aroclor-1254	1.80E+00	Sample et al. 1996, value for Aroclor-1254
Aroclor-1254	1.80E-01	Sample et al. 1996	1.80E+00	Sample et al. 1996
Aroclor-1260	1.80E-01	Sample et al. 1996, value for Aroclor-1254	1.80E+00	Sample et al. 1996, value for Aroclor-1254
Total PCBs (ND=0)	1.80E-01	Sample et al. 1996, value for Aroclor-1254	1.80E+00	Sample et al. 1996, value for Aroclor-1254
Total PCBs (ND=1/2RL)	1.80E-01	Sample et al. 1996, value for Aroclor-1254	1.80E+00	Sample et al. 1996, value for Aroclor-1254
Total PCBs (ND=RL)	1.80E-01	Sample et al. 1996, value for Aroclor-1254	1.80E+00	Sample et al. 1996, value for Aroclor-1254
<b>SVOCs</b>				
2,4-Dimethylphenol	NA	---	NA	---
4-Chloroaniline	NA	---	NA	---
4-Nitrophenol	NA	---	NA	---
6-Methyl Chrysene	NA	---	NA	---
Acetophenone	NA	---	NA	---
Benzaldehyde	NA	---	NA	---
Benzoic Acid	NA	---	NA	---
Bis(2-ethylhexyl)phthalate	1.10E+00	Sample et al. 1996	NA	---
Butyl benzyl phthalate	1.10E-01	Sample et al. 1996, value for di-n-butyl phthalate	1.10E+00	Sample et al. 1996, value for di-n-butyl phthalate
Caprolactam	NA	---	NA	---
Carbazole	NA	---	NA	---

**Table 9-7**  
**Dose-based Toxicity Reference Values for Birds**

Chemical	Avian NOAEL (mg/kg-bw day)	Avian NOAEL Source and Notes	Avian LOAEL (mg/kg-bw day)	Avian LOAEL Source and Notes
Dalapon	NA	---	NA	---
Diethyl phthalate	1.10E-01	Sample et al. 1996, value for di-n-butyl phthalate	1.10E+00	Sample et al. 1996, value for di-n-butyl phthalate
Dimethyl phthalate	NA	---	NA	---
Di-N-Butyl phthalate	1.10E-01	Sample et al. 1996	1.10E+00	Sample et al. 1996
Hexane	NA	---	NA	---
n-Butyl Alcohol	NA	---	NA	---
Phenol	3.77E+00	Derived from Schafer et al. 1983	NA	---
<b>VOCs</b>				
1,2-Dichlorobenzene	NA	---	NA	---
1,3-Dichlorobenzene	NA	---	NA	---
1,4-Dichlorobenzene	NA	---	NA	---
1,2,4-Trimethylbenzene	NA	---	NA	---
1,3,5-Trimethylbenzene	NA	---	NA	---
2-Butanone	NA	---	NA	---
Acetone	NA	---	NA	---
Acetophenone	NA	---	NA	---
Benzene	NA	---	NA	---
Carbon disulfide	NA	---	NA	---
Chlorobenzene	NA	---	NA	---
Chloroform	NA	---	NA	---
Chloromethane (Methyl chloride)	NA	---	NA	---
Ethylbenzene	NA	---	NA	---
Isopropylbenzene (Cumene)	NA	---	NA	---
Methylene chloride	NA	---	NA	---
n-Propylbenzene	NA	---	NA	---
p-Isopropyltoluene	NA	---	NA	---
Styrene	NA	---	NA	---
Tetrachloroethene (PCE)	NA	---	NA	---
Toluene	NA	---	NA	---
Trichlorofluoromethane	NA	---	NA	---
Xylenes (m & p)	NA	---	NA	---
Xylenes (o)	NA	---	NA	---

**Table 9-7**  
**Dose-based Toxicity Reference Values for Birds**

Chemical	Avian NOAEL (mg/kg-bw day)	Avian NOAEL Source and Notes	Avian LOAEL (mg/kg-bw day)	Avian LOAEL Source and Notes
Xylenes (Total)	NA	---	NA	---

--= Does Not Apply

HMW= High Molecular Weight

LMW= Low Molecular Weight

LOAEL= Lowest Observed Adverse Effect Level

mg/kg-bw day= milligram per kilogram of body weight per day

NA - TRV not available

ND= Non-detect

NOAEL= No Observed Adverse Effect Level

PAH= Polycyclic Aromatic Hydrocarbon

PCB= Polychlorinated Biphenyl

PEC= Probable Effects Concentration

RL= Reporting Limit

SVOC= Semi-Volatile Organic Compound

TEC= Threshold Effects Concentration

TRV= Toxicity Reference Value

VOC= Volatile Organic Compound



**Table 9-8**  
**Dose-based Toxicity Reference Values for Mammals**

Chemical	Mammalian NOAEL (mg/kg-bw day)	Mammalian NOAEL Source and Notes	Mammalian LOAEL (mg/kg-bw day)	Mammalian LOAEL Source and Notes
<b><i>Inorganics</i></b>				
Aluminum	1.93E+00	Sample et al. 1996	1.93E+01	Sample et al. 1996
Antimony	5.90E-02	USEPA 2005a	5.90E-01	Corresponding LOAEL from USEPA 2005a
Arsenic	1.04E+00	USEPA 2005b	1.66E+00	Corresponding LOAEL from USEPA 2005b
Barium	5.18E+01	USEPA 2005c	8.27E+01	Geometric mean of LOAELs for growth and reproduction in USEPA 2005c
Beryllium	5.32E-01	USEPA 2005d	6.73E-01	Geometric mean of LOAELs for growth and reproduction in USEPA 2005d
Cadmium	7.70E-01	USEPA 2005e	7.70E+00	Corresponding LOAEL from USEPA 2005e
Calcium	NA	---	NA	---
Chromium	2.40E+00	USEPA 2008 value for trivalent chromium	5.82E+01	Geometric mean of LOAELs for growth and reproduction for trivalent chromium in USEPA 2008
Chromium, hexavalent	9.24E+00	USEPA 2008	3.84E+01	Geometric mean of LOAELs for growth and reproduction in USEPA 2008
Cobalt	7.33E+00	USEPA 2005f	1.89E+01	Geometric mean of LOAELs for growth and reproduction in USEPA 2005f
Copper	5.60E+00	USEPA 2007b	9.34E+00	Corresponding LOAEL from USEPA 2007b
Cyanide (Total)	6.87E+01	Sample et al. 1996	NA	---
Iron	NA	---	NA	---
Lead	4.70E+00	USEPA 2005g	8.90E+00	Corresponding LOAEL from USEPA 2005g
Mercury	1.32E+01	Sample et al. 1996	NA	---
Nickel	1.70E+00	USEPA 2007d	3.40E+00	Corresponding LOAEL from USEPA 2007d
Selenium	1.43E-01	USEPA 2007f	2.15E-01	Corresponding LOAEL from USEPA 2007f
Silver	6.02E+00	USEPA 2006	6.02E+01	Corresponding LOAEL from USEPA 2006
Thallium	7.40E-03	Sample et al. 1996	7.40E-02	Sample et al. 1996
Zinc	7.54E+01	USEPA 2007g	2.98E+02	Geometric mean of LOAELs for growth and reproduction in USEPA 2007g
<b><i>PAHs</i></b>				
Total LMW PAH (ND=RL)	6.56E+01	USEPA 2007e	3.28E+02	Corresponding LOAEL from USEPA 2007e
Total HMW PAH (ND=RL)	6.15E-01	USEPA 2007e	3.01E+00	Corresponding LOAEL from USEPA 2007e

**Table 9-8**  
**Dose-based Toxicity Reference Values for Mammals**

Chemical	Mammalian NOAEL (mg/kg-bw day)	Mammalian NOAEL Source and Notes	Mammalian LOAEL (mg/kg-bw day)	Mammalian LOAEL Source and Notes
Total PAH (ND=RL)	6.15E-01	More conservative value for LMW and HMW PAHs chosen--value for HMW PAHs from USEPA 2007e	3.01E+00	More conservative value for LMW and HMW PAHs chosen--value for HMW PAHs from USEPA 2007e
<b>PCBs</b>				
Aroclor-1248	1.00E-02	Sample et al. 1996	1.00E-01	Sample et al. 1996
Aroclor-1254	1.40E-01	Sample et al. 1996	6.90E-01	Sample et al. 1996
Aroclor-1260	1.00E-02	Sample et al. 1996, value for Aroclor-1248	1.00E-01	Sample et al. 1996, value for Aroclor-1248
Total PCBs (ND=0)	1.00E-02	Sample et al. 1996, value for Aroclor-1248	1.00E-01	Sample et al. 1996, value for Aroclor-1248
Total PCBs (ND=1/2RL)	1.00E-02	Sample et al. 1996, value for Aroclor-1248	1.00E-01	Sample et al. 1996, value for Aroclor-1248
Total PCBs (ND=RL)	1.00E-02	Sample et al. 1996, value for Aroclor-1248	1.00E-01	Sample et al. 1996, value for Aroclor-1248
<b>SVOCs</b>				
2,4-Dimethylphenol	NA	---	NA	---
4-Chloroaniline	NA	---	NA	---
4-Nitrophenol	NA	---	NA	---
6-Methyl Chrysene	NA	---	NA	---
Acetophenone	NA	---	NA	---
Benzaldehyde	NA	---	NA	---
Benzoic Acid	NA	---	NA	---
Bis(2-ethylhexyl)phthalate	1.83E+01	Sample et al. 1996	1.83E+02	Sample et al. 1996
Butyl benzyl phthalate	5.50E+02	Sample et al. 1996, value for di-n-butyl phthalate	1.83E+03	Sample et al. 1996, value for di-n-butyl phthalate
Caprolactam	NA	---	NA	---
Carbazole	NA	---	NA	---
Dalapon	NA	---	NA	---
Diethyl phthalate	4.58E+03	Sample et al. 1996	NA	---
Dimethyl phthalate	NA	---	NA	---
Di-N-Butyl phthalate	5.50E+02	Sample et al. 1996	1833	Sample et al. 1996
Hexane	NA	---	NA	---
n-Butyl Alcohol	NA	---	NA	---
Phenol	1.20E+01	USACHPPM 2008	3.60E+01	USACHPPM 2008

**Table 9-8**  
**Dose-based Toxicity Reference Values for Mammals**

Chemical	Mammalian NOAEL (mg/kg-bw day)	Mammalian NOAEL Source and Notes	Mammalian LOAEL (mg/kg-bw day)	Mammalian LOAEL Source and Notes
<b>VOCs</b>				
Chlorobenzene	NA	---	NA	---

---= Does Not Apply

HMW= High Molecular Weight

LMW= Low Molecular Weight

LOAEL= Lowest Observed Adverse Effect Level

mg/kg-bw day= milligram per kilogram of body weight per day

NA - TRV not available

ND= Non-detect

NOAEL= No Observed Adverse Effect Level

PAH= Polyaromatic Hydrocarbon

PCB= Polychlorinated Biphenyl

PEC= Probable Effects Concentration

SVOC= Semi-Volatile Organic Compound

TEC= Threshold Effects Concentration

TRV= Toxicity Reference Value

VOC= Volatile Organic Compound

***This page intentionally left blank.***

**Table 9-9**  
**Sediment Toxicity Reference Values for Benthic Organism Exposures**

Chemical	Sediment TRV based on threshold effects (mg/kg dry wt.)	Sediment TRV based on probable effects (mg/kg dry wt.)	Source
<b>Inorganics</b>			
Antimony	2.00E+00	2.50E+01	ER-L and ER-M values (Long and Morgan 1991)
Arsenic	7.24E+00	4.16E+01	TEL and PEL values (MacDonald et al. 1996)
Barium	1.30E+02	NA	TEL value based on SLC approach using sensitive species HC5% (Leung et al. 2005)
Beryllium	1.10E+00	3.00E+01	Dutch Target and Intervention values for soil (Verbruggen et al. 2001)
Cadmium	6.80E-01	4.21E+00	TEL and PEL values (MacDonald et al. 1996)
Calcium	NA	NA	TEL and PEL values (MacDonald et al. 1996)
Chromium	5.23E+01	1.60E+02	TEL and PEL values (MacDonald et al. 1996)
Chromium, hexavalent	5.23E+01	1.60E+02	TEL and PEL values for trivalent chromium (MacDonald et al. 1996)
Cobalt	NA	NA	---
Copper	1.87E+01	1.08E+02	TEL and PEL values (MacDonald et al. 1996)
Cyanide (Total)	1.00E+00	2.00E+01	Dutch Target and Intervention values for soil (Verbruggen et al. 2001)
Iron	2.00E+04	4.00E+04	TEC and PEC values (MacDonald et al. 1996)
Lead	3.02E+01	1.12E+02	TEL and PEL values (MacDonald et al. 1996)
Magnesium	NA	NA	---
Manganese	4.60E+02	NA	Freshwater value is TEL (MacDonald et al. 1996)
Mercury	1.30E-01	7.00E-01	TEL and PEL values (MacDonald et al. 1996)
Nickel	1.59E+01	4.28E+01	TEC and PEC values (MacDonald 1994)
Potassium	NA	NA	---
Selenium	7.00E-01	1.00E+02	Dutch Target and Intervention values for soil (Verbruggen et al. 2001)
Silver	7.30E-01	1.77E+00	TEC and PEC values (MacDonald 1994)
Sodium	NA	NA	---
Thallium	1.00E+00	1.50E+01	Dutch Target and Intervention values for soil (Verbruggen et al. 2001)
Tin	4.80E+01	NA	Field et. al. 2002
Vanadium	4.20E+01	2.50E+02	Dutch Target and Intervention values for soil (Verbruggen et al. 2001)
Zinc	1.24E+02	2.71E+02	TEC and PEC values (MacDonald 1994)
<b>PAHs</b>			
1-Methylnaphthalene	NA	NA	--
2-Methylnaphthalene	2.02E-02	2.01E-01	MacDonald et al. 1996
Acenaphthene	6.71E-03	8.89E-02	MacDonald et al. 1996
Acenaphthylene	5.87E-03	1.28E-01	MacDonald et al. 1996
Anthracene	4.69E-02	2.45E-01	MacDonald et al. 1996
Benzo(a)Anthracene	7.48E-02	6.93E-01	MacDonald et al. 1996
Benzo(a)Pyrene	8.88E-02	7.63E-01	MacDonald et al. 1996
Benzo(b)Fluoranthene	1.30E-01	1.11E+00	Marine T20 and T50 values from Field et al. 2002
Benzo(g,h,i)Perylene	6.70E-02	4.97E-01	Marine T20 and T50 values from Field et al. 2002
Benzo(k)Fluoranthene	7.00E-02	5.37E-01	Marine T20 and T50 values from Field et al. 2002
Chrysene	1.08E-01	8.46E-01	MacDonald et al. 1996
Dibenzo(a,h)Anthracene	6.22E-03	1.35E-01	MacDonald et al. 1996
Fluoranthene	1.13E-01	1.49E+00	MacDonald et al. 1996
Fluorene	2.12E-02	1.44E-01	MacDonald et al. 1996
Indeno(1,2,3-Cd)Pyrene	6.80E-02	4.88E-01	Marine T20 and T50 values (Field et al. 2002)
Naphthalene	3.46E-02	3.91E-01	MacDonald et al. 1996
Phenanthrene	8.67E-02	5.44E-01	MacDonald et al. 1996
Pyrene	1.53E-01	1.40E+00	MacDonald et al. 1996
Total LMW PAH (ND=RL)	3.12E-01	1.44E+00	MacDonald et al. 1996
Total HMW PAH (ND=RL)	6.55E-01	6.68E+00	MacDonald et al. 1996
Total PAH (ND=RL)	1.68E+00	1.68E+01	MacDonald et al. 1996
<b>PCBs</b>			
Aroclor-1248	6.33E-02	7.09E-01	MacDonald et al. 1996, value for Aroclor-1254
Aroclor-1254	6.33E-02	7.09E-01	MacDonald et al. 1996
Aroclor-1260	6.33E-02	7.09E-01	MacDonald et al. 1996, value for Aroclor-1254
Total PCBs (ND=0)	5.98E-02	6.76E-01	MacDonald et al. 2000
Total PCBs (ND=RL)	5.98E-02	6.76E-01	MacDonald et al. 2000
<b>SVOCs</b>			
2,4-Dimethylphenol	NA	NA	---
4-Chloroaniline	5.00E-03	5.00E+01	Dutch Target and Intervention values for sediment from Verbruggen et al. 2001.
4-Nitrophenol	NA	NA	---
6-Methyl Chrysene	NA	NA	---
Acetophenone	NA	NA	---

**Table 9-9**  
**Sediment Toxicity Reference Values for Benthic Organism Exposures**

Chemical	Sediment TRV based on threshold effects (mg/kg dry wt.)	Sediment TRV based on probable effects (mg/kg dry wt.)	Source
Benzaldehyde	NA	NA	---
Benzoic Acid	NA	NA	---
Bis(2-ethylhexyl)phthalate	1.82E-01	2.65E+00	MacDonald et al. 1996

ER-L= Effects Range Low

ER-M= Effects Range Median

HMW= High Molecular Weight

LMW= Low Molecular Weight

NA - TRV not available

ND= Non-detect

PAH= Polyaromatic Hydrocarbon

PCB= Polychlorinated Biphenyl

PEC= Probable Effects Concentration

PEL= Probable Effects Level

RL= Reporting Limit

SVOC= Semi-Volatile Organic Compound

TEC= Threshold Effects Concentration

TEL= Threshold Effects Level

TRV= Toxicity Reference Value



**Table 9-10**  
**Surface Water Toxicity Reference Values for Aquatic Organism Exposures**

Chemical	Chronic Surface Water TRV (ug/L)	Acute Surface Water TRV (ug/L)	Source for Surface Water TRVs
<b>Inorganics</b>			
Aluminum	8.70E+01	7.50E+02	NAWQC freshwater value from Suter and Tsao 1996
Antimony	5.00E+02	1.50E+03	Proposed marine value (Government of British Columbia Ministry of the Environment 2015)
Arsenic	3.60E+01	6.90E+01	NAWQC (USEPA 2015), value for total arsenic
Barium	2.00E+02	1.00E+03	Marine value (Government of British Columbia Ministry of the Environment 2015)
Beryllium	1.00E+02	1.50E+03	Marine value (Government of British Columbia Ministry of the Environment 2015)
Cadmium	8.80E+00	4.00E+01	NAWQC (USEPA 2015)
Calcium	NA	NA	---
Chromium	5.00E+01	1.10E+03	Hexavalent chromium value from NAWQC (USEPA 2015)
Chromium, hexavalent	5.00E+01	1.10E+03	NAWQC (USEPA 2015)
Cobalt	1.00E+00	NA	Trigger value for marine water from Australian and New Zealand Guidelines (ANZECC 2000)
Copper	3.10E+00	4.80E+00	NAWQC (USEPA 2015), based on dissolved concentrations
Cyanide (Total)	1.00E+00	1.00E+00	NAWQC (USEPA 2015), based on dissolved concentrations
Iron	1.00E+03	NA	NAWQC (USEPA 2015)
Lead	8.10E+00	2.10E+02	NAWQC (USEPA 2015)
Magnesium	NA	NA	---
Manganese	1.00E+02	NA	Marine value from British Columbia Water Quality Guidelines
Mercury	9.40E-01	1.80E+00	NAWQC (USEPA 2015), Value for total mercury (organic & inorganic)
Nickel	8.20E+00	7.40E+01	NAWQC (USEPA 2015)
Potassium	NA	NA	---
Selenium	7.10E+01	2.90E+02	NAWQC (USEPA 2015), Value reflects the use of a conversion factor (0.998) suggested by USEPA (1999) to convert total metal to dissolved metal criterion
Silver	3.60E-01	1.90E+00	Chronic value is Tier II freshwater value from Suter and Tsao 1996, acute value is from NAWQC (USEPA 2015)
Sodium	NA	NA	---
Thallium	1.70E+01	NA	Trigger value for marine water from Australian and New Zealand Guidelines (ANZECC 2000)
Tin	7.30E+01	2.70E+03	Tier II freshwater values from Suter and Tsao 1996
Vanadium	5.00E+01	NA	Marine value (Government of British Columbia Ministry of the Environment 2015)
Zinc	8.10E+01	9.00E+01	NAWQC (USEPA 2015)
<b>PAHs</b>			
1-Methylnaphthalene	2.10E+00	3.70E+01	Suter and Tsao 1996
2-Methylnaphthalene	2.10E+00	3.70E+01	Tier II freshwater value for 1-methylnaphthalene from Suter and Tsao 1996
Acenaphthene	4.00E+01	9.70E+02	Value presented is the LOEL
Acenaphthylene	4.84E+03	NA	USEPA Region 5 Ecological Screening Level, freshwater value (USEPA 2003)
Anthracene	7.30E-01	1.30E+01	Tier II freshwater value from Suter and Tsao 1996
Benzo(a)Anthracene	2.70E-02	4.90E-01	Tier II freshwater value from Suter and Tsao 1996
Benzo(a)Pyrene	1.40E-02	2.40E-01	Tier II freshwater value from Suter and Tsao 1996
Benzo(b)Fluoranthene	9.07E+00	NA	USEPA Region 5 Ecological Screening Level, freshwater value (USEPA 2003)
Benzo(g,h,i)Perylene	7.64E+00	NA	USEPA Region 5 Ecological Screening Level, freshwater value (USEPA 2003)
Benzo(k)Fluoranthene	NA	NA	---
Chrysene	NA	NA	---
Dibenzo(a,h)Anthracene	NA	NA	---
Fluoranthene	1.10E+01	NA	Final chronic value, marine (USEPA 1993)
Fluorene	3.90E+00	7.00E+01	Tier II freshwater value from Suter and Tsao 1996
Indeno(1,2,3-Cd)Pyrene	4.31E+00	NA	USEPA Region 5 Ecological Screening Level, freshwater value (USEPA 2003)
Naphthalene	1.40E+00	NA	Canadian Water Quality Guidelines (Canadian Council of Ministers of the Environment 1999)
Phenanthrene	4.60E+00	7.70E+00	Proposed marine value (Government of British Columbia Ministry of the Environment 2015)
Pyrene	NA	NA	---
Total LMW PAH (ND=RL)	1.40E+00	3.70E+01	Naphthalene was the most abundant LMW PAH detected in porewater; chronic TRV for naphthalene is from Canadian Water Quality Guidelines (Canadian Council of Ministers of the Environment 1999). The acute TRV is for 1-methylnaphthalene (a surrogate for naphthalene) from Suter and Tsao (1996).

**Table 9-10**  
**Surface Water Toxicity Reference Values for Aquatic Organism Exposures**

Chemical	Chronic Surface Water TRV (ug/L)	Acute Surface Water TRV (ug/L)	Source for Surface Water TRVs
Total HMW PAH (ND=RL)	4.60E+00	7.70E+00	Phenanthrene was the most abundant PAH in stormwater; HMW PAHs were not detected in porewater. Chronic and acute TRVs for phenanthrene are proposed marine values (Government of British Columbia Ministry of the Environment 2015).
Total PAH (ND=RL)	4.60E+00	3.70E+01	More conservative value for LMW and HMW PAHs chosen for each value. Chronic TRV is for naphthalene from Canadian Water Quality Guidelines (Canadian Council of Ministers of the Environment 1999). Acute TRV is for phenanthrene from proposed marine values (Government of British Columbia Ministry of the Environment 2015).
<b>PCBs</b>			
Aroclor-1248	8.10E-02	1.40E+00	Tier II freshwater value from Suter and Tsao 1996
Aroclor-1254	3.30E-02	6.00E-01	Tier II freshwater value from Suter and Tsao 1996
Aroclor-1260	9.40E+01	1.70E+03	Tier II freshwater value from Suter and Tsao 1996
Total PCBs (ND=0)	3.00E-02	1.40E-01	Chronic value from NRWQC (USEPA 2015), based on dissolved concentrations. Acute value from Tier II freshwater value from Suter and Tsao 1996
Total PCBs (ND=1/2RL)	3.00E-02	1.40E-01	Chronic value from NRWQC (USEPA 2015), based on dissolved concentrations. Acute value from Tier II freshwater value from Suter and Tsao 1996
Total PCBs (ND=RL)	3.00E-02	1.40E-01	Chronic value from NRWQC (USEPA 2015), based on dissolved concentrations. Acute value from Tier II freshwater value from Suter and Tsao 1996
<b>SVOCs</b>			
2,4-Dimethylphenol	NA	NA	---
4-Chloroaniline	NA	NA	---
4-Nitrophenol	3.00E+02	1.20E+03	Tier II value from Suter and Tsao 1996, value for freshwater
6-Methyl Chrysene	NA	NA	---
Acetophenone	NA	NA	---
Benzaldehyde	NA	NA	---
Benzoic Acid	4.20E+01	7.40E+02	Tier II value from Suter and Tsao 1996, value for freshwater
Bis(2-ethylhexyl)phthalate	3.60E+02	4.00E+02	Proposed marine value (Government of British Columbia Ministry of the Environment 2015)
Butyl benzyl phthalate	1.90E+01	NA	Tier II value from Suter and Tsao 1996, value for freshwater
Caprolactam	NA	NA	---
Carbazole	NA	NA	---
Dalapon	NA	NA	---
Diethyl phthalate	2.10E+02	1.80E+03	Tier II values from Suter and Tsao 1996, value for freshwater
Dimethyl phthalate	NA	NA	---
Di-N-Butyl phthalate	3.50E+01	1.90E+02	Tier II values from Suter and Tsao 1996, value for freshwater
Hexane	5.80E-01	1.00E+01	Tier II values from Suter and Tsao 1996, value for freshwater
n-Butyl Alcohol	NA	NA	---
Phenol	4.00E+02	NA	Trigger value for marine water from Australian and New Zealand Guidelines (ANZECC 2000)
<b>VOCs</b>			
1,2-Dichlorobenzene	1.40E+01	2.60E+02	Tier II values from Suter and Tsao 1996, value for freshwater
1,3-Dichlorobenzene	7.10E+01	6.30E+02	Tier II values from Suter and Tsao 1996, value for freshwater
1,4-Dichlorobenzene	1.50E+01	1.80E+02	Tier II values from Suter and Tsao 1996, value for freshwater
1,2,4-Trimethylbenzene	NA	NA	---
1,3,5-Trimethylbenzene	NA	NA	---
2-Butanone	1.40E+04	2.40E+05	Tier II freshwater values from Suter and Tsao 1996
Acetone	1.50E+03	2.80E+04	Tier II freshwater values from Suter and Tsao 1996
Acetophenone	NA	NA	---
Benzene	1.10E+02	NA	Canadian Water Quality Guidelines (Canadian Council of Ministers of the Environment 1999)
Carbon disulfide	9.20E-01	1.70E+01	Tier II freshwater values from Suter and Tsao 1996
Chlorobenzene	6.40E+01	1.10E+03	Tier II freshwater values from Suter and Tsao 1996
Chloroform	2.80E+01	4.90E+02	Tier II freshwater values from Suter and Tsao 1996
Chloromethane (Methyl chloride)	NA	NA	---
Ethylbenzene	2.50E+01	NA	Canadian Water Quality Guidelines (Canadian Council of Ministers of the Environment 1999)
Isopropylbenzene (Cumene)	NA	NA	---
Methylene chloride	2.20E+03	2.60E+04	Tier II freshwater value from Suter and Tsao 1996
n-Propylbenzene	NA	NA	---

**Table 9-10**  
**Surface Water Toxicity Reference Values for Aquatic Organism Exposures**

Chemical	Chronic Surface Water TRV (ug/L)	Acute Surface Water TRV (ug/L)	Source for Surface Water TRVs
p-Isopropyltoluene	NA	NA	---
Styrene			
Tetrachloroethene (PCE)	9.80E+01	8.30E+02	Tier II freshwater value from Suter and Tsao 1996
Toluene	2.15E+02	NA	Canadian Water Quality Guidelines (Canadian Council of Ministers of the Environment 1999)
Trichlorofluoromethane	NA	NA	---
Xylenes (m & p)	1.80E+00	3.20E+01	Tier II value for m-Xylene from Suter and Tsao 1996, value for freshwater
Xylenes (o)	NA	NA	---
Xylenes (Total)	1.30E+01	2.30E+02	Tier II value from Suter and Tsao 1996, value for freshwater

---= Does not apply

HMW= High Molecular Weight

LMW= Low Molecular Weight

NA - TRV not available

NAWQC - National Ambient Water Quality Criteria.

ND= Non-detect

PAH= Polyaromatic Hydrocarbon

PCB= Polychlorinated Biphenyl

PEC= Probable Effects Concentration

RL= Reporting Limit

SVOC= Semi-Volatile Organic Compound

TEC= Threshold Effects Concentration

TRV= Toxicity Reference Value

ug/L= micrograms per liter

VOC= Volatile Organic Compound

*This page intentionally left blank.*

Table 9-11  
Comparison of Exposure Point Concentrations (EPCs) in Sediment to Benthic Organism Toxicity Reference Values  
Sparrows Point Northeast/Near-Shore

Chemical	Sediment TEL TRV (mg/kg)	Sediment PEL TRV (mg/kg)	Frequency of Detection	Screening Level EPC (mg/kg)	TEL Hazard Quotient for Maximum EPC	PEL Hazard Quotient for Maximum EPC	Reasonable Maximum (95% UCLM) EPC (mg/kg)	TEL Hazard Quotient for 95UCLM EPC	PEL Hazard Quotient for 95UCLM EPC
<i>Inorganics</i>									
Cadmium	6.80E-01	4.21E+00	5/5	4.80E+00	<b>7.06E+00</b>	1.14E+00	4.80E+00	<b>7.06E+00</b>	1.14E+00
Chromium	5.23E+01	1.60E+02	2/2	7.50E+02	<b>1.43E+01</b>	<b>4.69E+00</b>	7.50E+02	<b>1.43E+01</b>	<b>4.69E+00</b>
Copper	1.87E+01	1.08E+02	13/13	1.60E+02	<b>8.56E+00</b>	1.48E+00	9.38E+01	<b>5.01E+00</b>	8.68E-01
Cyanide (Total)	1.00E+00	2.00E+01	7/8	1.60E+00	<b>1.60E+00</b>	8.00E-02	8.25E-01	8.25E-01	4.13E-02
Lead	3.02E+01	1.12E+02	8/8	1.10E+02	<b>3.64E+00</b>	9.82E-01	7.41E+01	<b>2.45E+00</b>	6.62E-01
Mercury	1.30E-01	7.00E-01	3/3	4.20E-01	<b>3.23E+00</b>	6.00E-01	4.20E-01	<b>3.23E+00</b>	6.00E-01
Nickel	1.59E+01	4.28E+01	13/13	4.60E+01	<b>2.89E+00</b>	1.07E+00	3.79E+01	<b>2.38E+00</b>	8.85E-01
Silver	7.30E-01	1.77E+00	5/5	1.70E+00	<b>2.33E+00</b>	9.60E-01	1.70E+00	<b>2.33E+00</b>	9.60E-01
Zinc	1.24E+02	2.71E+02	13/13	1.55E+03	<b>1.25E+01</b>	<b>5.72E+00</b>	1.03E+03	<b>8.34E+00</b>	<b>3.82E+00</b>
<i>PAHs</i>									
Total LMW PAH (ND=RL)	3.12E-01	1.44E+00	8/8	1.69E+00	<b>5.42E+00</b>	1.17E+00	1.32E+00	<b>4.24E+00</b>	9.17E-01
Total HMW PAH (ND=RL)	6.55E-01	6.68E+00	8/8	3.08E+00	<b>4.69E+00</b>	4.61E-01	3.08E+00	<b>4.69E+00</b>	4.61E-01
Total PAH (ND=RL)	1.68E+00	1.68E+01	8/8	4.77E+00	<b>2.83E+00</b>	2.84E-01	4.77E+00	<b>2.83E+00</b>	2.84E-01
<i>SVOCs</i>									
Bis(2-ethylhexyl)phthalate	1.82E-01	2.65E+00	9/16	1.60E+00	<b>8.79E+00</b>	6.04E-01	5.45E-01	<b>2.99E+00</b>	2.06E-01

**Bolded** HQs exceed 1 (to one significant digit) and are associated with exposures that exceed TRVs.

HMW= High Molecular Weight  
LMW= Low Molecular Weight  
mg/kg= milligrams per kilogram  
ND= Non-detect  
PAH= Polyaromatic Hydrocarbon  
PEL= Probable Effect Level  
RL= Reporting Limit  
SVOC= Semi-Volatile Organic Compound  
TEL= Threshold Effect Level  
TRV= Toxicity Reference Value  
UCLM= Upper Confidence Limit of the Mean

Table 9-12  
Comparison of Exposure Point Concentrations in Surface Water to Aquatic Organism TRVs  
Sparrows Point Northeast/Near-Shore

Chemical	Surface Water Toxicity Reference Value (µg/L)		Screening Level (Maximum) EPC-Non-Storm Conditions (µg/L)				Reasonable Maximum (weighted average) EPC-Non-Storm Conditions (µg/L)				Screening Level (Maximum) EPC-Storm Conditions (µg/L)			
	Chronic	Acute	Frequency of Detection	EPC (µg/L)	Hazard Quotient for Comparison to Chronic TRV	Hazard Quotient for Comparison to Acute TRV	Frequency of Detection	EPC (µg/L)	Hazard Quotient for Comparison to Chronic TRV	Hazard Quotient for Comparison to Acute TRV	Frequency of Detection	EPC (µg/L)	Hazard Quotient for Comparison to Chronic TRV	Hazard Quotient for Comparison to Acute TRV
<i>Inorganics</i>														
Chromium	5.00E+01	1.10E+03	NA	6.71E-01	1.34E-02	6.10E-04	NA	2.16E-01	4.33E-03	1.97E-04	NA	4.26E+00	8.52E-02	3.87E-03
Copper	3.10E+00	4.80E+00	NA	6.41E-01	2.07E-01	1.34E-01	NA	2.48E-01	8.00E-02	5.17E-02	NA	2.57E+00	8.29E-01	5.35E-01
Cyanide (Total)	1.00E+00	1.00E+00	NA	2.52E+00	<b>2.52E+00</b>	<b>2.52E+00</b>	NA	9.30E-01	9.30E-01	9.30E-01	NA	2.37E+01	<b>2.37E+01</b>	<b>2.37E+01</b>
Lead	8.10E+00	2.10E+02	NA	4.40E-01	5.43E-02	2.09E-03	NA	9.80E-02	1.21E-02	4.67E-04	NA	4.47E-01	5.52E-02	2.13E-03
Mercury	9.40E-01	1.80E+00	NA	6.63E-01	7.06E-01	3.68E-01	NA	1.54E-01	1.63E-01	8.54E-02	NA	6.64E-01	7.06E-01	3.69E-01
Nickel	8.20E+00	7.40E+01	NA	3.77E+00	4.60E-01	5.10E-02	NA	1.34E+00	1.64E-01	1.81E-02	NA	4.09E+00	4.99E-01	5.53E-02
Silver	3.60E-01	1.90E+00	NA	0.00E+00	0.00E+00	0.00E+00	NA	0.00E+00	0.00E+00	0.00E+00	NA	0.00E+00	0.00E+00	0.00E+00
Zinc	8.10E+01	9.00E+01	NA	1.25E+01	1.54E-01	1.39E-01	NA	4.41E+00	5.45E-02	4.90E-02	NA	4.60E+01	5.68E-01	5.11E-01
<i>PAHs</i>														
Total LMW PAH (ND=RL)	1.40E+00	3.70E+01	NA	3.12E-01	2.23E-01	8.43E-03	NA	1.23E-01	8.78E-02	3.32E-03	NA	3.79E-01	2.71E-01	1.02E-02
Total HMW PAH (ND=RL)	4.60E+00	7.70E+00	NA	5.10E-02	1.11E-02	6.62E-03	NA	1.15E-02	2.50E-03	1.49E-03	NA	5.10E-02	1.11E-02	6.62E-03
Total PAH (ND=RL)	4.60E+00	3.70E+01	NA	3.63E-01	7.89E-02	9.81E-03	NA	1.34E-01	2.92E-02	3.63E-03	NA	4.30E-01	9.35E-02	1.16E-02
<i>SVOCs</i>														
Bis(2-ethylhexyl)phthalate	3.60E+02	4.00E+02	NA	1.00E-01	2.78E-04	2.50E-04	NA	3.17E-02	8.81E-05	7.93E-05	NA	1.04E+00	2.89E-03	2.60E-03

**Bolded** HQs exceed 1 (to one significant digit) and are associated with exposures that exceed TRVs.

µg/L= micrograms per liter

EPC= Exposure Point Concentration

HMW= High Molecular Weight

LMW= Low Molecular Weight

NA=Not Available

ND= Non-detect

PAH= Polyaromatic Hydrocarbon

RL= Reporting Limit

SVOC= Semi-Volatile Organic Compound

TRV= Toxicity Reference Value

UCLM= Upper Confidence Limit of the Mean



Table 9-13  
Comparison of Screening Level Modeled Wildlife Doses to Birds based on Uptake Factors to Avian TRVs  
Sparrows Point Northeast/Near-Shore

Chemical	Avian TRVs (mg/kg-bw day)		Screening Level Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Fish, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Fish, Sediment, and Surface Water
	NOAEL	LOAEL	Great Blue Heron	Great Blue Heron	Great Blue Heron	Great Blue Heron
<i>Inorganics</i>						
Cadmium	1.47E+00	6.35E+00	7.50E-03	2.94E-03	1.74E-03	6.81E-04
Chromium	2.66E+00	1.56E+01	4.91E-01	2.63E-01	8.36E-02	4.47E-02
Copper	4.05E+00	1.21E+01	9.07E-02	4.88E-02	3.03E-02	1.63E-02
Cyanide (Total)	NA	NA	--	--	--	--
Lead	1.63E+00	3.26E+00	1.05E-01	6.13E-02	5.24E-02	3.06E-02
Mercury	4.50E-01	9.00E-01	3.31E-03	4.78E-01	1.66E-03	2.39E-01
Nickel	6.71E+00	1.86E+01	2.02E-02	8.62E-03	7.31E-03	3.12E-03
Silver	2.02E+00	2.02E+01	3.82E-03	7.57E-04	3.82E-04	7.57E-05
Zinc	6.61E+01	1.71E+02	1.24E-01	2.33E-02	4.79E-02	8.97E-03
<i>PAHs</i>						
Total LMW PAH (ND=RL)	5.62E+03	NA	6.53E-06	3.21E-05	--	--
Total HMW PAH (ND=RL)	2.00E+00	2.00E+01	3.24E-02	1.60E-02	3.24E-03	1.60E-03
Total PAH (ND=RL)	2.00E+00	2.00E+01	4.96E-02	1.06E-01	4.96E-03	1.06E-02
<i>SVOCs</i>						
Bis(2-ethylhexyl)phthalate	1.10E+00	NA	2.63E-01	2.93E-02	--	--

**Bolded** HQs exceed 1 (to one significant digit) and are associated with exposures that exceed TRVs.

--= does not apply

HMW= High Molecular Weight

HQ= Hazard Quotient

LMW= Low Molecular Weight

LOAEL= Lowest Observed Adverse Effect Level

mg/kg-bw day= milligrams per kilogram of body weight per day

NA= Not Available

ND= Non-detect

NOAEL= No Observed Adverse Effect Level

PAH= Polyaromatic Hydrocarbon

RL= Reporting Limit

SVOC= Semi-Volatile Organic Compound

TRV= Toxicity Reference Value

Table 9-14  
Comparison of Screening Level Modeled Wildlife Doses to Mammals based on Uptake Factors to Mammalian TRVs  
Sparrows Point Northeast/Near-Shore

Chemical	Mammalian TRVs (mg/kg bw day)		Screening Level Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Fish, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Fish, Sediment, and Surface Water
	NOAEL	LOAEL	Raccoon	Raccoon	Raccoon	Raccoon
<i>Inorganics</i>						
Cadmium	7.70E-01	7.70E+00	5.41E-02	2.12E-02	5.41E-03	2.12E-03
Chromium	2.40E+00	5.82E+01	<b>2.06E+00</b>	1.10E+00	8.49E-02	4.54E-02
Copper	5.60E+00	9.34E+00	2.48E-01	1.33E-01	1.49E-01	7.99E-02
Cyanide (Total)	6.87E+01	NA	1.59E-02	1.07E-04	--	--
Lead	4.70E+00	8.90E+00	1.37E-01	8.03E-02	7.25E-02	4.24E-02
Mercury	1.32E+01	NA	4.22E-04	6.16E-02	--	--
Nickel	1.70E+00	3.40E+00	3.02E-01	1.28E-01	1.51E-01	6.42E-02
Silver	6.02E+00	6.02E+01	4.85E-03	9.60E-04	4.85E-04	9.60E-05
Zinc	7.54E+01	2.98E+02	4.12E-01	7.70E-02	1.04E-01	1.95E-02
<i>PAHs</i>						
Total LMW PAH (ND=RL)	6.56E+01	3.28E+02	2.11E-03	1.04E-02	4.22E-04	2.08E-03
Total HMW PAH (ND=RL)	6.15E-01	3.01E+00	3.98E-01	1.97E-01	8.13E-02	4.02E-02
Total PAH (ND=RL)	6.15E-01	3.01E+00	6.10E-01	1.31E+00	1.25E-01	2.67E-01
<i>SVOCs</i>						
Bis(2-ethylhexyl)phthalate	1.83E+01	1.83E+02	5.98E-02	6.66E-03	5.98E-03	6.66E-04

**Bolded** HQs exceed 1 (to one significant digit) and are associated with exposures that exceed TRVs.

- HMW= High Molecular Weight
- HQ= Hazard Quotient
- LMW= Low Molecular Weight
- LOAEL= Lowest Observed Adverse Effect Level
- NOAEL= No Observed Adverse Effect Level
- mg/kg= milligrams per kilogram
- PAH= Polyaromatic Hydrocarbon
- TRV= Toxicity Reference Value
- SVOC= Semi-Volatile Organic Compound

Table 9-15  
Comparison of Screening Level Modeled Wildlife Doses to Birds based on Tissue Concentrations to Avian TRVs  
Sparrows Point Northeast/Near-Shore

Chemical	Avian TRVs (mg/kg-bw day)		Screening Level Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Fish, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Fish, Sediment, and Surface Water
	NOAEL	LOAEL	Great Blue Heron	Great Blue Heron	Great Blue Heron	Great Blue Heron
<i>Inorganics</i>						
Cadmium	1.47E+00	6.35E+00	7.78E-03	no tissue	1.80E-03	no tissue
Chromium	2.66E+00	1.56E+01	2.58E-01	2.60E-01	4.39E-02	4.42E-02
Copper	4.05E+00	1.21E+01	1.74E-01	4.14E-01	5.83E-02	1.39E-01
Lead	1.63E+00	3.26E+00	6.55E-02	8.23E-02	3.27E-02	4.11E-02
Mercury	4.50E-01	9.00E-01	3.00E-03	4.31E-03	1.50E-03	2.15E-03
Nickel	6.71E+00	1.86E+01	7.50E-03	7.20E-03	2.71E-03	2.60E-03
Silver	2.02E+00	2.02E+01	8.81E-03	1.17E-02	8.81E-04	1.17E-03
Zinc	6.61E+01	1.71E+02	5.24E-02	4.30E-02	2.02E-02	1.66E-02
<i>PAHs</i>						
Total LMW PAH (ND=RL)	5.62E+03	NA	2.35E-06	1.70E-06	--	--
Total HMW PAH (ND=RL)	2.00E+00	2.00E+01	6.49E-03	4.39E-03	6.49E-04	4.39E-04
Total PAH (ND=RL)	2.00E+00	2.00E+01	1.44E-02	9.16E-03	1.44E-03	9.16E-04

**Bolded** HQs exceed 1 (to one significant digit) and are associated with exposures that exceed TRVs.

--= does not apply

HMW= High Molecular Weight

HQ= Hazard Quotient

LMW= Low Molecular Weight

LOAEL= Lowest Observed Adverse Effect Level

mg/kg-bw day= milligrams per kilogram of body weight per day

NA= Not Available

ND= Non-detect

NOAEL= No Observed Adverse Effect Level

PAH= Polyaromatic Hydrocarbon

RL= Reporting Limit

TRV= Toxicity Reference Value

Table 9-16  
Comparison of Screening Level Modeled Wildlife Doses to Mammals based on Tissue Concentrations to Mammalian TRVs  
Sparrows Point Northeast/Near-Shore

Chemical	Mammalian TRVs (mg/kg-bw day)		Screening Level Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Fish, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Fish, Sediment, and Surface Water
	NOAEL	LOAEL	Raccoon	Raccoon	Raccoon	Raccoon
<i>Inorganics</i>						
Cadmium	7.70E-01	7.70E+00	5.61E-02	no tissue	5.61E-03	no tissue
Chromium	2.40E+00	5.82E+01	1.08E+00	1.09E+00	4.45E-02	4.49E-02
Copper	5.60E+00	9.34E+00	4.76E-01	1.13E+00	2.85E-01	6.79E-01
Lead	4.70E+00	8.90E+00	8.58E-02	1.08E-01	4.53E-02	5.69E-02
Mercury	1.32E+01	NA	3.82E-04	5.50E-04	--	--
Nickel	1.70E+00	3.40E+00	1.12E-01	1.07E-01	5.58E-02	5.36E-02
Silver	6.02E+00	6.02E+01	1.12E-02	1.48E-02	1.12E-03	1.48E-03
Zinc	7.54E+01	2.98E+02	1.73E-01	1.42E-01	4.39E-02	3.61E-02
<i>PAHs</i>						
Total LMW PAH (ND=RL)	6.56E+01	3.28E+02	7.59E-04	5.49E-04	1.52E-04	1.10E-04
Total HMW PAH (ND=RL)	6.15E-01	3.01E+00	7.98E-02	5.39E-02	1.63E-02	1.10E-02
Total PAH (ND=RL)	6.15E-01	3.01E+00	1.77E-01	1.12E-01	3.61E-02	2.30E-02

**Bolded** HQs exceed 1 (to one significant digit) and are associated with exposures that exceed TRVs.

--= does not apply

HMW= High Molecular Weight

HQ= Hazard Quotient

LMW= Low Molecular Weight

LOAEL= Lowest Observed Adverse Effect Level

mg/kg-bw day= milligrams per kilogram of body weight per day

NA= Not Available

ND= Non-detect

NOAEL= No Observed Adverse Effect Level

Table 9-17  
Comparison of Reasonable Maximum Modeled Wildlife Doses to Birds based on Uptake Factors to Avian TRVs  
Sparrows Point Northeast/Near-Shore

Chemical	Avian TRVs (mg/kg-bw day)		Reasonable Maximum Case Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Fish, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Fish, Sediment, and Surface Water
	NOAEL	LOAEL	Great Blue Heron	Great Blue Heron	Great Blue Heron	Great Blue Heron
<i>Inorganics</i>						
Cadmium	1.47E+00	6.35E+00	7.50E-03	2.94E-03	1.74E-03	6.81E-04
Chromium	2.66E+00	1.56E+01	4.91E-01	2.57E-01	8.36E-02	4.37E-02
Copper	4.05E+00	1.21E+01	5.31E-02	2.60E-02	1.78E-02	8.69E-03
Cyanide (Total)	NA	NA	--	--	--	--
Lead	1.63E+00	3.26E+00	7.06E-02	4.11E-02	3.53E-02	2.05E-02
Mercury	4.50E-01	9.00E-01	3.26E-03	1.12E-01	1.63E-03	5.58E-02
Nickel	6.71E+00	1.86E+01	1.67E-02	5.96E-03	6.02E-03	2.15E-03
Silver	2.02E+00	2.02E+01	3.82E-03	7.57E-04	3.82E-04	7.57E-05
Zinc	6.61E+01	1.71E+02	8.30E-02	1.48E-02	3.20E-02	5.72E-03
<i>PAHs</i>						
Total LMW PAH (ND=RL)	5.62E+03	NA	5.10E-06	1.28E-05	--	--
Total HMW PAH (ND=RL)	2.00E+00	2.00E+01	3.24E-02	4.69E-03	3.24E-03	4.69E-04
Total PAH (ND=RL)	2.00E+00	2.00E+01	4.96E-02	4.07E-02	4.96E-03	4.07E-03
<i>SVOCs</i>						
Bis(2-ethylhexyl)phthalate	1.10E+00	NA	8.96E-02	9.33E-03	--	--

**Bolded** HQs exceed 1 (to one significant digit) and are associated with exposures that exceed TRVs.

--= does not apply

HMW= High Molecular Weight

HQ= Hazard Quotient

LMW= Low Molecular Weight

LOAEL= Lowest Observed Adverse Effect Level

mg/kg-bw day= milligrams per kilogram of body weight per day

NA= Not Available

ND= Non-detect

NOAEL= No Observed Adverse Effect Level

PAH= Polyaromatic Hydrocarbon

RL= Reporting Limit

SVOC= Semi-Volatile Organic Compound

TRV= Toxicity Reference Value

Table 9-18  
Comparison of Reasonable Maximum Modeled Wildlife Doses to Mammals based on Uptake Factors to Mammalian TRVs  
Sparrows Point Northeast/Near-Shore

Chemical	Mammalian TRVs (mg/kg-bw day)		Reasonable Maximum Case Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Fish, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Fish, Sediment, and Surface Water
	NOAEL	LOAEL	Raccoon	Raccoon	Raccoon	Raccoon
<i>Inorganics</i>						
Cadmium	7.70E-01	7.70E+00	5.41E-02	2.12E-02	5.41E-03	2.12E-03
Chromium	2.40E+00	5.82E+01	<b>2.06E+00</b>	1.07E+00	8.49E-02	4.43E-02
Copper	5.60E+00	9.34E+00	1.45E-01	7.09E-02	8.70E-02	4.25E-02
Cyanide (Total)	6.87E+01	NA	8.21E-03	5.12E-05	--	--
Lead	4.70E+00	8.90E+00	9.25E-02	5.38E-02	4.88E-02	2.84E-02
Mercury	1.32E+01	NA	4.19E-04	1.44E-02	--	--
Nickel	1.70E+00	3.40E+00	2.48E-01	8.87E-02	1.24E-01	4.44E-02
Silver	6.02E+00	6.02E+01	4.85E-03	9.60E-04	4.85E-04	9.60E-05
Zinc	7.54E+01	2.98E+02	2.75E-01	4.91E-02	6.96E-02	1.25E-02
<i>PAHs</i>						
Total LMW PAH (ND=RL)	6.56E+01	3.28E+02	1.65E-03	4.13E-03	3.30E-04	8.27E-04
Total HMW PAH (ND=RL)	6.15E-01	3.01E+00	3.98E-01	5.76E-02	8.13E-02	1.18E-02
Total PAH (ND=RL)	6.15E-01	3.01E+00	6.10E-01	5.00E-01	1.25E-01	1.02E-01
<i>SVOCs</i>						
Bis(2-ethylhexyl)phthalate	1.83E+01	1.83E+02	2.04E-02	2.12E-03	2.04E-03	2.12E-04

**Bolded** HQs exceed 1 (to one significant digit) and are associated with exposures that exceed TRVs.

--= does not apply

HMW= High Molecular Weight

HQ= Hazard Quotient

LMW= Low Molecular Weight

LOAEL= Lowest Observed Adverse Effect Level

mg/kg-bw day= milligrams per kilogram of body weight per day

NA= Not Available

ND= Non-detect

NOAEL= No Observed Adverse Effect Level

PAH= Polyaromatic Hydrocarbon

RL= Reporting Limit

SVOC= Semi-Volatile Organic Compound

TRV= Toxicity Reference Value

Table 9-19  
Comparison of Reasonable Maximum Modeled Wildlife Doses to Birds based on Tissue Concentrations to Avian TRVs  
Sparrows Point Northeast/Near-Shore

Chemical	Avian TRVs (mg/kg-bw day)		Reasonable Maximum Case Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Fish, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Fish, Sediment, and Surface Water
	NOAEL	LOAEL	Great Blue Heron	Great Blue Heron	Great Blue Heron	Great Blue Heron
<i>Inorganics</i>						
Cadmium	1.47E+00	6.35E+00	7.78E-03	no tissue	1.80E-03	no tissue
Chromium	2.66E+00	1.56E+01	2.58E-01	2.60E-01	4.39E-02	4.42E-02
Copper	4.05E+00	1.21E+01	1.60E-01	4.00E-01	5.34E-02	1.34E-01
Lead	1.63E+00	3.26E+00	4.57E-02	6.25E-02	2.28E-02	3.12E-02
Mercury	4.50E-01	9.00E-01	2.95E-03	4.26E-03	1.48E-03	2.13E-03
Nickel	6.71E+00	1.86E+01	6.40E-03	6.10E-03	2.31E-03	2.20E-03
Silver	2.02E+00	2.02E+01	8.81E-03	1.17E-02	8.81E-04	1.17E-03
Zinc	6.61E+01	1.71E+02	4.53E-02	3.59E-02	1.75E-02	1.39E-02
<i>PAHs</i>						
Total LMW PAH (ND=RL)	5.62E+03	NA	2.28E-06	1.64E-06	--	--
Total HMW PAH (ND=RL)	2.00E+00	2.00E+01	6.49E-03	4.39E-03	6.49E-04	4.39E-04
Total PAH (ND=RL)	2.00E+00	2.00E+01	1.44E-02	9.15E-03	1.44E-03	9.15E-04

**Bolded** HQs exceed 1 (to one significant digit) and are associated with exposures that exceed TRVs.

--= does not apply

HMW= High Molecular Weight

HQ= Hazard Quotient

LMW= Low Molecular Weight

LOAEL= Lowest Observed Adverse Effect Level

mg/kg-bw day= milligrams per kilogram of body weight per day

NA= Not Available

ND= Non-detect

NOAEL= No Observed Adverse Effect Level

PAH= Polyaromatic Hydrocarbon

RL= Reporting Limit

TRV= Toxicity Reference Value



Table 9-20  
Comparison of Reasonable Maximum Modeled Wildlife Doses to Mammals based on Tissue Concentrations to Mammalian TRVs  
Sparrows Point Northeast/Near-Shore

Chemical	Mammalian TRVs (mg/kg-bw day)		Reasonable Maximum Case Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Fish, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Fish, Sediment, and Surface Water
	NOAEL	LOAEL	Raccoon	Raccoon	Raccoon	Raccoon
<i>Inorganics</i>						
Cadmium	7.70E-01	7.70E+00	5.61E-02	no tissue	5.61E-03	no tissue
Chromium	2.40E+00	5.82E+01	1.08E+00	1.09E+00	4.45E-02	4.49E-02
Copper	5.60E+00	9.34E+00	4.36E-01	1.09E+00	2.61E-01	6.55E-01
Lead	4.70E+00	8.90E+00	5.98E-02	8.18E-02	3.16E-02	4.32E-02
Mercury	1.32E+01	NA	3.79E-04	5.47E-04	--	--
Nickel	1.70E+00	3.40E+00	9.53E-02	9.08E-02	4.77E-02	4.54E-02
Silver	6.02E+00	6.02E+01	1.12E-02	1.48E-02	1.12E-03	1.48E-03
Zinc	7.54E+01	2.98E+02	1.50E-01	1.19E-01	3.80E-02	3.02E-02
<i>PAHs</i>						
Total LMW PAH (ND=RL)	6.56E+01	3.28E+02	7.39E-04	5.30E-04	1.48E-04	1.06E-04
Total HMW PAH (ND=RL)	6.15E-01	3.01E+00	7.98E-02	5.39E-02	1.63E-02	1.10E-02
Total PAH (ND=RL)	6.15E-01	3.01E+00	1.77E-01	1.12E-01	3.61E-02	2.30E-02

**Bolded** HQs exceed 1 (to one significant digit) and are associated with exposures that exceed TRVs.

--= does not apply  
HMW= High Molecular Weight  
HQ= Hazard Quotient  
LMW= Low Molecular Weight  
LOAEL= Lowest Observed Adverse Effect Level  
mg/kg-bw day= milligrams per kilogram of body weight per day  
NA= Not Available  
ND= Non-detect  
NOAEL= No Observed Adverse Effect Level  
PAH= Polyaromatic Hydrocarbon  
RL= Reporting Limit  
TRV= Toxicity Reference Value

**Table 9-21**  
**Comparison of Exposure Point Concentrations (EPCs) in Sediment to Benthic Organism TRVs**  
**Sparrows Point Southwest/Tin Mill Canal Effluent**

Chemical	Sediment TEL TRV (mg/kg)	Sediment PEL TRV (mg/kg)	Frequency of Detection	Screening Level EPC (mg/kg)	TEL Hazard Quotient for Maximum EPC	PEL Hazard Quotient for Maximum EPC	Reasonable Maximum (95% UCLM) EPC (mg/kg)	TEL Hazard Quotient for 95UCLM EPC	PEL Hazard Quotient for 95UCLM EPC
<b>Inorganics</b>									
Antimony	2.00E+00	2.50E+01	28/29	1.00E+01	<b>5.00E+00</b>	4.00E-01	5.64E+00	<b>2.82E+00</b>	2.26E-01
Arsenic	7.24E+00	4.16E+01	29/29	1.20E+02	<b>1.66E+01</b>	<b>2.88E+00</b>	4.79E+01	<b>6.62E+00</b>	1.15E+00
Beryllium	1.10E+00	3.00E+01	29/29	1.60E+00	1.45E+00	5.33E-02	8.68E-01	7.89E-01	2.89E-02
Cadmium	6.80E-01	4.21E+00	29/29	1.10E+02	<b>1.62E+02</b>	<b>2.61E+01</b>	3.04E+01	<b>4.47E+01</b>	<b>7.22E+00</b>
Chromium	5.23E+01	1.60E+02	29/29	4.60E+03	<b>8.80E+01</b>	<b>2.88E+01</b>	2.43E+03	<b>4.65E+01</b>	<b>1.52E+01</b>
Copper	1.87E+01	1.08E+02	29/29	5.50E+02	<b>2.94E+01</b>	<b>5.09E+00</b>	3.22E+02	<b>1.72E+01</b>	<b>2.98E+00</b>
Cyanide (Total)	1.00E+00	2.00E+01	28/29	3.50E+01	<b>3.50E+01</b>	<b>1.75E+00</b>	1.71E+01	<b>1.71E+01</b>	8.54E-01
Lead	3.02E+01	1.12E+02	29/29	1.10E+03	<b>3.64E+01</b>	<b>9.82E+00</b>	4.67E+02	<b>1.54E+01</b>	<b>4.17E+00</b>
Mercury	1.30E-01	7.00E-01	27/28	1.60E+00	<b>1.23E+01</b>	<b>2.29E+00</b>	8.27E-01	<b>6.36E+00</b>	1.18E+00
Nickel	1.59E+01	4.28E+01	29/29	2.10E+02	<b>1.32E+01</b>	<b>4.91E+00</b>	1.11E+02	<b>6.99E+00</b>	<b>2.60E+00</b>
Selenium	7.00E-01	1.00E+02	24/29	1.70E+01	<b>2.43E+01</b>	1.70E-01	8.83E+00	<b>1.26E+01</b>	8.83E-02
Silver	7.30E-01	1.77E+00	29/29	8.10E+00	<b>1.11E+01</b>	<b>4.58E+00</b>	3.87E+00	<b>5.30E+00</b>	<b>2.19E+00</b>
Thallium	1.00E+00	1.50E+01	29/29	9.80E-01	9.80E-01	6.53E-02	5.23E-01	5.23E-01	3.49E-02
Zinc	1.24E+02	2.71E+02	29/29	1.70E+04	<b>1.37E+02</b>	<b>6.27E+01</b>	6.68E+03	<b>5.38E+01</b>	<b>2.46E+01</b>
<b>PAHs</b>									
Total LMW PAH (ND=RL)	3.12E-01	1.44E+00	29/29	4.52E+01	<b>1.45E+02</b>	<b>3.13E+01</b>	1.86E+01	<b>5.97E+01</b>	<b>1.29E+01</b>
Total HMW PAH (ND=RL)	6.55E-01	6.68E+00	29/29	3.92E+01	<b>5.98E+01</b>	<b>5.87E+00</b>	2.11E+01	<b>3.22E+01</b>	<b>3.16E+00</b>
Total PAH (ND=RL)	1.68E+00	1.68E+01	29/29	8.17E+01	<b>4.85E+01</b>	<b>4.87E+00</b>	3.93E+01	<b>2.33E+01</b>	<b>2.34E+00</b>
<b>PCBs</b>									
Aroclor-1248	6.33E-02	7.09E-01	28/28	9.00E+00	<b>1.42E+02</b>	<b>1.27E+01</b>	3.58E+00	<b>5.65E+01</b>	<b>5.05E+00</b>
Aroclor-1254	6.33E-02	7.09E-01	20/28	3.20E+00	<b>5.06E+01</b>	<b>4.51E+00</b>	1.24E+00	<b>1.96E+01</b>	<b>1.75E+00</b>
Aroclor-1260	6.33E-02	7.09E-01	23/28	2.00E+00	<b>3.16E+01</b>	<b>2.82E+00</b>	6.57E-01	<b>1.04E+01</b>	9.27E-01
Total PCBs (ND=0)	5.98E-02	6.76E-01	28/28	1.32E+01	<b>2.21E+02</b>	<b>1.95E+01</b>	3.40E+00	<b>5.68E+01</b>	<b>5.03E+00</b>
Total PCBs (ND=RL)	5.98E-02	6.76E-01	28/28	1.39E+01	<b>2.32E+02</b>	<b>2.05E+01</b>	3.53E+00	<b>5.90E+01</b>	<b>5.22E+00</b>
<b>SVOCs</b>									
2,4-Dimethylphenol	NA	NA	1/28	5.90E-02	--	--	5.90E-02	--	--
4-Nitrophenol	NA	NA	1/28	3.60E+00	--	--	3.60E+00	--	--
Benzoic Acid	NA	NA	3/28	1.40E+00	--	--	1.40E+00	--	--
Bis(2-ethylhexyl)phthalate	1.82E-01	2.65E+00	26/29	5.10E+01	<b>2.80E+02</b>	<b>1.93E+01</b>	1.88E+01	<b>1.03E+02</b>	<b>7.10E+00</b>
<b>VOCs</b>									
Chlorobenzene	3.00E-02	3.00E+01	12/28	2.50E-01	<b>8.33E+00</b>	8.33E-03	4.10E-02	1.37E+00	1.37E-03

**Bolded** HQs exceed 1 (to one significant digit) and are associated with exposures that exceed TRVs.

--= does not apply

EPC=Exposure Point Concentration

HMW= High Molecular Weight

LMW= Low Molecular Weight

mg/kg= milligrams per kilogram

NA= Not Available

ND = Non-detect

PAH= Polyaromatic Hydrocarbon

PCB= Polychlorinated biphenyl

PEL= Probable Effect Level

RL = Reporting Limit

SVOC= Semi-Volatile Organic Compound

TEL= Threshold Effect Level

TRV= Toxicity Reference Value

UCLM= Upper Confidence Limit of the Mean

VOC= Volatile Organic Compound

**Table 9-22**  
**Comparison of Exposure Point Concentrations in Surface Water to Aquatic Organism TRVs**  
**Sparrows Point Southwest/Tin Mill Canal Effluent**

Chemical	Surface Water Toxicity Reference Value (µg/L)		Screening Level (Maximum) EPC- Non-Storm Conditions (µg/L)			Reasonable Maximum (weighted average) EPC- Non-Storm Conditions (µg/L)			Screening Level (Maximum) EPC-Storm Conditions (µg/L)		
	Chronic	Acute	EPC (µg/L)	Hazard Quotient for Comparison to Chronic TRV	Hazard Quotient for Comparison to Acute TRV	EPC (µg/L)	Hazard Quotient for Comparison to Chronic TRV	Hazard Quotient for Comparison to Acute TRV	EPC (µg/L)	Hazard Quotient for Comparison to Chronic TRV	Hazard Quotient for Comparison to Acute TRV
<b>Inorganics</b>											
Antimony	5.00E+02	1.50E+03	3.29E-01	6.58E-04	2.19E-04	1.20E-01	2.40E-04	8.01E-05	5.88E-01	1.18E-03	3.92E-04
Arsenic	3.60E+01	6.90E+01	9.60E-01	2.67E-02	1.39E-02	5.13E-01	1.43E-02	7.44E-03	1.03E+00	2.86E-02	1.49E-02
Chromium	5.00E+01	1.10E+03	9.63E-01	1.93E-02	8.75E-04	2.57E-01	5.13E-03	2.33E-04	1.26E+00	2.52E-02	1.15E-03
Copper	3.10E+00	4.80E+00	9.69E-01	3.13E-01	2.02E-01	2.99E-01	9.64E-02	6.23E-02	9.79E-01	3.16E-01	2.04E-01
Cyanide (Total)	1.00E+00	1.00E+00	3.87E+00	<b>3.87E+00</b>	<b>3.87E+00</b>	1.15E+00	1.15E+00	1.15E+00	6.50E+00	<b>6.50E+00</b>	<b>6.50E+00</b>
Lead	8.10E+00	2.10E+02	5.37E-01	6.63E-02	2.56E-03	7.99E-02	9.86E-03	3.80E-04	5.44E-01	6.72E-02	2.59E-03
Mercury	9.40E-01	1.80E+00	3.25E-01	3.46E-01	1.81E-01	1.14E-01	1.21E-01	6.32E-02	3.28E-01	3.49E-01	1.82E-01
Nickel	8.20E+00	7.40E+01	5.80E+00	7.07E-01	7.84E-02	1.68E+00	2.05E-01	2.27E-02	5.81E+00	7.09E-01	7.85E-02
Zinc	8.10E+01	9.00E+01	1.93E+01	2.38E-01	2.14E-01	5.56E+00	6.86E-02	6.18E-02	1.94E+01	2.40E-01	2.16E-01
<b>PAHs</b>											
Total LMW PAH (ND=RL)	1.40E+00	3.70E+01	4.72E-01	3.37E-01	1.28E-02	1.30E-01	9.29E-02	3.51E-03	4.74E-01	3.39E-01	1.28E-02
Total HMW PAH (ND=RL)	4.60E+00	7.70E+00	2.32E-02	5.04E-03	3.01E-03	8.43E-03	1.83E-03	1.09E-03	2.35E-02	5.11E-03	3.05E-03
Total PAH (ND=RL)	4.60E+00	3.70E+01	4.95E-01	1.08E-01	1.34E-02	1.38E-01	3.01E-02	3.74E-03	4.98E-01	1.08E-01	1.34E-02
<b>SVOCs</b>											
Bis(2-ethylhexyl)phthalate	3.60E+02	4.00E+02	7.33E-02	2.04E-04	1.83E-04	2.57E-02	7.14E-05	6.43E-05	2.61E-01	7.25E-04	6.53E-04

**Bolded** HQs exceed 1 (to one significant digit) and are associated with exposures that exceed TRVs.

µg/L= micrograms per liter

EPC=Exposure Point Concentration

HMW= High Molecular Weight

LMW= Low Molecular Weight

ND = Non-detect

PAH= Polyaromatic Hydrocarbon

RL = Reporting Limit

SVOC= Semi-Volatile Organic Compound

TRV= Toxicity Reference Value

Table 9-23  
Comparison of Screening Level Modeled Wildlife Doses to Birds based on Uptake Factors to Avian TRVs  
Sparrows Point Southwest/Tin Mill Canal Effluent

Chemical	Avian TRVs (mg/kg-bw day)		Screening Level Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Fish, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Fish, Sediment, and Surface Water
	NOAEL	LOAEL	Great Blue Heron	Great Blue Heron	Great Blue Heron	Great Blue Heron
<i>Inorganics</i>						
Arsenic	2.24E+00	7.40E+00	5.70E-01	4.85E-02	1.72E-01	1.47E-02
Cadmium	1.47E+00	6.35E+00	1.72E-01	6.73E-02	3.98E-02	1.56E-02
Chromium	2.66E+00	1.56E+01	<b>3.01E+00</b>	<b>1.57E+00</b>	5.13E-01	2.67E-01
Copper	4.05E+00	1.21E+01	3.12E-01	1.42E-01	1.04E-01	4.76E-02
Cyanide (Total)	NA	NA	--	--	--	--
Lead	1.63E+00	3.26E+00	1.05E+00	6.08E-01	5.24E-01	3.04E-01
Mercury	4.50E-01	9.00E-01	1.24E-02	2.37E-01	6.20E-03	1.19E-01
Nickel	6.71E+00	1.86E+01	9.23E-02	3.19E-02	3.34E-02	1.15E-02
Selenium	2.90E-01	5.79E-01	6.06E-01	5.28E-02	3.04E-01	2.64E-02
Silver	2.02E+00	2.02E+01	1.82E-02	3.61E-03	1.82E-03	3.61E-04
Zinc	6.61E+01	1.71E+02	1.36E+00	2.35E-01	5.26E-01	9.05E-02
<i>PAHs</i>						
Total LMW PAH (ND=RL)	5.62E+03	NA	1.74E-04	5.55E-05	--	--
Total HMW PAH (ND=RL)	2.00E+00	2.00E+01	4.13E-01	2.43E-02	4.13E-02	2.43E-03
Total PAH (ND=RL)	2.00E+00	2.00E+01	8.50E-01	1.79E-01	8.50E-02	1.79E-02
<i>PCBs</i>						
Aroclor-1248	1.80E-01	1.80E+00	<b>3.18E+01</b>	4.50E-02	<b>3.18E+00</b>	4.50E-03
Aroclor-1254	1.80E-01	1.80E+00	<b>1.13E+01</b>	1.60E-02	1.13E+00	1.60E-03
Aroclor-1260	1.80E-01	1.80E+00	<b>7.06E+00</b>	1.00E-02	7.06E-01	1.00E-03
Total PCBs (ND=0)	1.80E-01	1.80E+00	<b>8.38E+01</b>	6.60E-02	<b>8.38E+00</b>	6.60E-03
Total PCBs (ND=RL)	1.80E-01	1.80E+00	<b>9.59E+01</b>	6.94E-02	<b>9.59E+00</b>	6.94E-03
<i>SVOCs</i>						
2,4-Dimethylphenol	NA	NA	--	--	--	--
4-Nitrophenol	NA	NA	--	--	--	--
Benzoic Acid	NA	NA	--	--	--	--
Bis(2-ethylhexyl)phthalate	1.10E+00	NA	<b>8.39E+00</b>	6.23E-02	--	--
<i>VOCs</i>						
Chlorobenzene	NA	NA	--	--	--	--

**Bolded** HQs exceed 1 (to one significant digit) and are associated with exposures that exceed TRVs.

---= does not apply

HMW= High Molecular Weight

HQ= Hazard Quotient

LMW= Low Molecular Weight

LOAEL= Lowest Observed Adverse Effect Level

mg/kg-bw day= milligrams per kilogram of body weight per day

NA= Not Available

ND= Non-detect

NOAEL= No Observed Adverse Effect Level

PAH= Polyaromatic Hydrocarbon

PCB= Polychlorinated biphenyl

RL= Reporting Limit

SVOC= Semi-Volatile Organic Compound

TRV= Toxicity Reference Value

VOC= Volatile Organic Compound

Table 9-24  
Comparison of Screening Level Scenario Modeled Wildlife Doses to Mammals based on Uptake Factors to Mammalian TRVs  
Sparrows Point Southwest/Tin Mill Canal Effluent

Chemical	Mammalian TRVs (mg/kg-bw day)		Screening Level Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Fish, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Fish, Sediment, and Surface Water
	NOAEL	LOAEL	Raccoon	Raccoon	Raccoon	Raccoon
<i>Inorganics</i>						
Antimony	5.90E-02	5.90E-01	<b>4.20E+00</b>	5.81E-01	4.20E-01	5.81E-02
Arsenic	1.04E+00	1.66E+00	<b>4.64E+00</b>	3.95E-01	<b>2.90E+00</b>	2.47E-01
Beryllium	5.32E-01	6.73E-01	<b>2.06E+00</b>	1.02E-02	<b>1.63E+00</b>	8.09E-03
Cadmium	7.70E-01	7.70E+00	1.24E+00	4.86E-01	1.24E-01	4.86E-02
Chromium	2.40E+00	5.82E+01	<b>1.26E+01</b>	<b>6.57E+00</b>	5.20E-01	2.71E-01
Copper	5.60E+00	9.34E+00	8.51E-01	3.89E-01	5.10E-01	2.33E-01
Cyanide (Total)	6.87E+01	NA	3.48E-01	1.78E-03	--	--
Lead	4.70E+00	8.90E+00	1.37E+00	7.97E-01	7.25E-01	4.21E-01
Mercury	1.32E+01	NA	1.59E-03	3.06E-02	--	--
Nickel	1.70E+00	3.40E+00	1.38E+00	4.76E-01	6.88E-01	2.38E-01
Selenium	1.43E-01	2.15E-01	<b>4.64E+00</b>	4.04E-01	<b>3.09E+00</b>	2.69E-01
Silver	6.02E+00	6.02E+01	2.31E-02	4.57E-03	2.31E-03	4.57E-04
Thallium	7.40E-03	7.40E-02	<b>1.70E+00</b>	4.50E-01	1.70E-01	4.50E-02
Zinc	7.54E+01	2.98E+02	<b>4.52E+00</b>	7.78E-01	1.14E+00	1.97E-01
<i>PAHs</i>						
Total LMW PAH (ND=RL)	6.56E+01	3.28E+02	5.64E-02	1.80E-02	1.13E-02	3.59E-03
Total HMW PAH (ND=RL)	6.15E-01	3.01E+00	<b>5.07E+00</b>	2.99E-01	1.04E+00	6.10E-02
Total PAH (ND=RL)	6.15E-01	3.01E+00	<b>1.04E+01</b>	<b>2.20E+00</b>	<b>2.13E+00</b>	4.49E-01
<i>PCBs</i>						
Aroclor-1248	1.00E-02	1.00E-01	<b>2.16E+03</b>	<b>3.06E+00</b>	<b>2.16E+02</b>	3.06E-01
Aroclor-1254	1.40E-01	6.90E-01	<b>5.49E+01</b>	7.77E-02	<b>1.11E+01</b>	1.58E-02
Aroclor-1260	1.00E-02	1.00E-01	<b>4.80E+02</b>	6.80E-01	<b>4.80E+01</b>	6.80E-02
Total PCBs (ND=0)	1.00E-02	1.00E-01	<b>5.70E+03</b>	<b>4.49E+00</b>	<b>5.70E+02</b>	4.49E-01
Total PCBs (ND=RL)	1.00E-02	1.00E-01	<b>6.52E+03</b>	<b>4.72E+00</b>	<b>6.52E+02</b>	4.72E-01
<i>SVOCs</i>						
2,4-Dimethylphenol	NA	NA	--	--	--	--
4-Nitrophenol	NA	NA	--	--	--	--
Benzoic Acid	NA	NA	--	--	--	--
Bis(2-ethylhexyl)phthalate	1.83E+01	1.83E+02	<b>1.90E+00</b>	1.41E-02	1.90E-01	1.41E-03
<i>VOCs</i>						
Chlorobenzene	1.50E+01	4.10E+01	1.14E-02	5.67E-05	4.17E-03	2.07E-05

**Bolded** HQs exceed 1 (to one significant digit) and are associated with exposures that exceed TRVs.

--= does not apply

HMW= High Molecular Weight

HQ= Hazard Quotient

LMW= Low Molecular Weight

LOAEL= Lowest Observed Adverse Effect Level

mg/kg-bw day= milligrams per kilogram of body weight per day

NA= Not Available

ND= Non-detect

NOAEL= No Observed Adverse Effect Level

PAH= Polyaromatic Hydrocarbon

PCB= Polychlorinated biphenyl

RL= Reporting Limit

SVOC= Semi-Volatile Organic Compound

TRV= Toxicity Reference Value

VOC= Volatile Organic Compound

Table 9-25  
Comparison of Screening Level Modeled Wildlife Doses to Birds based on Tissue Concentrations to Avian TRVs  
Sparrows Point Southwest/Tin Mill Canal Effluent

Chemical	Avian TRVs (mg/kg-bw day)		Screening Level Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Fish, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Fish, Sediment, and Surface Water
	NOAEL	LOAEL	Great Blue Heron	Great Blue Heron	Great Blue Heron	Great Blue Heron
<b>Inorganics</b>						
Arsenic	2.24E+00	7.40E+00	7.32E-02	6.23E-02	2.22E-02	1.89E-02
Cadmium	1.47E+00	6.35E+00	7.22E-02	no tissue	1.67E-02	no tissue
Chromium	2.66E+00	1.56E+01	1.56E+00	1.56E+00	2.66E-01	2.66E-01
Copper	4.05E+00	1.21E+01	2.61E-01	5.01E-01	8.73E-02	1.68E-01
Lead	1.63E+00	3.26E+00	6.12E-01	6.29E-01	3.06E-01	3.14E-01
Mercury	4.50E-01	9.00E-01	5.33E-03	6.63E-03	2.66E-03	3.32E-03
Nickel	6.71E+00	1.86E+01	2.95E-02	2.92E-02	1.07E-02	1.06E-02
Selenium	2.90E-01	5.79E-01	2.20E-01	3.32E-01	1.10E-01	1.66E-01
Silver	2.02E+00	2.02E+01	1.17E-02	1.45E-02	1.17E-03	1.45E-03
Zinc	6.61E+01	1.71E+02	2.63E-01	2.53E-01	1.01E-01	9.77E-02
<b>PAHs</b>						
Total LMW PAH (ND=RL)	5.62E+03	NA	9.31E-06	8.67E-06	--	--
Total HMW PAH (ND=RL)	2.00E+00	2.00E+01	2.27E-02	2.06E-02	2.27E-03	2.06E-03
Total PAH (ND=RL)	2.00E+00	2.00E+01	4.90E-02	4.38E-02	4.90E-03	4.38E-03
<b>PCBs</b>						
Total PCBs (ND=0)	1.80E-01	1.80E+00	1.02E-01	2.00E-01	1.02E-02	2.00E-02
Total PCBs (ND=RL)	1.80E-01	1.80E+00	1.22E-01	2.09E-01	1.22E-02	2.09E-02

**Bolded** HQs exceed 1 (to one significant digit) and are associated with exposures that exceed TRVs.

--= does not apply

HMW= High Molecular Weight

HQ= Hazard Quotient

LMW= Low Molecular Weight

LOAEL= Lowest Observed Adverse Effect Level

mg/kg-bw day= milligrams per kilogram of body weight per day

NA= Not Available

ND= Non-detect

NOAEL= No Observed Adverse Effect Level

PAH= Polyaromatic Hydrocarbon

PCB= Polychlorinated biphenyl

RL= Reporting Limit

TRV= Toxicity Reference Value

Table 9-26  
Comparison of Screening Level Modeled Wildlife Doses to Mammals based on Tissue Concentrations to Mammalian TRVs  
Sparrows Point Southwest/Tin Mill Canal Effluent

Chemical	Mammalian TRVs (mg/kg-bw day)		Screening Level Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Fish, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Screening Level Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Fish, Sediment, and Surface Water
	NOAEL	LOAEL	Raccoon	Raccoon	Raccoon	Raccoon
<i>Inorganics</i>						
Antimony	5.90E-02	5.90E-01	6.89E-01	8.16E-01	6.89E-02	8.16E-02
Arsenic	1.04E+00	1.66E+00	5.96E-01	5.07E-01	3.73E-01	3.18E-01
Cadmium	7.70E-01	7.70E+00	5.21E-01	no tissue	5.21E-02	no tissue
Chromium	2.40E+00	5.82E+01	6.53E+00	6.54E+00	2.70E-01	2.70E-01
Copper	5.60E+00	9.34E+00	7.13E-01	1.37E+00	4.27E-01	8.21E-01
Lead	4.70E+00	8.90E+00	8.02E-01	8.24E-01	4.23E-01	4.35E-01
Mercury	1.32E+01	NA	6.84E-04	8.52E-04	--	--
Nickel	1.70E+00	3.40E+00	4.40E-01	4.35E-01	2.20E-01	2.18E-01
Selenium	1.43E-01	2.15E-01	1.68E+00	2.54E+00	1.12E+00	1.69E+00
Silver	6.02E+00	6.02E+01	1.48E-02	1.84E-02	1.48E-03	1.84E-03
Thallium	7.40E-03	7.40E-02	1.53E+00	1.46E+00	1.53E-01	1.46E-01
Zinc	7.54E+01	2.98E+02	8.70E-01	8.39E-01	2.20E-01	2.13E-01
<i>PAHs</i>						
Total LMW PAH (ND=RL)	6.56E+01	3.28E+02	3.01E-03	2.80E-03	6.03E-04	5.61E-04
Total HMW PAH (ND=RL)	6.15E-01	3.01E+00	2.79E-01	2.54E-01	5.71E-02	5.18E-02
Total PAH (ND=RL)	6.15E-01	3.01E+00	6.02E-01	5.38E-01	1.23E-01	1.10E-01
<i>PCBs</i>						
Total PCBs (ND=0)	1.00E-02	1.00E-01	6.94E+00	1.36E+01	6.94E-01	1.36E+00
Total PCBs (ND=RL)	1.00E-02	1.00E-01	8.28E+00	1.42E+01	8.28E-01	1.42E+00

**Bolded** HQs exceed 1 (to one significant digit) and are associated with exposures that exceed TRVs.

--= does not apply

HMW= High Molecular Weight

HQ= Hazard Quotient

LMW= Low Molecular Weight

LOAEL= Lowest Observed Adverse Effect Level

mg/kg-bw day= milligrams per kilogram of body weight per day

NA= Not Available

ND= Non-detect

NOAEL= No Observed Adverse Effect Level

PAH= Polyaromatic Hydrocarbon

PCB= Polychlorinated biphenyl

RL= Reporting Limit

TRV= Toxicity Reference Value



Table 9-27  
Comparison of Reasonable Maximum Modeled Wildlife Doses to Birds based on Uptake Factors to Avian TRVs  
Sparrows Point Southwest/Tin Mill Canal Effluent

Chemical	Avian TRVs (mg/kg-bw day)		Reasonable Maximum Case Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Fish, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Fish, Sediment, and Surface Water
	NOAEL	LOAEL	Great Blue Heron	Great Blue Heron	Great Blue Heron	Great Blue Heron
<i>Inorganics</i>						
Arsenic	2.24E+00	7.40E+00	2.28E-01	1.94E-02	6.89E-02	5.88E-03
Cadmium	1.47E+00	6.35E+00	4.75E-02	1.86E-02	1.10E-02	4.31E-03
Chromium	2.66E+00	1.56E+01	<b>1.59E+00</b>	8.26E-01	2.71E-01	1.41E-01
Copper	4.05E+00	1.21E+01	1.83E-01	7.77E-02	6.11E-02	2.60E-02
Cyanide (Total)	NA	NA	--	--	--	--
Lead	1.63E+00	3.26E+00	4.45E-01	2.58E-01	2.22E-01	1.29E-01
Mercury	4.50E-01	9.00E-01	6.40E-03	8.36E-02	3.20E-03	4.18E-02
Nickel	6.71E+00	1.86E+01	4.89E-02	1.60E-02	1.77E-02	5.78E-03
Selenium	2.90E-01	5.79E-01	3.15E-01	2.74E-02	1.58E-01	1.37E-02
Silver	2.02E+00	2.02E+01	8.70E-03	1.72E-03	8.70E-04	1.72E-04
Zinc	6.61E+01	1.71E+02	5.36E-01	9.19E-02	2.07E-01	3.54E-02
<i>PAHs</i>						
Total LMW PAH (ND=RL)	5.62E+03	NA	7.18E-05	1.63E-05	--	--
Total HMW PAH (ND=RL)	2.00E+00	2.00E+01	2.22E-01	1.19E-02	2.22E-02	1.19E-03
Total PAH (ND=RL)	2.00E+00	2.00E+01	4.09E-01	5.74E-02	4.09E-02	5.74E-03
<i>PCBs</i>						
Aroclor-1248	1.80E-01	1.80E+00	<b>1.26E+01</b>	1.79E-02	1.26E+00	1.79E-03
Aroclor-1254	1.80E-01	1.80E+00	<b>4.37E+00</b>	6.19E-03	4.37E-01	6.19E-04
Aroclor-1260	1.80E-01	1.80E+00	<b>2.32E+00</b>	3.29E-03	2.32E-01	3.29E-04
Total PCBs (ND=0)	1.80E-01	1.80E+00	<b>2.16E+01</b>	1.70E-02	<b>2.16E+00</b>	1.70E-03
Total PCBs (ND=RL)	1.80E-01	1.80E+00	<b>2.44E+01</b>	1.76E-02	<b>2.44E+00</b>	1.76E-03
<i>SVOCs</i>						
2,4-Dimethylphenol	NA	NA	--	--	--	--
4-Nitrophenol	NA	NA	--	--	--	--
Benzoic Acid	NA	NA	--	--	--	--
Bis(2-ethylhexyl)phthalate	1.10E+00	NA	<b>3.09E+00</b>	2.26E-02	--	--
<i>VOCs</i>						
Chlorobenzene	NA	NA	--	--	--	--

**Bolded** HQs exceed 1 (to one significant digit) and are associated with exposures that exceed TRVs.

--= does not apply

HMW= High Molecular Weight

HQ= Hazard Quotient

LMW= Low Molecular Weight

LOAEL= Lowest Observed Adverse Effect Level

mg/kg-bw day= milligrams per kilogram of body weight per day

NA= Not Available

ND= Non-detect

NOAEL= No Observed Adverse Effect Level

PAH= Polyaromatic Hydrocarbon

PCB= Polychlorinated biphenyl

RL= Reporting Limit

SVOC= Semi-Volatile Organic Compound

TRV= Toxicity Reference Value

VOC= Volatile Organic Compound

Table 9-28  
Comparison of Reasonable Maximum Modeled Wildlife Doses to Mammals based on Uptake Factors to Mammalian TRVs  
Sparrows Point Southwest/Tin Mill Canal Effluent

Chemical	Mammalian TRVs (mg/kg-bw day)		Reasonable Maximum Case Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Fish, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Fish, Sediment, and Surface Water
	NOAEL	LOAEL	Raccoon	Raccoon	Raccoon	Raccoon
<i>Inorganics</i>						
Antimony	5.90E-02	5.90E-01	<b>2.37E+00</b>	3.26E-01	2.37E-01	3.26E-02
Arsenic	1.04E+00	1.66E+00	<b>1.85E+00</b>	1.58E-01	1.16E+00	9.91E-02
Beryllium	5.32E-01	6.73E-01	1.12E+00	5.55E-03	8.82E-01	4.39E-03
Cadmium	7.70E-01	7.70E+00	3.42E-01	1.34E-01	3.42E-02	1.34E-02
Chromium	2.40E+00	5.82E+01	<b>6.67E+00</b>	<b>3.46E+00</b>	2.75E-01	1.43E-01
Copper	5.60E+00	9.34E+00	4.99E-01	2.12E-01	2.99E-01	1.27E-01
Cyanide (Total)	6.87E+01	NA	1.70E-01	8.58E-04	--	--
Lead	4.70E+00	8.90E+00	5.83E-01	3.38E-01	3.08E-01	1.78E-01
Mercury	1.32E+01	NA	8.24E-04	1.08E-02	--	--
Nickel	1.70E+00	3.40E+00	7.29E-01	2.39E-01	3.64E-01	1.19E-01
Selenium	1.43E-01	2.15E-01	<b>2.41E+00</b>	2.10E-01	<b>1.60E+00</b>	1.40E-01
Silver	6.02E+00	6.02E+01	1.10E-02	2.19E-03	1.10E-03	2.19E-04
Thallium	7.40E-03	7.40E-02	9.08E-01	2.40E-01	9.08E-02	2.40E-02
Zinc	7.54E+01	2.98E+02	<b>1.77E+00</b>	3.04E-01	4.49E-01	7.71E-02
<i>PAHs</i>						
Total LMW PAH (ND=RL)	6.56E+01	3.28E+02	2.32E-02	5.27E-03	4.65E-03	1.05E-03
Total HMW PAH (ND=RL)	6.15E-01	3.01E+00	<b>2.73E+00</b>	1.46E-01	5.58E-01	2.99E-02
Total PAH (ND=RL)	6.15E-01	3.01E+00	<b>5.02E+00</b>	7.06E-01	1.03E+00	1.44E-01
<i>PCBs</i>						
Aroclor-1248	1.00E-02	1.00E-01	<b>8.59E+02</b>	1.22E+00	<b>8.59E+01</b>	1.22E-01
Aroclor-1254	1.40E-01	6.90E-01	<b>2.12E+01</b>	3.01E-02	<b>4.31E+00</b>	6.10E-03
Aroclor-1260	1.00E-02	1.00E-01	<b>1.58E+02</b>	2.23E-01	<b>1.58E+01</b>	2.23E-02
Total PCBs (ND=0)	1.00E-02	1.00E-01	<b>1.47E+03</b>	1.16E+00	<b>1.47E+02</b>	1.16E-01
Total PCBs (ND=RL)	1.00E-02	1.00E-01	<b>1.66E+03</b>	1.20E+00	<b>1.66E+02</b>	1.20E-01
<i>SVOCs</i>						
2,4-Dimethylphenol	NA	NA	--	--	--	--
4-Nitrophenol	NA	NA	--	--	--	--
Benzoic Acid	NA	NA	--	--	--	--
Bis(2-ethylhexyl)phthalate	1.83E+01	1.83E+02	7.02E-01	5.13E-03	7.02E-02	5.13E-04
<i>VOCs</i>						
Chlorobenzene	1.50E+01	4.10E+01	1.87E-03	9.29E-06	6.83E-04	3.40E-06

**Bolded** HQs exceed 1 (to one significant digit) and are associated with exposures that exceed TRVs.

--= does not apply

HMW= High Molecular Weight

HQ= Hazard Quotient

LMW= Low Molecular Weight

LOAEL= Lowest Observed Adverse Effect Level

mg/kg-bw day= milligrams per kilogram of body weight per day

NA= Not Available

ND= Non-detect

NOAEL= No Observed Adverse Effect Level

PAH= Polyaromatic Hydrocarbon

PCB= Polychlorinated biphenyl

RL= Reporting Limit

SVOC= Semi-Volatile Organic Compound

TRV= Toxicity Reference Value

VOC= Volatile Organic Compound

Table 9-29  
Comparison of Reasonable Maximum Modeled Wildlife Doses to Birds based on Tissue Concentrations to Avian TRVs  
Sparrows Point Southwest/Tin Mill Canal Effluent

Chemical	Avian TRVs (mg/kg-bw day)		Reasonable Maximum Case Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Fish, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Fish, Sediment, and Surface Water
	NOAEL	LOAEL	Great Blue Heron	Great Blue Heron	Great Blue Heron	Great Blue Heron
<i>Inorganics</i>						
Antimony	NA	NA	--	--	--	--
Arsenic	2.24E+00	7.40E+00	4.42E-02	3.33E-02	1.34E-02	1.01E-02
Cadmium	1.47E+00	6.35E+00	2.35E-02	<b>no tissue</b>	5.43E-03	<b>no tissue</b>
Chromium	2.66E+00	1.56E+01	8.27E-01	8.29E-01	1.41E-01	1.41E-01
Copper	4.05E+00	1.21E+01	2.10E-01	4.50E-01	7.04E-02	1.51E-01
Lead	1.63E+00	3.26E+00	2.63E-01	2.79E-01	1.31E-01	1.40E-01
Mercury	4.50E-01	9.00E-01	3.76E-03	5.07E-03	1.88E-03	2.53E-03
Nickel	6.71E+00	1.86E+01	1.62E-02	1.59E-02	5.87E-03	5.76E-03
Selenium	2.90E-01	5.79E-01	1.94E-01	3.07E-01	9.72E-02	1.54E-01
Silver	2.02E+00	2.02E+01	9.77E-03	1.26E-02	9.77E-04	1.26E-03
Zinc	6.61E+01	1.71E+02	1.22E-01	1.13E-01	4.71E-02	4.35E-02
<i>PAHs</i>						
Total LMW PAH (ND=RL)	5.62E+03	NA	5.05E-06	4.41E-06	--	--
Total HMW PAH (ND=RL)	2.00E+00	2.00E+01	1.46E-02	1.25E-02	1.46E-03	1.25E-03
Total PAH (ND=RL)	2.00E+00	2.00E+01	2.99E-02	2.47E-02	2.99E-03	2.47E-03
<i>PCBs</i>						
Total PCBs (ND=0)	1.80E-01	1.80E+00	5.31E-02	1.51E-01	5.31E-03	1.51E-02
Total PCBs (ND=RL)	1.80E-01	1.80E+00	7.00E-02	1.57E-01	7.00E-03	1.57E-02

**Bolded** HQs exceed 1 (to one significant digit) and are associated with exposures that exceed TRVs.

--= does not apply

HMW= High Molecular Weight

HQ= Hazard Quotient

LMW= Low Molecular Weight

LOAEL= Lowest Observed Adverse Effect Level

mg/kg-bw day= milligrams per kilogram of body weight per day

NA= Not Available

ND= Non-detect

NOAEL= No Observed Adverse Effect Level

PAH= Polyaromatic Hydrocarbon

PCB= Polychlorinated biphenyl

RL= Reporting Limit

TRV= Toxicity Reference Value

Table 9-30  
Comparison of Reasonable Maximum Modeled Wildlife Doses to Mammals based on Tissue Concentrations to Mammalian TRVs  
Sparrows Point Southwest/Tin Mill Canal Effluent

Chemical	Mammalian TRVs (mg/kg-bw day)		Reasonable Maximum Case Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to NOAELs Based on Ingestion of Fish, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Crabs, Sediment, and Surface Water	Reasonable Maximum Case Scenario HQs Comparison of Doses to LOAELs Based on Ingestion of Fish, Sediment, and Surface Water
	NOAEL	LOAEL	Raccoon	Raccoon	Raccoon	Raccoon
<i>Inorganics</i>						
Antimony	5.90E-02	5.90E-01	4.38E-01	5.64E-01	4.38E-02	5.64E-02
Arsenic	1.04E+00	1.66E+00	3.60E-01	2.71E-01	2.25E-01	1.70E-01
Cadmium	7.70E-01	7.70E+00	1.69E-01	no tissue	1.69E-02	no tissue
Chromium	2.40E+00	5.82E+01	3.46E+00	3.47E+00	1.43E-01	1.43E-01
Copper	5.60E+00	9.34E+00	5.75E-01	1.23E+00	3.44E-01	7.38E-01
Lead	4.70E+00	8.90E+00	3.44E-01	3.66E-01	1.82E-01	1.93E-01
Mercury	1.32E+01	NA	4.84E-04	6.52E-04	--	--
Nickel	1.70E+00	3.40E+00	2.42E-01	2.37E-01	1.21E-01	1.19E-01
Selenium	1.43E-01	2.15E-01	1.49E+00	2.35E+00	9.89E-01	1.56E+00
Silver	6.02E+00	6.02E+01	1.24E-02	1.60E-02	1.24E-03	1.60E-03
Thallium	7.40E-03	7.40E-02	1.32E+00	1.25E+00	1.32E-01	1.25E-01
Zinc	7.54E+01	2.98E+02	4.05E-01	3.73E-01	1.03E-01	9.46E-02
<i>PAHs</i>						
Total LMW PAH (ND=RL)	6.56E+01	3.28E+02	1.64E-03	1.43E-03	3.27E-04	2.85E-04
Total HMW PAH (ND=RL)	6.15E-01	3.01E+00	1.79E-01	1.54E-01	3.67E-02	3.14E-02
Total PAH (ND=RL)	6.15E-01	3.01E+00	3.67E-01	3.03E-01	7.51E-02	6.19E-02
<i>PCBs</i>						
Total PCBs (ND=0)	1.00E-02	1.00E-01	3.61E+00	1.03E+01	3.61E-01	1.03E+00
Total PCBs (ND=RL)	1.00E-02	1.00E-01	4.76E+00	1.07E+01	4.76E-01	1.07E+00

**Bolded** HQs exceed 1 (to one significant digit) and are associated with exposures that exceed TRVs.

--= does not apply

HMW= High Molecular Weight

HQ= Hazard Quotient

LMW= Low Molecular Weight

LOAEL= Lowest Observed Adverse Effect Level

mg/kg-bw day= milligrams per kilogram of body weight per day

NA= Not Available

ND= Non-detect

NOAEL= No Observed Adverse Effect Level

PAH= Polyaromatic Hydrocarbon

PCB= Polychlorinated biphenyl

RL= Reporting Limit

TRV= Toxicity Reference Value

## 10. HUMAN HEALTH RISK ASSESSMENT

The HHRA was performed to estimate the risk and hazard to potential human receptors for exposure to offshore media affected by the Site. The HHRA quantitatively evaluates the complete exposure pathways identified in the CSM (Chapter 6) for potential long-term risk concerns for human health. The HHRA is a process in which exposure and toxicity data are combined to develop an estimate of the potential for adverse impacts on human receptors from chemicals in the environment. The HHRA determines baseline risks associated with long-term exposure to the Phase I offshore areas. The baseline risk does not take into account any remedial actions or other means of exposure reduction (e.g., the use of personal protective equipment, fishing restrictions, etc.). In addition, future potential risks associated with changes at the Phase I area (i.e., dredging or erosion) are not evaluated in the HHRA.

The HHRA specifically follows the methodology set forth in the following USEPA guidance:

- *Risk Assessment Guidance for Superfund (RAGS), Volume 1: Human Health Evaluation Manual (Part A) (Interim Final)*. Office of Emergency and Remedial Response, EPA/540/1-89/002, USEPA 1989.
- *Risk Assessment Guidance for Superfund (RAGS), Volume 1: Human Health Evaluation Manual Supplemental Guidance – “Standard Default Exposure Factors” (Interim Final)*. Publication 9285.7-01B, USEPA 1991.
- *Guidelines for Data Usability in Risk Assessment (Part A)*. Office of Solid Waste and Emergency Response (OSWER), Publication OSWER9285.7-09A, USEPA 1992.
- *Guidance for Assessing Chemical Contaminant Data for Use in Fisher Advisories, Volume 2 Risk Assessment and Fish Consumption Limits*. Third Edition. Office of Water, EPA 823-B-00-008, USEPA 2000b.
- *Risk Assessment Guidance for Superfund (RAGS), Volume 1: Human Health Evaluation Manual (Part D, Standardized Planning, Reporting and Review of Superfund Risk Assessments)*. Office of Emergency and Remedial Response, Washington, DC, USEPA 2002.
- *Human Health Toxicity Values in Superfund Risk Assessments*. OSWER 9285.7-53. Office of Emergency and Remedial Response, USEPA 2003c.
- *Risk Assessment Guidance for Superfund (RAGS), Volume 1: Human Health Evaluation Manual (Part E: Supplemental Guidance for Dermal Risk Assessment)*. Final. Office of Superfund Remediation and Technology Innovation, EPA/540/R/99/005, USEPA 2004.

- *Exposure Factors Handbook: 2011 Edition*. Office of Research and Development, EPA/600/R-090/052F, USEPA 2011.
- *Human Health Evaluation Manual, Supplemental Guidance: Update of Standard Default Exposure Factors*. Office of Solid Waste and Emergency Response, OSWER Directive 9200.1-120, USEPA 2014.

These guidance documents comprise the basis of risk assessment methodology in the RCRA/CERCLA programs and are intended to provide a protective estimate of potential risk within these regulatory programs. The risks determined in the HHRA represent potential risk that may occur to people who come in contact with the areas evaluated and do not represent acute risks from short-term exposures. The HHRA methodology involves a four-step process: data collection and evaluation, exposure assessment, toxicity assessment, and risk characterization. The following sections present details about HHRA methodology. Data evaluation and hazard assessment are presented in Section 10.1. The exposure assessment is presented in Section 10.2, and the toxicity assessment is presented in Section 10.3. The risk characterization methodology is presented in Section 10.4, and risk characterization results for the NNS and SWTM are presented in Section 10.5 and 10.6, respectively. A discussion of uncertainties is presented in Section 10.7, and the HHRA conclusions are presented in Section 10.8.

## 10.1 DATA EVALUATION AND HAZARD ASSESSMENT

For the data evaluation and hazard assessment, environmental data for the Phase I area are compiled and reviewed and are then analyzed for data quality. Data evaluated in the HHRA were collected for the Phase I offshore area as discussed in Chapter 4. In addition, tissue samples from fish and crab collected from around Coke Point and Sollers Point in Fall 2010 were also evaluated in the HHRA (EA 2011b). Since the target species for human consumption travel throughout the Chesapeake Bay during their lifetimes, field-collected tissue concentrations represent an average exposure that is the more realistic scenario for fishing anywhere in the Bay. These species integrate exposures throughout the Bay. These tissue data include blue crab meat and mustard, and white perch filets. **Table 8-3** presents the list of samples evaluated in the HHRA.

Chapter 8 presents a detailed discussion for the evaluation of fish and crab tissue. Tissue concentrations for crabs are based either on tissue analyses of field-collected crabs or on sediment BAFs. For some chemicals, site-specific BAFs are available from bioaccumulation studies using worms and clams as part of the Coke Point Risk Assessment (EA 2011b). Where available, these BAFs are used to calculate uptake from the sediment into crabs in the Phase I area. Fish tissue concentrations are estimated in two different ways: based on site-specific data from field-collected specimens or using BAFs from the scientific literature. A brief summary of the fish and crab tissue evaluation is provided below.

### 10.1.1 Field-Collected Sample Results

For sediment, sediment grab samples and core samples were collected. Surface sediment grab samples were collected in October 2014 (Round 1) and April 2015 (Round 2). A total of 22 surface sediment grab samples were collected along eight transects (A-H) oriented perpendicular to the shoreline (**Figure 4-1**). Based upon the results of the surface sediment grab samples, sediment cores were collected from 22 locations from the vicinity of Transects G and H. Sediment cores were sampled on 2-ft intervals below the sediment-water interface (i.e., 0–2 ft, 2–4 ft, 4–6 ft). A surface interval sample from every core was submitted for analysis. For the HHRA, the surface sediment grab samples and the sediment core interval sample (0–2 ft) were evaluated in the HHRA.

For blue crab and white perch tissue data, five composite samples were created for each species. For the white perch, filets were tested. Filet composites consisted of filets from one side of the fish. Both meat and hepatopancreas (mustard) samples were collected from blue crab. To determine the total concentration of a chemical within the edible portion of the crab, the following equation was used:

$$C_{\text{EdCrab}} = \frac{C_{\text{Mustard}} * M_{\text{Mustard}} + C_{\text{Meat}} * M_{\text{Meat}}}{M_{\text{EdCrab}}}$$

where:

$C_{\text{EdCrab}}$	=	Concentration of chemical in the edible portion of the crab (mg/kg wet weight)
$C_{\text{Mustard}}$	=	Concentration of chemical in crab mustard (mg/kg wet weight)
$C_{\text{Meat}}$	=	Concentration of chemical in crab meat (mg/kg wet weight)
$M_{\text{Mustard}}$	=	Weight of mustard per individual crab (g wet weight)
$M_{\text{Meat}}$	=	Weight of meat per individual crab (g wet weight)
$M_{\text{EdCrab}}$	=	Summed Weight of meat and mustard from individual crab (g wet weight).

The ratio of meat to mustard in the crab by mass was assumed to be 4.36:1 based on information from the literature (Weidou 1981). It is noted that tissue samples were analyzed for metals, PAHs, PCBs, and arsenic speciation. SVOCs, VOCs, and inorganics (cyanide) were detected in the Phase I sediments but were not included in the analysis of field collected tissue performed in as part of the Coke Point Risk Assessment (EA 2011b). Bis(2-ethylhexyl)phthalate was the only SVOC that was detected in more than 20 percent of the surface sediment samples collected from the Phase I area, while chlorobenzene and toluene were the most frequently detected VOCs, with detectable concentrations in approximately 30 percent of samples. Cyanide was detected in most of the surface sediment samples collected from the Phase I area. These classes of chemicals (e.g., SVOCs, VOCs, and cyanide) are discussed below as part of the Modeled Sample Results (Section 10.1.2).



### 10.1.2 Modeled Sample Results

For surface water, stormwater and pore water results were modeled to estimate constituent concentrations. A tidally-dynamic model was developed to examine the mixing of the constituent mass flux of groundwater and stormwater into Bear Creek (Chapter 7). The USACE models RMA2 (hydrodynamics) and RMA4 (water quality) were used. Output from the model was used to compute surface water EPCs as volume weighted averages for both non-storm and storm conditions. For the surface water evaluation in the HHRA, the non-storm reasonable maximum EPCs were used to represent the long-term surface water concentrations expected for typical human contact. The non-storm surface water EPCs include the effects of pore water and Outfall 014 as continuous sources and represent the maximum concentration over one tide cycle. The storm EPCs add the cumulative impact of stormwater discharges from outfalls ST-071, ST-UNAMED, and ST-018, and represent the maximum spatially averaged concentration seen over the course of the 24-hour design storm. The storm EPCs are evaluated in Section 10.7 as a potential short-term exposure concentration.

In addition to the field-collected tissue samples, modeled fish tissue and modeled crab tissue concentrations were evaluated in the HHRA. The modeled fish and crab tissue concentrations provide a theoretical maximum as if these species reside solely in the Phase I area. The modeled crab tissue concentrations were determined based upon site-specific bioaccumulation studies performed within the Coke Point Offshore Area (EA 2011b). Modeled fish tissue concentrations were determined through the use of literature-based BAFs. Additionally, literature-based BAFs were used for modeled crab tissue concentrations of SVOCs and VOCs. It is noted that cyanide was not analyzed in field-collected fish and crab tissue. As noted by the Agency for Toxic Substances and Disease Registry (ATSDR), cyanide is not expected to bioaccumulate in fish: “There are no data available to indicate that simple metal cyanides and hydrogen cyanide bioconcentrate in aquatic organisms. Accumulation of cyanide in food webs is not expected, considering the rapid detoxification of cyanide by most species and the lethal effects of large doses of cyanide” (ATSDR 2006). As a result, cyanide was not included in the modeled tissue determination. The determination of the modeled crab and fish tissue concentrations is discussed below.

#### ***EPCs Derived Using Sediment BAFs From Coke Point Laboratory Bioaccumulation Tests (EA 2011b)***

The Coke Point laboratory bioaccumulation tests evaluated aquatic test species (clams and worms) that are directly representative of the kinds of organisms that wildlife, fish, and crabs would be expected to consume routinely. The concentrations of metals, PAHs, and PCBs detected in clam and worm tissues were used together with the concentrations detected in the exposure sediment to develop site-specific sediment BAFs (EA 2011b). Sediment BAFs are multipliers that relate the concentration of chemicals expected in tissue to the concentrations detected in sediment. Sediment BAFs used in the HHRA are presented in **Table 8-11**. Sediment BAFs are used to predict crab tissue concentrations using the following equation:

$$C_{\text{org-sed}} = C_{\text{sed}} * BAF_{\text{org-sed}}$$

where:

- $C_{\text{org-sed}}$  = EPC of chemical in crab tissue(mg/kg wet weight) taken up from sediment  
 $C_{\text{sed}}$  = EPC (reasonable maximum) of chemical in sediment (mg/kg dry weight)  
 $BAF_{\text{org-sed}}$  = bioaccumulation factor for chemicals from sediment into aquatic organism (unitless).

### ***EPCs Derived Using Sediment BAFs From Literature Sources***

Laboratory bioaccumulation tests for Coke Point focused on the environmental medium (sediment) and the chemical constituent types (metals, PAHs, and PCBs) considered most likely to drive source-related risks (EA 2011b). Therefore, they did not include testing and analysis of other chemicals in tissue. Instead, BAFs for these chemicals and media were derived from the scientific literature. Sediment BAFs are derived from the scientific literature for SVOCs and VOCs. Sediment BAFs for SVOCs and VOCs are presented in **Table 8-11**. When sediment BAFs were not available from literature sources, a default value of 1 was assigned. This assumes that the concentration in the organism is the same as the concentration in the sediment. The EPC of chemicals in crab tissue are determined in the same manner as concentrations from site-specific BAFs.

### ***EPCs Derived Using Surface Water BAFs From Literature Sources***

As discussed above, laboratory bioaccumulation tests for Coke Point focused on the environmental medium (sediment) considered most likely to drive source-related risks (EA 2011b). Therefore, they did not include testing and analysis of uptake from surface water. Instead, BAFs for chemicals in surface water are derived from information reported in the scientific literature. Literature-based water-to-fish uptake factors or bioaccumulation equations are used to estimate concentrations of COPCs in fish tissue using the following equation:

$$C_{\text{fish}} = C_{\text{water}} * BAF_{\text{fish-water}}$$

where:

- $C_{\text{fish}}$  = Concentration of chemical in fish (mg/kg wet weight)  
 $C_{\text{water}}$  = Reasonable maximum EPC (modeled) in surface water (mg/L)  
 $BAF_{\text{fish-water}}$  = Uptake factor for chemicals in fish (unitless).

Bioaccumulation factors and their sources are summarized in **Table 8-12**. In the absence of a literature-based bioaccumulation model or uptake factor for a chemical, an accumulation factor of 1 is used to estimate chemical concentrations in fish. Use of this default accumulation factor

assumes that the concentration in the organism is the same as the concentration in the surface water, and is expected to provide a conservative estimate of accumulation for most chemicals.

### **10.1.3 Data Validation**

Sediment and tissue data used in the HHRA were validated per protocols identified in USEPA guidance for data usability (USEPA 1992). Inclusion or exclusion of data on the basis of analytical qualifiers is performed in accordance with USEPA guidance (USEPA 1989, 1992). The first step in the HHRA is the evaluation of analytical data on the basis of qualifiers in each medium of concern (sediment and tissue) using the rationale below.

- Analytical results bearing the R qualifier (indicating that the data point was rejected during the data validation process) are not used in the risk assessments. Only two chemical results (benzidine and hexachlorocyclopentadiene) from sediment sample SD-B01 were identified as R-qualified.
- Analytical results bearing the U or UJ qualifier (indicating that the analyte is not detected at the given RL) are retained in the data set and considered non-detects. Where warranted for statistical purposes, each COPC is assigned a numerical value equal to its RL or appropriate detection limit.
- Analytical results for organics bearing the J qualifier (the reported value is estimated and below the RL) are retained in the data set at the measured concentration.

If duplicate samples are collected or duplicate analyses are conducted on a single sample, the following guidelines are employed to select the appropriate sample measurement:

- If both samples/analyses show that the analyte is present, the average of the two detected concentrations is retained for analysis, based on conservative professional judgment.
- If both samples/analyses are not detected, the average of the two RL concentrations is retained for analysis as a non-detect.
- If only one sample/analysis indicated that the analyte is present, it is retained for analysis and the non-detect value is not included in the assessment.

### **10.1.4 Risk-Based Screening**

The first component of COPC selection was a risk-based screening. For sediment and fish tissue results, risk-based screening was conducted by comparing maximum detected analyte concentrations to risk-based screening concentrations. For surface water and fish tissue uptake calculations, the 95%UCLM was used. Any analyte in any medium for which the maximum

detected concentration or the 95%UCLM exceeded the risk-based screening concentration was retained as a COPC.

State and federal risk-based screening criteria are not available for surface water and sediment for the complete exposure pathways identified in the CSM (**Figure 6-2**). As a result, site-specific risk-based criteria are calculated for the exposure to surface water and sediment pathways. The derivation of site-specific risk-based screening criteria follows the methodologies set forth in USEPA guidance (USEPA 2015a). **Appendix H** presents the calculation of site-specific risk-based screening criteria for surface water and surface sediment. The site-specific risk-based screening criteria are based upon a carcinogenic risk level of  $10^{-6}$  or non-carcinogenic HQ of 0.1. The risk levels of  $10^{-6}$  and an HQ of 0.1 provide a level of conservancy to account for potential additive effects of multiple chemicals.

The HHRA takes into account actual field-collected fish and crab tissue and fish and crab tissue concentrations modeled from BAFs for surface water and sediment. For chemical concentrations modeled from BAFs, aquatic organisms exposed to surface water are represented by fish, and aquatic organisms exposed to sediment are represented by crabs or other bottom dwellers. Fish and crab concentrations for both field-collected organisms and modeled concentrations are compared to USEPA Region III Regional Screening Levels (RSLs) for fish tissue (USEPA 2015b). For non-carcinogens, the risk-based concentration (RBC) is based on a HQ of 1.0; for the purposes of this screening the RBC is decreased by a factor of 10 to base the screening value on an effective HQ of 0.1.

Several classes of organic chemicals assessed in the HHRA share a common mode of exposure and toxicity. For example, there are over 200 PCB congeners that can be identified by analytical chemistry. Many congeners produce the same types of effects and share similar patterns of uptake. As a result, the PCB congeners in fish and crab tissue were evaluated in accordance with the following methodologies:

- **Total PCBs** – USEPA policy identifies a standard method for using congener-specific data to estimate the total concentration of PCBs (Van den Berg et al. 1998). Per this method, the concentrations of 18 specific congeners are summed and the sum is doubled to determine a representative total PCB concentration for each sample. The specific PCB congeners used in the evaluation are: PCB 8, PCB 18, PCB 28, PCB 44, PCB 49, PCB 52, PCB 66, PCB 77, PCB 87, PCB 90, PCB 101, PCB 105, PCB 118, PCB 126, PCB 128, PCB 138, PCB 153, PCB 156, PCB 169, PCB 170, PCB 180, PCB 183, PCB 184, PCB 187, PCB 195, PCB 206, and PCB 209. Two estimates of total PCBs are provided: one in which RLs are used to represent non-detected compounds, and one in which non-detects are assumed to indicate that no compound is present (ND=0). Using RLs is likely to overestimate the total amount of PCB present. Section 10.7.2.1 of the Uncertainty Section discusses the difference in risk results for total PCBs based upon ND=RL and ND=0. To account for a total PCB congener analysis, high risk PCBs are used as a surrogate for the PCB congeners.

It is noted that the handling of PAH compounds and PCB Aroclors within the HHRA is treated differently than the ERA. The ERA evaluates the effects of PAH classes (i.e., HMW and LMW), while the HHRA evaluates individual PAH compounds. Therefore, the determination of ecological risks evaluates PAH concentrations that are summed prior to modeling, and the HHRA evaluates each individual PAH compound separately and sums the risks after modeling. However, the surface water modeling only identified HMW and LWM PAHs. To account for this assessment in surface water, surrogate chemicals were used. Benzo(a)pyrene was used as a surrogate for the HMW PAHs, and pyrene was used as a surrogate for the LMW PAHs. Similarly, the HHRA evaluated PCB Aroclors in sediment individually, before summing them as part of the final cumulative risk results, whereas the ERA evaluated the effects of total PCB concentrations calculated using the Aroclor data.

Sample results for arsenic are reported as total arsenic. However, arsenic can be present in both an organic and inorganic form. Inorganic arsenic represents the primary form of arsenic that is a concern for human health. Therefore, an arsenic speciation was performed for the field-collected tissue samples within the Coke Point Offshore Areas to quantify the various forms of arsenic (EA 2011b). The average percent of arsenic found to be in an inorganic form for crab meat, crab mustard, and fish filet were averaged together to obtain an overall aquatic organism average percent of inorganic arsenic. The average percent of inorganic arsenic is 10.4 percent for the Coke Point Offshore Area. To maintain consistency within the exposure areas, the average percent of inorganic arsenic for the Coke Point Offshore Area is used in calculating intake of inorganic arsenic in fish tissue and crab meat for the HHRA. For screening, the concentration of arsenic within fish tissue and crab meat is not reduced by the 10.4 percent. This allows for the conservative nature of the screening to remain.

#### **10.1.4.1 Data Groupings**

As discussed in Section 8.1, data and modeling results from the Phase I offshore investigation were divided into two data groupings/areas for separate consideration in the risk assessments:

- Grouping NNS: The Northeast/Near-Shore Grouping includes all samples from Transects A, B, C, and D, as well as the following locations in Transects DE, E, and F: DE01, E01, E02, F01, F02, and F05.
- Grouping SWTM: The Southwest/Tin Mill Canal Effluent Grouping includes all of Transects G, H, I, and J, as well as the following locations in Transects DE, E, and F: DE02, E03, F03, F04, F06, and F07.

These groupings were delineated based on geography as well as the characteristics of the sediment, with locations in Grouping NNS having coarser sediments and/or less observable impacts (e.g., odor, sheen). Locations in Grouping SWTM are generally silty-to-clayey and exhibit preliminary evidence of impacts from the Tin Mill Canal effluent.

It should be noted that these groupings do not represent clearly defined exposure areas. Rather, the groupings were selected to reflect a differentiation in risk assessment objectives, as described below.

In Grouping NNS, current inputs to the offshore area via groundwater/pore water and stormwater remain the focus of this investigation, including the risk assessment. Therefore, only the Site-related COPCs for each transect are considered in the NNS. **Table 8-4** presents a summary of the Site-related COPCs for sediment in each transect/location, for which data were used in the HHRA. The primary use anticipated for the HHRA results for this grouping is the evaluation of whether current impacts from the former steel mill are associated with unacceptable risk in this area.

In Grouping SWTM, constituents analyzed are potentially related to historical discharges from the Tin Mill Canal. Therefore, all available data from the Phase I offshore investigation in this area is used in the HHRA for this grouping. The primary use of risk assessment results for this grouping is delineation of areas requiring cleanup in the southern area that has been impacted by the Tin Mill Canal effluent.

#### **10.1.5 Analytes Exceeding Risk-Based Screening Levels**

The occurrence, distribution, and selection of COPCs based upon the risk-based screening are shown in medium-specific tables following the RAGS D format (USEPA 2002). **Tables 10-2.1** through **10-2.6** present the risk-based screening results for NNS grouping. **Tables 10-2.7** through **10-2.12** present the risk-based screening results for the SWTM Grouping. The tables present the minimum and maximum detected concentrations, the location of the maximum detected concentrations, as well as the frequency of detection for each chemical detected. COPCs that exceed risk-based screening criteria are highlighted and presented in bold type. COPCs for all media evaluated in the HHRA are presented in the following sections.

##### **Northeast/Near-Shore Grouping**

###### ***COPCs in Sediment***

No COPCs are identified in sediment (**Table 10-2.1**) based on the risk-based screen.

###### ***COPCs in Surface Water***

No COPCs are identified in surface water (**Table 10-2.2**) based on the risk-based screen.

### ***COPCs in Field-Collected Crab***

The following COPCs are identified in crabs (**Table 10-2.3**) based on the risk-based screen: cadmium, copper, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, and bis(2-ethylhexyl)phthalate.

### ***COPCs in Field-Collected Finfish Tissue***

Mercury is the only COPC identified in finfish tissue (**Table 10-2.4**) based on the risk-based screen.

### ***COPCs in Modeled Crab***

The following COPCs are identified in crabs (**Table 10-2.5**) based on the risk-based screen: zinc, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, dibenz(a,h)anthracene, indeno(1,2,3-cd)pyrene, and bis(2-ethylhexyl)phthalate.

### ***COPCs in Modeled Finfish Tissue***

The following COPCs are identified in finfish tissue (**Table 10-2.6**) based on the risk-based screen: mercury and HWM PAHs.

## **Southwest/Tin Mill Canal Effluent Grouping**

### ***COPCs in Sediment***

The following COPCs are identified in sediment (**Table 10-2.7**) based on the risk-based screen: arsenic and benzo(a)pyrene.

### ***COPCs in Surface Water***

No COPCs are identified in surface water (**Table 10-2.8**) based on the risk-based screen.

### ***COPCs in Field-Collected Crab***

The following COPCs are identified in crabs (**Table 10-2.9**) based on the risk-based screen: arsenic, cadmium, cobalt, copper, selenium, thallium, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, total PCB congeners, and bis(2-ethylhexyl)phthalate.

### ***COPCs in Field-Collected Finfish Tissue***

The following COPCs are identified in finfish tissue (**Table 10-2.10**) based on the risk-based screen: arsenic, mercury, selenium, total PCB congeners.



### ***COPCs in Modeled Crab***

The following COPCs are identified in crabs (**Table 10-2.11**) based on the risk-based screen: antimony, arsenic, beryllium, cadmium, copper, mercury, nickel, selenium, thallium, zinc, benzo(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, dibenz(a,h)anthracene, fluoranthene, indeno(1,2,3-cd)pyrene, pyrene, Aroclor 1248, Aroclor 1254, Aroclor 1260, and bis(2-ethylhexyl)phthalate.

### ***COPCs in Modeled Finfish Tissue***

The following COPCs are identified in finfish tissue (**Table 10-2.12**) based on the risk-based screen: arsenic, mercury and HWM PAHs.

#### **10.1.6 COPCs Not Evaluated Further**

Thallium was considered a COPC in both actual crab and modeled crab tissue. The toxicity values presented by USEPA for thallium are provisional values. The studies utilized in determining a reference dose (RfD) are of low quality and result in high uncertainty factors that USEPA considers unreliable (USEPA 2012b). USEPA noted, “For the reasons noted in the main document, it is inappropriate to derive a subchronic or chronic p-RfD for thallium. However, information is available which, although insufficient to support derivation of a provisional toxicity value, under current guidelines, may be of limited use to risk assessors. In such cases, the Superfund Health Risk Technical Support Center summarizes available information in an appendix and develops a screening value. Therefore, the RfD presented for thallium is only to be used for screening purposes” (USEPA 2012b). Thallium is not evaluated quantitatively in the HHRA. Thallium is evaluated qualitatively in Section 10.7.5.

## **10.2 EXPOSURE ASSESSMENT**

The exposure assessment determines (qualitatively or quantitatively) the magnitude, frequency, duration, and route of exposure for potential human contact to COPCs in media of concern. The exposure assessment considers only existing conditions within the Phase I area of Sparrows Point and does not take into account any future actions (i.e., dredging, erosion, etc.). The CSM (**Figure 6-2**), shows the complete exposure pathways identified for human receptors within the Phase I area. The CSM characterizes the exposure setting with respect to the general physical characteristics of the offshore area and the characteristics of the populations on and near the offshore area based upon existing conditions. The HHRA did not take into account potential future exposures to the offshore area due to erosion, dredging, or other actions or future uses of the onshore areas. From this exposure characterization, potential receptors are identified. Once the receptors are identified, the pathways by which the previously identified populations may be exposed are determined. These are considered complete pathways of exposure. Each complete exposure pathway identified in the CSM (**Figure 6-2**) is evaluated in the exposure assessment and the HHRA.

Currently, the offshore area around Sparrows Point is not frequently used for swimming or other water activities. However, there are no controls against these activities, and fishing and boating have been observed in the Phase I area, as described in Section 6.5.1. Exposure for this area represents the low frequency of use for the offshore areas for recreation and takes into account exposures modeled from previous RCRA investigations site-specific inputs (ISG 2005). In addition, sample results from studies of field-collected crab and fish tissue are evaluated.

The exposure assessment includes several steps:

- Evaluating the exposure setting, including a description of the land uses and the potentially exposed human populations (see Chapter 6)
- Developing the CSM identifying the source of contamination, contamination transport and release mechanisms, exposure media, exposure routes, and potentially exposed populations (see Chapter 6)
- Calculating EPCs for each COPC for each of the complete exposure pathways identified in the CSM (see Chapter 8)
- Identifying the exposure models and parameters with which to calculate COPC intakes
- Calculating intakes (i.e., exposure doses).

### 10.2.1 Calculation of Intake

Intake is the numerical representation of estimated exposures. An intake is calculated for each exposure pathway identified in the CSM. Intake is expressed in terms of the quantity of substance in contact with the body per unit body weight per unit time (e.g., milligrams chemical per kilogram body weight per day, also expressed as mg/kg bw-day) (USEPA 1989). Intakes are calculated using variables for chemical concentrations, contact rates, exposure frequency, exposure duration, body weight, and exposure averaging time. The values of some of these variables depend on offshore area conditions and the characteristics of the potential receptors. Exposure estimates are representative of a reasonable maximum exposure which is expected to occur within the Phase I area (USEPA 1989). As a result, some intake variables are not at their individual maximum values, but when combined with other variables, will result in estimates of the reasonable maximum exposure (USEPA 1989).

To quantify intake, the EPCs and exposure parameters are combined to estimate daily intakes over an exposure period. The COPCs identified in surface water, sediment, and crab/fish tissue are converted into systemic doses, taking into account rates of contact (e.g., dermal exposure areas) and absorption rate of each COPC. The magnitude (i.e., EPCs), frequency (i.e., number of days per year), and duration of these exposures are then combined to obtain estimates of daily intakes over a specified period of time (i.e., lifetime, activity-specific duration). Dermal

exposure to surface water is calculated by converting the EPC into an Absorbed Dose per event ( $DA_{\text{event}}$ ). This conversion takes into account the permeability of compounds across multiple layers of skin with respect to the length of the event and the fraction of each compound absorbed once dissolved into the skin.

Two different measures of intake are analyzed, depending on the nature of the effect being evaluated. When evaluating longer-term (i.e., chronic) exposures to chemicals that produce adverse non-carcinogenic effects, intakes are averaged over the period of exposure (i.e., the averaging time [AT]) (USEPA 1989). This measure of intake is referred to as the average daily intake (ADI) and is a less than lifetime exposure. For chemicals that produce carcinogenic effects, intakes are averaged over an entire lifetime and are referred to as the lifetime average daily intake (LADI) (USEPA 1989).

The generic equation to calculate intakes is given below:

$$(L)ADI = \frac{EPC \times IF \times EF \times ED \times RAF}{BW \times AT} \times CF$$

where:

<i>(L)ADI</i>	=	(Lifetime) Average daily intake (mg/kg bw-day)
<i>EPC</i>	=	COPC concentration in a specific medium (mg/kg or mg/L)
<i>IF</i>	=	Intake factor <sup>1</sup> (mg/day, liters per day, or kilograms [kg]/meal)
<i>EF</i>	=	Exposure frequency (days/year or meals/year)
<i>ED</i>	=	Exposure duration (years)
<i>RAF</i>	=	Relative absorption factor (unitless) (Dermal exposures only)
<i>BW</i>	=	Body weight (kg)
<i>AT</i>	=	Averaging time (days)
<i>CF</i>	=	Conversion Factor ( $10^{-6}$ kilograms per milligram or $10^{-3}$ liters per cubic centimeter) (Dermal exposures only).

### 10.2.2 Exposure Point Concentrations

The first step in quantifying intake (or exposure) is the determination of an EPC for each COPC identified in the risk-based screening. For the HHRA, the EPC represents the concentration of COPCs in media of concern that a selected receptor is expected to contact over a designated exposure period. The EPC is represented by the 95% UCLM (USEPA 1989). The 95% UCLM is used because assuming long-term contact with the maximum concentration is not reasonable (USEPA 1989). EPCs for COPCs identified for the NNS area are presented in **Tables 10-3.1**

<sup>1</sup> The intake factor is the product of all intake variables that, when multiplied by the concentration of the chemical of potential concern in a specific medium, results in an estimate of the chemical intake in mg/kg-day for that population and exposure pathway. Intake factors may include ingestion rate, inhalation rate, body surface area exposed to sediment or water, dermal permeability constants, and soil adherence factors.

**through 10-3.6.** EPCs for COPCs identified for the SWTM area are presented in **Tables 10-3.7 through 10-3.12.**

For sediment and crab/fish field-collected tissue, the 95%UCLM is determined through the use of the USEPA ProUCL program version 5.00.00 (USEPA 2013). Where a 95%UCLM could not be calculated or where it exceeds the maximum detected concentration, the maximum concentration is used as the reasonable maximum EPC. Additionally, for sample sizes less than 5, the maximum detected concentration was used as the EPC. Output files of the ProUCL program are included in **Appendix F**. For surface water and crab/fish uptake, the determination of EPCs was detailed in Section 10.1.2.

### **10.2.3 Selection of Exposure Parameters**

The second step in quantifying intake requires the identification of exposure parameters. The following sections and **Tables 10-4.1 through 10-4.7** detail the exposure parameters for each potential receptor. Specific exposure parameters for each receptor are chosen based on USEPA guidance (USEPA 1989, 1991, 2000b, 2004, 2011, 2015a), state advisories (MDE 2014) and other appropriate resources.

Exposure parameters include rates of contact (e.g., skin surface areas), exposure frequency and duration, body weight, and averaging time. The contact rate reflects the amount of contaminated media contacted per unit time or event. For dermal contact with chemicals in surface water or sediment, the contact rate is estimated by combining information on exposed skin surface area, dermal permeability of a chemical, and exposure time. Exposure frequency and duration are used to estimate the total time of exposure to COPCs in media of concern. The body weight represents the average body weight over an exposure period (USEPA 1989). For adults (adult recreational users and watermen), USEPA recommended body weight is 80 kg; for children (recreational users aged 3 to 6 years), it is 18 kg (USEPA 2011). The adolescent is assumed to be 45 kg (USEPA 2011).

#### **Surface Water**

As shown in Section 10.1.5, no COPCs were determined for surface water for both areas. Therefore, surface water exposure parameters are not relevant for the HHRA.

#### **Sediment**

The offshore areas near Sparrows Point are not considered a high use area for swimming or other water activities. Additionally, other public access areas are located near but not immediately adjacent to the Phase I area that present a more attractive area for swimming and other water activities (i.e., state parks, private docks, etc.). However, access is not controlled to the waters in the Phase I area; therefore, swimming is a possibility for this area. Swimming and other activities around Sparrows Point are assumed on a limited basis. An exposure frequency of

4 days per year is used based upon a previous RCRA environmental impact assessment (ISG 2005).

Due to the depth of surface water, recreational users are expected to contact sediment primarily with the feet and maybe lower legs. Based upon the age range for the child (3-6 years old), they are not expected to contact sediment. In addition, as discussed in Section 10.6, the risk and hazard estimates for sediment exposure to the longer duration adolescent and adult recreational user were all negligible, ensuring that child sediment exposure would result in negligible risk estimates as well. For the adult, the sum of the mean lower legs SA (2,710 cm<sup>2</sup>) and mean feet (1,380 cm<sup>2</sup>) is 4,090 cm<sup>2</sup> (USEPA 2011). For the adolescent, lower leg estimates are not available in USEPA guidance (USEPA 2011). Therefore, the SA identified for the entire leg is used for the adolescent as a conservative measure. Two age ranges were averaged for the adolescent: 6 to 11 years and 11 to 16 years. For the adolescent, the mean leg (1,990 cm<sup>2</sup>) and mean feet (890 cm<sup>2</sup>) sum is 2,880 cm<sup>2</sup> (USEPA 2011). For skin exposure to sediment, an adherence factor (AF) is determined that represents the ability of sediment to adhere to the skin surface (USEPA 2004). AFs for sediments are likely to be less than for soils because contact with water may wash the sediment off the skin (USEPA 2004). However, AFs for soil are used to represent the sediment AFs as a conservative measure. For the adult recreational user, the recommended weighted AF for an adult resident is used [0.07 milligrams per square centimeter (mg/cm<sup>2</sup>)] as a conservative measure. The recommended weighted AF for an adolescent recreational user is 0.2 mg/cm<sup>2</sup> for children playing in wet soil (USEPA 2004, 2014a).

Watermen contact with sediment is limited to the hands and forearms as contact to sediment is expected to occur while hauling fishing nets into boats. The mean forearm SA (1,460 cm<sup>2</sup>) and mean hand SA (1,070 cm<sup>2</sup>) sum is 2,530 cm<sup>2</sup> (USEPA 2011). The recommended AF for a commercial or industrial worker contact with soil is 0.3 mg/cm<sup>2</sup>, based upon actual body parts exposed (face, forearms and hands) and high-end contact activity (USEPA 2014a, 2015a). This worker AF is conservatively assumed for watermen. It is expected that watermen would not fish exclusively around the Sparrows Point Area, but instead would fish in this location 1 day per week for 39 weeks (March through November). Watermen are expected to have direct contact with surface water/sediment for 2 hours a day. This assumes that watermen will perform other activities (i.e., driving the boat, fixing nets, etc.) that will result in less frequent direct contact with surface water/sediment.

### **Fish and Crab Ingestion**

Ingestion rates for the recreational user are taken from both the USEPA guidance (2000b, 2011) and the MDE 2014 Fish Advisory Table. USEPA identifies an amount of fish eaten per day from Freshwater/Estuarine areas. However, the USEPA estimate is based upon a total wet weight of fish eaten per year averaged over a number of days, not for each meal. The weights do not account for cooking. The weights for an adult, adolescent, and child are 9.8, 8.7, and 4.6 ounces per day, respectively (USEPA 2011). MDE estimated the amount of fish eaten per meal for varying receptors to determine appropriate fish advisories for the Patapsco River (MDE 2014).

MDE estimated a cooked weight of fish eaten for an adult male, adult female, and child at 8, 6, and 3 ounces, respectively (MDE 2014). The cooked weights used by MDE correspond to the wet weights presented in the USEPA guidance (USEPA 2011). These cooked weights are also consistent with USEPA guidance *Risk Assessment and Fish Consumption Limits* (USEPA 2000b). The number of meals per year is estimated based upon recreational users fishing or crabbing in the area 2 days per week from June to September (4 months or 16 weeks). The exposure frequency of 32 meals per year of fish and crabs is evenly divided between fish and crab consumption. As a result, the recreational user is assumed to eat 16 meals per year of fish and 16 meals per year of crabs.

The intake rate identified for the adult recreational user is also used for the watermen, since the watermen are not expected to fish exclusively within the area surrounding Sparrows Point. The exposure frequency identified for the surface water and sediment pathways is used as the number of meals per year (39 meals per year) of fish and crabs. The watermen are assumed to eat 19.5 meals per year of fish and 19.5 meals per year of crabs.

### 10.3 TOXICITY ASSESSMENT

Toxicity assessment is the third step of the HHRA process. The toxicity assessment considers the types of potential adverse health effects associated with exposures to COPCs, the relationship between the magnitude of exposure and potential adverse effects, and related uncertainties, such as the weight of evidence of a particular COPC's carcinogenicity in humans. USEPA guidance (USEPA 1989) specifies that the assessment be accomplished in two steps: hazard identification and dose-response assessment. Hazard identification is the process of determining whether studies demonstrate that exposure to a COPC may cause the incidence of an adverse effect. USEPA specifies the dose-response assessment, which involves: (1) USEPA's quantitative evaluation of the existing toxicity information, and (2) USEPA's characterization of the relationship between the dose of the COPC administered or received, and the incidence of potentially adverse health effects in the exposed population. From this quantitative dose-response relationship, specific toxicity values are derived by USEPA that can be used to estimate the incidence of potentially adverse effects occurring in humans at different exposure levels (USEPA 1989).

Toxicity values were selected in keeping with appropriate exposure durations and USEPA guidance (USEPA 2003c). Tier 1 values were found using the Integrated Risk Information System (IRIS) (USEPA 2015c) for established, current values. When toxicity values were not available from IRIS, Tier 2 values were then examined.

Tier 2 values were USEPA's Provisional Peer Reviewed Toxicity Values, which are developed by the Office of Research and Development, the National Center for Environmental Assessment, and the Superfund Health Risk Technical Support Center on a chemical-specific basis when requested by the Superfund program.

Tier 3, other toxicity values, were considered when Tier 1 or Tier 2 toxicity values were not available. These toxicity values were taken from additional USEPA and non-USEPA sources and were chosen based on the most current and best peer-reviewed source available. The Health Effects Assessment Summary Tables (USEPA 1997c) are the only Tier 3 source utilized for this HHRA.

### 10.3.1 Toxicity Assessment for Non-Carcinogens

USEPA-derived toxicity values for evaluating potential chronic non-carcinogenic effects for all COPCs are summarized in **Table 10-5.1**. **Table 10-5.2** presents relative chemical-specific parameters utilized in calculating dermal exposure for all COPCs.

The methodology used by USEPA for deriving non-cancer reference values for non-carcinogens, and site-specific considerations for modifying or using these concentrations are discussed in detail in USEPA guidance (USEPA 2015c). Non-carcinogens are typically judged to have a threshold daily dose below which deleterious or harmful effects are unlikely to occur. This concentration is called the no-observed-adverse-effect-level (NOAEL), and may be derived from either animal laboratory experiments or human epidemiology investigations (usually workplace studies). In developing a toxicity value or human NOAEL for non-carcinogens (i.e., an RfD), the regulatory approach is to (1) identify the critical toxic effect associated with chemical exposure (i.e., the most sensitive adverse effect); (2) identify the threshold dose in either an animal or human study; and (3) modify this dose to account for interspecies variability (where appropriate), differences in individual sensitivity (within-species variability), and other uncertainty and modifying factors.

Uncertainty factors (UFs) are intended to account for specific types of uncertainty inherent in extrapolation from the available data. The UFs are generally 10-fold, default factors used in operationally deriving the RfD from experimental data. UFs less than 10 can be used. A UF of 3 can be used in place of one-half power ( $10^{0.5}$ ) when appropriate. The UFs are intended to account for (1) variation in susceptibility among the members of the human population (i.e., inter-individual or intraspecies variability), (2) uncertainty in extrapolating animal data to humans (i.e., interspecies uncertainty), (3) uncertainty in extrapolating from data obtained in a study with less-than-lifetime exposure (i.e., extrapolating from subchronic to chronic exposure), (4) uncertainty in extrapolating from a LOAEL rather than from an NOAEL, and (5) uncertainty associated with extrapolation when the database is incomplete. The maximum UF for the derivation of the RfDs used in this HHRA is 3,000. To calculate the RfD, the appropriate NOAEL is divided by the product of all the applicable UFs. This is expressed as:

$$\text{RfD} = \text{NOAEL} / (\text{UF}_1 \times \text{UF}_2 \times \text{UF}_3 \times \text{UF}_4)$$

The resulting RfD is expressed in units of milligrams of chemical per kilogram of body weight per day (mg/kg-bw/day).



### 10.3.2 Toxicity Assessment for Carcinogenicity

USEPA-derived toxicity values for evaluating potential carcinogenic effects for all COPCs are summarized in **Table 10-6.1**. Unlike non-carcinogens, carcinogens are generally assumed to have no threshold. There is presumed to be no level of exposure below which carcinogenic effects will not manifest themselves. This “non-threshold” concept supports the idea that there are small, finite probabilities of inducing a carcinogenic response associated with every level of exposure to a potential carcinogen. USEPA uses a two-part evaluation for carcinogenic effects. This evaluation includes the assignment of a weight-of-evidence classification and the quantification of a cancer toxic potency concentration. Quantification is expressed as a slope factor (SF) for oral and dermal exposures and an Inhalation Unit Risk for inhalation exposures, which reflects the dose-response data for the carcinogenic endpoint(s) (USEPA 1989).

The weight-of-evidence classification system assigns a letter or alphanumeric (A through E) to each potential carcinogen that reflects an assessment of its potential to be a human carcinogen (USEPA 1986).<sup>2</sup> USEPA has established five recommended standard hazard descriptors: “*Carcinogenic to Humans*,” “*Likely to Be Carcinogenic to Humans*,” “*Suggestive Evidence of Carcinogenic Potential*,” “*Inadequate Information to Assess Carcinogenic Potential*,” and “*Not Likely to Be Carcinogenic to Humans*” (USEPA 2005g). The weight-of-evidence classification is based on a thorough scientific examination of the body of available data. Only compounds that have a weight-of-evidence classification of C or above are considered to have carcinogenic potential in this HHRA.

The SF is the upper 95<sup>th</sup> percentile confidence limit of the probability of response per unit daily intake of a chemical over a lifetime. The SF is expressed in units of proportion (of a population) affected per mg/kg-day. Typically, the SF is used to estimate the upper-bound lifetime probability of a person developing cancer from exposure to a given concentration of a carcinogen. SFs are generally based on experimental animal data, unless suitable epidemiological studies are available. Because of the difficulty in detecting and measuring carcinogenic endpoints at low exposure concentrations, SFs are typically developed by using a model to fit the available high dose, experimental animal data, and then extrapolating downward to the low-dose range to which humans are typically exposed. USEPA recommends the linear multistage model to derive an SF. The model is conservative and provides an upper bound estimate of excess lifetime cancer risk. These methods and approaches are discussed in greater detail within the USEPA *Cancer Guidelines* (USEPA 2005a).

Carcinogenic compounds were also assessed for mutagenic modes of action. The mutagenic mode of action is assessed with a linear approach (USEPA 2005a). **Table 10-6.1** identifies the

---

<sup>2</sup>A = A known human carcinogen; B1 = A probable human carcinogen, based on sufficient animal data and limited human data; B2 = A probable human carcinogen based on sufficient animal data and inadequate or no human data; C = A possible human carcinogen; D = Not classifiable as to human carcinogenicity; and E = Evidence of non-carcinogenicity for humans.

COPCs with a mutagenic mode of action. The PAHs, benz(a)anthracene, benzo(a)pyrene, benzo(b)fluoranthene, benzo(k)fluoranthene, chrysene, dibenz(a,h)anthracene, and indeno(1,2,3-c,d)pyrene were the only COPCs identified with a mutagenic mode of action. COPCs identified as mutagenic have sensitivity pertaining to cancer risks associated with early-life exposures. USEPA recommends, for mutagenic chemicals, when no chemical-specific data exist, a default approach using estimates from chronic studies (i.e., cancer slope factors) with appropriate modifications to address the potential for differential risk of early-life stage exposure (USEPA 2005h). A modification for early-life stage exposure to mutagenic COPCs is required because available studies indicate higher cancer risks resulting from a given exposure occurring early in life when compared with the same amount of exposure during adulthood (USEPA 2005h). For this HHRA, the SFs for COPCs identified with a mutagenic mode of action are modified for the following (USEPA 2005h):

- For exposures between 3 and 16 years of age, a three-fold adjustment is made.
- For exposures after turning 16 years of age, no adjustment is made.

Within the HHRA, only the adolescent and child recreational user are within the age range that requires adjustment for a mutagenic mode of action. The adjustment for the mutagenic mode of action for the PAHs identified above was applied to the cancer intake calculations.

### 10.3.3 Toxicity Assessment Modification for Dermal Contact

Toxicity values specific to dermal exposures are not available and require adjustment of the oral toxicity values (oral RfDs or SFs). This adjustment accounts for the difference between the daily intake doses through dermal contact as opposed to ingestion. Most toxicity values are based on the actual administered dose and must be corrected for the percent of chemical-specific absorption that occurs across the gastrointestinal tract prior to use in dermal contact risk assessment (USEPA 1989 and 2004). USEPA recommends utilizing oral absorption efficiency factors in converting oral toxicity values to dermal toxicity values (USEPA 2004). This adjustment accounts for the absorption efficiency in the “critical study,” which is utilized in determining the RfD and SF. Where oral absorption in the critical study is essentially complete (i.e., 100 percent), the absorbed dose is equivalent to the administered dose, and no adjustment of oral toxicity values is necessary when evaluating dermal exposures. When gastrointestinal absorption of a chemical in the critical study is poor (e.g., 1 percent), the absorbed dose is smaller than the administered dose, and toxicity values for dermal exposure are adjusted to account for the difference in the absorbed dose relative to the administered dose. To account for the differences between the administered (oral) and the absorbed (dermal) dose, RfDs and SFs are modified by the gastrointestinal absorption factor (GIABS).

In addition to the GIABS modification of the toxicity values for dermal contact, dermal contact rates are also evaluated based upon a chemical’s ability to be absorbed through the skin surface. This absorption rate is dependent upon the medium evaluated. For sediments, USEPA has identified a fraction of contaminant absorbed dermally (ABS) that is chemical-specific. The

ABS value reflects the desorption of a chemical from sediment and the absorption of the chemical across the skin and into the blood stream. The USEPA-recommended ABS values are based upon available experimental data for dermal absorption from contaminated soil (USEPA 2004). Recommended values are presented that account for uncertainty which may arise from different soil types, loading rates, chemical concentrations, and other conditions.

The chemical-specific parameters utilized in assessing dermal exposure, GIABS, ABS, FA, and PC are selected from the USEPA dermal guidance (USEPA 2004, 2015a). **Table 10-5.2** presents relative chemical-specific parameters utilized in calculating dermal exposure for COPCs.

## 10.4 RISK CHARACTERIZATION

Risk characterization is the fourth step of the HHRA process. In this step, the toxicity values are combined with the calculated chemical intakes for the receptor populations to quantitatively estimate both carcinogenic and non-carcinogenic risks. Risks were calculated for each receptor of concern.

### 10.4.1 Hazard Index for Non-Carcinogenic Effects

The potential human health risks associated with exposures to non-carcinogenic COPCs are calculated by comparing the ADI with the chemical-specific RfD or reference concentration (RfC), as per USEPA Guidance (USEPA 1989). An HQ is derived for each COPC, as shown in the equation below:

$$HQ = \frac{ADI}{RfD}$$

where:

<i>HQ</i>	=	Hazard Quotient; ratio of average daily intake level to acceptable daily intake level (unitless)
<i>ADI</i>	=	Calculated non-carcinogenic average daily intake (mg/kg-day or milligrams per cubic meter)
<i>RfD</i>	=	Reference dose (mg/kg-day).

If the average daily dose exceeds the RfD, the HQ will exceed a ratio of one (1.0) and there may be concern that potential adverse systemic health effects will be observed in the exposed populations. If the ADI does not exceed the RfD, the HQ will not exceed 1.0 and there will be no concern that potential adverse systemic health effects will be observed in the exposed populations. However, if the sum of several HQs exceeds 1.0, and the COPCs affect the same target organ, there may be concern that potential adverse systemic health effects will be observed in the exposed populations. In general, the greater the value of the HQ above 1.0, the greater the level of concern. However, the HQ does not represent a statistical probability that an adverse health effect will occur.

For consideration of exposures to more than one chemical causing systemic toxicity via several different pathways, the individual HQs are summed to provide an overall hazard index (HI). If the HI is less than 1.0, then no adverse health effects are likely to be associated with exposures within the grouping. However, if the total HI is greater than 1.0, separate endpoint-specific HIs may be calculated based on toxic endpoint of concern or target organ (e.g., HQs for neurotoxins are summed separately from HQs for renal toxins). Only if an endpoint-specific HI is greater than 1.0 is there reason for concern about potential health effects for that endpoint.

#### 10.4.2 Carcinogenic Risks

Carcinogenic risk is calculated as the incremental probability of an individual developing cancer over a lifetime as a result of exposure to a potential carcinogen. The numerical estimate of excess lifetime cancer risk is calculated by multiplying the LADI by the risk per unit dose (the SF).

This is shown in the following equation:

$$\text{Risk} = \text{LADI} \times \text{SF}$$

where:

<i>Risk</i>	=	Unitless probability of an exposed individual developing cancer
<i>LADI</i>	=	Lifetime cancer average daily intake (mg/kg-day)
<i>SF</i>	=	Cancer slope factor (mg/kg-day) <sup>-1</sup> .

Because the SF is the statistical 95<sup>th</sup> percent upper-bound confidence limit on the dose-response slope, this method provides a conservative, upper-bound estimate of risk. It should be noted that the interpretation of the significance of the cancer risk estimate is based on the appropriate public policy. USEPA in the National Contingency Plan (40 Code of Federal Regulation Part 300) (USEPA 1990) states that:

*...For known or suspected carcinogens, acceptable exposure levels are generally concentration levels that represent an excess upper bound lifetime cancer risk to an individual of between 10<sup>-4</sup> and 10<sup>-6</sup>.*

Additionally, MDE identifies an acceptable excess cancer risk range of 10<sup>-5</sup> to 10<sup>-6</sup>.

### 10.5 RISK CHARACTERIZATION RESULTS FOR THE NORTHEAST/NEAR SHORE AREA

Calculations for this exposure area are broken down by the evaluation of fish and crab. Risk calculations are provided for exposure to field-collected crab and fish tissue concentrations. These calculations are presented by receptor in **Tables 10-7.1 through 10-7.4**. The estimates of cumulative risks across all pathways for non-carcinogenic and carcinogenic effects for all

receptors are presented in **Tables 10-9.1 through 10-9.4**. A summary of significant contributors to risk is presented in **Tables 10-10.1 through 10-10.4**. COPCs are only identified on **Tables 10-10.1 through 10-10.4** if cumulative carcinogenic risks are greater than the lower end of acceptable excess cancer risk range of  $10^{-6}$  or cumulative non-carcinogenic risks are greater than 1.0. Significant contributors to risk are identified as COPCs with carcinogenic risks greater than  $10^{-6}$  or non-carcinogenic risks greater than 0.1.

For the evaluation of exposure to sediment, surface water, and modeled crab and fish tissue concentrations, these calculations are presented by receptor in **Tables 10-7.5 through 10-7.8**. The estimates of cumulative risks across all pathways for non-carcinogenic and carcinogenic effects for all receptors are presented in **Tables 10-9.5 through 10-9.8**. A summary of significant contributors to risk is presented in **Tables 10-10.5 through 10-10.8**. Note that **Tables 10-10.1 through 10-10.8** only present cumulative risk results for those COPCs identified as contributing significantly to the risk results. As a result, cumulative risks and hazards for each exposure pathway and across all exposure pathways may not equal (or will not be the same) as the results presented in **Tables 10-9.1 through 10-9.8**.

The following sections provide a summary of the risk results contained on **Tables 10-9.1 through 10-9.8**. It is noted that the individual pathway-specific HIs and cancer risks may not exactly equal the cumulative non-cancer HIs and cancer risk results for each receptor, due to rounding to significant digits. In accordance with EPA guidance (1989), cancer risks and non-cancer hazards are presented to one significant figure.

### **10.5.1 Field-Collected Crab and Fish Tissue**

For the NNS area, no COPCs were determined for surface water and sediment. As a result, the risk results for the NNS area are entirely for ingestion of crabs and fish.

#### **10.5.1.1 Adult Recreational User**

##### ***Non-Carcinogenic Results***

The total calculated non-carcinogenic HI for the adult recreational user is 0.1, which is below the acceptable threshold of 1.0 (**Table 10-9.1**). The non-carcinogenic HI for ingestion of fish is 0.071 and ingestion of crabs is 0.063.

##### **Carcinogenic Results**

The excess cumulative carcinogenic risk calculated for the adult recreational user is  $7 \times 10^{-6}$  (**Table 10-9.1**), which is within USEPA's acceptable excess cancer risk range of  $10^{-4}$  to  $10^{-6}$  and is also within MDE's acceptable excess cancer risk range of  $10^{-5}$  to  $10^{-6}$ . The carcinogenic risk for the adult recreational user is entirely due to ingestion of crabs. Only benzo(a)pyrene ( $4.2 \times 10^{-6}$ ) has calculated carcinogenic risks greater than  $10^{-6}$ .

### **10.5.1.2 Adolescent Recreational User**

#### ***Non-Carcinogenic Results***

The total calculated non-carcinogenic HI for the adolescent recreational user is 0.2, which is below the acceptable threshold of 1.0 (**Table 10-9.2**). The non-carcinogenic HI for ingestion of fish is 0.09 and ingestion of crabs is 0.08.

#### **Carcinogenic Results**

The excess cumulative carcinogenic risk calculated for the adolescent recreational user is  $1 \times 10^{-5}$  (**Table 10-9.2**), which is within USEPA's acceptable excess cancer risk range of  $10^{-4}$  to  $10^{-6}$  and is equal to upper end of MDE's acceptable excess cancer risk range of  $10^{-5}$  to  $10^{-6}$ . The carcinogenic risk for the adolescent recreational user is entirely due to ingestion of crabs. Only benzo(a)anthracene ( $1.3 \times 10^{-6}$ ), benzo(b)fluoranthene ( $1.6 \times 10^{-6}$ ) and benzo(a)pyrene ( $8.2 \times 10^{-6}$ ) have calculated carcinogenic risks greater than  $10^{-6}$ .

### **10.5.1.3 Child Recreational User**

#### **Non-Carcinogenic Results**

The total calculated non-carcinogenic HI for the child recreational user is 0.2, which is below the acceptable threshold of 1.0 (**Table 10-9.3**). The non-carcinogenic HI for ingestion of fish is 0.12 and ingestion of crabs is 0.1.

#### **Carcinogenic Results**

The excess cumulative carcinogenic risk calculated for the child recreational user is  $5 \times 10^{-6}$  (**Table 10-9.3**), which is within USEPA's acceptable excess cancer risk range of  $10^{-4}$  to  $10^{-6}$  and is also within MDE's acceptable excess cancer risk range of  $10^{-5}$  to  $10^{-6}$ . The carcinogenic risk for the child recreational user is entirely due to ingestion of crabs. Only benzo(a)pyrene ( $3.1 \times 10^{-6}$ ) has calculated carcinogenic risks greater than  $10^{-6}$ .

### **10.5.1.4 Watermen**

#### **Non-Carcinogenic Results**

The total calculated non-carcinogenic HI for the watermen is 0.2, which is below the acceptable threshold of 1.0 (**Table 10-9.4**). The non-carcinogenic HI for ingestion of fish is 0.086 and ingestion of crabs is 0.076.

## **Carcinogenic Results**

The excess cumulative carcinogenic risk calculated for the watermen is  $1 \times 10^{-5}$  (**Table 10-9.4**), which is within USEPA's acceptable excess cancer risk range of  $10^{-4}$  to  $10^{-6}$  and is equal to the upper end of MDE's acceptable excess cancer risk range of  $10^{-5}$  to  $10^{-6}$ . The carcinogenic risk for the watermen is entirely due to ingestion of crabs. Only benzo(b)fluoranthene ( $1.3 \times 10^{-6}$ ) and benzo(a)pyrene ( $6.3 \times 10^{-6}$ ) have calculated carcinogenic risks greater than  $10^{-6}$ .

### **10.5.2 Modeled Crab and Fish Tissue**

#### **10.5.2.1 Adult Recreational User**

##### **Non-Carcinogenic Results**

The total calculated non-carcinogenic HI for the adult recreational user is 0.4, which is below the acceptable threshold of 1.0 (**Table 10-9.5**). The non-carcinogenic HI for ingestion of fish is 0.35 and ingestion of crabs is 0.014.

##### **Carcinogenic Results**

The excess cumulative carcinogenic risk calculated for the adult recreational user is  $3 \times 10^{-5}$  (**Table 10-9.5**), which within USEPA's acceptable excess cancer risk range of  $10^{-4}$  to  $10^{-6}$ . However, these results exceed MDE's acceptable excess cancer risk range of  $10^{-5}$  to  $10^{-6}$ . The calculated carcinogenic risk for the ingestion of fish is  $1.6 \times 10^{-5}$  and for ingestion of crabs is  $1.2 \times 10^{-5}$ . Benzo(a)pyrene in fish ( $1.6 \times 10^{-5}$ ) has calculated carcinogenic risks greater than  $10^{-5}$ . The modeled concentrations of the other PAH COPCs in crabs have carcinogenic risks greater than  $10^{-6}$ .

#### **10.5.2.2 Adolescent Recreational User**

##### **Non-Carcinogenic Results**

The total calculated non-carcinogenic HI for the adolescent recreational user is 0.5, which is below the acceptable threshold of 1.0 (**Table 10-9.6**). The non-carcinogenic HI for ingestion of fish is 0.46 and ingestion of crabs is 0.018.

##### **Carcinogenic Results**

The excess cumulative carcinogenic risk calculated for the adult recreational user is  $5 \times 10^{-5}$  (**Table 10-9.6**), which within USEPA's acceptable excess cancer risk range of  $10^{-4}$  to  $10^{-6}$ . However, these results exceed MDE's acceptable excess cancer risk range of  $10^{-5}$  to  $10^{-6}$ . The calculated carcinogenic risk for the ingestion of fish is  $3.1 \times 10^{-5}$  and for ingestion of crabs is  $2.4 \times 10^{-5}$ . Benzo(a)pyrene in fish ( $3.1 \times 10^{-5}$ ) and crabs ( $1.5 \times 10^{-5}$ ) is the only COPC with



carcinogenic risks greater than  $10^{-5}$ . In crabs, benzo(a)anthracene ( $2.5 \times 10^{-6}$ ) and dibenz(a,h)anthracene ( $4.1 \times 10^{-6}$ ) have calculated carcinogenic risks greater than  $10^{-6}$ .

### 10.5.2.3 Child Recreational User

#### Non-Carcinogenic Results

The total calculated non-carcinogenic HI for the child recreational user is 0.6, which is below the acceptable threshold of 1.0 (**Table 10-9.7**). The non-carcinogenic HI for ingestion of fish is 0.57 and ingestion of crabs is 0.023.

#### Carcinogenic Results

The excess cumulative carcinogenic risk calculated for the child recreational user is  $2 \times 10^{-5}$  (**Table 10-9.7**), which is within USEPA's acceptable excess cancer risk range of  $10^{-4}$  to  $10^{-6}$ . However, these results exceed MDE's acceptable excess cancer risk range of  $10^{-5}$  to  $10^{-6}$ . The calculated carcinogenic risk for the ingestion of fish is  $1.1 \times 10^{-5}$  and for ingestion of crabs is  $8.9 \times 10^{-6}$ . Benzo(a)pyrene in fish ( $1.1 \times 10^{-5}$ ) is the only COPC with carcinogenic risks greater than  $10^{-5}$ . In crabs, benzo(a) pyrene ( $5.7 \times 10^{-6}$ ) and dibenz(a,h)anthracene ( $1.6 \times 10^{-6}$ ) have calculated carcinogenic risks greater than  $10^{-6}$ .

### 10.5.2.4 Watermen

#### Non-Carcinogenic Results

The total calculated non-carcinogenic HI for the watermen is 0.4, which is below the acceptable threshold of 1.0 (**Table 10-9.8**). The non-carcinogenic HI for ingestion of fish is 0.43 and ingestion of crabs is 0.017.

#### Carcinogenic Results

The excess cumulative carcinogenic risk calculated for the watermen is  $4 \times 10^{-5}$  (**Table 10-9.8**), which is within USEPA's acceptable excess cancer risk range of  $10^{-4}$  to  $10^{-6}$ . However, these results exceed MDE's acceptable excess cancer risk range of  $10^{-5}$  to  $10^{-6}$ . The calculated carcinogenic risk for the ingestion of fish is  $2.4 \times 10^{-5}$  and for ingestion of crabs is  $1.9 \times 10^{-5}$ . Benzo(a)pyrene in fish ( $2.4 \times 10^{-5}$ ) and in crabs ( $1.2 \times 10^{-5}$ ) has calculated carcinogenic risks greater than  $10^{-5}$ . Benzo(a)anthracene ( $1.9 \times 10^{-6}$ ), dibenz(a,h)anthracene ( $3.2 \times 10^{-6}$ ) in crabs have calculated carcinogenic risks greater than  $10^{-6}$ .

## **10.6 RISK CHARACTERIZATION RESULTS FOR THE SOUTHWEST/TIN MILL CANAL EFFLUENT AREA**

Calculations for this exposure area are presented by receptor in **Tables 10-7.9 through 10-7.16**. The estimates of cumulative risks across all pathways for non-carcinogenic and carcinogenic effects for all receptors are presented in **Tables 10-9.9 through 10-9.12** (including exposure to field-collected crab and fish tissue) and **Tables 10-9.13 through 10-9.16** (including exposure to modeled crab and fish tissue). A summary of significant contributors to risk is presented in **Tables 10-10.9 through 10-10.16**. Note that **Tables 10-10.9 through 10-10.16** only present cumulative risk results for those COPCs identified as contributing significantly to the risk results. As a result, cumulative risks and hazards for each exposure pathway and across all exposure pathways may not equal (or will not be the same) as the results presented in **Tables 10-9.9 through 10-9.16**.

The following sections provide a summary of the risk results contained on **Tables 10-9.9 through 10-9.16**. It is noted that the individual pathway-specific HIs and cancer risks may not exactly equal the cumulative non-cancer HIs and cancer risk results for each receptor, due to rounding to significant digits. In accordance with EPA guidance (1989), cancer risks and non-cancer hazards are presented to one significant figure.

### **10.6.1 Field-Collected Crab and Fish Tissue**

For the SWTM Area, no COPCs were determined for surface water. As a result, the risk results for the SWTM Area are for dermal exposure to sediment and ingestion of crabs and fish.

#### **10.6.1.1 Adult Recreational User**

##### **Non-Carcinogenic Results**

The total calculated non-carcinogenic HI for the adult recreational user is 0.4, which is below the acceptable threshold of 1.0 (**Table 10-9.9**). The non-carcinogenic HI for dermal exposure to sediment is 0.0002. The non-carcinogenic HI for ingestion of fish is 0.12 and ingestion of crabs is 0.31.

##### **Carcinogenic Results**

The excess cumulative carcinogenic risk calculated for the adult recreational user is  $6 \times 10^{-5}$  (**Table 10-9.9**), which is within USEPA's acceptable excess cancer risk range of  $10^{-4}$  to  $10^{-6}$ . However, this exceeds MDE's acceptable excess cancer risk range of  $10^{-5}$  to  $10^{-6}$ . The calculated carcinogenic risk for the dermal exposure to sediment is  $5.5 \times 10^{-8}$ . The calculated carcinogenic risk for the ingestion of fish is  $1.8 \times 10^{-5}$  and for ingestion of crabs is  $3.7 \times 10^{-5}$ . Total PCBs in fish ( $1.5 \times 10^{-5}$ ) and in crabs ( $1.5 \times 10^{-5}$ ) has calculated carcinogenic risks greater than  $10^{-5}$ . Arsenic in fish ( $2.7 \times 10^{-6}$ ) and in crabs ( $7.0 \times 10^{-6}$ ), benzo(a)pyrene in crabs ( $4.2 \times 10^{-6}$ ), and

bis(2-ethylhexyl)phthalate in crabs ( $9.3 \times 10^{-6}$ ) have calculated carcinogenic risks greater than  $10^{-6}$ .

#### **10.6.1.2 Adolescent Recreational User**

##### **Non-Carcinogenic Results**

The total calculated non-carcinogenic HI for the adolescent recreational user is 0.6, which is below the acceptable threshold of 1.0 (**Table 10-9.10**). The non-carcinogenic HI for dermal exposure to sediment is 0.0008. The non-carcinogenic HI for ingestion of fish is 0.15 and ingestion of crabs is 0.41.

##### **Carcinogenic Results**

The excess cumulative carcinogenic risk calculated for the adolescent recreational user is  $4 \times 10^{-5}$  (**Table 10-9.10**), which is within USEPA's acceptable excess cancer risk range of  $10^{-4}$  to  $10^{-6}$ . However, these results exceed MDE's acceptable excess cancer risk range of  $10^{-5}$  to  $10^{-6}$ . The calculated carcinogenic risk for the dermal exposure to sediment is  $1.9 \times 10^{-7}$ . The calculated carcinogenic risk for the ingestion of fish is  $1.2 \times 10^{-5}$  and for ingestion of crabs is  $3.2 \times 10^{-5}$ . All carcinogenic COPCs in fish and crabs have calculated carcinogenic risks greater than  $10^{-6}$ .

#### **10.6.1.3 Child Recreational User**

##### **Non-Carcinogenic Results**

The total calculated non-carcinogenic HI for the child recreational user is 0.7, which is below the acceptable threshold of 1.0 (**Table 10-9.11**). The non-carcinogenic HI for ingestion of fish is 0.19 and ingestion of crabs is 0.52.

The excess cumulative carcinogenic risk calculated for the child recreational user is  $2 \times 10^{-5}$  (**Table 10-9.11**), which is within USEPA's acceptable excess cancer risk range of  $10^{-4}$  to  $10^{-6}$ . However, this exceeds MDE's acceptable excess cancer risk range of  $10^{-5}$  to  $10^{-6}$ . The calculated carcinogenic risk for the ingestion of fish is  $4.4 \times 10^{-6}$  and for ingestion of crabs is  $1.2 \times 10^{-5}$ . Total PCBs in fish ( $3.8 \times 10^{-6}$ ) and in crabs ( $3.7 \times 10^{-6}$ ), arsenic ( $1.7 \times 10^{-6}$ ) and benzo(a)pyrene ( $3.1 \times 10^{-6}$ ) in crabs have calculated carcinogenic risks greater than  $10^{-6}$ .

#### **10.6.1.4 Watermen**

##### **Non-Carcinogenic Results**

The total calculated non-carcinogenic HI for the watermen is 0.5, which is below the acceptable threshold of 1.0 (**Table 10-9.12**). The non-carcinogenic HI for dermal exposure to sediment is 0.006. The non-carcinogenic HI for ingestion of fish is 0.14 and ingestion of crabs is 0.39.

## Carcinogenic Results

The excess cumulative carcinogenic risk calculated for the watermen is  $9 \times 10^{-5}$  (**Table 10-9.12**), which is within USEPA's acceptable excess cancer risk range of  $10^{-4}$  to  $10^{-6}$ . However, these results exceed MDE's acceptable excess cancer risk range of  $10^{-5}$  to  $10^{-6}$ . The calculated carcinogenic risk for the dermal exposure to sediment is  $1.8 \times 10^{-6}$ . The calculated carcinogenic risk for the ingestion of fish is  $2.7 \times 10^{-5}$  and for ingestion of crabs is  $5.6 \times 10^{-5}$ . Total PCBs in fish ( $2.3 \times 10^{-5}$ ) and in crabs ( $2.3 \times 10^{-5}$ ), arsenic in crabs ( $1.1 \times 10^{-5}$ ), and bis(2-ethylhexyl)phthalate ( $1.4 \times 10^{-5}$ ) have carcinogenic risks greater than  $10^{-5}$ . Arsenic in fish ( $4.1 \times 10^{-6}$ ), and benzo(a)anthracene ( $1.0 \times 10^{-6}$ ), benzo(b)fluoranthene ( $1.3 \times 10^{-6}$ ), and benzo(a)pyrene ( $6.3 \times 10^{-6}$ ) in crabs have calculated carcinogenic risks greater than or equal to  $10^{-6}$ .

### 10.6.2 Modeled Crab and Fish Tissue

#### 10.6.2.1 Adult Recreational User

##### Non-Carcinogenic Results

The total calculated non-carcinogenic HI for the adult recreational user is 28, which is above the acceptable threshold of 1.0 (**Table 10-9.13**). The non-carcinogenic HI for dermal exposure to sediment is 0.0002. The non-carcinogenic HI for ingestion of fish is 0.26 and ingestion of crabs is 28. A breakdown by target organ is provided on **Table 10-10.13**. Aroclor 1254 has a HQ greater than 1. The target organs associated with this COPC also has a HI greater than 1.

##### Carcinogenic Results

The excess cumulative carcinogenic risk calculated for the adult recreational user is  $2 \times 10^{-3}$  (**Table 10-9.13**), which is above the upper end of USEPA's acceptable excess cancer risk range of  $10^{-4}$  to  $10^{-6}$  as well as the upper end MDE's acceptable excess cancer risk range of  $10^{-5}$  to  $10^{-6}$ . The calculated carcinogenic risk for the dermal exposure to sediment is  $5.5 \times 10^{-8}$ . The calculated carcinogenic risk for the ingestion of fish is  $1.1 \times 10^{-5}$  and for ingestion of crabs is  $1.5 \times 10^{-3}$ . Modeled concentrations of Aroclor 1248 ( $9.1 \times 10^{-4}$ ), Aroclor 1254 ( $3.2 \times 10^{-4}$ ), and Aroclor 1260 ( $1.7 \times 10^{-4}$ ) have carcinogenic risks greater than  $10^{-4}$ . Benzo(a)pyrene in fish ( $1.1 \times 10^{-5}$ ), and arsenic ( $1.5 \times 10^{-5}$ ), benzo(a)pyrene ( $4.5 \times 10^{-5}$ ), and dibenz(a,h)anthracene ( $2.1 \times 10^{-5}$ ) in crabs has calculated carcinogenic risks greater than  $10^{-5}$ . The modeled concentrations of the other PAH COPCs in crabs have carcinogenic risks greater than  $10^{-6}$ .

#### 10.6.2.2 Adolescent Recreational User

##### Non-Carcinogenic Results

The total calculated non-carcinogenic HI for the adolescent recreational user is 37, which is above the acceptable threshold of 1.0 (**Table 10-9.14**). The non-carcinogenic HI for dermal

exposure to sediment is 0.0008. The non-carcinogenic HI for ingestion of fish is 0.34 and ingestion of crabs is 37. A breakdown by target organ is provided on **Table 10-10.14**. Aroclor 1254 has a HQ greater than 1. The target organs associated with this COPC also has a HI greater than 1.

### **Carcinogenic Results**

The excess cumulative carcinogenic risk calculated for the adolescent recreational user is  $1 \times 10^{-3}$  (**Table 10-9.14**), which is above the upper end of USEPA's acceptable excess cancer risk range of  $10^{-4}$  to  $10^{-6}$  as well as the upper end MDE's acceptable excess cancer risk range of  $10^{-5}$  to  $10^{-6}$ . The calculated carcinogenic risk for the dermal exposure to sediment is  $1.9 \times 10^{-7}$ . The calculated carcinogenic risk for the ingestion of fish is  $2.3 \times 10^{-5}$  and for ingestion of crabs is  $1.1 \times 10^{-3}$ . Modeled concentrations of Aroclor 1248 ( $6.0 \times 10^{-4}$ ), Aroclor 1254 ( $2.1 \times 10^{-4}$ ), and Aroclor 1260 ( $1.1 \times 10^{-4}$ ) in crabs have carcinogenic risks greater than  $10^{-4}$ . Also in crabs, benzo(a)anthracene ( $2.0 \times 10^{-5}$ ), benzo(a)pyrene ( $8.8 \times 10^{-5}$ ), and dibenz(a,h)anthracene ( $4.2 \times 10^{-5}$ ) have carcinogenic risks greater than  $10^{-5}$ . Benzo(a)pyrene ( $2.3 \times 10^{-5}$ ) in fish, and arsenic ( $9.6 \times 10^{-6}$ ), benzo(a)fluoranthene ( $5.6 \times 10^{-6}$ ), indeno(1,2,3-cd)pyrene ( $4.7 \times 10^{-6}$ ), and bis(2-ethylhexyl)phthalate ( $6.1 \times 10^{-6}$ ) in crabs have calculated carcinogenic risks greater than  $10^{-6}$ .

#### **10.6.2.3 Child Recreational User**

### **Non-Carcinogenic Results**

The total calculated non-carcinogenic HI for the child recreational user is 47, which is above the acceptable threshold of 1.0 (**Table 10-9.15**). The non-carcinogenic HI for ingestion of fish is 0.42 and ingestion of crabs is 46. A breakdown by target organ is provided on **Table 10-10.15**. Aroclor 1254 in crabs has an HQ greater than 1. The target organs associated with this COPC also has an HI greater than 1.

### **Carcinogenic Results**

The excess cumulative carcinogenic risk calculated for the child recreational user is  $4 \times 10^{-4}$  (**Table 10-9.15**), which is above the upper end of USEPA's acceptable excess cancer risk range of  $10^{-4}$  to  $10^{-6}$  as well as the upper end MDE's acceptable excess cancer risk range of  $10^{-5}$  to  $10^{-6}$ . The calculated carcinogenic risk for the ingestion of fish is  $8.5 \times 10^{-6}$  and for ingestion of crabs is  $4.1 \times 10^{-4}$ . The modeled concentration of Aroclor 1248 ( $2.2 \times 10^{-4}$ ) in crabs is the only COPC with carcinogenic risk greater than  $10^{-4}$ . Also in crabs, Aroclor 1254 ( $7.8 \times 10^{-5}$ ), Aroclor 1260 ( $4.1 \times 10^{-5}$ ), benzo(a)pyrene ( $3.3 \times 10^{-5}$ ), and dibenz(a,h)anthracene ( $1.6 \times 10^{-5}$ ) have carcinogenic risks greater than  $10^{-5}$ . Benzo(a)pyrene ( $8.5 \times 10^{-6}$ ) in fish, and arsenic ( $3.6 \times 10^{-6}$ ), benzo(a)anthracene ( $7.3 \times 10^{-6}$ ), benzo(b)fluoranthene ( $2.1 \times 10^{-6}$ ), indeno(1,2,3-cd)pyrene ( $1.8 \times$

$10^{-6}$ ), and bis(2-ethylhexyl)phthalate ( $2.3 \times 10^{-6}$ ) in crabs have calculated carcinogenic risks greater than  $10^{-6}$ .

#### 10.6.2.4 Watermen

##### Non-Carcinogenic Results

The total calculated non-carcinogenic HI for the watermen is 35, which is above the acceptable threshold of 1.0 (**Table 10-9.16**). The non-carcinogenic HI for dermal exposure to sediment is 0.006. The non-carcinogenic HI for ingestion of fish is 0.31 and ingestion of crabs is 34. A breakdown by target organ is provided on **Table 10-10.16**. Aroclor 1254 in crabs has an HQ greater than 1. The target organs associated with this COPC also have an HI greater than 1.

##### Carcinogenic Results

The excess cumulative carcinogenic risk calculated for the watermen is  $2 \times 10^{-3}$  (**Table 10-9.16**), which is above the upper end of USEPA's acceptable excess cancer risk range of  $10^{-4}$  to  $10^{-6}$  as well as the upper end MDE's acceptable excess cancer risk range of  $10^{-5}$  to  $10^{-6}$ . The calculated carcinogenic risk for the dermal exposure to sediment is  $1.8 \times 10^{-6}$ . The calculated carcinogenic risk for the ingestion of fish is  $1.7 \times 10^{-5}$  and for ingestion of crabs is  $2.3 \times 10^{-3}$ . The modeled concentration of Aroclor 1248 ( $1.4 \times 10^{-3}$ ) in crabs is the only COPC with carcinogenic risks greater than  $10^{-3}$ . Aroclor 1254 ( $4.8 \times 10^{-4}$ ) and Aroclor 1260 ( $2.5 \times 10^{-4}$ ) in crabs have carcinogenic risks greater than  $10^{-4}$ . Benzo(a)pyrene in fish ( $1.7 \times 10^{-5}$ ), and arsenic ( $2.2 \times 10^{-5}$ ), benzo(a)anthracene ( $1.5 \times 10^{-5}$ ), benzo(a)pyrene ( $6.8 \times 10^{-5}$ ), bis(2-ethylhexyl)phthalate ( $1.4 \times 10^{-5}$ ), and dibenz(a,h)anthracene ( $3.3 \times 10^{-5}$ ) in crabs has calculated carcinogenic risks greater than  $10^{-5}$ . The modeled concentrations of the other PAH COPCs in crabs have carcinogenic risks greater than  $10^{-6}$ .

## 10.7 RISK ASSESSMENT UNCERTAINTY

There are numerous uncertainties involved in the HHRA process. These are discussed briefly in the following sections. There are uncertainties associated with each step of the risk assessment process: Sampling and analysis, exposure assessment, exposure point concentration, dermal exposure values, toxicity assessment, and risk characterization. Where uncertainties are inherent in the USEPA guidance for the HHRA process and USEPA has recommended or incorporated methods for addressing these uncertainties, the agency's findings have been incorporated into the HHRA. This is particularly true for uncertainties associated with the toxicity assessment and exposure routes. For the toxicity assessment, appropriate uncertainty factors are applied to toxicity values as set forth by USEPA and discussed in Section 10.3 (USEPA 2015c).

### 10.7.1 Sampling and Analysis Uncertainties

The sampling plan can have a significant impact on the results obtained in calculating human health risk. There are uncertainties associated with the data set used in the HHRA. In particular, surface water is a fluid medium and chemical concentrations may vary spatially and temporally. Uncertainty due to spatial and temporal variability is especially relevant to surface water results because surface water is subject to mixing and variable upstream input. To mitigate this uncertainty and to focus on Site-related inputs, surface water concentrations were modeled based upon inputs from stormwater and pore water samples. Additionally, surface water concentration modeling took into account mixing and tidal influence for the Patapsco River. Therefore, the primary uncertainty associated with surface water risk results is inherent to the surface water model used to determine concentrations. However, these uncertainties are not expected to change the overall risk results for surface water in the Phase I area.

There are also uncertainties associated with field-collection of fish and crab tissue. Field-collected fish and crab tissue samples were taken during one sampling event and only consisted of five samples. Collection of tissue in a single event may not account for variability in concentrations over long periods of time due to seasonal variation, migration, or changing site conditions. This may result in over- or under- estimation of risks. To minimize these uncertainties, individual specimens were collected and composited using sampling criteria that help minimize the impacts of variation.

In addition to the evaluation of field-collected fish and crab tissue, tissue concentrations were also determined from laboratory bioaccumulation studies performed for the Coke Point Peninsula just south of the Phase I area (EA 2011b). The laboratory bioaccumulation results were used to determine potential crab tissue concentrations based upon exposure to sediments. The laboratory bioaccumulation studies reduce the potential uncertainty associated with food web exposure models used in the risk assessment when compared to use of literature-based BAFs. However, there are some uncertainties associated with these data. First, applying these BAFs to the Phase I sediment data to predict crab concentrations assumes those organisms reside solely in the Phase I area, which is not true for crabs that range widely throughout the Bay, and therefore clearly biases risk estimates toward over-estimation. Additionally, laboratory bioaccumulation tests are conducted in a controlled environment. Because laboratory bioaccumulation test conditions may differ from those experienced by aquatic organisms in the field, bioaccumulation may differ and thus be over-estimated or under-estimated by laboratory bioaccumulation test results. To minimize this uncertainty, the sediment used for laboratory bioaccumulation tests was carefully selected to represent site-wide conditions as closely as possible, and standard test methods were used which utilize organisms and parameters representative of a range of situations.



## 10.7.2 Uncertainties Analysis of Exposure Assessment

An analysis of uncertainties is an important aspect of the exposure assessment. It provides the risk assessor and reviewer with information relevant to the individual uncertainties associated with exposure factor assumptions and their potential impact on the final assessment.

Conservative assumptions are made about exposure to surface water, sediment, and ingestion of fish and crabs from the Phase I area. The assumptions were made to provide a protective evaluation of potential human contact with the area. However, these assumptions may result in an overestimate of potential health risks. The assumption that fishing and swimming occur with a long-term regularity only within the Phase I Area in the offshore environment of this industrialized area is conservative.

### 10.7.2.1 Exposure Point Concentrations

As discussed in Section 10.7. 1, there is potential variability in the sampling and analysis of the offshore areas. These variabilities can also affect the calculation of EPCs. Chemical concentrations in crab and fish tissue for VOCs and SVOCs are modeled from literature-based BAFs because tissue samples were not analyzed for these chemicals. There is uncertainty whether these chemicals would be present in tissue samples. This uncertainty may affect the HHRA risk results. Only bis(2-ethylhexyl)phthalate in crab for both groupings were determined to be a COPC in the HHRA. This chemical was not identified as COPC in fish tissue.

For the evaluation of total PCB congeners in field-collected crab and fish tissue for the SWTM Area, the EPC was determined assuming non-detect of PCB congeners was equal to the RL. Therefore, the summation of the PCB congeners to determine the total PCB congener concentration assumed the RL for those congeners that were not detected in a tissue sample. The use of the RL for non-detect PCB congeners likely overestimates potential congener concentrations when evaluating the total PCB congener concentration. **Tables 10-3.9 and 10-3.10** present the EPCs for total PCBs assuming non-detect concentrations equal the RL and non-detect concentrations equal zero. For field-collected crab tissue (**Table 10-3.9**), the EPC for total PCB congeners assuming non-detects equals the RL was approximately 1.5 times higher than the EPC for total PCB congeners assuming non-detects equals zero. For field-collected crab tissue (**Table 10-3.10**), the EPC for total PCB congeners assuming non-detects equals the RL was approximately 1.1 times higher than the EPC for total PCB congeners assuming non-detects equals zero. Based upon the HHRA results for total PCB congeners in field-collected crab and fish tissue for the SWTM Area (**Tables 10-9.9 to 10-9.16**), the difference in the EPCs would not result in a change to the overall conclusions of the HHRA for this exposure pathway.

For the evaluation of surface water, EPCs were selected for non-storm conditions. The non-storm conditions were selected because they provide a representation of typical surface water conditions within the Phase I area. EPCs were also modeled for storm conditions. These EPCs are more indicative of potential short-term exposure conditions because these chemicals

concentrations are only expected during storm events. The EPCs for modeled storm conditions are evaluated to determine if they may present a potential concern for human contact during short-term exposures. None of the storm EPCs exceeds the human health direct contact with surface water screening values (**Appendix H**). Therefore, uptake to fish tissue is the only complete exposure pathway evaluated. Modeled fish tissue concentrations were determined as discussed in Section 10.1.2. **Table 10-11.1** presents the risk-based screening for the fish tissue concentrations based on storm EPCs for the NNS grouping, and **Table 10-11.2** presents the risk-based screening for fish tissue concentrations based on storm EPCs for the SWTM grouping.

For the NNS grouping, mercury, HMW PAHs, and bis(2-ethylhexyl)phthalate are considered COPCs for fish tissue based on the storm EPCs for surface water. This is similar to the risk-based screening for the non-storm condition (**Table 10-2.6**), except for bis(2-ethylhexyl)phthalate. For the SWTM grouping, arsenic, mercury, and HWM PAHs are considered COPCs for fish tissue based on the storm EPCs for surface water, which is similar to the risk-based screening for the non-storm condition (**Table 10-2.12**). To evaluate approximate risk levels associated with the storm EPCs, they were compared to the non-storm EPCs:

COPC	Storm Fish Tissue EPC (mg/kg)	Non-Storm Fish Tissue EPC (mg/kg)
<i>Northeast/North Shore Area</i>		
Mercury	1.15	1.11
HMW PAHs	0.237	0.237
Bis(2-ethylhexyl)phthalate	0.548	NA
<i>Southwest/Tin Mill Canal Area</i>		
Arsenic	0.0088	0.00821
Mercury	0.864	0.819
HMW PAHs	0.206	0.174

As shown in the table above, the storm and non-storm fish tissue EPCs, calculated based on modeled surface water concentrations, are similar. Based upon the minimal difference between the storm and non-storm fish tissue EPCs, risks results are expected to be similar for both scenarios evaluated. None of the COPCs in fish tissue for both areas were above levels of concern. As a result, there are no potential concerns for potentially complete exposure pathways for human receptor exposure to surface water during storm events.

### 10.7.3 Uncertainties of Toxicity Assessment

There are numerous uncertainties associated with the toxicity assessment. These are generally due to the unavailability of data to thoroughly calculate the toxicity of COPCs. These uncertainties are described in more detail in the following sections.

### **10.7.3.1 Uncertainties Associated With Non-Carcinogenic Effects**

#### **Interspecies Extrapolation**

The majority of toxicological information comes from experiments with laboratory animals. Experimental animal data have been relied on by regulatory agencies to assess the hazards of chemical exposures to humans. Interspecies differences in chemical absorption, metabolism, excretion, and toxic response are not well understood; therefore, conservative assumptions are applied to animal data when extrapolating to humans. These probably result in an overestimation of toxicity.

#### **Intraspecies Extrapolation**

Differences in individual human susceptibilities to the effects of chemical exposures may be caused by such variables as genetic factors (e.g., glucose-6-phosphate dehydrogenase deficiency), lifestyle (e.g., cigarette smoking and alcohol consumption), age, hormonal status (e.g., pregnancy), and disease. To take into account the diversity of human populations and their differing susceptibilities to chemically induced injury or disease, a safety factor is used. USEPA uses a factor between 1 and 10. This uncertainty may lead to overestimates of human health effects at given doses.

#### **Exposure Routes**

When experimental data available on one route of administration are different from the actual route of exposure that is of interest, route-to-route extrapolation must be performed before the risk can be assessed. Several criteria must be satisfied before route-to-route extrapolation can be undertaken. The most critical assumption is that a chemical injures the same organ(s) regardless of route, even though the injury can vary in degree. Another assumption is that the behavior of a substance in the body is similar by all routes of contact. This may not be the case when, for example, materials absorbed via the gastrointestinal tract pass through the liver prior to reaching the systemic circulation, whereas by inhalation the same chemical will reach other organs before the liver. However, when data are limited, these extrapolations are made and may result in overestimates of human toxicity.

### **10.7.3.2 Uncertainties Associated With Carcinogenic Effects**

#### **Interspecies Extrapolation**

The majority of toxicological information for carcinogenic assessments comes from experiments with laboratory animals. There is uncertainty about whether animal carcinogens are also carcinogenic in humans. While many chemical substances are carcinogenic in one or more animal species, only a very small number of chemical substances are known to be human carcinogens. The fact that some chemicals are carcinogenic in some animal species but not in

others raises the possibility that not all animal carcinogens are human carcinogens. Regulatory agencies assume that humans are as sensitive to carcinogens as the most sensitive animal species. This policy decision, designed to prevent underestimation of risk, introduces the potential to overestimate carcinogenic risk.

### **High-Dose to Low-Dose Extrapolation**

Typical cancer bioassays provide limited low-dose data on responses in experimental animals for chemicals being assessed for carcinogenic or chronic effects. The usual dose regime involves three dose groups per assay. The first dose group is given the highest dose that can be tolerated, the second is exposed to one-half that dose, and the third group is unexposed (control group). Because this dosing method does not reflect how animals would react to lower doses of a chemical, a dose-response assessment normally requires extrapolation from high to low doses using mathematical modeling that incorporates to varying degrees information about physiologic processes in the body.

A central problem with the low-dose extrapolation models is that they all too often fit the data from animal bioassays equally well, and it is not possible to determine their validity based on goodness of fit. Several models may fit experimental data equally well, but all may not be equally plausible biologically. The dose-response curves derived from different models diverge substantially in the dose range of interest. Therefore, low-dose extrapolation is more than a curve-fitting process, and considerations of biological plausibility of the models must be taken into account before choosing the best model for a particular set of data.

#### **10.7.4 Uncertainties in Risk Characterization**

Uncertainties in the risk characterization can stem from the inherent uncertainties in the data evaluation; the exposure assessment process, including any modeling of exposure point concentrations in secondary media from primary media; and the toxicity assessment process. The individual uncertainties in these respective processes are addressed in previous sections. Another uncertainty in the risk characterization is the summation of chemical-specific risk results across media of concern. The summation assumes an additive effect across media and all exposure pathways for each receptor. However, the summation does not take into account certain aspects. For carcinogenic risks, the summation does not take into account the weight of evidence of carcinogenicity, SFs derived from animal data are given the same weight as SFs derived from human data, and the action of two different carcinogens might not be independent. For non-carcinogenic hazards, the uncertainty of summing across media of concern is reduced through the use of target organ endpoints. In addition, cumulative risk results are provided for each receptor that sum risks across all media of concern. This presents an uncertainty because receptors may not contact all media of concern while in the offshore area.

### 10.7.5 Chemicals Not Assessed in the Risk Assessment

Thallium is not assessed due to uncertainties with the oral RfD (USEPA 2012b). Thallium is evaluated qualitatively below to determine potential effects on risk results. Thallium is considered a COPC for both field-collected crab tissue and modeled crab tissue.

For field-collected crab tissue, the EPC for thallium is 0.0469 mg/kg (**Table 10-3.9**). For modeled crab tissue, the 95%UCLM is 0.0291 mg/kg. The USEPA fish tissue RSL is 0.015 mg/kg based upon a non-carcinogenic HQ of 1. Both the field-collected and the modeled crab tissue EPCs would result in non-carcinogenic HQs greater than 1. However, the uncertainty associated with the thallium RfD, in which the fish tissue RSL is based upon, is 3,000. Based upon the high uncertainty associated with the oral RfD and the poor quality of the associated studies, the actual HQ for thallium is expected to be less than shown. Therefore, the overall conclusions from the HHRA would not change if thallium was included in the quantitative evaluation.

## 10.8 HHRA CONCLUSIONS

The HHRA evaluates the potential cumulative risks for the adult recreational user, adolescent recreational user, child recreational user, and watermen for exposure to surface water, sediment, and fish and crab tissue within the Phase I area of Sparrows Point. Specific exposure pathways evaluated in the HHRA are presented in **Figure 6-2**. To facilitate the evaluation of the Phase I area, two areas were evaluated in the HHRA. As noted in Section 6.1, data and modeling results from the Phase I offshore investigation were divided into two data groupings/areas for separate consideration in the risk assessments:

- **Grouping NNS:** The Northeast/Near-Shore Grouping includes all samples from Transects A, B, C, and D, as well as the following locations in Transects DE, E, and F: DE01, E01, E02, F01, F02, and F05.
- **Grouping SWTM:** The Southwest/Tin Mill Canal Effluent Grouping includes all of Transects G, H, I, and J, as well as the following locations in Transects DE, E, and F: DE02, E03, F03, F04, F06, and F07.

These groupings were delineated based on geography as well as the characteristics of the sediment, with locations in Grouping NNS having coarser sediments and/or less observable impacts (e.g., odor, sheen). Locations in Grouping SWTM are generally silty-to-clayey and show preliminary evidence of impacts from the Tin Mill Canal effluent.

It should be noted that these groupings do not represent clearly defined exposure areas, especially for expected exposures to surface water, fish tissue, and crab tissue. Rather, the groupings were selected to reflect a differentiation in risk assessment objectives.

In Grouping NNS, current inputs to the offshore area via groundwater/pore water and stormwater were the focus of the risk assessment. Therefore, only the Site-related COPCs for each transect presented in **Table 8-4** are considered in the NNS. **Table 8-4** presents a summary of the Site-related COPCs for sediment and pore water in each transect/location, for which data were used in the HHRA. The primary use anticipated for the HHRA results for this grouping is the evaluation of whether current impacts from the former steel mill are associated with unacceptable risk in this area.

In Grouping SWTM, all constituents analyzed are potentially related to historical discharges from the Tin Mill Canal that are causing current risk. Therefore, all available data from the Phase I offshore investigation in this area is used in the HHRA for this grouping. The primary use of risk assessment results for this grouping is delineation of areas that will be considered in remedial decision-making in the southern area that has been impacted by the Tin Mill Canal effluent.

In addition to the division of the Phase I area in groupings, the HHRA also evaluated two separate determinations of fish and crab tissue concentrations. One evaluation consisted of field-collected fish and crab tissue concentrations (EA 2011b). The second evaluation consisted of modeled fish and crab tissue concentrations. It is noted that no COPCs were determined for potential receptor direct contact with surface water and sediment in the NNS area, and no COPCs were determined for direct contact with surface water in the SWTM area. As a result, the evaluation of ingestion of fish and crab tissue play a distinctive role in the conclusions of the HHRA.

For the analysis of field-collected fish and crab tissue, the dataset and tissue concentrations were the same for both groupings. However, SVOCs and VOCs were modeled from literature-based BAFs. Therefore, for these chemicals, the sediment concentrations are an important factor in the HHRA risk results. The evaluation of field-collected fish and crab tissue provides a more realistic characterization of human exposure through fish ingestion, since these species range widely throughout the Bay and are not restricted to the Phase I area. Currently, the Phase I area adjacent to Sparrows Point is not expected to be frequently used for swimming or other water activities, and it is expected that people would visit other, more easily accessible areas available in close proximity to Sparrows Point (e.g., state parks, private docks, etc.). However, there are no controls against these activities and fishing has been observed in this area, as described in Section 6.5.1. The evaluation of field-collected tissue provides an estimate of a site-specific exposure that takes into account the mobility of aquatic organisms in the offshore areas by evaluating sample results from studies of field-collected crab and fish tissue. These results provide a long-term risk characterization of the people fishing/crabbing in the area under current conditions.

The modeled fish and crab tissue concentrations provide a theoretical maximum exposure that provides conservative indication of potential contribution from offshore sediment and surface water to these organisms, relying partially on site-specific bioaccumulation studies. These bioaccumulation studies assess the contribution of the site-specific sediment to risk associated

with fish and crab consumption. Literature-based bioaccumulation factors were utilized to predict fish tissue concentrations from the modeled surface water. This evaluates potential risk contributions specifically from the Phase I area, as if crab and fish reside solely in the Phase I area.

**Table 10-12** presents a summary of the HHRA risk results for the NNS.

**Table 10-12 Human Health Risk Assessment Summary of Results for the Northeast/Near-Shore Area**

Receptor	Media	Carcinogenic Risks <sup>1</sup>	Non-Carcinogenic Hazards <sup>2</sup>	COPCs Contributing Significantly to Results
<i>Field-Collected Tissue</i>				
Adult Recreational User	Ingestion of Fish	Not applicable	0.07	Not applicable
	Ingestion of Crab	$6.5 \times 10^{-6}$	0.06	Not applicable
	<b>Cumulative Results</b>	<b><math>7 \times 10^{-6}</math></b>	<b>0.1</b>	
Adolescent Recreational User	Ingestion of Fish	Not applicable	0.09	Not applicable
	Ingestion of Crab	$1.3 \times 10^{-5}$	0.08	Not applicable
	<b>Cumulative Results</b>	<b><math>1 \times 10^{-5}</math></b>	<b>0.2</b>	
Child Recreational User	Ingestion of Fish	Not applicable	0.1	Not applicable
	Ingestion of Crab	$5 \times 10^{-6}$	0.1	Not applicable
	<b>Cumulative Results</b>	<b><math>5 \times 10^{-6}</math></b>	<b>0.2</b>	
Watermen	Ingestion of Fish	Not applicable	0.09	Not applicable
	Ingestion of Crab	$9.9 \times 10^{-6}$	0.08	Not applicable
	<b>Cumulative Results</b>	<b><math>1 \times 10^{-5}</math></b>	<b>0.2</b>	
<i>Modeled Tissue</i>				
Adult Recreational User	Ingestion of Fish	$1.6 \times 10^{-5}$	0.4	PAHs
	Ingestion of Crab	$1.2 \times 10^{-5}$	0.01	Not applicable
	<b>Cumulative Results</b>	<b><math>3 \times 10^{-5}</math></b>	<b>0.4</b>	
Adolescent Recreational User	Ingestion of Fish	$3.1 \times 10^{-5}$	0.5	Benzo(a)pyrene
	Ingestion of Crab	$2.4 \times 10^{-5}$	0.02	PAHs
	<b>Cumulative Results</b>	<b><math>5 \times 10^{-5}</math></b>	<b>0.5</b>	
Child Recreational User	Ingestion of Fish	$1.1 \times 10^{-5}$	0.6	Benzo(a)pyrene
	Ingestion of Crab	$8.9 \times 10^{-6}$	0.02	Not applicable
	<b>Cumulative Results</b>	<b><math>2 \times 10^{-5}</math></b>	<b>0.6</b>	
Watermen	Ingestion of Fish	$2.4 \times 10^{-5}$	0.4	Benzo(a)pyrene
	Ingestion of Crab	$1.9 \times 10^{-5}$	0.02	PAHs
	<b>Cumulative Results</b>	<b><math>4 \times 10^{-5}</math></b>	<b>0.4</b>	

(1) USEPA acceptable excess cancer risk range:  $10^{-6}$  to  $10^{-4}$ . MDE acceptable excess cancer risk range:  $10^{-6}$  to  $10^{-5}$ .

(2) USEPA acceptable hazard quotient: 1.0. MDE acceptable hazard quotient: 1.0.

The evaluation of both the field-collected tissue and modeled tissue evaluations did not indicate any non-cancer hazards above 1. This reveals there are no non-cancer concerns for the NNS Area. For the modeled tissue concentrations within the NNS Area, carcinogenic results for all receptors were above the MDE acceptable excess cancer risk range of  $10^{-6}$  to  $10^{-5}$ . However, based on the USEPA acceptable excess cancer risk range of  $10^{-6}$  to  $10^{-4}$ , all receptors carcinogenic results were within this range. **Tables 10-10.5 through 10-10.8** present a summary



of the significant contributors to the HHRA risk results. For the modeled tissue evaluation, the primary contributor to excess cancer risk results was benzo(a)pyrene in crab and fish tissue.

For the field-collected tissue evaluation, carcinogenic risks were within the USEPA acceptable excess cancer risk range of  $10^{-6}$  to  $10^{-4}$  (**Tables 10-10.1 through 10-10.4**). Additionally, carcinogenic risk results for all receptors for the field-collected evaluation were within the MDE acceptable excess cancer risk range of  $10^{-6}$  to  $10^{-5}$ . Carcinogenic risk results for the field-collected tissue evaluation were approximately five times lower than the risk results for the modeled tissue evaluation. This reveals that the modeled tissue evaluation most likely over-estimates risk results for the NNS Area.

**Table 10-13** presents a summary of the HHRA risk results for the SWTM.

**Table 10-13 Human Health Risk Assessment Summary of Results for the Southwest/Tin Mill Canal Area**

Receptor	Media	Carcinogenic Risks <sup>1</sup>	Non-Carcinogenic Hazards <sup>2</sup>	COPCs Contributing Significantly to Results
<i>Field-Collected Tissue</i>				
Adult Recreational User	Dermal Contact with Sediment	$5.5 \times 10^{-8}$	0.0002	Not applicable
	Ingestion of Fish	$1.8 \times 10^{-5}$	0.1	Arsenic, Total PCBs
	Ingestion of Crab	$3.7 \times 10^{-5}$	0.3	Total PCBs
	<b>Cumulative Results</b>	<b><math>6 \times 10^{-5}</math></b>	<b>0.4</b>	
Adolescent Recreational User	Dermal Contact with Sediment	$1.9 \times 10^{-7}$	0.0008	Not applicable
	Ingestion of Fish	$1.2 \times 10^{-5}$	0.2	Arsenic, Total PCBs
	Ingestion of Crab	$3.2 \times 10^{-5}$	0.4	Total PCBs, PAHs, Bis(2-ethylhexyl)phthalate
	<b>Cumulative Results</b>	<b><math>4 \times 10^{-5}</math></b>	<b>0.6</b>	
Child Recreational User	Ingestion of Fish	$4.4 \times 10^{-6}$	0.2	Not applicable
	Ingestion of Crab	$1.2 \times 10^{-5}$	0.5	Total PCBs, PAHs, Bis(2-ethylhexyl)phthalate
	<b>Cumulative Results</b>	<b><math>2 \times 10^{-5}</math></b>	<b>0.7</b>	
Watermen	Dermal Contact with Sediment	$1.8 \times 10^{-6}$	0.006	Not applicable
	Ingestion of Fish	$2.7 \times 10^{-5}$	0.1	Arsenic, Total PCBs
	Ingestion of Crab	$5.6 \times 10^{-5}$	0.4	Arsenic, Bis(2-ethylhexyl)phthalate, Total PCBs, PAHs
	<b>Cumulative Results</b>	<b><math>9 \times 10^{-5}</math></b>	<b>0.5</b>	

Receptor	Media	Carcinogenic Risks <sup>1</sup>	Non-Carcinogenic Hazards <sup>2</sup>	COPCs Contributing Significantly to Results
<i>Modeled Tissue</i>				
Adult Recreational User	Dermal Contact with Sediment	$5.5 \times 10^{-8}$	0.0002	Not applicable
	Ingestion of Fish	$1.1 \times 10^{-5}$	0.3	Benzo(a)pyrene
	Ingestion of Crab	$1.5 \times 10^{-3}$	28	Arsenic, Aroclor 1248, Aroclor 1254, Aroclor 1260, PAHs, Bis(2-ethylhexyl)phthalate
	<b>Cumulative Results</b>	<b><math>2 \times 10^{-3}</math></b>	<b>28</b>	
Adolescent Recreational User	Dermal Contact with Sediment	$1.9 \times 10^{-7}$	0.0008	Not applicable
	Ingestion of Fish	$2.3 \times 10^{-5}$	0.3	Benzo(a)pyrene
	Ingestion of Crab	$1.1 \times 10^{-3}$	37	Arsenic, Aroclor 1248, Aroclor 1254, Aroclor 1260, PAHs, Bis(2-ethylhexyl)phthalate
	<b>Cumulative Results</b>	<b><math>1 \times 10^{-3}</math></b>	<b>37</b>	
Child Recreational User	Ingestion of Fish	$8.5 \times 10^{-6}$	0.4	Not applicable
	Ingestion of Crab	$4.1 \times 10^{-4}$	46	Arsenic, Aroclor 1248, Aroclor 1254, Aroclor 1260, PAHs, Bis(2-ethylhexyl)phthalate
	<b>Cumulative Results</b>	<b><math>4 \times 10^{-4}</math></b>	<b>47</b>	
Watermen	Dermal Contact with Sediment	$1.8 \times 10^{-6}$	0.006	Not applicable
	Ingestion of Fish	$1.7 \times 10^{-5}$	0.3	Benzo(a)pyrene
	Ingestion of Crab	$2.3 \times 10^{-3}$	34	Arsenic, Aroclor 1248, Aroclor 1254, Aroclor 1260, PAHs, Bis(2-ethylhexyl)phthalate
	<b>Cumulative Results</b>	<b><math>2 \times 10^{-3}</math></b>	<b>35</b>	

(1) USEPA acceptable excess cancer risk range:  $10^{-6}$  to  $10^{-4}$ . MDE acceptable excess cancer risk range:  $10^{-6}$  to  $10^{-5}$ .

(2) USEPA acceptable hazard quotient: 1.0. MDE acceptable hazard quotient: 1.0.

For the SWTM Area, carcinogenic risk results for ingestion of crab and fish based on both modeled and field-collected tissue concentrations exceeded the MDE acceptable excess cancer risk range of  $10^{-6}$  to  $10^{-5}$ . However, based on the USEPA acceptable excess cancer risk range of  $10^{-6}$  to  $10^{-4}$ , only the ingestion of modeled crab tissue, not for fish tissue or for the more realistic field-collected tissue, exceeded the risk range. **Tables 10-10.9 through 10-10.16** present a summary of the significant contributors to the HHRA risk results.

Additionally, modeled crab tissue revealed Aroclor 1254 non-carcinogenic hazards above the acceptable level of 1 for all receptors evaluated in the HHRA (**Tables 10-10.13 through 10-10.16**). Field-collected crabs were not analyzed for Aroclors, only PCB congeners, because PCB

congener analysis is a more sensitive analytical method for tissue. Toxicity values for PCB congeners are only available for a cancer endpoint so a comparison of non-carcinogenic hazards is not available. However, a comparison of EPCs for the field-collected and modeled crab tissue (**Tables 10-3.9 and 10-3.11**) reveal modeled crab tissue concentrations of Aroclors two orders of magnitude higher than total PCB concentrations found in the field-collected crab tissue.

It is noted that MDE has a fish consumption advisory in place for the Patapsco River/Inner Harbor (including the offshore area of Sparrows Point) to account for PCBs (MDE 2014). The fish consumption advisory recommends a limited number of meals per month to avoid elevated exposures.

For the modeled tissue evaluation, carcinogenic risk results were elevated above the USEPA acceptable excess cancer risk range of  $10^{-6}$  to  $10^{-4}$  and the MDE acceptable excess cancer risk range of  $10^{-6}$  to  $10^{-5}$  for all receptors exposure to modeled crab tissue. Primary contributors to carcinogenic risks were Aroclor 1248, Aroclor 1254, and Aroclor 1260 in crab tissue based upon modeled uptake from sediment concentrations (**Tables 10-10.13 through 10-10.16**). In addition, PAHs were also primary contributors to carcinogenic risks for the modeled crab in the SWTM. For PAHs, carcinogenic risks were above the upper end of the USEPA acceptable excess cancer risk range of  $10^{-4}$  for the adolescent recreational user and watermen. Carcinogenic risks for all receptors exposure to PAHs in modeled crab tissue were above the MDE acceptable excess cancer risk range of  $10^{-6}$  to  $10^{-5}$ . Field-collected crab tissue did not reveal PAHs above the MDE acceptable excess cancer risk range of  $10^{-6}$  to  $10^{-5}$ , and all carcinogenic risks were within the USEPA acceptable excess cancer risk range. Thus, the modeled crab tissue over-estimated carcinogenic risks due to PCBs and PAHs compared to the more realistic field-collected crab tissue, and by a large magnitude.

*This page intentionally left blank*

**TABLE 10-2.1**  
**OCCURRENCE, DISTRIBUTION AND SELECTION OF CHEMICALS OF POTENTIAL CONCERN**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**NORTHEAST/NEAR-SHORE - SURFACE SEDIMENT**

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: Surface Sediment
Exposure Point: Northeast/Near Shore Exposure Area

CAS Number	Chemical	Minimum <sup>(1)</sup> Concentration	Minimum Qualifier	Maximum <sup>(1)</sup> Concentration	Maximum Qualifier	Units	Location of Maximum Concentration	Detection Frequency	Range of Detection Limits	Concentration <sup>(2)</sup> Used for Screening	Background <sup>(3)</sup> Value	Screening <sup>(4)</sup> Toxicity Value	Potential <sup>(5)</sup> ARAR/TBC Value	Potential ARAR/TBC Source	COPC Flag	Rationale for <sup>(6)</sup> Contaminant Deletion or Selection
<b>INORGANICS</b>																
7440-43-9	CADMIUM	7.20E-01		4.80E+00		mg/kg	SD-D02	5/5	6.10E-02 - 8.10E-02	4.80E+00	NA	1.71E+03	N	NA	NA	BSL
7440-47-3	CHROMIUM	3.30E+01		7.50E+02		mg/kg	SD-B02	2/2	1.50E-01 - 3.65E-01	7.50E+02	NA	1.33E+05	C	NA	NA	BSL
7440-50-8	COPPER	5.50E+00		1.60E+02		mg/kg	SD-A03	13/13	1.20E-01 - 4.50E-01	1.60E+02	NA	2.73E+05	N	NA	NA	BSL
57-12-5	CYANIDE, TOTAL	1.80E-01	J	1.60E+00		mg/kg	DE01-SD	7/8	3.10E-01 - 3.90E-01	1.60E+00	NA	4.10E+03	N	NA	NA	BSL
7439-92-1	LEAD	1.50E+01		1.10E+02		mg/kg	SD-F01	8/8	6.10E-02 - 8.10E-02	1.10E+02	NA	NA		NA	NA	NSL
7439-97-6	MERCURY	7.90E-03	J	4.20E-01		mg/kg	SD-C03	3/3	2.30E-02 - 6.80E-02	4.20E-01	NA	4.78E+01	N	NA	NA	BSL
7440-02-0	NICKEL	2.20E+00		4.60E+01		mg/kg	SD-C03 / SD-A03	13/13	6.10E-02 - 2.30E-01	4.60E+01	NA	1.37E+05	N	NA	NA	BSL
7440-22-4	SILVER	2.60E-02	J	1.70E+00		mg/kg	SD-C03	5/5	6.50E-02 - 2.10E-01	1.70E+00	NA	1.37E+03	N	NA	NA	BSL
7440-66-6	ZINC	9.80E+01	J	1.55E+03	J	mg/kg	SD-B02	13/13	3.10E-01 - 1.10E+00	1.55E+03	NA	2.05E+06	N	NA	NA	BSL
<b>POLYAROMATIC HYDROCARBONS</b>																
208-96-8	ACENAPHTHYLENE	8.50E-03	J	1.10E-01		mg/kg	F05-SD	2/8	1.70E-02 - 8.20E-02	1.10E-01	NA	3.15E+04	C	NA	NA	BSL
120-12-7	ANTHRACENE	6.20E-02		6.20E-02		mg/kg	F05-SD	1/8	1.70E-02 - 8.20E-02	6.20E-02	NA	1.58E+05	N	NA	NA	BSL
56-55-3	BENZO[A]ANTHRACENE	1.40E-02	J	3.20E-01		mg/kg	F05-SD	3/8	1.70E-02 - 8.20E-02	3.20E-01	NA	1.68E+01	C	NA	NA	BSL
50-32-8	BENZO[A]PYRENE	4.00E-01		4.00E-01		mg/kg	F05-SD	1/8	1.70E-02 - 8.20E-02	4.00E-01	NA	1.68E+00	C	NA	NA	BSL
205-99-2	BENZO[B]FLUORANTHENE	1.10E-02	J	3.70E-01		mg/kg	F05-SD	2/8	1.70E-02 - 8.20E-02	3.70E-01	NA	1.68E+01	C	NA	NA	BSL
191-24-2	BENZO[G,H,I]PERYLENE	5.00E-01		5.00E-01		mg/kg	F05-SD	1/8	1.70E-02 - 8.20E-02	5.00E-01	NA	1.58E+04	N	NA	NA	BSL
207-08-9	BENZO[K]FLUORANTHENE	1.60E-01		1.60E-01		mg/kg	F05-SD	1/8	1.70E-02 - 8.20E-02	1.60E-01	NA	1.68E+02	C	NA	NA	BSL
218-01-9	CHRYSENE	1.30E-02	J	2.80E-01		mg/kg	F05-SD	3/8	1.70E-02 - 8.20E-02	2.80E-01	NA	1.68E+03	C	NA	NA	BSL
53-70-3	DIBENZ[A,H]ANTHRACENE	4.50E-02		4.50E-02		mg/kg	F05-SD	1/8	1.70E-02 - 8.20E-02	4.50E-02	NA	1.68E+00	C	NA	NA	BSL
206-44-0	FLUORANTHENE	7.20E-03	J	1.40E+00		mg/kg	F05-SD	8/8	1.70E-02 - 8.20E-02	1.40E+00	NA	2.10E+04	N	NA	NA	BSL
193-39-5	INDENO[1,2,3-CD]PYRENE	3.10E-01		3.10E-01		mg/kg	F05-SD	1/8	1.70E-02 - 8.20E-02	3.10E-01	NA	1.68E+01	C	NA	NA	BSL
91-20-3	NAPHTHALENE	4.20E-03	J	3.70E-02		mg/kg	F05-SD	5/8	1.70E-02 - 8.20E-02	3.70E-02	NA	1.05E+04	C	NA	NA	BSL
85-01-8	PHENANTHRENE	3.70E-02		3.70E-02		mg/kg	F05-SD	1/8	1.70E-02 - 8.20E-02	3.70E-02	NA	1.58E+04	N	NA	NA	BSL
129-00-0	PYRENE	6.30E-03	J	7.50E-01		mg/kg	SD-F01	8/8	1.70E-02 - 8.20E-02	7.50E-01	NA	1.58E+04	N	NA	NA	BSL
<b>SEMIVOLATILE ORGANIC COMPOUNDS</b>																
117-81-7	BIS(2-ETHYLHEXYL) PHTHALATE	1.80E-02	J	1.60E+00		mg/kg	SD-F01	9/16	1.70E-01 - 3.50E+00	1.60E+00	NA	2.96E+03		NA	NA	BSL

Note: Chemicals of Potential Concern are bold with shading.

- (1) Minimum/maximum detected concentration.  
(2) Maximum concentration used as screening value.  
(3) Background values are not included as part of the COPC selection process.  
(4) Site-specific Screening Toxicity Values developed. Please see Appendix H for calculations.  
(5) ARAR/TBC are not applicable because risk assessment utilizes federal risk-based stands for screening.  
(6) Rationale Codes

Selection Reason:  
Deletion Reason:

ASL = Above Screening Toxicity Level  
BSL = Below Screening Toxicity Level  
NSL = No Screening Toxicity Level

Definitions:

ARAR = Applicable or Relevant and Appropriate Requirement  
C = Carcinogenic  
COPC = Chemical of Potential Concern  
N = Non-Carcinogenic  
NA = Not Applicable  
mg/kg = milligrams per kilogram  
TBC = To be considered

Data Qualifiers:

J = Value is estimated.

**TABLE 10-2.2**  
**OCCURRENCE, DISTRIBUTION AND SELECTION OF CHEMICALS OF POTENTIAL CONCERN**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**NORTHEAST/NEAR-SHORE - SURFACE WATER**

Scenario Timeframe: Current/Future
Medium: Surface water
Exposure Medium: Surface water
Exposure Point: Northeast/Near Shore Exposure Area

CAS Number	Chemical	Units	SW EPC	Detection Frequency	Concentration <sup>(2)</sup> Used for Screening	Background Value <sup>(3)</sup>	Screening <sup>(4)</sup> Toxicity Value	Potential ARAR/TBC Value	Potential ARAR/TBC Source	COPC Flag	Rationale for Contaminant Deletion or Selection <sup>(5)</sup>
<b>INORGANICS</b>											
7440-47-3	CHROMIUM	µg/L	6.71E-01	NA	6.71E-01	NA	1.87E+04 N	NA	NA	No	BSL
7440-50-8	COPPER	µg/L	6.41E-01	NA	6.41E-01	NA	7.69E+04 N	NA	NA	No	BSL
57-12-5	CYANIDE (TOTAL)	µg/L	2.52E+00	NA	2.52E+00	NA	1.15E+03 N	NA	NA	No	BSL
7439-92-1	LEAD	µg/L	4.40E-01	NA	4.40E-01	NA	1.50E+01	NA	NA	No	BSL
7439-97-6	MERCURY	µg/L	6.63E-01	NA	6.63E-01	NA	1.92E+02 N	NA	NA	No	BSL
7440-02-0	NICKEL	µg/L	3.77E+00	NA	3.77E+00	NA	7.69E+03 N	NA	NA	No	BSL
7440-66-6	ZINC	µg/L	1.25E+01	NA	1.25E+01	NA	9.61E+05 N	NA	NA	No	BSL
<b>POLYAROMATIC HYDROCARBONS</b>											
50-32-8	HMW PAHs	µg/L	5.10E-02	NA	5.10E-02	NA	NA	NA	NA	No	NSL
129-00-0	LMW PAHs	µg/L	3.12E-01	NA	3.12E-01	NA	2.87E+02 N	NA	NA	No	BSL
<b>SEMIVOLATILE ORGANIC COMPOUNDS</b>											
117-81-7	BIS(2-ETHYLHEXYL)PHTHALATE	µg/L	9.89E-02	NA	9.89E-02	NA	2.00E+03 N	NA	NA	No	BSL

Note: Chemicals of Potential Concern are bold with shading.

Definitions:

ARAR = Applicable or Relevant and Appropriate Requirement  
C = Carcinogenic  
COPC = Chemical of Potential Concern  
N = Non-Carcinogenic  
NA = Not Applicable  
ug/L = micrograms per liter  
TBC = To be considered

- (1) Surface water concentrations were modeled as discussed in Section 6.1.
- (2) The modeled maximum surface water concentration was used for screening.
- (3) Background values are not included as part of the COPC selection process.
- (4) Site-specific Screening Toxicity Values developed. Please see Appendix H for calculations.
- (5) Rationale Codes

**TABLE 10-2.3**  
**OCCURRENCE, DISTRIBUTION AND SELECTION OF CHEMICALS OF POTENTIAL CONCERN**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**ALL AREAS - FIELD-COLLECTED CRABS**

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: Crabs
Exposure Point: Northeast/Near Shore Exposure Area

CAS Number	Chemical	Units	Detection Frequency	Sediment EPC Value	SEDBAF	Concentration <sup>(1)</sup> Used for Screening	Screening <sup>(2)</sup> Toxicity Value	COPC Flag	Rationale for <sup>(3)</sup> Contaminant Deletion or Selection	
INORGANICS										
7440-43-9	CADIUM	mg/kg	5/ 5	NA	NA	1.58E-01	1.50E-01	N	Yes	ASL
7440-47-3	CHROMIUM	mg/kg	3/5	NA	NA	2.39E-01	2.30E+02	N	No	BSL
7440-50-8	COPPER	mg/kg	5/ 5	NA	NA	1.25E+01	6.20E+00	N	Yes	ASL
7439-92-1	LEAD	mg/kg	5/ 5	NA	NA	1.71E-01	NA	N	No	NSL
7439-97-6	MERCURY	mg/kg	4/ 5	NA	NA	2.10E-02	4.60E-02	N	No	BSL
7440-02-0	NICKEL	mg/kg	5/ 5	NA	NA	1.95E-01	3.10E+00	N	No	BSL
7440-22-4	SILVER	mg/kg	5/ 5	NA	NA	3.61E-01	7.70E-01	N	No	BSL
7440-66-6	ZINC	mg/kg	5/ 5	NA	NA	4.59E+01	4.60E+01	N	No	BSL
POLYAROMATIC HYDROCARBONS										
83-32-9	ACENAPHTHENE	mg/kg	3/ 5	NA	NA	1.71E-02	9.30E+00	N	No	BSL
208-96-8	ACENAPHTHYLENE	mg/kg	2/ 5	NA	NA	1.49E-02	9.30E+00	N	No	BSL
120-12-7	ANTHRACENE	mg/kg	2/ 5	NA	NA	1.47E-02	4.60E+01	N	No	BSL
56-55-3	BENZO(A)ANTHRACENE	mg/kg	1/ 5	NA	NA	2.57E-02	5.70E-03	C	Yes	ASL
50-32-8	BENZO(A)PYRENE	mg/kg	1/ 5	NA	NA	1.58E-02	5.70E-04	C	Yes	ASL
205-99-2	BENZO(B)FLUORANTHENE	mg/kg	2/ 5	NA	NA	3.15E-02	5.70E-03	C	Yes	ASL
207-08-9	BENZO(K)FLUORANTHENE	mg/kg	1/ 5	NA	NA	1.49E-02	5.70E-02	C	No	BSL
218-01-9	CHRYSENE	mg/kg	1/ 5	NA	NA	1.47E-02	5.70E-01	C	No	BSL
206-44-0	FLUORANTHENE	mg/kg	3/5	NA	NA	8.69E-02	6.20E+00	N	No	BSL
86-73-7	FLUORENE	mg/kg	1/ 5	NA	NA	1.47E-02	6.20E+00	N	No	BSL
91-20-3	NAPHTHALENE	mg/kg	3/5	NA	NA	2.20E-02	3.10E+00	N	No	BSL
85-01-8	PHENANTHRENE	mg/kg	3/ 5	NA	NA	1.64E-02	4.60E+01	N	No	BSL
129-00-0	PYRENE	mg/kg	2/ 5	NA	NA	4.74E-02	4.60E+00	N	No	BSL
SEMI-VOLATILE ORGANIC COMPOUNDS										
117-81-7	BIS(2-ETHYLHEXYL) PHTHALATE	mg/kg	NA	5.45E-01	4.00E+00	2.18E+00	3.00E-01	C	Yes	ASL

Note: Chemicals of Potential Concern are bold with shading

(1) Actual crab tissue sample results for crab meat and mustard, except chemicals not analyzed in tissue. For bis(2-ethylhexyl)phthalate, the screening concentration is the Sediment EPC\*SEDBAF as detailed in Section 10.1.

(2) USEPA Regional Screening Levels, USEPA, June 2015. For non-carcinogens, value shown is equal to 1/10 the fish tissue value. For carcinogens the value shown is equal to the fish tissue value.

(3) Rationale Codes

Selection Reason:

ASL = Above Screening Toxicity Level

Deletion Reason:

BSL = Below Screening Toxicity Level

Surrogates used: Anthracene for Phenanthrene, Acenaphthene for Acenaphthylene, Pyrene for Benzo[g,h,i]perylene.

Definitions:

C = Carcinogenic

COPC = Chemical of Potential Concern

N = Non-Carcinogenic

NA = Not Applicable

mg/kg = milligrams per kilogram

EPC = Exposure Point Concentration

SEDBAF = Sediment Bioaccumulation Factor



**TABLE 10-2.4**  
**OCCURRENCE, DISTRIBUTION AND SELECTION OF CHEMICALS OF POTENTIAL CONCERN**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**NORTHEAST/NEAR SHORE - FIELD-COLLECTED FINFISH**

Scenario Timeframe: Current/Future Medium: Surface water Exposure Medium: Finfish Exposure Point: Northeast/Near Shore Exposure Area
---

CAS Number	Chemical	SW EPC (mg/L)	Detection Frequency	SWBAF (mg/L to mg/kg dry weight)	Concentration <sup>(1)</sup> Used for Screening (mg/kg)	Screening <sup>(2)</sup> Toxicity Value (mg/kg)	COPC Flag	Rationale for <sup>(3)</sup> Contaminant Deletion or Selection	
INORGANICS									
7440-47-3	CHROMIUM	NA	2/5	NA	7.20E-02	2.30E+02	N	No	BSL
7440-50-8	COPPER	NA	5/5	NA	4.50E+00	6.20E+00	N	No	BSL
7439-92-1	LEAD	NA	5/5	NA	2.60E-01	NA		No	NSL
7439-97-6	MERCURY	NA	5/5	NA	5.60E-02	4.60E-02	N	Yes	ASL
7440-02-0	NICKEL	NA	5/5	NA	6.20E-02	3.10E+00	N	No	BSL
7440-22-4	SILVER	NA	2/5	NA	4.20E-02	7.70E-01	N	No	BSL
7440-66-6	ZINC	NA	5/5	NA	1.36E+01	4.60E+01	N	No	BSL
POLYAROMATIC HYDROCARBONS									
83-32-9	ACENAPHTHENE	NA	1/5	NA	3.60E-03	9.30E+00	N	No	BSL
206-44-0	FLUORANTHENE	NA	1/5	NA	1.40E-02	6.20E+00	N	No	BSL
91-20-3	NAPHTHALENE	NA	2/5	NA	1.35E-02	3.10E+00	N	No	BSL
85-01-8	PHENANTHRENE	NA	2/5	NA	5.80E-03	4.60E+01	N	No	BSL
SEMIVOLATILE ORGANIC COMPOUNDS									
117-81-7	BIS(2-ETHYLHEXYL) PHTHLATE	3.17E-05	NA	6.85E+03	2.17E-01	3.00E-01	C	No	BSL

Note: Chemicals of Potential Concern are bold with shading.

(1) Modeled uptake or maximum fish tissue concentration used as screening value.

(2) USEPA Regional Screening Levels, USEPA, June 2015. For non-carcinogens, value shown is equal to 1/10 the fish tissue value. For carcinogens the value shown is equal to the fish tissue value.

(3) Rationale Codes	Selection Reason:	ASL = Above Screening Toxicity Level
	Deletion Reason:	BSL = Below Screening Toxicity Level
		NSL = No Screening Toxicity Level

Surrogates used: Anthracene for Phenanthrene.

Definitions:	C = Carcinogenic	EPC = Exposure Point Concentration
	COPC = Chemical of Potential Concern	SWBAF = Surface water Bioaccumulation Factor
	N = Non-Carcinogenic	
	NA = Not Applicable	
	mg/kg = milligrams per kilogram	

**TABLE 10-2.5**  
**OCCURRENCE, DISTRIBUTION AND SELECTION OF CHEMICALS OF POTENTIAL CONCERN**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**NORTHEAST/NEAR SHORE - CRABS/UPTAKE**

Scenario Timeframe: Future
Medium: Sediment
Exposure Medium: Crabs
Exposure Point: Northeast/Near Shore Exposure Area

CAS Number	Chemical	Units	Sediment EPC Value	SEDBAF (mg/kg dry wt.)	BAF Source	Concentration <sup>(1)</sup> Used for Screening	Screening <sup>(2)</sup> Toxicity Value	COPC Flag	Rationale for Contaminant Deletion or Selection <sup>(3)</sup>	
INORGANICS										
7440-43-9	CADMIUM	mg/kg	4.38E+00	3.10E-02	95% UCLM from bioaccumulation tests - worm value	1.36E-01	1.50E-01	N	No	BSL
7440-47-3	CHROMIUM	mg/kg	7.50E+02	1.87E-02	95% UCLM from bioaccumulation tests - worm value	1.40E+01	2.30E+02	N	No	BSL
7440-50-8	COPPER	mg/kg	9.38E+01	3.10E-02	95% UCLM from bioaccumulation tests - worm value	2.91E+00	6.20E+00	N	No	BSL
7439-92-1	LEAD	mg/kg	7.41E+01	1.45E-02	95% UCLM from bioaccumulation tests - worm value	1.07E+00	NA	No	No	NSL
7439-97-6	MERCURY	mg/kg	4.20E-01	5.73E-02	95% UCLM from bioaccumulation tests - worm value	2.41E-02	4.60E-02	N	No	BSL
7440-02-0	NICKEL	mg/kg	3.79E+01	4.55E-02	95% UCLM from bioaccumulation tests - worm value	1.72E+00	3.10E+00	N	No	BSL
7440-22-4	SILVER	mg/kg	4.79E+00	8.09E-02	95% UCLM from bioaccumulation tests - worm value	3.88E-01	7.70E-01	N	No	BSL
7440-66-6	ZINC	mg/kg	1.03E+03	9.78E-02	95% UCLM from bioaccumulation tests - worm value	1.01E+02	4.60E+01	N	Yes	ASL
POLYAROMATIC HYDROCARBONS										
208-96-8	ACENAPHTHYLENE	mg/kg	1.10E-01	2.01E-01	95% UCLM from bioaccumulation tests - worm value	2.21E-02	9.30E+00	N	No	BSL
120-12-7	ANTHRACENE	mg/kg	6.20E-02	3.29E-01	95% UCLM from bioaccumulation tests - worm value	2.04E-02	4.60E+01	N	No	BSL
56-55-3	BENZO[A]ANTHRACENE	mg/kg	3.20E-01	5.98E-01	95% UCLM from bioaccumulation tests - clam value	1.91E-01	5.70E-03	C	Yes	ASL
50-32-8	BENZO[A]PYRENE	mg/kg	4.00E-01	2.92E-01	95% UCLM from bioaccumulation tests - clam value	1.17E-01	5.70E-04	C	Yes	ASL
205-99-2	BENZO[B]FLUORANTHENE	mg/kg	3.70E-01	1.90E-01	95% UCLM from bioaccumulation tests - clam value	7.01E-02	5.70E-03	C	Yes	ASL
191-24-2	BENZO[G,H,I]PERYLENE	mg/kg	5.00E-01	9.31E-02	95% UCLM from bioaccumulation tests - clam value	4.65E-02	4.60E+00	N	No	BSL
207-08-9	BENZO[K]FLUORANTHENE	mg/kg	1.60E-01	1.90E-01	95% UCLM for Benzo(b)fluoranthene from bioaccumulation tests - clam value	3.03E-02	5.70E-02	C	No	BSL
218-01-9	CHRYSENE	mg/kg	2.80E-01	5.82E-01	95% UCLM from bioaccumulation tests - clam value	1.63E-01	5.70E-01	C	No	BSL
53-70-3	DIBENZ[A,H]ANTHRACENE	mg/kg	4.50E-02	7.11E-01	95% UCLM from bioaccumulation tests - worm value	3.20E-02	5.70E-04	C	Yes	ASL
206-44-0	FLUORANTHENE	mg/kg	1.97E+00	1.24E+00	95% UCLM from bioaccumulation tests - worm value	2.44E+00	6.20E+00	N	No	BSL
193-39-5	INDENO[1,2,3-CD]PYRENE	mg/kg	3.10E-01	2.26E-01	95% UCLM from bioaccumulation tests - worm value	7.02E-02	5.70E-03	C	Yes	ASL
91-20-3	NAPHTHALENE	mg/kg	2.72E-02	6.99E-02	95% UCLM from bioaccumulation tests - worm value	1.90E-03	3.10E+00	N	No	BSL
85-01-8	PHENANTHRENE	mg/kg	3.70E-02	3.04E-01	95% UCLM from bioaccumulation tests - clam value	1.12E-02	3.10E+00	N	No	BSL
129-00-0	PYRENE	mg/kg	2.30E+00	1.38E+00	95% UCLM from bioaccumulation tests - clam value	3.17E+00	4.60E+00	N	No	BSL
SEMI-VOLATILE ORGANIC COMPOUNDS										
117-81-7	BIS(2-ETHYLHEXYL) PHTHALATE	mg/kg	5.45E-01	4.00E+00	Default	2.18E+00	3.00E-01	C	Yes	ASL

Note: Chemicals of Potential Concern are bold with shading.

(1) The screening concentration is the Sediment EPC\*SEDBAF.

(2) USEPA Regional Screening Levels, USEPA, June 2015. For non-carcinogens, value shown is equal to 1/10 the fish tissue value. For carcinogens the value shown is equal to the fish tissue value.

(3) Rationale Codes

Selection Reason:	ASL = Above Screening Toxicity Level
Deletion Reason:	BSL = Below Screening Toxicity Level
	NSL = No Screening Toxicity Level

Surrogates used: Anthracene for Phenanthrene, Acenaphthene for Acenaphthylene, Pyrene for Benzo[g,h,i]perylene.

Definitions:

C = Carcinogenic	EPC = Exposure Point Concentration
COPC = Chemical of Potential Concern	SEDBAF = Sediment Bioaccumulation Factor
N = Non-Carcinogenic	
NA = Not Applicable	
mg/kg = milligrams per kilogram	

**TABLE 10-2.6**  
**OCCURRENCE, DISTRIBUTION AND SELECTION OF CHEMICALS OF POTENTIAL CONCERN**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**NORTHEAST/NEAR SHORE - FINFISH/UPTAKE**

Scenario Timeframe: Future
Medium: Surface water
Exposure Medium: Finfish
Exposure Point: Northeast/Near Shore Exposure Area

CAS Number	Chemical	SW EPC (mg/L)	SWBAF (mg/L to mg/kg dry weight)	BAF Source	Concentration <sup>(1)</sup> Used for Screening (mg/kg)	Screening <sup>(2)</sup> Toxicity Value (mg/kg)	COPC Flag	Rationale for <sup>(3)</sup> Contaminant Deletion or Selection	
INORGANICS									
7440-47-3	CHROMIUM	2.16E-04	8.00E+02	BCF from <a href="http://rais.ornl.gov/cgi-bin/tools/TOX_search">http://rais.ornl.gov/cgi-bin/tools/TOX_search</a>	1.73E-01	2.30E+02	N	No	BSL
7440-50-8	COPPER	2.48E-04	1.86E+03	Based on fathead minnow in Table 5 - USEPA 2003	4.60E-01	6.20E+00	N	No	BSL
7439-92-1	LEAD	9.80E-05	4.50E+01	Based on bluegill in Table 5 - USEPA 1985b	4.41E-03	NA	N	No	NSL
7439-97-6	MERCURY	1.54E-04	7.20E+03	Based on rainbow trout in Table 5 - USEPA 1985c	1.11E+00	4.60E-02	N	Yes	ASL
7440-02-0	NICKEL	1.34E-03	9.60E+01	Based on rainbow trout/fathead minnow in Table 5 geometric mean - USEPA 1986	1.29E-01	3.10E+00	N	No	BSL
7440-66-6	ZINC	4.41E-03	2.52E+02	Based on mummichog in Table 5 geometric mean- USEPA 1987b	1.11E+00	4.60E+01	N	No	BSL
POLYAROMATIC HYDROCARBONS									
50-32-8	HMW PAHs	1.15E-05	2.06E+04	BCF calculated via Regression from BCFBAF Program	2.37E-01	5.70E-04	C	Yes	ASL
129-00-0	LMW PAHs	1.23E-04	3.08E+03	BCF calculated via Regression from BCFBAF Program	3.79E-01	4.60E+00	N	No	BSL
SEMIVOLATILE ORGANIC COMPOUNDS									
117-81-7	BIS(2-ETHYLHEXYL) PHTHLATE	3.17E-05	6.85E+03	BCF calculated via Regression from BCFBAF Program	2.17E-01	3.00E-01	C	No	BSL

Note: Chemicals of Potential Concern are bold with shading.

(1) The screening concentration is the Surface Water EPC\*SWBAF.

(2) USEPA Regional Screening Levels, USEPA, June 2015. For non-carcinogens, value shown is equal to 1/10 the fish tissue value. For carcinogens the value shown is equal to the fish tissue value.

(3) Rationale Codes

Selection Reason: ASL = Above Screening Toxicity Level  
Deletion Reason: BSL = Below Screening Toxicity Level  
NSL = No Screening Toxicity Level

Surrogates used for BAFs: Benzo(a)pyrene for HMW PAHs, and Pyrene for LMW PAHs.

Definitions: C = Carcinogenic  
COPC = Chemical of Potential Concern  
N = Non-Carcinogenic  
NA = Not Applicable  
mg/kg = milligrams per kilogram  
EPC = Exposure Point Concentration  
SWBAF = Surface water Bioaccumulation Factor

**TABLE 10-2.7**  
**OCCURRENCE, DISTRIBUTION AND SELECTION OF CHEMICALS OF POTENTIAL CONCERN**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**SOUTHWEST/TIN MILL CANAL EFFLUENT - SURFACE SEDIMENT**

Scenario Timeframe: Current/Future  
Medium: Sediment  
Exposure Medium: Surface Sediment  
Exposure Point: Southwest/Tin Mill Canal Exposure Area

CAS Number	Chemical	Minimum <sup>(1)</sup> Concentration	Minimum Qualifier	Maximum <sup>(1)</sup> Concentration	Maximum Qualifier	Units	Location of Maximum Concentration	Detection Frequency	Range of Detection Limits	Concentration <sup>(2)</sup> Used for Screening	Background <sup>(3)</sup> Value	Screening <sup>(4)</sup> Toxicity Value	Potential <sup>(5)</sup> ARAR/TBC Value	Potential ARAR/TBC Source	COPC Flag	Rationale for <sup>(6)</sup> Contaminant Deletion or Selection
<b>INORGANICS</b>																
7440-36-0	ANTIMONY	1.30E-01	J	1.00E+01	J	mg/kg	SD-H01-0002	28/29	1.40E-01 - 3.50E+00	1.00E+01	NA	4.10E+02	N	NA	NA	BSL
7440-38-2	ARSENIC	9.60E+00		1.20E+02	29/29	mg/kg	SD-G06-0002	29/29	7.10E-02 - 2.50E-01	1.20E+02	NA	9.21E+01	C	NA	NA	ASL
7440-41-7	BERYLLIUM	1.70E-01		1.60E+00	J	mg/kg	SD-F06-0002	29/29	7.10E-02 - 1.70E+00	1.60E+00	NA	9.56E+01	N	NA	NA	BSL
7440-43-9	CADMIUM	2.60E-01		1.10E+02	J	mg/kg	SD-H03-0002	29/29	7.10E-02 - 1.70E+00	1.10E+02	NA	1.71E+03	N	NA	NA	BSL
7440-47-3	CHROMIUM	2.20E+01		4.60E+03	J	mg/kg	SD-H03-0002	29/29	1.40E-01 - 3.50E+00	4.60E+03	NA	1.33E+05	C	NA	NA	BSL
7440-50-8	COPPER	1.30E+01		5.50E+02	J	mg/kg	SD-H03-0002	29/29	1.40E-01 - 3.50E+00	5.50E+02	NA	2.73E+05	N	NA	NA	BSL
57-12-5	CYANIDE, TOTAL	3.70E-01	J	3.50E+01		mg/kg	SD-H07-0002	28/29	3.60E-01 - 1.30E+00	3.50E+01	NA	4.10E+03	N	NA	NA	BSL
7439-92-1	LEAD	2.70E+01		1.10E+03		mg/kg	SD-G06-0002	29/29	7.10E-02 - 1.70E+00	1.10E+03	NA	NA	N	NA	NA	NSL
7439-97-6	MERCURY	5.40E-02		1.60E+00	J	mg/kg	SD-F07-0002	27/28	1.90E-02 - 8.40E-02	1.60E+00	NA	4.78E+01	N	NA	NA	BSL
7440-02-0	NICKEL	9.10E+00	J	2.10E+02	J	mg/kg	SD-H03-0002	29/29	7.10E-02 - 1.70E+00	2.10E+02	NA	1.37E+05	N	NA	NA	BSL
7782-49-2	SELENIUM	6.70E-01	J	1.70E+01	J	mg/kg	SD-I03-0002	24/29	3.50E-01 - 8.70E+00	1.70E+01	NA	3.41E+04	N	NA	NA	BSL
7440-22-4	SILVER	5.70E-02	J	8.10E+00	J	mg/kg	SD-G04-0002	29/29	7.10E-02 - 1.70E+00	8.10E+00	NA	1.37E+03	N	NA	NA	BSL
7440-28-0	THALLIUM	8.50E-02		9.80E-01	J	mg/kg	SD-F06-0002	29/29	7.10E-02 - 1.70E+00	9.80E-01	NA	6.83E+01	N	NA	NA	BSL
7440-66-6	ZINC	7.10E+01		1.70E+04	J	mg/kg	SD-H03-0002	29/29	3.50E-01 - 9.70E+00	1.70E+04	NA	2.05E+06	N	NA	NA	BSL
<b>POLYAROMATIC HYDROCARBONS</b>																
83-32-9	ACENAPHTHENE	7.10E-03	J	3.10E+00	J	mg/kg	SD-H04-0002	21/29	1.50E-02 - 1.90E+00	3.10E+00	NA	3.15E+04	N	NA	NA	BSL
208-96-8	ACENAPHTHYLENE	1.40E-02	J	2.70E+00	J	mg/kg	SD-H04-0002	23/29	1.50E-02 - 1.90E+00	2.70E+00	NA	3.15E+04	C	NA	NA	BSL
120-12-7	ANTHRACENE	2.00E-02		4.10E+00		mg/kg	SD-H01-0002	22/29	1.50E-02 - 1.90E+00	4.10E+00	NA	1.58E+05	N	NA	NA	BSL
56-55-3	BENZO[A]ANTHRACENE	5.20E-02		6.00E+00		mg/kg	SD-H07-0002	25/29	1.50E-02 - 1.90E+00	6.00E+00	NA	1.68E+01	C	NA	NA	BSL
50-32-8	BENZO[A]PYRENE	5.60E-02		4.95E+00		mg/kg	SD-H07-0002	22/29	1.50E-02 - 1.90E+00	4.95E+00	NA	1.68E+00	C	NA	NA	ASL
205-99-2	BENZO[B]FLUORANTHENE	7.40E-02		5.80E+00		mg/kg	SD-H01-0002	23/29	1.50E-02 - 1.90E+00	5.80E+00	NA	1.68E+01	C	NA	NA	BSL
191-24-2	BENZO[G,H,I]PERYLENE	4.70E-02		4.30E+00		mg/kg	SD-H01-0002	22/29	1.50E-02 - 1.90E+00	4.30E+00	NA	1.58E+04	N	NA	NA	BSL
207-08-9	BENZO[K]FLUORANTHENE	1.80E-02		3.30E+00		mg/kg	SD-G01-0002	22/29	1.50E-02 - 1.90E+00	3.30E+00	NA	1.68E+02	C	NA	NA	BSL
218-01-9	CHRYSENE	4.90E-02		5.35E+00		mg/kg	SD-H07-0002	24/29	1.50E-02 - 1.90E+00	5.35E+00	NA	1.68E+03	C	NA	NA	BSL
53-70-3	DIBENZ[A,H]ANTHRACENE	1.40E-02	J	1.10E+00		mg/kg	SD-H07-0002	13/29	1.50E-02 - 1.90E+00	1.10E+00	NA	1.68E+00	C	NA	NA	BSL
206-44-0	FLUORANTHENE	7.50E-02		1.40E+01		mg/kg	SD-H01-0002	29/29	1.50E-02 - 1.90E+00	1.40E+01	NA	2.10E+04	N	NA	NA	BSL
86-73-7	FLUORENE	1.20E-02	J	4.30E+00	J	mg/kg	SD-H04-0002	23/29	1.50E-02 - 1.90E+00	4.30E+00	NA	2.10E+04	N	NA	NA	BSL
193-39-5	INDENO[1,2,3-CD]PYRENE	4.20E-02		3.45E+00		mg/kg	SD-H07-0002	21/29	1.50E-02 - 1.90E+00	3.45E+00	NA	1.68E+01	C	NA	NA	BSL
91-20-3	NAPHTHALENE	8.90E-02		9.10E+00	J	mg/kg	SD-F06-0002	29/29	1.50E-02 - 1.90E+00	9.10E+00	NA	1.05E+04	C	NA	NA	BSL
85-01-8	PHENANTHRENE	4.20E-02		1.55E+01	J	mg/kg	SD-H04-0002	23/29	1.50E-02 - 1.90E+00	1.55E+01	NA	1.58E+04	N	NA	NA	BSL
129-00-0	PYRENE	7.00E-02		1.03E+01	J	mg/kg	SD-H04-0002	29/29	1.50E-02 - 1.90E+00	1.03E+01	NA	1.58E+04	N	NA	NA	BSL
<b>POLYCHLORINATED BIPHENYLS</b>																
12672-29-6	AROCLOR-1248	3.30E-04	J	9.00E+00	J	mg/kg	SD-G04-0002	28/28	6.00E-04 - 2.00E-01	9.00E+00	NA	1.48E+01	C	NA	NA	BSL
11097-69-1	AROCLOR-1254	5.50E-04	J	3.20E+00	J	mg/kg	SD-G04-0002	20/28	6.00E-04 - 2.00E-01	3.20E+00	NA	9.75E+00	N	NA	NA	BSL
11096-82-5	AROCLOR-1260	3.50E-04	J	2.00E+00	J	mg/kg	SD-H03-0002	23/28	6.00E-04 - 2.00E-01	2.00E+00	NA	1.48E+01	C	NA	NA	BSL
<b>SEMIVOLATILE ORGANIC COMPOUNDS</b>																
105-67-9	2,4-DIMETHYLPHENOL	5.90E-02	J	5.90E-02	J	mg/kg	SD-I03-0002	1/28	7.20E-02 - 9.40E+00	5.90E-02	NA	1.37E+04		NA	NA	BSL
100-02-7	4-NITROPHENOL	3.60E+00	J	3.60E+00	J	mg/kg	SD-F07-0002	1/28	3.70E-01 - 4.90E+01	3.60E+00	NA	NA		NA	NA	NSL
65-85-0	BENZOIC ACID	7.90E-01	J	1.40E+00	J	mg/kg	SD-E03-0002	3/28	3.70E-01 - 4.90E+01	1.40E+00	NA	2.73E+06		NA	NA	BSL
117-81-7	BIS(2-ETHYLHEXYL) PHTHALATE	1.80E-01	J	5.10E+01	J	mg/kg	SD-H04-0002	26/29	1.50E-01 - 1.90E+01	5.10E+01	NA	2.96E+03		NA	NA	BSL
84-74-2	DI-N-BUTYL PHTHALATE	7.70E-02	J	1.80E-01	J	mg/kg	SD-G05-0002	2/28	7.20E-02 - 9.40E+00	1.80E-01	NA	6.83E+04		NA	NA	BSL
108-95-2	PHENOL	5.80E-02		3.90E-01	J	mg/kg	SD-F07-0002	9/28	1.50E-02 - 1.90E+00	3.90E-01	NA	2.05E+05		NA	NA	BSL

**TABLE 10-2.7**  
**OCCURRENCE, DISTRIBUTION AND SELECTION OF CHEMICALS OF POTENTIAL CONCERN**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**SOUTHWEST/TIN MILL CANAL EFFLUENT - SURFACE SEDIMENT**

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: Surface Sediment
Exposure Point: Southwest/Tin Mill Canal Exposure Area

CAS Number	Chemical	Minimum <sup>(1)</sup> Concentration	Minimum Qualifier	Maximum <sup>(1)</sup> Concentration	Maximum Qualifier	Units	Location of Maximum Concentration	Detection Frequency	Range of Detection Limits	Concentration <sup>(2)</sup> Used for Screening	Background <sup>(3)</sup> Value	Screening <sup>(4)</sup> Toxicity Value	Potential <sup>(5)</sup> ARAR/TBC Value	Potential ARAR/TBC Source	COPC Flag	Rationale for <sup>(6)</sup> Contaminant Deletion or Selection
<b>VOLATILE ORGANIC COMPOUNDS</b>																
95-50-1	1,2-DICHLOROBENZENE	4.25E-03	J / J	1.80E-01	J	mg/kg	SD-G02-0002	5/28	7.30E-03 - 2.60E-02	1.80E-01	NA	6.14E+04	NA	NA	No	NSL
541-73-1	1,3-DICHLOROBENZENE	2.40E-03	J	1.30E-02	J	mg/kg	SD-H03-0002	4/28	7.30E-03 - 2.60E-02	1.30E-02	NA	6.14E+04	NA	NA	No	NSL
106-46-7	1,4-DICHLOROBENZENE	2.80E-03	J	2.80E-02	J	mg/kg	SD-G02-0002	7/28	7.30E-03 - 2.60E-02	2.80E-02	NA	7.67E+03	NA	NA	No	NSL
71-43-2	BENZENE	2.60E-03	J	1.20E-02	J	mg/kg	SD-G02-0002	9/28	7.30E-03 - 2.60E-02	1.20E-02	NA	1.51E+05	NA	NA	No	BSL
108-90-7	CHLOROBENZENE	2.40E-03	J	2.50E-01	J	mg/kg	SD-H03	12/28	7.30E-03 - 2.60E-02	2.50E-01	NA	1.37E+04	NA	NA	No	NSL
100-41-4	ETHYLBENZENE	2.10E-03	J	8.90E-02	J	mg/kg	SD-G02-0002	9/28	7.30E-03 - 2.60E-02	8.90E-02	NA	1.26E+04	NA	NA	No	BSL
108-88-3	TOLUENE	1.30E-03	J	7.10E-02	J	mg/kg	SD-H03-0002	13/28	7.30E-03 - 2.60E-02	7.10E-02	NA	1.82E+05	NA	NA	No	BSL

Note: Chemicals of Potential Concern are bold with shading

- (1) Minimum/maximum detected concentration.  
(2) Maximum concentration used as screening value.  
(3) Background values are not included as part of the COPC selection process.  
(4) Site-specific Screening Toxicity Values developed. Please see Appendix H for calculations.  
(5) ARAR/TBC are not applicable because risk assessment utilizes federal risk-based stands for screening.  
(6) Rationale Codes

Selection Reason: ASL = Above Screening Toxicity Level  
Deletion Reason: BSL = Below Screening Toxicity Level  
NSL = No Screening Toxicity Level

Definitions: ARAR = Applicable or Relevant and Appropriate Requirement  
C = Carcinogenic  
COPC = Chemical of Potential Concern  
N = Non-Carcinogenic  
NA = Not Applicable  
mg/kg = milligrams per kilogram  
TBC = To be considered

Data Qualifiers: J = Value is estimated.

Surrogates used: Anthracene for Phenanthrene, Naphthalene for Acenaphthylene, Pyrene for Benzo[g,h,i]perylene.

**TABLE 10-2.8**  
**OCCURRENCE, DISTRIBUTION AND SELECTION OF CHEMICALS OF POTENTIAL CONCERN**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**SOUTHWEST/TIN MILL CANAL EFFLUENT - SURFACE WATER**

Scenario Timeframe: Current/Future
Medium: Surface water
Exposure Medium: Surface water
Exposure Point: Southwest/Tin Mill Canal Exposure Area

CAS Number	Chemical	Units	SW EPC	Detection Frequency	Concentration <sup>(2)</sup> Used for Screening	Background <sup>(3)</sup> Value	Screening <sup>(4)</sup> Toxicity Value	Potential ARAR/TBC Value	Potential ARAR/TBC Source	COPC Flag	Rationale for <sup>(5)</sup> Contaminant Deletion or Selection
<b>INORGANICS</b>											
7440-36-0	ANTIMONY	µg/L	3.29E-01	NA	3.29E-01	NA	1.15E+02 N	NA	NA	No	BSL
7440-38-2	ARSENIC	µg/L	9.60E-01	NA	9.60E-01	NA	5.09E+01 C	NA	NA	No	BSL
7440-47-3	CHROMIUM	µg/L	9.63E-01	NA	9.63E-01	NA	1.87E+04 C	NA	NA	No	BSL
7440-50-8	COPPER	µg/L	9.69E-01	NA	9.69E-01	NA	7.69E+04 N	NA	NA	No	BSL
57-12-5	CYANIDE (TOTAL)	µg/L	3.87E+00	NA	3.87E+00	NA	1.15E+03 N	NA	NA	No	BSL
7439-92-1	LEAD	µg/L	5.37E-01	NA	5.37E-01	NA	1.50E+01	NA	NA	No	BSL
7439-97-6	MERCURY	µg/L	3.25E-01	NA	3.25E-01	NA	1.92E+02 N	NA	NA	No	BSL
7440-02-0	NICKEL	µg/L	5.80E+00	NA	5.80E+00	NA	7.69E+03 N	NA	NA	No	BSL
7440-66-6	ZINC	µg/L	1.93E+01	NA	1.93E+01	NA	9.61E+05 N	NA	NA	No	BSL
<b>POLYAROMATIC HYDROCARBONS</b>											
50-32-8	HMW PAHs	µg/L	2.32E-02	NA	2.32E-02	NA	NA	NA	NA	No	NSL
129-00-0	LMW PAHs	µg/L	4.72E-01	NA	4.72E-01	NA	2.87E+02 N	NA	NA	No	BSL
<b>SEMIVOLATILE ORGANIC COMPOUNDS</b>											
117-81-7	BIS(2-ETHYLHEXYL)PHTHALATE	µg/L	7.33E-02	NA	7.33E-02	NA	2.00E+03 N	NA	NA	No	BSL

Note: Chemicals of Potential Concern are bold with shading.

Definitions:

ARAR = Applicable or Relevant and Appropriate Requirement

C = Carcinogenic

COPC = Chemical of Potential Concern

N = Non-Carcinogenic

NA = Not Applicable

ug/L = micrograms per liter

mg/kg = milligrams per kilogram

TBC = To be considered

- (1) Surface water concentrations were modeled as discussed in Section 6.1.
- (2) The modeled maximum surface water concentration was used for screening.
- (3) Background values are not included as part of the COPC selection process.
- (4) Site-specific Screening Toxicity Values developed. Please see Appendix H for calculations.
- (5) Rationale Codes

**TABLE 10-2.9**  
**OCCURRENCE, DISTRIBUTION AND SELECTION OF CHEMICALS OF POTENTIAL CONCERN**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**SOUTHWEST/TIN MILL CANAL EFFLUENT - FIELD-COLLECTED CRABS**

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: Crabs
Exposure Point: Southwest/Tin Mill Canal Exposure Area

CAS Number	Chemical	Units	Detection Frequency	Sediment EPC Value	SEDBAF (mg/kg dry wt.)	Concentration <sup>(1)</sup> Used for Screening	Screening <sup>(2)</sup> Toxicity Value	COPC Flag	Rationale for Contaminant Deletion or Selection <sup>(3)</sup>
<b>INORGANICS</b>									
7429-90-5	ALUMINUM	mg/kg	5/ 5	NA	NA	7.20E+00	1.50E+02	N	BSL
7440-36-0	ANTIMONY	mg/kg	5/ 5	NA	NA	3.91E-02	6.20E-02	N	BSL
7440-38-2	ARSENIC	mg/kg	5/ 5	NA	NA	1.24E+00	2.80E-03	C	Yes ASL
7440-41-7	BERYLLIUM	mg/kg	0/ 5	NA	NA	4.69E-02	3.10E-01	N	BSL
7440-43-9	CADMIUM	mg/kg	5/ 5	NA	NA	1.58E-01	1.50E-01	N	Yes ASL
7440-47-3	CHROMIUM	mg/kg	3/ 5	NA	NA	2.39E-01	2.30E+02	N	BSL
7440-48-4	COBALT	mg/kg	5/ 5	NA	NA	1.38E-01	4.60E-02	N	Yes ASL
7440-50-8	COPPER	mg/kg	5/ 5	NA	NA	1.25E+01	6.20E+00	N	Yes ASL
7439-89-6	IRON	mg/kg	5/ 5	NA	NA	5.01E+01	1.10E+02	N	BSL
7439-92-1	LEAD	mg/kg	5/ 5	NA	NA	1.71E-01	NA	N	NSL
7439-96-5	MANGANESE	mg/kg	5/ 5	NA	NA	1.10E+01	2.20E+01	N	BSL
7439-97-6	MERCURY	mg/kg	4/ 5	NA	NA	2.10E-02	4.60E-02	N	BSL
7440-02-0	NICKEL	mg/kg	5/ 5	NA	NA	1.95E-01	3.10E+00	N	BSL
7782-49-2	SELENIUM	mg/kg	5/ 5	NA	NA	1.07E+00	7.70E-01	N	Yes ASL
7440-22-4	SILVER	mg/kg	5/ 5	NA	NA	3.61E-01	7.70E-01	N	BSL
7440-28-0	THALLIUM	mg/kg	1/ 5	NA	NA	4.69E-02	1.50E-02	C	Yes ASL
7440-31-5	TIN	mg/kg	1/ 5	NA	NA	2.34E-01	9.30E+01	N	BSL
7440-66-6	ZINC	mg/kg	5/ 5	NA	NA	4.59E+01	4.60E+01	N	Yes BSL
<b>POLYAROMATIC HYDROCARBONS</b>									
91-57-6	2-METHYLNAPHTHALENE	mg/kg	1/ 5	NA	NA	1.47E-02	6.20E-01	N	BSL
83-32-9	ACENAPHTHENE	mg/kg	3/ 5	NA	NA	1.71E-02	9.30E+00	N	BSL
208-96-8	ACENAPHTHYLENE	mg/kg	2/ 5	NA	NA	1.49E-02	9.30E+00	N	BSL
120-12-7	ANTHRACENE	mg/kg	2/ 5	NA	NA	1.47E-02	4.60E+01	N	BSL
56-55-3	BENZO(A)ANTHRACENE	mg/kg	1/ 5	NA	NA	2.57E-02	5.70E-03	C	Yes ASL
50-32-8	BENZO(A)PYRENE	mg/kg	1/ 5	NA	NA	1.58E-02	5.70E-04	C	Yes ASL
205-99-2	BENZO(B)FLUORANTHENE	mg/kg	2/ 5	NA	NA	3.15E-02	5.70E-03	C	Yes ASL
207-08-9	BENZO(K)FLUORANTHENE	mg/kg	1/ 5	NA	NA	1.49E-02	5.70E-02	C	No BSL
218-01-9	CHRYSENE	mg/kg	1/ 5	NA	NA	1.47E-02	5.70E-01	C	No BSL
206-44-0	FLUORANTHENE	mg/kg	3/ 5	NA	NA	8.69E-02	6.20E+00	N	BSL
86-73-7	FLUORENE	mg/kg	1/ 5	NA	NA	1.47E-02	6.20E+00	N	BSL
91-20-3	NAPHTHALENE	mg/kg	3/ 5	NA	NA	2.20E-02	3.10E+00	N	BSL
85-01-8	PHENANTHRENE	mg/kg	3/ 5	NA	NA	1.64E-02	3.10E+00	N	BSL
129-00-0	PYRENE	mg/kg	2/ 5	NA	NA	4.74E-02	4.60E+00	N	BSL
<b>POLYCHLORINATED BIPHENYLS</b>									
TOTAL PCBs	TOTAL PCBs (ND=0)	mg/kg	5/ 5	NA	NA	1.44E-01	2.10E-03	C	Yes ASL
TOTAL PCBs	TOTAL PCBs (ND=DL)	mg/kg	5/ 5	NA	NA	2.10E-01	2.10E-03	C	Yes ASL
<b>SEMI-VOLATILE ORGANIC COMPOUNDS</b>									
105-67-9	2,4-DIMETHYLPHENOL	mg/kg	NA	5.90E-02	4.00E+00	2.36E-01	3.10E+00	N	BSL
100-02-7	4-NITROPHENOL	mg/kg	NA	3.60E+00	4.00E+00	1.44E+01	NA	N	BSL
65-85-0	BENZOIC ACID	mg/kg	NA	1.40E+00	4.00E+00	5.60E+00	6.20E+02	N	BSL
117-81-7	BIS(2-ETHYLHEXYL) PHTHALATE	mg/kg	NA	1.84E+01	4.00E+00	7.38E+01	3.00E-01	C	Yes ASL
84-74-2	DI-N-BUTYL PHTHALATE	mg/kg	NA	1.80E-01	4.00E+00	7.20E-01	1.50E+01	N	BSL
108-95-2	PHENOL	mg/kg	NA	2.42E-01	4.00E+00	9.68E-01	4.60E+01	N	BSL



**TABLE 10-2.9**  
**OCCURRENCE, DISTRIBUTION AND SELECTION OF CHEMICALS OF POTENTIAL CONCERN**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**SOUTHWEST/TIN MILL CANAL EFFLUENT - FIELD-COLLECTED CRABS**

Scenario Timeframe: Current/Future Medium: Sediment Exposure Medium: Crabs Exposure Point: Southwest/Tin Mill Canal Exposure Area
--

CAS Number	Chemical	Units	Detection Frequency	Sediment EPC Value	SEDBAF (mg/kg dry wt.)	Concentration <sup>(1)</sup> Used for Screening	Screening <sup>(2)</sup> Toxicity Value	COPC Flag	Rationale for <sup>(3)</sup> Contaminant Deletion or Selection	
VOLATILE ORGANIC COMPOUNDS										
95-50-1	1,2-DICHLOROBENZENE	mg/kg	NA	3.63E-02	4.67E-01	1.70E-02	1.40E+01	N	No	BSL
541-73-1	1,3-DICHLOROBENZENE	mg/kg	NA	8.42E-03	8.44E-02	7.10E-04	1.40E+01	N	No	BSL
106-46-7	1,4-DICHLOROBENZENE	mg/kg	NA	9.56E-03	5.68E-02	5.43E-04	7.70E-01	C	No	BSL
71-43-2	BENZENE	mg/kg	NA	7.05E-03	4.00E+00	2.82E-02	7.60E-02	C	No	BSL
108-90-7	CHLOROBENZENE	mg/kg	NA	2.38E-02	4.00E+00	9.52E-02	3.10E+00	N	No	BSL
100-41-4	ETHYLBENZENE	mg/kg	NA	1.95E-02	4.00E+00	7.80E-02	3.80E-01	C	No	BSL
108-88-3	TOLUENE	mg/kg	NA	1.79E-02	4.00E+00	7.16E-02	1.20E+01	N	No	BSL

Note: Chemicals of Potential Concern are bold with shading.

(1) Actual crab tissue sample results for crab meat and mustard, except chemicals not analyzed in tissue. For semivolatile organic compounds and volatile organic compounds, the screening concentration is the Sediment EPC\*SEDBAF.

(2) USEPA Regional Screening Levels, USEPA, June 2015. For non-carcinogens, value shown is equal to 1/10 the fish tissue value. For carcinogens the value shown is equal to the fish tissue value.

(3) Rationale Codes

Selection Reason:

Deletion Reason:

ASL = Above Screening Toxicity Level

BSL = Below Screening Toxicity Level

NSL = No Screening Toxicity Level

Surrogates used: Anthracene for Phenanthrene, Acenaphthene for Acenaphthylene, Pyrene for Benzo[g,h,i]perylene 1,2-Dichlorobenzene for 1,3-Dichlorobenzene.

Definitions:

C = Carcinogenic

COPC = Chemical of Potential Concern

N = Non-Carcinogenic

NA = Not Applicable

mg/kg = milligrams per kilogram

EPC = Exposure Point Concentration

SEDBAF = Sediment Bioaccumulation Factor

**TABLE 10-2.10**  
**OCCURRENCE, DISTRIBUTION AND SELECTION OF CHEMICALS OF POTENTIAL CONCERN**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**SOUTHWEST/TIN MILL CANAL EFFLUENT - FIELD-COLLECTED FINFISH**

Scenario Timeframe: Current/Future Medium: Surface water Exposure Medium: Finfish Exposure Point: Southwest/Tin Mill Canal Exposure Area
---

CAS Number	Chemical	SW EPC (mg/L)	Detection Frequency	SWBAF (mg/L to mg/kg dry weight)	Concentration <sup>(1)</sup> Used for Screening (mg/kg)	Screening <sup>(2)</sup> Toxicity Value (mg/kg)	COPC Flag	Rationale for <sup>(3)</sup> Contaminant Deletion or Selection
<b>INORGANICS</b>								
7429-90-5	ALUMINUM	NA	5/5	NA	2.00E+00	1.50E+02	N	BSL
7440-36-0	ANTIMONY	NA	5/5	NA	1.40E-02	6.20E-02	N	BSL
<b>7440-38-2</b>	<b>ARSENIC</b>	<b>NA</b>	<b>5/5</b>	<b>NA</b>	<b>4.80E-01</b>	<b>2.80E-03</b>	<b>C</b>	<b>Yes</b> <b>ASL</b>
7440-47-3	CHROMIUM	NA	2/5	NA	7.20E-02	2.30E+02	N	BSL
7440-48-4	COBALT	NA	5/5	NA	3.10E-02	4.60E-02	N	BSL
7440-50-8	COPPER	NA	5/5	NA	4.50E+00	6.20E+00	N	BSL
7439-89-6	IRON	NA	5/5	NA	7.80E+00	1.10E+02	N	BSL
7439-92-1	LEAD	NA	5/5	NA	2.60E-01	NA		NSL
7439-96-5	MANGANESE	NA	5/5	NA	4.00E+00	2.20E+01	N	BSL
<b>7439-97-6</b>	<b>MERCURY</b>	<b>NA</b>	<b>5/5</b>	<b>NA</b>	<b>5.60E-02</b>	<b>4.60E-02</b>	<b>N</b>	<b>Yes</b> <b>ASL</b>
7440-02-0	NICKEL	NA	5/5	NA	6.20E-02	3.10E+00	N	BSL
<b>7782-49-2</b>	<b>SELENIUM</b>	<b>NA</b>	<b>5/5</b>	<b>NA</b>	<b>9.70E-01</b>	<b>7.70E-01</b>	<b>N</b>	<b>Yes</b> <b>ASL</b>
7440-22-4	SILVER	NA	2/5	NA	4.20E-02	7.70E-01	N	BSL
7440-31-5	TIN	NA	3/5	NA	1.40E-01	9.30E+01	N	BSL
7440-66-6	ZINC	NA	5/5	NA	1.36E+01	4.60E+01	N	BSL
<b>POLYAROMATIC HYDROCARBONS</b>								
83-32-9	ACENAPHTHENE	NA	1/5	NA	3.60E-03	9.30E+00	N	BSL
206-44-0	FLUORANTHENE	NA	1/5	NA	1.40E-02	6.20E+00	N	BSL
91-20-3	NAPHTHALENE	NA	2/5	NA	1.35E-02	3.10E+00	N	BSL
85-01-8	PHENANTHRENE	NA	2/5	NA	5.80E-03	3.10E+00	N	BSL
<b>POLYCHLORINATED BIPHENYLS</b>								
<b>TOTAL PCBs</b>	<b>TOTAL PCBs (ND=0)</b>	<b>NA</b>	<b>5/5</b>	<b>NA</b>	<b>1.92E-01</b>	<b>2.10E-03</b>	<b>C</b>	<b>Yes</b> <b>ASL</b>
<b>TOTAL PCBs</b>	<b>TOTAL PCBs (ND=DL)</b>	<b>NA</b>	<b>5/5</b>	<b>NA</b>	<b>2.12E-01</b>	<b>2.10E-03</b>	<b>C</b>	<b>Yes</b> <b>ASL</b>
<b>SEMIVOLATILE ORGANIC COMPOUNDS</b>								
117-81-7	BIS(2-ETHYLHEXYL) PHTHLATE	2.57E-05	NA	6.85E+03	1.76E-01	3.00E-01	C	No BSL

Note: Chemicals of Potential Concern are bold with shading

(1) Modeled uptake or maximum fish tissue concentration used as screening value.

(2) USEPA Regional Screening Levels, USEPA, June 2015. For non-carcinogens, value shown is equal to 1/10 the fish tissue value. For carcinogens the value shown is equal to the fish tissue value.

(3) Rationale Codes

Selection Reason:

ASL = Above Screening Toxicity Level

Deletion Reason:

BSL = Below Screening Toxicity Level

NSL = No Screening Toxicity Level

Surrogates used: Anthracene for Phenanthrene.

Definitions:

C = Carcinogenic

EPC = Exposure Point Concentration

COPC = Chemical of Potential Concern

SWBAF = Surface water Bioaccumulation Factor

N = Non-Carcinogenic

NA = Not Applicable

mg/kg = milligrams per kilogram

TABLE 10-2.11  
OCCURRENCE, DISTRIBUTION AND SELECTION OF CHEMICALS OF POTENTIAL CONCERN  
PHASE I AREA OF THE SPARROWS POINT SITE  
SOUTHWEST/TIN MILL CANAL EFFLUENT - CRABS/UPTAKE

Scenario Timeframe: Future  
Medium: Crabs  
Exposure Medium: Crabs  
Exposure Point: Southwest/Tin Mill Canal Exposure Area

CAS Number	Chemical	Units	Sediment EPC Value	SEDBAF (mg/kg dry wt.)	BAF Source	Concentration <sup>(1)</sup> Used for Screening	Screening <sup>(2)</sup> Toxicity Value		COPC Flag	Rationale for <sup>(3)</sup> Contaminant Deletion or Selection
<b>INORGANICS</b>										
7440-36-0	ANTIMONY	mg/kg	5.64E+00	1.26E-01	95% UCLM from bioaccumulation tests - clam value	7.09E-01	6.20E-02	N	Yes	ASL
7440-38-2	ARSENIC	mg/kg	4.79E+01	2.16E-01	95% UCLM from bioaccumulation tests - clam value	1.04E+01	2.80E-03	C	Yes	ASL
7440-41-7	BERYLLIUM	mg/kg	8.68E-01	4.00E+00	Default	3.47E+00	3.10E-01	N	Yes	ASL
7440-43-9	CADMIUM	mg/kg	3.04E+01	3.10E-02	95% UCLM from bioaccumulation tests - worm value	9.43E-01	1.50E-01	N	Yes	ASL
7440-47-3	CHROMIUM	mg/kg	2.43E+03	1.87E-02	95% UCLM from bioaccumulation tests - worm value	4.55E+01	2.30E+02	N	No	BSL
7440-50-8	COPPER	mg/kg	3.22E+02	3.10E-02	95% UCLM from bioaccumulation tests - worm value	9.98E+00	6.20E+00	N	Yes	ASL
7439-92-1	LEAD	mg/kg	4.67E+02	1.45E-02	95% UCLM from bioaccumulation tests - worm value	6.77E+00	NA		No	NSL
7439-97-6	MERCURY	mg/kg	8.27E-01	5.73E-02	95% UCLM from bioaccumulation tests - worm value	4.74E-02	4.60E-02	N	Yes	ASL
7440-02-0	NICKEL	mg/kg	1.11E+02	4.55E-02	95% UCLM from bioaccumulation tests - worm value	5.06E+00	3.10E+00	N	Yes	ASL
7782-49-2	SELENIUM	mg/kg	8.83E+00	2.10E-01	95% UCLM from bioaccumulation tests - worm value	1.85E+00	7.70E-01	N	Yes	ASL
7440-22-4	SILVER	mg/kg	3.87E+00	8.09E-02	95% UCLM from bioaccumulation tests - worm value	3.13E-01	7.70E-01	N	No	BSL
7440-28-0	THALLIUM	mg/kg	5.23E-01	5.56E-02	95% UCLM from bioaccumulation tests - clam value	2.91E-02	1.50E-02	C	Yes	ASL
7440-66-6	ZINC	mg/kg	6.68E+03	9.78E-02	95% UCLM from bioaccumulation tests - worm value	6.53E+02	4.60E+01	N	Yes	ASL
<b>POLYAROMATIC HYDROCARBONS</b>										
83-32-9	ACENAPHTHENE	mg/kg	9.65E-01	3.39E-01	95% UCLM from bioaccumulation tests - worm value	3.27E-01	9.30E+00	N	No	BSL
208-96-8	ACENAPHTHYLENE	mg/kg	9.35E-01	2.01E-01	95% UCLM from bioaccumulation tests - worm value	1.88E-01	9.30E+00	N	No	BSL
120-12-7	ANTHRACENE	mg/kg	1.33E+00	3.29E-01	95% UCLM from bioaccumulation tests - worm value	4.39E-01	4.60E+01	N	No	BSL
56-55-3	BENZO[A]ANTHRACENE	mg/kg	2.53E+00	5.98E-01	95% UCLM from bioaccumulation tests - clam value	1.51E+00	5.70E-03	C	Yes	ASL
50-32-8	BENZO[A]PYRENE	mg/kg	2.32E+00	2.92E-01	95% UCLM from bioaccumulation tests - clam value	6.79E-01	5.70E-04	C	Yes	ASL
205-99-2	BENZO[B]FLUORANTHENE	mg/kg	2.30E+00	1.90E-01	95% UCLM from bioaccumulation tests - clam value	4.35E-01	5.70E-03	C	Yes	ASL
191-24-2	BENZO[G,H,I]PERYLENE	mg/kg	2.15E+00	9.31E-02	95% UCLM from bioaccumulation tests - clam value	2.00E-01	4.60E+00	N	No	BSL
207-08-9	BENZO[K]FLUORANTHENE	mg/kg	1.19E+00	1.90E-01	95% UCLM for Benzo(b)fluoranthene from bioaccumulation tests - clam value	2.25E-01	5.70E-02	C	Yes	ASL
218-01-9	CHRYSENE	mg/kg	2.58E+00	5.82E-01	95% UCLM from bioaccumulation tests - clam value	1.50E+00	5.70E-01	C	Yes	ASL
53-70-3	DIBENZ(A,H)ANTHRACENE	mg/kg	4.59E-01	7.11E-01	95% UCLM from bioaccumulation tests - worm value	3.26E-01	5.70E-04	C	Yes	ASL
206-44-0	FLUORANTHENE	mg/kg	6.77E+00	1.24E+00	95% UCLM from bioaccumulation tests - worm value	8.39E+00	6.20E+00	N	Yes	ASL
86-73-7	FLUORENE	mg/kg	1.72E+00	1.12E-01	bioaccumulation tests - worm valueB	1.92E-01	6.20E+00	N	No	BSL
193-39-5	INDENO[1,2,3-CD]PYRENE	mg/kg	1.60E+00	2.26E-01	95% UCLM from bioaccumulation tests - worm value	3.62E-01	5.70E-03	C	Yes	ASL
91-20-3	NAPHTHALENE	mg/kg	2.87E+00	6.99E-02	95% UCLM from bioaccumulation tests - worm value	2.00E-01	3.10E+00	N	No	BSL
85-01-8	PHENANTHRENE	mg/kg	6.81E+00	3.04E-01	95% UCLM from bioaccumulation tests - clam value	2.07E+00	3.10E+00	N	No	BSL
129-00-0	PYRENE	mg/kg	4.72E+00	1.38E+00	95% UCLM from bioaccumulation tests - clam value	6.52E+00	4.60E+00	N	Yes	ASL
<b>POLYCHLORINATED BIPHENYLS</b>										
12672-29-6	AROCLOR-1248	mg/kg	3.58E+00	1.41E+01	Average of whole body freshwater BSAF for Total PCBs from EPA data set (2009)	5.05E+01	2.10E-03	C	Yes	ASL
11097-69-1	AROCLOR-1254	mg/kg	1.24E+00	1.41E+01	Average of whole body freshwater BSAF for Total PCBs from EPA data set (2009)	1.75E+01	2.10E-03	C	Yes	ASL
11096-82-5	AROCLOR-1260	mg/kg	6.57E-01	1.41E+01	Average of whole body freshwater BSAF for Total PCBs from EPA data set (2009)	9.27E+00	2.10E-03	C	Yes	ASL

**TABLE 10-2.11**  
**OCCURRENCE, DISTRIBUTION AND SELECTION OF CHEMICALS OF POTENTIAL CONCERN**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**SOUTHWEST/TIN MILL CANAL EFFLUENT - CRABS/UPTAKE**

Scenario Timeframe: Future Medium: Crabs Exposure Medium: Crabs Exposure Point: Southwest/Tin Mill Canal Exposure Area
---

CAS Number	Chemical	Units	Sediment EPC Value	SED BAF (mg/kg dry wt.)	BAF Source	Concentration <sup>(1)</sup> Used for Screening	Screening <sup>(2)</sup> Toxicity Value		COPC Flag	Rationale for <sup>(3)</sup> Contaminant Deletion or Selection
<b>SEMI-VOLATILE ORGANIC COMPOUNDS</b>										
105-67-9	2,4-DIMETHYLPHENOL	mg/kg	5.90E-02	4.00E+00	Average of whole body freshwater BSAF from EPA data set (2009)	2.36E-01	3.10E+00	N	No	BSL
100-02-7	4-NITROPHENOL	mg/kg	3.60E+00	4.00E+00	Average of whole body freshwater BSAF from EPA data set (2009)	1.44E+01	NA	NA	No	BSL
65-85-0	BENZOIC ACID	mg/kg	1.40E+00	4.00E+00	Average of whole body freshwater BSAF from EPA data set (2009)	5.60E+00	6.20E+02	N	No	BSL
<b>117-81-7</b>	<b>BIS(2-ETHYLHEXYL) PHTHALATE</b>	<b>mg/kg</b>	<b>1.84E+01</b>	<b>4.00E+00</b>	<b>Default</b>	<b>7.38E+01</b>	<b>3.00E-01</b>	<b>C</b>	<b>Yes</b>	<b>ASL</b>
84-74-2	DI-N-BUTYL PHTHALATE	mg/kg	1.80E-01	4.00E+00	Default	7.20E-01	1.50E+01	N	No	BSL
108-95-2	PHENOL	mg/kg	2.42E-01	4.00E+00	Default	9.68E-01	4.60E+01	N	No	BSL
<b>VOLATILE ORGANIC COMPOUNDS</b>										
95-50-1	1,2-DICHLOROBENZENE	mg/kg	3.63E-02	4.67E-01	BSAF from EPA data set (2009)	1.70E-02	1.40E+01	N	No	BSL
541-73-1	1,3-DICHLOROBENZENE	mg/kg	8.42E-03	8.44E-02	BSAF from EPA data set (2009)	7.10E-04	1.40E+01	N	No	BSL
106-46-7	1,4-DICHLOROBENZENE	mg/kg	9.56E-03	5.68E-02	BSAF from EPA data set (2009)	5.43E-04	7.70E-01	C	No	BSL
71-43-2	BENZENE	mg/kg	7.05E-03	4.00E+00	Default	2.82E-02	7.60E-02	C	No	BSL
108-90-7	CHLOROBENZENE	mg/kg	2.38E-02	4.00E+00	Default	9.52E-02	3.10E+00	N	No	BSL
100-41-4	ETHYLBENZENE	mg/kg	1.95E-02	4.00E+00	Default	7.80E-02	3.80E-01	C	No	BSL
108-88-3	TOLUENE	mg/kg	1.79E-02	4.00E+00	Default	7.16E-02	1.20E+01	N	No	BSL

Note: Chemicals of Potential Concern are bold with shading.

(1) The screening concentration is the Sediment EPC\*SED BAF.

(2) USEPA Regional Screening Levels, USEPA, June 2015. For non-carcinogens, value shown is equal to 1/10 the fish tissue value. For carcinogens the value shown is equal to the fish tissue value.

(3) Rationale Codes

Selection Reason:	ASL = Above Screening Toxicity Level
Deletion Reason:	BSL = Below Screening Toxicity Level
	NSL = No Screening Toxicity Level

Surrogates used: Anthracene for Phenanthrene, Acenaphthene for Acenaphthylene, Pyrene for Benzo[g,h,i]perylene 1,2-Dichlorobenzene for 1,3-Dichlorobenzene.

Definitions:

C = Carcinogenic	EPC = Exposure Point Concentration
COPC = Chemical of Potential Concern	SED BAF = Sediment Bioaccumulation Factor
N = Non-Carcinogenic	
NA = Not Applicable	
mg/kg = milligrams per kilogram	

**TABLE 10-2.12**  
**OCCURRENCE, DISTRIBUTION AND SELECTION OF CHEMICALS OF POTENTIAL CONCERN**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**SOUTHWEST/TIN MILL CANAL EFFLUENT - FINFISH/UPTAKE**

Scenario Timeframe: Future
Medium: Surface water
Exposure Medium: Finfish
Exposure Point: Phase I Area of the Sparrows Point Site

CAS Number	Chemical	SW EPC (mg/L)	SWBAF (mg/L to mg/kg dry weight)	BAF Source	Concentration <sup>(1)</sup> Used for Screening (mg/kg)	Screening <sup>(2)</sup> Toxicity Value (mg/kg)	COPC Flag	Rationale for <sup>(3)</sup> Contaminant Deletion or Selection	
INORGANICS									
7440-36-0	ANTIMONY	1.20E-04	4.00E+00	Based on bluegill in Table 5 - USEPA 1980	4.80E-04	6.20E-02	N	No	BSL
7440-38-2	ARSENIC	5.13E-04	1.60E+01	Based on bluegill in Table 5 - USEPA 1985a	8.21E-03	2.80E-03	C	Yes	ASL
7440-47-3	CHROMIUM	2.57E-04	8.00E+02	BCF from <a href="http://rais.ornl.gov/cgi-bin/tools/TOX_search">http://rais.ornl.gov/cgi-bin/tools/TOX_search</a>	2.05E-01	2.30E+02	N	No	BSL
7440-50-8	COPPER	2.99E-04	1.86E+03	Based on fathead minnow in Table 5 - USEPA 2003	5.55E-01	6.20E+00	N	No	BSL
7439-92-1	LEAD	7.99E-05	4.50E+01	Based on bluegill in Table 5 - USEPA 1985b	3.60E-03	NA	No	No	NSL
7439-97-6	MERCURY	1.14E-04	7.20E+03	Based on rainbow trout in Table 5 - USEPA 1985c	8.19E-01	4.60E-02	N	Yes	ASL
7440-02-0	NICKEL	1.68E-03	9.60E+01	Based on rainbow trout/fathead minnow in Table 5 geometric mean - USEPA 1986	1.61E-01	3.10E+00	N	No	BSL
7440-66-6	ZINC	5.56E-03	2.52E+02	Based on mummichog in Table 5 geometric mean- USEPA 1987b	1.40E+00	4.60E+01	N	No	BSL
POLYAROMATIC HYDROCARBONS									
50-32-8	HMW PAHs	8.43E-06	2.06E+04	BCF calculated via Regression from BCFBAF Program	1.74E-01	5.70E-04	C	Yes	ASL
129-00-0	LMW PAHs	1.30E-04	3.08E+03	BCF calculated via Regression from BCFBAF Program	4.01E-01	4.60E+00	N	No	BSL
SEMIVOLATILE ORGANIC COMPOUNDS									
117-81-7	BIS(2-ETHYLHEXYL) PHTHLATE	2.57E-05	6.85E+03	BCF calculated via Regression from BCFBAF Program	1.76E-01	3.00E-01	C	No	BSL

Note: Chemicals of Potential Concern are bold with shading.

(1) The screening concentration is the Surface Water EPC\*SWBAF.

(2) USEPA Regional Screening Levels, USEPA, June 2015. For non-carcinogens, value shown is equal to 1/10 the fish tissue value. For carcinogens the value shown is equal to the fish tissue value.

(3) Rationale Codes

ASL = Above Screening Toxicity Level

BSL = Below Screening Toxicity Level

NSL = No Screening Toxicity Level

Surrogates used for BAFs: Benzo(a)pyrene for HMW PAHs, and Pyrene for LMW PAHs.

Definitions: C = Carcinogenic

COPC = Chemical of Potential Concern

N = Non-Carcinogenic

NA = Not Applicable

mg/kg = milligrams per kilogram

EPC = Exposure Point Concentration

SWBAF = Surface water Bioaccumulation Factor

**TABLE 10-3.1**  
**MEDIUM-SPECIFIC EXPOSURE POINT CONCENTRATION SUMMARY**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**NORTHEAST/NEAR SHORE - SURFACE SEDIMENT**

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: Surface Sediment
Exposure Point: Northeast/Near Shore Exposure Area

Chemical of Potential Concern	Units	Mean Detected Concentration	95% UCLM	Maximum Detected Concentration	Maximum Qualifier	EPC Units	Reasonable Maximum Exposure		
							Medium EPC Value	Medium EPC Statistic	Medium EPC Rationale
INORGANICS									
NO COPC	mg/kg	NA	NA	NA		mg/kg	NA	NA	Regional Guidance
POLYAROMATIC HYDROCARBONS									
NO COPC	mg/kg	NA	NA	NA		mg/kg	NA	NA	Regional Guidance
SEMIVOLATILE ORGANIC COMPOUNDS									
NO COPC	mg/kg	NA	NA	NA		mg/kg	NA	NA	Regional Guidance

NA = Not Applicable

**TABLE 10-3.2**  
**MEDIUM-SPECIFIC EXPOSURE POINT CONCENTRATION SUMMARY**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**NORTHEAST/NEAR SHORE - SURFACE WATER**

Scenario Timeframe: Current/Future
Medium: Surface Water
Exposure Medium: Surface Water
Exposure Point: Northeast/Near Shore Exposure Area

Chemical of Potential Concern	Units	Mean Detected Concentration	95% UCLM	Maximum Detected Concentration	Maximum Qualifier	EPC Units	Reasonable Maximum Exposure		
							Medium EPC Value	Medium EPC Statistic	Medium EPC Rationale
INORGANICS									
NO COPC	mg/L	NA	NA	NA		mg/L	NA	NA	NA
POLYAROMATIC HYDROCARBONS									
NO COPC	mg/L	NA	NA	NA		mg/L	NA	NA	NA
SEMIVOLATILE ORGANIC COMPOUNDS									
NO COPC	mg/L	NA	NA	NA		mg/L	NA	NA	NA

NA = Not Applicable



**TABLE 10-3.3**  
**MEDIUM-SPECIFIC EXPOSURE POINT CONCENTRATION SUMMARY**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**NORTHEAST/NEAR SHORE - CRABS**

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: Crabs
Exposure Point: Northeast/Near Shore Exposure Area

Chemical of Potential Concern	Units	Mean Detected Concentration	95% UCLM	Maximum Detected Concentration	Maximum Qualifier	EPC Units	Reasonable Maximum Exposure	
							Medium EPC Value	Medium EPC Rationale
INORGANICS								
CADMIUM	mg/kg	1.18E-01	NA	1.58E-01		mg/kg	1.58E-01	CRAB COPC
COPPER	mg/kg	7.97E+00	NA	1.25E+01		mg/kg	1.25E+01	CRAB COPC
POLYAROMATIC HYDROCARBONS								
BENZO(A)ANTHRACENE	mg/kg	1.48E-02	NA	2.57E-02		mg/kg	2.57E-02	CRAB COPC
BENZO(A)PYRENE	mg/kg	1.20E-02	NA	1.58E-02		mg/kg	1.58E-02	CRAB COPC
BENZO(B)FLUORANTHENE	mg/kg	1.77E-02	NA	3.15E-02		mg/kg	3.15E-02	CRAB COPC
SEMI-VOLATILE ORGANIC COMPOUNDS								
BIS(2-ETHYLHEXYL) PHTHALATE <sup>2</sup>	mg/kg	NA	2.18E+00	NA		mg/kg	2.18E+00	CRAB COPC

Modeled crab concentrations reflect dry weight concentrations.

\*Bioaccumulation factors (BAFs) are used to determine the concentrations of bis(2-ethylhexyl)phthalate in aquatic organisms exposed to sediment. All other chemicals are actual tissue concentrations.

NA = Not Applicable

95%UCLM = 95 percent upper confidence limit on the mean

EPC = exposure point concentration

mg/kg = milligrams per kilogram

**TABLE 10-3.4**  
**MEDIUM-SPECIFIC EXPOSURE POINT CONCENTRATION SUMMARY**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**NORTHEAST/NEAR SHORE - FINFISH**

Scenario Timeframe: Current/Future
Medium: Surface Water
Exposure Medium: Finfish
Exposure Point: Northeast/Near Shore Exposure Area

Chemical of Potential Concern	Units	Mean Detected Concentration	95% UCLM	Maximum Detected Concentration	Maximum Qualifier	EPC Units	Reasonable Maximum Exposure	
							Medium EPC Value	Medium EPC Rationale
INORGANICS								
MERCURY	mg/kg	4.84E-02	NA	5.60E-02		mg/kg	5.60E-02	FISH COPC

NA = Not Applicable

95%UCLM = 95 percent upper confidence limit on the mean

EPC = exposure point concentration

mg/kg = milligrams per kilogram

**TABLE 10-3.5**  
**MEDIUM-SPECIFIC EXPOSURE POINT CONCENTRATION SUMMARY**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**NORTHEAST/NEAR SHORE - FINFISH/UPTAKE**

Scenario Timeframe: Future
Medium: Surface Water
Exposure Medium: Finfish
Exposure Point: Northeast/Near Shore Exposure Area

Chemical of Potential Concern	Units	Mean Detected Concentration	95% UCLM	Maximum Detected Concentration	Maximum Qualifier	EPC Units	Reasonable Maximum Exposure	
							Medium EPC Value	Medium EPC Rationale
INORGANICS								
MERCURY	mg/kg	NA	1.11E+00	NA		mg/kg	1.11E+00	FISH COPC
POLYAROMATIC HYDROCARBONS								
HMW PAHs	mg/kg	NA	2.37E-01	NA		mg/kg	2.37E-01	FISH COPC

Bioaccumulation factors (BAFs) are used to determine the concentrations of COPCs in aquatic organisms exposed to surface water.

NA = Not Applicable

95%UCLM = 95 percent upper confidence limit on the mean

EPC = exposure point concentration

mg/kg = milligrams per kilogram

**TABLE 10-3.6**  
**MEDIUM-SPECIFIC EXPOSURE POINT CONCENTRATION SUMMARY**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**NORTHEAST/NEAR SHORE - CRABS/UPTAKE**

Scenario Timeframe: Future Medium: Sediment Exposure Medium: Crabs Exposure Point: Northeast/Near Shore Exposure Area
--

Chemical of Potential Concern	Units	Mean Detected Concentration	95% UCLM	Maximum Detected Concentration	Maximum Qualifier	EPC Units	Reasonable Maximum Exposure	
							Medium EPC Value	Medium EPC Rationale
INORGANICS								
ZINC	mg/kg	NA	1.01E+02	NA		mg/kg	1.01E+02	CRAB COPC
POLYAROMATIC HYDROCARBONS								
BENZO(A)ANTHRACENE	mg/kg	NA	1.91E-01	NA		mg/kg	1.91E-01	CRAB COPC
BENZO(A)PYRENE	mg/kg	NA	1.17E-01	NA		mg/kg	1.17E-01	CRAB COPC
BENZO(B)FLUORANTHENE	mg/kg	NA	7.01E-02	NA		mg/kg	7.01E-02	CRAB COPC
DIBENZ(A,H)ANTHRACENE	mg/kg	NA	3.20E-02	NA		mg/kg	3.20E-02	CRAB COPC
INDENO[1,2,3-CD]PYRENE	mg/kg	NA	7.02E-02	NA		mg/kg	7.02E-02	CRAB COPC
SEMI-VOLATILE ORGANIC COMPOUNDS								
BIS(2-ETHYLHEXYL) PHTHALATE	mg/kg	NA	2.18E+00	NA		mg/kg	2.18E+00	CRAB COPC

Modeled crab concentrations reflect dry weight concentrations.

Bioaccumulation factors (BAFs) are used to determine the medium EPC value concentrations in aquatic organisms exposed to sediment.

NA = Not Applicable

95%UCLM = 95 percent upper confidence limit on the mean

EPC = exposure point concentration

mg/kg = milligrams per kilogram

**TABLE 10-3.7**  
**MEDIUM-SPECIFIC EXPOSURE POINT CONCENTRATION SUMMARY**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**SOUTHWEST/TIN MILL CANAL EFFLUENT - SURFACE SEDIMENT**

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: Surface Sediment
Exposure Point: Southwest/Tin Mill Canal Exposure Area

Chemical of Potential Concern	Units	Mean Detected Concentration	95% UCLM	Maximum Detected Concentration	Maximum Qualifier	EPC Units	Reasonable Maximum Exposure		
							Medium EPC Value	Medium EPC Statistic	Medium EPC Rationale
INORGANICS									
ARSENIC	mg/kg	3.91E+01	6.01E+01	1.20E+02	J	mg/kg	6.01E+01	95%UCLM-CL	Regional Guidance
POLYAROMATIC HYDROCARBONS									
BENZO[A]PYRENE	mg/kg	2.31E+00	2.32E+00	4.95E+00	J	mg/kg	2.32E+00	95%UCLM-KMp	Regional Guidance

Note: Statistics calculated by the EPA program ProUCL.

95%UCLM-CL indicates that the 95 percent upper confidence limit on the mean is based on the Chebyshev test for lognormal distribution.

95%UCLM-KMp indicates that the 95 percent upper confidence limit on the mean is based on the non-parametric Kaplan-Meier (KM) percentile bootstrap test.

**TABLE 10-3.8**  
**MEDIUM-SPECIFIC EXPOSURE POINT CONCENTRATION SUMMARY**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**SOUTHWEST/TIN MILL CANAL EFFLUENT - SURFACE WATER**

Scenario Timeframe: Current/Future
Medium: Surface Water
Exposure Medium: Surface Water
Exposure Point: Southwest/Tin Mill Canal Exposure Area

Chemical of Potential Concern	Units	Mean Detected Concentration	95% UCLM	Maximum Detected Concentration	Maximum Qualifier	EPC Units	Reasonable Maximum Exposure		
							Medium EPC Value	Medium EPC Statistic	Medium EPC Rationale
INORGANICS									
NO COPC	mg/L	NA	NA	NA		mg/L	NA	NA	NA
POLYAROMATIC HYDROCARBONS									
NO COPC	mg/L	NA	NA	NA		mg/L	NA	NA	NA
SEMI-VOLATILE ORGANIC COMPOUNDS									
NO COPC	mg/L	NA	NA	NA		mg/L	NA	NA	NA

NA = Not Applicable

**TABLE 10-3.9**  
**MEDIUM-SPECIFIC EXPOSURE POINT CONCENTRATION SUMMARY**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**SOUTHWEST/TIN MILL CANAL EFFLUENT - CRABS**

Scenario Timeframe: Current/Future
Medium: Sediment
Exposure Medium: Crabs
Exposure Point: Southwest/Tin Mill Canal Exposure Area

Chemical of Potential Concern	Units	Mean Detected Concentration	95% UCLM	Maximum Detected Concentration	Maximum Qualifier	EPC Units	Reasonable Maximum Exposure	
							Medium EPC Value	Medium EPC Rationale
INORGANICS								
ARSENIC	mg/kg	1.07E+00	NA	1.24E+00		mg/kg	1.24E+00	CRAB COPC
CADMIUM	mg/kg	1.18E-01	NA	1.58E-01		mg/kg	1.58E-01	CRAB COPC
COBALT	mg/kg	1.05E-01	NA	1.38E-01		mg/kg	1.38E-01	CRAB COPC
COPPER	mg/kg	7.97E+00	NA	1.25E+01		mg/kg	1.25E+01	CRAB COPC
SELENIUM	mg/kg	9.04E-01	NA	1.07E+00		mg/kg	1.07E+00	CRAB COPC
THALLIUM	mg/kg	3.94E-02	NA	4.69E-02		mg/kg	4.69E-02	CRAB COPC
POLYAROMATIC HYDROCARBONS								
BENZO(A)ANTHRACENE	mg/kg	1.48E-02	NA	2.57E-02		mg/kg	2.57E-02	CRAB COPC
BENZO(A)PYRENE	mg/kg	1.20E-02	NA	1.58E-02		mg/kg	1.58E-02	CRAB COPC
BENZO(B)FLUORANTHENE	mg/kg	1.77E-02	NA	3.15E-02		mg/kg	3.15E-02	CRAB COPC
POLYCHLORINATED BIPHENYLS								
TOTAL PCBs (ND=0)	mg/kg	1.11E-01	NA	1.44E-01		mg/kg	1.44E-01	CRAB COPC
TOTAL PCBs (ND=DL)	mg/kg	1.70E-01	NA	2.10E-01		mg/kg	2.10E-01	CRAB COPC
SEMI-VOLATILE ORGANIC COMPOUNDS								
BIS(2-ETHYLHEXYL) PHTHALATE <sup>2</sup>	mg/kg	NA	7.38E+01	NA		mg/kg	7.38E+01	CRAB COPC

Modeled crab concentrations reflect dry weight concentrations.

\*Bioaccumulation factors (BAFs) are used to determine the concentrations of bis(2-ethylhexyl)phthalate in aquatic organisms exposed to sediment. All other chemicals are actual tissue concentrations.

NA = Not Applicable

95%UCLM = 95 percent upper confidence limit on the mean

EPC = exposure point concentration

mg/kg = milligrams per kilogram

**TABLE 10-3.10**  
**MEDIUM-SPECIFIC EXPOSURE POINT CONCENTRATION SUMMARY**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**SOUTHWEST/TIN MILL CANAL EFFLUENT - FINFISH**

Scenario Timeframe: Current/Future
Medium: Surface Water
Exposure Medium: Finfish
Exposure Point: Southwest/Tin Mill Canal Exposure Area

Chemical of Potential Concern	Units	Mean Detected Concentration	95% UCLM	Maximum Detected Concentration	Maximum Qualifier	EPC Units	Reasonable Maximum Exposure	
							Medium EPC Value	Medium EPC Rationale
METALS								
ARSENIC	mg/kg	3.88E-01	NA	4.80E-01		mg/kg	4.80E-01	FISH COPC
MERCURY	mg/kg	4.84E-02	NA	5.60E-02		mg/kg	5.60E-02	FISH COPC
SELENIUM	mg/kg	8.46E-01	NA	9.70E-01		mg/kg	9.70E-01	FISH COPC
POLYCHLORINATED BIPHENYLS								
TOTAL PCBs (ND=0)	mg/kg	1.46E-01	NA	1.92E-01		mg/kg	1.92E-01	FISH COPC
TOTAL PCBs (ND=DL)	mg/kg	1.67E-01	NA	2.12E-01		mg/kg	2.12E-01	FISH COPC

NA = Not Applicable

95%UCLM = 95 percent upper confidence limit on the mean

EPC = exposure point concentration

mg/kg = milligrams per kilogram



**TABLE 10-3.11**  
**MEDIUM-SPECIFIC EXPOSURE POINT CONCENTRATION SUMMARY**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**SOUTHWEST/TIN MILL CANAL EFFLUENT - CRABS/UPTAKE**

Scenario Timeframe: Future
Medium: Sediment
Exposure Medium: Crabs
Exposure Point: Southwest/Tin Mill Canal Exposure Area

Chemical of Potential Concern	Units	Mean Detected Concentration	95% UCLM	Maximum Detected Concentration	Maximum Qualifier	EPC Units	Reasonable Maximum Exposure	
							Medium EPC Value	Medium EPC Rationale
INORGANICS								
ANTIMONY	mg/kg	NA	7.09E-01	NA		mg/kg	7.09E-01	CRAB COPC
ARSENIC	mg/kg	NA	1.04E+01	NA		mg/kg	1.04E+01	CRAB COPC
BERYLLIUM	mg/kg	NA	3.47E+00	NA		mg/kg	3.47E+00	CRAB COPC
CADMIUM	mg/kg	NA	9.43E-01	NA		mg/kg	9.43E-01	CRAB COPC
COPPER	mg/kg	NA	9.98E+00	NA		mg/kg	9.98E+00	CRAB COPC
MERCURY	mg/kg	NA	4.74E-02	NA		mg/kg	4.74E-02	CRAB COPC
NICKEL	mg/kg	NA	5.06E+00	NA		mg/kg	5.06E+00	CRAB COPC
SELENIUM	mg/kg	NA	1.85E+00	NA		mg/kg	1.85E+00	CRAB COPC
THALLIUM	mg/kg	NA	2.91E-02	NA		mg/kg	2.91E-02	CRAB COPC
ZINC	mg/kg	NA	6.53E+02	NA		mg/kg	6.53E+02	CRAB COPC
POLYAROMATIC HYDROCARBONS								
BENZO(A)ANTHRACENE	mg/kg	NA	1.51E+00	NA		mg/kg	1.51E+00	CRAB COPC
BENZO(A)PYRENE	mg/kg	NA	6.79E-01	NA		mg/kg	6.79E-01	CRAB COPC
BENZO(B)FLUORANTHENE	mg/kg	NA	4.35E-01	NA		mg/kg	4.35E-01	CRAB COPC
BENZO(K)FLUORANTHENE	mg/kg	NA	2.25E-01	NA		mg/kg	2.25E-01	CRAB COPC
CHRYSENE	mg/kg	NA	1.50E+00	NA		mg/kg	1.50E+00	CRAB COPC
DIBENZ(A,H)ANTHRACENE	mg/kg	NA	3.26E-01	NA		mg/kg	3.26E-01	CRAB COPC
FLUORANTHENE	mg/kg	NA	8.39E+00	NA		mg/kg	8.39E+00	CRAB COPC
INDENO[1,2,3-CD]PYRENE	mg/kg	NA	3.62E-01	NA		mg/kg	3.62E-01	CRAB COPC
PYRENE	mg/kg	NA	6.52E+00	NA		mg/kg	6.52E+00	CRAB COPC

**TABLE 10-3.11**  
**MEDIUM-SPECIFIC EXPOSURE POINT CONCENTRATION SUMMARY**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**SOUTHWEST/TIN MILL CANAL EFFLUENT - CRABS/UPTAKE**

Scenario Timeframe: Future
Medium: Sediment
Exposure Medium: Crabs
Exposure Point: Southwest/Tin Mill Canal Exposure Area

Chemical of Potential Concern	Units	Mean Detected Concentration	95% UCLM	Maximum Detected Concentration	Maximum Qualifier	EPC Units	Reasonable Maximum Exposure	
							Medium EPC Value	Medium EPC Rationale
POLYCHLORINATED BIPHENYLS								
AROCLOR-1248	mg/kg	NA	5.05E+01	NA		mg/kg	5.05E+01	CRAB COPC
AROCLOR-1254	mg/kg	NA	1.75E+01	NA		mg/kg	1.75E+01	CRAB COPC
AROCLOR-1260	mg/kg	NA	9.27E+00	NA		mg/kg	9.27E+00	CRAB COPC
SEMI-VOLATILE ORGANIC COMPOUNDS								
BIS(2-ETHYLHEXYL) PHTHALATE	mg/kg	NA	7.38E+01	NA		mg/kg	7.38E+01	CRAB COPC

Modeled crab concentrations reflect dry weight concentrations.

Bioaccumulation factors (BAFs) are used to determine the medium EPC value concentrations in aquatic organisms exposed to sediment.

NA = Not Applicable

95%UCLM = 95 percent upper confidence limit on the mean

EPC = exposure point concentration

mg/kg = milligrams per kilogram

**TABLE 10-3.12**  
**MEDIUM-SPECIFIC EXPOSURE POINT CONCENTRATION SUMMARY**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**SOUTHWEST/TIN MILL CANAL EFFLUENT - FINFISH/UPTAKE**

Scenario Timeframe: Future
Medium: Surface Water
Exposure Medium: Finfish
Exposure Point: Southwest/Tin Mill Canal Exposure Area

Chemical of Potential Concern	Units	Mean Detected Concentration	95% UCLM	Maximum Detected Concentration	Maximum Qualifier	EPC Units	Reasonable Maximum Exposure	
							Medium EPC Value	Medium EPC Rationale
INORGANICS								
ARSENIC	mg/kg	NA	8.21E-03	NA		mg/kg	8.21E-03	FISH COPC
MERCURY	mg/kg	NA	8.19E-01	NA		mg/kg	8.19E-01	FISH COPC
POLYAROMATIC HYDROCARBONS								
HMW PAHs	mg/kg	NA	1.74E-01	NA		mg/kg	1.74E-01	FISH COPC

Bioaccumulation factors (BAFs) are used to determine the concentrations of COPCs in aquatic organisms exposed to surface water.

NA = Not Applicable

95%UCLM = 95 percent upper confidence limit on the mean

EPC = exposure point concentration

mg/kg = milligrams per kilogram

**TABLE 10-4.1**  
**VALUES USED FOR ADULT RECREATIONAL USER DAILY SEDIMENT INTAKE EQUATIONS**  
**PHASE I OF SPARROWS POINT**

Scenario Timeframe: Current
Medium: Sediment
Exposure Medium: Sediment
Exposure Point: Sparrows Point
Receptor Population: Recreational User
Receptor Age: Adult

Exposure Route	Parameter Code	Parameter Definition	Units	RME Value	RME Rationale/Reference	Intake Equation / Model Name
Dermal	CS	Chemical Concentration in Sediment	mg/kg	Chemical-Specific	Chemical-Specific	$CDI \text{ (mg/kg/day)} = \frac{CS \times SA \times AF \times ABS \times EF \times ED \times CF}{(BW \times AT)}$
	SA	Surface Area for Contact	cm <sup>2</sup> /event	4,090	U.S. EPA 2011	
	AF	Adherence Factor	mg/cm <sup>2</sup>	0.07	U.S. EPA 2014 (2)	
	ABS	Dermal Absorption Fraction	Unitless	Chemical-Specific	Chemical-Specific	
	EF	Exposure Frequency	event/yr	4	BPJ (3)	
	ED-C	Exposure Duration - Cancer	yr	20	U.S. EPA 2014	
	BW	Body Weight	kg	80	U.S. EPA 2014	
	AT-NC	Averaging Time - Noncancer	days	7,300	U.S. EPA 1989	
	AT-C	Averaging Time - Cancer	days	25,550	U.S. EPA 1989	
	CF	Conversion Factor	kg/mg	1.0E-06	U.S. EPA 1989	

Note : BPJ = Best Professional Judgement

(1) Contact with sediment will be with the feet and lower legs. From Table 7-12 of 2011 *Exposure Factors Handbook* , the mean lower legs are 2,710 cm<sup>2</sup> and the feet are 1,380 cm<sup>2</sup>, with a total of 4,090 cm<sup>2</sup>.

(2) The adherence factor is conservatively equal to the recommended factor for resident adult exposure to soil

(3) Swimming will occur only a limited basis, 4 days/yr. based upon previous RCRA assessment (ISG 2005)

CDI = chronic daily intake

**TABLE 10-4.2**  
**VALUES USED FOR ADOLESCENT RECREATIONAL USER DAILY SEDIMENT INTAKE EQUATIONS**  
**PHASE I OF SPARROWS POINT**

Scenario Timeframe: Current
Medium: Sediment
Exposure Medium: Sediment
Exposure Point: Sparrows Point
Receptor Population: Recreational User
Receptor Age: Adolescent

Exposure Route	Parameter Code	Parameter Definition	Units	RME Value	RME Rationale/Reference	Intake Equation / Model Name
Dermal	CS	Chemical Concentration in Sediment	mg/kg	Chemical-Specific	Chemical-Specific	CDI (mg/kg/day) =
	SA	Surface Area for Contact	cm <sup>2</sup> /event	2,880	U.S. EPA 2011	CS x SA x AF x ABS x EF x ED x CF / (BW x AT) (5)
	AF	Adherence Factor	mg/cm <sup>2</sup>	0.2	U.S. EPA 2014 (2)	
	ABS	Dermal Absorption Fraction	Unitless	Chemical-Specific	Chemical-Specific	
	EF	Exposure Frequency	event/yr	4	BPJ (3)	
	ED-C	Exposure Duration - Cancer	yr	10	BPJ (4)	
	BW	Body Weight	kg	45	U.S. EPA 2011	
	AT-NC	Averaging Time - Noncancer	days	3,650	U.S. EPA 1989	
	AT-C	Averaging Time - Cancer	days	25,550	U.S. EPA 1989	
	CF	Conversion Factor	kg/mg	1.0E-06	U.S. EPA 1989	

Note : BPJ = Best Professional Judgement

(1) Contact with sediment will be with the feet and lower legs. Surface areas are averaged for the age ranges of 6 to <11 years and 11 to <16 years of age assuming the 50th percentile. From Table 7-2 of 2011 *Exposure Factors Handbook*, the mean surface area for the lower legs (assuming SA is 50% of total leg area) are 1,990 cm<sup>2</sup> and the feet are 890 cm<sup>2</sup>, with a total of 2,880 cm<sup>2</sup>.

(2) The adherence factor is conservatively equal to the recommended factor for resident child exposure to soil.

(3) Swimming will occur only a limited basis, 4 days/yr. based upon previous RCRA assessment (ISG 2005).

(4) Exposure duration assumes an age range of 6 to 16 years.

(5) Slope Factor for chemicals identified as mutagenic in Table 10-6 are adjusted by a factor of 3.

CDI = chronic daily intake

**TABLE 10-4.3**  
**VALUES USED FOR WATERMAN DAILY SEDIMENT INTAKE EQUATIONS**  
**PHASE I OF SPARROWS POINT**

Scenario Timeframe: Current Medium: Sediment Exposure Medium: Sediment Exposure Point: Sparrows Point Receptor Population: Waterman Receptor Age: Adult
--

Exposure Route	Parameter Code	Parameter Definition	Units	RME Value	RME Rationale/Reference	Intake Equation / Model Name
Dermal	CS	Chemical Concentration in Sediment	mg/kg	Chemical-Specific	Chemical-Specific	$CDI (mg/kg/day) = \frac{CS \times SA \times AF \times ABS \times EF \times ED \times CF}{(BW \times AT)}$
	SA	Surface Area for Contact	cm <sup>2</sup> /event	2,530	U.S. EPA 2011	
	AF	Adherence Factor	mg/cm <sup>2</sup>	0.3	U.S. EPA 2014 (2)	
	ABS	Dermal Absorption Fraction	Unitless	Chemical-Specific	Chemical-Specific	
	EF	Exposure Frequency	event/yr	39	BPJ (3)	
	ED-C	Exposure Duration - Cancer	yr	25	U.S. EPA 1991a	
	BW	Body Weight	kg	80	U.S. EPA 2014	
	AT-NC	Averaging Time - Noncancer	days	9,125	U.S. EPA 1989	
	AT-C	Averaging Time - Cancer	days	25,550	U.S. EPA 1989	
	CF	Conversion Factor	kg/mg	1.0E-06	U.S. EPA 1989	

Note : BPJ = Best Professional Judgement

(1) The watermen contact would be limited to the hands and forearms arms since contact to sediment is primarily while hauling fishing nets into boat. The forearm SA at 1,460 cm<sup>2</sup> and hands at 1,070 cm<sup>2</sup>. From Table 7-2 and Table 7-12 of 2011 *Exposure Factors Handbook* , this results in an SA of 2,530 cm<sup>2</sup>.

(2) The adherence factor is conservatively equal to the recommended factor for commercial/industrial worker exposure to soil.

(3) Fishing is expected to occur March through November, for a total of 9 months or 39 weeks. It is expected that a watermen would not fish exclusively in the Patapsco River near the Coke Point offshore environment. The watermen fishes near Coke Point 1 day/week for a total of 39 days/year.

CDI = chronic daily intake

**TABLE 10-4.4**  
**VALUES USED FOR ADULT RECREATIONAL USER DAILY FINFISH/CRAB INTAKE EQUATIONS**  
**PHASE I OF SPARROWS POINT**

Scenario Timeframe: Current
Medium: Surface Water/Sediment
Exposure Medium: Fish/Crab
Exposure Point: Sparrows Point
Receptor Population: Recreational User
Receptor Age: Adult

Exposure Route	Parameter Code	Parameter Definition	Units	RME Value	RME Rationale/Reference	Intake Equation / Model Name
Ingestion	CS	Chemical Concentration in Fish Tissue/Crab Meat	mg/kg	Chemical-Specific	Chemical-Specific	$CDI (mg/kg/day) = \frac{CS \times CR \times EF \times ED}{(BW \times AT)}$
	CR	Ingestion Rate	kg/meal	0.23	U.S. EPA 2000, MDE 2014 (1)	
	EF	Exposure Frequency	meals/yr	16	BPJ (2)	
	ED	Exposure Duration	yr	20	U.S. EPA 1989	
	BW	Body Weight	kg	80	U.S. EPA 2014	
	AT-NC	Averaging time - Noncancer	days	7,300	U.S. EPA 1989	
	AT-C	Averaging Time - Cancer	days	25,550	U.S. EPA 1989	

Note : BPJ = Best Professional Judgement

(1) The weight of cooked fish ingested by an adult is 8 ounces/meal or 0.23 kg/meal (wet weight).

(2) It is assumed that the recreational user will fish or catch crabs from the area for 2 days per week during warmer months, June to September (32 day). Fish and crab ingestion are each assumed at 16 meals/yr from the Sparrows Point Area.

CDI = chronic daily intake

**TABLE 10-4.5**  
**VALUES USED FOR ADOLESCENT RECREATIONAL USER DAILY FINFISH/CRAB INTAKE EQUATIONS**  
**PHASE I OF SPARROWS POINT**

Scenario Timeframe: Current
Medium: Surface Water/Sediment
Exposure Medium: Fish/Crab
Exposure Point: Sparrows Point
Receptor Population: Recreational User
Receptor Age: Adolescent

Exposure Route	Parameter Code	Parameter Definition	Units	RME Value	RME Rationale/Reference	Intake Equation / Model Name
Ingestion	CS	Chemical Concentration in Fish Tissue/Crab Meat	mg/kg	Chemical-Specific	Chemical-Specific	$CDI (mg/kg/day) = \frac{CS \times CR \times EF \times ED}{(BW \times AT)}$
	CR	Ingestion Rate	kg/meal	0.17	U.S. EPA 2000, MDE 2014 (1)	
	EF	Exposure Frequency	meals/yr	16	BPJ (2)	
	ED	Exposure Duration	yr	10	BPJ	
	BW	Body Weight	kg	45	U.S. EPA 2011	
	AT-NC	Averaging time - Noncancer	days	3,650	U.S. EPA 1989	
	AT-C	Averaging Time - Cancer	days	25,550	U.S. EPA 1989	

Note : BPJ = Best Professional Judgement

(1) The weight of cooked fish ingested by an adolescent is 6 ounces/meal or 0.17 kg/meal (wet weight).

(2) It is assumed that the recreational user will fish or catch crabs from the area for 2 days per week during warmer months, June to September (32 day). Fish and crab ingestion are each assumed at 16 meals/yr from the Sparrows Point Area.

(3) Slope Factor for chemicals identified as mutagenic in Table 10-6 are adjusted by a factor of 3.

CDI = chronic daily intake



**TABLE 10-4.6**  
**VALUES USED FOR CHILD RECREATIONAL USER DAILY FINFISH/CRAB INTAKE EQUATIONS**  
**PHASE I OF SPARROWS POINT**

Scenario Timeframe: Current
Medium: Surface Water/Sediment
Exposure Medium: Fish/Crab
Exposure Point: Sparrows Point
Receptor Population: Recreational User
Receptor Age: Child

Exposure Route	Parameter Code	Parameter Definition	Units	RME Value	RME Rationale/Reference	Intake Equation / Model Name
Ingestion	CS	Chemical Concentration in Fish Tissue/Crab Meat	mg/kg	Chemical-Specific	Chemical-Specific	$CDI (mg/kg/day) = \frac{CS \times CR \times EF \times ED}{(BW \times AT)}$
	CR	Ingestion Rate	kg/meal	0.085	U.S. EPA 2000, MDE 2014 (1)	
	EF	Exposure Frequency	meals/yr	16	BPJ (2)	
	ED	Exposure Duration	yr	3	BPJ (3)	
	BW	Body Weight	kg	18	U.S. EPA 2011	
	AT-NC	Averaging time - Noncancer	days	1,095	U.S. EPA 1989	
	AT-C	Averaging Time - Cancer	days	25,550	U.S. EPA 1989	

Note : BPJ = Best Professional Judgement

(1) The weight of cooked fish ingested by a child is 3 ounces/meal or 0.085 kg/meal (wet weight).

(2) It is assumed that the recreational user will fish or catch crabs from the area for 2 days per week during warmer months, June to September (32 day). Fish and crab ingestion are each assumed at 16 meals/yr from the Sparrows Point Area.

(3) Age range for child is assumed from 3 to 6 years. It is expected that children younger than 3 years will not eat catch from the Patapsco River.

(4) Slope Factor for chemicals identified as mutagenic in Table 10-6 are adjusted by a factor of 3.

CDI = chronic daily intake

**TABLE 10-4.7**  
**VALUES USED FOR WATERMAN DAILY FINFISH/CRAB INTAKE EQUATIONS**  
**PHASE I OF SPARROWS POINT**

Scenario Timeframe: Current
Medium: Surface Water/Sediment
Exposure Medium: Fish/Crab
Exposure Point: Sparrows Point
Receptor Population: Waterman
Receptor Age: Adult

Exposure Route	Parameter Code	Parameter Definition	Units	RME Value	RME Rationale/Reference	Intake Equation / Model Name
Ingestion	CS	Chemical Concentration in Fish Tissue/Crab Meat	mg/kg	Chemical-Specific	Chemical-Specific	$CDI (mg/kg/day) = \frac{CS \times CR \times EF \times ED}{(BW \times AT)}$
	CR	Ingestion Rate	kg/meal	0.23	U.S. EPA 2000, MDE 2014 (1)	
	EF	Exposure Frequency	meals/yr	19.5	BPJ (2)	
	ED	Exposure Duration	yr	25	U.S. EPA 1991a	
	BW	Body Weight	kg	80	U.S. EPA 2014	
	AT-NC	Averaging time - Noncancer	days	9,125	U.S. EPA 1989	
	AT-C	Averaging Time - Cancer	days	25,550	U.S. EPA 1989	

Note : BPJ = Best Professional Judgement

(1) The weight of cooked fish ingested by an adult is 8 ounces/meal or 0.23 kg/meal (wet weight).

(2) It is assumed that the waterman ingest fish or catch crabs from the Patapsco River each day they visit the area (39 days). Fish and crab ingestion are each assumed at equal meals/yr (19.5) based upon number of days within the Sparrows Point Area.

CDI = chronic daily intake

**TABLE 10-5.1**  
**NON-CANCER TOXICITY DATA - ORAL/DERMAL**  
**PHASE I AREA OF SPARROWS POINT**

Chemical of Potential Concern	Chronic/ Subchronic	Oral RfD Value (mg/kg- day)	Oral to Dermal Adjustment Factor (GI ABS) (1)	Adjusted Dermal RfD (2) (mg/kg bw-day)	Primary Target Organ	Combined Uncertainty/ Modifying Factors	Sources of RfD: Target Organ	Dates of RfD: Target Organ (3) (mm/dd/yy)
<b>INORGANICS</b>								
ANTIMONY	Chronic	4.00E-04	0.15	6.00E-05	Blood	1000/1	IRIS	9/10/2015
ARSENIC	Chronic	3.00E-04	1	3.00E-04	Skin	3/1	IRIS	9/10/2015
BERYLLIUM	Chronic	2.00E-03	0.007	2.86E-01	Intestines	300/1	IRIS	9/10/2015
CADMIUM	Chronic	1.00E-03	0.025	2.50E-05	Kidneys	10/1	IRIS	9/10/2015
COBALT	Chronic	3.00E-04	1	3.00E-04	Blood	10/1	PPTRV	7/20/2007
COPPER	Chronic	4.00E-02	1	4.00E-02	Gastrointestinal System	NA/NA	HEAST	1997
MERCURY	Chronic	1.00E-04	1	1.00E-04	Central Nervous System	10/1	IRIS	9/10/2015
NICKEL	Chronic	2.00E-02	1	2.00E-02	Body weight	300/1	IRIS	9/10/2015
SELENIUM	Chronic	5.00E-03	1	5.00E-03	NA	3/1	IRIS	9/10/2015
SILVER	Chronic	5.00E-03	0.04	2.00E-04	Skin	3/1	IRIS	9/10/2015
THALLIUM	Chronic	1.00E-05	1	1.00E-05	Hair	3000/1	PPRTV-X	9/17/2012
ZINC	Chronic	3.00E-01	1	3.00E-01	Blood	3/1	IRIS	9/10/2015
<b>POLYAROMATIC HYDROCARBONS</b>								
BENZO(A)ANTHRACENE	NA	NA	1	NA	NA	NA/NA	IRIS	9/10/2015
BENZO(B)FLUORANTHENE	NA	NA	1	NA	NA	NA/NA	IRIS	9/10/2015
BENZO(K)FLUORANTHENE	NA	NA	1	NA	NA	NA/NA	IRIS	9/10/2015
BENZO(A)PYRENE	NA	NA	1	NA	NA	NA/NA	IRIS	9/10/2015
CHRYSENE	NA	NA	1	NA	NA	NA/NA	IRIS	9/10/2015
DIBENZ(A,H)ANTHRACENE	NA	NA	1	NA	NA	NA/NA	IRIS	9/10/2015
FLUORANTHENE	Chronic	4.00E-02	1	4.00E-02	Liver	3000/1	IRIS	9/10/2015
INDENO(1,2,3-C,D)PYRENE	NA	NA	1	NA	NA	NA/NA	IRIS	9/10/2015
PYRENE	Chronic	3.00E-02	1	3.00E-02	Kidneys	3000/1	IRIS	9/10/2015
<b>POLYCHLORINATED BIPHENYLS</b>								
AROCLOR-1248	NA	NA	1	NA	NA	NA/NA	IRIS	9/10/2015
AROCLOR-1254	Chronic	2.00E-05	1	2.00E-05	Eyes and skin	300/1	IRIS	9/10/2015
AROCLOR-1260	NA	NA	1	NA	NA	NA/NA	IRIS	9/10/2015
TOTAL PCB's	NA	NA	1	NA	NA	NA/NA	IRIS	9/10/2015
<b>SEMIVOLATILE ORGANIC COMPOUNDS</b>								
BIS(2-ETHYLHEXYL)PHTHALATE	Chronic	2.00E-02	1	2.00E-02	Liver	1000/1	IRIS	9/10/2015

(1) Taken from USEPA 2004 Guidance.

(2) Not Applicable

(3) Dermal toxicological values adjusted from oral values using USEPA 2004 recommended chemical-specific gastrointestinal absorption factors (GI ABS). RfDs are multiplied by the GI ABS.

IRIS - Integrated Risk Information System. For IRIS values, the date IRIS was searched is provided.

HEAST - Health Effects Assessment Summary Tables. For HEAST values, the date of HEAST is provided.

PPRTV-X - Provisional Peer-Reviewed Toxicity Value, Screening level. For PPRTV values, the date of the issue paper is provided.

**TABLE 10-5.2**  
**CHEMICAL-SPECIFIC PARAMETERS**  
**PHASE I AREA OF SPARROWS POINT**

Chemical of Potential Concern	Absorption Factor	Reference	GI ABS	Reference	Permeability Constant (cm/hr)	Reference
<b>INORGANICS</b>						
ANTIMONY	0.01	U.S. EPA, 1995	0.15	U.S. EPA, 2004	1.00E-03	U.S. EPA, 2015
ARSENIC	0.03	U.S. EPA, 2004	1	U.S. EPA, 2004	1.00E-03	U.S. EPA, 2015
BERYLLIUM	0.01	U.S. EPA, 1995	0.007	U.S. EPA, 2004	1.00E-03	U.S. EPA 2004
CADMIUM	0.001	U.S. EPA, 2004	0.025	U.S. EPA, 2004	1.00E-03	U.S. EPA, 2015
COBALT	0.01	U.S. EPA, 1995	1	U.S. EPA, 2004	4.00E-04	U.S. EPA, 2015
COPPER	0.01	U.S. EPA, 1995	1	U.S. EPA, 2004	1.00E-03	U.S. EPA, 2015
MERCURY	0.01	U.S. EPA, 1995	1	U.S. EPA, 2004	1.00E-03	U.S. EPA, 2015
NICKEL	0.01	U.S. EPA, 1995	1	U.S. EPA, 2004	1.00E-03	U.S. EPA, 2015
SELENIUM	0.01	U.S. EPA, 1995	1	U.S. EPA, 2004	9.03E-04	U.S. EPA, 2015
THALLIUM	0.01	U.S. EPA, 1995	1	U.S. EPA, 2004	1.00E-03	U.S. EPA, 2015
ZINC	0.01	U.S. EPA, 1995	1	U.S. EPA, 2004	6.00E-04	U.S. EPA, 2015
<b>POLYAROMATIC HYDROCARBONS</b>						
BENZ(A)ANTHRACENE	0.13	U.S. EPA, 2004	1	U.S. EPA, 2004	NA	U.S. EPA, 2015
BENZO(B)FLUORANTHENE	0.13	U.S. EPA, 2004	1	U.S. EPA, 2004	NA	U.S. EPA, 2015
BENZO(K)FLUORANTHENE	0.13	U.S. EPA, 2004	1	U.S. EPA, 2004	NA	U.S. EPA, 2015
BENZO(A)PYRENE	0.13	U.S. EPA, 2004	1	U.S. EPA, 2004	NA	U.S. EPA, 2015
CHRYSENE	0.13	U.S. EPA, 2004	1	U.S. EPA, 2004	NA	U.S. EPA, 2015
DIBENZ(A,H)ANTHRACENE	0.13	U.S. EPA, 2004	1	U.S. EPA, 2004	NA	U.S. EPA, 2015
FLUORANTHENE	0.13	U.S. EPA, 2004	1	U.S. EPA, 2004	3.10E-01	U.S. EPA, 2015
INDENO(1,2,3-C,D)PYRENE	0.13	U.S. EPA, 2004	1	U.S. EPA, 2004	NA	U.S. EPA, 2015
PYRENE	0.13	U.S. EPA, 2004	1	U.S. EPA, 2004	2.01E-01	U.S. EPA, 2015
<b>POLYCHLORINATED BIPHENYLS</b>						
AROCLOR-1248	0.14	U.S. EPA, 2004	1	U.S. EPA, 2004	4.80E-01	U.S. EPA, 2015
AROCLOR-1254	0.14	U.S. EPA, 2004	1	U.S. EPA, 2004	7.50E-01	U.S. EPA, 2015
AROCLOR-1260	0.14	U.S. EPA, 2004	1	U.S. EPA, 2004	9.86E-01	U.S. EPA, 2015
TOTAL PCB's	0.14	U.S. EPA, 2004	1	U.S. EPA, 2004	5.50E-01	U.S. EPA, 2015
<b>SEMIVOLATILE ORGANIC COMPOUNDS</b>						
BIS(2-ETHYLHEXYL)PHTHALATE	0.1	U.S. EPA, 2004	1	U.S. EPA, 2004	1.10E+00	U.S. EPA, 2015

NA = Data not available.

GI ABS = Gastrointestinal Absorption factors

U.S. EPA, 1995 = U.S. Environmental Protection Agency, 1995. *Assessing Dermal Exposure From Soil*. Region 3, Office of Superfund Programs. EPA/903-K-95-003. December.

U.S. EPA, 2004 = U.S. Environmental Protection Agency, 2004. *Risk Assessment Guidance for Superfund. Volume I: Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment)*. Final Guidance.

U.S. EPA, 2015 = U.S. Environmental Protection Agency, 2015. *Regional Screening Levels (RSLs) Chemical-Specific Parameters Supporting Table*. November 2015. Available at: [http://www.epa.gov/reg3hwmd/risk/human/rb-concentration\\_table/Generic\\_Tables/index.htm](http://www.epa.gov/reg3hwmd/risk/human/rb-concentration_table/Generic_Tables/index.htm).

**TABLE 10-6.1**  
**CANCER TOXICITY DATA - ORAL/DERMAL**  
**PHASE I AREA OF SPARROWS POINT**

Chemical of Potential Concern	Oral Cancer Slope Factor	Oral Absorption Efficiency for Dermal (GI ABS) <sup>(1)</sup>	Absorbed Cancer Slope Factor for Dermal <sup>(2)</sup>	Units	Weight of Evidence/Cancer Guideline Description	Mutagenic Compound	Source	Date <sup>(3)</sup> (mm/dd/yy)
<b>INORGANICS</b>								
ANTIMONY	NA	0.15	NA	per (mg/kg-day)	NA		IRIS	9/10/2015
ARSENIC	1.5E+00	1	1.5E+00	per (mg/kg-day)	A		IRIS	9/10/2015
BERYLLIUM	NA	0.007	NA	per (mg/kg-day)	B1		IRIS	9/10/2015
CADMIUM	NA	0.025	NA	per (mg/kg-day)	NA		IRIS	9/10/2015
COBALT	NA	1	NA	per (mg/kg-day)	NA		PPTRV	9/10/2015
COPPER	NA	1	NA	per (mg/kg-day)	D		IRIS	9/10/2015
MERCURY	NA	1	NA	per (mg/kg-day)	C		IRIS	9/10/2015
NICKEL	NA	1	NA	per (mg/kg-day)	NA		IRIS	9/10/2015
SELENIUM	NA	1	NA	per (mg/kg-day)	D		IRIS	9/10/2015
THALLIUM	NA	1	NA	per (mg/kg-day)	NA		IRIS	9/10/2015
ZINC	NA	1	NA	per (mg/kg-day)	D		IRIS	9/10/2015
<b>POLYAROMATIC HYDROCARBONS</b>								
BENZ(A)ANTHRACENE	7.3E-01	1	7.3E-01	per (mg/kg-day)	B2	M	IRIS	9/10/2015
BENZO(B)FLUORANTHENE	7.3E-01	1	7.3E-01	per (mg/kg-day)	B2	M	IRIS	9/10/2015
BENZO(K)FLUORANTHENE	7.3E-02	1	7.3E-02	per (mg/kg-day)	B2	M	IRIS	9/10/2015
BENZO(A)PYRENE	7.3E+00	1	7.3E+00	per (mg/kg-day)	B2	M	IRIS	9/10/2015
CHRYSENE	7.3E-03	1	7.3E-03	per (mg/kg-day)	B2	M	IRIS	9/10/2015
DIBENZ(A,H)ANTHRACENE	7.3E+00	1	7.3E+00	per (mg/kg-day)	B2	M	IRIS	9/10/2015
FLUORANTHENE	NA	1	NA	per (mg/kg-day)	D		IRIS	9/10/2015
INDENO(1,2,3-C,D)PYRENE	7.3E-01	1	7.3E-01	per (mg/kg-day)	B2	M	IRIS	9/10/2015
PYRENE	NA	1	NA	per (mg/kg-day)	D		IRIS	9/10/2015
<b>POLYCHLORINATED BIPHENYLS</b>								
AROCLOR-1248	2.0E+00	1	2.0E+00	per (mg/kg-day)	B2		IRIS	9/10/2015
AROCLOR-1254	2.0E+00	1	2.0E+00	per (mg/kg-day)	B2		IRIS	9/10/2015
AROCLOR-1260	2.0E+00	1	2.0E+00	per (mg/kg-day)	B2		IRIS	9/10/2015
TOTAL PCB's	1.3E+05	1	1.3E+05	per (mg/kg-day)	NA		IRIS	9/10/2015
<b>SEMIVOLATILE ORGANIC COMPOUNDS</b>								
BIS(2-ETHYLHEXYL)PHTHALATE	1.4E-02	1	1.4E-02	per (mg/kg-day)	B2		IRIS	9/10/2015

NA = Not Applicable

M = Mutagenic

(1) Taken from USEPA 2004 Guidance.

(2) Dermal Toxicological values adjusted from oral values using USEPA 2004 recommended chemical-specific gastrointestinal absorption factors (GI ABS). CSFs are divided by the GI ABS.

(3) IRIS - Integrated Risk Information System. For IRIS values, the date IRIS was searched is provided.

Weight of Evidence: A - Human carcinogen

B1 - Probable human carcinogen - indicate that limited human data are available

B2 - Probable human carcinogen - indicates sufficient evidence in animals and inadequate or no evidence in humans

C - Possible human carcinogen

D - Not classifiable as a human carcinogen

E - Evidence of noncarcinogenicity

TABLE 10-7.1  
CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT NORTHEAST/NEAR-SHORE - FIELD COLLECTED TISSUE EVALUATION

Scenario Timeframe: Current  
Receptor Population: Recreational User  
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations					
					Value	Units	Intake*		Value	CSF	Cancer Risk	Intake*		RfD		Hazard Quotient	
							Value	Units				Value	Units	Value	Units		Value
Sediment	Sediment	Crabs	Ingestion	INORGANICS													
				CADMIUM	1.58E-01	(mg/kg)	5.70E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	1.99E-05	(mg/kg-day)	1.00E-03	(mg/kg-day)	2.0E-02	
				COPPER	1.25E+01	(mg/kg)	4.49E-04	(mg/kg-day)	NA	per (mg/kg-day)	--	1.57E-03	(mg/kg-day)	4.00E-02	(mg/kg-day)	3.9E-02	
				POLYAROMATIC HYDROCARBONS													
				BENZO(A)ANTHRACENE	2.57E-02	(mg/kg)	9.25E-07	(mg/kg-day)	7.30E-01	per (mg/kg-day)	6.8E-07	3.24E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				BENZO(B)FLUORANTHENE	3.15E-02	(mg/kg)	1.13E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	8.3E-07	3.96E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				BENZO(A)PYRENE	1.58E-02	(mg/kg)	5.70E-07	(mg/kg-day)	7.30E+00	per (mg/kg-day)	4.2E-06	2.00E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				SEMIVOLATILE ORGANIC COMPOUNDS													
				BIS(2-ETHYLHEXYL)PHTHALATE	2.18E+00	(mg/kg)	1.96E-05	(mg/kg-day)	1.40E-02	per (mg/kg-day)	2.7E-07	6.87E-05	(mg/kg-day)	2.00E-02	(mg/kg-day)	3.4E-03	
				Exp. Route Total							6.5E-06					6.3E-02	
Exposure Point Total								6.5E-06					6.3E-02				
Exposure Medium Total								6.5E-06					6.3E-02				
Sediment Total								6.5E-06					6.3E-02				
Surface Water	Surface Water	Finfish	Ingestion	INORGANICS													
				MERCURY	5.60E-02	(mg/kg)	2.02E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	7.06E-06	(mg/kg-day)	1.00E-04	(mg/kg-day)	7.1E-02	
				Exp. Route Total							0.0E+00					7.1E-02	
				Exposure Point Total							0.0E+00					7.1E-02	
				Exposure Medium Total							0.0E+00					7.1E-02	
Surface Water Total								0.0E+00					7.1E-02				
Total of Receptor Risks Across All Media							6.5E-06	Total of Receptor Hazards Across All Media							1.3E-01		

Note:  
\*Intakes for crab for modeled bis(2-ethylhexyl)phthalate are adjusted by 0.25 to account for wet weight as evaluated in the intake calculations.

EPC = Exposure Point Concentration  
CSF = Cancer Slope Factor  
RID = Reference Dose

TABLE 10-7.2  
CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT NORTHEAST/NEAR-SHORE - FIELD COLLECTED TISSUE EVALUATION

Scenario Timeframe: Current  
Receptor Population: Recreational User  
Receptor Age: Adolescent

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations									
					Value	Units	Intake*		CSF		Cancer Risk	Intake*		RfD		Hazard Quotient					
							Value	Units	Value	Units		Value	Units	Value	Units						
Sediment	Sediment	Crabs	Ingestion	INORGANICS	1.58E-01	(mg/kg)	3.74E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	2.62E-05	(mg/kg-day)	1.00E-03	(mg/kg-day)	2.6E-02					
				CADMIUM	1.25E+01	(mg/kg)	2.95E-04	(mg/kg-day)	NA	per (mg/kg-day)	--	2.07E-03	(mg/kg-day)	4.00E-02	(mg/kg-day)	5.2E-02					
				POLYAROMATIC HYDROCARBONS																	
				BENZO(A)ANTHRACENE	2.57E-02	(mg/kg)	1.82E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	1.3E-06	4.25E-06	(mg/kg-day)	NA	(mg/kg-day)	--					
				BENZO(B)FLUORANTHENE	3.15E-02	(mg/kg)	2.23E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	1.6E-06	5.21E-06	(mg/kg-day)	NA	(mg/kg-day)	--					
				BENZO(A)PYRENE	1.58E-02	(mg/kg)	1.12E-06	(mg/kg-day)	7.30E+00	per (mg/kg-day)	8.2E-06	2.62E-06	(mg/kg-day)	NA	(mg/kg-day)	--					
				SEMIVOLATILE ORGANIC COMPOUNDS																	
				BIS(2-ETHYLHEXYL)PHTHALATE	2.18E+00	(mg/kg)	1.29E-05	(mg/kg-day)	1.40E-02	per (mg/kg-day)	1.8E-07	9.03E-05	(mg/kg-day)	2.00E-02	(mg/kg-day)	4.5E-03					
				Exp. Route Total								1.3E-05					8.2E-02				
				Exposure Point Total									1.3E-05					8.2E-02			
Exposure Medium Total																8.2E-02					
Sediment Total																	1.3E-05				8.2E-02
Surface Water	Surface Water	Finfish	Ingestion	INORGANICS	5.60E-02	(mg/kg)	1.32E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	9.27E-06	(mg/kg-day)	1.00E-04	(mg/kg-day)	9.3E-02					
				MERCURY																	
											0.0E+00					9.3E-02					
											0.0E+00					9.3E-02					
											0.0E+00					9.3E-02					
											0.0E+00					9.3E-02					
											0.0E+00					9.3E-02					
											0.0E+00					9.3E-02					
											0.0E+00					9.3E-02					
				Exposure Point Total	Exp. Route Total								0.0E+00					9.3E-02			
Exposure Medium Total																9.3E-02					
Surface Water Total																	0.0E+00				9.3E-02
Total of Receptor Risks Across All Media											1.3E-05	Total of Receptor Hazards Across All Media					1.8E-01				

Note:  
\*Intakes for crab for modeled bis(2-ethylhexyl)phthalate are adjusted by 0.25 to account for wet weight as evaluated in the intake calculations.  
EPC = Exposure Point Concentration  
CSF = Cancer Slope Factor  
RfD = Reference Dose

TABLE 10-7.3  
CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT NORTHEAST/NEAR-SHORE - FIELD COLLECTED TISSUE EVALUATION

Scenario Timeframe: Current  
Receptor Population: Recreational User  
Receptor Age: Child

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations									
					Value	Units	Intake*		Value	CSF	Cancer Risk	Intake*		RfD		Hazard Quotient					
							Value	Units				Value	Units	Value	Units		Value	Units			
Sediment	Sediment	Crabs	Ingestion	INORGANICS																	
				CADMIUM	1.58E-01	(mg/kg)	1.40E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	3.28E-05	(mg/kg-day)	1.00E-03	(mg/kg-day)	3.3E-02					
				COPPER	1.25E+01	(mg/kg)	1.11E-04	(mg/kg-day)	NA	per (mg/kg-day)	--	2.58E-03	(mg/kg-day)	4.00E-02	(mg/kg-day)	6.5E-02					
				POLYAROMATIC HYDROCARBONS																	
				BENZO(A)ANTHRACENE	2.57E-02	(mg/kg)	6.84E-07	(mg/kg-day)	7.30E-01	per (mg/kg-day)	5.0E-07	5.32E-06	(mg/kg-day)	NA	(mg/kg-day)	--					
				BENZODIUFUORANTHENE	3.15E-02	(mg/kg)	8.37E-07	(mg/kg-day)	7.30E-01	per (mg/kg-day)	6.1E-07	6.51E-06	(mg/kg-day)	NA	(mg/kg-day)	--					
				BENZO(A)PYRENE	1.58E-02	(mg/kg)	4.21E-07	(mg/kg-day)	7.30E+00	per (mg/kg-day)	3.1E-06	3.28E-06	(mg/kg-day)	NA	(mg/kg-day)	--					
				SEMIVOLATILE ORGANIC COMPOUNDS																	
				BIS(2-ETHYLHEXYL)PHTHALATE	2.18E+00	(mg/kg)	4.83E-06	(mg/kg-day)	1.40E-02	per (mg/kg-day)	6.8E-08	1.13E-04	(mg/kg-day)	2.00E-02	(mg/kg-day)	5.6E-03					
				Exp. Route Total								5.0E-06					1.0E-01				
Exposure Point Total															1.0E-01						
Exposure Medium Total																1.0E-01					
Sediment Total																	5.0E-06				1.0E-01
Surface Water	Surface Water	Finfish	Ingestion	INORGANICS																	
				MERCURY	5.60E-02	(mg/kg)	4.97E-07	(mg/kg-day)	NA	per (mg/kg-day)	--	1.16E-05	(mg/kg-day)	1.00E-04	(mg/kg-day)	1.2E-01					
				Exp. Route Total													1.2E-01				
				Exposure Point Total													1.2E-01				
				Exposure Medium Total													1.2E-01				
Surface Water Total																	0.0E+00				1.2E-01
Total of Receptor Risks Across All Media												5.0E-06	Total of Receptor Hazards Across All Media					2.2E-01			

Note:  
\*Intakes for crab for modeled bis(2-ethylhexyl)phthalate are adjusted by 0.25 to account for wet weight as evaluated in the intake calculations.  
EPC = Exposure Point Concentration  
CSF = Cancer Slope Factor  
RfD = Reference Dose



TABLE 10-7.4  
CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT NORTHEAST/NEAR-SHORE - FIELD COLLECTED TISSUE EVALUATION

Scenario Timeframe: Current  
Receptor Population: Waterman  
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations						Non-Cancer Hazard Calculations					
					Value	Units	Intake*		Value	CSF	Units	Cancer Risk	Intake*		Value	RfD	Units	Hazard Quotient
							Value	Units					Value	Units				
Sediment	Sediment	Crabs	Ingestion	INORGANICS	1.58E-01	(mg/kg)	8.68E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	2.43E-05	(mg/kg-day)	1.00E-03	(mg/kg-day)	2.4E-02		
				CADMIUM	1.25E+01	(mg/kg)	6.85E-04	(mg/kg-day)	NA	per (mg/kg-day)	--	1.92E-03	(mg/kg-day)	4.00E-02	(mg/kg-day)	4.8E-02		
				POLYAROMATIC HYDROCARBONS														
				BENZO(A)ANTHRACENE	2.57E-02	(mg/kg)	1.41E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	1.0E-06	3.95E-06	(mg/kg-day)	NA	(mg/kg-day)	--		
				BENZO(B)FLUORANTHENE	3.15E-02	(mg/kg)	1.73E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	1.3E-06	4.83E-06	(mg/kg-day)	NA	(mg/kg-day)	--		
				BENZO(A)PYRENE	1.58E-02	(mg/kg)	8.69E-07	(mg/kg-day)	7.30E+00	per (mg/kg-day)	6.3E-06	2.43E-06	(mg/kg-day)	NA	(mg/kg-day)	--		
				SEMIVOLATILE ORGANIC COMPOUNDS														
				BIS(2-ETHYLHEXYL)PHTHALATE	2.18E+00	(mg/kg)	2.99E-05	(mg/kg-day)	1.40E-02	per (mg/kg-day)	4.2E-07	8.37E-05	(mg/kg-day)	2.00E-02	(mg/kg-day)	4.2E-03		
				Exp. Route Total							9.9E-06					7.6E-02		
	Exposure Point Total							9.9E-06					7.6E-02					
Exposure Medium Total											9.9E-06				7.6E-02			
Sediment Total																	9.9E-06	7.6E-02
Surface Water	Surface Water	Finfish	Ingestion	INORGANICS	5.60E-02	(mg/kg)	3.07E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	8.60E-06	(mg/kg-day)	1.00E-04	(mg/kg-day)	8.6E-02		
				MERCURY														
				Exp. Route Total							0.0E+00				8.6E-02			
				Exposure Point Total							0.0E+00				8.6E-02			
	Exposure Medium Total											0.0E+00			8.6E-02			
Surface Water Total																	0.0E+00	8.6E-02
Total of Receptor Risks Across All Media											9.9E-06	Total of Receptor Hazards Across All Media					1.6E-01	

Note:  
\*Intakes for crab for modeled bis(2-ethylhexyl)phthalate are adjusted by 0.25 to account for wet weight as evaluated in the intake calculations.  
EPC = Exposure Point Concentration  
CSF = Cancer Slope Factor  
RfD = Reference Dose

TABLE 10-7.5  
CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT NORTHEAST/NEAR-SHORE - UPTAKE EVALUATION

Scenario Timeframe: Current  
Receptor Population: Recreational User  
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations				
					Value	Units	Intake*		Cancer Risk	Intake*		Hazard Quotient				
							Value	Units		Value	Units		Value	Units		
Sediment	Sediment	Crabs	Ingestion	ZINC	1.01E+02	(mg/kg)	9.11E-04	(mg/kg-day)	NA	per (mg/kg-day)	--	3.19E-03	(mg/kg-day)	3.00E-01	(mg/kg-day)	1.1E-02
				POLYAROMATIC HYDROCARBONS	1.91E-01	(mg/kg)	1.72E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	1.3E-06	6.02E-06	(mg/kg-day)	NA	(mg/kg-day)	--
				BENZO(A)ANTHRACENE	7.01E-02	(mg/kg)	6.31E-07	(mg/kg-day)	7.30E-01	per (mg/kg-day)	4.6E-07	2.21E-06	(mg/kg-day)	NA	(mg/kg-day)	--
				BENZO(B)FLUORANTHENE	1.17E-01	(mg/kg)	1.05E-06	(mg/kg-day)	7.30E+00	per (mg/kg-day)	7.7E-06	3.69E-06	(mg/kg-day)	NA	(mg/kg-day)	--
				DIBENZ(A,H)ANTHRACENE	3.20E-02	(mg/kg)	2.88E-07	(mg/kg-day)	7.30E+00	per (mg/kg-day)	2.1E-06	1.01E-06	(mg/kg-day)	NA	(mg/kg-day)	--
				INDENO(1,2,3-C,D)PYRENE	7.02E-02	(mg/kg)	6.32E-07	(mg/kg-day)	7.30E-01	per (mg/kg-day)	4.6E-07	2.21E-06	(mg/kg-day)	NA	(mg/kg-day)	--
				SEMIVOLATILE ORGANIC COMPOUNDS												
				BIS(2-ETHYLHEXYL)PHTHALATE	2.18E+00	(mg/kg)	1.96E-05	(mg/kg-day)	1.40E-02	per (mg/kg-day)	2.7E-07	6.87E-05	(mg/kg-day)	2.00E-02	(mg/kg-day)	3.4E-03
				Exp. Route Total							1.2E-05					1.4E-02
				Exposure Point Total							1.2E-05					1.4E-02
	Exposure Medium Total										1.2E-05				1.4E-02	
Sediment Total											1.2E-05				1.4E-02	
Surface Water	Surface Water	Finfish	Ingestion	MERCURY	1.11E+00	(mg/kg)	9.99E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	3.50E-05	(mg/kg-day)	1.00E-04	(mg/kg-day)	3.5E-01
				POLYAROMATIC HYDROCARBONS	2.37E-01	(mg/kg)	2.13E-06	(mg/kg-day)	7.30E+00	per (mg/kg-day)	1.6E-05	7.46E-06	(mg/kg-day)	NA	(mg/kg-day)	--
				BENZO(A)PYRENE												
				Exp. Route Total							1.6E-05					3.5E-01
				Exposure Point Total							1.6E-05					3.5E-01
				Exposure Medium Total							1.6E-05					3.5E-01
Surface Water Total											1.6E-05				3.5E-01	
											2.8E-05	Total of Receptor Hazards Across All Media			3.6E-01	

Note:  
\*Intakes for modeled fish and crab concentrations are adjusted by 0.25 to account for wet weight as evaluated in the intake calculations.

EPC = Exposure Point Concentration  
CSF = Cancer Slope Factor  
RfD = Reference Dose

TABLE 10-7.6  
CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT NORTHEAST/NEAR-SHORE - UPTAKE EVALUATION

Scenario Timeframe: Current  
Receptor Population: Recreational User  
Receptor Age: Adolescent

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations						Non-Cancer Hazard Calculations				
					Value	Units	Intake*		Value	CSF		Cancer Risk	Intake*		RfD		Hazard Quotient
							Value	Units		Value	Units		Value	Units	Value	Units	
Sediment	Sediment	Crabs	Ingestion	INORGANICS	1.01E+02	(mg/kg)	5.99E-04	(mg/kg-day)	NA	per (mg/kg-day)	--	4.19E-03	(mg/kg-day)	3.00E-01	(mg/kg-day)	1.4E-02	
				POLYAROMATIC HYDROCARBONS													
				BENZO(A)ANTHRACENE	1.91E-01	(mg/kg)	3.39E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	2.5E-06	7.91E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				BENZO(B)FLUORANTHENE	7.01E-02	(mg/kg)	1.24E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	9.1E-07	2.90E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				BENZO(A)PYRENE	1.17E-01	(mg/kg)	2.08E-06	(mg/kg-day)	7.30E+00	per (mg/kg-day)	1.5E-05	4.84E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				DIBENZ(A,H)ANTHRACENE	3.20E-02	(mg/kg)	5.68E-07	(mg/kg-day)	7.30E+00	per (mg/kg-day)	4.1E-06	1.32E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				INDENO(1,2,3-C,D)PYRENE	7.02E-02	(mg/kg)	1.25E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	9.1E-07	2.91E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				SEMIVOLATILE ORGANIC COMPOUNDS													
				BIS(2-ETHYLHEXYL)PHTHALATE	2.18E+00	(mg/kg)	1.29E-05	(mg/kg-day)	1.40E-02	per (mg/kg-day)	1.8E-07	9.03E-05	(mg/kg-day)	2.00E-02	(mg/kg-day)	4.5E-03	
				Exp. Route Total													
	Exposure Point Total																
	Exposure Medium Total																
Sediment Total																	
Surface Water	Surface Water	Finfish	Ingestion	INORGANICS	1.11E+00	(mg/kg)	6.56E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	4.60E-05	(mg/kg-day)	1.00E-04	(mg/kg-day)	4.6E-01	
				POLYAROMATIC HYDROCARBONS													
				BENZO(A)PYRENE	2.37E-01	(mg/kg)	4.20E-06	(mg/kg-day)	7.30E+00	per (mg/kg-day)	3.1E-05	9.80E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				Exp. Route Total													
				Exposure Point Total													
				Exposure Medium Total													
				Surface Water Total													
Total of Receptor Risks Across All Media											5.4E-05	Total of Receptor Hazards Across All Media				4.8E-01	

Note:  
\*Intakes for modeled fish and crab concentrations are adjusted by 0.25 to account for wet weight as evaluated in the intake calculations.  
EPC = Exposure Point Concentration  
CSF = Cancer Slope Factor  
RfD = Reference Dose

TABLE 10-7.7  
CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT NORTHEAST/NEAR-SHORE - UPTAKE EVALUATION

Scenario Timeframe: Current  
Receptor Population: Recreational User  
Receptor Age: Child

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations					
					Value	Units	Intake*		Value	CSF		Cancer Risk	Intake*		Value	RID	Hazard Quotient
							Value	Units		Units	Units		Units	Units			
Sediment	Sediment	Crabs	Ingestion	INORGANICS	1.01E+02	(mg/kg)	2.24E-04	(mg/kg-day)	NA	per (mg/kg-day)	--	5.24E-03	(mg/kg-day)	3.00E-01	(mg/kg-day)	1.7E-02	
				ZINC	1.91E-01	(mg/kg)	1.27E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	9.3E-07	9.88E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				POLYAROMATIC HYDROCARBONS	7.01E-02	(mg/kg)	4.66E-07	(mg/kg-day)	7.30E-01	per (mg/kg-day)	3.4E-07	3.63E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				BENZO(A)ANTHRACENE	1.17E-01	(mg/kg)	7.78E-07	(mg/kg-day)	7.30E+00	per (mg/kg-day)	5.7E-06	6.05E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				BENZO(B)FLUORANTHENE	3.20E-02	(mg/kg)	2.13E-07	(mg/kg-day)	7.30E+00	per (mg/kg-day)	1.66E-06	1.66E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				DIBENZO(A,H)ANTHRACENE	7.02E-02	(mg/kg)	4.67E-07	(mg/kg-day)	7.30E-01	per (mg/kg-day)	3.4E-07	3.63E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				INDENO(1,2,3-C,D)PYRENE													
				SEMIVOLATILE ORGANIC COMPOUNDS													
				BIS(2-ETHYLHEXYL)PHTHALATE	2.18E+00	(mg/kg)	4.83E-06	(mg/kg-day)	1.40E-02	per (mg/kg-day)	6.8E-08	1.13E-04	(mg/kg-day)	2.00E-02	(mg/kg-day)	5.6E-03	
				Exp. Route Total								8.9E-06				2.3E-02	
Exposure Medium Total								8.9E-06				2.3E-02					
Sediment Total								8.9E-06				2.3E-02					
Surface Water	Surface Water	Finfish	Ingestion	INORGANICS	1.11E+00	(mg/kg)	2.46E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	5.74E-05	(mg/kg-day)	1.00E-04	(mg/kg-day)	5.7E-01	
				POLYAROMATIC HYDROCARBONS	2.37E-01	(mg/kg)	1.58E-06	(mg/kg-day)	7.30E+00	per (mg/kg-day)	1.1E-05	1.23E-05	(mg/kg-day)	NA	(mg/kg-day)	--	
				MERCURY													
				BENZO(A)PYRENE													
				Exp. Route Total							1.1E-05				5.7E-01		
Exposure Medium Total								1.1E-05				5.7E-01					
Surface Water Total								1.1E-05				5.7E-01					
Total of Receptor Risks Across All Media											2.0E-05	Total of Receptor Hazards Across All Media					6.0E-01

Note:  
\*Intakes for modeled fish and crab concentrations are adjusted by 0.25 to account for wet weight as evaluated in the intake calculations.  
EPC = Exposure Point Concentration  
CSF = Cancer Slope Factor  
RID = Reference Dose

TABLE 10-7.8  
CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT NORTHEAST/NEAR-SHORE - UPTAKE EVALUATION

Scenario Timeframe: Current  
Receptor Population: Waterman  
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC		Cancer Risk Calculations					Non-Cancer Hazard Calculations					
					Value	Units	Intake*		CSF		Cancer Risk	Intake*		RfD		Hazard Quotient	
							Value	Units	Value	Units		Value	Units	Value	Units		
Sediment	Sediment	Crabs	Ingestion	INORGANICS													
				ZINC	1.01E+02	(mg/kg)	1.39E-03	(mg/kg-day)	NA	per (mg/kg-day)	--	3.89E-03	(mg/kg-day)	3.00E-01	(mg/kg-day)	1.3E-02	
				POLYAROMATIC HYDROCARBONS													
				BENZO(A)ANTHRACENE	1.91E-01	(mg/kg)	2.62E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	1.9E-06	7.33E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				BENZO(B)FLUORANTHENE	7.01E-02	(mg/kg)	9.61E-07	(mg/kg-day)	7.30E-01	per (mg/kg-day)	7.0E-07	2.69E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				BENZO(A)PYRENE	1.17E-01	(mg/kg)	1.60E-06	(mg/kg-day)	7.30E+00	per (mg/kg-day)	1.2E-05	4.49E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				DIBENZ(A,H)ANTHRACENE	3.20E-02	(mg/kg)	4.39E-07	(mg/kg-day)	7.30E+00	per (mg/kg-day)	3.2E-06	1.23E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				INDENO(1,2,3-C,D)PYRENE	7.02E-02	(mg/kg)	9.63E-07	(mg/kg-day)	7.30E-01	per (mg/kg-day)	7.0E-07	2.70E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				SEMIVOLATILE ORGANIC COMPOUNDS													
				BIS(2-ETHYLHEXYL)PHTHALATE	2.18E+00	(mg/kg)	2.99E-05	(mg/kg-day)	1.40E-02	per (mg/kg-day)	4.2E-07	8.37E-05	(mg/kg-day)	2.00E-02	(mg/kg-day)	4.2E-03	
			Exp. Route Total								1.9E-05					1.7E-02	
			Exposure Point Total								1.9E-05					1.7E-02	
			Exposure Medium Total								1.9E-05					1.7E-02	
			Sediment Total								1.9E-05					1.7E-02	
	Surface Water	Finfish	Ingestion	INORGANICS													
				MERCURY	1.11E+00	(mg/kg)	1.52E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	4.26E-05	(mg/kg-day)	1.00E-04	(mg/kg-day)	4.3E-01	
				POLYAROMATIC HYDROCARBONS													
				BENZO(A)PYRENE	2.37E-01	(mg/kg)	3.25E-06	(mg/kg-day)	7.30E+00	per (mg/kg-day)	2.4E-05	9.09E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
			Exp. Route Total								2.4E-05					4.3E-01	
			Exposure Point Total								2.4E-05					4.3E-01	
			Exposure Medium Total								2.4E-05					4.3E-01	
			Surface Water Total								2.4E-05					4.3E-01	
											4.2E-05					4.4E-01	
											Total of Receptor Hazards Across All Media						4.4E-01

Note:  
\*Intakes for modeled fish and crab concentrations are adjusted by 0.25 to account for wet weight as evaluated in the intake calculations.  
EPC = Exposure Point Concentration  
CSF = Cancer Slope Factor  
RfD = Reference Dose

TABLE 10-7.9  
CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - FIELD COLLECTED TISSUE EVALUATION

Scenario Timeframe: Current  
Receptor Population: Recreational User  
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC*		Cancer Risk Calculations					Non-Cancer Hazard Calculations					Hazard Quotient
					Value	Units	Intake*		CSF		Cancer Risk	Intake*		RfD			
							Value	Units	Value	Units		Value	Units	Value	Units		
Sediment	Sediment	Sparrows Point	Dermal	INORGANICS	6.01E+01	(mg/kg)	2.02E-08	(mg/kg-day)	1.50E+00	per (mg/kg-day)	3.0E-08	7.07E-08	(mg/kg-day)	3.00E-04	(mg/kg-day)	2.4E-04	
				POLYAROMATIC HYDROCARBONS													
				BENZO(A)PYRENE	2.32E+00	(mg/kg)	3.38E-09	(mg/kg-day)	7.30E+00	per (mg/kg-day)	2.5E-08	1.18E-08	(mg/kg-day)	NA	(mg/kg-day)	--	
		Exp. Route Total								5.5E-08					2.4E-04		
		Exposure Point Total								5.5E-08					2.4E-04		
		Crabs	Ingestion	INORGANICS	1.29E-01	(mg/kg)	4.64E-06	(mg/kg-day)	1.50E+00	per (mg/kg-day)	7.0E-06	1.63E-05	(mg/kg-day)	3.00E-04	(mg/kg-day)	5.4E-02	
				CADMIUM	1.58E-01	(mg/kg)	5.69E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	1.99E-05	(mg/kg-day)	1.00E-03	(mg/kg-day)	2.0E-02	
				COBALT	1.38E-01	(mg/kg)	4.97E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	1.74E-05	(mg/kg-day)	3.00E-04	(mg/kg-day)	5.8E-02	
				COPPER	1.25E+01	(mg/kg)	4.50E-04	(mg/kg-day)	NA	per (mg/kg-day)	--	1.58E-03	(mg/kg-day)	4.00E-02	(mg/kg-day)	3.9E-02	
				SELENIUM	1.07E+00	(mg/kg)	3.85E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	1.35E-04	(mg/kg-day)	5.00E-03	(mg/kg-day)	2.7E-02	
				POLYAROMATIC HYDROCARBONS													
				BENZO(A)ANTHRACENE	2.57E-02	(mg/kg)	9.25E-07	(mg/kg-day)	7.30E-01	per (mg/kg-day)	6.8E-07	3.24E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				BENZO(B)FLUORANTHENE	3.15E-02	(mg/kg)	1.13E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	8.3E-07	3.97E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				BENZO(A)PYRENE	1.58E-02	(mg/kg)	5.69E-07	(mg/kg-day)	7.30E+00	per (mg/kg-day)	4.2E-06	1.99E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				POLYCHLORINATED BIPHENYLS													
TOTAL PCB's	2.10E-01			(mg/kg)	7.56E-06	(mg/kg-day)	2.00E+00	per (mg/kg-day)	1.5E-05	2.65E-05	(mg/kg-day)	NA	(mg/kg-day)	--			
SEMIVOLATILE ORGANIC COMPOUNDS																	
BIS(2-ETHYLHEXYL)PHTHALATE	7.38E+01	(mg/kg)	6.64E-04	(mg/kg-day)	1.40E-02	per (mg/kg-day)	9.3E-06	2.33E-03	(mg/kg-day)	2.00E-02	(mg/kg-day)	1.2E-01					
Exp. Route Total									3.7E-05					3.1E-01			
Exposure Point Total									3.7E-05					3.1E-01			
Exposure Medium Total									3.7E-05					3.1E-01			
Exposure Point Total									3.7E-05					3.1E-01			
Exposure Medium Total									3.7E-05					3.1E-01			
Sediment Total																	
Surface Water	Surface Water	Finfish	Ingestion	INORGANICS	4.99E-02	(mg/kg)	1.80E-06	(mg/kg-day)	1.50E+00	per (mg/kg-day)	2.7E-06	6.29E-06	(mg/kg-day)	3.00E-04	(mg/kg-day)	2.1E-02	
				MERCURY	5.60E-02	(mg/kg)	2.02E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	7.06E-06	(mg/kg-day)	1.00E-04	(mg/kg-day)	7.1E-02	
				SELENIUM	9.70E-01	(mg/kg)	3.49E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	1.22E-04	(mg/kg-day)	5.00E-03	(mg/kg-day)	2.4E-02	
		POLYCHLORINATED BIPHENYLS															
		TOTAL PCB's	2.12E-01	(mg/kg)	7.63E-06	(mg/kg-day)	2.00E+00	per (mg/kg-day)	1.5E-05	2.67E-05	(mg/kg-day)	NA	(mg/kg-day)	--			
		Exp. Route Total									1.8E-05					1.2E-01	
		Exposure Point Total									1.8E-05					1.2E-01	
		Exposure Medium Total									1.8E-05					1.2E-01	
		Exposure Point Total									1.8E-05					1.2E-01	
		Exposure Medium Total									1.8E-05					1.2E-01	
Surface Water Total																	
Total of Receptor Risks Across All Media										5.5E-05	Total of Receptor Hazards Across All Media					4.3E-01	

Note:  
Arsenic in crab and finfish is adjusted by 0.104 (10.4%) to account for the upper bound of expected inorganic arsenic in fish and crab.  
\*Intakes for modeled crab concentrations for bis(2-ethylhexyl)phthalate are adjusted by 0.25 to account for wet weight as evaluated in the intake calculations.  
EPC = Exposure Point Concentration  
CSF = Cancer Slope Factor  
RfD = Reference Dose

TABLE 10-7.10  
CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - FIELD COLLECTED TISSUE EVALUATION

Scenario Timeframe: Current  
Receptor Population: Recreational User  
Receptor Age: Adolescent

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC*		Cancer Risk Calculations					Non-Cancer Hazard Calculations					Hazard Quotient
					Value	Units	Intake*		Value	CSF		Cancer Risk	Intake*		RfD		
							Value	Units		Value	Units		Value	Units	Value	Units	
Sediment	Sediment	Sparrows Point	Dermal	INORGANICS	6.01E+01	(mg/kg)	3.61E-08	(mg/kg-day)	1.50E+00	per (mg/kg-day)	5.4E-08	2.53E-07	(mg/kg-day)	3.00E-04	(mg/kg-day)	8.4E-04	
				ARSENIC													
				POLYAROMATIC HYDROCARBONS													
				BENZO(A)PYRENE	2.32E+00	(mg/kg)	1.81E-08	(mg/kg-day)	7.30E+00	per (mg/kg-day)	1.3E-07	4.23E-08	(mg/kg-day)	NA	(mg/kg-day)	--	
		Exp. Route Total								1.9E-07					8.4E-04		
		Exposure Point Total								1.9E-07					8.4E-04		
		Crabs	Ingestion	INORGANICS													
				ARSENIC	1.29E-01	(mg/kg)	3.05E-06	(mg/kg-day)	1.50E+00	per (mg/kg-day)	4.6E-06	2.14E-05	(mg/kg-day)	3.00E-04	(mg/kg-day)	7.1E-02	
				CADMIUM	1.58E-01	(mg/kg)	3.74E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	2.62E-05	(mg/kg-day)	1.00E-03	(mg/kg-day)	2.6E-02	
				COBALT	1.38E-01	(mg/kg)	3.26E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	2.29E-05	(mg/kg-day)	3.00E-04	(mg/kg-day)	7.6E-02	
				COPPER	1.25E+01	(mg/kg)	2.96E-04	(mg/kg-day)	NA	per (mg/kg-day)	--	2.07E-03	(mg/kg-day)	4.00E-02	(mg/kg-day)	5.2E-02	
				SELENIUM	1.07E+00	(mg/kg)	2.53E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	1.77E-04	(mg/kg-day)	5.00E-03	(mg/kg-day)	3.5E-02	
				POLYAROMATIC HYDROCARBONS													
				BENZO(A)ANTHRACENE	2.57E-02	(mg/kg)	1.82E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	1.3E-06	4.26E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				BENZO(B)FLUORANTHENE	3.15E-02	(mg/kg)	2.24E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	1.6E-06	5.22E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				BENZO(A)PYRENE	1.58E-02	(mg/kg)	1.12E-06	(mg/kg-day)	7.30E+00	per (mg/kg-day)	8.2E-06	2.62E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				POLYCHLORINATED BIPHENYLS													
				TOTAL PCB's	2.10E-01	(mg/kg)	4.97E-06	(mg/kg-day)	2.00E+00	per (mg/kg-day)	9.9E-06	3.48E-05	(mg/kg-day)	NA	(mg/kg-day)	--	
				SEMIVOLATILE ORGANIC COMPOUNDS													
				BIS(2-ETHYLHEXYL)PHTHALATE	7.38E+01	(mg/kg)	4.36E-04	(mg/kg-day)	1.40E-02	per (mg/kg-day)	6.1E-06	3.06E-03	(mg/kg-day)	2.00E-02	(mg/kg-day)	1.5E-01	
Exp. Route Total								3.2E-05					4.1E-01				
Exposure Point Total								3.2E-05					4.1E-01				
Exposure Medium Total								3.2E-05					4.1E-01				
Sediment Total								3.2E-05					4.1E-01				
Surface Water	Surface Water	Finfish	Ingestion	INORGANICS													
				ARSENIC	4.99E-02	(mg/kg)	1.18E-06	(mg/kg-day)	1.50E+00	per (mg/kg-day)	1.8E-06	8.27E-06	(mg/kg-day)	3.00E-04	(mg/kg-day)	2.8E-02	
				MERCURY	5.60E-02	(mg/kg)	1.32E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	9.27E-06	(mg/kg-day)	1.00E-04	(mg/kg-day)	9.3E-02	
				SELENIUM	9.70E-01	(mg/kg)	2.29E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	1.61E-04	(mg/kg-day)	5.00E-03	(mg/kg-day)	3.2E-02	
				POLYCHLORINATED BIPHENYLS													
				TOTAL PCB's	2.12E-01	(mg/kg)	5.02E-06	(mg/kg-day)	2.00E+00	per (mg/kg-day)	1.0E-05	3.51E-05	(mg/kg-day)	NA	(mg/kg-day)	--	
Exp. Route Total								1.2E-05					1.5E-01				
Exposure Point Total								1.2E-05					1.5E-01				
Exposure Medium Total								1.2E-05					1.5E-01				
Surface Water Total								1.2E-05					1.5E-01				
Total of Receptor Risks Across All Media											4.4E-05	Total of Receptor Hazards Across All Media				5.7E-01	

Note:  
Arsenic in crab and finfish is adjusted by 0.104 (10.4%) to account for the upper bound of expected inorganic arsenic in fish and crab.  
\*Intakes for modeled crab concentrations for bis(2-ethylhexyl)phthalate are adjusted by 0.25 to account for wet weight as evaluated in the intake calculations.  
EPC = Exposure Point Concentration  
CSF = Cancer Slope Factor  
RfD = Reference Dose

TABLE 10-7.11  
CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - FIELD COLLECTED TISSUE EVALUATION

Scenario Timeframe: Current  
Receptor Population: Recreational User  
Receptor Age: Child

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC*		Cancer Risk Calculations						Non-Cancer Hazard Calculations						Hazard Quotient
					Value	Units	Intake*		Value	CSF	Units	Cancer Risk	Intake*		RfD				
							Value	Units					Value	Units	Value	Units	Value	Units	
Sediment	Sediment	Crabs	Ingestion	INORGANICS															
				ARSENIC	1.29E-01	(mg/kg)	1.14E-06	(mg/kg-day)	1.50E+00	per (mg/kg-day)	1.7E-06	2.67E-05	(mg/kg-day)	3.00E-04	(mg/kg-day)	8.9E-02			
				CADMIUM	1.58E-01	(mg/kg)	1.40E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	3.27E-05	(mg/kg-day)	1.00E-03	(mg/kg-day)	3.3E-02			
				COBALT	1.38E-01	(mg/kg)	1.22E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	2.86E-05	(mg/kg-day)	3.00E-04	(mg/kg-day)	9.5E-02			
				COPPER	1.25E+01	(mg/kg)	1.11E-04	(mg/kg-day)	NA	per (mg/kg-day)	--	2.59E-03	(mg/kg-day)	4.00E-02	(mg/kg-day)	6.5E-02			
				SELENIUM	1.07E+00	(mg/kg)	9.49E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	2.21E-04	(mg/kg-day)	5.00E-03	(mg/kg-day)	4.4E-02			
				POLYAROMATIC HYDROCARBONS															
				BENZO(A)ANTHRACENE	2.57E-02	(mg/kg)	6.84E-07	(mg/kg-day)	7.30E-01	per (mg/kg-day)	5.0E-07	5.32E-06	(mg/kg-day)	NA	(mg/kg-day)	--			
				BENZO(B)FLUORANTHENE	3.15E-02	(mg/kg)	8.38E-07	(mg/kg-day)	7.30E-01	per (mg/kg-day)	6.1E-07	6.52E-06	(mg/kg-day)	NA	(mg/kg-day)	--			
				BENZO(A)PYRENE	1.58E-02	(mg/kg)	4.21E-07	(mg/kg-day)	7.30E+00	per (mg/kg-day)	3.1E-06	3.27E-06	(mg/kg-day)	NA	(mg/kg-day)	--			
				POLYCHLORINATED BIPHENYLS															
				TOTAL PCB's	2.10E-01	(mg/kg)	1.86E-06	(mg/kg-day)	2.00E+00	per (mg/kg-day)	3.7E-06	4.35E-05	(mg/kg-day)	NA	(mg/kg-day)	--			
				SEMIVOLATILE ORGANIC COMPOUNDS															
				BIS(2-ETHYLHEXYL)PHTHALATE	7.38E+01	(mg/kg)	1.64E-04	(mg/kg-day)	1.40E-02	per (mg/kg-day)	2.3E-06	3.82E-03	(mg/kg-day)	2.00E-02	(mg/kg-day)	1.9E-01			
		Exp. Route Total								1.2E-05						5.2E-01			
		Exposure Point Total									1.2E-05					5.2E-01			
		Exposure Medium Total									1.2E-05					5.2E-01			
											1.2E-05					5.2E-01			
Sediment Total											1.2E-05					5.2E-01			
Surface Water	Surface Water	Finfish	Ingestion	INORGANICS															
				ARSENIC	4.99E-02	(mg/kg)	4.43E-07	(mg/kg-day)	1.50E+00	per (mg/kg-day)	6.6E-07	1.03E-05	(mg/kg-day)	3.00E-04	(mg/kg-day)	3.4E-02			
				MERCURY	5.60E-02	(mg/kg)	4.97E-07	(mg/kg-day)	NA	per (mg/kg-day)	--	1.16E-05	(mg/kg-day)	1.00E-04	(mg/kg-day)	1.2E-01			
				SELENIUM	9.70E-01	(mg/kg)	8.61E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	2.01E-04	(mg/kg-day)	5.00E-03	(mg/kg-day)	4.0E-02			
				POLYCHLORINATED BIPHENYLS															
				TOTAL PCB's	2.12E-01	(mg/kg)	1.88E-06	(mg/kg-day)	2.00E+00	per (mg/kg-day)	3.8E-06	4.39E-05	(mg/kg-day)	NA	(mg/kg-day)	--			
		Exp. Route Total								4.4E-06					1.9E-01				
		Exposure Point Total									4.4E-06					1.9E-01			
		Exposure Medium Total									4.4E-06					1.9E-01			
											4.4E-06					1.9E-01			
Surface Water Total											4.4E-06					1.9E-01			
Total of Receptor Risks Across All Media													1.6E-05	Total of Receptor Hazards Across All Media				7.1E-01	

Note:  
Arsenic in crab and finfish is adjusted by 0.104 (10.4%) to account for the upper bound of expected inorganic arsenic in fish and crab.  
\*Intakes for modeled crab concentrations for bis(2-ethylhexyl)phthalate are adjusted by 0.25 to account for wet weight as evaluated in the intake calculations.  
EPC = Exposure Point Concentration  
CSF = Cancer Slope Factor  
RfD = Reference Dose



TABLE 10-7.12  
CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - FIELD COLLECTED TISSUE EVALUATION

Scenario Timeframe: Current  
Receptor Population: Waterman  
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC*		Cancer Risk Calculations					Cancer Risk	Non-Cancer Hazard Calculations					Hazard Quotient
					Value	Units	Intake*		Value	CSF			Intake*		RfD			
							Value	Units		Value	Units		Value	Units	Value	Units		
Sediment	Sediment	Sparrows Point	Dermal	INORGANICS	6.01E+01	(mg/kg)	6.52E-07	(mg/kg-day)	1.50E+00	per (mg/kg-day)	9.8E-07	1.83E-06	(mg/kg-day)	3.00E-04	(mg/kg-day)	6.1E-03		
				POLYAROMATIC HYDROCARBONS BENZO(A)PYRENE	2.32E+00	(mg/kg)	1.09E-07	(mg/kg-day)	7.30E+00	per (mg/kg-day)	8.0E-07	3.06E-07	(mg/kg-day)	NA	(mg/kg-day)	--		
		Exp. Route Total														6.1E-03		
		Exposure Point Total														6.1E-03		
		Crabs	Ingestion	INORGANICS	1.29E-01	(mg/kg)	7.07E-06	(mg/kg-day)	1.50E+00	per (mg/kg-day)	1.1E-05	1.98E-05	(mg/kg-day)	3.00E-04	(mg/kg-day)	6.6E-02		
				CADMIUM	1.58E-01	(mg/kg)	8.67E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	2.43E-05	(mg/kg-day)	1.00E-03	(mg/kg-day)	2.4E-02		
				COBALT	1.38E-01	(mg/kg)	7.57E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	2.12E-05	(mg/kg-day)	3.00E-04	(mg/kg-day)	7.1E-02		
				COPPER	1.25E+01	(mg/kg)	6.86E-04	(mg/kg-day)	NA	per (mg/kg-day)	--	1.92E-03	(mg/kg-day)	4.00E-02	(mg/kg-day)	4.8E-02		
				SELENIUM	1.07E+00	(mg/kg)	5.87E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	1.64E-04	(mg/kg-day)	5.00E-03	(mg/kg-day)	3.3E-02		
				POLYAROMATIC HYDROCARBONS BENZO(A)ANTHRACENE	2.57E-02	(mg/kg)	1.41E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	1.0E-06	3.95E-06	(mg/kg-day)	NA	(mg/kg-day)	--		
				BENZO(B)FLUORANTHENE	3.15E-02	(mg/kg)	1.73E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	1.3E-06	4.84E-06	(mg/kg-day)	NA	(mg/kg-day)	--		
				BENZO(A)PYRENE	1.58E-02	(mg/kg)	8.67E-07	(mg/kg-day)	7.30E+00	per (mg/kg-day)	6.3E-06	2.43E-06	(mg/kg-day)	NA	(mg/kg-day)	--		
				POLYCHLORINATED BIPHENYLS TOTAL PCB'S	2.10E-01	(mg/kg)	1.15E-05	(mg/kg-day)	2.00E+00	per (mg/kg-day)	2.3E-05	3.23E-05	(mg/kg-day)	NA	(mg/kg-day)	--		
				SEMIVOLATILE ORGANIC COMPOUNDS BIS(2-ETHYLHEXYL)PHTHALATE	7.38E+01	(mg/kg)	1.01E-03	(mg/kg-day)	1.40E-02	per (mg/kg-day)	1.4E-05	2.83E-03	(mg/kg-day)	2.00E-02	(mg/kg-day)	1.4E-01		
				Exp. Route Total														3.8E-01
				Exposure Point Total														3.8E-01
Exposure Medium Total																3.9E-01		
Exposure Point Total																3.9E-01		
Exposure Medium Total														3.9E-01				
Sediment Total																		
Surface Water	Surface Water	Finfish	Ingestion	INORGANICS	4.99E-02	(mg/kg)	2.74E-06	(mg/kg-day)	1.50E+00	per (mg/kg-day)	4.1E-06	7.67E-06	(mg/kg-day)	3.00E-04	(mg/kg-day)	2.6E-02		
				MERCURY	5.60E-02	(mg/kg)	3.07E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	8.60E-06	(mg/kg-day)	1.00E-04	(mg/kg-day)	8.6E-02		
				SELENIUM	9.70E-01	(mg/kg)	5.32E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	1.49E-04	(mg/kg-day)	5.00E-03	(mg/kg-day)	3.0E-02		
				POLYCHLORINATED BIPHENYLS TOTAL PCB'S	2.12E-01	(mg/kg)	1.16E-05	(mg/kg-day)	2.00E+00	per (mg/kg-day)	2.3E-05	3.26E-05	(mg/kg-day)	NA	(mg/kg-day)	--		
		Exp. Route Total														1.4E-01		
		Exposure Point Total														1.4E-01		
Exposure Medium Total														1.4E-01				
Surface Water Total																		
Total of Receptor Risks Across All Media											8.6E-05	Total of Receptor Hazards Across All Media					5.3E-01	

Note:  
Arsenic in crab and finfish is adjusted by 0.104 (10.4%) to account for the upper bound of expected inorganic arsenic in fish and crab.  
\*Intakes for modeled crab concentrations for bis(2-ethylhexyl)phthalate are adjusted by 0.25 to account for wet weight as evaluated in the intake calculations.  
EPC = Exposure Point Concentration  
CSF = Cancer Slope Factor  
RfD = Reference Dose

TABLE 10-7.13  
CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - UPTAKE EVALUATION

Scenario Timeframe: Current  
Receptor Population: Recreational User  
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC*		Cancer Risk Calculations					Cancer Risk	Non-Cancer Hazard Calculations				
					Value	Units	Intake*		CSF		Intake*		RfD		Hazard Quotient		
							Value	Units	Value	Units	Value		Units	Value		Units	
Sediment	Sediment	Sparrows Point	Dermal <sup>1</sup>	INORGANICS	6.01E+01	(mg/kg)	2.02E-08	(mg/kg-day)	1.50E+00	per (mg/kg-day)	3.0E-08	7.07E-08	(mg/kg-day)	3.00E-04	(mg/kg-day)	2.4E-04	
				POLYAROMATIC HYDROCARBONS													
		BENZO(A)PYRENE	2.32E+00	(mg/kg)	3.38E-09	(mg/kg-day)	7.30E+00	per (mg/kg-day)	2.5E-08	1.18E-08	(mg/kg-day)	NA	(mg/kg-day)	--			
		Exp. Route Total								5.5E-08					2.4E-04		
		Exposure Point Total								5.5E-08					2.4E-04		
		Crabs	Ingestion	INORGANICS													
				ANTIMONY	7.09E-01	(mg/kg)	6.38E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	2.23E-05	(mg/kg-day)	4.00E-04	(mg/kg-day)	5.6E-02	
				ARSENIC	1.08E+00	(mg/kg)	9.74E-06	(mg/kg-day)	1.50E+00	per (mg/kg-day)	1.5E-05	3.41E-05	(mg/kg-day)	3.00E-04	(mg/kg-day)	1.1E-01	
				BERYLLIUM	3.47E+00	(mg/kg)	3.13E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	1.09E-04	(mg/kg-day)	2.00E-03	(mg/kg-day)	5.5E-02	
				CADMIUM	9.43E-01	(mg/kg)	8.49E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	2.97E-05	(mg/kg-day)	1.00E-03	(mg/kg-day)	3.0E-02	
				COPPER	9.98E+00	(mg/kg)	8.98E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	3.14E-04	(mg/kg-day)	4.00E-02	(mg/kg-day)	7.9E-03	
				MERCURY	4.74E-02	(mg/kg)	4.27E-07	(mg/kg-day)	NA	per (mg/kg-day)	--	1.49E-06	(mg/kg-day)	2.00E-02	(mg/kg-day)	7.5E-05	
				NICKEL	5.06E+00	(mg/kg)	4.55E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	1.59E-04	(mg/kg-day)	5.00E-03	(mg/kg-day)	3.2E-02	
				SELENIUM	1.85E+00	(mg/kg)	1.67E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	5.83E-05	(mg/kg-day)	5.00E-03	(mg/kg-day)	1.2E-02	
				ZINC	6.53E+02	(mg/kg)	5.88E-03	(mg/kg-day)	NA	per (mg/kg-day)	--	2.06E-02	(mg/kg-day)	3.00E-01	(mg/kg-day)	6.9E-02	
				POLYAROMATIC HYDROCARBONS													
				BENZO(A)ANTHRACENE	1.51E+00	(mg/kg)	1.36E-05	(mg/kg-day)	7.30E-01	per (mg/kg-day)	9.9E-06	4.76E-05	(mg/kg-day)	NA	(mg/kg-day)	--	
				BENZO(B)FLUORANTHENE	4.35E-01	(mg/kg)	3.92E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	2.9E-06	1.37E-05	(mg/kg-day)	NA	(mg/kg-day)	--	
				BENZO(K)FLUORANTHENE	2.25E-01	(mg/kg)	2.03E-06	(mg/kg-day)	7.30E-02	per (mg/kg-day)	1.5E-07	7.10E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				BENZO(A)PYRENE	6.79E-01	(mg/kg)	6.11E-06	(mg/kg-day)	7.30E+00	per (mg/kg-day)	4.5E-05	2.14E-05	(mg/kg-day)	NA	(mg/kg-day)	--	
CHRYSENE	1.50E+00			(mg/kg)	1.35E-05	(mg/kg-day)	7.30E-03	per (mg/kg-day)	9.9E-08	4.73E-05	(mg/kg-day)	NA	(mg/kg-day)	--			
DIBENZO(A,H)ANTHRACENE	3.26E-01			(mg/kg)	2.93E-06	(mg/kg-day)	7.30E+00	per (mg/kg-day)	2.1E-05	1.03E-05	(mg/kg-day)	NA	(mg/kg-day)	--			
FLUORANTHENE	8.39E+00			(mg/kg)	7.55E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	2.64E-04	(mg/kg-day)	4.00E-02	(mg/kg-day)	6.6E-03			
INDENO(1,2,3-C,D)PYRENE	3.62E-01	(mg/kg)	3.26E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	2.4E-06	1.14E-05	(mg/kg-day)	NA	(mg/kg-day)	--					
PYRENE	6.52E+00	(mg/kg)	5.87E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	2.05E-04	(mg/kg-day)	3.00E-02	(mg/kg-day)	6.8E-03					
POLYCHLORINATED BIPHENYLS																	
AROCLOL-1248	5.05E+01	(mg/kg)	4.55E-04	(mg/kg-day)	2.00E+00	per (mg/kg-day)	9.1E-04	1.59E-03	(mg/kg-day)	NA	(mg/kg-day)	--					
AROCLOL-1254	1.75E+01	(mg/kg)	1.58E-04	(mg/kg-day)	2.00E+00	per (mg/kg-day)	3.2E-04	5.51E-04	(mg/kg-day)	2.00E-05	(mg/kg-day)	2.8E+01					
AROCLOL-1260	9.27E+00	(mg/kg)	8.34E-05	(mg/kg-day)	2.00E+00	per (mg/kg-day)	1.7E-04	2.92E-04	(mg/kg-day)	NA	(mg/kg-day)	--					
SEMIVOLATILE ORGANIC COMPOUNDS																	
BIS(2-ETHYLHEXYL)PHTHALATE	7.38E+01	(mg/kg)	6.64E-04	(mg/kg-day)	1.40E-02	per (mg/kg-day)	9.3E-06	2.33E-03	(mg/kg-day)	2.00E-02	(mg/kg-day)	1.2E-01					
Exp. Route Total									1.5E-03					2.8E+01			
Exposure Point Total									1.5E-03					2.8E+01			
Exposure Medium Total									1.5E-03					2.8E+01			
Sediment Total									1.5E-03					2.8E+01			
Surface Water	Surface Water	Finfish	Ingestion	INORGANICS	8.54E-04	(mg/kg)	7.69E-09	(mg/kg-day)	1.50E+00	per (mg/kg-day)	1.2E-08	2.69E-08	(mg/kg-day)	3.00E-04	(mg/kg-day)	9.0E-05	
				MERCURY	8.19E-01	(mg/kg)	7.37E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	2.58E-05	(mg/kg-day)	1.00E-04	(mg/kg-day)	2.6E-01	
		POLYAROMATIC HYDROCARBONS															
		BENZO(A)PYRENE	1.74E-01	(mg/kg)	1.57E-06	(mg/kg-day)	7.30E+00	per (mg/kg-day)	1.1E-05	5.48E-06	(mg/kg-day)	NA	(mg/kg-day)	--			
		Exp. Route Total									1.1E-05				2.6E-01		
		Exposure Point Total									1.1E-05				2.6E-01		
Exposure Medium Total									1.1E-05				2.6E-01				
Surface Water Total									1.1E-05				2.6E-01				
					Total of Receptor Risks Across All Media					1.5E-03	Total of Receptor Hazards Across All Media					2.8E+01	

Note:  
Arsenic in crab and finfish is adjusted by 0.104 (10.4%) to account for the upper bound of expected inorganic arsenic in fish and crab.  
\*Intakes for modeled fish and crab concentrations are adjusted by 0.25 to account for wet weight as evaluated in the intake calculations.  
EPC = Exposure Point Concentration  
CSF = Cancer Slope Factor  
RfD = Reference Dose

TABLE 10-7.14  
CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - UPTAKE EVALUATION

Scenario Timeframe: Current  
Receptor Population: Recreational User  
Receptor Age: Adolescent

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC*		Cancer Risk Calculations						Non-Cancer Hazard Calculations						Hazard Quotient
					Value	Units	Intake*		CSF		Cancer Risk	Intake*		RfD					
							Value	Units	Value	Units		Value	Units	Value	Units				
Sediment	Sediment	Sparrows Point	Dermal	INORGANICS	6.01E+01	(mg/kg)	3.61E-08	(mg/kg-day)	1.50E+00	per (mg/kg-day)	5.4E-08	2.53E-07	(mg/kg-day)	3.00E-04	(mg/kg-day)	8.4E-04			
				ARSENIC															
				POLYAROMATIC HYDROCARBONS															
			BENZO(A)PYRENE	2.32E+00	(mg/kg)	1.81E-08	(mg/kg-day)	7.30E+00	per (mg/kg-day)	1.3E-07	4.23E-08	(mg/kg-day)	NA	(mg/kg-day)	--				
			Exp. Route Total							1.9E-07					8.4E-04				
			Exposure Point Total							1.9E-07					8.4E-04				
			Crabs	Ingestion	INORGANICS														
					ANTIMONY	7.09E-01	(mg/kg)	4.19E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	2.94E-05	(mg/kg-day)	4.00E-04	(mg/kg-day)	7.3E-02		
					ARSENIC	1.08E+00	(mg/kg)	6.40E-06	(mg/kg-day)	1.50E+00	per (mg/kg-day)	9.6E-06	4.48E-05	(mg/kg-day)	3.00E-04	(mg/kg-day)	1.5E-01		
					BERYLLIUM	3.47E+00	(mg/kg)	2.05E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	1.44E-04	(mg/kg-day)	2.00E-03	(mg/kg-day)	7.2E-02		
					CADMIUM	9.43E-01	(mg/kg)	5.58E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	3.90E-05	(mg/kg-day)	1.00E-03	(mg/kg-day)	3.9E-02		
					COPPER	9.98E+00	(mg/kg)	5.90E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	4.13E-04	(mg/kg-day)	4.00E-02	(mg/kg-day)	1.0E-02		
					MERCURY	4.74E-02	(mg/kg)	2.80E-07	(mg/kg-day)	NA	per (mg/kg-day)	--	1.96E-06	(mg/kg-day)	2.00E-02	(mg/kg-day)	9.8E-05		
					NICKEL	5.06E+00	(mg/kg)	2.99E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	2.09E-04	(mg/kg-day)	5.00E-03	(mg/kg-day)	4.2E-02		
					SELENIUM	1.85E+00	(mg/kg)	1.09E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	7.66E-05	(mg/kg-day)	5.00E-03	(mg/kg-day)	1.5E-02		
					ZINC	6.53E+02	(mg/kg)	3.86E-03	(mg/kg-day)	NA	per (mg/kg-day)	--	2.70E-02	(mg/kg-day)	3.00E-01	(mg/kg-day)	9.0E-02		
					POLYAROMATIC HYDROCARBONS														
					BENZO(A)ANTHRACENE	1.51E+00	(mg/kg)	2.68E-05	(mg/kg-day)	7.30E-01	per (mg/kg-day)	2.0E-05	6.25E-05	(mg/kg-day)	NA	(mg/kg-day)	--		
					BENZO(B)FLUORANTHENE	4.35E-01	(mg/kg)	7.72E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	5.6E-06	1.80E-05	(mg/kg-day)	NA	(mg/kg-day)	--		
					BENZO(K)FLUORANTHENE	2.25E-01	(mg/kg)	4.00E-06	(mg/kg-day)	7.30E-02	per (mg/kg-day)	2.9E-07	9.33E-06	(mg/kg-day)	NA	(mg/kg-day)	--		
					BENZO(A)PYRENE	6.79E-01	(mg/kg)	1.20E-05	(mg/kg-day)	7.30E+00	per (mg/kg-day)	8.8E-05	2.81E-05	(mg/kg-day)	NA	(mg/kg-day)	--		
					CHRYSENE	1.50E+00	(mg/kg)	2.66E-05	(mg/kg-day)	7.30E-03	per (mg/kg-day)	1.9E-07	6.21E-05	(mg/kg-day)	NA	(mg/kg-day)	--		
					DIBENZ(A,H)ANTHRACENE	3.26E-01	(mg/kg)	5.78E-06	(mg/kg-day)	7.30E+00	per (mg/kg-day)	4.2E-05	1.35E-05	(mg/kg-day)	NA	(mg/kg-day)	--		
					FLUORANTHENE	8.39E+00	(mg/kg)	4.96E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	3.47E-04	(mg/kg-day)	4.00E-02	(mg/kg-day)	8.7E-03		
					INDENO(1,2,3-C,D)PYRENE	3.62E-01	(mg/kg)	6.42E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	4.7E-06	1.50E-05	(mg/kg-day)	NA	(mg/kg-day)	--		
					PYRENE	6.52E+00	(mg/kg)	3.86E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	2.70E-04	(mg/kg-day)	3.00E-02	(mg/kg-day)	9.0E-03		
					POLYCHLORINATED BIPHENYLS														
					AROCLOR-1248	5.05E+01	(mg/kg)	2.99E-04	(mg/kg-day)	2.00E+00	per (mg/kg-day)	6.0E-04	2.09E-03	(mg/kg-day)	NA	(mg/kg-day)	--		
					AROCLOR-1254	1.75E+01	(mg/kg)	1.04E-04	(mg/kg-day)	2.00E+00	per (mg/kg-day)	2.1E-04	7.25E-04	(mg/kg-day)	2.00E-05	(mg/kg-day)	3.6E+01		
					AROCLOR-1260	9.27E+00	(mg/kg)	5.48E-05	(mg/kg-day)	2.00E+00	per (mg/kg-day)	1.1E-04	3.84E-04	(mg/kg-day)	NA	(mg/kg-day)	--		
					SEMIVOLATILE ORGANIC COMPOUNDS														
					BIS(2-ETHYLHEXYL)PHTHALATE	7.38E+01	(mg/kg)	4.36E-04	(mg/kg-day)	1.40E-02	per (mg/kg-day)	6.1E-06	3.06E-03	(mg/kg-day)	2.00E-02	(mg/kg-day)	1.5E-01		
					Exp. Route Total								1.1E-03					3.7E+01	
					Exposure Point Total								1.1E-03					3.7E+01	
					Exposure Medium Total								1.1E-03					3.7E+01	
Sediment Total															3.7E+01				
Surface Water	Surface Water	Finfish	Ingestion	INORGANICS	8.54E-04	(mg/kg)	5.05E-09	(mg/kg-day)	1.50E+00	per (mg/kg-day)	7.6E-09	3.53E-08	(mg/kg-day)	3.00E-04	(mg/kg-day)	1.2E-04			
				ARSENIC	8.19E-01	(mg/kg)	4.84E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	3.39E-05	(mg/kg-day)	1.00E-04	(mg/kg-day)	3.4E-01			
				POLYAROMATIC HYDROCARBONS															
				BENZO(A)PYRENE	1.74E-01	(mg/kg)	3.09E-06	(mg/kg-day)	7.30E+00	per (mg/kg-day)	2.3E-05	7.20E-06	(mg/kg-day)	NA	(mg/kg-day)	--			
				Exp. Route Total							2.3E-05				3.4E-01				
				Exposure Point Total							2.3E-05				3.4E-01				
				Exposure Medium Total							2.3E-05				3.4E-01				
Surface Water Total															3.4E-01				
Total of Receptor Risks Across All Media											1.1E-03	Total of Receptor Hazards Across All Media				3.7E+01			

Note:  
Arsenic in crab and finfish is adjusted by 0.104 (10.4%) to account for the upper bound of expected inorganic arsenic in fish and crab.  
\*Intakes for modeled fish and crab concentrations are adjusted by 0.25 to account for wet weight as evaluated in the intake calculations.  
EPC = Exposure Point Concentration  
CSF = Cancer Slope Factor  
RfD = Reference Dose

TABLE 10-7.15  
CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - UPTAKE EVALUATION

Scenario Timeframe: Current  
Receptor Population: Recreational User  
Receptor Age: Child

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC*		Cancer Risk Calculations					Non-Cancer Hazard Calculations					
					Value	Units	Intake*		Value	CSF	Cancer Risk	Intake*		RfD		Hazard Quotient	
							Value	Units				Value	Units	Value	Units		Value
Sediment	Sediment	Crabs	Ingestion	INORGANICS													
				ANTIMONY	7.09E-01	(mg/kg)	1.57E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	3.67E-05	(mg/kg-day)	4.00E-04	(mg/kg-day)	9.2E-02	
				ARSENIC	1.08E+00	(mg/kg)	2.40E-06	(mg/kg-day)	1.50E+00	per (mg/kg-day)	3.6E-06	5.60E-05	(mg/kg-day)	3.00E-04	(mg/kg-day)	1.9E-01	
				BERYLLIUM	3.47E+00	(mg/kg)	7.70E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	1.80E-04	(mg/kg-day)	2.00E-03	(mg/kg-day)	9.0E-02	
				CADMIUM	9.43E-01	(mg/kg)	2.09E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	4.88E-05	(mg/kg-day)	1.00E-03	(mg/kg-day)	4.9E-02	
				COPPER	9.98E+00	(mg/kg)	2.21E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	5.16E-04	(mg/kg-day)	4.00E-02	(mg/kg-day)	1.3E-02	
				MERCURY	4.74E-02	(mg/kg)	1.05E-07	(mg/kg-day)	NA	per (mg/kg-day)	--	2.45E-06	(mg/kg-day)	2.00E-02	(mg/kg-day)	1.2E-04	
				NICKEL	5.06E+00	(mg/kg)	1.12E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	2.62E-04	(mg/kg-day)	5.00E-03	(mg/kg-day)	5.2E-02	
				SELENIUM	1.85E+00	(mg/kg)	4.10E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	9.57E-05	(mg/kg-day)	5.00E-03	(mg/kg-day)	1.9E-02	
				ZINC	6.53E+02	(mg/kg)	1.45E-03	(mg/kg-day)	NA	per (mg/kg-day)	--	3.38E-02	(mg/kg-day)	3.00E-01	(mg/kg-day)	1.1E-01	
				POLYAROMATIC HYDROCARBONS													
				BENZO(A)ANTHRACENE	1.51E+00	(mg/kg)	1.00E-05	(mg/kg-day)	7.30E-01	per (mg/kg-day)	7.3E-06	7.81E-05	(mg/kg-day)	NA	(mg/kg-day)	--	
				BENZO(B)FLUORANTHENE	4.35E-01	(mg/kg)	2.89E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	2.1E-06	2.25E-05	(mg/kg-day)	NA	(mg/kg-day)	--	
				BENZO(K)FLUORANTHENE	2.25E-01	(mg/kg)	1.50E-06	(mg/kg-day)	7.30E-02	per (mg/kg-day)	1.1E-07	1.17E-05	(mg/kg-day)	NA	(mg/kg-day)	--	
				BENZO(A)PYRENE	6.79E-01	(mg/kg)	4.52E-06	(mg/kg-day)	7.30E+00	per (mg/kg-day)	3.3E-05	3.51E-05	(mg/kg-day)	NA	(mg/kg-day)	--	
				CHRYSENE	1.50E+00	(mg/kg)	9.98E-06	(mg/kg-day)	7.30E-03	per (mg/kg-day)	7.3E-08	7.76E-05	(mg/kg-day)	NA	(mg/kg-day)	--	
				DIBENZ(A,H)ANTHRACENE	3.26E-01	(mg/kg)	2.17E-06	(mg/kg-day)	7.30E+00	per (mg/kg-day)	1.6E-05	1.69E-05	(mg/kg-day)	NA	(mg/kg-day)	--	
				FLUORANTHENE	8.39E+00	(mg/kg)	1.86E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	4.34E-04	(mg/kg-day)	4.00E-02	(mg/kg-day)	1.1E-02	
				INDENO(1,2,3-C,D)PYRENE	3.62E-01	(mg/kg)	2.41E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	1.8E-06	1.87E-05	(mg/kg-day)	NA	(mg/kg-day)	--	
				PYRENE	6.52E+00	(mg/kg)	1.45E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	3.37E-04	(mg/kg-day)	3.00E-02	(mg/kg-day)	1.1E-02	
				POLYCHLORINATED BIPHENYLS													
				AROCLOR-1248	5.05E+01	(mg/kg)	1.12E-04	(mg/kg-day)	2.00E+00	per (mg/kg-day)	2.2E-04	2.61E-03	(mg/kg-day)	NA	(mg/kg-day)	--	
				AROCLOR-1254	1.75E+01	(mg/kg)	3.88E-05	(mg/kg-day)	2.00E+00	per (mg/kg-day)	7.8E-05	9.06E-04	(mg/kg-day)	2.00E-05	(mg/kg-day)	4.5E+01	
				AROCLOR-1260	9.27E+00	(mg/kg)	2.06E-05	(mg/kg-day)	2.00E+00	per (mg/kg-day)	4.1E-05	4.80E-04	(mg/kg-day)	NA	(mg/kg-day)	--	
				SEMIVOLATILE ORGANIC COMPOUNDS													
				BIS(2-ETHYLHEXYL)PHTHALATE	7.38E+01	(mg/kg)	1.64E-04	(mg/kg-day)	1.40E-02	per (mg/kg-day)	2.3E-06	3.82E-03	(mg/kg-day)	2.00E-02	(mg/kg-day)	1.9E-01	
				Exp. Route Total								4.1E-04					4.6E+01
				Exposure Point Total								4.1E-04					4.6E+01
				Exposure Medium Total								4.1E-04					4.6E+01
				Sediment Total								4.1E-04					4.6E+01
Surface Water	Surface Water	Finfish	Ingestion	INORGANICS													
				ARSENIC	8.54E-04	(mg/kg)	1.89E-09	(mg/kg-day)	1.50E+00	per (mg/kg-day)	2.8E-09	4.42E-08	(mg/kg-day)	3.00E-04	(mg/kg-day)	1.5E-04	
				MERCURY	8.19E-01	(mg/kg)	1.82E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	4.24E-05	(mg/kg-day)	1.00E-04	(mg/kg-day)	4.2E-01	
				POLYAROMATIC HYDROCARBONS													
				BENZO(A)PYRENE	1.74E-01	(mg/kg)	1.16E-06	(mg/kg-day)	7.30E+00	per (mg/kg-day)	8.5E-06	9.00E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				Exp. Route Total								8.5E-06				4.2E-01	
				Exposure Point Total								8.5E-06				4.2E-01	
				Exposure Medium Total								8.5E-06				4.2E-01	
Surface Water Total								8.5E-06					4.2E-01				
Total of Receptor Risks Across All Media											4.2E-04	Total of Receptor Hazards Across All Media				4.7E+01	

Note:  
Arsenic in crab and finfish is adjusted by 0.104 (10.4%) to account for the upper bound of expected inorganic arsenic in fish and crab.  
\*Intakes for modeled fish and crab concentrations are adjusted by 0.25 to account for wet weight as evaluated in the intake calculations.  
EPC = Exposure Point Concentration  
CSF = Cancer Slope Factor  
RfD = Reference Dose

TABLE 10-7.16  
CALCULATION OF CHEMICAL CANCER RISKS AND NON-CANCER HAZARDS  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - UPTAKE EVALUATION

Scenario Timeframe: Current  
Receptor Population: Waterman  
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Exposure Route	Chemical of Potential Concern	EPC*		Cancer Risk Calculations					Non-Cancer Hazard Calculations					
					Value	Units	Intake*		Cancer Risk	Intake*		RfD	Hazard Quotient				
							Value	Units		Value	Units						
Sediment	Sediment	Sparrows Point	Dermal	INORGANICS	6.01E+01	(mg/kg)	6.52E-07	(mg/kg-day)	1.50E+00	per (mg/kg-day)	9.8E-07	1.83E-06	(mg/kg-day)	3.00E-04	(mg/kg-day)	6.1E-03	
				ARSENIC													
			POLYAROMATIC HYDROCARBONS	2.32E+00	(mg/kg)	1.09E-07	(mg/kg-day)	7.30E+00	per (mg/kg-day)	8.0E-07	3.06E-07	(mg/kg-day)	NA	(mg/kg-day)	--		
		BENZO(A)PYRENE													6.1E-03		
		Exp. Route Total														6.1E-03	
		Exposure Point Total														6.1E-03	
		Crabs	Ingestion	INORGANICS	7.09E-01	(mg/kg)	9.72E-06	(mg/kg-day)	NA	per (mg/kg-day)	--	2.72E-05	(mg/kg-day)	4.00E-04	(mg/kg-day)	6.8E-02	
				ANTIMONY	1.08E+00	(mg/kg)	1.48E-05	(mg/kg-day)	1.50E+00	per (mg/kg-day)	2.2E-05	4.15E-05	(mg/kg-day)	3.00E-04	(mg/kg-day)	1.4E-01	
				BERYLLIUM	3.47E+00	(mg/kg)	4.76E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	1.33E-04	(mg/kg-day)	2.00E-03	(mg/kg-day)	6.7E-02	
				CADMIUM	9.43E-01	(mg/kg)	1.29E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	3.62E-05	(mg/kg-day)	1.00E-03	(mg/kg-day)	3.6E-02	
				COPPER	9.98E+00	(mg/kg)	1.37E-04	(mg/kg-day)	NA	per (mg/kg-day)	--	3.83E-04	(mg/kg-day)	4.00E-02	(mg/kg-day)	9.6E-03	
				MERCURY	4.74E-02	(mg/kg)	6.50E-07	(mg/kg-day)	NA	per (mg/kg-day)	--	1.82E-06	(mg/kg-day)	2.00E-02	(mg/kg-day)	9.1E-05	
				NICKEL	5.06E+00	(mg/kg)	6.94E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	1.94E-04	(mg/kg-day)	5.00E-03	(mg/kg-day)	3.9E-02	
				SELENIUM	1.85E+00	(mg/kg)	2.54E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	7.10E-05	(mg/kg-day)	5.00E-03	(mg/kg-day)	1.4E-02	
				ZINC	6.53E+02	(mg/kg)	8.96E-03	(mg/kg-day)	NA	per (mg/kg-day)	--	2.51E-02	(mg/kg-day)	3.00E-01	(mg/kg-day)	8.4E-02	
				POLYAROMATIC HYDROCARBONS													
				BENZO(A)ANTHRACENE	1.51E+00	(mg/kg)	2.07E-05	(mg/kg-day)	7.30E-01	per (mg/kg-day)	1.5E-05	5.80E-05	(mg/kg-day)	NA	(mg/kg-day)	--	
				BENZO(B)FLUORANTHENE	4.35E-01	(mg/kg)	5.97E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	4.4E-06	1.67E-05	(mg/kg-day)	NA	(mg/kg-day)	--	
				BENZO(K)FLUORANTHENE	2.25E-01	(mg/kg)	3.09E-06	(mg/kg-day)	7.30E-02	per (mg/kg-day)	2.3E-07	8.65E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
				BENZO(A)PYRENE	6.79E-01	(mg/kg)	9.31E-06	(mg/kg-day)	7.30E+00	per (mg/kg-day)	6.8E-05	2.61E-05	(mg/kg-day)	NA	(mg/kg-day)	--	
				CHRYSENE	1.50E+00	(mg/kg)	2.06E-05	(mg/kg-day)	7.30E-03	per (mg/kg-day)	1.5E-07	5.76E-05	(mg/kg-day)	NA	(mg/kg-day)	--	
				DIBENZ(A,H)ANTHRACENE	3.26E-01	(mg/kg)	4.47E-06	(mg/kg-day)	7.30E+00	per (mg/kg-day)	3.3E-05	1.25E-05	(mg/kg-day)	NA	(mg/kg-day)	--	
				FLUORANTHENE	8.39E+00	(mg/kg)	1.15E-04	(mg/kg-day)	NA	per (mg/kg-day)	--	3.22E-04	(mg/kg-day)	4.00E-02	(mg/kg-day)	8.1E-03	
				INDENO(1,2,3-C,D)PYRENE	3.62E-01	(mg/kg)	4.96E-06	(mg/kg-day)	7.30E-01	per (mg/kg-day)	3.6E-06	1.39E-05	(mg/kg-day)	NA	(mg/kg-day)	--	
				PYRENE	6.52E+00	(mg/kg)	8.94E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	2.50E-04	(mg/kg-day)	3.00E-02	(mg/kg-day)	8.3E-03	
				POLYCHLORINATED BIPHENYLS													
				AROCLOR-1248	5.05E+01	(mg/kg)	6.93E-04	(mg/kg-day)	2.00E+00	per (mg/kg-day)	1.4E-03	1.94E-03	(mg/kg-day)	NA	(mg/kg-day)	--	
				AROCLOR-1254	1.75E+01	(mg/kg)	2.40E-04	(mg/kg-day)	2.00E+00	per (mg/kg-day)	4.8E-04	6.72E-04	(mg/kg-day)	2.00E-05	(mg/kg-day)	3.4E+01	
				AROCLOR-1260	9.27E+00	(mg/kg)	1.27E-04	(mg/kg-day)	2.00E+00	per (mg/kg-day)	2.5E-04	3.56E-04	(mg/kg-day)	NA	(mg/kg-day)	--	
				SEMIVOLATILE ORGANIC COMPOUNDS													
				BIS(2-ETHYLHEXYL)PHTHALATE	7.38E+01	(mg/kg)	1.01E-03	(mg/kg-day)	1.40E-02	per (mg/kg-day)	1.4E-05	2.83E-03	(mg/kg-day)	2.00E-02	(mg/kg-day)	1.4E-01	
		Exp. Route Total										2.3E-03				3.4E+01	
Exposure Point Total											2.3E-03				3.4E+01		
Exposure Medium Total											2.3E-03				3.4E+01		
		Sediment Total											2.3E-03			3.4E+01	
Sediment Total																2.3E-03	
Surface Water	Surface Water	Finfish	Ingestion	INORGANICS	8.54E-04	(mg/kg)	1.17E-08	(mg/kg-day)	1.50E+00	per (mg/kg-day)	1.8E-08	3.28E-08	(mg/kg-day)	3.00E-04	(mg/kg-day)	1.1E-04	
				ARSENIC	8.19E-01	(mg/kg)	1.12E-05	(mg/kg-day)	NA	per (mg/kg-day)	--	3.14E-05	(mg/kg-day)	1.00E-04	(mg/kg-day)	3.1E-01	
				POLYAROMATIC HYDROCARBONS													
				BENZO(A)PYRENE	1.74E-01	(mg/kg)	2.39E-06	(mg/kg-day)	7.30E+00	per (mg/kg-day)	1.7E-05	6.68E-06	(mg/kg-day)	NA	(mg/kg-day)	--	
		Exp. Route Total										1.7E-05			3.1E-01		
	Exposure Point Total										1.7E-05				3.1E-01		
	Exposure Medium Total											1.7E-05				3.1E-01	
Surface Water Total											1.7E-05			3.1E-01			
Total of Receptor Risks Across All Media											2.3E-03	Total of Receptor Hazards Across All Media					3.5E+01

Note:  
Arsenic in crab and finfish is adjusted by 0.104 (10.4%) to account for the upper bound of expected inorganic arsenic in fish and crab.  
\*Intakes for modeled fish and crab concentrations are adjusted by 0.25 to account for wet weight as evaluated in the intake calculations.  
EPC = Exposure Point Concentration  
CSF = Cancer Slope Factor  
RfD = Reference Dose

TABLE 10-9.1  
SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCS  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT NORTHEAST/NEAR-SHORE - FIELD COLLECTED TISSUE EVALUATION

Location: Northeast/Near Shore Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient				
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total
Surface Water	Finfish	Northeast/ Near Shore	INORGANICS					INORGANICS					
			MERCURY	--	--	--	NA	MERCURY	Central Nervous System	7.1E-02	--	--	7.1E-02
			(Total for Finfish)	---	---	---	---	(Total for Finfish)	7.1E-02	---	---	7.1E-02	
Total Risk Across Surface Water							0.0E+00	Total Hazard Index Across Surface Water					7.1E-02
Sediment	Crabs	Northeast/ Near Shore	INORGANICS					INORGANICS					
			CADMIUM	--	--	--	NA	CADMIUM	Kidneys	2.0E-02	--	--	2.0E-02
			COPPER	--	--	--	NA	COPPER	Gastrointestinal System	3.9E-02	--	--	3.9E-02
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS					
			BENZO(A)ANTHRACENE	6.8E-07	--	--	6.8E-07	BENZO(A)ANTHRACENE	NA	--	--	--	NA
			BENZO(B)FLUORANTHENE	8.3E-07	--	--	8.3E-07	BENZO(B)FLUORANTHENE	NA	--	--	--	NA
			BENZO(A)PYRENE	4.2E-06	--	--	4.2E-06	BENZO(A)PYRENE	NA	--	--	--	NA
			SEMIVOLATILE ORGANIC COMPOUNDS					SEMIVOLATILE ORGANIC COMPOUNDS					
			BIS(2-ETHYLHEXYL)PHTHALATE	2.7E-07	--	--	2.7E-07	BIS(2-ETHYLHEXYL)PHTHALATE	Liver	3.4E-03	--	--	3.4E-03
(Total for Crabs)				6.5E-06	---	---	6.5E-06	(Total for Crabs)				6.3E-02	6.3E-02
Total Risk Across Sediment							6.5E-06	Total Hazard Index Across Sediment					6.3E-02
Total Risk Across All Media and All Exposure Routes							7E-06	Total Hazard Index Across All Media and All Exposure Routes					0.1

TABLE 10-9.2  
SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCS  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT NORTHEAST/NEAR-SHORE - FIELD COLLECTED TISSUE EVALUATION

Location: Northeast/Near Shore Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Adolescent

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient				
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total
Surface Water	Finfish	Northeast/ Near Shore	INORGANICS					INORGANICS					
			MERCURY	--	--	--	NA	MERCURY	Central Nervous System	9.3E-02	--	--	9.3E-02
			(Total for Finfish)	---	---	---	---	(Total for Finfish)	9.3E-02	---	---	9.3E-02	
Total Risk Across Surface Water							0.0E+00	Total Hazard Index Across Surface Water					9.3E-02
Sediment	Crabs	Northeast/ Near Shore	INORGANICS					INORGANICS					
			CADMIUM	--	--	--	NA	CADMIUM	Kidneys	2.6E-02	--	--	2.6E-02
			COPPER	--	--	--	NA	COPPER	Gastrointestinal System	5.2E-02	--	--	5.2E-02
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS					
			BENZO(A)ANTHRACENE	1.3E-06	--	--	1.3E-06	BENZO(A)ANTHRACENE	NA	--	--	--	NA
			BENZO(B)FLUORANTHENE	1.6E-06	--	--	1.6E-06	BENZO(B)FLUORANTHENE	NA	--	--	--	NA
			BENZO(A)PYRENE	8.2E-06	--	--	8.2E-06	BENZO(A)PYRENE	NA	--	--	--	NA
			SEMIVOLATILE ORGANIC COMPOUNDS					SEMIVOLATILE ORGANIC COMPOUNDS					
			BIS(2-ETHYLHEXYL)PHTHALATE	1.8E-07	--	--	1.8E-07	BIS(2-ETHYLHEXYL)PHTHALATE	Liver	4.5E-03	--	--	4.5E-03
			(Total for Crabs)	1.3E-05	---	---	1.3E-05	(Total for Crabs)	8.2E-02	---	---	8.2E-02	
Total Risk Across Sediment							1.3E-05	Total Hazard Index Across Sediment					8.2E-02
Total Risk Across All Media and All Exposure Routes							1E-05	Total Hazard Index Across All Media and All Exposure Routes					0.2

TABLE 10-9.3  
SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCS  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT NORTHEAST/NEAR-SHORE - FIELD COLLECTED TISSUE EVALUATION

Location: Northeast/Near Shore Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Child

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient				
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total
Surface Water	Finfish	Northeast/ Near Shore	<b>INORGANICS</b>					<b>INORGANICS</b>					
			MERCURY	--	--	--	NA	MERCURY	Central Nervous System	1.2E-01	--	--	1.2E-01
			(Total for Finfish)	---	---	---	---		(Total for Finfish)	1.2E-01	---	---	1.2E-01
Total Risk Across Surface Water							0.0E+00	Total Hazard Index Across Surface Water					1.2E-01
Sediment	Crabs	Northeast/ Near Shore	<b>INORGANICS</b>					<b>INORGANICS</b>					
			CADMIUM	--	--	--	NA	CADMIUM	Kidneys	3.3E-02	--	--	3.3E-02
			COPPER	--	--	--	NA	COPPER	Gastrointestinal System	6.5E-02	--	--	6.5E-02
			<b>POLYAROMATIC HYDROCARBONS</b>					<b>POLYAROMATIC HYDROCARBONS</b>					
			BENZO(A)ANTHRACENE	5.0E-07	--	--	5.0E-07	BENZO(A)ANTHRACENE	NA	--	--	--	NA
			BENZO(B)FLUORANTHENE	6.1E-07	--	--	6.1E-07	BENZO(B)FLUORANTHENE	NA	--	--	--	NA
			BENZO(A)PYRENE	3.1E-06	--	--	3.1E-06	BENZO(A)PYRENE	NA	--	--	--	NA
			<b>SEMIVOLATILE ORGANIC COMPOUNDS</b>					<b>SEMIVOLATILE ORGANIC COMPOUNDS</b>					
			BIS(2-ETHYLHEXYL)PHTHALATE	6.8E-08	--	--	6.8E-08	BIS(2-ETHYLHEXYL)PHTHALATE	Liver	5.6E-03	--	--	5.6E-03
			(Total for Crabs)	5.0E-06	---	---	5.0E-06		(Total for Crabs)	1.0E-01	---	---	1.0E-01
Total Risk Across Sediment							5.0E-06	Total Hazard Index Across Sediment					1.0E-01
Total Risk Across All Media and All Exposure Routes							5E-06	Total Hazard Index Across All Media and All Exposure Routes					0.2



TABLE 10-9.4  
SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT NORTHEAST/NEAR-SHORE - FIELD COLLECTED TISSUE EVALUATION

Location: Northeast/Near Shore Exposure Area
Scenario Timeframe: Current
Receptor Population: Watermen
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient				
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total
Surface Water	Finfish	Northeast/ Near Shore	INORGANICS					INORGANICS					
			MERCURY	--	--	--	NA	MERCURY	Central Nervous System	8.6E-02	--	--	8.6E-02
			(Total for Finfish)	---	---	---	---	(Total for Finfish)	8.6E-02	---	---	8.6E-02	
Total Risk Across Surface Water							0.0E+00	Total Hazard Index Across Surface Water					8.6E-02
Sediment	Crabs	Northeast/ Near Shore	INORGANICS					INORGANICS					
			CADMIUM	--	--	--	NA	CADMIUM	Kidneys	2.4E-02	--	--	2.4E-02
			COPPER	--	--	--	NA	COPPER	Gastrointestinal System	4.8E-02	--	--	4.8E-02
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS					
			BENZO(A)ANTHRACENE	1.0E-06	--	--	1.0E-06	BENZO(A)ANTHRACENE	NA	--	--	--	NA
			BENZO(B)FLUORANTHENE	1.3E-06	--	--	1.3E-06	BENZO(B)FLUORANTHENE	NA	--	--	--	NA
			BENZO(A)PYRENE	6.3E-06	--	--	6.3E-06	BENZO(A)PYRENE	NA	--	--	--	NA
			SEMIVOLATILE ORGANIC COMPOUNDS					SEMIVOLATILE ORGANIC COMPOUNDS					
			BIS(2-ETHYLHEXYL)PHTHALATE	4.2E-07	--	--	4.2E-07	BIS(2-ETHYLHEXYL)PHTHALATE	Liver	4.2E-03	--	--	4.2E-03
(Total for Crabs)				9.9E-06	---	---	9.9E-06	(Total for Crabs)				7.6E-02	
Total Risk Across Sediment							9.9E-06	Total Hazard Index Across Sediment					7.6E-02
Total Risk Across All Media and All Exposure Routes							1E-05	Total Hazard Index Across All Media and All Exposure Routes					0.2

TABLE 10-9.5  
SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCS  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT NORTHEAST/NEAR-SHORE - UPTAKE EVALUATION

Location: Northeast/Near Shore Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient						
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total		
Surface Water	Finfish	Northeast/ Near Shore	INORGANICS					INORGANICS							
			MERCURY	--	--	--	NA	MERCURY	Central Nervous System	3.5E-01	--	--	3.5E-01		
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS							
			BENZO(A)PYRENE	1.6E-05	--	--	1.6E-05	BENZO(A)PYRENE	NA	--	--	--	NA		
(Total for Finfish)				1.6E-05	---	---	1.6E-05	(Total for Finfish)				3.5E-01	---	---	3.5E-01
Total Risk Across Surface Water							1.6E-05	Total Hazard Index Across Surface Water					3.5E-01		
Sediment	Crabs	Northeast/ Near Shore	INORGANICS	--	--	--	NA	INORGANICS							
			ZINC					ZINC	Blood	1.1E-02	--	--	1.1E-02		
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS							
			BENZO(A)ANTHRACENE	1.3E-06	--	--	1.3E-06	BENZO(A)ANTHRACENE	NA	--	--	--	NA		
			BENZO(B)FLUORANTHENE	4.6E-07	--	--	4.6E-07	BENZO(B)FLUORANTHENE	NA	--	--	--	NA		
			BENZO(A)PYRENE	7.7E-06	--	--	7.7E-06	BENZO(A)PYRENE	NA	--	--	--	NA		
			DIBENZ(A,H)ANTHRACENE	2.1E-06	--	--	2.1E-06	DIBENZ(A,H)ANTHRACENE	NA	--	--	--	NA		
			INDENO(1,2,3-C,D)PYRENE	4.6E-07	--	--	4.6E-07	INDENO(1,2,3-C,D)PYRENE	NA	--	--	--	NA		
			SEMIVOLATILE ORGANIC COMPOUNDS					SEMIVOLATILE ORGANIC COMPOUNDS							
			BIS(2-ETHYLHEXYL)PHTHALATE	2.7E-07	--	--	2.7E-07	BIS(2-ETHYLHEXYL)PHTHALATE	Liver	3.4E-03	--	--	3.4E-03		
(Total for Crabs)				1.2E-05	---	---	1.2E-05	(Total for Crabs)				1.4E-02	---	---	1.4E-02
Total Risk Across Sediment							1.2E-05	Total Hazard Index Across Sediment					1.4E-02		
Total Risk Across All Media and All Exposure Routes							3E-05	Total Hazard Index Across All Media and All Exposure Routes					0.4		

TABLE 10-9.6  
SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCS  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT NORTHEAST/NEAR-SHORE - UPTAKE EVALUATION

Location: Northeast/Near Shore Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Adolescent

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient								
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total				
Surface Water	Finfish	Northeast/ Near Shore	INORGANICS					INORGANICS									
			MERCURY	--	--	--	NA	MERCURY	Central Nervous System	4.6E-01	--	--	4.6E-01				
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS									
			BENZO(A)PYRENE	3.1E-05	--	--	3.1E-05	BENZO(A)PYRENE	NA	--	--	--	NA				
(Total for Finfish)				3.1E-05	---	---	3.1E-05	(Total for Finfish)				4.6E-01	---	---	4.6E-01		
Total Risk Across Surface Water								3.1E-05	Total Hazard Index Across Surface Water								4.6E-01
Sediment	Crabs	Northeast/ Near Shore	INORGANICS					INORGANICS									
			ZINC	--	--	--	NA	ZINC	Blood	1.4E-02	--	--	1.4E-02				
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS									
			BENZO(A)ANTHRACENE	2.5E-06	--	--	2.5E-06	BENZO(A)ANTHRACENE	NA	--	--	--	NA				
			BENZO(B)FLUORANTHENE	9.1E-07	--	--	9.1E-07	BENZO(B)FLUORANTHENE	NA	--	--	--	NA				
			BENZO(A)PYRENE	1.5E-05	--	--	1.5E-05	BENZO(A)PYRENE	NA	--	--	--	NA				
			DIBENZ(A,H)ANTHRACENE	4.1E-06	--	--	4.1E-06	DIBENZ(A,H)ANTHRACENE	NA	--	--	--	NA				
			INDENO(1,2,3-C,D)PYRENE	9.1E-07	--	--	9.1E-07	INDENO(1,2,3-C,D)PYRENE	NA	--	--	--	NA				
			SEMIVOLATILE ORGANIC COMPOUNDS					SEMIVOLATILE ORGANIC COMPOUNDS									
			BIS(2-ETHYLHEXYL)PHTHALATE	1.8E-07	--	--	1.8E-07	BIS(2-ETHYLHEXYL)PHTHALATE	Liver	4.5E-03	--	--	4.5E-03				
(Total for Crabs)				2.4E-05	---	---	2.4E-05	(Total for Crabs)				1.8E-02	---	---	1.8E-02		
Total Risk Across Sediment								2.4E-05	Total Hazard Index Across Sediment								1.8E-02
Total Risk Across All Media and All Exposure Routes								5E-05	Total Hazard Index Across All Media and All Exposure Routes								0.5

TABLE 10-9.7  
SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT NORTHEAST/NEAR-SHORE - UPTAKE EVALUATION

Location: Northeast/Near Shore Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Child

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient						
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total		
Surface Water	Finfish	Northeast/ Near Shore	INORGANICS					INORGANICS							
			MERCURY	--	--	--	NA	MERCURY	Central Nervous System	5.7E-01	--	--	5.7E-01		
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS							
			BENZO(A)PYRENE	1.1E-05	--	--	1.1E-05	BENZO(A)PYRENE	NA	--	--	--	NA		
(Total for Finfish)				1.1E-05	---	---	1.1E-05	(Total for Finfish)				5.7E-01	---	---	5.7E-01
Total Risk Across Surface Water								1.1E-05	Total Hazard Index Across Surface Water				5.7E-01		
Sediment	Crabs	Northeast/ Near Shore	INORGANICS	--	--	--	NA	INORGANICS							
			ZINC					ZINC	Blood	1.7E-02	--	--	1.7E-02		
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS							
			BENZO(A)ANTHRACENE	9.3E-07	--	--	9.3E-07	BENZO(A)ANTHRACENE	NA	--	--	--	NA		
			BENZO(B)FLUORANTHENE	3.4E-07	--	--	3.4E-07	BENZO(B)FLUORANTHENE	NA	--	--	--	NA		
			BENZO(A)PYRENE	5.7E-06	--	--	5.7E-06	BENZO(A)PYRENE	NA	--	--	--	NA		
			DIBENZ(A,H)ANTHRACENE	1.6E-06	--	--	1.6E-06	DIBENZ(A,H)ANTHRACENE	NA	--	--	--	NA		
			INDENO(1,2,3-C,D)PYRENE	3.4E-07	--	--	3.4E-07	INDENO(1,2,3-C,D)PYRENE	NA	--	--	--	NA		
			SEMIVOLATILE ORGANIC COMPOUNDS					SEMIVOLATILE ORGANIC COMPOUNDS							
			BIS(2-ETHYLHEXYL)PHTHALATE	6.8E-08	--	--	6.8E-08	BIS(2-ETHYLHEXYL)PHTHALATE	Liver	5.6E-03	--	--	5.6E-03		
(Total for Crabs)				8.9E-06	---	---	8.9E-06	(Total for Crabs)				2.3E-02	---	---	2.3E-02
Total Risk Across Sediment								8.9E-06	Total Hazard Index Across Sediment				2.3E-02		
Total Risk Across All Media and All Exposure Routes								2E-05	Total Hazard Index Across All Media and All Exposure Routes				0.6		

TABLE 10-9.8  
SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT NORTHEAST/NEAR-SHORE - UPTAKE EVALUATION

Location: Northeast/Near Shore Exposure Area
Scenario Timeframe: Current
Receptor Population: Watermen
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient						
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total		
Surface Water	Finfish	Northeast/ Near Shore	INORGANICS					INORGANICS							
			MERCURY	--	--	--	NA	MERCURY	Central Nervous System	4.3E-01	--	--	4.3E-01		
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS							
			BENZO(A)PYRENE	2.4E-05	--	--	2.4E-05	BENZO(A)PYRENE	NA	--	--	--	NA		
(Total for Finfish)				2.4E-05	---	---	2.4E-05	(Total for Finfish)				4.3E-01	---	---	4.3E-01
Total Risk Across Surface Water							2.4E-05	Total Hazard Index Across Surface Water				4.3E-01			
Sediment	Crabs	Northeast/ Near Shore	INORGANICS					INORGANICS							
			ZINC	--	--	--	NA	ZINC	Blood	1.3E-02	--	--	1.3E-02		
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS							
			BENZO(A)ANTHRACENE	1.9E-06	--	--	1.9E-06	BENZO(A)ANTHRACENE	NA	--	--	--	NA		
			BENZO(B)FLUORANTHENE	7.0E-07	--	--	7.0E-07	BENZO(B)FLUORANTHENE	NA	--	--	--	NA		
			BENZO(A)PYRENE	1.2E-05	--	--	1.2E-05	BENZO(A)PYRENE	NA	--	--	--	NA		
			DIBENZ(A,H)ANTHRACENE	3.2E-06	--	--	3.2E-06	DIBENZ(A,H)ANTHRACENE	NA	--	--	--	NA		
			INDENO(1,2,3-C,D)PYRENE	7.0E-07	--	--	7.0E-07	INDENO(1,2,3-C,D)PYRENE	NA	--	--	--	NA		
			SEMIVOLATILE ORGANIC COMPOUNDS					SEMIVOLATILE ORGANIC COMPOUNDS							
			BIS(2-ETHYLHEXYL)PHTHALATE	4.2E-07	--	--	4.2E-07	BIS(2-ETHYLHEXYL)PHTHALATE	Liver	4.2E-03	--	--	4.2E-03		
(Total for Crabs)				1.9E-05	---	---	1.9E-05	(Total for Crabs)				1.7E-02	---	---	1.7E-02
Total Risk Across Sediment							1.9E-05	Total Hazard Index Across Sediment				1.7E-02			
Total Risk Across All Media and All Exposure Routes							4E-05	Total Hazard Index Across All Media and All Exposure Routes				0.4			

TABLE 10-9.9  
SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs  
REASONABLE MAXIMUM EXPOSURE

SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - FIELD COLLECTED TISSUE EVALUATION

Location: Southwest/Tin Mill Canal Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient				
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total
Surface Water	Finfish	Southwest/ Tin Mill	<b>INORGANICS</b>					<b>INORGANICS</b>					
			ARSENIC	2.7E-06	--	--	2.7E-06	ARSENIC	Skin	2.1E-02	--	--	2.1E-02
			MERCURY	--	--	--	NA	MERCURY	Central Nervous System	7.1E-02	--	--	7.1E-02
			SELENIUM	--	--	--	NA	SELENIUM	NA	2.4E-02	--	--	2.4E-02
			<b>POLYCHLORINATED BIPHENYLS</b>					<b>POLYCHLORINATED BIPHENYLS</b>					
			TOTAL PCB's	1.5E-05	--	--	1.5E-05	TOTAL PCB's	NA	--	--	--	NA
			(Total for Finfish)	1.8E-05	--	--	1.8E-05	(Total for Finfish)		1.2E-01	--	--	1.2E-01
<b>Total Risk Across Surface Water</b>				<b>1.8E-05</b>				<b>Total Hazard Index Across Surface Water</b>					<b>1.2E-01</b>
Sediment	Sediment	Southwest/ Tin Mill	<b>INORGANICS</b>					<b>INORGANICS</b>					
			ARSENIC	--	3.0E-08	--	3.0E-08	ARSENIC	Skin	--	2.4E-04	--	2.4E-04
			<b>POLYAROMATIC HYDROCARBONS</b>					<b>POLYAROMATIC HYDROCARBONS</b>					
			BENZO(A)PYRENE	--	2.5E-08	--	2.5E-08	BENZO(A)PYRENE	NA	--	--	--	NA
			(Total)	--	5.5E-08	--	5.5E-08	(Total)		--	2.4E-04	--	2.4E-04
Sediment	Crabs	Southwest/ Tin Mill	<b>INORGANICS</b>					<b>INORGANICS</b>					
			ARSENIC	7.0E-06	--	--	7.0E-06	ARSENIC	Skin	5.4E-02	--	--	5.4E-02
			CADMIUM	--	--	--	NA	CADMIUM	Kidneys	2.0E-02	--	--	2.0E-02
			COBALT	--	--	--	NA	COBALT	Blood	5.8E-02	--	--	5.8E-02
			COPPER	--	--	--	NA	COPPER	Gastrointestinal System	3.9E-02	--	--	3.9E-02
			SELENIUM	--	--	--	NA	SELENIUM	NA	2.7E-02	--	--	2.7E-02
			<b>POLYAROMATIC HYDROCARBONS</b>					<b>POLYAROMATIC HYDROCARBONS</b>					
			BENZO(A)ANTHRACENE	6.8E-07	--	--	6.8E-07	BENZO(A)ANTHRACENE	NA	--	--	--	NA
			BENZO(B)FLUORANTHENE	8.3E-07	--	--	8.3E-07	BENZO(B)FLUORANTHENE	NA	--	--	--	NA
			BENZO(A)PYRENE	4.2E-06	--	--	4.2E-06	BENZO(A)PYRENE	NA	--	--	--	NA
			<b>POLYCHLORINATED BIPHENYLS</b>					<b>POLYCHLORINATED BIPHENYLS</b>					
			TOTAL PCB's	1.5E-05	--	--	1.5E-05	TOTAL PCB's	NA	--	--	--	NA
			<b>SEMIVOLATILE ORGANIC COMPOUNDS</b>					<b>SEMIVOLATILE ORGANIC COMPOUNDS</b>					
			BIS(2-ETHYLHEXYL)PHTHALATE	9.3E-06	--	--	9.3E-06	BIS(2-ETHYLHEXYL)PHTHALATE	Liver	1.2E-01	--	--	1.2E-01
			(Total for Crabs)	3.7E-05	--	--	3.7E-05	(Total for Crabs)		3.1E-01	--	--	3.1E-01
<b>Total Risk Across Sediment</b>				<b>3.7E-05</b>				<b>Total Hazard Index Across Sediment</b>					<b>3.1E-01</b>
<b>Total Risk Across All Media and All Exposure Routes</b>				<b>6E-05</b>				<b>Total Hazard Index Across All Media and All Exposure Routes</b>					<b>0.4</b>

TABLE 10-9.10  
SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs  
REASONABLE MAXIMUM EXPOSURE

SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - FIELD COLLECTED TISSUE EVALUATION

Location: Southwest/Tin Mill Canal Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Adolescent

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient				
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total
Surface Water	Finfish	Southwest/ Tin Mill	<b>INORGANICS</b>					<b>INORGANICS</b>					
			ARSENIC	1.8E-06	--	--	1.8E-06	ARSENIC	Skin	2.8E-02	--	--	2.8E-02
			MERCURY	--	--	--	NA	MERCURY	Central Nervous System	9.3E-02	--	--	9.3E-02
			SELENIUM	--	--	--	NA	SELENIUM	NA	3.2E-02	--	--	3.2E-02
			<b>POLYCHLORINATED BIPHENYLS</b>					<b>POLYCHLORINATED BIPHENYLS</b>					
			TOTAL PCB's	1.0E-05	--	--	1.0E-05	TOTAL PCB's	NA	--	--	--	NA
			(Total for Finfish)	1.2E-05	--	--	1.2E-05	(Total for Finfish)		1.5E-01	--	--	1.5E-01
<b>Total Risk Across Surface Water</b>				<b>1.2E-05</b>				<b>Total Hazard Index Across Surface Water</b>					<b>1.5E-01</b>
Sediment	Sediment	Sparrows Point	<b>INORGANICS</b>					<b>INORGANICS</b>					
			ARSENIC	--	5.4E-08	--	5.4E-08	ARSENIC	Skin	--	8.4E-04	--	8.4E-04
			<b>POLYAROMATIC HYDROCARBONS</b>					<b>POLYAROMATIC HYDROCARBONS</b>					
			BENZO(A)PYRENE	--	1.3E-07	--	1.3E-07	BENZO(A)PYRENE	NA	--	--	--	NA
			(Total)	--	1.9E-07	--	1.9E-07	(Total)		--	8.4E-04	--	8.4E-04
Sediment	Crabs	Southwest/ Tin Mill	<b>INORGANICS</b>					<b>INORGANICS</b>					
			ARSENIC	4.6E-06	--	--	4.6E-06	ARSENIC	Skin	7.1E-02	--	--	7.1E-02
			CADMIUM	--	--	--	NA	CADMIUM	Kidneys	2.6E-02	--	--	2.6E-02
			COBALT	--	--	--	NA	COBALT	Blood	7.6E-02	--	--	7.6E-02
			COPPER	--	--	--	NA	COPPER	Gastrointestinal System	5.2E-02	--	--	5.2E-02
			SELENIUM	--	--	--	NA	SELENIUM	NA	3.5E-02	--	--	3.5E-02
			<b>POLYAROMATIC HYDROCARBONS</b>					<b>POLYAROMATIC HYDROCARBONS</b>					
			BENZO(A)ANTHRACENE	1.3E-06	--	--	1.3E-06	BENZO(A)ANTHRACENE	NA	--	--	--	NA
			BENZO(B)FLUORANTHENE	1.6E-06	--	--	1.6E-06	BENZO(B)FLUORANTHENE	NA	--	--	--	NA
			BENZO(A)PYRENE	8.2E-06	--	--	8.2E-06	BENZO(A)PYRENE	NA	--	--	--	NA
			<b>POLYCHLORINATED BIPHENYLS</b>					<b>POLYCHLORINATED BIPHENYLS</b>					
			TOTAL PCB's	9.9E-06	--	--	9.9E-06	TOTAL PCB's	NA	--	--	--	NA
			<b>SEMIVOLATILE ORGANIC COMPOUNDS</b>					<b>SEMIVOLATILE ORGANIC COMPOUNDS</b>					
			BIS(2-ETHYLHEXYL)PHTHALATE	6.1E-06	--	--	6.1E-06	BIS(2-ETHYLHEXYL)PHTHALATE	Liver	1.5E-01	--	--	1.5E-01
			(Total for Crabs)	3.2E-05	--	--	3.2E-05	(Total for Crabs)		4.1E-01	--	--	4.1E-01
<b>Total Risk Across Sediment</b>				<b>3.2E-05</b>				<b>Total Hazard Index Across Sediment</b>					<b>4.1E-01</b>
<b>Total Risk Across All Media and All Exposure Routes</b>				<b>4E-05</b>				<b>Total Hazard Index Across All Media and All Exposure Routes</b>					<b>0.6</b>

TABLE 10-9.11  
SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs  
REASONABLE MAXIMUM EXPOSURE

SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - FIELD COLLECTED TISSUE EVALUATION

Location: Southwest/Tin Mill Canal Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Child

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient						
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total		
Surface Water	Finfish	Southwest/ Tin Mill	INORGANICS					INORGANICS							
			ARSENIC	6.6E-07	--	--	6.6E-07	ARSENIC	Skin	3.4E-02	--	--	3.4E-02		
			MERCURY	--	--	--	NA	MERCURY	Central Nervous System	1.2E-01	--	--	1.2E-01		
			SELENIUM	--	--	--	NA	SELENIUM	NA	4.0E-02	--	--	4.0E-02		
			POLYCHLORINATED BIPHENYLS					POLYCHLORINATED BIPHENYLS							
			TOTAL PCB's	3.8E-06	--	--	3.8E-06	TOTAL PCB's	NA	--	--	--	NA		
(Total for Finfish)				4.4E-06	---	---	4.4E-06	(Total for Finfish)				1.9E-01	---	---	1.9E-01
Total Risk Across Surface Water							4.4E-06	Total Hazard Index Across Surface Water				1.9E-01			
Sediment	Crabs	Southwest/ Tin Mill	INORGANICS					INORGANICS							
			ARSENIC	1.7E-06	--	--	1.7E-06	ARSENIC	Skin	8.9E-02	--	--	8.9E-02		
			CADMIUM	--	--	--	NA	CADMIUM	Kidneys	3.3E-02	--	--	3.3E-02		
			COBALT	--	--	--	NA	COBALT	Blood	9.5E-02	--	--	9.5E-02		
			COPPER	--	--	--	NA	COPPER	Gastrointestinal System	6.5E-02	--	--	6.5E-02		
			SELENIUM	--	--	--	NA	SELENIUM	NA	4.4E-02	--	--	4.4E-02		
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS							
			BENZO(A)ANTHRACENE	5.0E-07	--	--	5.0E-07	BENZO(A)ANTHRACENE	NA	--	--	--	NA		
			BENZO(B)FLUORANTHENE	6.1E-07	--	--	6.1E-07	BENZO(B)FLUORANTHENE	NA	--	--	--	NA		
			BENZO(A)PYRENE	3.1E-06	--	--	3.1E-06	BENZO(A)PYRENE	NA	--	--	--	NA		
			POLYCHLORINATED BIPHENYLS					POLYCHLORINATED BIPHENYLS							
			TOTAL PCB's	3.7E-06	--	--	3.7E-06	TOTAL PCB's	NA	--	--	--	NA		
			SEMIVOLATILE ORGANIC COMPOUNDS					SEMIVOLATILE ORGANIC COMPOUNDS							
BIS(2-ETHYLHEXYL)PHTHALATE	2.3E-06	--	--	2.3E-06	BIS(2-ETHYLHEXYL)PHTHALATE	Liver	1.9E-01	--	--	1.9E-01					
(Total for Crabs)				1.2E-05	---	---	1.2E-05	(Total for Crabs)				5.2E-01	---	---	5.2E-01
Total Risk Across Sediment							1.2E-05	Total Hazard Index Across Sediment				5.2E-01			
Total Risk Across All Media and All Exposure Routes							2E-05	Total Hazard Index Across All Media and All Exposure Routes				0.7			



TABLE 10-9.12  
SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs

REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - FIELD COLLECTED TISSUE EVALUATION

Location: Southwest/Tin Mill Canal Exposure Area
Scenario Timeframe: Current
Receptor Population: Watermen
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient				
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total
Surface Water	Finfish	Southwest/ Tin Mill	INORGANICS					INORGANICS					
			ARSENIC	4.1E-06	--	--	4.1E-06	ARSENIC	Skin	2.6E-02	--	--	2.6E-02
			MERCURY	--	--	--	NA	MERCURY	Central Nervous System	8.6E-02	--	--	8.6E-02
			SELENIUM	--	--	--	NA	SELENIUM	NA	3.0E-02	--	--	3.0E-02
			POLYCHLORINATED BIPHENYLS					POLYCHLORINATED BIPHENYLS					
			TOTAL PCB's	2.3E-05	--	--	2.3E-05	TOTAL PCB's	NA	--	--	--	NA
			(Total for Finfish)	2.7E-05	---	---	2.7E-05	(Total for Finfish)	1.4E-01	---	---	---	1.4E-01
Total Risk Across Surface Water				2.7E-05				Total Hazard Index Across Surface Water				1.4E-01	
Sediment	Sediment	Sparrows Point	INORGANICS					INORGANICS					
			ARSENIC	--	9.8E-07	--	9.8E-07	ARSENIC	Skin	--	6.1E-03	--	6.1E-03
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS					
			BENZO(A)PYRENE	--	8.0E-07	--	8.0E-07	BENZO(A)PYRENE	NA	--	--	--	NA
			(Total)	---	1.8E-06	---	1.8E-06	(Total)	---	6.1E-03	---	6.1E-03	
Sediment	Crabs	Southwest/ Tin Mill	INORGANICS					INORGANICS					
			ARSENIC	1.1E-05	--	--	1.1E-05	ARSENIC	Skin	6.6E-02	--	--	6.6E-02
			CADMIUM	--	--	--	NA	CADMIUM	Kidneys	2.4E-02	--	--	2.4E-02
			COBALT	--	--	--	NA	COBALT	Blood	7.1E-02	--	--	7.1E-02
			COPPER	--	--	--	NA	COPPER	Gastrointestinal System	4.8E-02	--	--	4.8E-02
			SELENIUM	--	--	--	NA	SELENIUM	NA	3.3E-02	--	--	3.3E-02
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS					
			BENZO(A)ANTHRACENE	1.0E-06	--	--	1.0E-06	BENZO(A)ANTHRACENE	NA	--	--	--	NA
			BENZO(B)FLUORANTHENE	1.3E-06	--	--	1.3E-06	BENZO(B)FLUORANTHENE	NA	--	--	--	NA
			BENZO(A)PYRENE	6.3E-06	--	--	6.3E-06	BENZO(A)PYRENE	NA	--	--	--	NA
			POLYCHLORINATED BIPHENYLS					POLYCHLORINATED BIPHENYLS					
			TOTAL PCB's	2.3E-05	--	--	2.3E-05	TOTAL PCB's	NA	--	--	--	NA
			SEMIVOLATILE ORGANIC COMPOUNDS					SEMIVOLATILE ORGANIC COMPOUNDS					
			BIS(2-ETHYLHEXYL)PHTHALATE	1.4E-05	--	--	1.4E-05	BIS(2-ETHYLHEXYL)PHTHALATE	Liver	1.4E-01	--	--	1.4E-01
				(Total for Crabs)	5.6E-05	---	---	5.6E-05	(Total for Crabs)	3.8E-01	---	---	---
Total Risk Across Sediment				5.8E-05				Total Hazard Index Across Sediment				3.9E-01	
Total Risk Across All Media and All Exposure Routes				9E-05				Total Hazard Index Across All Media and All Exposure Routes				0.5	

TABLE 10-9.13  
SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - UPTAKE EVALUATION

Location: Southwest/Tin Mill Canal Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient								
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total				
Surface Water	Finfish	Southwest/ Tin Mill	INORGANICS					INORGANICS									
			ARSENIC	1.2E-08	--	--	1.2E-08	ARSENIC	Skin	9.0E-05	--	--	9.0E-05				
			MERCURY	--	--	--	NA	MERCURY	Central Nervous System	2.6E-01	--	--	2.6E-01				
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS									
			BENZO(A)PYRENE	1.1E-05	--	--	1.1E-05	BENZO(A)PYRENE	NA	--	--	--	NA				
(Total for Finfish)				1.1E-05	---	---	1.1E-05	(Total for Finfish)				2.6E-01	2.6E-01				
Total Risk Across Surface Water								1.1E-05	Total Hazard Index Across Surface Water								2.6E-01
Sediment	Sediment	Southwest/ Tin Mill	INORGANICS					INORGANICS									
			ARSENIC	--	3.0E-08	--	3.0E-08	ARSENIC	Skin	--	2.4E-04	--	2.4E-04				
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS									
			BENZO(A)PYRENE	--	2.5E-08	--	2.5E-08	BENZO(A)PYRENE	NA	--	--	--	NA				
(Total)				---	5.5E-08	---	5.5E-08	(Total)				---	2.4E-04	2.4E-04			
Sediment	Crabs	Southwest/ Tin Mill	INORGANICS					INORGANICS									
			ANTIMONY	--	--	--	NA	ANTIMONY	Blood	5.6E-02	--	--	5.6E-02				
			ARSENIC	1.5E-05	--	--	1.5E-05	ARSENIC	Skin	1.1E-01	--	--	1.1E-01				
			BERYLLIUM	--	--	--	NA	BERYLLIUM	Intestines	5.5E-02	--	--	5.5E-02				
			CADMIUM	--	--	--	NA	CADMIUM	Kidneys	3.0E-02	--	--	3.0E-02				
			COPPER	--	--	--	NA	COPPER	Gastrointestinal System	7.9E-03	--	--	7.9E-03				
			MERCURY	--	--	--	NA	MERCURY	Central Nervous System	7.5E-05	--	--	7.5E-05				
			NICKEL	--	--	--	NA	NICKEL	Body weight	3.2E-02	--	--	3.2E-02				
			SELENIUM	--	--	--	NA	SELENIUM	NA	1.2E-02	--	--	1.2E-02				
			ZINC	--	--	--	NA	ZINC	Blood	6.9E-02	--	--	6.9E-02				
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS									
			BENZO(A)ANTHRACENE	9.9E-06	--	--	9.9E-06	BENZO(A)ANTHRACENE	NA	--	--	--	NA				
			BENZO(B)FLUORANTHENE	2.9E-06	--	--	2.9E-06	BENZO(B)FLUORANTHENE	NA	--	--	--	NA				
			BENZO(K)FLUORANTHENE	1.5E-07	--	--	1.5E-07	BENZO(K)FLUORANTHENE	NA	--	--	--	NA				
			BENZO(A)PYRENE	4.5E-05	--	--	4.5E-05	BENZO(A)PYRENE	NA	--	--	--	NA				
			CHRYSENE	9.9E-08	--	--	9.9E-08	CHRYSENE	NA	--	--	--	NA				
			DIBENZ(A,H)ANTHRACENE	2.1E-05	--	--	2.1E-05	DIBENZ(A,H)ANTHRACENE	NA	--	--	--	NA				
			FLUORANTHENE	--	--	--	NA	FLUORANTHENE	Liver	6.6E-03	--	--	6.6E-03				
			INDENO(1,2,3-C,D)PYRENE	2.4E-06	--	--	2.4E-06	INDENO(1,2,3-C,D)PYRENE	NA	--	--	--	NA				
			PYRENE	--	--	--	NA	PYRENE	Kidneys	6.8E-03	--	--	6.8E-03				
			POLYCHLORINATED BIPHENYLS					POLYCHLORINATED BIPHENYLS									
			AROCLOR-1248	9.1E-04	--	--	9.1E-04	AROCLOR-1248	NA	--	--	--	NA				
			AROCLOR-1254	3.2E-04	--	--	3.2E-04	AROCLOR-1254	Eyes and skin	2.8E+01	--	--	2.8E+01				
			AROCLOR-1260	1.7E-04	--	--	1.7E-04	AROCLOR-1260	NA	--	--	--	NA				
			SEMIVOLATILE ORGANIC COMPOUNDS					SEMIVOLATILE ORGANIC COMPOUNDS									
			BIS(2-ETHYLHEXYL)PHTHALATE	9.3E-06	--	--	9.3E-06	BIS(2-ETHYLHEXYL)PHTHALATE	Liver	1.2E-01	--	--	1.2E-01				
(Total for Crabs)				1.5E-03	---	---	1.5E-03	(Total for Crabs)				2.8E+01	2.8E+01				

TABLE 10-9.13  
SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - UPTAKE EVALUATION

Location: Southwest/Tin Mill Canal Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient				
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total
			Total Risk Across Sediment				1.5E-03	Total Hazard Index Across Sediment					2.8E+01
Total Risk Across All Media and All Exposure Route				2E-03	Total Hazard Index Across All Media and All Exposure Route					28			

TABLE 10-9.14  
SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - UPTAKE EVALUATION

Location: Southwest/Tin Mill Canal Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Adolescent

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient						
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total		
Surface Water	Finfish	Southwest/ Tin Mill	INORGANICS					INORGANICS							
			ARSENIC	7.6E-09	--	--	7.6E-09	ARSENIC	Skin	1.2E-04	--	--	1.2E-04		
			MERCURY	--	--	--	NA	MERCURY	Central Nervous System	3.4E-01	--	--	3.4E-01		
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS							
			BENZO(A)PYRENE	2.3E-05	--	--	2.3E-05	BENZO(A)PYRENE	NA	--	--	--	NA		
(Total for Finfish)				2.3E-05	---	---	2.3E-05	(Total for Finfish)				3.4E-01	3.4E-01		
Total Risk Across Surface Water								2.3E-05	Total Hazard Index Across Surface Water				3.4E-01		
Sediment	Sediment	Southwest/ Tin Mill	INORGANICS					INORGANICS							
			ARSENIC	--	5.4E-08	--	5.4E-08	ARSENIC	Skin	--	8.4E-04	--	8.4E-04		
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS							
			BENZO(A)PYRENE	--	1.3E-07	--	1.3E-07	BENZO(A)PYRENE	NA	--	--	--	NA		
	(Total)				---	1.9E-07	---	1.9E-07	(Total)				---	8.4E-04	8.4E-04
	Crabs	Southwest/ Tin Mill	INORGANICS					INORGANICS							
			ANTIMONY	--	--	--	NA	ANTIMONY	Blood	7.3E-02	--	--	7.3E-02		
			ARSENIC	9.6E-06	--	--	9.6E-06	ARSENIC	Skin	1.5E-01	--	--	1.5E-01		
			BERYLLIUM	--	--	--	NA	BERYLLIUM	Intestines	7.2E-02	--	--	7.2E-02		
			CADMIUM	--	--	--	NA	CADMIUM	Kidneys	3.9E-02	--	--	3.9E-02		
			COPPER	--	--	--	NA	COPPER	Gastrointestinal System	1.0E-02	--	--	1.0E-02		
			MERCURY	--	--	--	NA	MERCURY	Central Nervous System	9.8E-05	--	--	9.8E-05		
			NICKEL	--	--	--	NA	NICKEL	Body weight	4.2E-02	--	--	4.2E-02		
			SELENIUM	--	--	--	NA	SELENIUM	NA	1.5E-02	--	--	1.5E-02		
			ZINC	--	--	--	NA	ZINC	Blood	9.0E-02	--	--	9.0E-02		
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS							
			BENZO(A)ANTHRACENE	2.0E-05	--	--	2.0E-05	BENZO(A)ANTHRACENE	NA	--	--	--	NA		
			BENZO(B)FLUORANTHENE	5.6E-06	--	--	5.6E-06	BENZO(B)FLUORANTHENE	NA	--	--	--	NA		
			BENZO(K)FLUORANTHENE	2.9E-07	--	--	2.9E-07	BENZO(K)FLUORANTHENE	NA	--	--	--	NA		
			BENZO(A)PYRENE	8.8E-05	--	--	8.8E-05	BENZO(A)PYRENE	NA	--	--	--	NA		
CHRYSENE			1.9E-07	--	--	1.9E-07	CHRYSENE	NA	--	--	--	NA			
DIBENZ(A,H)ANTHRACENE	4.2E-05	--	--	4.2E-05	DIBENZ(A,H)ANTHRACENE	NA	--	--	--	NA					
FLUORANTHENE	--	--	--	NA	FLUORANTHENE	Liver	8.7E-03	--	--	8.7E-03					
INDENO(1,2,3-C,D)PYRENE	4.7E-06	--	--	4.7E-06	INDENO(1,2,3-C,D)PYRENE	NA	--	--	--	NA					
PYRENE	--	--	--	NA	PYRENE	Kidneys	9.0E-03	--	--	9.0E-03					
POLYCHLORINATED BIPHENYLS					POLYCHLORINATED BIPHENYLS										
AROCLOR-1248	6.0E-04	--	--	6.0E-04	AROCLOR-1248	NA	--	--	--	NA					
AROCLOR-1254	2.1E-04	--	--	2.1E-04	AROCLOR-1254	Eyes and skin	3.6E+01	--	--	3.6E+01					
AROCLOR-1260	1.1E-04	--	--	1.1E-04	AROCLOR-1260	NA	--	--	--	NA					
SEMIVOLATILE ORGANIC COMPOUNDS					SEMIVOLATILE ORGANIC COMPOUNDS										
BIS(2-ETHYLHEXYL)PHTHALATE	6.1E-06	--	--	6.1E-06	BIS(2-ETHYLHEXYL)PHTHALATE	Liver	1.5E-01	--	--	1.5E-01					
(Total for Crabs)				1.1E-03	---	---	1.1E-03	(Total for Crabs)				3.7E+01	3.7E+01		

TABLE 10-9.14  
SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - UPTAKE EVALUATION

Location: Southwest/Tin Mill Canal Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Adolescent

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient				
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total
			Total Risk Across Sediment				1.1E-03	Total Hazard Index Across Sediment					3.7E+01
Total Risk Across All Media and All Exposure Routes				1E-03	Total Hazard Index Across All Media and All Exposure Routes					37			

TABLE 10-9.15  
SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - UPTAKE EVALUATION

Location: Southwest/Tin Mill Canal Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Child

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient						
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total		
Surface Water	Finfish	Southwest/ Tin Mill	INORGANICS					INORGANICS							
			ARSENIC	2.8E-09	--	--	2.8E-09	ARSENIC	Skin	1.5E-04	--	--	1.5E-04		
			MERCURY	--	--	--	NA	MERCURY	Central Nervous System	4.2E-01	--	--	4.2E-01		
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS							
			BENZO(A)PYRENE	8.5E-06	--	--	8.5E-06	BENZO(A)PYRENE	NA	--	--	--	NA		
(Total for Finfish)				8.5E-06	---	---	8.5E-06	(Total for Finfish)				4.2E-01	---	---	4.2E-01
Total Risk Across Surface Water								8.5E-06	Total Hazard Index Across Surface Water					4.2E-01	
Sediment	Crabs	Southwest/ Tin Mill	INORGANICS					INORGANICS							
			ANTIMONY	--	--	--	NA	ANTIMONY	Blood	9.2E-02	--	--	9.2E-02		
			ARSENIC	3.6E-06	--	--	3.6E-06	ARSENIC	Skin	1.9E-01	--	--	1.9E-01		
			BERYLLIUM	--	--	--	NA	BERYLLIUM	Intestines	9.0E-02	--	--	9.0E-02		
			CADMIUM	--	--	--	NA	CADMIUM	Kidneys	4.9E-02	--	--	4.9E-02		
			COPPER	--	--	--	NA	COPPER	Gastrointestinal System	1.3E-02	--	--	1.3E-02		
			MERCURY	--	--	--	NA	MERCURY	Central Nervous System	1.2E-04	--	--	1.2E-04		
			NICKEL	--	--	--	NA	NICKEL	Body weight	5.2E-02	--	--	5.2E-02		
			SELENIUM	--	--	--	NA	SELENIUM	NA	1.9E-02	--	--	1.9E-02		
			ZINC	--	--	--	NA	ZINC	Blood	1.1E-01	--	--	1.1E-01		
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS							
			BENZO(A)ANTHRACENE	7.3E-06	--	--	7.3E-06	BENZO(A)ANTHRACENE	NA	--	--	--	NA		
			BENZO(B)FLUORANTHENE	2.1E-06	--	--	2.1E-06	BENZO(B)FLUORANTHENE	NA	--	--	--	NA		
			BENZO(K)FLUORANTHENE	1.1E-07	--	--	1.1E-07	BENZO(K)FLUORANTHENE	NA	--	--	--	NA		
			BENZO(A)PYRENE	3.3E-05	--	--	3.3E-05	BENZO(A)PYRENE	NA	--	--	--	NA		
			CHRYSENE	7.3E-08	--	--	7.3E-08	CHRYSENE	NA	--	--	--	NA		
			DIBENZ(A,H)ANTHRACENE	1.6E-05	--	--	1.6E-05	DIBENZ(A,H)ANTHRACENE	NA	--	--	--	NA		
			FLUORANTHENE	--	--	--	NA	FLUORANTHENE	Liver	1.1E-02	--	--	1.1E-02		
			INDENO(1,2,3-C,D)PYRENE	1.8E-06	--	--	1.8E-06	INDENO(1,2,3-C,D)PYRENE	NA	--	--	--	NA		
			PYRENE	--	--	--	NA	PYRENE	Kidneys	1.1E-02	--	--	1.1E-02		
			POLYCHLORINATED BIPHENYLS					POLYCHLORINATED BIPHENYLS							
			AROCLOR-1248	2.2E-04	--	--	2.2E-04	AROCLOR-1248	NA	--	--	--	NA		
			AROCLOR-1254	7.8E-05	--	--	7.8E-05	AROCLOR-1254	Eyes and skin	4.5E+01	--	--	4.5E+01		
			AROCLOR-1260	4.1E-05	--	--	4.1E-05	AROCLOR-1260	NA	--	--	--	NA		
			SEMIVOLATILE ORGANIC COMPOUNDS					SEMIVOLATILE ORGANIC COMPOUNDS							
			BIS(2-ETHYLHEXYL)PHTHALATE	2.3E-06	--	--	2.3E-06	BIS(2-ETHYLHEXYL)PHTHALATE	Liver	1.9E-01	--	--	1.9E-01		
(Total for Crabs)				4.1E-04	---	---	4.1E-04	(Total for Crabs)				4.6E+01	---	---	4.6E+01
Total Risk Across Sediment								4.1E-04	Total Hazard Index Across Sediment					4.6E+01	
Total Risk Across All Media and All Exposure Routes								4E-04	Total Hazard Index Across All Media and All Exposure Routes					47	

TABLE 10-9.16  
SUMMARY OF RECEPTOR RISKS AND HAZARDS FOR COPCs  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - UPTAKE EVALUATION

Location: Southwest/Tin Mill Canal Exposure
Area Scenario Timeframe: Current
Receptor Population: Watermen
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient							
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total			
Surface Water	Finfish	Southwest/ Tin Mill	INORGANICS					INORGANICS								
			ARSENIC	1.8E-08	--	--	1.8E-08	ARSENIC	Skin	1.1E-04	--	--	1.1E-04			
			MERCURY	--	--	--	NA	MERCURY	Central Nervous System	3.1E-01	--	--	3.1E-01			
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS								
			BENZO(A)PYRENE	1.7E-05	--	--	1.7E-05	BENZO(A)PYRENE	NA	--	--	--	NA			
(Total for Finfish)				1.7E-05	---	---	1.7E-05	(Total for Finfish)				3.1E-01	---	---	3.1E-01	
Total Risk Across Surface Water								1.7E-05	Total Hazard Index Across Surface Water				3.1E-01			
Sediment	Sediment	Southwest/ Tin Mill	INORGANICS					INORGANICS								
			ARSENIC	--	9.8E-07	--	9.8E-07	ARSENIC	Skin	--	6.1E-03	--	6.1E-03			
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS								
			BENZO(A)PYRENE	--	8.0E-07	--	8.0E-07	BENZO(A)PYRENE	NA	--	--	--	NA			
			(Total)				---	1.8E-06	---	1.8E-06	(Total)				---	6.1E-03
	Crabs	Southwest/ Tin Mill	INORGANICS					INORGANICS								
			ANTIMONY	--	--	--	NA	ANTIMONY	Blood	6.8E-02	--	--	6.8E-02			
			ARSENIC	2.2E-05	--	--	2.2E-05	ARSENIC	Skin	1.4E-01	--	--	1.4E-01			
			BERYLLIUM	--	--	--	NA	BERYLLIUM	Intestines	6.7E-02	--	--	6.7E-02			
			CADMIUM	--	--	--	NA	CADMIUM	Kidneys	3.6E-02	--	--	3.6E-02			
			COPPER	--	--	--	NA	COPPER	Gastrointestinal System	9.6E-03	--	--	9.6E-03			
			MERCURY	--	--	--	NA	MERCURY	Central Nervous System	9.1E-05	--	--	9.1E-05			
			NICKEL	--	--	--	NA	NICKEL	Body weight	3.9E-02	--	--	3.9E-02			
			SELENIUM	--	--	--	NA	SELENIUM	NA	1.4E-02	--	--	1.4E-02			
			ZINC	--	--	--	NA	ZINC	Blood	8.4E-02	--	--	8.4E-02			
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS								
			BENZO(A)ANTHRACENE	1.5E-05	--	--	1.5E-05	BENZO(A)ANTHRACENE	NA	--	--	--	NA			
			BENZO(B)FLUORANTHENE	4.4E-06	--	--	4.4E-06	BENZO(B)FLUORANTHENE	NA	--	--	--	NA			
			BENZO(K)FLUORANTHENE	2.3E-07	--	--	2.3E-07	BENZO(K)FLUORANTHENE	NA	--	--	--	NA			
			BENZO(A)PYRENE	6.8E-05	--	--	6.8E-05	BENZO(A)PYRENE	NA	--	--	--	NA			
			CHRYSENE	1.5E-07	--	--	1.5E-07	CHRYSENE	NA	--	--	--	NA			
			DIBENZ(A,H)ANTHRACENE	3.3E-05	--	--	3.3E-05	DIBENZ(A,H)ANTHRACENE	NA	--	--	--	NA			
			FLUORANTHENE	--	--	--	NA	FLUORANTHENE	Liver	8.1E-03	--	--	8.1E-03			
			INDENO(1,2,3-C,D)PYRENE	3.6E-06	--	--	3.6E-06	INDENO(1,2,3-C,D)PYRENE	NA	--	--	--	NA			
			PYRENE	--	--	--	NA	PYRENE	Kidneys	8.3E-03	--	--	8.3E-03			
			POLYCHLORINATED BIPHENYLS					POLYCHLORINATED BIPHENYLS								
			AROCLOR-1248	1.4E-03	--	--	1.4E-03	AROCLOR-1248	NA	--	--	--	NA			
			AROCLOR-1254	4.8E-04	--	--	4.8E-04	AROCLOR-1254	Eyes and skin	3.4E+01	--	--	3.4E+01			
			AROCLOR-1260	2.5E-04	--	--	2.5E-04	AROCLOR-1260	NA	--	--	--	NA			
			SEMIVOLATILE ORGANIC COMPOUNDS					SEMIVOLATILE ORGANIC COMPOUNDS								
BIS(2-ETHYLHEXYL)PHTHALATE	1.4E-05	--	--	1.4E-05	BIS(2-ETHYLHEXYL)PHTHALATE	Liver	1.4E-01	--	--	1.4E-01						
(Total for Crabs)				2.3E-03	---	---	2.3E-03	(Total for Crabs)				3.4E+01	---	---	3.4E+01	
Total Risk Across Sediment								2.3E-03	Total Hazard Index Across Sediment				3.4E+01			
Total Risk Across All Media and All Exposure Routes								2E-03	Total Hazard Index Across All Media and All Exposure Routes				35			

TABLE 10-10.1  
 SIGNIFICANT CONTRIBUTORS TO RISK  
 REASONABLE MAXIMUM EXPOSURE  
 SPARROWS POINT NORTHEAST/NEAR-SHORE - FIELD COLLECTED TISSUE EVALUATION

Location: Northeast/Near Shore Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient				
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total
Total Risk Across Surface Water				0.0E+00				Total Hazard Index Across Surface Water				0.0E+00	
Sediment	Crabs	Northeast/ Near Shore	POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS					
			BENZO(A)PYRENE	4.2E-06	--	--	4.2E-06	BENZO(A)PYRENE	NA	--	--	--	NA
			(Total for Crabs)	4.8E-06	---	---	4.8E-06	(Total for Crabs)	---	---	---	---	
Total Risk Across Sediment				4.8E-06				Total Hazard Index Across Sediment				0.0E+00	
Total Risk Across All Media and All Exposure Routes				5E-06				Total Hazard Index Across All Media and All Exposure Routes				0.0	



TABLE 10-10.2  
SIGNIFICANT CONTRIBUTORS TO RISK  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT NORTHEAST/NEAR-SHORE - FIELD COLLECTED TISSUE EVALUATION

Location: Northeast/Near Shore Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Adolescent

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient					
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total	
Total Risk Across Surface Water				0.0E+00				Total Hazard Index Across Surface Water				0.0E+00		
Sediment	Crabs	Northeast/ Near Shore	POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS						
			BENZO(A)ANTHRACENE	1.3E-06	--	--	1.3E-06	BENZO(A)ANTHRACENE	NA	--	--	--	NA	
			BENZO(B)FLUORANTHENE	1.6E-06	--	--	1.6E-06	BENZO(B)FLUORANTHENE	NA	--	--	--	NA	
			BENZO(A)PYRENE	8.2E-06	--	--	8.2E-06	BENZO(A)PYRENE	NA	--	--	--	NA	
			(Total for Crabs)	1.2E-05	---	---	1.2E-05	(Total for Crabs)	---	---	---	---		
Total Risk Across Sediment				1.2E-05				Total Hazard Index Across Sediment					0.0E+00	
Total Risk Across All Media and All Exposure Routes				1E-05				Total Hazard Index Across All Media and All Exposure Routes					0.0	

TABLE 10-10.3  
 SIGNIFICANT CONTRIBUTORS TO RISK  
 REASONABLE MAXIMUM EXPOSURE  
 SPARROWS POINT NORTHEAST/NEAR-SHORE - FIELD COLLECTED TISSUE EVALUATION

Location: Northeast/Near Shore Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Child

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient				
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total
Total Risk Across Surface Water				0.0E+00				Total Hazard Index Across Surface Water				0.0E+00	
Sediment	Crabs	Northeast/ Near Shore	INORGANICS					INORGANICS					
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS					
			BENZO(A)PYRENE	3.1E-06	--	--	3.1E-06	BENZO(A)PYRENE	NA	--	--	--	NA
(Total for Crabs)				3.8E-06	---	---	3.8E-06	(Total for Crabs)				---	---
Total Risk Across Sediment				3.8E-06				Total Hazard Index Across Sediment				0.0E+00	
Total Risk Across All Media and All Exposure Routes				4E-06				Total Hazard Index Across All Media and All Exposure Routes				0.0	
Total Hazard Index Across For Central Nervous System												0.0	

TABLE 10-10.4  
SIGNIFICANT CONTRIBUTORS TO RISK  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT NORTHEAST/NEAR-SHORE - FIELD COLLECTED TISSUE EVALUATION

Location: Northeast/Near Shore Exposure Area
Scenario Timeframe: Current
Receptor Population: Watermen
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient				
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total
Sediment	Crabs	Northeast/ Near Shore	POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS					
			BENZO(A)ANTHRACENE	1.0E-06	--	--	1.0E-06	BENZO(A)ANTHRACENE	NA	--	--	--	NA
			BENZO(B)FLUORANTHENE	1.3E-06	--	--	1.3E-06	BENZO(B)FLUORANTHENE	NA	--	--	--	NA
			BENZO(A)PYRENE	6.3E-06	--	--	6.3E-06	BENZO(A)PYRENE	NA	--	--	--	NA
			(Total for Crabs)	9.5E-06	---	---	9.5E-06	(Total for Crabs)	---	---	---	---	
Total Risk Across Sediment							9.5E-06	Total Hazard Index Across Sediment					0.0E+00
Total Risk Across All Media and All Exposure Route							1E-05	Total Hazard Index Across All Media and All Exposure Route					0.0

TABLE 10-10.5  
SIGNIFICANT CONTRIBUTORS TO RISK  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT NORTHEAST/NEAR-SHORE - UPTAKE EVALUATION

Location: Northeast/Near Shore Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient				
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total
Surface Water	Finfish	Northeast/ Near Shore	POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS					
			BENZO(A)PYRENE	1.6E-05	--	--	1.6E-05	BENZO(A)PYRENE	NA	--	--	--	NA
			(Total for Finfish)	1.6E-05	---	---	1.6E-05	(Total for Finfish)	---	---	---	---	
Total Risk Across Surface Water							1.6E-05	Total Hazard Index Across Surface Water					0.0E+00
Sediment	Crabs	Northeast/ Near Shore	INORGANICS					INORGANICS					
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS					
			BENZO(A)ANTHRACENE	1.3E-06	--	--	1.3E-06	BENZO(A)ANTHRACENE	NA	--	--	--	NA
			BENZO(A)PYRENE	7.7E-06	--	--	7.7E-06	BENZO(A)PYRENE	NA	--	--	--	NA
			DIBENZ(A,H)ANTHRACENE	2.1E-06	--	--	2.1E-06	DIBENZ(A,H)ANTHRACENE	NA	--	--	--	NA
(Total for Crabs)				1.1E-05	---	---	1.1E-05	(Total for Crabs)				---	---
Total Risk Across Sediment							1.1E-05	Total Hazard Index Across Sediment					0.0E+00
Total Risk Across All Media and All Exposure Routes							3E-05	Total Hazard Index Across All Media and All Exposure Routes					0.0

TABLE 10-10.6  
SIGNIFICANT CONTRIBUTORS TO RISK  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT NORTHEAST/NEAR-SHORE - UPTAKE EVALUATION

Location: Northeast/Near Shore Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Adolescent

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient				
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total
Surface Water	Finfish	Northeast/ Near Shore	POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS					
			BENZO(A)PYRENE	3.1E-05	--	--	3.1E-05	BENZO(A)PYRENE	NA	--	--	--	NA
			(Total for Finfish)	3.1E-05	---	---	3.1E-05	(Total for Finfish)	---	---	---	---	
Total Risk Across Surface Water							3.1E-05	Total Hazard Index Across Surface Water					0.0E+00
Sediment	Crabs	Northeast/ Near Shore	POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS					
			BENZO(A)ANTHRACENE	2.5E-06	--	--	2.5E-06	BENZO(A)ANTHRACENE	NA	--	--	--	NA
			BENZO(A)PYRENE	1.5E-05	--	--	1.5E-05	BENZO(A)PYRENE	NA	--	--	--	NA
			DIBENZ(A,H)ANTHRACENE	4.1E-06	--	--	4.1E-06	DIBENZ(A,H)ANTHRACENE	NA	--	--	--	NA
			(Total for Crabs)	2.2E-05	---	---	2.2E-05	(Total for Crabs)	---	---	---	---	
Total Risk Across Sediment							2.2E-05	Total Hazard Index Across Sediment					0.0E+00
Total Risk Across All Media and All Exposure Routes							5E-05	Total Hazard Index Across All Media and All Exposure Routes					0.0

TABLE 10-10.7  
SIGNIFICANT CONTRIBUTORS TO RISK  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT NORTHEAST/NEAR-SHORE - UPTAKE EVALUATION

Location: Northeast/Near Shore Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Child

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient				
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total
Surface Water	Finfish	Northeast/ Near Shore	POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS					
			BENZO(A)PYRENE	1.1E-05	--	--	1.1E-05	BENZO(A)PYRENE	NA	--	--	--	NA
			(Total for Finfish)	1.1E-05	---	---	1.1E-05	(Total for Finfish)	---	---	---	---	
Total Risk Across Surface Water							1.1E-05	Total Hazard Index Across Surface Water					0.0E+00
Sediment	Crabs	Northeast/ Near Shore	INORGANICS					INORGANICS					
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS					
			BENZO(A)PYRENE	5.7E-06	--	--	5.7E-06	BENZO(A)PYRENE	NA	--	--	--	NA
			DIBENZ(A,H)ANTHRACENE	1.6E-06	--	--	1.6E-06	DIBENZ(A,H)ANTHRACENE	NA	--	--	--	NA
(Total for Crabs)				7.2E-06	---	---	7.2E-06	(Total for Crabs)				---	---
Total Risk Across Sediment							7.2E-06	Total Hazard Index Across Sediment					0.0E+00
Total Risk Across All Media and All Exposure Routes							2E-05	Total Hazard Index Across All Media and All Exposure Routes					0

TABLE 10-10.8  
SIGNIFICANT CONTRIBUTORS TO RISK  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT NORTHEAST/NEAR-SHORE - UPTAKE EVALUATION

Location: Northeast/Near Shore Exposure Area
Scenario Timeframe: Current
Receptor Population: Watermen
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient				
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total
Surface Water	Finfish	Northeast/ Near Shore	POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS					
			BENZO(A)PYRENE	2.4E-05	--	--	2.4E-05	BENZO(A)PYRENE	NA	--	--	--	NA
			(Total for Finfish)	2.4E-05	---	---	2.4E-05	(Total for Finfish)	---	---	---	---	
Total Risk Across Surface Water				2.4E-05				Total Hazard Index Across Surface Water				0.0E+00	
Sediment	Crabs	Northeast/ Near Shore	INORGANICS					INORGANICS					
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS					
			BENZO(A)ANTHRACENE	1.9E-06	--	--	1.9E-06	BENZO(A)ANTHRACENE	NA	--	--	--	NA
			BENZO(A)PYRENE	1.2E-05	--	--	1.2E-05	BENZO(A)PYRENE	NA	--	--	--	NA
			DIBENZ(A,H)ANTHRACENE	3.2E-06	--	--	3.2E-06	DIBENZ(A,H)ANTHRACENE	NA	--	--	--	NA
(Total for Crabs)				1.7E-05	---	---	1.7E-05	(Total for Crabs)	---	---	---	---	
Total Risk Across Sediment				1.7E-05				Total Hazard Index Across Sediment				0.0E+00	
Total Risk Across All Media and All Exposure Routes				4E-05				Total Hazard Index Across All Media and All Exposure Routes				0.0	

TABLE 10-10.9  
SIGNIFICANT CONTRIBUTORS TO RISK  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - FIELD COLLECTED TISSUE EVALUATION

Location: Southwest/Tin Mill Canal Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient							
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total			
Surface Water	Finfish	Southwest/ Tin Mill	INORGANICS					INORGANICS								
			ARSENIC	2.7E-06	--	--	2.7E-06	ARSENIC	Skin	--	--	--	NA			
			POLYCHLORINATED BIPHENYLS					POLYCHLORINATED BIPHENYLS								
			TOTAL PCB's	1.5E-05	--	--	1.5E-05	TOTAL PCB's	NA	--	--	--	NA			
(Total for Finfish)				1.8E-05	---	---	1.8E-05	(Total for Finfish)				---	---	---	---	
Total Risk Across Surface Water							1.8E-05	Total Hazard Index Across Surface Water				0.0E+00				
Sediment	Crabs	Southwest/ Tin Mill	INORGANICS					INORGANICS								
			ARSENIC	7.0E-06	--	--	7.0E-06	ARSENIC	Skin	--	--	--	NA			
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS								
			BENZO(A)PYRENE	4.2E-06	--	--	4.2E-06	BENZO(A)PYRENE	NA	--	--	--	NA			
			POLYCHLORINATED BIPHENYLS					POLYCHLORINATED BIPHENYLS								
			TOTAL PCB's	1.5E-05	--	--	1.5E-05	TOTAL PCB's	NA	--	--	--	NA			
SEMIVOLATILE ORGANIC COMPOUNDS								SEMIVOLATILE ORGANIC COMPOUNDS								
BIS(2-ETHYLHEXYL)PHTHALATE				9.3E-06	--	--	9.3E-06	BIS(2-ETHYLHEXYL)PHTHALATE				Liver	--	--	--	NA
(Total for Crabs)				3.6E-05	---	---	3.6E-05	(Total for Crabs)				---	---	---	---	
Total Risk Across Sediment							3.6E-05	Total Hazard Index Across Sediment				0.0E+00				
Total Risk Across All Media and All Exposure Routes							5E-05	Total Hazard Index Across All Media and All Exposure Routes				0.0				



TABLE 10-10.10  
SIGNIFICANT CONTRIBUTORS TO RISK  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - FIELD COLLECTED TISSUE EVALUATION

Location: Southwest/Tin Mill Canal Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Adolescent

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient					
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total	
Surface Water	Finfish	Southwest/ Tin Mill	INORGANICS					INORGANICS						
			ARSENIC	1.8E-06	--	--	1.8E-06	ARSENIC	Skin	--	--	--	NA	
			POLYCHLORINATED BIPHENYLS					POLYCHLORINATED BIPHENYLS						
			TOTAL PCB's	1.0E-05	--	--	1.0E-05	TOTAL PCB's	NA	--	--	--	NA	
(Total for Finfish)				1.2E-05	---	---	1.2E-05	(Total for Finfish)				---	---	---
Total Risk Across Surface Water							1.2E-05	Total Hazard Index Across Surface Water				0.0E+00		
Sediment	Crabs	Southwest/ Tin Mill	INORGANICS					INORGANICS						
			ARSENIC	4.6E-06	--	--	4.6E-06	ARSENIC	Skin	--	--	--	NA	
			COPPER	--	--	--	NA	COPPER	Gastrointestinal System	--	--	--	NA	
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS						
			BENZO(A)ANTHRACENE	1.3E-06	--	--	1.3E-06	BENZO(A)ANTHRACENE	NA	--	--	--	NA	
			BENZO(B)FLUORANTHENE	1.6E-06	--	--	1.6E-06	BENZO(B)FLUORANTHENE	NA	--	--	--	NA	
			BENZO(A)PYRENE	8.2E-06	--	--	8.2E-06	BENZO(A)PYRENE	NA	--	--	--	NA	
			POLYCHLORINATED BIPHENYLS					POLYCHLORINATED BIPHENYLS						
			TOTAL PCB's	9.9E-06	--	--	9.9E-06	TOTAL PCB's	NA	--	--	--	NA	
			SEMIVOLATILE ORGANIC COMPOUNDS					SEMIVOLATILE ORGANIC COMPOUNDS						
			BIS(2-ETHYLHEXYL)PHTHALATE	6.1E-06	--	--	6.1E-06	BIS(2-ETHYLHEXYL)PHTHALATE	Liver	--	--	--	NA	
(Total for Crabs)				3.2E-05	---	---	3.2E-05	(Total for Crabs)				---	---	---
Total Risk Across Sediment							3.2E-05	Total Hazard Index Across Sediment				0.0E+00		
Total Risk Across All Media and All Exposure Routes							4E-05	Total Hazard Index Across All Media and All Exposure Routes				0.0		

TABLE 10-10.11  
SIGNIFICANT CONTRIBUTORS TO RISK  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - FIELD COLLECTED TISSUE EVALUATION

Location: Southwest/Tin Mill Canal Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Child

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient				
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total
Surface Water	Finfish	Southwest/ Tin Mill	POLYCHLORINATED BIPHENYLS					POLYCHLORINATED BIPHENYLS					
			TOTAL PCB's	3.8E-06	--	--	3.8E-06	TOTAL PCB's	NA	--	--	--	NA
			(Total for Finfish)	3.8E-06	---	---	3.8E-06	(Total for Finfish)	---	---	---	---	
Total Risk Across Surface Water							3.8E-06	Total Hazard Index Across Surface Water					0.0E+00
Sediment	Crabs	Southwest/ Tin Mill	INORGANICS					INORGANICS					
			ARSENIC	1.7E-06	--	--	1.7E-06	ARSENIC	Skin	--	--	--	NA
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS					
			BENZO(A)PYRENE	3.1E-06	--	--	3.1E-06	BENZO(A)PYRENE	NA	--	--	--	NA
			POLYCHLORINATED BIPHENYLS					POLYCHLORINATED BIPHENYLS					
			TOTAL PCB's	3.7E-06	--	--	3.7E-06	TOTAL PCB's	NA	--	--	--	NA
			SEMIVOLATILE ORGANIC COMPOUNDS					SEMIVOLATILE ORGANIC COMPOUNDS					
			BIS(2-ETHYLHEXYL)PHTHALATE	2.3E-06	--	--	2.3E-06	BIS(2-ETHYLHEXYL)PHTHALATE	Liver	--	--	--	NA
			(Total for Crabs)	1.1E-05	---	---	1.1E-05	(Total for Crabs)	---	---	---	---	
Total Risk Across Sediment							1.1E-05	Total Hazard Index Across Sediment					0.0E+00
Total Risk Across All Media and All Exposure Routes							1E-05	Total Hazard Index Across All Media and All Exposure Routes					0.0

TABLE 10-10.12  
SIGNIFICANT CONTRIBUTORS TO RISK  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - FIELD COLLECTED TISSUE EVALUATION

Location: Southwest/Tin Mill Canal Exposure Area
Scenario Timeframe: Current
Receptor Population: Watermen
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient						
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total		
Surface Water	Finfish	Southwest/ Tin Mill	INORGANICS					INORGANICS							
			ARSENIC	4.1E-06	--	--	4.1E-06	ARSENIC	Skin	--	--	--	NA		
			POLYCHLORINATED BIPHENYLS					POLYCHLORINATED BIPHENYLS							
			TOTAL PCB's	2.3E-05	--	--	2.3E-05	TOTAL PCB's	NA	--	--	--	NA		
			(Total for Finfish)	2.7E-05	---	---	2.7E-05				(Total for Finfish)	---	---	---	---
Total Risk Across Surface Water							2.7E-05						Total Hazard Index Across Surface Water	0.0E+00	
Sediment	Crabs	Southwest/ Tin Mill	INORGANICS					INORGANICS							
			ARSENIC	1.1E-05	--	--	1.1E-05	ARSENIC	Skin	--	--	--	NA		
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS							
			BENZO(A)ANTHRACENE	1.0E-06	--	--	1.0E-06	BENZO(A)ANTHRACENE	NA	--	--	--	NA		
			BENZO(B)FLUORANTHENE	1.3E-06	--	--	1.3E-06	BENZO(B)FLUORANTHENE	NA	--	--	--	NA		
			BENZO(A)PYRENE	6.3E-06	--	--	6.3E-06	BENZO(A)PYRENE	NA	--	--	--	NA		
			POLYCHLORINATED BIPHENYLS					POLYCHLORINATED BIPHENYLS							
			TOTAL PCB's	2.3E-05	--	--	2.3E-05	TOTAL PCB's	NA	--	--	--	NA		
			SEMIVOLATILE ORGANIC COMPOUNDS					SEMIVOLATILE ORGANIC COMPOUNDS							
			BIS(2-ETHYLHEXYL)PHTHALATE	1.4E-05	--	--	1.4E-05	BIS(2-ETHYLHEXYL)PHTHALATE	Liver	--	--	--	NA		
			(Total for Crabs)	5.6E-05	---	---	5.6E-05				(Total for Crabs)	---	---	---	---
Total Risk Across Sediment							5.6E-05						Total Hazard Index Across Sediment	0.0E+00	
Total Risk Across All Media and All Exposure Routes							8E-05						Total Hazard Index Across All Media and All Exposure Routes	0.0	

TABLE 10-10.13  
SIGNIFICANT CONTRIBUTORS TO RISK  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - UPTAKE EVALUATION

Location: Southwest/Tin Mill Canal Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient				
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total
Surface Water	Finfish	Southwest/ Tin Mill	INORGANICS	--	--	--	NA	INORGANICS	Central Nervous System	2.6E-01	--	--	2.6E-01
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS					
			BENZO(A)PYRENE	1.1E-05	--	--	1.1E-05	BENZO(A)PYRENE	NA	--	--	--	NA
			(Total for Finfish)			1.1E-05	---	---	1.1E-05	(Total for Finfish)			2.6E-01
Total Risk Across Surface Water							1.1E-05	Total Hazard Index Across Surface Water			2.6E-01		
Sediment	Crabs	Southwest/ Tin Mill	INORGANICS	1.5E-05	--	--	1.5E-05	INORGANICS	Skin	1.1E-01	--	--	1.1E-01
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS					
			BENZO(A)ANTHRACENE	9.9E-06	--	--	9.9E-06	BENZO(A)ANTHRACENE	NA	--	--	--	NA
			BENZO(B)FLUORANTHENE	2.9E-06	--	--	2.9E-06	BENZO(B)FLUORANTHENE	NA	--	--	--	NA
			BENZO(A)PYRENE	4.5E-05	--	--	4.5E-05	BENZO(A)PYRENE	NA	--	--	--	NA
			DIBENZ(A,H)ANTHRACENE	2.1E-05	--	--	2.1E-05	DIBENZ(A,H)ANTHRACENE	NA	--	--	--	NA
			INDENO(1,2,3-C,D)PYRENE	2.4E-06	--	--	2.4E-06	INDENO(1,2,3-C,D)PYRENE	NA	--	--	--	NA
			POLYCHLORINATED BIPHENYLS					POLYCHLORINATED BIPHENYLS					
			AROCLOR-1248	9.1E-04	--	--	9.1E-04	AROCLOR-1248	NA	--	--	--	NA
			AROCLOR-1254	3.2E-04	--	--	3.2E-04	AROCLOR-1254	Eyes and skin	2.8E+01	--	--	2.8E+01
			AROCLOR-1260	1.7E-04	--	--	1.7E-04	AROCLOR-1260	NA	--	--	--	NA
			SEMIVOLATILE ORGANIC COMPOUNDS					SEMIVOLATILE ORGANIC COMPOUNDS					
			BIS(2-ETHYLHEXYL)PHTHALATE	9.3E-06	--	--	9.3E-06	BIS(2-ETHYLHEXYL)PHTHALATE	Liver	1.2E-01	--	--	1.2E-01
			(Total for Crabs)			1.5E-03	---	---	1.5E-03	(Total for Crabs)			2.8E+01
Total Risk Across Sediment							1.5E-03	Total Hazard Index Across Sediment			2.8E+01		
Total Risk Across All Media and All Exposure Routes							2E-03	Total Hazard Index Across All Media and All Exposure Routes			28		

Total Hazard Index Across For Central Nervous System	0.3
Total Hazard Index Across For Liver	0.1
Total Hazard Index Across For Skin	28
Total Hazard Index Across For Eyes	28

TABLE 10-10.14  
SIGNIFICANT CONTRIBUTORS TO RISK  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - UPTAKE EVALUATION

Location: Southwest/Tin Mill Canal Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Adolescent

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient						
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total		
Surface Water	Finfish	Southwest/ Tin Mill	INORGANICS					INORGANICS							
			MERCURY	--	--	--	NA	MERCURY	Central Nervous System	3.4E-01	--	--	3.4E-01		
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS							
			BENZO(A)PYRENE	2.3E-05	--	--	2.3E-05	BENZO(A)PYRENE	NA	--	--	--	NA		
(Total for Finfish)				2.3E-05	---	---	2.3E-05	(Total for Finfish)				3.4E-01	---	---	3.4E-01
Total Risk Across Surface Water							2.3E-05	Total Hazard Index Across Surface Water					3.4E-01		
Sediment	Crabs	Southwest/ Tin Mill	INORGANICS					INORGANICS							
			ARSENIC	9.6E-06	--	--	9.6E-06	ARSENIC	Skin	1.5E-01	--	--	1.5E-01		
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS							
			BENZO(A)ANTHRACENE	2.0E-05	--	--	2.0E-05	BENZO(A)ANTHRACENE	NA	--	--	--	NA		
			BENZO(B)FLUORANTHENE	5.6E-06	--	--	5.6E-06	BENZO(B)FLUORANTHENE	NA	--	--	--	NA		
			BENZO(A)PYRENE	8.8E-05	--	--	8.8E-05	BENZO(A)PYRENE	NA	--	--	--	NA		
			DIBENZ(A,H)ANTHRACENE	4.2E-05	--	--	4.2E-05	DIBENZ(A,H)ANTHRACENE	NA	--	--	--	NA		
			INDENO(1,2,3-C,D)PYRENE	4.7E-06	--	--	4.7E-06	INDENO(1,2,3-C,D)PYRENE	NA	--	--	--	NA		
			POLYCHLORINATED BIPHENYLS					POLYCHLORINATED BIPHENYLS							
			AROCLOR-1248	6.0E-04	--	--	6.0E-04	AROCLOR-1248	NA	--	--	--	NA		
			AROCLOR-1254	2.1E-04	--	--	2.1E-04	AROCLOR-1254	Eyes and skin	3.6E+01	--	--	3.6E+01		
			AROCLOR-1260	1.1E-04	--	--	1.1E-04	AROCLOR-1260	NA	--	--	--	NA		
			SEMIVOLATILE ORGANIC COMPOUNDS					SEMIVOLATILE ORGANIC COMPOUNDS							
			BIS(2-ETHYLHEXYL)PHTHALATE	6.1E-06	--	--	6.1E-06	BIS(2-ETHYLHEXYL)PHTHALATE	Liver	1.5E-01	--	--	1.5E-01		
(Total for Crabs)				1.1E-03	---	---	1.1E-03	(Total for Crabs)				3.7E+01	---	---	3.7E+01
Total Risk Across Sediment							1.1E-03	Total Hazard Index Across Sediment					3.7E+01		
Total Risk Across All Media and All Exposure Route							1E-03	Total Hazard Index Across All Media and All Exposure Route					37		

Total Hazard Index Across For Central Nervous System	0.3
Total Hazard Index Across For Liver	0.2
Total Hazard Index Across For Skin	36
Total Hazard Index Across For Eyes	36

TABLE 10-10.15  
SIGNIFICANT CONTRIBUTORS TO RISK  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - UPTAKE EVALUATION

Location: Southwest/Tin Mill Canal Exposure Area
Scenario Timeframe: Current
Receptor Population: Recreational User
Receptor Age: Child

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient						
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total		
Surface Water	Finfish	Southwest/ Tin Mill	INORGANICS					INORGANICS							
			MERCURY	--	--	--	NA	MERCURY	Central Nervous System	4.2E-01	--	--	4.2E-01		
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS							
			BENZO(A)PYRENE	8.5E-06	--	--	8.5E-06	BENZO(A)PYRENE	NA	--	--	--	NA		
(Total for Finfish)				8.5E-06	---	---	8.5E-06	(Total for Finfish)				4.2E-01	---	---	4.2E-01
Total Risk Across Surface Water							8.5E-06	Total Hazard Index Across Surface Water							4.2E-01
Sediment	Crabs	Southwest/ Tin Mill	INORGANICS					INORGANICS							
			ARSENIC	3.6E-06	--	--	3.6E-06	ARSENIC	Skin	1.9E-01	--	--	1.9E-01		
			ZINC	--	--	--	NA	ZINC	Blood	1.1E-01	--	--	1.1E-01		
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS							
			BENZO(A)ANTHRACENE	7.3E-06	--	--	7.3E-06	BENZO(A)ANTHRACENE	NA	--	--	--	NA		
			BENZO(B)FLUORANTHENE	2.1E-06	--	--	2.1E-06	BENZO(B)FLUORANTHENE	NA	--	--	--	NA		
			BENZO(A)PYRENE	3.3E-05	--	--	3.3E-05	BENZO(A)PYRENE	NA	--	--	--	NA		
			DIBENZ(A,H)ANTHRACENE	1.6E-05	--	--	1.6E-05	DIBENZ(A,H)ANTHRACENE	NA	--	--	--	NA		
			INDENO(1,2,3-C,D)PYRENE	1.8E-06	--	--	1.8E-06	INDENO(1,2,3-C,D)PYRENE	NA	--	--	--	NA		
			POLYCHLORINATED BIPHENYLS					POLYCHLORINATED BIPHENYLS							
			AROCLOR-1248	2.2E-04	--	--	2.2E-04	AROCLOR-1248	NA	--	--	--	NA		
			AROCLOR-1254	7.8E-05	--	--	7.8E-05	AROCLOR-1254	Eyes and skin	4.5E+01	--	--	4.5E+01		
			AROCLOR-1260	4.1E-05	--	--	4.1E-05	AROCLOR-1260	NA	--	--	--	NA		
			SEMIVOLATILE ORGANIC COMPOUNDS					SEMIVOLATILE ORGANIC COMPOUNDS							
			BIS(2-ETHYLHEXYL)PHTHALATE	--	--	--	NA	BIS(2-ETHYLHEXYL)PHTHALATE	Liver	1.9E-01	--	--	1.9E-01		
(Total for Crabs)				4.1E-04	---	---	4.1E-04	(Total for Crabs)				4.6E+01	---	---	4.6E+01
Total Risk Across Sediment							4.1E-04	Total Hazard Index Across Sediment							4.6E+01
Total Risk Across All Media and All Exposure Routes							4E-04	Total Hazard Index Across All Media and All Exposure Routes							46

Total Hazard Index Across For Blood	0.1
Total Hazard Index Across For Central Nervous System	0.4
Total Hazard Index Across For Liver	0.2
Total Hazard Index Across For Skin	45
Total Hazard Index Across For Eyes	45

TABLE 10-10.16  
SIGNIFICANT CONTRIBUTORS TO RISK  
REASONABLE MAXIMUM EXPOSURE  
SPARROWS POINT SOUTHWEST/TIN MILL CANAL EFFLUENT - UPTAKE EVALUATION

Location: Southwest/Tin Mill Canal Exposure Area
Scenario Timeframe: Current
Receptor Population: Watermen
Receptor Age: Adult

Medium	Exposure Medium	Exposure Point	Chemical	Carcinogenic Risk				Chemical	Non-Carcinogenic Hazard Quotient					
				Ingestion	Dermal	Inhalation	Exposure Routes Total		Primary Target Organ	Ingestion	Dermal	Inhalation	Exposure Routes Total	
Surface Water	Finfish	Southwest/ Tin Mill	INORGANICS					INORGANICS						
			MERCURY	--	--	--	NA	MERCURY	Central Nervous System	3.1E-01	--	--	3.1E-01	
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS						
			BENZO(A)PYRENE	1.7E-05	--	--	1.7E-05	BENZO(A)PYRENE	NA	--	--	--	NA	
			(Total for Finfish)	1.7E-05	---	---	1.7E-05	(Total for Finfish)			3.1E-01	---	---	3.1E-01
Total Risk Across Surface Water							1.7E-05	Total Hazard Index Across Surface Water					3.1E-01	
Sediment	Crabs	Southwest/ Tin Mill	INORGANICS	2.2E-05	--	--	2.2E-05	INORGANICS	Skin	1.4E-01	--	--	1.4E-01	
			POLYAROMATIC HYDROCARBONS					POLYAROMATIC HYDROCARBONS						
			BENZO(A)ANTHRACENE	1.5E-05	--	--	1.5E-05	BENZO(A)ANTHRACENE	NA	--	--	--	NA	
			BENZO(B)FLUORANTHENE	4.4E-06	--	--	4.4E-06	BENZO(B)FLUORANTHENE	NA	--	--	--	NA	
			BENZO(A)PYRENE	6.8E-05	--	--	6.8E-05	BENZO(A)PYRENE	NA	--	--	--	NA	
			DIBENZ(A,H)ANTHRACENE	3.3E-05	--	--	3.3E-05	DIBENZ(A,H)ANTHRACENE	NA	--	--	--	NA	
			INDENO(1,2,3-C,D)PYRENE	3.6E-06	--	--	3.6E-06	INDENO(1,2,3-C,D)PYRENE	NA	--	--	--	NA	
			POLYCHLORINATED BIPHENYLS					POLYCHLORINATED BIPHENYLS						
			AROCLOR-1248	1.4E-03	--	--	1.4E-03	AROCLOR-1248	NA	--	--	--	NA	
			AROCLOR-1254	4.8E-04	--	--	4.8E-04	AROCLOR-1254	Eyes and skin	3.4E+01	--	--	3.4E+01	
			AROCLOR-1260	2.5E-04	--	--	2.5E-04	AROCLOR-1260	NA	--	--	--	NA	
			SEMIVOLATILE ORGANIC COMPOUNDS					SEMIVOLATILE ORGANIC COMPOUNDS						
			BIS(2-ETHYLHEXYL)PHTHALATE	1.4E-05	--	--	1.4E-05	BIS(2-ETHYLHEXYL)PHTHALATE	Liver	1.4E-01	--	--	1.4E-01	
						(Total for Crabs)	2.3E-03	---	---	2.3E-03	(Total for Crabs)			3.4E+01
Total Risk Across Sediment							2.3E-03	Total Hazard Index Across Sediment					3.4E+01	
Total Risk Across All Media and All Exposure Routes							2E-03	Total Hazard Index Across All Media and All Exposure Routes					34	

Total Hazard Index Across For Central Nervous System	0.3
Total Hazard Index Across For Liver	0.1
Total Hazard Index Across For Skin	34
Total Hazard Index Across For Eyes	34

**TABLE 10-11.1**  
**OCCURRENCE, DISTRIBUTION, AND SELECTION OF CHEMICALS OF POTENTIAL CONCERN**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**NORTHEAST/NEAR-SHORE - FINFISH/UPTAKE - STORM CONDITIONS**

Scenario Timeframe: Future Medium: Surface water Exposure Medium: Finfish Exposure Point: Northeast/Near Shore Exposure Area
---

CAS Number	Chemical	SW EPC (mg/L)	SWBAF (mg/L to mg/kg dry weight)	Concentration <sup>(1)</sup> Used for Screening (mg/kg)	Screening <sup>(2)</sup> Toxicity Value (mg/kg)	COPC Flag	Rationale for <sup>(3)</sup> Contaminant Deletion or Selection	
INORGANICS								
7440-47-3	CHROMIUM	5.20E-04	8.00E+02	4.16E-01	2.30E+02	N	No	BSL
7440-50-8	COPPER	6.40E-04	1.86E+03	1.19E+00	6.20E+00	N	No	BSL
57-12-5	CYANIDE (TOTAL)	1.97E-03	4.00E+00	7.88E-03	9.30E-02	N	No	BSL
7439-92-1	LEAD	1.00E-04	4.50E+01	4.50E-03	NA		No	NSL
7439-97-6	MERCURY	1.60E-04	7.20E+03	1.15E+00	4.60E-02	N	Yes	ASL
7440-02-0	NICKEL	1.66E-03	9.60E+01	1.59E-01	3.10E+00	N	No	BSL
7440-66-6	ZINC	8.95E-03	2.52E+02	2.26E+00	4.60E+01	N	No	BSL
POLYAROMATIC HYDROCARBONS								
50-32-8	HMW PAHs	1.15E-05	2.06E+04	2.37E-01	5.70E-04	C	Yes	ASL
129-00-0	LMW PAHs	1.30E-04	3.08E+03	4.01E-01	4.60E+00	N	No	BSL
SEMIVOLATILE ORGANIC COMPOUNDS								
117-81-7	BIS(2-ETHYLHEXYL) PHTHLATE	8.00E-05	6.85E+03	5.48E-01	3.00E-01	C	Yes	ASL

Note: Chemicals of Potential Concern are bold with shading.

(1) The screening concentration is the Surface Water EPC\*SWBAF.

(2) USEPA Regional Screening Levels, USEPA, June 2015. For non-carcinogens, value shown is equal to 1/10 the fish tissue value. For carcinogens the value shown is equal to the fish tissue value.

(3) Rationale Codes

Selection Reason:	ASL = Above Screening Toxicity Level
Deletion Reason:	BSL = Below Screening Toxicity Level
	NSL = No Screening Toxicity Level

Surrogates used: Benzo(a)pyrene for HMW PAHs, and Pyrene for LMW PAHs.

Definitions:	C = Carcinogenic	EPC = Exposure Point Concentration
	COPC = Chemical of Potential Concern	SWBAF = Surface water Bioaccumulation Factor
	N = Non-Carcinogenic	
	NA = Not Applicable	
	mg/kg = milligrams per kilogram	



**TABLE 10-11.2**  
**OCCURRENCE, DISTRIBUTION AND SELECTION OF CHEMICALS OF POTENTIAL CONCERN**  
**PHASE I AREA OF THE SPARROWS POINT SITE**  
**SOUTHWEST/TIN MILL CANAL EFFLUENT - FINFISH/UPTAKE - STORM CONDITIONS**

Scenario Timeframe: Future Medium: Surface water Exposure Medium: Finfish Exposure Point: Phase I Area of the Sparrows Point Site
--

CAS Number	Chemical	SW EPC (mg/L)	SWBAF (mg/L to mg/kg dry weight)	Concentration <sup>(1)</sup> Used for Screening (mg/kg)	Screening <sup>(2)</sup> Toxicity Value (mg/kg)	COPC Flag	Rationale for Contaminant Deletion or Selection <sup>(3)</sup>
<b>INORGANICS</b>							
7440-36-0	ANTIMONY	1.90E-04	4.00E+00	7.60E-04	6.20E-02 N	No	BSL
<b>7440-38-2</b>	<b>ARSENIC</b>	<b>5.50E-04</b>	<b>1.60E+01</b>	<b>8.80E-03</b>	<b>2.80E-03 C</b>	<b>Yes</b>	<b>ASL</b>
7440-47-3	CHROMIUM	3.20E-04	8.00E+02	2.56E-01	2.30E+02 N	No	BSL
7440-50-8	COPPER	3.40E-04	1.86E+03	6.31E-01	6.20E+00 N	No	BSL
57-12-5	CYANIDE (TOTAL)	1.42E-03	4.00E+00	5.68E-03	9.30E-02 N	No	BSL
7439-92-1	LEAD	9.00E-05	4.50E+01	4.05E-03	NA	No	NSL
<b>7439-97-6</b>	<b>MERCURY</b>	<b>1.20E-04</b>	<b>7.20E+03</b>	<b>8.64E-01</b>	<b>4.60E-02 N</b>	<b>Yes</b>	<b>ASL</b>
7440-02-0	NICKEL	1.80E-03	9.60E+01	1.73E-01	3.10E+00 N	No	BSL
7440-66-6	ZINC	6.03E-03	2.52E+02	1.52E+00	4.60E+01 N	No	BSL
<b>POLYAROMATIC HYDROCARBONS</b>							
<b>50-32-8</b>	<b>HMW PAHs</b>	<b>1.00E-05</b>	<b>2.06E+04</b>	<b>2.06E-01</b>	<b>5.70E-04 C</b>	<b>Yes</b>	<b>ASL</b>
129-00-0	LMW PAHs	1.40E-04	3.08E+03	4.31E-01	4.60E+00 N	No	BSL
<b>SEMIVOLATILE ORGANIC COMPOUNDS</b>							
117-81-7	BIS(2-ETHYLHEXYL) PHTHLATE	4.00E-05	6.85E+03	2.74E-01	3.00E-01 C	No	BSL

Note: Chemicals of Potential Concern are bold with shading.

(1) The screening concentration is the Surface Water EPC\*SWBAF value.

(3) Rationale Codes

ASL = Above Screening Toxicity Level  
 BSL = Below Screening Toxicity Level  
 NSL = No Screening Toxicity Level

Surrogates used: Benzo(a)pyrene for HMW PAHs, and Pyrene for LMW PAHs.

Definitions:

C = Carcinogenic	EPC = Exposure Point Concentration
COPC = Chemical of Potential Concern	SWBAF = Surface water Bioaccumulation Factor
N = Non-Carcinogenic	
NA = Not Applicable	
mg/kg = milligrams per kilogram	

## 11. CONCLUSIONS AND RECOMMENDATIONS

The Offshore Investigation for the Phase I area included collection of sediment, pore water, and stormwater samples to support delineation of offshore impacts to Bear Creek from the Sparrows Point Facility. A primary objective of the investigation was to identify current Site-related impacts to the offshore environment. Accordingly, the pore water and stormwater data were used to model current Site-related impacts to surface water in the near-shore environment. An additional objective was identified after the results of the first round of sampling indicated substantial contamination in the southern portion of the Phase I area, likely associated with historical discharges from the Tin Mill Canal. Therefore, in addition to current impacts along the shoreline in the northern portion of the Phase I area, the offshore investigation also sought to delineate these historical impacts which appear to be associated with the Tin Mill Canal. The objectives of the investigation also included conducting human health and ecological risk assessments, as well as providing information that will be considered in remedial decision-making for the offshore area.

Human health and ecological risk assessments evaluated the potential cumulative risks for human and ecological receptors from exposure to surface water, sediment, and fish and crab tissue, within the Phase I area of Sparrows Point. The Phase I area was divided into two areas/groupings for the risk assessment, based on geography as well as the characteristics of and impacts to the sediment, with locations in the Northwest/Near-Shore grouping having coarser sediments and/or less observable impacts (e.g., odor, sheen). Locations in the Southwest/Tin Mill Canal Effluent grouping are generally silty-to-clayey and show preliminary evidence of impacts from the Canal effluent.

In northerly Grouping NNS, the investigation and risk assessments focused on current inputs of Site-related COPCs to the offshore area via groundwater/pore water and stormwater. The lines of evidence considered in the ERA suggest that Site-related COPCs in the Northeast/Near-Shore grouping area are not present in concentrations that pose a risk to wildlife; however, Site-related COPCs in sediment, as well as cyanide in surface water during storm events, may pose risks to aquatic and benthic organisms. The results of the HHRA indicate that there are no human health concerns for exposures to Site-related COPCs in the NNS area compared to the federal  $10^{-4}$  to  $10^{-6}$  acceptable excess cancer risk range. The Northeast/Near-Shore grouping did reveal potential carcinogenic risks above the MDE acceptable excess cancer risk range of  $10^{-6}$  to  $10^{-5}$  for modeled PAH concentrations via fish and crab ingestion, but no excess risk for ingestion of field-collected tissue.

In southerly Grouping SWTM, all constituents analyzed are potentially related to historical discharges from the Tin Mill Canal. Therefore, all available sediment data and modeled surface water concentrations for this grouping were used in the ERA and HHRA. The ERA concluded that wildlife that consume aquatic and benthic organisms are potentially at risk from selenium and total PCBs in sediment in this portion of the Phase I area. Aquatic and benthic organisms in this area are potentially at risk from COPCs in sediment and from cyanide in surface water only

during storm events. In addition to risks from chemical toxicity, there is also the potential for risk from oil and grease, which may cause physical impacts associated with coating gills, increasing biological oxygen demand, and fouling organisms. The results of the HHRA for the SWTM area indicate potential human health concerns primarily for ingestion of crabs containing PCBs and/or PAHs.

The SWTM grouping did reveal potential carcinogenic risks above the USEPA acceptable excess cancer risk range of  $10^{-6}$  to  $10^{-4}$  and above the MDE acceptable excess cancer risk range of  $10^{-6}$  to  $10^{-5}$  from modeled concentrations via fish and crab ingestion, while the field-collected tissue revealed carcinogenic risks above the MDE acceptable excess cancer risk range for receptors evaluated in the HHRA (**Tables 10-10.9 through 10-10.16**). Modeled Aroclor concentrations in crab revealed carcinogenic risks above  $10^{-6}$  to  $10^{-4}$ , while assessment of field-collected tissue revealed carcinogenic risks above  $10^{-6}$  to  $10^{-5}$ , based upon measured concentrations of total PCB congeners and arsenic and modeled concentrations of bis(2-ethylhexyl)phthalate.

Additionally, modeled crab tissue revealed Aroclor 1254 non-carcinogenic hazards above the acceptable level of 1 for all receptors evaluated in the HHRA (**Tables 10-10.13 through 10-10.16**). Field-collected crabs were not analyzed for Aroclors, only PCB congeners. Toxicity values for PCB congeners are only available for a cancer endpoint so a comparison of non-carcinogenic hazards is not available. However, a comparison of EPCs for the field-collected and modeled crab tissue (**Tables 10-3.9 and 10-3.11**) reveal modeled crab tissue concentrations of Aroclors two orders of magnitude higher than total PCB concentrations found in the field-collected crab tissue.

## 12. REFERENCES

- Agency for Toxic Substances and Disease Registry (ATSDR). 2006. *Toxicological Profile for Cyanide*. U.S. Department of Health and Human Services, Public Health Service. July.
- Baker, J., et al. 1997. *Spatial Mapping of Sedimentary Contaminants in the Baltimore Harbor/Patapsco River/Back River System*. Submitted to the Maryland Department of the Environment. 4 August.
- Bechtel Jacobs Company LLC. 1998. *Biota Sediment Accumulation Factors for Invertebrates: Review and Recommendations for the Oak Ridge Reservation (BJC/OR-112)*. Prepared for the U.S. Department of Energy Office of Environmental Management. August.
- Buchman, M.F. 2008. *NOAA Screening Quick Reference Tables*. NOAA OR&R Report 08-1. Office of Response and Restoration Division, National Oceanic and Atmospheric Administration, Seattle, Washington. 34 pages.
- California Office of Environmental Health Hazard Assessment (OEHHA). 2000. *Technical Support Document for Exposure Assessment and Stochastic Analysis. Appendix H: Fish Bioconcentration Factors*. September.
- CH2M Hill. 2001. *Site Wide Investigation: Groundwater Study Report, Bethlehem Steel Corporation, Sparrows Point Division*. Prepared by CH2M-Hill, Herndon Virginia for Bethlehem Steel Corporation, Sparrows Point Division, Maryland. December.
- . 2002. *Site-Wide Investigation Release Site Characterization Study*. Prepared by CH2M-Hill, Herndon Virginia for Bethlehem Steel Corporation, Sparrows Point Division, Maryland. June.
- Computer Sciences Corporation. 2008. *Biota-Sediment Accumulation Factor Data*. Version 1.0. Prepared for United States Environmental Protection Agency.
- Di Toro D.M., J.A. McGrath, and D.J. Hansen. 2000. Technical basis for narcotic chemicals and polycyclic aromatic hydrocarbon criteria. *Environ. Toxicol. Chem.* 19:1951–1970.
- Domenico, P.A. and F.W. Schwartz. 1990. *Physical and Chemical Hydrogeology*, John Wiley & Sons, New York, 824 p.
- EA Engineering, Science, and Technology, Inc. (EA). 2003. *Reconnaissance Study of Sparrows Point as a Containment Site for Placement of Harbor Dredged Material: Environmental Conditions*. Prepared for the Maryland Port Administration. December.
- . 2009. *Site Assessment for the Proposed Coke Point Dredged Material Containment Facility at Sparrows Point*. Prepared for the Maryland Port Administration. November.

- . 2010. *Additional Offshore Delineation for the Proposed Coke Point Dredged Material Containment Facility at Sparrows Point*. Prepared for the Maryland Port Administration. August.
- . 2011a. *Risk Assessment of Offshore Areas Adjacent to the Proposed Coke Point Dredged Material Containment Facility at Sparrows Point*. Prepared for the Maryland Port Administration. May.
- . 2011b. *Laboratory Bioaccumulation and Field-Collected Tissue Study in Support of the Risk Assessment of the Offshore Areas Adjacent to the Proposed Coke Point Dredged Material Containment Facility at Sparrows Point*. January.
- . 2014. *Work Plan for Offshore Investigation of the Phase I Area of the Sparrows Point Site*. September.
- . 2015. *Technical Memorandum: Round 1 Sediment Investigation and Plan for Round 2 Investigation, Sparrows Point Phase I Area*. January.
- EnviroAnalytics Group. 2013. *Coke Point and Greys Landfills Semi-Annual Groundwater Monitoring Report, 1<sup>st</sup> Half 2013*. Prepared for Sparrows Point LLC. June.
- . 2014a. *Interim Measures 2013 Annual Report, Former Sludge Bin Storage Area, Rod and Wire Mill Area*. Prepared for Sparrows Point LLC. January.
- . 2014b. *Coke Point and Greys Landfills Semi-Annual Groundwater Monitoring Report, 2<sup>nd</sup> Half 2013*. Prepared for Sparrows Point LLC. February.
- Environmental Engineering & Contracting, Inc. (EEC). 2013. *Interim Measures 2012 Annual Report, Former Sludge Bin Storage Area, Rod & Wire Mill*. Prepared for Sparrows Point LLC. January.
- International Steel Group (ISG). 2005. Form 10-K, Annual Report for the Fiscal Year Ended December 31, 2004, filed by International Steel Group Inc. with the U.S. Securities and Exchange Commission, March 15, 2005.
- Jones, D.S., G.W. Suter II, and R.N. Hull. 1997. *Toxicological Benchmarks for Screening Contaminants of Potential Concern for Effects on Sediment-Associated Biota: 1997 Revision*. ES/ER/TM-95/R4. Prepared for U.S. Department of Energy, Office of Environmental Management. Oak Ridge National Laboratory, Oak Ridge, Tennessee.
- KCI Technologies (KCI). 2010. *Greys Landfill 2009 Groundwater Monitoring Report*. Prepared for Severstal Sparrows Point. January.

- . 2011. *Greys Landfill June 2011 Groundwater Monitoring Report*. Prepared for RG Steel Sparrows Point, LLC. June
- Klosterhaus, S., et al. 2007. *Toxicity Identification and Evaluation and Long-Term Contaminant Trends in the Baltimore Harbor*. Submitted to the Maryland Department of the Environment. February.
- Long, E.R. and L.G. Morgan. 1991. *The Potential for Biological Effects of Sediment-Sorbed Contaminants Tested in the National Status and Trends Program*. NOAA Technical Memorandum NOS OMA 52. Second printing. Seattle, Washington. August.
- Long, E.R., D.D. MacDonald, S.L. Smith, and F.D. Calder. 1995. Incidence of adverse biological effects within ranges of chemical concentrations in marine and estuarine sediments. *Environmental Management* 19(1):81–97.
- MacDonald, D.D. 1994. *Approach to the assessment of sediment quality in Florida coastal waters*. Report prepared for Florida Department of Environmental Protection. Tallahassee, Florida.
- MacDonald, D.D., R.S. Carr, F.D. Calder, E.R. Long, and C.G. Ingersoll. 1996. Development and evaluation of sediment quality guidelines for Florida coastal waters. *Ecotoxicology* 5(4):253–278.
- MacDonald D.D., C.G. Ingersoll, and T.A. Berger. 2000. Development and evaluation of consensus-based sediment quality guidelines for freshwater ecosystems. *Archives of Environmental Contamination and Toxicology* 39:20–31.
- Maryland Department of the Environment. 2014. *Maryland Fish Consumption Advisories, Statewide Fresh Water, Estuarine and Marine Waters*. April.
- Maryland Department of Natural Resources. 2013. Maryland Submerged Aquatic Vegetation . [http://geodata.md.gov/imap/rest/services/Biota/MD\\_SubmergedAquaticVegetation/MapServer](http://geodata.md.gov/imap/rest/services/Biota/MD_SubmergedAquaticVegetation/MapServer)
- Oak Ridge National Laboratory. 2009. *Risk Assessment Information System, Toxicity and Physical Properties – Chemicals*. Online Database (<http://rais.ornl.gov/>). Accessed February 2009.
- Persaud, D., R. Jaagumagi, and A. Hayton. 1993. *Guidelines for the Protection and Management of Aquatic Sediment Quality in Ontario*. ISBN 0-7729-9248-7. Ontario Ministry of the Environment, Ottawa, Ontario. 23p.
- Prince, R. 2011. *Data Evaluation and Screening Level Human Health and Ecological Risk Assessment for Bear Creek Sediment*. Land and Chemicals Division, USEPA Region III. October.

RG Steel and Silver, D.J. 2014. Environmental Trust Agreement by and between RG Steel Sparrows Point, LLC and Daniel J. Silver, trustee. January.

Rust Environment and Infrastructure (Rust). 1998. *Description of Current Conditions, Bethlehem Steel Corporation, Sparrows Point, Maryland*. Prepared by Rust Environment and Infrastructure, Harrisburg and Philadelphia Offices. January.

Sample, B.E., D.M. Opresko, and G.W. Suter II. 1996. *Toxicological Benchmarks for Wildlife: 1996 Revision*. ES/ER/TM-86/R3. Risk Assessment Program, Health Sciences Research Division, Oak Ridge National Laboratory, Tennessee. Prepared for the United States Department of Energy, Office of Environmental Management. June.

Stammerjohn, S., E. Smith, W.R. Boynton, and W.M. Kemp. 1991. *Potential impacts from marinas and boats in Baltimore Harbor*. Chesapeake Research Consortium Inc. Publication No. 139. Solomons, Maryland.

Suter II, G.W., and C.L. Tsao. 1996. *Toxicological Benchmarks for Screening Potential Contaminants of Concern for Effects on Aquatic Biota: 1996 Revision*. ES/ER/TM-96/R2. Risk Assessment Program, Health Sciences Research Division, Oak Ridge National Laboratory.

United States Environmental Protection Agency (USEPA). 1976. *Quality Criteria for Water*. Washington DC: EPA. P. 113.

———. 1980. *Ambient Aquatic Life Water Quality Criteria for Antimony*. USEPA Office of Research and Development Environmental Research Laboratories. October.

———. 1985a. *Ambient Aquatic Life Water Quality Criteria for Arsenic – 1984*. USEPA Office of Research and Development Environmental Research Laboratories. January.

———. 1985b. *Ambient Aquatic Life Water Quality Criteria for Lead – 1984*. USEPA Office of Research and Development Environmental Research Laboratories. January.

———. 1985c. *Ambient Aquatic Life Water Quality Criteria for Mercury – 1984*. USEPA Office of Research and Development Environmental Research Laboratories. January.

———. 1986. *Ambient Aquatic Life Water Quality Criteria for Nickel – 1986*. USEPA Office of Research and Development Environmental Research Laboratories. September.

———. 1987a. *Ambient Aquatic Life Water Quality Criteria for Selenium – 1987*. USEPA Office of Research and Development Environmental Research Laboratories. September.

- . 1987b. *Ambient Aquatic Life Water Quality Criteria for Zinc – 1987*. USEPA Office of Research and Development Environmental Research Laboratories. February.
- . 1989. *Risk Assessment Guidance for Superfund, Volume 1: Human Health Evaluation Manual (Part A)*. Interim Final. EPA/540/1/-89-002. USEPA Office of Emergency and Remedial Response, Washington, D.C. December.
- . 1990. *National Oil and Hazardous Substances Pollution Contingency Plan* (40 CFR Part 300).
- . 1991. *Risk Assessment Guidance for Superfund, Volume 1: Human Health Evaluation Manual Supplemental Guidance, “Standard Default Exposure Factors.”* Interim Final. PB91-921314. OSWER Directive 9285.6-03. USEPA Office of Emergency and Remedial Response, Toxics Integration Branch, Washington, D.C. 25 March.
- . 1992. *Guidelines for Data Usability in Risk Assessment (Part A)*. EPA/540/R-92/003. Office of Research and Development.
- . 1993. *Wildlife Exposure Factors Handbook*. Volumes I and II. EPA/600/R-93/187. USEPA Office of Research and Development, Washington, D.C. December.
- . 1995. *Assessing Dermal Exposure from Soil*. Region 3, Office of Superfund Programs. EPA/903-K-95-003. December.
- . 1996. Ecotox thresholds. *Eco Update* 3(2):1–12. EPA 540/F-95/038. USEPA Office of Solid Waste and Emergency Response.
- . 1997a. *Ecological Risk Assessment Guidance for Superfund. Process for Designing and Conducting Ecological Risk Assessments*. Interim Final. USEPA Environmental Response Team Office of Emergency and Remedial Response, Edison, New Jersey.
- . 1997b. *Exposure Factors Handbook: Volumes I, II, and III*. EPA/600/P-95/002Fa.
- . 1997c. *Health Effects Assessment Summary Tables (HEAST)*. Office of Emergency and Remedial Response. PB97-921199INX. July.
- . 1999. *Screening Level Ecological Risk Assessment Protocol for Hazardous Waste Combustion Facilities*. Peer review draft. USEPA Office of Solid Waste.
- . 2000a. *Bioaccumulation Testing and Interpretation for the Purpose of Sediment Quality Assessment – Status and Needs*. EPA/823/R-00/001. USEPA Office of Water, Office of Solid Waste, Washington D.C.



- 
- . 2000b. *Guidance for Assessing Chemical Contaminant Data for Use in Fish Advisories. Volume 2 Risk Assessment and Fish Consumption Limits*. Third edition. EPA 823-B-00-008. USEPA Office of Water.
- . 2002. *Risk Assessment Guidance for Superfund, Volume I: Human Health Evaluation Manual (Part D: Standardized Planning, Reporting, and Review of Superfund Risk Assessments)*. Publication 9285.7-47. Office of Emergency and Remedial Response.
- . 2003a. *Guidance for Developing Ecological Soil Screening Levels*. OSWER Directive 9285.7-55. EPA Office of Solid Waste and Emergency Response.
- . 2003b. *Procedures for the Derivation of Equilibrium Partitioning Sediment Benchmarks (ESBs) for the Protection of Benthic Organisms: PAH Mixtures*. EPA-600-R-02-013. Office of Research and Development. Washington, DC 20460.
- . 2003c. *Human Health Toxicity Values in Superfund Risk Assessments*. OSWER Directive 9285.7-53. Office of Solid Waste and Emergency Response.
- . 2004. *Risk Assessment Guidance for Superfund. Volume I: Human Health Evaluation Manual (Part E: Supplemental Guidance for Dermal Risk Assessment)*. EPA/540/R/99/005, OSWER Directive 9285.7-02EP. Office of Superfund Remediation and Technology Innovation.
- . 2005a. *Procedures for the Derivation of Equilibrium Partitioning Sediment Benchmarks (ESBs) for the Protection of Benthic Organisms: Metal Mixtures (Cadmium, Copper, Lead, Nickel, Silver, and Zinc)*. EPA-600-R-02-011. Office of Research and Development. Washington, DC 20460. January.
- . 2005b. Ecological Soil Screening Levels for Cadmium. USEPA Office of Solid Waste and Emergency Response (OSWER). OSWER Directive 9285.7-65.
- . 2005c. Ecological Soil Screening Levels for Chromium. USEPA Office of Solid Waste and Emergency Response (OSWER). OSWER Directive 9285.7-66.
- . 2005d. Ecological Soil Screening Levels for Cobalt. USEPA Office of Solid Waste and Emergency Response (OSWER). OSWER Directive 9285.7-67.
- . 2005e. Ecological Soil Screening Levels for Lead. USEPA Office of Solid Waste and Emergency Response (OSWER). OSWER Directive 9285.7-70.
- . 2005f. Ecological Soil Screening Levels for Vanadium. USEPA Office of Solid Waste and Emergency Response (OSWER). OSWER Directive 9285.7-75.

- 
- . 2005g. *Guidelines for Carcinogen Risk Assessment*. Risk Assessment Forum. EPA/630/P-03/001F. March.
  - . 2005h. *Supplemental Guidance for Assessing Susceptibility From Early-Life Exposure to Carcinogens*. Risk Assessment Forum. EPA/630/R-03/003F. March.
  - . 2007. *Ecological Soil Screening Levels for Polycyclic Aromatic Hydrocarbons*. OSWER Directive 9285.7-78. EPA Office of Solid Waste and Emergency Response.
  - . 2007a. *Ecological Soil Screening Levels for Copper*. USEPA Office of Solid Waste and Emergency Response (OSWER). OSWER Directive 9285.7-68.
  - . 2007b. *Ecological Soil Screening Levels for DDT and Metabolites*. USEPA Office of Solid Waste and Emergency Response (OSWER). OSWER Directive 9285.7-57.
  - . 2007c. *Ecological Soil Screening Levels for Dieldrin*. USEPA Office of Solid Waste and Emergency Response (OSWER). OSWER Directive 9285.7-56.
  - . 2007d. *Ecological Soil Screening Levels for Manganese*. USEPA Office of Solid Waste and Emergency Response (OSWER). OSWER Directive 9285.7-71.
  - . 2007e. *Ecological Soil Screening Levels for Nickel*. USEPA Office of Solid Waste and Emergency Response (OSWER). OSWER Directive 9285.7-76.
  - . 2007f. *Ecological Soil Screening Levels for Selenium*. USEPA Office of Solid Waste and Emergency Response (OSWER). OSWER Directive 9285.7-72.
  - . 2007g. *Ecological Soil Screening Levels for Zinc*. USEPA Office of Solid Waste and Emergency Response (OSWER). OSWER Directive 9285.7-73.
  - . 2009. *National Recommended Water Quality Criteria*. EPA Office of Science and Technology, Office of Water.
  - . 2011. *Exposure Factors Handbook: 2011 Edition*. EPA/600/R-090/052F.
  - . 2012a. EPI Suite™. <http://www.epa.gov/tsca-screening-tools/epi-suite-estimation-program-interface>. November.
  - . 2012b. *Provision Peer-Reviewed Toxicity Values for Thallium and Compounds*. Superfund Health Risk Technical Support Center, National Center for Environmental Assessment. October 25.

- 
- . 2013. *ProUCL Version 5.0.00*. Software developed by EPA. Obtained on the Internet at <http://www.epa.gov/nerlesd1/tsc/software.htm>. Las Vegas Technical Support Center for Monitoring and Site Characterization.
- . 2014a. *Human Health Evaluation Manual, Supplemental Guidance: Update of Standard Default Exposure Factors*. OSWER Directive 9200.1-120. Office of Solid Waste and Emergency Response.
- . 2014b. *Regional Screening Levels for Chemical Contaminants at Superfund Sites*. [http://www.epa.gov/reg3hwmd/risk/human/rb-concentration\\_table/index.htm](http://www.epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm).
- . 2015a. *Regional Screening Levels for Chemical Contaminants at Superfund Sites*. [http://www.epa.gov/reg3hwmd/risk/human/rb-concentration\\_table/index.htm](http://www.epa.gov/reg3hwmd/risk/human/rb-concentration_table/index.htm). June.
- . 2015b. *Regional Screening Levels (RSLs) Resident Fish Table*. <http://www.epa.gov/reg3hwmd/risk/human/index.htm>. June.
- . 2015c. *Integrated Risk Information System database maintained on the Internet*: <http://www.epa.gov/iris>. EPA Environmental Criteria and Assessment Office.
- U.S. Environmental Protection Agency (USEPA) Region III. 2006. Region III Biological Technical Assistance Group Screening Benchmarks. Draft.
- United States Environmental Protection Agency (USEPA) and United States Army Corps of Engineers (USACE). 1991. *Evaluation of Dredged Material Proposed for Ocean Disposal, Testing Manual*. EPA 503/8-91/001. USEPA Office of Water. February.
- . 1998. *Evaluation of Dredged Material Proposed For Discharge in Waters of the U.S. – Testing Manual: Inland Testing Manual*. EPA-823-B-98-004. USEPA Office of Water, Washington, D.C., and USACE Operations, Construction, and Readiness Division, Washington, D.C. February.
- U.S. Army Corp of Engineers (USACE). 2009. BSAF Database. USACE Engineer Research and Development Center. Accessed at <http://el.erdc.usace.army.mil/bsaf/index.cfm>
- URS. 2005. *Site Wide Investigation, Report of Nature and Extent of Releases to Groundwater from the Special Study Areas, International Steel Group, ISG Sparrows Point, Inc. Facility, Sparrows Point, Maryland*. Prepared for ISG Sparrows Point, Inc. January.
- . 2006. Response to EPA Comments (4) and (5) dated December 15, 2005. Prepared by URS, under contract to ISG Sparrows Point LLC. Attachment to letter by Robert Abate, ISG Sparrows Point LLC to Andrew Fan, U.S. Environmental Protection Agency, Region III, and Richard Johnson, Maryland Department of Environment, December 6, 2006, 17 pp.

- . 2009a. *Screening Level Ecological Risk Assessment for On-Site Areas*. Prepared for Severstal Sparrows Point, LLC. April.
- . 2010. *Draft Baseline Ecological Risk Assessment for On-Site Areas*. Prepared for Severstal Sparrows Point, LLC. August.
- . 2011. *Interim Measures 2010 Annual Report, Former Sludge Bin Storage Area, Rod & Wire Mill*. Prepared for Severstal Sparrows Point, LLC. January.
- . 2012. *Interim Measures 2011 Annual Report, Former Sludge Bin Storage Area, Rod & Wire Mill*. Prepared for RG Steel Sparrows Point, LLC. January.
- Van den Berg, M., L. Birnbaum, A.T.C. Bosveld, B. Brunström, P. Cook, M. Feeley, J.P. Giesy, A. Hanberg, R. Hasegawa, S.W. Kennedy, T. Kubiak, J.C. Larsen, F.X.R. van Leeuwen, A.K.D. Liem, C. Nolt, R.E. Peterson, L. Poellinger, S. Safe, D. Schrenk, D. Tillitt, M. Tysklind, M. Younes, F. Waern, and T. Zacharewski. 1998. Toxic equivalency factors (TEFs) for PCBs, PCDDs, PCDFs for humans and wildlife. *Environmental Health Perspectives* 106(12):775–792.
- Weidou, A. 1981. Distribution and Binding of Cadmium in the Blue Crab, Implication in Human Health. Doctoral dissertation, New York University. Institute of Environmental Medicine.

*This page intentionally left blank.*

**APPENDIX A**  
**FIELD LOGBOOK**

***This page intentionally left blank.***

17:00 Arrive @ GENT benchmark and  
establish URS - corrected GPS setup  
Trimble SPS 461  
Keynet URS  
HYPACK

Gent Position  $39^{\circ} 28' 38.28085''$  N  
 $76^{\circ} 42' 33.05493''$  W  
Stake Plane  $659560.73$  N  
Foot  $1394427.89$  E  
NAD 83

HYPACK Position  $39^{\circ} 28.6380'$  N  
 $76^{\circ} 42.5509'$  W  
 $659560.71$  N  
 $1394428.01$  E  
~~0.6~~ 0.164 ft  
offset

HYPACK Position  $39^{\circ} 28' 38.2818''$  N  
#2  $76^{\circ} 42' 33.0534''$  W  
 $1394428.01$  E  
 $659560.83$  N  
0.153 ft  
offset

18:00 System checks out and do eng.  
Breakdown and return to office

Continued on Page \_\_\_\_\_

  
Signed

10/10/14  
Date

Read and Understood By

  
Signed

8/15/15  
Date



- 07:00 Personnel ~~met~~ @ EA lab in Hunt Valley for final prep work
- 07:30 Underway to Turner Station Park boat ramp
- 08:15 Arrive @ Turner Station Park and receive Chesapeake Bay Foundation (CBF) bottles from P. Small.
- 09:00 w/ Brenda prepped and loaded
- 09:35 Underway to Transit A station
- Personnel
- |           |                      |
|-----------|----------------------|
| <u>EA</u> | <u>Wk</u>            |
| J. Morris | Overcast,            |
| C. Brown  | light southerly wind |
|           | Seas ~ 1 ft          |
- 09:45 H+S briefing
- Int'l - Standard approach
- Christy Brown - PPE
- Work site
- Emergency Comms.
- 1000 Arrive @ Daymark #5 for NAV system verification
- 1020 Anchor down at SD-A03  
water depth: 11.8 ft  
Replicate grab samples
- A - soft black silty clay or clayey silt <sup>thin</sup> photo ☒  
1456789.55 E 574856.16 N
- B - soft black silty clay or clayey silt.  
1456792.20 E 574855.50 N
- C - soft black silty clay or clayey silt.  
1456784.19 E 574860.25
- Homogenized grab samples and took samples.
- 2 - 802 glass
- 1 - 402 glass
- 1 - CBF 2 1/2 quart plastic. photo ☒

Continued on Page \_\_\_\_\_

Christy Brown  
Signed10/13/14  
Date

Read and Understood By

[Signature]  
Signed10/15/14  
Date

1115 on site **SD-A02**  
Water depth: 10.5 ft  
Replicate Grab samples.  
A - no sediment  
B - 50 ft black silty clay or clayey silt with natural woody debris, thin **FD**  
1457100.44 E 574762.83 N photo ☒  
Homogenized sample and prepared jars.  
2 - 8 oz glass  
1 - 4 oz glass  
1 - CBF 2 1/2 quart plastic photo ☒

1149 on site **SD-A01**  
Water depth: 5.3 ft  
Replicate Grab samples  
A - ~~gray~~ sand, tan/brown, limited silt, live rangia  
1457218.52 E 574690.52 N  
B - tan/brown sand, limited silt  
1457220.22 E 574691.32 N photo ☒  
homogenized sample - took 2-8 oz glass, 1-4 oz glass


1210 on site **SD-B02**  
Water depth: 10.7 ft  
Replicate grab samples  
A - soft black silty clay or clayey silt photo ☒  
live macoma  
1456481.57 E 574072.49 N  
B - no sediment  
C - no sediment  
D - 50 ft black silty clay or clayey silt, live macoma  
1456477.74 E 574065.18 N photo ☒  
homogenized sample  
took SD-B02 took SD-B02-FD took CBF sample  
3 - 4 oz glass 3 - 4 oz glass 2 1/2 quart plastic  
2 - 8 oz glass 1 - 8 oz glass  
2 - 16 oz glass

Continued on Page \_\_\_\_\_

Christy Brown  
Signed \_\_\_\_\_

10/13/14  
Date \_\_\_\_\_

Read and Understood By

  
Signed \_\_\_\_\_

10/15/14  
Date \_\_\_\_\_

1250 on site SD-B01

water depth: 3.8 ft.

Replicate grab samples

A - medium brown sand with limited silt III photo

1456594.99 E 573948.43 N

B - medium brown sand with limited silt

1456595.61 E 573955.90 N

Homogenized sample.

took SD-B01

3-4 oz glass

2-8 oz glass

2-16 oz glass

took SD-B01-MS

3-4 oz glass

~~2~~-8 oz glass

took SD-B01-MSD

3-4 oz glass

1-8 oz glass

1340 offload waste sediment and rinse water at boat ramp  
into drums on truck.

1430 on site SD-C03

water depth: 11.4 ft

Replicate Grab samples

A - little return.

1455990.90 E 573685.25 N

B - Black, diffusal KPD, slight odor, silty clay / clayey silt, firmer than <sup>SD</sup> ~~start~~ <sub>seen noted.</sub> photo ~~OK~~

1455991.59 E 573679.97 N

Homogenized sample and jarred samples.

collected 3-4 oz glass, 2-8 oz glass, and 1 CBF- 2 1/2 quart plastic

1450 on site SD-C02

Water depth: 5.7 ft

Replicate grab samples

A - soft sediment, rock, mussel bed

1456281.70 E 573553.13 N

B - surface mussel bed with soft sediments

1456289.81 E 573557.24 N photo ~~OK~~

C - surface mussel bed with soft black sediment

1456284.44 E 573554.97 N

D - surface mussel bed with soft sediments

1456286.54 E 573551.03 N

Continued on Page \_\_\_\_\_


Read and Understood By

Ghowsky Brown

Signed

10/13/14

Date



Signed

10/15/14

Date

E - Surface mussel bed with soft sediments

1456284.89 E 57355849 N

homogenized sample - shell fragmented silt and clay and pea gravel

this station ~~is~~ corresponds with potential gravel outwash from shoreline.

IR photo of shoreline area.

samples collected

3 - 4 oz samples (glass)

2 - 8 oz glass

1 - 2 1/2 quart CPF plastic

2 - 16 oz glass (Additional grain size taken at this station)

1530 site SD-001

water depth: 3.1 ft

Replicate samples

A - fine to medium brown sand with silt

IR photo

1456425.63 E 573470.89

B - Fine to medium brown sand with silt and macoma

1456427.87 E 573467.02

homogenized sample and collected jars

3 - 4 oz glass

2 - 8 oz glass

1606 Pulled boat from water.

Offload waste sediment and water into drums on truck.

16:45 Underway to EA Labs @ Hunt Valley

Continued on Page

Christy Brown  
Signed

10/13/14  
Date

Read and Understood By

[Signature]  
Signed

10/15/14  
Date



06:30 Personnel meet @ EA Labs in Mount Valley  
for daily prep.

07:00 Hook up on m/v Brenda and underway  
to Turner Station Park

08:00 Arrive Turner Station Park for loading  
and prep of m/v Brenda for sampling  
operations

Personnel

EA

J. Morris

C. Brown

WX

Clear skies

SE wind ~ 10 knots

Seas 1 ft.

H&S meeting

- sea conditions
- PPE - boat safety
- sediment safety

0900 Arrive @ Dayman #5 for NAV system verification.

0920 SD-D02

Water depth: 3.1 ft

Replicate grab samples

A - brown fine to medium sand limited silt, live Rangia.

1455597.76 E 571880.12 N

photo on Nikon camera

B - same as above.

1455593.22 E 571881.24 N

homogenized and jarred samples.

1 - 4 oz glass

2 - 8 oz glass

1 - 2 1/2 quart plastic CBF

0950 SD-D01

Water depth: 2.6 ft

Replicate grab samples

A - brown fine to medium sand limited silt, live Rangia, woody debris

1455699.33 E 571951.83 N

photo

homogenized sample and jarred samples.

1 - 4 oz glass

2 - 8 oz glass

Continued on Page \_\_\_\_\_


Christy Brown

Signed

10/14/14

Date

Read and Understood By



Signed

10/15/14

Date

20 SD-E03

water depth: 10.0 ft

Replicate Samples (grab)

A - soft black silty clay or clayey silt, Macoma, slight odor (petroleum)

1455242.98 E 570393.30 N ☒ photo

B - ponar did not close

C - same as A

1455229.48 E 570393.77 N

Homogenized sediments and jarred samples

2 - 16 oz glass

2 - 8 oz glass

1 - 4 oz glass

1 - 2 1/2 quart plastic CBF

☒ ☒ ☒ Three photos of stormwater outfall

1055 SD-E02

water depth: 4.4 ft

Replicate grab samples.

A - Brown fine to medium sand, pebbles, live Rangia, shell fragments

1455752.80 E 570703.47 N

B - same as Rep A with some more mussels/shells (but not mussel bed), slightly more clay than Rep A

1455751.79 E 570699.22 N

C - grab drained out, saw mussels in grab.

1455755.97 E 570703.79 N

D - same as A

E - same as A

1455756.97 E 570701.13 N

1455752.39 E 570701.83 N

Homogenized sediments and jarred samples.

F - same as A

2 - 16 oz glass

1455750.93 E 570701.52 N

2 - 8 oz glass

1 - 4 oz glass

1 - 2 1/2 quart plastic CBF

☒ photo of composite before homogen.  
☒ photo of composite after homogenized.  
☒ photo of all jars killed


Continued on Page \_\_\_\_\_

Christy Brown  
Signed \_\_\_\_\_

10/13/14

Date

Read and Understood By

  
Signed \_\_\_\_\_

10/15/14

Date

1155 SD-E01

water depth: 3.4 ft

Replicate grab samples.

A - fine to medium brown sand, limited silt, Rangia.

1455847.24 E 570752.56

photo

Homogenized sediment and jarred samples.

2- 16 oz glass

2- 8 oz glass

1- 4 oz glass

1220 SD-H01

water depth: 3.6 ft

Replicate grab samples:

A: surface oxidized layer (RPD), firmer than upstream, heavy oil based odor

14564118.11 E 568923.83 N

surface sheen on seds.

Homogenized sediment and jarred samples.

photo

2- 8 oz glass

1- 2 1/2 quart plastic CBF

3- 4 oz glass

1255 SD-H02

Water depth: 3.5 methane release when weight hit sed surface.

Replicate grab samples:

A - RPD layer, same as SD-H01 with less of a sheen. slight odor. some shells

1456300.10 E 568894.52 N

photo

Homogenized sediment and jarred samples.

2- 8 oz glass

3- 4 oz glass

1315 SD-G01

Water depth: 3.8 ft

Replicate grab samples

A - heavy sheen upon recovery. shells, diffusional RPD. oily runoff. black silty clay clayey silt. heavy creosote odor.

photo

1456413.15 E 569145.01 N

Homogenized sediments and jarred.

2- 8 oz glass

3- 4 oz glass

Continued on Page


Christy Brown

Signed

10/14/14

Date

Read and Understood By



Signed

10/15/14

Date

1345 SD-H03

Water depth: 4.8 ft

Replicate grab samples.

A - heavy sheen on recovery, diffusional RPD, black silty clay/clayey silt, heavy petroleum color

1455079.69 E 568750.80 N

photo

Homogenized seds and jarred samples.

3 - 4 oz glass

2 - 8 oz glass

1 - 2 1/2 quart plastic CBF

1415 offload waste to truck. Met M. Durbano who switched out sample coolers and extra bottles.

1610 SD-F01

Water depth: 3.4 ft

Replicate grab samples:

A: fine to medium brown sand with black (oily) impacted sediments at depth, silty sand

1456283.64 E ~~568~~ 569781.52 N

photo

Homogenized sediment and jarred samples.

SD-F01

SD-F01-FD

3 - 4 oz

1 - 4 oz

2 - 8 oz

1 - 8 oz

2-3 inch layer of clean sed over impacted sed. Rangia living in clean sediments. shell fragments. Clean horizon between two layers.

Took four photos of the clean/impacted sediment interface.

1545 SD-F02

Water depth: 3.7 ft

Replicate grab samples:

A - fine to medium brown sand w/ black impacted sed at depth. Rangia live on top.

1456202.64 E 569718.72 N

photo

photo of interface.

Homogenized sample and jarred sample.

3 - 4 oz glass


2 - 8 oz glass

Continued on Page \_\_\_\_\_

Christy Brown  
Signed

10/14/14  
Date

Read and Understood By

  
Signed

10/15/14  
Date



- 1620 SD-G02  
water depth: 5.7 ft  
Replicate grab samples:  
A - black silty clay/clayey silt. Diffusional RPD. shells & fragments. Slight  
1455854.34 E 569208.68 N & photo shien.  
Homogenized sediment & jarred sample.  
3- 4 oz jars  
2- 8 oz jars  
1- 2 1/2 quart CBF plastic
- 1700 pulled boat from water and offloaded waste sediments  
after taking additional outfall and setup photographs. Prepared  
boat for towing to office.
- 1745 Underway to EA labs
- 1830 Arrive at EA labs/warehouse to drop off boat,  
secured samples in walk in refrigerator and removed  
extra equipment from truck.
- 1915 Personnel left EA.

Continued on Page

Christy Brenn

Signed

10/14/14

Date

Read and Understood By



Signed

11/15/14

Date

Date \_\_\_\_\_

10/22/14

Project / Client

Sparrows Point Stormwater

Site visit to Sparrows Point

JMK, MKD

Temp: 55F

Weather: Rainy

1200 Outfall 018

Dimensions: 3.4 ft wide  $\times$  1.8 ft high

Wetted Width: 2.1 ft

Flow Depth: 0.08 ft

Photos 260-282

1238 Btwn outfalls 018 and unnamed

Photos 283-286

1242 Outfall unnamed

Dim: 4.1 ft wide x 2.5 ft high, 20 wide x 2.15

WW: 4.1 ft

FD : 0.1 ft

Photos 287-293



Location \_\_\_\_\_ Date \_\_\_\_\_

Project / Client \_\_\_\_\_

Location \_\_\_\_\_ Date 10/22/14

Project / Client Sparrows Point Stormwater

1300

Outfall 070

Photos 294-305

320-322

1300

Outfall 071

Bin: 2.2 ft wide x 2.1 ft high

WV: 0

FD: 0

Photos 306-319

1345

Meet with Mike Vogler

6

Location Sparrows Pt Date 11/16/14  
 Project / Client \_\_\_\_\_

1730 Arrive at SP - go thru security

1808 Collecting 07-018  
 Water level:  $\frac{1}{2}$ "

1820 Heading to unnamed

1830 YSI + Turb

pH = 8.5

DO = 9.82 mg/L

MTU = 0.48

Temp = 12.2°C

Cond = 0.685 ms/cm

1838 Arrive at unnamed  
 Flow = 0.025 inch

1910 YSI + Turb

DO = 11.3 mg/L Temp = 7.6°C

MTU = 2.05

pH = 6.6

Cond = 1.13 ms/cm

1855 Sampled  
 Field DWD  
 Collected Here

Location Sparrows

Date 11/16/14

Project / Client \_\_\_\_\_

1914 en route to 014

1915 Sampled

1920 YSI + Turb

MTU = 4.20

Temp = 11.3°C

pH = 8.8

DO = 11.4 mg/L

Cond = 0.689 ms/cm



Location SparrowsDate 11/17/14

Project / Client \_\_\_\_\_

1335 071 outfall is NOT  
flowing

Location SparrowsDate 12/1/14

Project / Client \_\_\_\_\_

~~0730~~ 1430 Left EA office.  
C. Brown and DiBarbano  
60°F, predicted rain at 1600ish  
YSI Calibrated at Lab  
1630 Arrive at sparrows point gate  
Call / arrange with M. Vogler  
Rain begins.  
1700 Mobilize to ST-071

1720 YSI + turb.

pH = 7.66

D.O. = 6.60

NTU = 7.5

Temp = 13.2

Cond = 0.998

sample  
taken at  
1735

samples taken at end  
of pipe where ends in  
phragmites. Water ~ 6 in  
to a ft deep. The pipe  
is sealed at the end of  
it.



1820

Arrive at unnamed

Flow = 0.75 inch

pH: 7.78

DO: 10.2

NTU: 1.4

Temp: 9.45

Cond: 1.211

YSI + turb.

1825

Sample collected at  
unnamed outfall.

1845

Arrive at ST-018

Flow = 0.5 inches

YSI + turb.

pH: 11.02

DO: 8.4

NTU: 5.6

Temp: 15.8

Cond: 0.975

1850

sample collected at ST-018

odor - possible sulfur?

Water warmed bottles compared to  
last outfall

1915

arrive at ST-014

YSI + turb.

pH: 9.33

DO: 10.70

NTU: 0.5

Temp: 12.88

Cond: 0.818

1920

sample collected at ST-014

1930

left sparrows point.

14:20 Arrive @ GEAT benchmark and  
set up Trimble SPS 461 unit for  
URS validation.

14:40 System up and fully functional  
- using Keynet GPS correctors via cellular  
broad band & modem

14:45 Allow for burnin @ benchmark

Fix One =	1394428.06 E	39° 28' 38.2920" N	1.13 ft North
14:58	659561.86 N	076 42' 33.0528" W	

Fix Two =	1394427.21 E	39° 28' 38.2914" N	1.22 ft NNW
<del>14:59</del> 14:59	659561.80 N	076 42 33.0636" W	

GEAT	1394427.89 E	39° 28' 38.2809" N	
BM	659560.73 N	076 42 33.0549	

15:10 System validation complete - tear down and  
return to Hunt Valley.

Continued on Page

  
Signed

1/2/15  
Date

Read and Understood By

  
Signed

8/15/15  
Date



1:15 EA Crew meets @ EA Lobs and underway to Baltimore Yacht Basin (BYB)

1:00 Arrive BYB and prep M/V Belle for coring operations

Personnel

WX

Cloudy, light rain

Temp = 43°

J. Morris

D. Nazario

J. Kimchi - Turner Station Seas Flat Winds: Light NW

1:50 Vessel prepped and underway to Turner Station Park

1:50 Arrive @ Turner Station Park

Pick up J. Kimchi

1:32 Anchors down @ SD-F03

1:35 Site Specific Health and Safety Briefing

Topics covered: Expected sediment conditions  
PPE

Weather / Conditions

Emerging problems

1:57 SD-F03 a

455773.04 E

569592.49 N

- Refusal after 1 ft of penetration

Impacted estuarine silts over parent clay - yellow / cohesive

Anchor up @ SD-F03 a

Heading to SD-G03

2:27 Anchor down @ SD-G03

Water Depth = 6.8 ft

40 SD-G03a

155410.12 E

39222.31 N

- Full penetration - impacted sediments throughout

02 Anchor up @ SD-G03 a

20 Anchor down @ SD-G04

1:30 SD-G04a

454896.30 E

569186.32 N

- silty estuarine silts over gray clay - less green

Water Depth = 8.9 ft

Recovery = 5.5 ft

Continued on Page

*[Signature]*  
Signed

3/27/15

Date

Read and Understood By

*[Signature]*

Signed

8/15/15

Date

12:50 Anchors up @ SD-G04

Heading to SD-G05

13:05 Anchors down @ SD-G05

13:16 SD-G05a

1454296.32 E

569195.35 N

- Black estuarine silts over gray clay. Recovery = 5.4 ft

- Less green

- Re-attempt

13:49 SD-G05b

1454300.33 E

569209.99 N

- Black estuarine silts over gray clay

- Catcher material in bag.

14:04 Anchor up @ SD-G05

Heading to SD-H04

14:38 Anchors down @ SD-H04

- in close proximity to floating conduct

- Shifted sample location to the NE to avoid contact (~45ft)

14:46 SD-H04a

1455464.14 E

568778.06 N

Water Depth = 4.9 ft

Recovery = 6.6 ft

- Black, impacted estuarine sediments throughout core

15:07 Anchors up @ SD-H04a

Heading to SD-H03

15:22 Anchors down @ SD-H03

- moved sampling location 50 ft NE due to lack of water depth.

Continued on Page

*[Signature]*  
Signed

3/27/15

Date

Read and Understood By

*[Signature]*

Signed

8/15/15

Date



SD-H03a  
455914.04 E  
568796.70 N  
- Black estuarine silts, impacted over soft gray clay

04 Anchors up @ SD-H03  
Heading to SD-H05  
20 Mooring off of abandon pier structure for SD-H05  
36 SD-H05a  
154845.69 E  
568757.40 N  
- Black estuarine silts - impacted - silt present throughout  
- Short - reattempt.

04 SD-H05b  
454842.52 E  
568758.62 N  
- Black estuarine silts throughout - impacted on bottom

20 Lift down cores and move to Turner Station park  
No record cores and excess sed and rinses

20 Arrive Turner Station Park  
43 Core offload complete - waste transferred to  
EA pile-up and 55 gallon drums.

45 Underway to BYB  
34 Arrive @ BYB  
Secure vessel  
Shutdown for the evening.

Continued on Page

[Signature] 3/27/15  
Signed Date  
[Signature] 8/15/15  
Signed Date

06:15 EA Crew meets @ EA labs in Hunt Valley  
06:20 Vehicles loaded and underway to Baltimore Yacht Basin  
(BYB)

07:00 Arrive @ BYB - prep m/c Belle  
Personnel  
EA  
J. Morris  
D. Mazaris  
J. Kinchi - Turner Station Park  
WX / Conditions  
WNW winds ~ 10 kts  
Sws 0.5 ft.

07:35 Underway to Baltimore Marine Center for fuel  
08:15 Arrive @ BMC - no fuel  
08:30 Heading to Turner Station Park  
09:20 Arrive @ Turner Station Park  
Pick up J. Kinchi  
09:30 Underway to Bayview 5 for GPS QC check  
09:40 QC check looks good  
Heading to Anchor Marine for fuel and wait  
on tide.

10:20 Fueled and underway to SD-H06  
10:40 Anchors down @ SD-H06  
10:50 Health and Safety Briefing

Topics Covered: Site-specific info  
: Emergency situation  
: Site conditions / sed  
: Tide - low water levels  
: Turner Station facilities  
Water Depth = 9.9 ft  
Recovery = 4.2 ft

11:01 SD-H06a  
1454267.96 E  
568756.63 N  
- Black estuarine silt throughout  
- Short - reattempt - Hard layer after 4ft of pen.

11:25 SD-H06b  
1454274.65 E  
568753.05 N  
Water Depth = 10.0 ft  
Recovery = 4.0 ft  
- Discard

Continued on Page

[Signature] 3/29/15  
Signed Date  
[Signature] 8/15/15  
Signed Date

19 SD-H06 C  
454266.84 E  
368776.26 N  
Black estuarine silt - refusal encountered at 4 ft penetrate  
Impacted sediments on deep  
less seen from bottom sed.

Water Depth = 10.1 ft  
Recovery = 4.0 ft

20 Anchor up @ SD-H06  
Heading to SD-G02

41 Anchor down @ SD-G02

26 Reset anchors due to change in wind and tide  
28 SD-B02 a  
1455851.70 E  
369199.38 N  
Black impacted estuarine silts to depth  
Re-attempt for longer recovery

Water Depth = 4.3 ft  
Recovery = 5.3 ft

42 SD-G02 b  
1455852.14 E  
369196.56 N

lack impacted estuarine silts to depth  
255 seen at depth but heavy odor

02 Anchor up @ SD-G02  
Heading to SD-G1.5

16 Anchor down @ SD-G01.5

18 Abandoning station for the day insufficient water depth.

25 Drive past SD-F03 indicates insufficient water depth.

30 High tide was @ ~~TS~~ <sup>TS</sup> 15:43 - wait for low water conditions to date in the next two tidal cycles.

40 Heading into Turner Station Park to offload.

Continued on Page

[Signature]  
Signed

3/29/15  
Date


Read and Understood By [Signature]  
Signed

8/15/15  
Date

16:11 Core offload and waste offload complete  
16:20 Heading to BYB

17:15 Arrive @ BYB  
- Offload cores and secure w/ Belle for the night

18:10 Shut down for the evening



Continued on Page

[Signature]  
Signed

3/29/15  
Date

Read and Understood By [Signature]  
Signed

8/15/15  
Date



4:30 EA personnel meet @ EA labs to initiate field work and catch high tide @ Sparrows Point

5:15 Arrive at Baltimore Yacht Basin (BYB)  
Prag m/v Belle  
Personnel: J. Morris, D. Muzario, M. McCawley  
WX/Conditions: WNW winds 15 kts, Seas w/ ft

5:30 Underway to Bear Creek and SD-HOI  
5:30 Arrive @ SD-HOI  
Anchor down @ SD-HOI  
5:40 Health and Safety Briefing  
Topics: Situational awareness, Location, Emergency procedures and evacuation location, First responder meeting points

5:45 SD-HOI a  
456414.22 E  
568928.12 N  
Water Depth = 3.4 ft  
Recovery = 6.4 ft

Impacted estuarine silts over soft gray clay  
6:04 Anchor up @ HOI - heading to GOI  
6:09 Anchor down @ SD-GOI

6:13 SD-GOI a  
456414.40 E  
569140.65 N  
Water Depth = 3.9 ft  
Recovery = 6.1 ft  
Impacted estuarine silts over soft gray clay  
Clay plug in bag

6:38 Anchor up @ GOI - moving out side break water heading to FOY  
6:49 Anchors down @ FOY


17:57 SD-FOY a  
1456323.76 E  
569367.73 N  
Water Depth = 3.5 ft  
Recovery = 6.0 ft  
- Black impacted silt over clean gray sand

18:10 Cutting down cores and preparing for transport  
18:50 Anchors up @ FOY  
18:55 Underway to BYB

19:05 QC check @ Daymark 5 - ok  
Heading to Middle Branch and BYB

20:10 Arrive @ BYB  
- Offload m/v Belle and secure for the evening

20:25 Shut down for the evening.



7:40 EA crew met @ EA labs and underway to  
Baltimore Yacht Basin (BYB)  
7:30 Arrive @ BYB  
Load w/ Chinook for pore water collection

Personnel  
EA  
J. Morris  
D. Nazario  
wx  
Overcast / Fog  
Light winds ~ 10 kts  
Seas < 1 ft

8:20 Underway to Sparrows for pore water collection  
8:50 Arrive @ SA-A transect  
Set-up boat for now  
De cam equipment

9:20 Anchors down @ <sup>SPW</sup> SA-A01  
10:48 Pore water probes installed either side of vessel  
@ 1457228.49E Water Depth = 5.7 ft  
574689.12 N

1:50 Begin pumping - collecting into 2 ea 1L amber glass  
1:20 End pumping.  
1:30 Calibrate YSI and Myron instruments to evaluate  
Composition of pore water versus overlying  
waters.

1:00 YSI Cast - Side water  
Surface  
9.22°C  
9.301 mS/cm  
7.63 mg/L  
DO 68.4%  
pH 8.48  
Bottom  
Temp 9.04°C  
Cond 9.591 mS/cm  
DO 7.45 mg/L  
DO sat 66.8%  
pH 8.55  
ORP -195.4  
Turb - 3.1 NTU

2:10 Myron Meter - Side water  
Surface  
pH = 7.98  
Temp = 10.2°C  
ORP = 255  
Cond = 8229 uS/cm  
Bottom  
Temp = 9.9°C  
pH = 6.73  
ORP = 244  
Cond = 9464 uS/cm

[Signature] 4/10/15  
Signed Date  
Read and Understood By [Signature] 8/15/15  
Signed Date

Pore water - YSI  
Temp = 10.13°C  
Cond = 14.51 mS/cm  
DO = 2.12 mg/L  
DO sat = 20.3%  
pH = 8.60  
ORP = 36.5  
Turb = 7.9 NTU

Myron - pore water  
pH = 6.82  
Temp 11°C  
ORP = -74  
Cond = 14.46 mS/cm

- Findings indicate pore water was different in  
DO and conductivity values and sufficient to indicate  
not influenced by surface waters

- pH and ORP values from Myron 6P unit are suspect

12:40 Transfer pore water to jars / labeling  
PW-A01  
Top off 2 ea 1L amber glass for archive water.

13:10 Anchors up @ PW-A01  
13:15 Heading to Baymark 5 for new QC  
Navigation QC'd in force  
13:18 Heading to PW-B01  
13:22 Anchors down @ PW-B01

14:00 Pore water probes installed either side of vessel  
@ 1456608.58E Water Depth = 3.9 ft  
573957.01 N  
- In proximity to outfall.

14:05 YSI Cast - Side water  
Surface  
Temp 9.39°C  
Cond 8.690 mS/cm  
DO 6.36 mg/L  
DO% 57.5%  
pH 8.97  
ORP 48.8  
Turb 4.0 NTU

[Signature] 4/10/15  
Signed Date  
Read and Understood By [Signature] 8/15/15  
Signed Date



4/10/15

from Page

- Side water

9.42°C

pH 9.01

8.941 mS/cm

ORP 49.7

6.22 mg/l

Turb 5.0 NTU

56.2%

- Side water

fau.

9.9°C

ORP = -52 mV

8.895 mS/cm

7.36

-

9.9°C

ORP = -15 mV

8.822 mS/cm

7.48

- QSI

9.56°C

pH = 8.42

16.56 mS/cm

ORP = -104.3

2.86 mg/l

Turb = 6.5 NTU

26.9%

- Myron 6P

= 9.9°C

ORP = -140

= 16.21 mS/cm

7.09

lings suggest substantial differences in Cond and DO  
ORP indicate pore water volume is unique and not overlying water

Transfer pore water to vials / containers  
off 2 ea 1 L amber glass bottles for Archive

Anchors up @ PW-B04

Anchors down @ PW-C04

Continued on Page

2/10

4/10/15

Read and Understood By

C. J. Doe

8/15/15

Signed

Date

Signed

Date

4/10/15

Continues from Page

15:08 Probes inserted within side of vessel.

① 1456424.78 E

1456424.78 E

573467.44 N

Water depth = 3.9 ft

QSI Cast - Side water

Temp = 9.5 Surface

- Site is adjacent to bank failure or outwash feature

Temp = 9.44°C

pH = 9.02

Cond = 8.739 mS/cm

ORP = 39.5

DO 5.88 mg/l

Turb = 3.8 NTU

DO SAT 53%

Bottom

Temp = 9.2°C

pH = 9.02

Cond = 8.909 mS/cm

ORP = 40.4

DO = 5.66 mg/l

Turb = 4.1 NTU

DO SAT = 50.6%

Myron - Site Water

Surface

Temp = 10.4°C

ORP = -6

Cond = 8.602 mS/cm

pH = 7.52

Bottom

Temp = 10.2°C

ORP = 9

Cond = 8.793 mS/cm

pH = 7.54

QSI - pore water

Temp = 9.67°C

pH = 8.77

Cond = 10.46 mS/cm

ORP = -66.9

DO = 2.8 mg/l

Turb = 17.0 NTU

DO SAT = 28.0%

Myron - pore water

Temp = 10.3°C

pH = 7.46

Cond = 10.19 mS/cm

ORP = -63

Continued on Page

C. J. Doe

Signed

4/10/15

Date

Read and Understood By

C. J. Doe

Signed

8/15/15

Date

Findings of WD measurements suggest pore water differs substantially from overlying water. Water sample is unique.


154 Transferring composite sample to individual bottles and vials  
B PW-C01  
Top off 2 ea 1 L amber glass bottles of porewater for archive

105 Extract prakes and pull anchor @ PW-C01  
Heading to Turner ~~Park~~ Station Park for sample offload

30 Arrive @ Turner Station Park and meet Anita S for sample transfer

10 Samples PW-A01, PW-B01, and PW-C01  
heading to FedEx for Saturday delivery

20 Heading out of BYB  
10 Arrive @ BYB  
Shutdown for the weekend.



Continued on Page

06:30 EA staff meet @ EA laboratories in Hunt Valley  
06:45 Underway to Baltimore Yacht Basin (BYB)  
07:40 Arrive @ BYB and prep m/v Chinook for pore water sampling  
08:20 Electrical issue w/ starboard motor.  
08:40 Problem diagnosed. - procure parts & make vessel ready.

Personnel: J. Morris, D. Nazario      WX: Southerly winds ~ 15 kts

10:50 Arrive @ BYB w/ necessary parts  
11:50 Repairs made to starboard motor and electronics

11:55 Underway to Bear Creek  
12:18 Arrive at Bear Creek - perform navigation QC at Daymark S  
- Navigation QC'd in fine

12:22 Underway to Location PW-E01  
12:38 Anchors down @ PW-E01  
13:07 Porewater prakes inserted in seafloor on eastern side of vessel @ 1455827.01E 570752.22N

PSI Water Depth = 7.1 ft

PSI - Surface  
Temp 15.13°C      pH = 7.61  
Sp. Cond 7.685 mS/cm      ORP = 220.7 mV  
DO 9.33 mg/L      Turb = 2.7 NTU  
DO SAT 99.3%      Salinity = 4.41 ‰  
Cond 6.403 mS/cm

Molyram - Surface  
Temp = 18/6.4°C      ORP = 80 mV  
Cond = 7.564  
pH = 6.41

Continued on Page



YSI - pore water  
Temp = 14.82°C  
pH = 7.74  
ORP = -101.9  
Sp Cond = 13.5 mS/cm  
Cond = 11.27 mS/cm  
DO = 4.41 mg/l  
Turb = 6.1 NTU  
DO SAT = 46.7%

YSI - pore water  
Temp = 16.4°C  
pH = 7.62  
ORP = -121.8  
Sp Cond = 13.54 mS/cm  
Cond = 11.32 mS/cm  
Turb = 6.2  
DO = 2.12 mg/l  
Salinity = 7.85‰  
DO SAT = 22.5%

Mycom - pore water  
Temp = 18.4°C  
pH = 6.78  
ORP = -101  
Cond = 13.35 mS/cm

Findings suggest substantial difference between pore water and overlying water. Cond and sp Conductivity as well as ORP values.

1:15 Transfer composite porewater to individual vials/containers  
Top of 2 or 14 amber glass bottles to serve as archive

1:45 Anchors up @ PW-E01  
Heading to PW-DE01

1:55 Attempted PW-DE01 but too shallow to access  
Wait until high tide to attempt

2:00 Heading to PW-F01

2:14 Anchors down @ PW-F01

15:47 Pore water probes inserted in sediments @ PW-F01  
1456274.86 E  
569766.69 N  
Very low yield

YSI - Surface Side water  
Temp = 15.02°C  
pH = 8.5  
Sp Cond = 7.766 mS/cm  
ORP = 31.4  
Cond = 6.278 mS/cm  
Turb = 3.8 NTU  
DO = 2.37 mg/l  
Salinity = 4.34‰  
DO SAT = 24.4%

Mycom - Surface Side water  
Temp = 16.8°C  
ORP = 28 mV  
Cond = 7.672 mS/cm  
pH = 7.97

YSI - pore water  
Temp = 19.47°C  
pH = 8.12  
ORP = 36.7  
Sp Cond = 5.715 mS/cm  
Turb = 100.7  
Cond = 5.139 mS/cm  
Salinity = 3.16‰  
DO = 1.40 mg/l  
DO SAT = 15.5%

Mycom = Pore water  
Temp = 20.2°C  
pH = 7.72  
Cond = 10.95 mS/cm  
ORP = -6 mV

17:05 Discontinue collections due to lack of yield - approx 250 ml captured in one glass amber bottle.

17:20 Break down and head for BYB  
18:00 Arrive @ BYB  
Shut down for the evening

1:30 EAT crew meets @ EAT Labs in Hunt Valley  
1:45 Underway to Baltimore Yacht Basin (BYB)  
1:50 Arrive @ BYB  
Set up M/V Chinook for pore water collection

Personnel

<u>EAT</u>	<u>WX</u>
J. Morris	Overcast, Light winds
D. Nazario	Sun flat

5:20 Underway to Bear Creek  
5:50 Arrive @ Bear Creek  
Moving to Daymark 5 for navigation QC  
5:52 Fix on Daymark 5 - navigation QC's in Ann  
5:55 Heading to location PW-D01  
6:04 Anchor down @ PW-D01  
6:45 Multiple attempts made to penetrate the seabed @ PW-D01 without success  
~ 8 inches of sand over firm substrate. Firm underlying material preventing full penetration.  
- Moving sample location to D02

6:02 Anchors down @ PW-D02  
27 Pore water probes inserted either side of the vessel  
@ 1455581.16 E Water Depth = 2.3 ft  
571875.77 N

SI - Surface waters

Temp = 14.37°C	DO = 8.97 mg/l
Cond = 6.397 mS/cm	DO <sub>SAT</sub> = 89.6%
Cond = 5.099 mS/cm	pH = 8.28
Salinity = 3.51‰	ORP = -2.9
	Turb = 3.1 NTU

SI - Bottom water

Temp = 14.34°C	DO = 9.89 mg/l	Turb = 4.2 NTU
Cond = 6.423 mS/cm	DO <sub>SAT</sub> = 98.8%	
Cond = 5.115 mS/cm	pH = 8.35	
Salinity = 3.53‰	ORP = -7.7	

Continued on Page \_\_\_\_\_

Signed [Signature] 4/17/15  
Read and Understood By [Signature] 8/15/15  
Signed \_\_\_\_\_ Date \_\_\_\_\_

Myran - Surface water  
Temp = 16.6°C  
Cond = 5.397 mS/cm  
~~ORP =~~  
pH = 6.94 \* invalid despite cal.

Myran - pore water  
Temp = 17.2°C  
Cond = 12.70 mS/cm  
ORP = -95  
pH = 6.62 \* invalid despite cal

VST - pore water  
Temp = 16.42°C  
DO = 1.94 mg/l  
sp Cond = 15.42 mS/cm  
Cond = 12.89 mS/cm  
Salinity = 9.03‰  
DO<sub>SAT</sub> = 21.0%  
pH = 7.3  
ORP = -306  
Turb = 16.5 NTU

Findings indicate that pore water is unique based on Cond, pH, DO, and ORP values.

10:50 Begin transfer of pore water to individual vials / containers from composite  
Top off 2 x 1L glass amber bottles for archive

11:25 Anchors up @ PW-D02  
Heading to PW-C02

11:45 Anchors down @ PW-C02  
12:25 Pore water probes inserted on port side of vessel  
@ 1456278.45 E  
573563.19 N

Continued on Page \_\_\_\_\_

Signed [Signature] 4/17/15  
Read and Understood By [Signature] 8/15/15  
Signed \_\_\_\_\_ Date \_\_\_\_\_



SSI - surface water  
Temp = ~~14.92~~ 15.44°C  
Cond = 7.243 mS/cm  
Tand = 5.872 mS/cm  
cloudy = 3.99‰

DO = 2.09 mg/l  
DO<sub>SAT</sub> = 21.2  
pH = 8.67  
ORP = -178.4  
Turb = 2.5 NTU

uran - surface water  
Temp = 17.9°C  
Tand = 6.127  
pH = 7.76  
ORP = 6

SI - bottom  
Temp = 14.36°C  
Cond = 8.583 mS/cm  
Tand = 6.810 mS/cm  
cloudy = 4.84‰

DO = 1.43 mg/l  
DO<sub>SAT</sub> = 14.3‰  
pH = 8.58  
ORP = -174.5  
Turb = 7.2 NTU

uran - bottom water  
Temp = 17.1°C  
Tand = 6.891 mS/cm  
pH = 7.91  
ORP = 53

SSI - pore water  
Temp = 21.9°C  
Tand = 9.179 mS/cm  
Cond = 8.661 mS/cm  
cloudy = 5.15‰

DO = 1.69 mg/l  
DO<sub>SAT</sub> = 19.8‰  
pH = 8.34  
ORP = -176  
Turb = 4.36

uran - pore water  
Temp = 23.7°C  
Cond = 8.007 mS/cm  
pH = 7.60  
ORP = -6

Continued on Page \_\_\_\_\_

*[Signature]*  
Signed \_\_\_\_\_

4/17/15  
Date \_\_\_\_\_

Read and Understood By *[Signature]*  
Signed \_\_\_\_\_

8/15/15  
Date \_\_\_\_\_

13:50 Transfer porewater sample from composite to individual vials / containers  
- Water is highly turbid from both probes.  
- WQ parameters show differences in properties, but not substantial differences.  
- Topping off 2 in 1L bottle for archive water.

14:30 Anchors up @ PW-CO2  
Heading to F04

14:46 Anchors down @ PW-F04

15:02 Pore water probes installed on either side of vessel @ 1456323.03 E  
569363.41 N

15:30 Approx 25 minutes of pumping yields no porewater  
- Abandon station and re-locate for future effort.

15:40 Anchor up @ PW-F04 - heading to Turners Station for sample hand-off

16:30 Sample hand-off complete  
Heading to BYB

17:15 Arrive @ BYB

17:40 Shut down for the evening

Continued on Page \_\_\_\_\_

*[Signature]*  
Signed \_\_\_\_\_

4/17/15  
Date \_\_\_\_\_

Read and Understood By

*[Signature]*  
Signed \_\_\_\_\_

8/15/15  
Date \_\_\_\_\_

00 E4 personnel meet @ E4 laboratory in Hunt Valley  
30 Underway to Baltimore Yacht Basin (BYB)  
30 Arrive BYB - begin prep of WU Chinook personnel  
J. Morris WNW wind ~ 15 kts  
D. Mazaris Seas ~ 1 ft  
10 WU Chinook under way to Bear Creek and Location DE01  
46 Arrive @ Daymark 5 for navigation Q.C.  
- now Q.C'd in line  
Underway to DE01  
59 Anchors down @ DE01  
00 Begin decontamination of push point probes  
00 First several attempts to insert probes in seabed resulted in refusal @ 6-8" drawing out to west to find substrate that will allow full penetration

58 Using @ single probe @ PW-DE01  
@ 1455 712.80 E Depth = 2.9 ft  
571514.94 N

SI - surface water  
Temp = 14.52°C pH = 8.5 Turb = 7.0 NTU  
Cond = 13.59 µS/cm ORP = 175.8  
DO = 10.865 mg/L DO SAT = 109.9%  
Salinity = 7.88‰

SB - bottom water  
Temp = 14.51°C pH = 8.52 Turb = 7.1 NTU  
Cond = 13.58 µS/cm ORP = 175.2  
DO = 10.870 mg/L DO SAT = 110.1%  
Salinity = 7.88‰

Continued on Page

YSI - porewater  
Temp = 12.64°C pH = 6.6 Turb = 125 NTU  
sp Cond = 24.32 µS/cm ORP = -21.9  
Cond = 18.560 µS/cm DO = 8.19  
Salinity = 14.76‰ DO SAT = 84.3

Myran - surface water  
Temp = 13.7°C  
Cond = 6150 µS/cm  
pH = 7.1  
ORP = -10  
12:30: Transfer porewater composite to individual vials and bottles

Myran - pore water  
Temp = 12.4°C  
Cond = 10.6 µS/cm  
ORP = -4  
pH = 6.5 ± 0.0

~~13:00~~ 12:55 Collecting sediment grab sample from porewater location → labeled DE-01 - SD

Grabs recovery 3 inches of brown medium sand over black sand - 4 jars 2802 collected  
2402

13:45 Anchors up @ PW/SD - DE01  
14:14 Anchors down @ PW-FOS

14:53 Pore water probes installed on starboard side of vessel @ 1456 223.24 E Depth = 3.3 ft  
569582.12 N

YSI - surface water  
Temp = 13.73°C pH = 8.7 Turb = 15.7 NTU  
sp Cond = 13.34 µS/cm ORP = 124.9  
Cond = 10.478 µS/cm DO = 11.31 mg/L  
Salinity = 7.74‰ DO SAT = 114%

Continued on Page



SI - bottom water  
Temp = 13.81°C  
Cond = 13.40 mS/cm  
Salinity = 10.539 mS/cm  
Salinity = 7.76‰

pH = 8.7  
ORP = 126.4  
DO = 11.53 mg/L  
DO<sub>SAT</sub> = 115

Turb = 17.0

SI - pore water  
Temp = 12.79°C  
Cond = 27.20 mS/cm  
Salinity = 20.856 mS/cm  
Salinity = 16.72‰

pH = 7.42  
ORP = -149  
DO = 2.97 mg/L  
DO<sub>SAT</sub> = 31.2

Turb = 3.1 NTU


Yran - pore water  
Temp = 11.9°C  
Cond = 11.66 mS/cm  
pH = 7.09  
ORP = -90

Myran - surface water  
Temp = 14.2°C  
Cond = 6.053 mS/cm  
pH = 8.703  
ORP = -39

1:00 Begin transfer of porewater from composite 1L bottles to individual vials / bottles

49 Sediment grab sample SD-FOS (FOS-SD) for  
O-labeled chemistry @ 1456230.94E → Brown sand  
569574.24N over impacted  
silt

1:00 Sediments split into appropriate jars  
1:20 Anchors up @ FOS  
Heading to Turner Station Park for sample hand-off  
55 Sample offload complete - heading to BYB  
1:00 Arrive @ BYB  
Offload Chinook and shut down for the evening.



Continued on Page

Lab YSI - 678

CO2 - pH: 8.61  
Cond: 9.23 mS/cm

DO2 - pH: 8.43  
Cond: 13.34 mS/cm

DE1 - pH: 7.12  
Cond: 12.58 mS/cm

F05 - pH: 7.32  
Cond: 13.93 mS/cm

A01 - pH: 7.51  
Cond: 17.48 mS/cm


E01 - pH: 7.71  
Cond: 11.4 mS/cm

E01 - pH: 7.46  
Cond: 14.69 mS/cm

B01 - pH: 7.39  
Cond: 17.50 mS/cm

Re-run of water quality parameters using laboratory instruments.

- Performed by M. Urbano



Continued on Page

- 6:30 Arrive @ EA Labs and prep vehicles for Coring - waste transport
- 7:30 Underway to Baltimore Yacht Basin (BYB) to meet M. Stephens
- 8:05 Arrive @ BYB - make m/v Belle ready for core collecting
- 8:50 Underway to Bear Creek and Turner Station to meet C. Brown in vehicle

9:35 Arrive at Turner Station Park - load core liner

Personnel	Wx
J. Morris	Overcast
C. Brown	Light winds
M. Stephens	Sea Flat

HHS Briefing for new participants  
Topics Covered: Area awareness  
Emergency Procedures  
Vessel ops / Sampling  
PPE requirements

*[Signature]*  
C. Brown  
M. Stephens

- 104 Navigation QC @ Daymark 5
- 1:30 Anchors down @ SD-I03
- 10 Core collected @ SD-I03a Water Depth = 12.4 ft  
1453177.58 E - Good penetration = 6.3 ft  
568326.84 N - Black estuarine s.s. over clean gray clay.
- 38 Anchors up @ SD-I03  
Heading to SD-I02
- 52 Anchors down @ SD-I02
- 1:17 Core collected @ SD-I02a Water Depth = 13.8 ft  
1453756.79 E - Good penetration = 5.0 ft  
568278.11 N - Black estuarine s.s. w/ shell over clean gray clay
- 1:30 Anchors up @ SD-I02  
Heading to Anchor Marine for fuel

Continued on Page

*[Signature]*  
Signed

4/25/15  
Date

Read and Understood By  
*[Signature]*  
Signed

4/15/15  
Date

- 13:40 Anchors down @ SD-H07
- 14:15 Core collected @ SD-H07a  
1453315.68 E - Low Penetration 4.6 ft  
568748.96 N - Gray clay at bottom, but  
Water Depth = 12 ft. - Re-attempt core
- 14:40 Core collected @ SD-H07b  
1453300.59 E - Good Penetration = 5.5 ft  
568753.79 N - Gray clay at bottom  
Water Depth = 12 ft
- 14:58 Anchors up @ SD-H07  
Heading to SD-I01
- 15:20 Anchors down @ SD-I01
- 15:39 Core collected @ SD-I01a  
1454391.85 E - Low penetration ~ 2.0 ft  
568320.96 N - Hit refusal - gray clayey sand  
Water Depth = 8.4 ft - Lost bottom material  
- Re-attempt core at a new spot
- 15:59 Core collected @ SD-I01b  
1454403.47 E - Low penetration = 2.0 ft  
568312.91 N - Refusal due to gray clayey sand  
Water Depth = 8.4 ft - Retained bottom material for characterization
- 16:20 Complete collections for the day  
Cut down five cores and move to offload wastes @ Turner Station Park
- 17:00 Arrive @ Turner Station Park
- 17:30 Offload of samples and wastes complete.  
Heading to BYB.
- 18:30 Arrive @ BYB  
Offload and shut down for the evening

Continued on Page

*[Signature]*  
Signed

4/25/15  
Date

Read and Understood By  
*[Signature]*  
Signed

8/15/15  
Date



- 1:30 Arrive @ E4 Labs, load vehicles  
1:45 Underway to Baltimore Yacht Basin (BYB)  
1:49 Arrive @ BYB - prep w/ V. Belle for coring operations  
2:00 Underway to Bear Creek and Turner Station

Personnel

Wx

J. Morris  
M. Stephens  
D. Nazario

Clear  
Winds Light Southerly  
Seas Flat

- 1:45 Arrive @ Turner Station - pick up D. Nazario  
1:50 Underway to Bayview S  
1:55 Navigator AC'd in fire - Underway to E03

- 1:10 Anchors down @ location E03

1:29 Core collected @ SD-E03a  
1455248.77 E  
570386.85 N

Water Depth = 9.2 ft  
No recovery  
Re-attempt core

- 1:48 Core collected @ SD-E03b  
1455241.92 E  
570389.68 N
- Water Depth = 9.1 ft  
- Recovery = 4.9 ft Impacted silts.  
- Encased gray clay and  
oyster shell at depth  
- represents refusal.

- 1:10 Anchors up @ SD-E03

Heading to SD F-07

- 1:22 Anchors down @ SD-F07

- 1:30 Core collected @ SD-F07a

1454943.07 E  
569803.84 N

Water Depth = 10.3 ft  
- Recovery = 6.1 ft  
- Impacted silts over 5' dark  
gray clay  
- light sheen

- 50 Anchors up @ F07

Heading to F06

Continued on Page \_\_\_\_\_

- 11:09 Anchors down @ SD-F06

11:17 Core collected @ SD-F06a  
1454133.12 E  
569799.08 N

Water Depth = 12.9 ft  
- Recovery = 6.1 ft (15')  
- Black estuarine silts  
throughout - light to  
moderate sheen

- 11:38 Anchors up @ F06  
Heading to G06

- 11:55 Anchors down @ SD-G06

12:05 Core collected @ SD-G06a  
1453481.21 E  
569503.76 N

Water Depth = 10.7 ft (15')  
- Recovery = 5.5 ft  
- Estuarine silts over  
gray clay  
- less impacted (loaded)

- 12:34 Anchors up @ SD-G06  
Heading to Anchor Bay Marina

- 12:45 Arrive Anchor Bay

- 13:20 Underway to Turner Station to off load wastes  
and rinse

- 13:45 Underway to SD-F03 to replace original  
start core

- 13:58 Anchors down @ F03

14:11 Core collected @ SD-F03b  
1455740.35 E  
569596.99 N

Water Depth = 6.1 ft  
- Recovery =  
- Encased refusal just  
below SWI  
- Dense yellow clay/sandy  
in core with

- 14:36 Anchors up @ SD-F03  
Heading to SD-J02 (added)

- 14:49 Anchors down @ SD-J02

15:03 Core collected @ SD-J02a  
1453430.73 E  
567802.77 N

Water Depth = 14.8 ft  
- Recovery = 4.8 ft  
- Estuarine silt over soft  
gray clay  
- light sheen

Continued on Page \_\_\_\_\_

J. Morris  
Signed

4/29/15  
Date

Read and Understood By

Bob Pann  
Signed

8/15/15  
Date

J. Morris  
Signed

4/29/15  
Date

Read and Understood By

Bob Pann  
Signed

8/15/15  
Date

31 Anchors up @ SD-JOZ  
Heading to DE-02 (added)

144 Anchor down @ SD-DE02

132 Core collected @ SD-DE02a Water Depth = 12.7

1454868.35 E  
571199.46 N

- Recovery = 3.8 ft
- Discarded
- Estuarine silts (black (impacted) throughout)
- Re-attempt for 6 ft sample of basement clay

110 Core collected @ SD-DE02b

1454862.70 E  
571195.36 N

- Water Depth = 12.5 ft
- Recovery = 6.3 ft
- Black, impacted estuarine silts over soft dark gray clay.
- light sheen

130 Begin cut down and capping all cores

155 Underway to Turner Station Park for offload of cores and waste products.

122 Offload complete.  
Underway to BYB

115 Arrive @ BYB

Break down and shutdown for the evening.




Continued on Page

*[Signature]*  
Signed

4/29/15  
Date

Read and Understood By *[Signature]*  
Signed

Date



Continued on Page

Signed

Date

Read and Understood By

Signed

Date



Thursday

70° sunny

00 M. GELINA }  
N. RILEY } meet @ annex  
M. DURRANO }

NOTE: All cores opened from  
the bottom → top w/  
metal shears.  
Split w/ #55 putty  
knives bottom → top

Load equipment and cores.

15 Inventory core

20 Drive to warehouse, setup equipment

15 Open and log H05b

0 SD-H05-0002  
1x203  
3x403

5 SD-H05-0204 - ARCHIVED  
1x203  
2x403

20 SD-H05-0400  
1x203  
2x403

30 Open and log H07a

45 SD-F07-0002  
3x402  
1x802

Continued on Page

1050 SD-F07-0204 - ARCHIVED

2x402  
1x802

1055 SD-F07-0406

2x402  
1x802

1125 G03a opened and logged

1130 SD-G03-0002  
1x203  
3x403

1135 SD-G03-0204 - ARCHIVED  
1x203  
2x403

1140 SD-G03-0400  
1x203  
2x403

1150 H06a opened and logged

1150 SD-H06-0002  
1x802  
3x402

1155 SD-H06-0204  
1x802  
2x402

Continued on Page

1200 SD-H06-0204-MS

1x802  
2x402

1205 SD-H06-0204-MSD

1x802  
2x402

1210 SD-H06-0002-FD

1x802  
3x402

15-1315 lunch

13 Open + log G02b

1330 SD-G02-0002

1x802  
3x402

1335 SD-G02-0204-ARCHIVE

1x802  
2x402

1340 SD-G02-0406

1x802  
2x402

Continued on Page

*magnesium*  
Signed

5/1/15  
Date

Read and Understood By

*Ed Ban*  
Signed

8/15/15  
Date

1350 Open + log DE02b

1400 SD-DE02-0002

1x8  
3x4

1405 SD-DE02-0204-ARCHIVE

1x8  
2x4

1410 SD-DE02-0406

1x8  
2x4

1415 Open + log ~~DE02b~~ H07b

1430 SD-H07-0002 1x803 3x403

1430 SD-H07-0002-FD 1x803 3x403

1435 SD-H07-0204 1x803 2x4 - ARCHIVE

1440 SD-H07-0406 " "

1440 SD-H07-0406-MS " "

1440 SD-H07-0406-MSD " "

1450 Open + log G02a

1500 SD-G02-0002 1x8, 3x4

1505 SD-G02-0204 1x8, 2x4 - ARCHIVE

1510 SD-G02-0406 1x8, 2x4

Continued on Page

*magnesium*  
Signed

5/1/15  
Date

Read and Understood By

*Ed Ban*  
Signed

8/15/15  
Date



530 Open + log IO3

535 SD-IO3-0002

1x802  
3x402

540 SD-IO3-0204

1x802  
2x402

545 SD-IO3-0406

1x802  
2x402

00 EO3b open + log

615 SD-EO3-0002

1x802  
3x402

1620 SD-EO3-0204

1x802  
2x402

1620 SD-EO3-0204-FD

1x802  
2x402

1625 SD-EO3-0406

1x802  
2x402

Continued on Page

*M. J. Williams*  
Signed

5/1/15  
Date

Read and Understood By  
*Leah J. Brown*  
Signed

8/15/15  
Date

1630 Open + log IO2a

1645 SD-IO2-0002

1x802  
3x402

1650 SD-IO2-0204

1x802  
2x402

1655 SD-IO2-0406

1x802  
2x402

1730 RB-01 Rinsak blank collected  
11 btis.

1745 FB-01 Field Blank collected  
11 btis.

1800 Pack up warehouse

1815 coars + cores in walk-in

4 coars to ship  
1 Archive  
1 core catcher material

1830 Done for day

Continued on Page

*M. J. Williams*  
Signed

5/1/15  
Date

Read and Understood By  
*Leah J. Brown*  
Signed

8/15/15  
Date

Friday Sunny, 65°F

20 M. GEUNA }  
N-BLEY } melt & annex, load equipment (core)  
M. DURBAN }

30 Set up @ warehouse.

340 Open & log G01

350 SD-G01-0002

1x8oz  
3x4oz

1855 SD-G01-0204 - ARCHIVE

1x8oz  
2x4oz

1900 SD-G01-0406

1x8oz  
2x4oz

210 Open & log G04

220 SD-G04-0002

1x8oz  
3x4oz

Continued on Page

0925 SD-G04-0204 - ARCHIVE

1x8oz  
2x4oz

0930 SD-G04-0406

1x8oz  
2x4oz

SD-G04-0406-FD

1x8oz  
2x4oz

0940 Open & log G05b

0950 SD-G05-0002

1x8oz  
3x4oz

0955 SA-G05-0804 - ARCHIVE

1x8oz  
2x4oz

1000 SD-G05-0406

1x8oz  
2x4oz

1005 SD-G05-0601

1x8oz  
2x4oz

1010 open & analyze F04

1020 SD-F04-0002

1025 SD-F04-0204 - ARCHIVE

1030 SD-F04-0406

Continued on Page



1050 Open + log H01

1100 SD-H01-0002

1x802  
3x402

105 SD-H01-0204 - ARCHIVE

1x802  
2x402

110 SD-H01-0406

1x802  
2x402

15 Open + log H03

135 SD-H03-0002

1x802  
3x402

140 SD-H03-0204 - ARCHIVE

1x802  
2x402

145 SD-H03-0406

1x802  
2x402

55 Open + log H04

05 SD-H04-0002

1x802  
3x402

1145 SD-H03-0400-MS

1x803  
2x403

1145 SD-H03-0400-MJD

1x803  
2x403

SD-H04-0002-FD

5-402

~~1x802~~  
~~3x402~~

Continued on Page

1210 SD-H04-0204 - ARCHIVE

~~1x802~~  
~~3x402~~ N/A

4x402

1215 SD-H04-0406

~~1x802~~ N/A  
~~3x402~~

4x402

1215 SD-H03-0607

4x402

1325 SD-F06-0002

1x802  
3x402

1330 SD-F06-0204 - ARCHIVE

1x802  
2x402

1335 SD-F06-0406

1x802  
2x402

1405 Open + log IO1

1415 SD-IO1-0001

1x802  
3x402

1335 JO2a opened + logged  
1355 SD-J02-0002 1x8  
3x4  
1400 SD-J02-0204 1x8  
2x4  
1405 SD-J02-0406 1x8  
2x4

Continued on Page

20 IOI-0102

1x803  
2x403

20 F03b opened + logged

30 SD-F03-0002

collected  
1x803  
3x403

SD-F03-0002-MS

= 1x403 AUS/SEM

SD-F03-0002-MSD

= 1x403 AUS/SEM

20 RB-02

11 btl

5 FB-02

11 btl

30 ~~clean up waste~~ messy  
check COC's

30 clean up waste route

15 Drop off archival samples/cores in EA annex walk-in

Package coders for shipment

10 Drop 9 coders off @ UPS on Lorton Circle for Sat. delivery

2= water  
7= sediment

30 Done for day.

Continued on Page

*[Signature]*  
(Signed)

5/1/15

Date

Read and Understood By

*[Signature]*  
(Signed)

8/15/15  
Date

Tuesday

Sunny, 80°F

4/23/15

1500

PW-F05-MS to btl

PW-F05-MSD to btl

} @ EA volume collected on 4/23/15, held  
in annex walk-in. Being submitted now for  
MS/MSD

1530

RB-CORE - 11 btl

1540

FB-CORE - 11 btl

1600

RB-PW - 5 btl

1610

FB-PW - 5 btl

1800

Ship 2 cooled to TA Pittsburgh

Continued on Page

*[Signature]*  
(Signed)

5/5/15

Date

Read and Understood By

*[Signature]*  
(Signed)

8/15/15  
Date

*Intentionally Left Blank*

**APPENDIX B**  
**PHOTOGRAPHIC LOG**

***This page intentionally left blank.***



# Photographic Record

Offshore Shallow Sediment Sampling  
Sparrows Point, MD  
October and April 2014




Sediment sample from SD-A01



Sediment sample from SD-A02




Sediment sample from SD-A03



Sediment sample from SD-B01



Sediment sample from SD-B02, first grab



Sediment sample from SD-B02, second  
grab



# Photographic Record

Offshore Shallow Sediment Sampling  
Sparrows Point, MD  
October and April 2014




Shoreline near transect C



Sediment sample from SD-C01



Sediment sample from SD-C02



Sediment sample from SD-C03



Sediment sample from SD-D01



Sediment sample from SD-D02

# Photographic Record

Offshore Shallow Sediment Sampling  
Sparrows Point, MD  
October and April 2014



Sediment sample from SD-D02



Sediment sample from SD-E01



Sediment sample from SD-E01 (zoomed in view)



Sediment sample from SD-E02



Sediment sample from SD-E03



Sediment sample from SD-F01



# Photographic Record

Offshore Shallow Sediment Sampling  
Sparrows Point, MD  
October and April 2014



Sediment interface from SD-F01



Sediment interface from SD-F01



Sediment interface from SD-F01



Sediment sample from SD-F02



SD-F02 interface



SD-F02 Interface

# Photographic Record


Offshore Shallow Sediment Sampling  
Sparrows Point, MD  
October and April 2014



Sediment Sample from SD-F05




SD-F05 Interface



Sediment sample from SD-G01



Sediment sample from SD-G01



Sediment sample from SD-G02



Sediment sample from SD-H01




# Photographic Record


Offshore Shallow Sediment Sampling  
Sparrows Point, MD  
October and April 2014



Sediment sample from SD-H02



Sediment sample from SD-H03



Sample collected in stainless steel pot



Homogenized sediment sample in stainless steel pot



Homogenized sediment sample



Samples collected for sample location SD-E02

# Photographic Record

**Offshore Shallow Sediment Sampling  
Sparrows Point, MD  
October and April 2014**



Rinsate water collection at back of boat



Ponar deployment



Ponar deployment



Sampling area with rinsate collection tub



Five gallon buckets for collection of extra  
volume of sediments to be transferred to 55  
gallon drums



# Photographic Record

## Stormwater Sampling

Sparrows Point, MD

Photos from 22 October 2014 site visit, prior to November and December 2014 sampling



Outfall 018



Outfall 018



Measurement of Outfall 018



Drainage area into Outfall 018



Inlet of Outfall 018



Outfall 014 – Inside of Wastewater  
Treatment Plant



# Photographic Record

## Stormwater Sampling

Sparrows Point, MD

Photos from 22 October 2014 site visit, prior to November and December 2014 sampling



Humphreys Creek near Outfall 014



Wastewater Pond



Outfall Unnamed



Inflow to Outfall Unnamed



Outfall Unnamed Spill Area



Outfall Unnamed Stormwater Pond Upstream



# Photographic Record

## Stormwater Sampling

Sparrows Point, MD

Photos from 22 October 2014 site visit, prior to November and December 2014 sampling



Outfall 070 Stormwater Collection  
Channel



Outfall 070 Overflow Channel



Outfall 070 Drainage Area



Outfall 071



Outfall 071 Stormwater Pond Upstream  
of Outfall

# Photographic Record

Porewater Sampling  
Sparrows Point, MD  
April 2015



Porewater sampling probe



Peristaltic pump



Ultrameter water quality meter



Sample collection on boat



Porewater samplers deployed in water



Porewater samplers deployed in water



# Photographic Record

Offshore Sediment Coring  
Sparrows Point, MD  
March and April 2015



Vibracore equipment on boat deck after retrieving a sediment core



A-frame that vibracore deploys from



Collected core prior to removal from vibracore, with core catcher in-tact



Removal of sediments from core catcher



Collection of sediments from core catcher




Sediment core removed from vibracore, prior to labeling and capping

# Photographic Record

Offshore Sediment Coring  
Sparrows Point, MD  
March and April 2015



Measuring recovery



Impacted sediments with sheen



Impacted sediments



Gray clay layer typically found below  
impacted sediments

# Photographic Record

Processing of Sediment Cores  
Sparrows Point, MD  
30 April - 01 May 2015

H05b  
Logged: 4/30/15, 0945



← Top of Core

Bottom of Core→



# Photographic Record

Processing of Sediment Cores  
Sparrows Point, MD  
30 April - 01 May 2015

F07a  
Logged: 4/30/15, 1030



← Top of Core

Bottom of Core→



# Photographic Record

Processing of Sediment Cores  
Sparrows Point, MD  
30 April - 01 May 2015

G03a  
Logged: 4/30/15, 1125



← Top of Core

Bottom of Core→

# Photographic Record

Processing of Sediment Cores  
Sparrows Point, MD  
30 April - 01 May 2015

H06a  
Logged: 4/30/15, 1150




← Top of Core

Bottom of Core→

# Photographic Record

Processing of Sediment Cores  
Sparrows Point, MD  
30 April - 01 May 2015

G02b  
Logged: 4/30/15, 1320



← Top of Core

Bottom of Core→

# Photographic Record

Processing of Sediment Cores  
Sparrows Point, MD  
30 April - 01 May 2015

DE02b  
Logged: 4/30/15, 1350



← Top of Core

Bottom of Core→

# Photographic Record

Processing of Sediment Cores  
Sparrows Point, MD  
30 April - 01 May 2015

H07b  
Logged: 4/30/15, 1415



← Top of Core

Bottom of Core→



# Photographic Record

Processing of Sediment Cores  
Sparrows Point, MD  
30 April - 01 May 2015

G06a  
Logged: 4/30/15, 1450




← Top of Core

Bottom of Core→

# Photographic Record

Processing of Sediment Cores  
Sparrows Point, MD  
30 April - 01 May 2015

I03a  
Logged: 4/30/15, 1535



← Top of Core

Bottom of Core→



# Photographic Record

Processing of Sediment Cores  
Sparrows Point, MD  
30 April - 01 May 2015

E03b  
Logged: 4/30/15, 1600




← Top of Core

Bottom of Core→

# Photographic Record

Processing of Sediment Cores  
Sparrows Point, MD  
30 April - 01 May 2015

I02a  
Logged: 4/30/15, 1630



← Top of Core

Bottom of Core→

# Photographic Record

Processing of Sediment Cores  
Sparrows Point, MD  
30 April - 01 May 2015

G01a  
Logged: 5/1/15, 0850




← Top of Core

Bottom of Core→

# Photographic Record

Processing of Sediment Cores  
Sparrows Point, MD  
30 April - 01 May 2015

G05b  
Logged: 5/1/15, 0940



← Top of Core


Bottom of Core→



# Photographic Record

Processing of Sediment Cores  
Sparrows Point, MD  
30 April - 01 May 2015

F04a  
Logged: 5/1/15, 1010




← Top of Core

Bottom of Core→

# Photographic Record

Processing of Sediment Cores  
Sparrows Point, MD  
30 April - 01 May 2015

H01a  
Logged: 5/1/15, 1050




← Top of Core

Bottom of Core→

# Photographic Record

Processing of Sediment Cores  
Sparrows Point, MD  
30 April - 01 May 2015

H03a  
Logged: 5/1/15, 1115



← Top of Core


Bottom of Core→



# Photographic Record

Processing of Sediment Cores  
Sparrows Point, MD  
30 April - 01 May 2015

H04a  
Logged: 5/1/15, 1150




← Top of Core

Bottom of Core→

# Photographic Record

Processing of Sediment Cores  
Sparrows Point, MD  
30 April - 01 May 2015

**F06a**  
**Logged: 5/1/15, 1310**



← Top of Core

Bottom of Core →

# Photographic Record

Processing of Sediment Cores  
Sparrows Point, MD  
30 April - 01 May 2015

J02a  
Logged: 5/1/15, 1335



← Top of Core

Bottom of Core→

# Photographic Record

Processing of Sediment Cores  
Sparrows Point, MD  
30 April - 01 May 2015

I01b  
Logged: 5/1/15, 1405



← Top of Core

Bottom of Core→



# Photographic Record

Processing of Sediment Cores  
Sparrows Point, MD  
30 April - 01 May 2015

F03b  
Logged: 5/1/15, 1420



← Top of Core

Bottom of Core→

**APPENDIX C**  
**SEDIMENT BORING LOGS**

*This page intentionally left blank.*



# SEDIMENT BORING DE02B

**PROJECT NAME** Sparrow's Point Offshore Investigation

**PROJECT NUMBER** 15131.01

**DATE COLLECTED** 4/29/2015 3:52:00 PM

**LOCATION** Baltimore, Maryland

**DATE LOGGED** 4/30/2015 1:50:00 PM

**NORTHING\*** 571195.36

**DRILLING CONTRACTOR** EA Engineering

**EASTING\*** 1454862.7

**DRILLING METHOD** Vibracore

**WATER DEPTH (MLLW)** 11.5

**LOGGED BY** M. Gelinas

**CORE RECOVERY (ft)** 6.3

DEPTH FROM SEDIMENT SURFACE (ft)	SAMPLE INTERVAL (inches)	SAMPLE TYPE**	SAMPLE SUBMITTED FOR ANALYSIS  (Sample ID at sample depth)	GRAPHIC LOG	USCS CLASS	MATERIAL DESCRIPTION	Depth (ft)
0							
-1	24	CT	SD-DE02-0002				
-2							
-3	24	CT	SD-DE02-0204 (Archived)		ML	SILT: Black silt, visible sheen, soupy, strong petroleum odor - whole clam ~1/2" across in 0002 sample	
-4							
-5	28	CT	SD-DE02-0406 (Collected from 4 to 6.3 ft)				
-6					CL	CLAY: Dark gray to black soft clay	5.8 6.3
-7						End of Core at 6.3 ft.	

**NOTES:**

Last 4 digits of sample ID describes the depth interval collected, in feet (0204 is 2 to 4 ft), unless specified further

\* Coordinates collected in Maryland State Plane

\*\* CT = Composited over interval

# SEDIMENT BORING E03B

**PROJECT NAME** Sparrow's Point Offshore Investigation

**PROJECT NUMBER** 15131.01

**DATE COLLECTED** 4/29/2015 9:48:00 AM

**LOCATION** Baltimore, Maryland

**DATE LOGGED** 4/30/2015 2:00:00 PM

**NORTHING\*** 570389.68

**DRILLING CONTRACTOR** EA Engineering


**EASTING\*** 1455241.92

**DRILLING METHOD** Vibracore

**WATER DEPTH (MLLW)** 8.7

**LOGGED BY** M. Gelinas

**CORE RECOVERY (ft)** 4.8

DEPTH FROM SEDIMENT SURFACE (ft)	SAMPLE INTERVAL (inches)	SAMPLE TYPE**	SAMPLE SUBMITTED FOR ANALYSIS  (Sample ID at sample depth)	GRAPHIC LOG	USCS CLASS	MATERIAL DESCRIPTION	Depth (ft)
0							
-1	24	CT	SD-E03-0002		ML	SILT: Black silt, visible sheen, strong petroleum odor	
-2							
-3	24	CT	SD-E03-0204				
-4	10	CT	SD-E03-0406 (Collected from 4 to 4.8 ft)		CL	CLAY: Gray to dark-gray clay, trace shell fragments (1%) <1/2" across	4.8
-5						End of Core at 4.8 ft.	
-6							
-7							

**NOTES:**

Last 4 digits of sample ID describes the depth interval collected, in feet (0204 is 2 to 4 ft), unless specified further

\* Coordinates collected in Maryland State Plane

\*\* CT = Compositd over interval

# SEDIMENT BORING F03B

**PROJECT NAME** Sparrow's Point Offshore Investigation

**PROJECT NUMBER** 15131.01

**DATE COLLECTED** 4/29/2015 10:57:00 AM

**LOCATION** Baltimore, Maryland

**DATE LOGGED** 5/1/2015 2:20:00 PM

**NORTHING\*** 569596.99

**DRILLING CONTRACTOR** EA Engineering

**EASTING\*** 1455740.35

**DRILLING METHOD** Vibracore

**WATER DEPTH (MLLW)** 5.1

**LOGGED BY** M. Gelinas

**CORE RECOVERY (ft)** 1.4

DEPTH FROM SEDIMENT SURFACE (ft)	SAMPLE INTERVAL (inches)	SAMPLE TYPE**	SAMPLE SUBMITTED FOR ANALYSIS  (Sample ID at sample depth)	GRAPHIC LOG	USCS CLASS	MATERIAL DESCRIPTION	Depth (ft)
0							
	17	CT	SD-F03-0002 (Collected from 0 to 1.4 ft)		ML	SILT: Black silt, strong hydrocarbon odor	
							0.8
					SM	SILTY SAND: Black silty sand (fine) and silt (40%), trace clay (10%)	0.9
-1					SM		1.1
					CL	SILTY SAND: Gray/tan silty sand (fine), trace clay (10%)	1.3
					SM	CLAY: tan/yellow clay	1.4
						SILTY SAND: Black silty sand (very fine)/sandy silt	
-2						End of Core at 1.4 ft.	
-3							
-4							
-5							
-6							
-7							

**NOTES:**

Last 4 digits of sample ID describes the depth interval collected, in feet (0204 is 2 to 4 ft), unless specified further

\* Coordinates collected in Maryland State Plane

\*\* CT = Compositing over interval

# SEDIMENT BORING F04A

**PROJECT NAME** Sparrow's Point Offshore Investigation

**PROJECT NUMBER** 15131.01

**DATE COLLECTED** 3/30/2015 5:57:00 PM

**LOCATION** Baltimore, Maryland

**DATE LOGGED** 5/1/2015 10:10:00 AM

**NORTHING\*** 569367.73

**DRILLING CONTRACTOR** EA Engineering

**EASTING\*** 1456323.76

**DRILLING METHOD** Vibracore

**WATER DEPTH (MLLW)** 2.4

**LOGGED BY** M. Gelinas

**CORE RECOVERY (ft)** 6

DEPTH FROM SEDIMENT SURFACE (ft)	SAMPLE INTERVAL (inches)	SAMPLE TYPE**	SAMPLE SUBMITTED FOR ANALYSIS  (Sample ID at sample depth)	GRAPHIC LOG	USCS CLASS	MATERIAL DESCRIPTION	Depth (ft)
0							
-1	24	CT	SD-F04-0002		ML	SILT: Black silt, strong hydrocarbon odor	
-2							2.2
-3	24	CT	SD-F04-0204 (Archived)		CL	CLAYEY SILT: Gray clayey silt	2.8
-4					ML	SILT: Black silt, strong hydrocarbon odor	
-5	24	CT	SD-F04-0406		ML	SILT: Gray silt	4.2
-6					ML	SILT: Black silt, strong hydrocarbon odor	4.3
-7					SM	SILTY SAND: Black silty sand, fine, well-sorted	4.8
-8					SC	CLAYEY SAND: Gray/brown clayey sand, fine, well-sorted	5.3
-9						End of Core at 6 ft.	6.0

**NOTES:**

Last 4 digits of sample ID describes the depth interval collected, in feet (0204 is 2 to 4 ft), unless specified further

\* Coordinates collected in Maryland State Plane

\*\* CT = Compositing over interval

# SEDIMENT BORING F06A

**PROJECT NAME** Sparrow's Point Offshore Investigation

**PROJECT NUMBER** 15131.01

**DATE COLLECTED** 4/29/2015 11:17:00 AM

**LOCATION** Baltimore, Maryland

**DATE LOGGED** 5/1/2015 1:10:00 PM

**NORTHING\*** 569799.08

**DRILLING CONTRACTOR** EA Engineering

**EASTING\*** 1454133.12

**DRILLING METHOD** Vibracore

**WATER DEPTH (MLLW)** 12.4

**LOGGED BY** M. Gelinas

**CORE RECOVERY (ft)** 6.2

DEPTH FROM SEDIMENT SURFACE (ft)	SAMPLE INTERVAL (inches)	SAMPLE TYPE**	SAMPLE SUBMITTED FOR ANALYSIS  (Sample ID at sample depth)	GRAPHIC LOG	USCS CLASS	MATERIAL DESCRIPTION	Depth (ft)
0							
-1	24	CT	SD-F06-0002				
-2							
-3	24	CT	SD-F06-0204 (Archived)		ML	SILT: Black silt, strong hydrocarbon odor	
-4							
-5	26	CT	SD-F06-0406 (Collected from 4 to 6.2 ft)				
-6							6.2
						End of Core at 6.2 ft.	
-7							

**NOTES:**

Last 4 digits of sample ID describes the depth interval collected, in feet (0204 is 2 to 4 ft), unless specified further

\* Coordinates collected in Maryland State Plane

\*\* CT = Compositied over interval

# SEDIMENT BORING F07A

**PROJECT NAME** Sparrow's Point Offshore Investigation

**PROJECT NUMBER** 15131.01

**DATE COLLECTED** 4/29/2015 10:30:00 AM

**LOCATION** Baltimore, Maryland

**DATE LOGGED** 4/30/2015 10:30:00 AM

**NORTHING\*** 569803.84

**DRILLING CONTRACTOR** EA Engineering

**EASTING\*** 1454943.07

**DRILLING METHOD** Vibracore

**WATER DEPTH (MLLW)** 9.8

**LOGGED BY** M. Gelinas

**CORE RECOVERY (ft)** 6.2

DEPTH FROM SEDIMENT SURFACE (ft)	SAMPLE INTERVAL (inches)	SAMPLE TYPE**	SAMPLE SUBMITTED FOR ANALYSIS  (Sample ID at sample depth)	GRAPHIC LOG	USCS CLASS	MATERIAL DESCRIPTION	Depth (ft)
0							
-1	24	CT	SD-F07-0002				
-2							
-3	24	CT	SD-F07-0204 (Archived)		ML	SILT: Black silt, strong petroleum odor; 6-7" gray silty clay layer; 73-74" gray clay layer	
-4							
-5	26	CT	SD-F07-0406 (Collected from 4 to 6.2 ft)				
-6							
-7						End of Core at 6.2 ft.	6.2

**NOTES:**

Last 4 digits of sample ID describes the depth interval collected, in feet (0204 is 2 to 4 ft), unless specified further

\* Coordinates collected in Maryland State Plane

\*\* CT = Composited over interval

# SEDIMENT BORING G01A

**PROJECT NAME** Sparrow's Point Offshore Investigation

**PROJECT NUMBER** 15131.01

**DATE COLLECTED** 3/30/2015 5:13:00 AM

**LOCATION** Baltimore, Maryland

**DATE LOGGED** 5/1/2015 8:45:00 AM

**NORTHING\*** 569140.65

**DRILLING CONTRACTOR** EA Engineering

**EASTING\*** 1456414.4

**DRILLING METHOD** Vibracore

**WATER DEPTH (MLLW)** 2.7

**LOGGED BY** M. Gelinas

**CORE RECOVERY (ft)** 6

DEPTH FROM SEDIMENT SURFACE (ft)	SAMPLE INTERVAL (inches)	SAMPLE TYPE**	SAMPLE SUBMITTED FOR ANALYSIS  (Sample ID at sample depth)	GRAPHIC LOG	USCS CLASS	MATERIAL DESCRIPTION	Depth (ft)
0							
-1	24	CT	SD-G01-0002		ML	SILT: Black silt, strong hydrocarbon/petroleum odor	
-2							2.5
-3	24	CT	SD-G01-0204 (Archived)		ML	SILT: Gray/black silt	3.4
-4					ML	SILT: Black silt, strong hydrocarbon/petroleum odor	4.0
-5	24	CT	SD-G01-0406		ML	SILT: Gray silt	4.8
-6					ML	SILT: Black silt, strong hydrocarbon/petroleum odor	5.3
-7					ML	SILT: Gray silt	5.9
					ML	SILT: Black silt, strong hydrocarbon/petroleum odor	6.0
						End of Core at 6 ft.	

**NOTES:**

Last 4 digits of sample ID describes the depth interval collected, in feet (0204 is 2 to 4 ft), unless specified further

\* Coordinates collected in Maryland State Plane

\*\* CT = Composited over interval



# SEDIMENT BORING G02B

**PROJECT NAME** Sparrow's Point Offshore Investigation

**PROJECT NUMBER** 15131.01

**DATE COLLECTED** 3/29/2015 2:42:00 PM

**LOCATION** Baltimore, Maryland

**DATE LOGGED** 4/30/2015 1:20:00 PM

**NORTHING\*** 569196.56

**DRILLING CONTRACTOR** EA Engineering

**EASTING\*** 1455852.14

**DRILLING METHOD** Vibracore

**WATER DEPTH (MLLW)** 3.15

**LOGGED BY** M. Gelinas

**CORE RECOVERY (ft)** 5.9

DEPTH FROM SEDIMENT SURFACE (ft)	SAMPLE INTERVAL (inches)	SAMPLE TYPE**	SAMPLE SUBMITTED FOR ANALYSIS  (Sample ID at sample depth)	GRAPHIC LOG	USCS CLASS	MATERIAL DESCRIPTION	Depth (ft)
0							
-1	24	CT	SD-G02-0002		ML	SILT: Black silt, strong hydrocarbon/petroleum odor	1.0
-2							
-3	24	CT	SD-G02-0204 (Archived)		ML	SILT: Gray-black silt, trace organic material	3.3
-4							
-5	23	CT	SD-G02-0406 (Collected from 4 to 5.9 ft)		ML	SILT: Black silt, strong hydrocarbon/petroleum odor	3.6
-6							
-7							

**NOTES:**

Last 4 digits of sample ID describes the depth interval collected, in feet (0204 is 2 to 4 ft), unless specified further

\* Coordinates collected in Maryland State Plane

\*\* CT = Composited over interval

# SEDIMENT BORING G03A

**PROJECT NAME** Sparrow's Point Offshore Investigation

**PROJECT NUMBER** 15131.01

**DATE COLLECTED** 3/27/2015 11:40:00 AM

**LOCATION** Baltimore, Maryland

**DATE LOGGED** 4/30/2015 11:25:00 AM

**NORTHING\*** 569222.31

**DRILLING CONTRACTOR** EA Engineering

**EASTING\*** 1455410.12

**DRILLING METHOD** Vibracore

**WATER DEPTH (MLLW)** 5.7

**LOGGED BY** M. Gelinas

**CORE RECOVERY (ft)** 5.9

DEPTH FROM SEDIMENT SURFACE (ft)	SAMPLE INTERVAL (inches)	SAMPLE TYPE**	SAMPLE SUBMITTED FOR ANALYSIS  (Sample ID at sample depth)	GRAPHIC LOG	USCS CLASS	MATERIAL DESCRIPTION	Depth (ft)
0							
-1	24	CT	SD-G03-0002				
-2							
-3	24	CT	SD-G03-0204 (Archived)		ML	SILT: Black silt, strong petroleum odor; 32-34" gray silty clay; 21-31" gray-black silt/clay (could be from 32-34" layer)	
-4							
-5	23	CT	SD-G03-0406 (Collected from 4 to 5.9 ft)				
-6							5.9
-7						End of Core at 5.9 ft.	

**NOTES:**

Last 4 digits of sample ID describes the depth interval collected, in feet (0204 is 2 to 4 ft), unless specified further

\* Coordinates collected in Maryland State Plane

\*\* CT = Composited over interval

# SEDIMENT BORING G04A

**PROJECT NAME** Sparrow's Point Offshore Investigation

**PROJECT NUMBER** 15131.01

**DATE COLLECTED** 3/27/2015 12:30:00 PM

**LOCATION** Baltimore, Maryland

**DATE LOGGED** 5/1/2015 9:10:00 AM

**NORTHING\*** 569186.32

**DRILLING CONTRACTOR** EA Engineering

**EASTING\*** 1454896.3

**DRILLING METHOD** Vibracore

**WATER DEPTH (MLLW)** 7.7

**LOGGED BY** M. Gelinas

**CORE RECOVERY (ft)** 5.6

DEPTH FROM SEDIMENT SURFACE (ft)	SAMPLE INTERVAL (inches)	SAMPLE TYPE**	SAMPLE SUBMITTED FOR ANALYSIS  (Sample ID at sample depth)	GRAPHIC LOG	USCS CLASS	MATERIAL DESCRIPTION	Depth (ft)
0							
-1	24	CT	SD-G04-0002				
-2							
-3	24	CT	SD-G04-0204 (Archived)		ML	SILT: Black silt, strong petroleum odor; 8-10" gray silt	
-4							
-5	19	CT	SD-G04-0406 (Collected from 4 to 5.6 ft)				
-6						End of Core at 5.6 ft.	5.6
-7							

**NOTES:**

Last 4 digits of sample ID describes the depth interval collected, in feet (0204 is 2 to 4 ft), unless specified further

\* Coordinates collected in Maryland State Plane

\*\* CT = Compositd over interval

# SEDIMENT BORING G05B

**PROJECT NAME** Sparrow's Point Offshore Investigation

**PROJECT NUMBER** 15131.01

**DATE COLLECTED** 3/27/2015 1:49:00 PM

**LOCATION** Baltimore, Maryland

**DATE LOGGED** 5/1/2015 9:40:00 AM

**NORTHING\*** 569209.39

**DRILLING CONTRACTOR** EA Engineering

**EASTING\*** 1454300.33

**DRILLING METHOD** Vibracore

**WATER DEPTH (MLLW)** 10.9

**LOGGED BY** M. Gelinas

**CORE RECOVERY (ft)** 6.7

DEPTH FROM SEDIMENT SURFACE (ft)	SAMPLE INTERVAL (inches)	SAMPLE TYPE**	SAMPLE SUBMITTED FOR ANALYSIS  (Sample ID at sample depth)	GRAPHIC LOG	USCS CLASS	MATERIAL DESCRIPTION	Depth (ft)
0							
-1	24	CT	SD-G05-0002		ML	SILT: Black silt, strong hydrocarbon/petroleum odor, visible sheen	
-2					ML	SILT: Gray silt	2.1 2.3
-3	24	CT	SD-G05-0204 (Archived)		ML	SILT: Black silt, strong hydrocarbon/petroleum odor	
-4							
-5	24	CT	SD-G05-0406		SM	SILTY SAND: Black silty sand, poorly sorted, fine to medium	5.1 5.2
-6	8	CT	SD-G05-0607 (Collected from 6 to 6.7 ft)		CL	CLAY: Gray-black clay, hydrocarbon odor; at 67" woody debris 3" across	6.3
-7					CL	CLAY: Gray clay	6.7
						End of Core at 6.7 ft.	

**NOTES:**

Last 4 digits of sample ID describes the depth interval collected, in feet (0204 is 2 to 4 ft), unless specified further

\* Coordinates collected in Maryland State Plane

\*\* CT = Composited over interval

# SEDIMENT BORING G06A

**PROJECT NAME** Sparrow's Point Offshore Investigation

**PROJECT NUMBER** 15131.01

**DATE COLLECTED** 4/29/2015 12:05:00 PM

**LOCATION** Baltimore, Maryland

**DATE LOGGED** 4/30/2015 2:50:00 PM

**NORTHING\*** 569503.76

**DRILLING CONTRACTOR** EA Engineering



**EASTING\*** 1453481.21

**DRILLING METHOD** Vibracore

**WATER DEPTH (MLLW)** 10.2

**LOGGED BY** M. Gelinas

**CORE RECOVERY (ft)** 5.5

DEPTH FROM SEDIMENT SURFACE (ft)	SAMPLE INTERVAL (inches)	SAMPLE TYPE**	SAMPLE SUBMITTED FOR ANALYSIS  (Sample ID at sample depth)	GRAPHIC LOG	USCS CLASS	MATERIAL DESCRIPTION	Depth (ft)
0							
-1	24	CT	SD-G06-0002		ML	SILT: Black silt, strong petroleum, small whole clam shells in top 1 foot (~1/2" across)	
-2							
-3	24	CT	SD-G06-0204 (Archived)				3.3
-4					CL	SILTY CLAY: Gray/black silty clay	
-5	18	CT	SD-G06-0406 (Collected from 4 to 5.5 ft)				4.9
-6					CL	SILTY CLAY: Gray silty clay	5.5
-7						End of Core at 5.5 ft.	

**NOTES:**

Last 4 digits of sample ID describes the depth interval collected, in feet (0204 is 2 to 4 ft), unless specified further

\* Coordinates collected in Maryland State Plane

\*\* CT = Compositd over interval

# SEDIMENT BORING H01A

**PROJECT NAME** Sparrow's Point Offshore Investigation

**PROJECT NUMBER** 15131.01

**DATE COLLECTED** 3/30/2015 4:45:00 PM

**LOCATION** Baltimore, Maryland

**DATE LOGGED** 5/1/2015 10:50:00 AM

**NORTHING\*** 568928.12

**DRILLING CONTRACTOR** EA Engineering

**EASTING\*** 1456414.22

**DRILLING METHOD** Vibracore

**WATER DEPTH (MLLW)** 2.2

**LOGGED BY** M. Gelinas

**CORE RECOVERY (ft)** 6.4

DEPTH FROM SEDIMENT SURFACE (ft)	SAMPLE INTERVAL (inches)	SAMPLE TYPE**	SAMPLE SUBMITTED FOR ANALYSIS  (Sample ID at sample depth)	GRAPHIC LOG	USCS CLASS	MATERIAL DESCRIPTION	Depth (ft)
0							
-1	24	CT	SD-H01-0002				
-2							
-3	24	CT	SD-H01-0204 (Archived)		ML	SILT: Black silt, strong hydrocarbon odor; 36-37" dark gray-black silt; 39-45" dark gray-black silt	
-4							4.6
-5	29	CT	SD-H01-0406 (Collected from 4 to 6.4 ft)		ML	SILT: Gray silt, some odor	
-6					ML	SILT: Black silt, strong hydrocarbon/petroleum odor	5.8
					CL	CLAY: Gray clay	6.3
							6.4
-7						End of Core at 6.4 ft.	

**NOTES:**

Last 4 digits of sample ID describes the depth interval collected, in feet (0204 is 2 to 4 ft), unless specified further

\* Coordinates collected in Maryland State Plane

\*\* CT = Compositing over interval

# SEDIMENT BORING H03A

**PROJECT NAME** Sparrow's Point Offshore Investigation

**PROJECT NUMBER** 15131.01

**DATE COLLECTED** 3/27/2015 3:30:00 PM

**LOCATION** Baltimore, Maryland

**DATE LOGGED** 5/1/2015 11:15:00 AM

**NORTHING\*** 568796.7

**DRILLING CONTRACTOR** EA Engineering

**EASTING\*** 1455914.04

**DRILLING METHOD** Vibracore

**WATER DEPTH (MLLW)** 2.5

**LOGGED BY** M. Gelinas

**CORE RECOVERY (ft)** 6.7

DEPTH FROM SEDIMENT SURFACE (ft)	SAMPLE INTERVAL (inches)	SAMPLE TYPE**	SAMPLE SUBMITTED FOR ANALYSIS  (Sample ID at sample depth)	GRAPHIC LOG	USCS CLASS	MATERIAL DESCRIPTION	Depth (ft)
0							
-1	24	CT	SD-H03-0002		ML	SILT: Dark gray-black silt, hydrocarbon odor, visible sheen	
-2							
-3	24	CT	SD-H03-0204 (Archived)				3.7
-4					ML	SILT: Black silt, strong hydrocarbon/petroleum odor	4.2
-5	26	CT	SD-H03-0406 (Collected from 4 to 6.2 ft)		ML	SILT: Gray silt, mild hydrocarbon odor	4.9
-6					ML	SILT: Black silt, strong hydrocarbon/petroleum odor	5.8
-6					ML	CLAYEY SILT: Black clayey silt with little very fine sand (15%), hydrocarbon/petroleum odor	6.2
-6	6	CT	SD-H03-0607 (Collected from 6.2 to 6.7 ft)		CL	CLAY: Dark gray clay, hydrocarbon odor	6.7
-7						End of Core at 6.7 ft.	

**NOTES:**

Last 4 digits of sample ID describes the depth interval collected, in feet (0204 is 2 to 4 ft), unless specified further

\* Coordinates collected in Maryland State Plane

\*\* CT = Composited over interval



# SEDIMENT BORING H04A

**PROJECT NAME** Sparrow's Point Offshore Investigation

**PROJECT NUMBER** 15131.01

**DATE COLLECTED** 3/27/2015 2:46:00 PM

**LOCATION** Baltimore, Maryland

**DATE LOGGED** 5/1/2015 11:55:00 AM

**NORTHING\*** 568778.06

**DRILLING CONTRACTOR** EA Engineering

**EASTING\*** 1455464.14

**DRILLING METHOD** Vibracore

**WATER DEPTH (MLLW)** 3.7

**LOGGED BY** M. Gelinas

**CORE RECOVERY (ft)** 6.5

DEPTH FROM SEDIMENT SURFACE (ft)	SAMPLE INTERVAL (inches)	SAMPLE TYPE**	SAMPLE SUBMITTED FOR ANALYSIS  (Sample ID at sample depth)	GRAPHIC LOG	USCS CLASS	MATERIAL DESCRIPTION	Depth (ft)
0							
-1	24	CT	SD-H04-0002				
-2							
-3	24	CT	SD-H04-0204 (Archived)		ML	SILT: Black silt, strong hydrocarbon/petroleum odor; 12-13", 20-21", and 23-24" dark gray/gray silt	
-4							
-5	30	CT	SD-H04-0406 (Collected from 4 to 6.5 ft)				
-6							
-7						End of Core at 6.5 ft.	6.5

**NOTES:**

Last 4 digits of sample ID describes the depth interval collected, in feet (0204 is 2 to 4 ft), unless specified further

\* Coordinates collected in Maryland State Plane

\*\* CT = Compositing over interval

# SEDIMENT BORING H05B

**PROJECT NAME** Sparrow's Point Offshore Investigation

**PROJECT NUMBER** 15131.01

**DATE COLLECTED** 3/27/2015 5:04:00 PM

**LOCATION** Baltimore, Maryland

**DATE LOGGED** 4/30/2015 9:45:00 AM

**NORTHING\*** 568758.62

**DRILLING CONTRACTOR** EA Engineering

**EASTING\*** 1454842.52

**DRILLING METHOD** Vibracore

**WATER DEPTH (MLLW)** 7.1

**LOGGED BY** M. Gelinas

**CORE RECOVERY (ft)** 6.1

DEPTH FROM SEDIMENT SURFACE (ft)	SAMPLE INTERVAL (inches)	SAMPLE TYPE**	SAMPLE SUBMITTED FOR ANALYSIS  (Sample ID at sample depth)	GRAPHIC LOG	USCS CLASS	MATERIAL DESCRIPTION	Depth (ft)
0							
-1	24	CT	SD-H05-0002				
-2							
-3	24	CT	SD-H05-0204 (Archived)		ML	SILT: Black silt, strong petroleum/hydrocarbon odor, orange oxidation at surface; 38-40" and 42-44" gray silty clay layers	
-4							
-5	25	CT	SD-H05-0406 (Collected from 4 to 6.1 ft)				
-6							6.1
-7						End of Core at 6.1 ft.	

**NOTES:**

Last 4 digits of sample ID describes the depth interval collected, in feet (0204 is 2 to 4 ft), unless specified further

\* Coordinates collected in Maryland State Plane

\*\* CT = Compositd over interval

# SEDIMENT BORING H06A

**PROJECT NAME** Sparrow's Point Offshore Investigation

**PROJECT NUMBER** 15131.01

**DATE COLLECTED** 3/29/2015 11:01:00 AM

**LOCATION** Baltimore, Maryland

**DATE LOGGED** 4/30/2015 11:50:00 AM

**NORTHING\*** 568756.63

**DRILLING CONTRACTOR** EA Engineering

**EASTING\*** 1454267.96

**DRILLING METHOD** Vibracore

**WATER DEPTH (MLLW)** 9.7

**LOGGED BY** M. Gelinas

**CORE RECOVERY (ft)** 4.3

DEPTH FROM SEDIMENT SURFACE (ft)	SAMPLE INTERVAL (inches)	SAMPLE TYPE**	SAMPLE SUBMITTED FOR ANALYSIS  (Sample ID at sample depth)	GRAPHIC LOG	USCS CLASS	MATERIAL DESCRIPTION	Depth (ft)
0							
-1	24	CT	SD-H06-0002				
-2							
-3	27	CT	SD-H06-0204 (Collected from 2 to 4.3 ft)		ML	SILT: Black silt, strong hydrocarbon/petroleum odor, visible sheen	
-4							
-5						End of Core at 4.3 ft.	4.3
-6							
-7							

**NOTES:**

Last 4 digits of sample ID describes the depth interval collected, in feet (0204 is 2 to 4 ft), unless specified further

\* Coordinates collected in Maryland State Plane

\*\* CT = Compositd over interval

# SEDIMENT BORING H07B

**PROJECT NAME** Sparrow's Point Offshore Investigation

**PROJECT NUMBER** 15131.01

**DATE COLLECTED** 4/25/2013 2:40:00 PM

**LOCATION** Baltimore, Maryland

**DATE LOGGED** 4/30/2015 2:15:00 PM

**NORTHING\*** 568753.79

**DRILLING CONTRACTOR** EA Engineering

**EASTING\*** 1453300.59

**DRILLING METHOD** Vibracore

**WATER DEPTH (MLLW)** 10.7

**LOGGED BY** M. Gelinas

**CORE RECOVERY (ft)** 5.5

DEPTH FROM SEDIMENT SURFACE (ft)	SAMPLE INTERVAL (inches)	SAMPLE TYPE**	SAMPLE SUBMITTED FOR ANALYSIS  (Sample ID at sample depth)	GRAPHIC LOG	USCS CLASS	MATERIAL DESCRIPTION	Depth (ft)
0							
-1	24	CT	SD-H07-0002				
-2							
-3	24	CT	SD-H07-0204 (Archived)		ML	SILT: Black silt, strong hydrocarbon/petroleum odor	
-4							
-5	18	CT	SD-H07-0406 (Collected from 4 to 5.5 ft)		CL	SILTY CLAY: Dark gray silty clay, shell fragments (1%) <1/2" across	4.6
-6						End of Core at 5.5 ft.	5.5
-7							

**NOTES:**

Last 4 digits of sample ID describes the depth interval collected, in feet (0204 is 2 to 4 ft), unless specified further

\* Coordinates collected in Maryland State Plane

\*\* CT = Compositd over interval

# SEDIMENT BORING I01B

**PROJECT NAME** Sparrow's Point Offshore Investigation

**PROJECT NUMBER** 15131.01

**DATE COLLECTED** 4/25/2015 9:36:00 AM

**LOCATION** Baltimore, Maryland

**DATE LOGGED** 5/1/2015 2:05:00 PM

**NORTHING\*** 568312.91

**DRILLING CONTRACTOR** EA Engineering



**EASTING\*** 1454403.47

**DRILLING METHOD** Vibracore

**WATER DEPTH (MLLW)** 7.5

**LOGGED BY** M. Gelinas

**CORE RECOVERY (ft)** 2

DEPTH FROM SEDIMENT SURFACE (ft)	SAMPLE INTERVAL (inches)	SAMPLE TYPE**	SAMPLE SUBMITTED FOR ANALYSIS  (Sample ID at sample depth)	GRAPHIC LOG	USCS CLASS	MATERIAL DESCRIPTION	Depth (ft)
0							
	12	CT	SD-I01-0001		ML	SILT: Black silt with some sand (25%, fine), strong hydrocarbon odor	1.0
-1							
	12	CT	SD-I01-0102		CL	SILTY CLAY: Gray silty clay with little very fine sand (10%) and oyster shell fragments (25%) <1" across	1.8
-2					SC	SANDY CLAY: Gray/yellow clay and sand (40%, very fine-fine)	2.0
						End of Core at 2 ft.	
-3							
-4							
-5							
-6							
-7							

**NOTES:**

Last 4 digits of sample ID describes the depth interval collected, in feet (0204 is 2 to 4 ft), unless specified further

\* Coordinates collected in Maryland State Plane

\*\* CT = Composited over interval

# SEDIMENT BORING I02A

**PROJECT NAME** Sparrow's Point Offshore Investigation

**PROJECT NUMBER** 15131.01

**DATE COLLECTED** 4/25/2015 12:17:00 PM

**LOCATION** Baltimore, Maryland

**DATE LOGGED** 4/30/2015 4:30:00 PM

**NORTHING\*** 568278.11

**DRILLING CONTRACTOR** EA Engineering

**EASTING\*** 1453756.79

**DRILLING METHOD** Vibracore

**WATER DEPTH (MLLW)** 12.4

**LOGGED BY** M. Gelinas

**CORE RECOVERY (ft)** 4.9

DEPTH FROM SEDIMENT SURFACE (ft)	SAMPLE INTERVAL (inches)	SAMPLE TYPE**	SAMPLE SUBMITTED FOR ANALYSIS  (Sample ID at sample depth)	GRAPHIC LOG	USCS CLASS	MATERIAL DESCRIPTION	Depth (ft)
0							
-1	24	CT	SD-I02-0002		ML	SILT: Black silt, strong hydrocarbon/petroleum odor, visible sheen	
-2							
-3	24	CT	SD-I02-0204		CL	CLAY: Gray clay	3.2
-4							
	11	CT	SD-I02-0406 (Collected from 4 to 4.9 ft)				4.9
-5						End of Core at 4.9 ft.	
-6							
-7							

**NOTES:**

Last 4 digits of sample ID describes the depth interval collected, in feet (0204 is 2 to 4 ft), unless specified further

\* Coordinates collected in Maryland State Plane

\*\* CT = Compositd over interval

# SEDIMENT BORING I03A

**PROJECT NAME** Sparrow's Point Offshore Investigation

**PROJECT NUMBER** 15131.01

**DATE COLLECTED** 4/25/2015 11:10:00 AM

**LOCATION** Baltimore, Maryland

**DATE LOGGED** 4/30/2015 3:35:00 PM

**NORTHING\*** 568326.84

**DRILLING CONTRACTOR** EA Engineering

**EASTING\*** 1453177.58

**DRILLING METHOD** Vibracore

**WATER DEPTH (MLLW)** 11.1

**LOGGED BY** M. Gelinas

**CORE RECOVERY (ft)** 6.3

DEPTH FROM SEDIMENT SURFACE (ft)	SAMPLE INTERVAL (inches)	SAMPLE TYPE**	SAMPLE SUBMITTED FOR ANALYSIS  (Sample ID at sample depth)	GRAPHIC LOG	USCS CLASS	MATERIAL DESCRIPTION	Depth (ft)
0							
-1	24	CT	SD-I03-0002		ML	SILT: Black silt, strong hydrocarbon/petroleum odor	
-2							
-3	24	CT	SD-I03-0204		CL	SILTY CLAY: Gray silty clay, little to no odor	3.6
-4							
-5	28	CT	SD-I03-0406 (Collected from 4 to 6.3 ft)				
-6							6.3
-7						End of Core at 6.3 ft.	

**NOTES:**

Last 4 digits of sample ID describes the depth interval collected, in feet (0204 is 2 to 4 ft), unless specified further

\* Coordinates collected in Maryland State Plane

\*\* CT = Composited over interval



# SEDIMENT BORING J02A

**PROJECT NAME** Sparrow's Point Offshore Investigation

**PROJECT NUMBER** 15131.01

**DATE COLLECTED** 4/29/2015 3:03:00 PM

**LOCATION** Baltimore, Maryland

**DATE LOGGED** 5/1/2015 1:35:00 PM

**NORTHING\*** 567802.77

**DRILLING CONTRACTOR** EA Engineering

**EASTING\*** 1453430.73

**DRILLING METHOD** Vibracore

**WATER DEPTH (MLLW)** 13.6

**LOGGED BY** M. Gelinas

**CORE RECOVERY (ft)** 5

DEPTH FROM SEDIMENT SURFACE (ft)	SAMPLE INTERVAL (inches)	SAMPLE TYPE**	SAMPLE SUBMITTED FOR ANALYSIS  (Sample ID at sample depth)	GRAPHIC LOG	USCS CLASS	MATERIAL DESCRIPTION	Depth (ft)
0							
-1	24	CT	SD-J02-0002		ML	SILT: Black silt, strong hydrocarbon/petroleum odor	
-2							
-3	24	CT	SD-J02-0204				3.4
-4					CL	CLAY: Gray clay, little to no odor	
-5	12	CT	SD-J02-0406 (Collected from 4 to 5 ft)				5.0
-6						End of Core at 5 ft.	
-7							

**NOTES:**

Last 4 digits of sample ID describes the depth interval collected, in feet (0204 is 2 to 4 ft), unless specified further

\* Coordinates collected in Maryland State Plane

\*\* CT = Compositd over interval

**APPENDIX D**  
**LABORATORY ANALYTICAL REPORTS**

See files in Appendix D folder

***This page intentionally left blank.***

**APPENDIX E**  
**VALIDATION REPORTS**

*This page intentionally left blank.*

**DATA VALIDATION SUMMARY REPORT  
SPARROWS POINT, MARYLAND**

Client: EA Engineering, Science & Technology, Hunt Valley, Maryland  
SDG: J37750  
Laboratory: TestAmerica, Pittsburgh, Pennsylvania  
Site: Sparrows Point Trust Offshore Investigation, Maryland  
Date: December 21, 2014

VOC/SVOC/PCB/HEM			
EDS ID	Client Sample ID	Laboratory Sample ID	Matrix
4	SD-B01	180-37750-4	Sediment
4MS	SD-B01MS	180-37750-4MS	Sediment
4MSD	SD-B01MSD	180-37750-4MSD	Sediment
5	SD-B02	180-37750-5	Sediment
6	SD-B02-FD	180-37750-5	Sediment
7	SD-C01	180-37750-7	Sediment
8	SD-C02	180-37750-8	Sediment
9	SD-C03	180-37750-9	Sediment

PAH - LL			
EDS ID	Client Sample ID	Laboratory Sample ID	Matrix
1	SD-A01	180-37750-1	Sediment
2	SD-A02	180-37750-2	Sediment
3	SD-A03	180-37750-3	Sediment

Metals/AVS/SEM/Cyanide/TOC			
EDS ID	Client Sample ID	Laboratory Sample ID	Matrix
1	SD-A01	180-37750-1	Sediment
2	SD-A02	180-37750-2	Sediment
3	SD-A03	180-37750-3	Sediment
4	SD-B01	180-37750-4	Sediment
4MS	SD-B01MS	180-37750-4MS	Sediment
4MSD	SD-B01MSD	180-37750-4MSD	Sediment
5	SD-B02	180-37750-5	Sediment
6	SD-B02-FD	180-37750-5	Sediment
7	SD-C01	180-37750-7	Sediment
8	SD-C02	180-37750-8	Sediment
9	SD-C03	180-37750-9	Sediment

A full data validation was performed on the analytical data for nine sediment samples collected on October 13, 2014 by EA Engineering at the Sparrows Point site in Maryland. The samples were analyzed under the Environmental Protection Agency (USEPA) "Test Methods for the Evaluation of Solid Waste, USEPA SW-846, Third Edition, September 1986, with revisions".

Specific method references are as follows:

#### Analysis

VOCs  
SVOCs  
PAH  
PCBs  
Metals/Hg  
AVS/SEM  
Cyanide  
TOC  
HEM (Oil & Grease)

#### Method References

USEPA SW-846 Method 8260C  
USEPA SW-846 Method 8270D  
USEPA SW-846 Method 8270D LL  
USEPA SW-846 Method 8082A  
USEPA SW-846 Methods 6020A/7471A  
USEPA SW-846 Methods 6010C/7471A/AVS  
USEPA SW-846 Method 9014  
USEPA Method Lloyd Kahn  
USEPA SW-846 Method 9071B

The data have been validated according to the protocols and quality control (QC) requirements of the analytical methods, the USEPA National Functional Guidelines for Organic and Inorganic Data Review as follows:

- The USEPA “Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review,” June 2008;
- The USEPA “Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review,” January 2010;
- and the reviewer's professional judgment.

#### ***Organics***

- Holding times and sample preservation
- Gas Chromatography/Mass Spectroscopy (GC/MS) Tuning
- Initial and continuing calibration summaries
- Method blank and field blank contamination
- Surrogate Spike recoveries
- Matrix Spike/Matrix Spike Duplicate (MS/MSD) recoveries
- Laboratory Control Sample (LCS) recoveries
- Internal standard area and retention time summary forms
- Compound Quantitation
- Tentatively Identified Compounds (TICs)
- Field Duplicate sample precision

#### ***Inorganics***

- Holding times and sample preservation
- ICP/MS Tuning
- Initial and continuing calibration verifications
- Method blank and field blank contamination
- ICP Interference Check Sample
- Laboratory Control Sample (LCS) recoveries
- Matrix Spike Analysis
- Duplicate Sample Analysis
- ICP Serial Dilution
- Compound Quantitation
- Field Duplicate sample precision



### **Overall Usability Issues:**

There were minor rejections of data. This data cannot be used in the decision-making process for this project.

- Benzidine and hexachlorocyclopentadiene were rejected in one sample due to severely low MS/MSD recoveries.

Overall the remaining data is acceptable for the intended purposes as qualified for the deficiencies detailed in this report.

Please note that any results qualified (U) due to blank contamination may be then qualified (J) due to another action. Therefore, the results may be qualified (UJ) due to the culmination of the blank contaminations and actions from other exceedences of QC criteria.

### **Volatile Organic Compounds (VOCs)**

#### **Holding Times**

- All samples were analyzed within 14 days for sediment samples.

#### **GC/MS Tuning**

- All criteria were met.

#### **Initial Calibration**

- The initial calibrations exhibited acceptable %RSD and/or correlation coefficients and mean RRF values.

#### **Continuing Calibration**

- The continuing calibrations exhibited acceptable %D and RRF values except the following.

CCAL Date	Compound	%D/RRF	Qualifier	Affected Samples
10/17/14	Bromomethane	59.0%	J/UJ	All Samples
	1,2-Dichloroethane	29.6%	J/UJ	

#### **Method Blank**

- The method blanks exhibited the following contamination.

Blank ID	Compound	Conc. ug/kg	Qualifier	Affected Samples
180-121882/1-A	Toluene	1.22	U	All Samples

### **Field Blank**

- The field QC samples were not collected.

### **Surrogate Spike Recoveries**

- All samples exhibited acceptable surrogate recoveries.

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- The MS/MSD samples exhibited acceptable %R and RPD values except the following.

MS/DUP Sample ID	Compound	MS %R/MSD %R/RPD	Qualifier	Affected Samples
4	1,1,2,2-Tetrachloroethane	OK/OK/27	None	None for RPD alone
	1,3-Dichlorobenzene	OK/OK/22	None	
	Chlorobenzene	OK/OK/24	None	
	1,2-Dichloroethane	137%/OK/OK	None	Sample ND
	Carbon Tetrachloride	127%/OK/OK	None	Sample ND
	Methylene Chloride	55%/OK/51	J/UJ	4
	trans-1,3-Dichloropropene	131%/OK/22	None	Sample ND
	Tetrachloroethene	OK/OK/21	None	None for RPD alone
	Chlorodibromomethane	OK/OK/23	None	
	Ethylbenzene	OK/OK/21	None	
	trans-1,2-Dichloropropene	OK/OK/24	None	

### **Laboratory Control Samples**

- The LCS samples exhibited acceptable %R values except the following.

MS/DUP Sample ID	Compound	%R	Qualifier	Affected Samples
180-121882/1-A	1,2-Dichloroethane	131%	None	All ND
	Carbon Tetrachloride	124%	None	

### **Internal Standard (IS) Area Performance**

- All internal standards met response and retention time (RT) criteria except the following.

Sample ID	Internal Standard	Area Count	Qualifier
4	IS1-Tert-butylalcohol-d9	High	None - All Associated ND

### **Compound Quantitation**

- All criteria were met.

### **Tentatively Identified Compounds (TICs)**

- TICs were not reported.

### **Field Duplicate Sample Precision**

- Field duplicate results are summarized below.

VOC				
Compound	SD-B02 ug/kg	SD-B02-FD ug/kg	RPD	Qualifier
None	ND	ND	-	-

## Semivolatile Organic Compounds (SVOCs)

### Holding Times

- All samples were extracted within 14 days for sediment samples and analyzed within 40 days for all samples.

### GC/MS Tuning

- All criteria were met.

### Initial Calibration

- The initial calibrations exhibited acceptable %RSD and/or correlation coefficients and mean RRF values.

### Continuing Calibration

- The continuing calibrations exhibited acceptable %D and RRF values except the following.

CCAL Date	Compound	%D/RRF	Qualifier	Affected Samples
10/31/14	4-Nitrophenol	49.1%	J/UJ	5-9

### Method Blank

- The method blanks exhibited the following contamination.

Blank ID	Compound	Conc. ug/kg	Qualifier	Affected Samples
180-122598/1-A	Diethylphthalate	1.94	None	All ND

### Field Blank

- Field QC samples were not collected.

### Surrogate Spike Recoveries

- All samples exhibited acceptable surrogate recoveries except the following.

Sample ID	Surrogate	%R	Qualifier
5, 6, 8, 9	All Surrogates	"0D"	None - Diluted out

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- The MS/MSD samples exhibited acceptable %R and RPD values except the following.

MS/DUP Sample ID	Compound	MS %R/MSD %R/RPD	Qualifier	Affected Samples
4	Benzidine	0%/0%/NC	J/R	4
	1,2-Diphenylhydrazine	130%/139%/OK	None	Sample ND
	Hexachlorocyclopentadiene	4%/4%/OK	J/R	4
	Pentachlorophenol	13%/16%/OK	J/UJ	4

### **Laboratory Control Samples**

- The LCS samples exhibited acceptable %R values except the following.

MS/DUP Sample ID	Compound	%R	Qualifier	Affected Samples
180-122598/2-A	Benzoic Acid	97%	None	All ND

### **Internal Standard (IS) Area Performance**

- All internal standards met response and retention time (RT) criteria.

### **Compound Quantitation**

- Several samples were analyzed at various dilutions due to high concentrations of target compounds. The reporting limits were adjusted accordingly. No action was taken by the reviewer.

### **Tentatively Identified Compounds (TICs)**

- TICs were not reported.

### **Field Duplicate Sample Precision**

- Field duplicate results are summarized below.

SVOC				
Compound	SD-B02 ug/kg	SD-B02-FD ug/kg	RPD	Qualifier
Acenaphthylene	89	ND	NC	None
Anthracene	110	ND	NC	
Benzo(a)anthracene	280	210	29%	
Benzo(a)pyrene	ND	380	NC	
Bis(2-ethylhexyl)phthalate	910	ND	NC	
Chrysene	250	260	4%	
Fluoranthene	490	430	13%	

SVOC				
Compound	SD-B02 ug/kg	SD-B02-FD ug/kg	RPD	Qualifier
Naphthalene	380	330	14%	None
Phenanthrene	220	ND	NC	
Pyrene	490	440	11%	

## **Polynuclear Aromatic Hydrocarbons (PAH)**

### **Holding Times**

- All samples were extracted within 14 days for sediment samples and analyzed within 40 days for all samples.

### **GC/MS Tuning**

- All criteria were met.

### **Initial Calibration**

- The initial calibrations exhibited acceptable %RSD and/or correlation coefficients and mean RRF values.

### **Continuing Calibration**

- The continuing calibrations exhibited acceptable %D and RRF values.

### **Method Blank**

- The method blanks were free of contamination.

### **Field Blank**

- Field QC samples were not collected.

### **Surrogate Spike Recoveries**

- All samples exhibited acceptable surrogate recoveries.

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- A MS/MSD sample was not collected.

### **Laboratory Control Samples**

- The LCS samples exhibited acceptable %R values.



### **Internal Standard (IS) Area Performance**

- All internal standards met response and retention time (RT) criteria.

### **Compound Quantitation**

- Several samples were analyzed at various dilutions due to high concentrations of target compounds. The reporting limits were adjusted accordingly. No action was taken by the reviewer.

### **Field Duplicate Sample Precision**

- Field duplicate samples were not collected.

## **Polychlorinated Biphenyls (PCBs)**

### **Holding Times**

- All samples were extracted within 14 days for sediment samples and analyzed within 40 days.

### **Initial Calibration**

- All %RSD and/or correlation coefficient criteria were met.

### **Continuing Calibration**

- All %D criteria were met.

### **Method Blank**

- The method blanks were free of contamination.

### **Field Blank**

- Field QC samples were not collected.

### **Surrogate Spike Recoveries**

- All samples exhibited acceptable surrogate recoveries except the following.

Sample ID	Surrogate	%R	Qualifier
5, 6, 8, 9	DCB	High	None - All 10X dilutions

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- The MS/MSD samples exhibited acceptable %R and RPD values.

### **Laboratory Control Samples**

- The LCS sample exhibited acceptable %R values.

### **Compound Quantitation**

- Several samples were analyzed at various dilutions due to high concentrations of target compounds. The reporting limits were adjusted accordingly. No action was taken by the reviewer.

### **Field Duplicate Sample Precision**

- Field duplicate results are summarized below.

PCBs				
Compound	SD-B02 ug/kg	SD-B02-FD ug/kg	RPD	Qualifier
PCB-1248	78	130	50%	None
PCB-1260	49	84	53%	

### **GC Column Difference Results**

- EDS Sample ID#s 5, 8, & 9 exhibited high %D values > 25% between columns for aroclor-1248 or aroclor-1260 and have been qualified as estimated (J) by the reviewer.

## **Metals & Mercury**

### **Holding Times**

- All samples were prepared and analyzed within 28 days for mercury and 180 days for all other metals.

### **ICP/MS Tuning**

- All criteria were met.

### **Initial Calibration Verification**

- All initial calibration criteria were met.

### **Continuing Calibration Verification**

- All continuing calibration criteria were met.

### **Method Blank**

- The method blanks exhibited the following contamination.

Blank ID	Compound	Conc. mg/kg	Qualifier	Affected Samples
180-123380/1-A	Chromium	0.0184	None	All >10X
	Lead	0.00440	None	All >10X
	Zinc	0.247	None	All >10X

### **Field Blank**

- Field QC samples were not collected.

### **ICP Interference Check Sample**

- The ICP ICS exhibited acceptable recoveries.

### **Laboratory Control Samples**

- The LCS sample exhibited acceptable recoveries.

### Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries

- The MS/MSD samples exhibited acceptable %R and RPD values except the following.

MS/DUP Sample ID	Compound	MS %R/MSD %R/RPD	Qualifier	Affected Samples
4	Beryllium	OK/74%/OK	J/UJ	All Samples
	Lead	278%/279%/OK	None	4X Rule
	Selenium	OK/65%/21	J/UJ	All Samples

### ICP Serial Dilution

- ICP serial dilution percent differences (%D) were within acceptance limits except the following.

ICP Sample ID	Compound	%D	Qualifier	Affected Samples
4	Antimony	21%	J/UJ	All Samples
	Zinc	12%	J/UJ	

### Compound Quantitation

- All samples were analyzed at various dilutions due to matrix interference and/or high concentrations of target compounds. The reporting limits were adjusted accordingly. No action was required by the reviewer.

### Field Duplicate Sample Precision

- Field duplicate results are summarized below.

Metals/Hg				
Compound	SD-B02 mg/kg	SD-B02-FD mg/kg	RPD	Qualifier
Arsenic	27	24	12%	None
Cadmium	9.2	8.3	10%	
Chromium	790	710	11%	
Lead	260	230	12%	
Selenium	3.1	2.6	18%	
Silver	1.7	1.5	13%	
Beryllium	1.0	0.94	6%	
Thallium	0.58	0.52	11%	
Antimony	2.7	2.5	8%	
Nickel	46	41	11%	
Zinc	1600	1500	6%	
Copper	160	140	13%	
Mercury	0.46	0.36	24%	

## **Oil & Grease, Total Organic Carbon, AVS/SEM (Metals), Cyanide**

### **Holding Times**

- All samples were analyzed within the recommended holding time for each analysis.

### **Initial and Continuing Calibration**

- All %R criteria were met.

### **Method Blank**

- The method blanks exhibited the following contamination.

Blank ID	Compound	Conc. mg/kg	Qualifier	Affected Samples
180-121962/1-A	Copper SEM	0.123	None	All >10X
	Zinc SEM	0.856	None	All >10X
180-122780/1-A	HEM	26.7	None	All >5X

### **Field Blank**

- Field QC samples were not collected.

### **Laboratory Control Samples**

- The LCS samples exhibited acceptable %R values.

### **Matrix Spike/Duplicate (MS/DUP) Recoveries**

- The MS/MSD samples exhibited acceptable %R and RPD values except the following.

MS/DUP Sample ID	Compound	MS %R/MSD %R/RPD	Qualifier	Affected Samples
4	Cadmium SEM	74%/OK/OK	J/UJ	All Samples
	Copper SEM	72%/OK/OK	J/UJ	
	Zinc SEM	-178%/12%/37	None	4X Rule
	TOC	OK/OK/26	None	None for RPD Alone

### **Compound Quantitation**

- Several samples were diluted due to the presence of iron which interferes with nickel & lead. The reporting limits were adjusted accordingly. No action was required by the reviewer.

### Field Duplicate Sample Precision


- Field duplicate results are summarized below.

AVS/SEM				
Compound	SD-B02 mg/kg	SD-B02-FD mg/kg	RPD	Qualifier
Cadmium SEM	8.2	7.1	14%	None
Copper SEM	110	96	14%	
Lead SEM	180	150	18%	
Nickel SEM	29	28	4%	
Zinc SEM	1400	1200	15%	
SEM/AVS Ratio	0.64	0.69	8%	
Acid Volatile Sulfides (AVS)	1200	990	19%	

HEM/TOC				
Compound	SD-B02 mg/kg	SD-B02-FD mg/kg	RPD	Qualifier
HEM	12000	12000	0%	None
TOC	63000	55000	14%	

Please contact the undersigned at (757) 564-0090 if you have any questions or need further information.

Signed:



Nancy Weaver  
Senior Chemist

Dated: 12/22/14



## Data Qualifiers

- U = The analyte was analyzed for, but was not detected at a level greater than or equal to the level of the adjusted Contract Required Quantitation Limit (CRQL) for sample and method.
- UJ = The analyte was not detected at a level greater than or equal to the adjusted CRQL. However, the reported adjusted CRQL is approximate and may be inaccurate or imprecise.
- J = The analyte was positively identified and the associated numerical value is the approximate concentration of the analyte in the sample (due either to the quality of the data generated because certain quality control criteria were not met, or the concentration of the analyte was below the CRQL).
- J+ = The result is an estimated quantity, but the result may be biased high.
- J- = The result is an estimated quantity, but the result may be biased low.
- R = The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte may or may not be present in the sample.
- NJ = The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.

4

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica PittsburghJob No.: 180-37750-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-B01Lab Sample ID: 180-37750-4Matrix: SedimentLab File ID: 31017K04.DAnalysis Method: 8260CDate Collected: 10/13/2014 12:50Sample wt/vol: 5.0007(g)Date Analyzed: 10/17/2014 21:48

Soil Aliquot Vol: \_\_\_\_\_

Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_

GC Column: DB-624 ID: 0.18 (mm)% Moisture: 29.3Level: (low/med) LowAnalysis Batch No.: 121881Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		7.1	0.69
79-34-5	1,1,2,2-Tetrachloroethane	ND		7.1	1.0
79-00-5	1,1,2-Trichloroethane	ND		7.1	1.2
75-34-3	1,1-Dichloroethane	ND		7.1	0.81
75-35-4	1,1-Dichloroethene	ND		7.1	1.2
95-50-1	1,2-Dichlorobenzene	ND		7.1	1.1
107-06-2	1,2-Dichloroethane	ND	4J	7.1	0.87
78-87-5	1,2-Dichloropropane	ND		7.1	0.77
541-73-1	1,3-Dichlorobenzene	ND		7.1	0.93
106-46-7	1,4-Dichlorobenzene	ND		7.1	0.90
110-75-8	2-Chloroethyl vinyl ether	ND		14	1.1
107-02-8	Acrolein	ND		140	10
107-13-1	Acrylonitrile	ND		140	15
71-43-2	Benzene	ND		7.1	0.96
75-25-2	Bromoform	ND		7.1	0.63
74-83-9	Bromomethane	ND	4J	7.1	1.0
56-23-5	Carbon tetrachloride	ND		7.1	0.63
108-90-7	Chlorobenzene	ND		7.1	1.1
67-66-3	Chloroform	ND		7.1	0.83
74-87-3	Chloromethane	ND		7.1	1.2
124-48-1	Chlorodibromomethane	ND		7.1	1.0
10061-01-5	cis-1,3-Dichloropropene	ND		7.1	0.96
75-27-4	Dichlorobromomethane	ND		7.1	0.79
100-41-4	Ethylbenzene	ND		7.1	0.91
75-09-2	Methylene Chloride	ND	4J	7.1	0.95
127-18-4	Tetrachloroethene	ND		7.1	0.96
108-88-3	Toluene	1.7	JBU	7.1	1.0
156-60-5	trans-1,2-Dichloroethene	ND		7.1	0.84
10061-02-6	trans-1,3-Dichloropropene	ND		7.1	0.85
79-01-6	Trichloroethene	ND		7.1	0.93
75-01-4	Vinyl chloride	ND		7.1	0.66
75-00-3	Chloroethane	ND		7.1	2.2

4

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-B01 Lab Sample ID: 180-37750-4  
Matrix: Sediment Lab File ID: 31017K04.D  
Analysis Method: 8260C Date Collected: 10/13/2014 12:50  
Sample wt/vol: 5.0007(g) Date Analyzed: 10/17/2014 21:48  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 29.3 Level: (low/med) Low  
Analysis Batch No.: 121881 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	109		52-124
460-00-4	4-Bromofluorobenzene (Surr)	93		63-120
1868-53-7	Dibromofluoromethane (Surr)	90		68-121
2037-26-5	Toluene-d8 (Surr)	92		72-127

5

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica PittsburghJob No.: 180-37750-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-B02Lab Sample ID: 180-37750-5Matrix: SedimentLab File ID: 31017K14.DAnalysis Method: 8260CDate Collected: 10/13/2014 12:10Sample wt/vol: 5.0007(g)Date Analyzed: 10/18/2014 01:34

Soil Aliquot Vol: \_\_\_\_\_

Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_

GC Column: DB-624 ID: 0.18 (mm)% Moisture: 76.0Level: (low/med) LowAnalysis Batch No.: 121881Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		21	2.0
79-34-5	1,1,2,2-Tetrachloroethane	ND		21	3.0
79-00-5	1,1,2-Trichloroethane	ND		21	3.5
75-34-3	1,1-Dichloroethane	ND		21	2.4
75-35-4	1,1-Dichloroethene	ND		21	3.5
95-50-1	1,2-Dichlorobenzene	ND		21	3.3
107-06-2	1,2-Dichloroethane	ND	10J	21	2.6
78-87-5	1,2-Dichloropropane	ND		21	2.3
541-73-1	1,3-Dichlorobenzene	ND		21	2.7
106-46-7	1,4-Dichlorobenzene	ND		21	2.7
110-75-8	2-Chloroethyl vinyl ether	ND		42	3.2
107-02-8	Acrolein	ND		420	29
107-13-1	Acrylonitrile	ND		420	43
71-43-2	Benzene	ND		21	2.8
75-25-2	Bromoform	ND		21	1.8
74-83-9	Bromomethane	ND	10J	21	3.1
56-23-5	Carbon tetrachloride	ND		21	1.9
108-90-7	Chlorobenzene	ND		21	3.2
67-66-3	Chloroform	ND		21	2.4
74-87-3	Chloromethane	ND		21	3.5
124-48-1	Chlorodibromomethane	ND		21	3.0
10061-01-5	cis-1,3-Dichloropropene	ND		21	2.8
75-27-4	Dichlorobromomethane	ND		21	2.3
100-41-4	Ethylbenzene	ND		21	2.7
75-09-2	Methylene Chloride	ND		21	2.8
127-18-4	Tetrachloroethene	ND		21	2.8
108-88-3	Toluene	5.1	JB U	21	3.0
156-60-5	trans-1,2-Dichloroethene	ND		21	2.5
10061-02-6	trans-1,3-Dichloropropene	ND		21	2.5
79-01-6	Trichloroethene	ND		21	2.7
75-01-4	Vinyl chloride	ND		21	2.0
75-00-3	Chloroethane	ND		21	6.4

5

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-B02 Lab Sample ID: 180-37750-5  
Matrix: Sediment Lab File ID: 31017K14.D  
Analysis Method: 8260C Date Collected: 10/13/2014 12:10  
Sample wt/vol: 5.0007(g) Date Analyzed: 10/18/2014 01:34  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 76.0 Level: (low/med) Low  
Analysis Batch No.: 121881 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	103		52-124
460-00-4	4-Bromofluorobenzene (Surr)	88		63-120
1868-53-7	Dibromofluoromethane (Surr)	90		68-121
2037-26-5	Toluene-d8 (Surr)	109		72-127

6

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-B02-FD Lab Sample ID: 180-37750-6

Matrix: Sediment Lab File ID: 31017K15.D

Analysis Method: 8260C Date Collected: 10/13/2014 12:10

Sample wt/vol: 5.0004(g) Date Analyzed: 10/18/2014 01:56

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)

% Moisture: 72.9 Level: (low/med) Low

Analysis Batch No.: 121881 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		18	1.8
79-34-5	1,1,2,2-Tetrachloroethane	ND		18	2.6
79-00-5	1,1,2-Trichloroethane	ND		18	3.1
75-34-3	1,1-Dichloroethane	ND		18	2.1
75-35-4	1,1-Dichloroethene	ND		18	3.1
95-50-1	1,2-Dichlorobenzene	ND		18	2.9
107-06-2	1,2-Dichloroethane	ND	1/45	18	2.3
78-87-5	1,2-Dichloropropane	ND		18	2.0
541-73-1	1,3-Dichlorobenzene	ND		18	2.4
106-46-7	1,4-Dichlorobenzene	ND		18	2.3
110-75-8	2-Chloroethyl vinyl ether	ND		37	2.9
107-02-8	Acrolein	ND		370	26
107-13-1	Acrylonitrile	ND		370	38
71-43-2	Benzene	ND		18	2.5
75-25-2	Bromoform	ND		18	1.6
74-83-9	Bromomethane	ND	45	18	2.7
56-23-5	Carbon tetrachloride	ND		18	1.6
108-90-7	Chlorobenzene	ND		18	2.8
67-66-3	Chloroform	ND		18	2.2
74-87-3	Chloromethane	ND		18	3.1
124-48-1	Chlorodibromomethane	ND		18	2.6
10061-01-5	cis-1,3-Dichloropropene	ND		18	2.5
75-27-4	Dichlorobromomethane	ND		18	2.1
100-41-4	Ethylbenzene	ND		18	2.4
75-09-2	Methylene Chloride	ND		18	2.5
127-18-4	Tetrachloroethene	ND		18	2.5
108-88-3	Toluene	4.2	18	18	2.7
156-60-5	trans-1,2-Dichloroethene	ND		18	2.2
10061-02-6	trans-1,3-Dichloropropene	ND		18	2.2
79-01-6	Trichloroethene	ND		18	2.4
75-01-4	Vinyl chloride	ND		18	1.7
75-00-3	Chloroethane	ND		18	5.7

6

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-B02-FD Lab Sample ID: 180-37750-6  
Matrix: Sediment Lab File ID: 31017K15.D  
Analysis Method: 8260C Date Collected: 10/13/2014 12:10  
Sample wt/vol: 5.0004(g) Date Analyzed: 10/18/2014 01:56  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 72.9 Level: (low/med) Low  
Analysis Batch No.: 121881 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	108		52-124
460-00-4	4-Bromofluorobenzene (Surr)	88		63-120
1868-53-7	Dibromofluoromethane (Surr)	93		68-121
2037-26-5	Toluene-d8 (Surr)	112		72-127



7

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica PittsburghJob No.: 180-37750-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-C01Lab Sample ID: 180-37750-7Matrix: SedimentLab File ID: 31017K16.DAnalysis Method: 8260CDate Collected: 10/13/2014 15:30Sample wt/vol: 5.0006(g)Date Analyzed: 10/18/2014 02:19

Soil Aliquot Vol: \_\_\_\_\_

Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_

GC Column: DB-624 ID: 0.18 (mm)% Moisture: 32.2Level: (low/med) LowAnalysis Batch No.: 121881Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		7.4	0.72
79-34-5	1,1,2,2-Tetrachloroethane	ND		7.4	1.1
79-00-5	1,1,2-Trichloroethane	ND		7.4	1.2
75-34-3	1,1-Dichloroethane	ND		7.4	0.85
75-35-4	1,1-Dichloroethene	ND		7.4	1.3
95-50-1	1,2-Dichlorobenzene	ND		7.4	1.2
107-06-2	1,2-Dichloroethane	ND	1.45	7.4	0.90
78-87-5	1,2-Dichloropropane	ND		7.4	0.80
541-73-1	1,3-Dichlorobenzene	ND		7.4	0.97
106-46-7	1,4-Dichlorobenzene	ND		7.4	0.94
110-75-8	2-Chloroethyl vinyl ether	ND		15	1.1
107-02-8	Acrolein	ND		150	10
107-13-1	Acrylonitrile	ND		150	15
71-43-2	Benzene	ND		7.4	1.0
75-25-2	Bromoform	ND		7.4	0.65
74-83-9	Bromomethane	ND	1.45	7.4	1.1
56-23-5	Carbon tetrachloride	ND		7.4	0.66
108-90-7	Chlorobenzene	ND		7.4	1.1
67-66-3	Chloroform	ND		7.4	0.86
74-87-3	Chloromethane	ND		7.4	1.3
124-48-1	Chlorodibromomethane	ND		7.4	1.0
10061-01-5	cis-1,3-Dichloropropene	ND		7.4	1.0
75-27-4	Dichlorobromomethane	ND		7.4	0.83
100-41-4	Ethylbenzene	ND		7.4	0.95
75-09-2	Methylene Chloride	ND		7.4	0.99
127-18-4	Tetrachloroethene	ND		7.4	1.0
108-88-3	Toluene	1.9	1.45	7.4	1.1
156-60-5	trans-1,2-Dichloroethene	ND		7.4	0.88
10061-02-6	trans-1,3-Dichloropropene	ND		7.4	0.88
79-01-6	Trichloroethene	ND		7.4	0.97
75-01-4	Vinyl chloride	ND		7.4	0.69
75-00-3	Chloroethane	ND		7.4	2.3

7

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-C01 Lab Sample ID: 180-37750-7  
Matrix: Sediment Lab File ID: 31017K16.D  
Analysis Method: 8260C Date Collected: 10/13/2014 15:30  
Sample wt/vol: 5.0006(g) Date Analyzed: 10/18/2014 02:19  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 32.2 Level: (low/med) Low  
Analysis Batch No.: 121881 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	104		52-124
460-00-4	4-Bromofluorobenzene (Surr)	94		63-120
1868-53-7	Dibromofluoromethane (Surr)	91		68-121
2037-26-5	Toluene-d8 (Surr)	106		72-127

8

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica PittsburghJob No.: 180-37750-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-C02Lab Sample ID: 180-37750-8Matrix: SedimentLab File ID: 31017K17.DAnalysis Method: 8260CDate Collected: 10/13/2014 14:50Sample wt/vol: 5.0009(g)Date Analyzed: 10/18/2014 02:42

Soil Aliquot Vol: \_\_\_\_\_

Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_

GC Column: DB-624 ID: 0.18(mm)% Moisture: 42.1Level: (low/med) LowAnalysis Batch No.: 121881Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		8.6	0.84
79-34-5	1,1,2,2-Tetrachloroethane	ND		8.6	1.2
79-00-5	1,1,2-Trichloroethane	ND		8.6	1.4
75-34-3	1,1-Dichloroethane	ND		8.6	0.99
75-35-4	1,1-Dichloroethene	ND		8.6	1.5
95-50-1	1,2-Dichlorobenzene	ND		8.6	1.4
107-06-2	1,2-Dichloroethane	ND	✓ UJ	8.6	1.1
78-87-5	1,2-Dichloropropane	ND		8.6	0.94
541-73-1	1,3-Dichlorobenzene	ND		8.6	1.1
106-46-7	1,4-Dichlorobenzene	ND		8.6	1.1
110-75-8	2-Chloroethyl vinyl ether	ND		17	1.3
107-02-8	Acrolein	ND		170	12
107-13-1	Acrylonitrile	ND		170	18
71-43-2	Benzene	ND		8.6	1.2
75-25-2	Bromoform	ND		8.6	0.76
74-83-9	Bromomethane	ND	✓ UJ	8.6	1.3
56-23-5	Carbon tetrachloride	ND		8.6	0.77
108-90-7	Chlorobenzene	ND		8.6	1.3
67-66-3	Chloroform	ND		8.6	1.0
74-87-3	Chloromethane	ND		8.6	1.5
124-48-1	Chlorodibromomethane	ND		8.6	1.2
10061-01-5	cis-1,3-Dichloropropene	ND		8.6	1.2
75-27-4	Dichlorobromomethane	ND		8.6	0.97
100-41-4	Ethylbenzene	ND		8.6	1.1
75-09-2	Methylene Chloride	ND		8.6	1.2
127-18-4	Tetrachloroethene	ND		8.6	1.2
108-88-3	Toluene	2.2	✓ UJ	8.6	1.3
156-60-5	trans-1,2-Dichloroethene	ND		8.6	1.0
10061-02-6	trans-1,3-Dichloropropene	ND		8.6	1.0
79-01-6	Trichloroethene	ND		8.6	1.1
75-01-4	Vinyl chloride	ND		8.6	0.81
75-00-3	Chloroethane	ND		8.6	2.7

8

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-C02 Lab Sample ID: 180-37750-8  
Matrix: Sediment Lab File ID: 31017K17.D  
Analysis Method: 8260C Date Collected: 10/13/2014 14:50  
Sample wt/vol: 5.0009(g) Date Analyzed: 10/18/2014 02:42  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 42.1 Level: (low/med) Low  
Analysis Batch No.: 121881 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	108		52-124
460-00-4	4-Bromofluorobenzene (Surr)	93		63-120
1868-53-7	Dibromofluoromethane (Surr)	90		68-121
2037-26-5	Toluene-d8 (Surr)	108		72-127

9

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica PittsburghJob No.: 180-37750-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-C03Lab Sample ID: 180-37750-9Matrix: SedimentLab File ID: 31017K18.DAnalysis Method: 8260CDate Collected: 10/13/2014 14:30Sample wt/vol: 5.0015(g)Date Analyzed: 10/18/2014 03:04

Soil Aliquot Vol: \_\_\_\_\_

Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_

GC Column: DB-624 ID: 0.18 (mm)% Moisture: 76.6Level: (low/med) LowAnalysis Batch No.: 121881Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		21	2.1
79-34-5	1,1,2,2-Tetrachloroethane	ND		21	3.1
79-00-5	1,1,2-Trichloroethane	ND		21	3.6
75-34-3	1,1-Dichloroethane	ND		21	2.5
75-35-4	1,1-Dichloroethene	ND		21	3.6
95-50-1	1,2-Dichlorobenzene	ND		21	3.4
107-06-2	1,2-Dichloroethane	ND	UJ	21	2.6
78-87-5	1,2-Dichloropropane	ND		21	2.3
541-73-1	1,3-Dichlorobenzene	ND		21	2.8
106-46-7	1,4-Dichlorobenzene	ND		21	2.7
110-75-8	2-Chloroethyl vinyl ether	ND		43	3.3
107-02-8	Acrolein	ND		430	30
107-13-1	Acrylonitrile	ND		430	44
71-43-2	Benzene	ND		21	2.9
75-25-2	Bromoform	ND		21	1.9
74-83-9	Bromomethane	ND	UJ	21	3.2
56-23-5	Carbon tetrachloride	ND		21	1.9
108-90-7	Chlorobenzene	ND		21	3.2
67-66-3	Chloroform	ND		21	2.5
74-87-3	Chloromethane	ND		21	3.6
124-48-1	Chlorodibromomethane	ND		21	3.0
10061-01-5	cis-1,3-Dichloropropene	ND		21	2.9
75-27-4	Dichlorobromomethane	ND		21	2.4
100-41-4	Ethylbenzene	ND		21	2.8
75-09-2	Methylene Chloride	ND		21	2.9
127-18-4	Tetrachloroethene	ND		21	2.9
108-88-3	Toluene	5.7	JBU	21	3.1
156-60-5	trans-1,2-Dichloroethene	ND		21	2.6
10061-02-6	trans-1,3-Dichloropropene	ND		21	2.6
79-01-6	Trichloroethene	ND		21	2.8
75-01-4	Vinyl chloride	ND		21	2.0
75-00-3	Chloroethane	ND		21	6.6

9

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-C03 Lab Sample ID: 180-37750-9  
 Matrix: Sediment Lab File ID: 31017K18.D  
 Analysis Method: 8260C Date Collected: 10/13/2014 14:30  
 Sample wt/vol: 5.0015(g) Date Analyzed: 10/18/2014 03:04  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 76.6 Level: (low/med) Low  
 Analysis Batch No.: 121881 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	103		52-124
460-00-4	4-Bromofluorobenzene (Surr)	88		63-120
1868-53-7	Dibromofluoromethane (Surr)	92		68-121
2037-26-5	Toluene-d8 (Surr)	110		72-127

4

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-B01 Lab Sample ID: 180-37750-4

Matrix: Sediment Lab File ID: V1030025.D

Analysis Method: 8270D LL Date Collected: 10/13/2014 12:50

Extract. Method: 3541 Date Extracted: 10/24/2014 03:10

Sample wt/vol: 30.2(g) Date Analyzed: 10/30/2014 19:40

Con. Extract Vol.: 0.5(mL) Dilution Factor: 4

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 29.3 GPC Cleanup: (Y/N) N

Analysis Batch No.: 123272 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	ND		19	1.8
208-96-8	Acenaphthylene	ND		19	2.1
120-12-7	Anthracene	ND		19	1.8
92-87-5	Benzidine	<del>ND</del> R		1900	390
56-55-3	Benzo[a]anthracene	ND		19	2.4
205-99-2	Benzo[b]fluoranthene	ND		19	2.9
207-08-9	Benzo[k]fluoranthene	ND		19	3.8
65-85-0	Benzoic acid	<del>ND</del> /		480	39
191-24-2	Benzo[g,h,i]perylene	ND		19	1.9
50-32-8	Benzo[a]pyrene	ND		19	1.9
111-91-1	Bis(2-chloroethoxy)methane	ND		93	6.2
111-44-4	Bis(2-chloroethyl)ether	ND		19	2.5
117-81-7	Bis(2-ethylhexyl) phthalate	ND		190	15
108-60-1	2,2'-oxybis[1-chloropropane]	ND		19	2.0
101-55-3	4-Bromophenyl phenyl ether	ND		93	8.2
7005-72-3	4-Chlorophenyl phenyl ether	ND		93	10
91-58-7	2-Chloronaphthalene	ND		19	2.0
85-68-7	Butyl benzyl phthalate	ND		93	13
218-01-9	Chrysene	ND		19	2.2
53-70-3	Dibenz(a,h)anthracene	ND		19	2.1
84-74-2	Di-n-butyl phthalate	ND		93	12
117-84-0	Di-n-octyl phthalate	ND		93	9.9
84-66-2	Diethyl phthalate	ND		93	10
131-11-3	Dimethyl phthalate	ND		93	10
91-94-1	3,3'-Dichlorobenzidine	ND		93	9.9
121-14-2	2,4-Dinitrotoluene	ND		93	7.6
606-20-2	2,6-Dinitrotoluene	ND		93	9.7
95-57-8	2-Chlorophenol	ND		93	7.7
120-83-2	2,4-Dichlorophenol	ND		19	1.9
105-67-9	2,4-Dimethylphenol	ND		93	15
51-28-5	2,4-Dinitrophenol	ND		480	110
88-75-5	2-Nitrophenol	ND		93	10
88-06-2	2,4,6-Trichlorophenol	ND		93	14
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		93	12



4

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37750-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-B01

Lab Sample ID: 180-37750-4

Matrix: Sediment

Lab File ID: V1030025.D

Analysis Method: 8270D LL

Date Collected: 10/13/2014 12:50

Extract. Method: 3541

Date Extracted: 10/24/2014 03:10

Sample wt/vol: 30.2(g)

Date Analyzed: 10/30/2014 19:40

Con. Extract Vol.: 0.5(mL)

Dilution Factor: 4

Injection Volume: 2(uL)

Level: (low/med) Low

% Moisture: 29.3

GPC Cleanup: (Y/N) N

Analysis Batch No.: 123272

Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		93	5.2
59-50-7	4-Chloro-3-methylphenol	ND		93	8.6
100-02-7	4-Nitrophenol	ND		480	34
534-52-1	4,6-Dinitro-2-methylphenol	ND		480	38
206-44-0	Fluoranthene	7.7	J	19	2.0
86-73-7	Fluorene	ND		19	2.5
118-74-1	Hexachlorobenzene	ND		19	2.0
87-68-3	Hexachlorobutadiene	ND		19	2.1
77-47-4	Hexachlorocyclopentadiene	ND	R	93	10
67-72-1	Hexachloroethane	ND		93	6.7
193-39-5	Indeno[1,2,3-cd]pyrene	ND		19	1.9
78-59-1	Isophorone	ND		93	7.1
91-20-3	Naphthalene	4.1	J	19	1.6
98-95-3	Nitrobenzene	ND		190	7.8
621-64-7	N-Nitrosodi-n-propylamine	ND		19	2.2
62-75-9	N-Nitrosodimethylamine	ND		93	8.0
86-30-6	N-Nitrosodiphenylamine	ND		93	8.7
85-01-8	Phenanthrene	ND		19	3.0
129-00-0	Pyrene	7.9	J	19	1.9
87-86-5	Pentachlorophenol	ND	UJ	93	8.4
108-95-2	Phenol	ND		19	2.2

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	61		21-116
321-60-8	2-Fluorobiphenyl	71		28-108
367-12-4	2-Fluorophenol (Surr)	76		28-107
4165-60-0	Nitrobenzene-d5 (Surr)	89		27-110
4165-62-2	Phenol-d5 (Surr)	68		30-112
1718-51-0	Terphenyl-d14 (Surr)	83		21-130

5

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica PittsburghJob No.: 180-37750-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-B02Lab Sample ID: 180-37750-5Matrix: SedimentLab File ID: D1031026.DAnalysis Method: 8270D LLDate Collected: 10/13/2014 12:10Extract. Method: 3541Date Extracted: 10/24/2014 03:10Sample wt/vol: 30.1(g)Date Analyzed: 10/31/2014 21:30Con. Extract Vol.: 0.5(mL)Dilution Factor: 25Injection Volume: 2(uL)Level: (low/med) Low% Moisture: 76.0GPC Cleanup: (Y/N) NAnalysis Batch No.: 123453Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	ND		350	33
208-96-8	Acenaphthylene	89	J	350	40
120-12-7	Anthracene	110	J	350	34
92-87-5	Benzidine	ND		35000	7300
56-55-3	Benzo[a]anthracene	280	J	350	43
205-99-2	Benzo[b]fluoranthene	ND		350	54
207-08-9	Benzo[k]fluoranthene	ND		350	70
65-85-0	Benzoic acid	ND		8800	720
191-24-2	Benzo[g,h,i]perylene	ND		350	34
50-32-8	Benzo[a]pyrene	ND		350	35
111-91-1	Bis(2-chloroethoxy)methane	ND		1700	110
111-44-4	Bis(2-chloroethyl)ether	ND		350	46
117-81-7	Bis(2-ethylhexyl) phthalate	910	J	3500	280
108-60-1	2,2'-oxybis[1-chloropropane]	ND		350	37
101-55-3	4-Bromophenyl phenyl ether	ND		1700	150
7005-72-3	4-Chlorophenyl phenyl ether	ND		1700	190
91-58-7	2-Chloronaphthalene	ND		350	36
85-68-7	Butyl benzyl phthalate	ND		1700	240
218-01-9	Chrysene	250	J	350	41
53-70-3	Dibenz(a,h)anthracene	ND		350	38
84-74-2	Di-n-butyl phthalate	ND		1700	220
117-84-0	Di-n-octyl phthalate	ND		1700	180
84-66-2	Diethyl phthalate	ND		1700	190
131-11-3	Dimethyl phthalate	ND		1700	190
91-94-1	3,3'-Dichlorobenzidine	ND		1700	180
121-14-2	2,4-Dinitrotoluene	ND		1700	140
606-20-2	2,6-Dinitrotoluene	ND		1700	180
95-57-8	2-Chlorophenol	ND		1700	140
120-83-2	2,4-Dichlorophenol	ND		350	35
105-67-9	2,4-Dimethylphenol	ND		1700	270
51-28-5	2,4-Dinitrophenol	ND		8800	2100
88-75-5	2-Nitrophenol	ND		1700	190
88-06-2	2,4,6-Trichlorophenol	ND		1700	260
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		1700	220

5

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-B02 Lab Sample ID: 180-37750-5

Matrix: Sediment Lab File ID: D1031026.D

Analysis Method: 8270D LL Date Collected: 10/13/2014 12:10

Extract. Method: 3541 Date Extracted: 10/24/2014 03:10

Sample wt/vol: 30.1(g) Date Analyzed: 10/31/2014 21:30

Con. Extract Vol.: 0.5(mL) Dilution Factor: 25

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 76.0 GPC Cleanup: (Y/N) N

Analysis Batch No.: 123453 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		1700	96
59-50-7	4-Chloro-3-methylphenol	ND		1700	160
100-02-7	4-Nitrophenol	ND	WJ	8800	630
534-52-1	4,6-Dinitro-2-methylphenol	ND		8800	700
206-44-0	Fluoranthene	490		350	37
86-73-7	Fluorene	ND		350	46
118-74-1	Hexachlorobenzene	ND		350	37
87-68-3	Hexachlorobutadiene	ND		350	39
77-47-4	Hexachlorocyclopentadiene	ND		1700	190
67-72-1	Hexachloroethane	ND		1700	120
193-39-5	Indeno[1,2,3-cd]pyrene	ND		350	36
78-59-1	Isophorone	ND		1700	130
91-20-3	Naphthalene	380		350	30
98-95-3	Nitrobenzene	ND		3500	140
621-64-7	N-Nitrosodi-n-propylamine	ND		350	41
62-75-9	N-Nitrosodimethylamine	ND		1700	150
86-30-6	N-Nitrosodiphenylamine	ND		1700	160
85-01-8	Phenanthrene	220	J	350	55
129-00-0	Pyrene	490		350	35
87-86-5	Pentachlorophenol	ND		1700	150
108-95-2	Phenol	ND		350	41

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	0	X D	21-116
321-60-8	2-Fluorobiphenyl	0	X D	28-108
367-12-4	2-Fluorophenol (Surr)	0	X D	28-107
4165-60-0	Nitrobenzene-d5 (Surr)	0	X D	27-110
4165-62-2	Phenol-d5 (Surr)	0	X D	30-112
1718-51-0	Terphenyl-d14 (Surr)	0	X D	21-130

6

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37750-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-B02-FD

Lab Sample ID: 180-37750-6

Matrix: Sediment

Lab File ID: D1031027.D

Analysis Method: 8270D LL

Date Collected: 10/13/2014 12:10

Extract. Method: 3541

Date Extracted: 10/24/2014 03:10

Sample wt/vol: 30.0(g)

Date Analyzed: 10/31/2014 21:56

Con. Extract Vol.: 0.5(mL)

Dilution Factor: 25

Injection Volume: 2(uL)

Level: (low/med) Low

% Moisture: 72.9

GPC Cleanup: (Y/N) N

Analysis Batch No.: 123453

Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	ND		310	30
208-96-8	Acenaphthylene	ND		310	35
120-12-7	Anthracene	ND		310	30
92-87-5	Benzidine	ND		31000	6400
56-55-3	Benzo[a]anthracene	210	J	310	39
205-99-2	Benzo[b]fluoranthene	ND		310	48
207-08-9	Benzo[k]fluoranthene	ND		310	62
65-85-0	Benzoic acid	ND	/	7800	640
191-24-2	Benzo[g,h,i]perylene	ND		310	31
50-32-8	Benzo[a]pyrene	380		310	31
111-91-1	Bis(2-chloroethoxy)methane	ND		1500	100
111-44-4	Bis(2-chloroethyl)ether	ND		310	41
117-81-7	Bis(2-ethylhexyl) phthalate	ND		3100	250
108-60-1	2,2'-oxybis[1-chloropropane]	ND		310	33
101-55-3	4-Bromophenyl phenyl ether	ND		1500	130
7005-72-3	4-Chlorophenyl phenyl ether	ND		1500	170
91-58-7	2-Chloronaphthalene	ND		310	32
85-68-7	Butyl benzyl phthalate	ND		1500	210
218-01-9	Chrysene	260	J	310	37
53-70-3	Dibenz(a,h)anthracene	ND		310	34
84-74-2	Di-n-butyl phthalate	ND		1500	190
117-84-0	Di-n-octyl phthalate	ND		1500	160
84-66-2	Diethyl phthalate	ND		1500	170
131-11-3	Dimethyl phthalate	ND		1500	170
91-94-1	3,3'-Dichlorobenzidine	ND		1500	160
121-14-2	2,4-Dinitrotoluene	ND		1500	120
606-20-2	2,6-Dinitrotoluene	ND		1500	160
95-57-8	2-Chlorophenol	ND		1500	130
120-83-2	2,4-Dichlorophenol	ND		310	31
105-67-9	2,4-Dimethylphenol	ND		1500	240
51-28-5	2,4-Dinitrophenol	ND		7800	1800
88-75-5	2-Nitrophenol	ND		1500	170
88-06-2	2,4,6-Trichlorophenol	ND		1500	230
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		1500	200

6

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-B02-FD Lab Sample ID: 180-37750-6

Matrix: Sediment Lab File ID: D1031027.D

Analysis Method: 8270D LL Date Collected: 10/13/2014 12:10

Extract. Method: 3541 Date Extracted: 10/24/2014 03:10

Sample wt/vol: 30.0(g) Date Analyzed: 10/31/2014 21:56

Con. Extract Vol.: 0.5(mL) Dilution Factor: 25

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 72.9 GPC Cleanup: (Y/N) N

Analysis Batch No.: 123453 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		1500	85
59-50-7	4-Chloro-3-methylphenol	ND		1500	140
100-02-7	4-Nitrophenol	ND UJ		7800	560
534-52-1	4,6-Dinitro-2-methylphenol	ND		7800	620
206-44-0	Fluoranthene	430		310	33
86-73-7	Fluorene	ND		310	41
118-74-1	Hexachlorobenzene	ND		310	33
87-68-3	Hexachlorobutadiene	ND		310	34
77-47-4	Hexachlorocyclopentadiene	ND		1500	170
67-72-1	Hexachloroethane	ND		1500	110
193-39-5	Indeno[1,2,3-cd]pyrene	ND		310	32
78-59-1	Isophorone	ND		1500	120
91-20-3	Naphthalene	330		310	26
98-95-3	Nitrobenzene	ND		3100	130
621-64-7	N-Nitrosodi-n-propylamine	ND		310	36
62-75-9	N-Nitrosodimethylamine	ND		1500	130
86-30-6	N-Nitrosodiphenylamine	ND		1500	140
85-01-8	Phenanthrene	ND		310	49
129-00-0	Pyrene	440		310	31
87-86-5	Pentachlorophenol	ND		1500	140
108-95-2	Phenol	ND		310	36

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	0	X D	21-116
321-60-8	2-Fluorobiphenyl	0	X D	28-108
367-12-4	2-Fluorophenol (Surr)	0	X D	28-107
4165-60-0	Nitrobenzene-d5 (Surr)	0	X D	27-110
4165-62-2	Phenol-d5 (Surr)	0	X D	30-112
1718-51-0	Terphenyl-d14 (Surr)	0	X D	21-130

7

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-C01 Lab Sample ID: 180-37750-7

Matrix: Sediment Lab File ID: D1031028.D

Analysis Method: 8270D LL Date Collected: 10/13/2014 15:30

Extract. Method: 3541 Date Extracted: 10/24/2014 03:10

Sample wt/vol: 30.2(g) Date Analyzed: 10/31/2014 22:22

Con. Extract Vol.: 0.5(mL) Dilution Factor: 10

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 32.2 GPC Cleanup: (Y/N) N

Analysis Batch No.: 123453 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	ND		49	4.7
208-96-8	Acenaphthylene	ND		49	5.6
120-12-7	Anthracene	ND		49	4.8
92-87-5	Benzidine	ND		4900	1000
56-55-3	Benzo[a]anthracene	ND		49	6.1
205-99-2	Benzo[b]fluoranthene	ND		49	7.7
207-08-9	Benzo[k]fluoranthene	ND		49	9.9
65-85-0	Benzoic acid	ND	/	1200	100
191-24-2	Benzo[g,h,i]perylene	ND		49	4.9
50-32-8	Benzo[a]pyrene	ND		49	4.9
111-91-1	Bis(2-chloroethoxy)methane	ND		240	16
111-44-4	Bis(2-chloroethyl)ether	ND		49	6.6
117-81-7	Bis(2-ethylhexyl) phthalate	ND		490	39
108-60-1	2,2'-oxybis[1-chloropropane]	ND		49	5.3
101-55-3	4-Bromophenyl phenyl ether	ND		240	21
7005-72-3	4-Chlorophenyl phenyl ether	ND		240	27
91-58-7	2-Chloronaphthalene	ND		49	5.1
85-68-7	Butyl benzyl phthalate	ND		240	33
218-01-9	Chrysene	ND		49	5.8
53-70-3	Dibenz(a,h)anthracene	ND		49	5.4
84-74-2	Di-n-butyl phthalate	ND		240	31
117-84-0	Di-n-octyl phthalate	ND		240	26
84-66-2	Diethyl phthalate	ND		240	27
131-11-3	Dimethyl phthalate	ND		240	27
91-94-1	3,3'-Dichlorobenzidine	ND		240	26
121-14-2	2,4-Dinitrotoluene	ND		240	20
606-20-2	2,6-Dinitrotoluene	ND		240	25
95-57-8	2-Chlorophenol	ND		240	20
120-83-2	2,4-Dichlorophenol	ND		49	4.9
105-67-9	2,4-Dimethylphenol	ND		240	38
51-28-5	2,4-Dinitrophenol	ND		1200	290
88-75-5	2-Nitrophenol	ND		240	27
88-06-2	2,4,6-Trichlorophenol	ND		240	37
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		240	31

7

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-C01 Lab Sample ID: 180-37750-7

Matrix: Sediment Lab File ID: D1031028.D

Analysis Method: 8270D LL Date Collected: 10/13/2014 15:30

Extract. Method: 3541 Date Extracted: 10/24/2014 03:10

Sample wt/vol: 30.2(g) Date Analyzed: 10/31/2014 22:22

Con. Extract Vol.: 0.5(mL) Dilution Factor: 10

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 32.2 GPC Cleanup: (Y/N) N

Analysis Batch No.: 123453 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		240	14
59-50-7	4-Chloro-3-methylphenol	ND		240	22
100-02-7	4-Nitrophenol	ND	UJ	1200	89
534-52-1	4,6-Dinitro-2-methylphenol	ND		1200	98
206-44-0	Fluoranthene	ND		49	5.2
86-73-7	Fluorene	ND		49	6.4
118-74-1	Hexachlorobenzene	ND		49	5.2
87-68-3	Hexachlorobutadiene	ND		49	5.5
77-47-4	Hexachlorocyclopentadiene	ND		240	26
67-72-1	Hexachloroethane	ND		240	18
193-39-5	Indeno[1,2,3-cd]pyrene	ND		49	5.0
78-59-1	Isophorone	ND		240	18
91-20-3	Naphthalene	7.9	J	49	4.2
98-95-3	Nitrobenzene	ND		490	20
621-64-7	N-Nitrosodi-n-propylamine	ND		49	5.7
62-75-9	N-Nitrosodimethylamine	ND		240	21
86-30-6	N-Nitrosodiphenylamine	ND		240	23
85-01-8	Phenanthrene	ND		49	7.8
129-00-0	Pyrene	ND		49	4.9
87-86-5	Pentachlorophenol	ND		240	22
108-95-2	Phenol	ND		49	5.8

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	40		21-116
321-60-8	2-Fluorobiphenyl	64		28-108
367-12-4	2-Fluorophenol (Surr)	57		28-107
4165-60-0	Nitrobenzene-d5 (Surr)	71		27-110
4165-62-2	Phenol-d5 (Surr)	61		30-112
1718-51-0	Terphenyl-d14 (Surr)	79		21-130



8

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-C02 Lab Sample ID: 180-37750-8

Matrix: Sediment Lab File ID: D1031029.D

Analysis Method: 8270D LL Date Collected: 10/13/2014 14:50

Extract. Method: 3541 Date Extracted: 10/24/2014 03:10

Sample wt/vol: 30.0(g) Date Analyzed: 10/31/2014 22:48

Con. Extract Vol.: 0.5(mL) Dilution Factor: 25

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 42.1 GPC Cleanup: (Y/N) N

Analysis Batch No.: 123453 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	ND		140	14
208-96-8	Acenaphthylene	ND		140	16
120-12-7	Anthracene	28	J	140	14
92-87-5	Benzidine	ND		14000	3000
56-55-3	Benzo[a]anthracene	ND		140	18
205-99-2	Benzo[b]fluoranthene	ND		140	23
207-08-9	Benzo[k]fluoranthene	ND		140	29
65-85-0	Benzoic acid	ND		3700	300
191-24-2	Benzo[g,h,i]perylene	ND		140	14
50-32-8	Benzo[a]pyrene	ND		140	14
111-91-1	Bis(2-chloroethoxy)methane	ND		710	47
111-44-4	Bis(2-chloroethyl)ether	ND		140	19
117-81-7	Bis(2-ethylhexyl) phthalate	ND		1400	120
108-60-1	2,2'-oxybis[1-chloropropane]	ND		140	16
101-55-3	4-Bromophenyl phenyl ether	ND		710	63
7005-72-3	4-Chlorophenyl phenyl ether	ND		710	80
91-58-7	2-Chloronaphthalene	ND		140	15
85-68-7	Butyl benzyl phthalate	ND		710	98
218-01-9	Chrysene	ND		140	17
53-70-3	Dibenz(a,h)anthracene	ND		140	16
84-74-2	Di-n-butyl phthalate	ND		710	90
117-84-0	Di-n-octyl phthalate	ND		710	76
84-66-2	Diethyl phthalate	ND		710	79
131-11-3	Dimethyl phthalate	ND		710	78
91-94-1	3,3'-Dichlorobenzidine	ND		710	76
121-14-2	2,4-Dinitrotoluene	ND		710	58
606-20-2	2,6-Dinitrotoluene	ND		710	74
95-57-8	2-Chlorophenol	ND		710	59
120-83-2	2,4-Dichlorophenol	ND		140	14
105-67-9	2,4-Dimethylphenol	ND		710	110
51-28-5	2,4-Dinitrophenol	ND		3700	860
88-75-5	2-Nitrophenol	ND		710	79
88-06-2	2,4,6-Trichlorophenol	ND		710	110
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		710	92

8

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-C02 Lab Sample ID: 180-37750-8

Matrix: Sediment Lab File ID: D1031029.D

Analysis Method: 8270D LL Date Collected: 10/13/2014 14:50

Extract. Method: 3541 Date Extracted: 10/24/2014 03:10

Sample wt/vol: 30.0(g) Date Analyzed: 10/31/2014 22:48

Con. Extract Vol.: 0.5(mL) Dilution Factor: 25

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 42.1 GPC Cleanup: (Y/N) N

Analysis Batch No.: 123453 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		710	40
59-50-7	4-Chloro-3-methylphenol	ND		710	66
100-02-7	4-Nitrophenol	ND	NI	3700	260
534-52-1	4,6-Dinitro-2-methylphenol	ND		3700	290
206-44-0	Fluoranthene	110	J	140	15
86-73-7	Fluorene	ND		140	19
118-74-1	Hexachlorobenzene	ND		140	15
87-68-3	Hexachlorobutadiene	ND		140	16
77-47-4	Hexachlorocyclopentadiene	ND		710	78
67-72-1	Hexachloroethane	ND		710	52
193-39-5	Indeno[1,2,3-cd]pyrene	ND		140	15
78-59-1	Isophorone	ND		710	54
91-20-3	Naphthalene	74	J	140	12
98-95-3	Nitrobenzene	ND		1400	60
621-64-7	N-Nitrosodi-n-propylamine	ND		140	17
62-75-9	N-Nitrosodimethylamine	ND		710	62
86-30-6	N-Nitrosodiphenylamine	ND		710	67
85-01-8	Phenanthrene	54	J	140	23
129-00-0	Pyrene	90	J	140	15
87-86-5	Pentachlorophenol	ND		710	64
108-95-2	Phenol	ND		140	17

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	0	X D	21-116
321-60-8	2-Fluorobiphenyl	0	X D	28-108
367-12-4	2-Fluorophenol (Surr)	0	X D	28-107
4165-60-0	Nitrobenzene-d5 (Surr)	0	X D	27-110
4165-62-2	Phenol-d5 (Surr)	0	X D	30-112
1718-51-0	Terphenyl-d14 (Surr)	0	X D	21-130

9

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica PittsburghJob No.: 180-37750-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-C03Lab Sample ID: 180-37750-9Matrix: SedimentLab File ID: D1031030.DAnalysis Method: 8270D LLDate Collected: 10/13/2014 14:30Extract. Method: 3541Date Extracted: 10/24/2014 03:10Sample wt/vol: 30.2(g)Date Analyzed: 10/31/2014 23:14Con. Extract Vol.: 0.5(mL)Dilution Factor: 25Injection Volume: 2(uL)Level: (low/med) Low% Moisture: 76.6GPC Cleanup: (Y/N) NAnalysis Batch No.: 123453Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	ND		360	34
208-96-8	Acenaphthylene	120	J	360	41
120-12-7	Anthracene	140	J	360	35
92-87-5	Benzidine	ND		36000	7400
56-55-3	Benzo[a]anthracene	270	J	360	44
205-99-2	Benzo[b]fluoranthene	690		360	56
207-08-9	Benzo[k]fluoranthene	280	J	360	72
65-85-0	Benzoic acid	ND		9000	740
191-24-2	Benzo[g,h,i]perylene	670		360	35
50-32-8	Benzo[a]pyrene	500		360	35
111-91-1	Bis(2-chloroethoxy)methane	ND		1800	120
111-44-4	Bis(2-chloroethyl) ether	ND		360	48
117-81-7	Bis(2-ethylhexyl) phthalate	ND		3500	290
108-60-1	2,2'-oxybis[1-chloropropane]	ND		360	38
101-55-3	4-Bromophenyl phenyl ether	ND		1800	150
7005-72-3	4-Chlorophenyl phenyl ether	ND		1800	200
91-58-7	2-Chloronaphthalene	ND		360	37
85-68-7	Butyl benzyl phthalate	ND		1800	240
218-01-9	Chrysene	360		360	42
53-70-3	Dibenz(a,h)anthracene	ND		360	39
84-74-2	Di-n-butyl phthalate	ND		1800	220
117-84-0	Di-n-octyl phthalate	ND		1800	190
84-66-2	Diethyl phthalate	ND		1800	190
131-11-3	Dimethyl phthalate	ND		1800	190
91-94-1	3,3'-Dichlorobenzidine	ND		1800	190
121-14-2	2,4-Dinitrotoluene	ND		1800	140
606-20-2	2,6-Dinitrotoluene	ND		1800	180
95-57-8	2-Chlorophenol	ND		1800	150
120-83-2	2,4-Dichlorophenol	ND		360	36
105-67-9	2,4-Dimethylphenol	ND		1800	280
51-28-5	2,4-Dinitrophenol	ND		9000	2100
88-75-5	2-Nitrophenol	ND		1800	200
88-06-2	2,4,6-Trichlorophenol	ND		1800	270
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		1800	230

9

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-C03 Lab Sample ID: 180-37750-9

Matrix: Sediment Lab File ID: D1031030.D

Analysis Method: 8270D LL Date Collected: 10/13/2014 14:30

Extract. Method: 3541 Date Extracted: 10/24/2014 03:10

Sample wt/vol: 30.2(g) Date Analyzed: 10/31/2014 23:14

Con. Extract Vol.: 0.5(mL) Dilution Factor: 25

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 76.6 GPC Cleanup: (Y/N) N

Analysis Batch No.: 123453 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		1800	98
59-50-7	4-Chloro-3-methylphenol	ND		1800	160
100-02-7	4-Nitrophenol	ND	UJ	9000	650
534-52-1	4,6-Dinitro-2-methylphenol	ND		9000	710
206-44-0	Fluoranthene	680		360	38
86-73-7	Fluorene	ND		360	47
118-74-1	Hexachlorobenzene	ND		360	38
87-68-3	Hexachlorobutadiene	ND		360	40
77-47-4	Hexachlorocyclopentadiene	ND		1800	190
67-72-1	Hexachloroethane	ND		1800	130
193-39-5	Indeno[1,2,3-cd]pyrene	470		360	37
78-59-1	Isophorone	ND		1800	130
91-20-3	Naphthalene	560		360	31
98-95-3	Nitrobenzene	ND		3500	150
621-64-7	N-Nitrosodi-n-propylamine	ND		360	42
62-75-9	N-Nitrosodimethylamine	ND		1800	150
86-30-6	N-Nitrosodiphenylamine	ND		1800	160
85-01-8	Phenanthrene	200	J	360	56
129-00-0	Pyrene	690		360	36
87-86-5	Pentachlorophenol	ND		1800	160
108-95-2	Phenol	ND		360	42

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	0	X D	21-116
321-60-8	2-Fluorobiphenyl	0	X D	28-108
367-12-4	2-Fluorophenol (Surr)	0	X D	28-107
4165-60-0	Nitrobenzene-d5 (Surr)	0	X D	27-110
4165-62-2	Phenol-d5 (Surr)	0	X D	30-112
1718-51-0	Terphenyl-d14 (Surr)	0	X D	21-130

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37750-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-A01

Lab Sample ID: 180-37750-1

Matrix: Sediment

Lab File ID: V1028026.D

Analysis Method: 8270D LL

Date Collected: 10/13/2014 11:45

Extract. Method: 3541

Date Extracted: 10/24/2014 03:10

Sample wt/vol: 30.1(g)

Date Analyzed: 10/28/2014 23:26

Con. Extract Vol.: 0.5(mL)

Dilution Factor: 4

Injection Volume: 2(uL)

Level: (low/med) Low

% Moisture: 31.5

GPC Cleanup: (Y/N) N

Analysis Batch No.: 122953

Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-12-7	Anthracene	ND		20	1.9
56-55-3	Benzo[a]anthracene	ND		20	2.4
205-99-2	Benzo[b]fluoranthene	ND		20	3.1
207-08-9	Benzo[k]fluoranthene	ND		20	3.9
191-24-2	Benzo[g,h,i]perylene	ND		20	1.9
50-32-8	Benzo[a]pyrene	ND		20	1.9
218-01-9	Chrysene	ND		20	2.3
53-70-3	Dibenz(a,h)anthracene	ND		20	2.2
206-44-0	Fluoranthene	18	J	20	2.1
86-73-7	Fluorene	ND		20	2.6
193-39-5	Indeno[1,2,3-cd]pyrene	ND		20	2.0
85-01-8	Phenanthrene	ND		20	3.1
129-00-0	Pyrene	14	J	20	2.0
83-32-9	Acenaphthene	ND		20	1.9
208-96-8	Acenaphthylene	ND		20	2.2
91-20-3	Naphthalene	8.7	J	20	1.7
117-81-7	Bis(2-ethylhexyl) phthalate	27	J	190	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
4165-60-0	Nitrobenzene-d5 (Surr)	89		27-110
321-60-8	2-Fluorobiphenyl	80		28-108
1718-51-0	Terphenyl-d14 (Surr)	75		21-130

2

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica PittsburghJob No.: 180-37750-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-A02Lab Sample ID: 180-37750-2Matrix: SedimentLab File ID: V1028027.DAnalysis Method: 8270D LLDate Collected: 10/13/2014 11:15Extract. Method: 3541Date Extracted: 10/24/2014 03:10Sample wt/vol: 30.0(g)Date Analyzed: 10/28/2014 23:54Con. Extract Vol.: 0.5(mL)Dilution Factor: 5Injection Volume: 2(uL)Level: (low/med) Low% Moisture: 65.7GPC Cleanup: (Y/N) NAnalysis Batch No.: 122953Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-12-7	Anthracene	73		49	4.8
56-55-3	Benzo[a]anthracene	160		49	6.1
205-99-2	Benzo[b]fluoranthene	310		49	7.6
207-08-9	Benzo[k]fluoranthene	110		49	9.8
191-24-2	Benzo[g,h,i]perylene	260		49	4.8
50-32-8	Benzo[a]pyrene	210		49	4.9
218-01-9	Chrysene	210		49	5.8
53-70-3	Dibenz(a,h)anthracene	61		49	5.4
206-44-0	Fluoranthene	410		49	5.2
86-73-7	Fluorene	29	J	49	6.4
193-39-5	Indeno[1,2,3-cd]pyrene	250		49	5.0
85-01-8	Phenanthrene	120		49	7.7
129-00-0	Pyrene	270		49	4.9
83-32-9	Acenaphthene	ND		49	4.7
208-96-8	Acenaphthylene	76		49	5.6
91-20-3	Naphthalene	200		49	4.2
117-81-7	Bis(2-ethylhexyl) phthalate	250	J	490	39

CAS NO.	SURROGATE	%REC	Q	LIMITS
4165-60-0	Nitrobenzene-d5 (Surr)	71		27-110
321-60-8	2-Fluorobiphenyl	69		28-108
1718-51-0	Terphenyl-d14 (Surr)	57		21-130

3

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-A03 Lab Sample ID: 180-37750-3  
Matrix: Sediment Lab File ID: V1030024.D  
Analysis Method: 8270D LL Date Collected: 10/13/2014 10:20  
Extract. Method: 3541 Date Extracted: 10/24/2014 03:10  
Sample wt/vol: 30.0(g) Date Analyzed: 10/30/2014 19:12  
Con. Extract Vol.: 0.5(mL) Dilution Factor: 20  
Injection Volume: 2(uL) Level: (low/med) Low  
% Moisture: 77.3 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 123272 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-12-7	Anthracene	79	J	300	29
56-55-3	Benzo[a]anthracene	ND		300	37
205-99-2	Benzo[b]fluoranthene	ND		300	46
207-08-9	Benzo[k]fluoranthene	ND		300	60
191-24-2	Benzo[g,h,i]perylene	ND		300	29
50-32-8	Benzo[a]pyrene	ND		300	29
218-01-9	Chrysene	ND		300	35
53-70-3	Dibenz(a,h)anthracene	ND		300	33
206-44-0	Fluoranthene	390		300	31
86-73-7	Fluorene	ND		300	39
193-39-5	Indeno[1,2,3-cd]pyrene	ND		300	30
85-01-8	Phenanthrene	180	J	300	47
129-00-0	Pyrene	380		300	30
83-32-9	Acenaphthene	ND		300	28
208-96-8	Acenaphthylene	110	J	300	34
91-20-3	Naphthalene	310		300	25
117-81-7	Bis(2-ethylhexyl) phthalate	ND		2900	240

CAS NO.	SURROGATE	%REC	Q	LIMITS
4165-60-0	Nitrobenzene-d5 (Surr)	76		27-110
321-60-8	2-Fluorobiphenyl	65		28-108
1718-51-0	Terphenyl-d14 (Surr)	55		21-130

*NW 12/21/14*



4

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-B01 Lab Sample ID: 180-37750-4  
 Matrix: Sediment Lab File ID: 103014016.D  
 Analysis Method: 8082A Date Collected: 10/13/2014 12:50  
 Extraction Method: 3541 Date Extracted: 10/25/2014 03:15  
 Sample wt/vol: 30.0(g) Date Analyzed: 10/30/2014 11:30  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 29.3 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 123252 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		5.9	0.88
11104-28-2	PCB-1221	ND		5.9	1.1
11141-16-5	PCB-1232	ND		5.9	1.0
53469-21-9	PCB-1242	ND		5.9	0.96
12672-29-6	PCB-1248	ND		5.9	0.56
11097-69-1	PCB-1254	2.9	J	5.9	0.84
11096-82-5	PCB-1260	1.9	J	5.9	0.84

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	98		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	77		30-150

5

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-B02 Lab Sample ID: 180-37750-5  
Matrix: Sediment Lab File ID: 103014019.D  
Analysis Method: 8082A Date Collected: 10/13/2014 12:10  
Extraction Method: 3541 Date Extracted: 10/25/2014 03:15  
Sample wt/vol: 30.0(g) Date Analyzed: 10/30/2014 12:28  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 76.0 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 123252 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		17	2.6
11104-28-2	PCB-1221	ND		17	3.3
11141-16-5	PCB-1232	ND		17	3.0
53469-21-9	PCB-1242	ND		17	2.8
12672-29-6	PCB-1248	78	J	17	1.6
11097-69-1	PCB-1254	ND		17	2.5
11096-82-5	PCB-1260	49		17	2.5

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	204	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	80		30-150

6

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-B02-FD Lab Sample ID: 180-37750-6  
 Matrix: Sediment Lab File ID: 103014020.D  
 Analysis Method: 8082A Date Collected: 10/13/2014 12:10  
 Extraction Method: 3541 Date Extracted: 10/25/2014 03:15  
 Sample wt/vol: 30.0(g) Date Analyzed: 10/30/2014 12:47  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 72.9 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 123252 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		15	2.3
11104-28-2	PCB-1221	ND		15	2.9
11141-16-5	PCB-1232	ND		15	2.6
53469-21-9	PCB-1242	ND		15	2.5
12672-29-6	PCB-1248	130		15	1.5
11097-69-1	PCB-1254	ND		15	2.2
11096-82-5	PCB-1260	84		15	2.2

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	332	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	79		30-150

7

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-C01 Lab Sample ID: 180-37750-7  
 Matrix: Sediment Lab File ID: 103014021.D  
 Analysis Method: 8082A Date Collected: 10/13/2014 15:30  
 Extraction Method: 3541 Date Extracted: 10/25/2014 03:15  
 Sample wt/vol: 30.1(g) Date Analyzed: 10/30/2014 13:06  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 32.2 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 123252 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		6.1	0.91
11104-28-2	PCB-1221	ND		6.1	1.2
11141-16-5	PCB-1232	ND		6.1	1.0
53469-21-9	PCB-1242	ND		6.1	1.0
12672-29-6	PCB-1248	ND		6.1	0.58
11097-69-1	PCB-1254	3.7	J	6.1	0.87
11096-82-5	PCB-1260	1.9	J	6.1	0.87

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	115		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	71		30-150

8

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-C02 Lab Sample ID: 180-37750-8  
 Matrix: Sediment Lab File ID: 103014022.D  
 Analysis Method: 8082A Date Collected: 10/13/2014 14:50  
 Extraction Method: 3541 Date Extracted: 10/25/2014 03:15  
 Sample wt/vol: 30.1(g) Date Analyzed: 10/30/2014 13:25  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 42.1 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 123252 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		7.2	1.1
11104-28-2	PCB-1221	ND		7.2	1.4
11141-16-5	PCB-1232	ND		7.2	1.2
53469-21-9	PCB-1242	ND		7.2	1.2
12672-29-6	PCB-1248	26		7.2	0.68
11097-69-1	PCB-1254	ND		7.2	1.0
11096-82-5	PCB-1260	21	J	7.2	1.0

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	207	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	90		30-150

9

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-C03 Lab Sample ID: 180-37750-9  
Matrix: Sediment Lab File ID: 103014023.D  
Analysis Method: 8082A Date Collected: 10/13/2014 14:30  
Extraction Method: 3541 Date Extracted: 10/25/2014 03:15  
Sample wt/vol: 30.1(g) Date Analyzed: 10/30/2014 13:44  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 76.6 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 123252 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		18	2.6
11104-28-2	PCB-1221	ND		18	3.4
11141-16-5	PCB-1232	ND		18	3.0
53469-21-9	PCB-1242	ND		18	2.9
12672-29-6	PCB-1248	140	J	18	1.7
11097-69-1	PCB-1254	ND		18	2.5
11096-82-5	PCB-1260	88		18	2.5

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	260	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	69		30-150

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: SD-A01 Lab Sample ID: 180-37750-1  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/13/2014 11:45  
 Reporting Basis: DRY Date Received: 10/15/2014 09:30  
 % Solids: 68.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	1.8	0.073	0.013	mg/Kg			1	6020A
7440-43-9	Cadmium	0.94	0.073	0.0051	mg/Kg			1	6020A
7440-47-3	Chromium	46	0.15	0.0044	mg/Kg		<del>✓</del>	1	6020A
7439-92-1	Lead	13	0.073	0.0028	mg/Kg		<del>✓</del>	1	6020A
7782-49-2	Selenium	0.17	<del>J</del> 0.36	0.036	mg/Kg	<del>✓</del>		1	6020A
7440-22-4	Silver	0.047	0.073	0.0028	mg/Kg	J		1	6020A
7440-41-7	Beryllium	0.082	<del>J</del> 0.073	0.0054	mg/Kg			1	6020A
7440-28-0	Thallium	0.047	0.073	0.0015	mg/Kg	J		1	6020A
7440-36-0	Antimony	0.17	<del>J</del> 0.15	0.0019	mg/Kg			1	6020A
7440-02-0	Nickel	3.7	0.073	0.0082	mg/Kg			1	6020A
7440-66-6	Zinc	130	<del>J</del> 0.36	0.047	mg/Kg		<del>✓</del>	1	6020A
7440-50-8	Copper	8.7	0.15	0.024	mg/Kg			1	6020A
7439-97-6	Mercury	0.018	0.024	0.0080	mg/Kg	J		1	7471A

M/12/21/14



1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-A01

Lab Sample ID: 180-37750-1

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37750-1

SDG ID.:

Matrix: Sediment

Date Sampled: 10/13/2014 11:45

Reporting Basis: DRY

Date Received: 10/15/2014 09:30

% Solids: 68.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	0.92	0.18	0.0060	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.0082	0.0016	0.000053	umol/g			1	6010B
7440-50-8	Copper SEM	7.0	0.91	0.082	mg/Kg			1	6010B
7440-50-8	Copper SEM	0.11	0.014	0.0013	umol/g			1	6010B
7439-92-1	Lead SEM	10	0.36	0.072	mg/Kg			1	6010B
7439-92-1	Lead SEM	0.049	0.0018	0.00035	umol/g			1	6010B
7440-02-0	Nickel SEM	1.9	1.5	0.042	mg/Kg			1	6010B
7440-02-0	Nickel SEM	0.033	0.025	0.00071	umol/g			1	6010B
7440-66-6	Zinc SEM	130	3.6	0.27	mg/Kg			1	6010B
7440-66-6	Zinc SEM	2.0	0.056	0.0041	umol/g			1	6010B

11/12/21/14

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-A01 Lab Sample ID: 180-37750-1  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/13/2014 11:45  
Reporting Basis: WET Date Received: 10/15/2014 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	NC	0.0010	0.0010	NONE			1	SEM

10/12/2014

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: SD-A02 Lab Sample ID: 180-37750-2  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/13/2014 11:15  
 Reporting Basis: DRY Date Received: 10/15/2014 09:30  
 % Solids: 34.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	17	0.14	0.025	mg/Kg			1	6020A
7440-43-9	Cadmium	5.4	0.14	0.0099	mg/Kg			1	6020A
7440-47-3	Chromium	400	0.28	0.0086	mg/Kg		<del>P</del>	1	6020A
7439-92-1	Lead	160	0.14	0.0054	mg/Kg		<del>P</del>	1	6020A
7782-49-2	Selenium	2.0	J 0.70	0.071	mg/Kg			1	6020A
7440-22-4	Silver	0.86	0.14	0.0055	mg/Kg			1	6020A
7440-41-7	Beryllium	0.72	J 0.14	0.011	mg/Kg			1	6020A
7440-28-0	Thallium	0.40	0.14	0.0028	mg/Kg			1	6020A
7440-36-0	Antimony	1.5	J 0.28	0.0037	mg/Kg			1	6020A
7440-02-0	Nickel	30	0.14	0.016	mg/Kg			1	6020A
7440-66-6	Zinc	980	J 0.70	0.091	mg/Kg		<del>P</del>	1	6020A
7440-50-8	Copper	98	0.28	0.046	mg/Kg			1	6020A
7439-97-6	Mercury	0.26	0.048	0.016	mg/Kg			1	7471A

NW 12/21/14

2

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-A02 Lab Sample ID: 180-37750-2  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/13/2014 11:15  
 Reporting Basis: DRY Date Received: 10/15/2014 09:30  
 % Solids: 34.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	3.8	0.37	0.012	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.034	0.0033	0.00011	umol/g			1	6010B
7440-50-8	Copper SEM	40	1.8	0.16	mg/Kg		<del>B</del>	1	6010B
7440-50-8	Copper SEM	0.62	0.029	0.0026	umol/g		<del>B</del>	1	6010B
7439-92-1	Lead SEM	86	0.73	0.15	mg/Kg			1	6010B
7439-92-1	Lead SEM	0.41	0.0035	0.00070	umol/g			1	6010B
7440-02-0	Nickel SEM	15	2.9	0.084	mg/Kg			1	6010B
7440-02-0	Nickel SEM	0.26	0.050	0.0014	umol/g			1	6010B
7440-66-6	Zinc SEM	680	7.3	0.54	mg/Kg		<del>B</del>	1	6010B
7440-66-6	Zinc SEM	10	0.11	0.0083	umol/g		<del>B</del>	1	6010B

MW 12/21/14

2

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-A02 Lab Sample ID: 180-37750-2  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG ID.:  
Matrix: Sediment Date Sampled: 10/13/2014 11:15  
Reporting Basis: WET Date Received: 10/15/2014 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.52	0.0010	0.0010	NONE			1	SEM

MW 12/21/14

3

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: SD-A03 Lab Sample ID: 180-37750-3

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1

SDG ID.: \_\_\_\_\_

Matrix: Sediment Date Sampled: 10/13/2014 10:20

Reporting Basis: DRY Date Received: 10/15/2014 09:30

% Solids: 22.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	26	0.23	0.041	mg/Kg			1	6020A
7440-43-9	Cadmium	7.1	0.23	0.016	mg/Kg			1	6020A
7440-47-3	Chromium	760	0.45	0.014	mg/Kg		<del>P</del>	1	6020A
7439-92-1	Lead	240	0.23	0.0086	mg/Kg		<del>P</del>	1	6020A
7782-49-2	Selenium	2.8	J 1.1	0.11	mg/Kg			1	6020A
7440-22-4	Silver	1.6	0.23	0.0088	mg/Kg			1	6020A
7440-41-7	Beryllium	1.0	J 0.23	0.017	mg/Kg			1	6020A
7440-28-0	Thallium	0.55	0.23	0.0045	mg/Kg			1	6020A
7440-36-0	Antimony	2.5	J 0.45	0.0059	mg/Kg			1	6020A
7440-02-0	Nickel	46	0.23	0.025	mg/Kg			1	6020A
7440-66-6	Zinc	1400	J 1.1	0.15	mg/Kg		<del>P</del>	1	6020A
7440-50-8	Copper	160	0.45	0.074	mg/Kg			1	6020A
7439-97-6	Mercury	0.36	0.070	0.023	mg/Kg			1	7471A

MW 12/21/14

3

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-A03

Lab Sample ID: 180-37750-3

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37750-1

SDG ID.:

Matrix: Sediment

Date Sampled: 10/13/2014 10:20

Reporting Basis: DRY

Date Received: 10/15/2014 09:30

% Solids: 22.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	6.4	J 0.55	0.018	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.057	0.0049	0.00016	umol/g			1	6010B
7440-50-8	Copper SEM	120	2.8	0.25	mg/Kg		<del>P</del>	1	6010B
7440-50-8	Copper SEM	1.8	0.043	0.0039	umol/g		<del>P</del>	1	6010B
7439-92-1	Lead SEM	160	1.1	0.22	mg/Kg			1	6010B
7439-92-1	Lead SEM	0.79	0.0053	0.0011	umol/g			1	6010B
7440-02-0	Nickel SEM	29	4.4	0.13	mg/Kg			1	6010B
7440-02-0	Nickel SEM	0.49	0.075	0.0022	umol/g			1	6010B
7440-66-6	Zinc SEM	1200	11	0.82	mg/Kg		<del>P</del>	1	6010B
7440-66-6	Zinc SEM	18	0.17	0.012	umol/g		<del>P</del>	1	6010B

NW 12/21/14



3

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-A03 Lab Sample ID: 180-37750-3  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/13/2014 10:20  
Reporting Basis: WET Date Received: 10/15/2014 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.54	0.0010	0.0010	NONE			1	SEM

*MW 12/21/14*

4

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: SD-B01 Lab Sample ID: 180-37750-4

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1

SDG ID.: \_\_\_\_\_

Matrix: Sediment Date Sampled: 10/13/2014 12:50

Reporting Basis: DRY Date Received: 10/15/2014 09:30

% Solids: 70.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	1.7	0.074	0.013	mg/Kg			1	6020A
7440-43-9	Cadmium	0.78	0.074	0.0052	mg/Kg			1	6020A
7440-47-3	Chromium	33	0.15	0.0045	mg/Kg		<del>P</del>	1	6020A
7439-92-1	Lead	9.7	0.074	0.0028	mg/Kg		<del>P</del>	1	6020A
7782-49-2	Selenium	0.12	J 0.37	0.037	mg/Kg	J		1	6020A
7440-22-4	Silver	0.026	0.074	0.0029	mg/Kg	J		1	6020A
7440-41-7	Beryllium	0.053	J 0.074	0.0055	mg/Kg	J		1	6020A
7440-28-0	Thallium	0.033	0.074	0.0015	mg/Kg	J		1	6020A
7440-36-0	Antimony	0.12	J 0.15	0.0019	mg/Kg	J		1	6020A
7440-02-0	Nickel	2.2	0.074	0.0083	mg/Kg			1	6020A
7440-66-6	Zinc	99	J 0.37	0.048	mg/Kg		<del>P</del>	1	6020A
7440-50-8	Copper	5.5	0.15	0.024	mg/Kg			1	6020A
7439-97-6	Mercury	0.0096	0.022	0.0074	mg/Kg	J		1	7471A

MW 12/21/14

4

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-B01 Lab Sample ID: 180-37750-4

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1

SDG ID.: \_\_\_\_\_

Matrix: Sediment Date Sampled: 10/13/2014 12:50

Reporting Basis: DRY Date Received: 10/15/2014 09:30

% Solids: 70.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	0.81	0.18	0.0058	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.0072	0.0016	0.000052	umol/g			1	6010B
7440-50-8	Copper SEM	4.8	0.88	0.079	mg/Kg			1	6010B
7440-50-8	Copper SEM	0.075	0.014	0.0012	umol/g			1	6010B
7439-92-1	Lead SEM	7.8	0.35	0.070	mg/Kg			1	6010B
7439-92-1	Lead SEM	0.037	0.0017	0.00034	umol/g			1	6010B
7440-02-0	Nickel SEM	1.7	1.4	0.041	mg/Kg			1	6010B
7440-02-0	Nickel SEM	0.029	0.024	0.00069	umol/g			1	6010B
7440-66-6	Zinc SEM	100	3.5	0.26	mg/Kg			1	6010B
7440-66-6	Zinc SEM	1.6	0.054	0.0040	umol/g			1	6010B

NW 12/21/14

4

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-B01

Lab Sample ID: 180-37750-4

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37750-1

SDG ID.:

Matrix: Sediment

Date Sampled: 10/13/2014 12:50

Reporting Basis: WET

Date Received: 10/15/2014 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	NC	0.0010	0.0010	NONE			1	SEM

MW 12/21/14

5

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: SD-B02 Lab Sample ID: 180-37750-5

Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1

SDG ID.: \_\_\_\_\_

Matrix: Sediment Date Sampled: 10/13/2014 12:10

Reporting Basis: DRY Date Received: 10/15/2014 09:30

% Solids: 24.0

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	27	0.20	0.035	mg/Kg			1	6020A
7440-43-9	Cadmium	9.2	0.20	0.014	mg/Kg			1	6020A
7440-47-3	Chromium	790	0.39	0.012	mg/Kg		<del>P</del>	1	6020A
7439-92-1	Lead	260	0.20	0.0074	mg/Kg		<del>P</del>	1	6020A
7782-49-2	Selenium	3.1	J 0.98	0.098	mg/Kg			1	6020A
7440-22-4	Silver	1.7	0.20	0.0076	mg/Kg			1	6020A
7440-41-7	Beryllium	1.0	J 0.20	0.015	mg/Kg			1	6020A
7440-28-0	Thallium	0.58	0.20	0.0039	mg/Kg			1	6020A
7440-36-0	Antimony	2.7	J 0.39	0.0051	mg/Kg			1	6020A
7440-02-0	Nickel	46	0.20	0.022	mg/Kg			1	6020A
7440-66-6	Zinc	1600	J 0.98	0.13	mg/Kg		<del>P</del>	1	6020A
7440-50-8	Copper	160	0.39	0.065	mg/Kg			1	6020A
7439-97-6	Mercury	0.46	0.068	0.022	mg/Kg			1	7471A

NW12/21/14

5

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-B02

Lab Sample ID: 180-37750-5

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37750-1

SDG ID.:

Matrix: Sediment

Date Sampled: 10/13/2014 12:10

Reporting Basis: DRY

Date Received: 10/15/2014 09:30

% Solids: 24.0

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	8.2	0.52	0.017	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.073	0.0046	0.00015	umol/g			1	6010B
7440-50-8	Copper SEM	110	2.6	0.23	mg/Kg		B	1	6010B
7440-50-8	Copper SEM	1.8	0.041	0.0037	umol/g		B	1	6010B
7439-92-1	Lead SEM	180	2.1	0.41	mg/Kg			2	6010B
7439-92-1	Lead SEM	0.85	0.010	0.0020	umol/g			2	6010B
7440-02-0	Nickel SEM	29	8.3	0.24	mg/Kg			2	6010B
7440-02-0	Nickel SEM	0.50	0.14	0.0041	umol/g			2	6010B
7440-66-6	Zinc SEM	1400	10	0.77	mg/Kg		B	1	6010B
7440-66-6	Zinc SEM	21	0.16	0.012	umol/g		B	1	6010B

11/21/2014

5

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-B02 Lab Sample ID: 180-37750-5  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/13/2014 12:10  
Reporting Basis: WET Date Received: 10/15/2014 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.64	0.0010	0.0010	NONE			1	SEM

*W 12/21/14*



6

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: SD-B02-FD

Lab Sample ID: 180-37750-6

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37750-1

SDG ID.:

Matrix: Sediment

Date Sampled: 10/13/2014 12:10

Reporting Basis: DRY

Date Received: 10/15/2014 09:30

% Solids: 27.1

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	24	0.17	0.030	mg/Kg			1	6020A
7440-43-9	Cadmium	8.3	0.17	0.012	mg/Kg			1	6020A
7440-47-3	Chromium	710	0.34	0.010	mg/Kg		<del>P</del>	1	6020A
7439-92-1	Lead	230	0.17	0.0064	mg/Kg		<del>P</del>	1	6020A
7782-49-2	Selenium	2.6	J 0.84	0.084	mg/Kg			1	6020A
7440-22-4	Silver	1.5	0.17	0.0065	mg/Kg			1	6020A
7440-41-7	Beryllium	0.94	J 0.17	0.013	mg/Kg			1	6020A
7440-28-0	Thallium	0.52	0.17	0.0034	mg/Kg			1	6020A
7440-36-0	Antimony	2.5	J 0.34	0.0044	mg/Kg			1	6020A
7440-02-0	Nickel	41	0.17	0.019	mg/Kg			1	6020A
7440-66-6	Zinc	1500	J 0.84	0.11	mg/Kg		<del>P</del>	1	6020A
7440-50-8	Copper	140	0.34	0.055	mg/Kg			1	6020A
7439-97-6	Mercury	0.36	0.060	0.020	mg/Kg			1	7471A

NW 12/21/14

6

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-B02-FD Lab Sample ID: 180-37750-6  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/13/2014 12:10  
 Reporting Basis: DRY Date Received: 10/15/2014 09:30  
 % Solids: 27.1

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	7.1	J 0.46	0.015	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.063	0.0041	0.00013	umol/g			1	6010B
7440-50-8	Copper SEM	96	2.3	0.21	mg/Kg		✓	1	6010B
7440-50-8	Copper SEM	1.5	0.036	0.0033	umol/g		✓	1	6010B
7439-92-1	Lead SEM	150	1.8	0.36	mg/Kg			2	6010B
7439-92-1	Lead SEM	0.73	0.0089	0.0018	umol/g			2	6010B
7440-02-0	Nickel SEM	28	7.4	0.21	mg/Kg			2	6010B
7440-02-0	Nickel SEM	0.47	0.13	0.0036	umol/g			2	6010B
7440-66-6	Zinc SEM	1200	9.2	0.68	mg/Kg		✓	1	6010B
7440-66-6	Zinc SEM	19	0.14	0.010	umol/g		✓	1	6010B

MW 12/21/14

6

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-B02-FD

Lab Sample ID: 180-37750-6

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37750-1

SDG ID.:

Matrix: Sediment

Date Sampled: 10/13/2014 12:10

Reporting Basis: WET

Date Received: 10/15/2014 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.69	0.0010	0.0010	NONE			1	SEM

NW 12/21/14

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

7

Client Sample ID: SD-C01 Lab Sample ID: 180-37750-7  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/13/2014 15:30  
Reporting Basis: DRY Date Received: 10/15/2014 09:30  
% Solids: 67.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	1.6	0.065	0.012	mg/Kg			1	6020A
7440-43-9	Cadmium	0.73	0.065	0.0045	mg/Kg			1	6020A
7440-47-3	Chromium	32	0.13	0.0040	mg/Kg		<del>P</del>	1	6020A
7439-92-1	Lead	11	0.065	0.0025	mg/Kg		<del>P</del>	1	6020A
7782-49-2	Selenium	0.12	J 0.32	0.033	mg/Kg	<del>J</del>		1	6020A
7440-22-4	Silver	0.030	0.065	0.0025	mg/Kg	J		1	6020A
7440-41-7	Beryllium	0.056	J 0.065	0.0049	mg/Kg	<del>J</del>		1	6020A
7440-28-0	Thallium	0.034	0.065	0.0013	mg/Kg	J		1	6020A
7440-36-0	Antimony	0.13	J 0.13	0.0017	mg/Kg			1	6020A
7440-02-0	Nickel	2.7	0.065	0.0073	mg/Kg			1	6020A
7440-66-6	Zinc	98	J 0.32	0.042	mg/Kg		<del>P</del>	1	6020A
7440-50-8	Copper	5.6	0.13	0.021	mg/Kg			1	6020A
7439-97-6	Mercury	0.0079	0.023	0.0075	mg/Kg	J		1	7471A

MW 12/24/14

7

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-C01 Lab Sample ID: 180-37750-7  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/13/2014 15:30  
 Reporting Basis: DRY Date Received: 10/15/2014 09:30  
 % Solids: 67.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	0.65	J 0.18	0.0061	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.0058	0.0016	0.000054	umol/g			1	6010B
7440-50-8	Copper SEM	4.3	0.92	0.083	mg/Kg		<del>B</del>	1	6010B
7440-50-8	Copper SEM	0.067	0.015	0.0013	umol/g		<del>B</del>	1	6010B
7439-92-1	Lead SEM	7.3	0.37	0.073	mg/Kg			1	6010B
7439-92-1	Lead SEM	0.035	0.0018	0.00035	umol/g			1	6010B
7440-02-0	Nickel SEM	1.6	1.5	0.042	mg/Kg			1	6010B
7440-02-0	Nickel SEM	0.027	0.025	0.00072	umol/g			1	6010B
7440-66-6	Zinc SEM	90	3.7	0.27	mg/Kg		<del>B</del>	1	6010B
7440-66-6	Zinc SEM	1.4	0.056	0.0042	umol/g		<del>B</del>	1	6010B

NW 12/21/14

7

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-C01 Lab Sample ID: 180-37750-7  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/13/2014 15:30  
Reporting Basis: WET Date Received: 10/15/2014 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	NC	0.0010	0.0010	NONE			1	SEM

*MW 12/21/14*

8

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: SD-C02

Lab Sample ID: 180-37750-8

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37750-1

SDG ID.: \_\_\_\_\_

Matrix: Sediment

Date Sampled: 10/13/2014 14:50

Reporting Basis: DRY

Date Received: 10/15/2014 09:30

% Solids: 57.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	7.1	0.083	0.015	mg/Kg			1	6020A
7440-43-9	Cadmium	3.0	0.083	0.0058	mg/Kg			1	6020A
7440-47-3	Chromium	130	0.17	0.0051	mg/Kg		<del>P</del>	1	6020A
7439-92-1	Lead	51	0.083	0.0032	mg/Kg		<del>P</del>	1	6020A
7782-49-2	Selenium	0.77	J 0.42	0.042	mg/Kg			1	6020A
7440-22-4	Silver	0.23	J 0.083	0.0033	mg/Kg			1	6020A
7440-41-7	Beryllium	0.24	J 0.083	0.0063	mg/Kg			1	6020A
7440-28-0	Thallium	0.11	J 0.083	0.0017	mg/Kg			1	6020A
7440-36-0	Antimony	0.41	J 0.17	0.0022	mg/Kg			1	6020A
7440-02-0	Nickel	8.6	J 0.083	0.0094	mg/Kg			1	6020A
7440-66-6	Zinc	380	J 0.42	0.054	mg/Kg		<del>P</del>	1	6020A
7440-50-8	Copper	28	J 0.17	0.028	mg/Kg			1	6020A
7439-97-6	Mercury	0.086	J 0.028	0.0092	mg/Kg			1	7471A

MW 12/21/14



8

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-C02 Lab Sample ID: 180-37750-8  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/13/2014 14:50  
 Reporting Basis: DRY Date Received: 10/15/2014 09:30  
 % Solids: 57.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	2.9	J 0.22	0.0071	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.025	0.0019	0.000063	umol/g			1	6010B
7440-50-8	Copper SEM	23	1.1	0.097	mg/Kg		<del>B</del>	1	6010B
7440-50-8	Copper SEM	0.37	0.017	0.0015	umol/g		<del>B</del>	1	6010B
7439-92-1	Lead SEM	38	0.43	0.085	mg/Kg			1	6010B
7439-92-1	Lead SEM	0.18	0.0021	0.00041	umol/g			1	6010B
7440-02-0	Nickel SEM	7.4	1.7	0.049	mg/Kg			1	6010B
7440-02-0	Nickel SEM	0.13	0.029	0.00084	umol/g			1	6010B
7440-66-6	Zinc SEM	360	4.3	0.32	mg/Kg		<del>B</del>	1	6010B
7440-66-6	Zinc SEM	5.5	0.066	0.0049	umol/g		<del>B</del>	1	6010B

MW 2/21/14

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

8

Client Sample ID: SD-C02 Lab Sample ID: 180-37750-8  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/13/2014 14:50  
Reporting Basis: WET Date Received: 10/15/2014 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.60	0.0010	0.0010	NONE			1	SEM

W 12/21/14

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

9

Client Sample ID: SD-C03

Lab Sample ID: 180-37750-9

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37750-1

SDG ID.:

Matrix: Sediment

Date Sampled: 10/13/2014 14:30

Reporting Basis: DRY

Date Received: 10/15/2014 09:30

% Solids: 23.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	28	0.21	0.039	mg/Kg			1	6020A
7440-43-9	Cadmium	8.5	0.21	0.015	mg/Kg			1	6020A
7440-47-3	Chromium	800	0.43	0.013	mg/Kg			1	6020A
7439-92-1	Lead	250	0.21	0.0081	mg/Kg			1	6020A
7782-49-2	Selenium	3.1	J 1.1	0.11	mg/Kg			1	6020A
7440-22-4	Silver	1.7	0.21	0.0083	mg/Kg			1	6020A
7440-41-7	Beryllium	1.0	J 0.21	0.016	mg/Kg			1	6020A
7440-28-0	Thallium	0.54	0.21	0.0043	mg/Kg			1	6020A
7440-36-0	Antimony	2.6	J 0.43	0.0055	mg/Kg			1	6020A
7440-02-0	Nickel	46	0.21	0.024	mg/Kg			1	6020A
7440-66-6	Zinc	1500	J 1.1	0.14	mg/Kg			1	6020A
7440-50-8	Copper	170	0.43	0.070	mg/Kg			1	6020A
7439-97-6	Mercury	0.42	0.068	0.023	mg/Kg			1	7471A

MW 12/21/14

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

9

Client Sample ID: SD-C03 Lab Sample ID: 180-37750-9  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/13/2014 14:30  
Reporting Basis: DRY Date Received: 10/15/2014 09:30  
% Solids: 23.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	7.9	0.53	0.017	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.070	0.0047	0.00016	umol/g			1	6010B
7440-50-8	Copper SEM	55	2.7	0.24	mg/Kg			1	6010B
7440-50-8	Copper SEM	0.86	0.042	0.0038	umol/g			1	6010B
7439-92-1	Lead SEM	170	2.1	0.42	mg/Kg			2	6010B
7439-92-1	Lead SEM	0.84	0.010	0.0020	umol/g			2	6010B
7440-02-0	Nickel SEM	32	8.5	0.24	mg/Kg			2	6010B
7440-02-0	Nickel SEM	0.55	0.15	0.0042	umol/g			2	6010B
7440-66-6	Zinc SEM	1300	11	0.79	mg/Kg			1	6010B
7440-66-6	Zinc SEM	20	0.16	0.012	umol/g			1	6010B

10/12/14

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

9

Client Sample ID: SD-C03

Lab Sample ID: 180-37750-9

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37750-1

SDG ID.:

Matrix: Sediment

Date Sampled: 10/13/2014 14:30

Reporting Basis: WET

Date Received: 10/15/2014 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	1.0	0.0010	0.0010	NONE			1	SEM

MW 12/21/14

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-A01 Lab Sample ID: 180-37750-1  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/13/2014 11:45  
Reporting Basis: DRY Date Received: 10/15/2014 09:30  
% Solids: 68.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	ND	22	4.4	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	ND	0.68	0.14	umol/g			1	9034

MW 12/21/14

2

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-A02

Lab Sample ID: 180-37750-2

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37750-1

SDG ID.:

Matrix: Sediment

Date Sampled: 10/13/2014 11:15

Reporting Basis: DRY

Date Received: 10/15/2014 09:30

% Solids: 34.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	720	44	8.8	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	23	1.4	0.27	umol/g			1	9034

NW 12/21/14



3

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-A03 Lab Sample ID: 180-37750-3  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/13/2014 10:20  
Reporting Basis: DRY Date Received: 10/15/2014 09:30  
% Solids: 22.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	1300	66	13	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	40	2.1	0.41	umol/g			1	9034

4

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-B01 Lab Sample ID: 180-37750-4  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG ID.:  
Matrix: Sediment Date Sampled: 10/13/2014 12:50  
Reporting Basis: DRY Date Received: 10/15/2014 09:30  
% Solids: 70.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	ND	21	4.2	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	ND	0.66	0.13	umol/g			1	9034

m 12/21/14

5

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-B02 Lab Sample ID: 180-37750-5  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/13/2014 12:10  
Reporting Basis: DRY Date Received: 10/15/2014 09:30  
% Solids: 24.0

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	1200	62	12	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	38	1.9	0.39	umol/g			1	9034

MW 12/21/14

6

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-B02-FD

Lab Sample ID: 180-37750-6

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37750-1

SDG ID.:

Matrix: Sediment

Date Sampled: 10/13/2014 12:10

Reporting Basis: DRY

Date Received: 10/15/2014 09:30

% Solids: 27.1

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	990	55	11	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	31	1.7	0.34	umol/g			1	9034

MW 12/21/14

7

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-C01

Lab Sample ID: 180-37750-7

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37750-1

SDG ID.:

Matrix: Sediment

Date Sampled: 10/13/2014 15:30

Reporting Basis: DRY

Date Received: 10/15/2014 09:30

% Solids: 67.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	ND	22	4.4	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	ND	0.69	0.14	umol/g			1	9034

MW/12/21/14

8

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-C02 Lab Sample ID: 180-37750-8  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/13/2014 14:50  
Reporting Basis: DRY Date Received: 10/15/2014 09:30  
% Solids: 57.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	330	26	5.2	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	10	0.81	0.16	umol/g			1	9034

*MW 12/21/14*  
Page 2079 of 2472

9

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-C03 Lab Sample ID: 180-37750-9  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/13/2014 14:30  
Reporting Basis: DRY Date Received: 10/15/2014 09:30  
% Solids: 23.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	700	64	13	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	22	2.0	0.40	umol/g			1	9034



1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-A01 Lab Sample ID: 180-37750-1  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/13/2014 11:45  
Reporting Basis: DRY Date Received: 10/15/2014 09:30  
% Solids: 68.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	0.12	0.36	0.12	mg/Kg	J		1	9014
7440-44-0	Total Organic Carbon - Duplicates	2700	1500	130	mg/Kg			1	Lloyd Kahn

*MW 12/21/14*

2

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-A02 Lab Sample ID: 180-37750-2  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG ID.:  
Matrix: Sediment Date Sampled: 10/13/2014 11:15  
Reporting Basis: DRY Date Received: 10/15/2014 09:30  
% Solids: 34.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	ND	0.73	0.24	mg/Kg			1	9014
7440-44-0	Total Organic Carbon - Duplicates	42000	2900	260	mg/Kg			1	Lloyd Kahn

NW 12/21/14

3

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-A03 Lab Sample ID: 180-37750-3  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/13/2014 10:20  
Reporting Basis: DRY Date Received: 10/15/2014 09:30  
% Solids: 22.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	ND	1.1	0.36	mg/Kg			1	9014
7440-44-0	Total Organic Carbon - Duplicates	62000	4400	390	mg/Kg			1	Lloyd Kahn

11/21/14

4

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-B01 Lab Sample ID: 180-37750-4  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/13/2014 12:50  
Reporting Basis: DRY Date Received: 10/15/2014 09:30  
% Solids: 70.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	ND	0.35	0.12	mg/Kg			1	9014
	HEM	260	240	33	mg/Kg			1	9071B
7440-44-0	Total Organic Carbon - Duplicates	2400	1400	130	mg/Kg			1	Lloyd Kahn

*NW 12/21/14*

5

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-B02 Lab Sample ID: 180-37750-5  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG ID.:  
Matrix: Sediment Date Sampled: 10/13/2014 12:10  
Reporting Basis: DRY Date Received: 10/15/2014 09:30  
% Solids: 24.0

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	ND	1.0	0.33	mg/Kg			1	9014
	HEM	12000	690	96	mg/Kg			1	9071B
7440-44-0	Total Organic Carbon - Duplicates	63000	4200	370	mg/Kg			1	Lloyd Kahn

M/12/21/14

6

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-B02-FD Lab Sample ID: 180-37750-6  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/13/2014 12:10  
Reporting Basis: DRY Date Received: 10/15/2014 09:30  
% Solids: 27.1

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	ND	0.95	0.31	mg/Kg			1	9014
	HEM	12000	610	85	mg/Kg			1	9071B
7440-44-0	Total Organic Carbon - Duplicates	55000	3700	330	mg/Kg			1	Lloyd Kahn

NW 12/21/14  
Page 2074 of 2472

7

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-C01 Lab Sample ID: 180-37750-7  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/13/2014 15:30  
Reporting Basis: DRY Date Received: 10/15/2014 09:30  
% Solids: 67.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	ND	0.37	0.12	mg/Kg			1	9014
	HEM	310	240	34	mg/Kg			1	9071B
7440-44-0	Total Organic Carbon - Duplicates	3100	1500	130	mg/Kg			1	Lloyd Kahn

MW 12/21/14

8

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-C02 Lab Sample ID: 180-37750-8  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/13/2014 14:50  
Reporting Basis: DRY Date Received: 10/15/2014 09:30  
% Solids: 57.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	0.36	0.42	0.14	mg/Kg	J		1	9014
	HEM	1600	280	39	mg/Kg		<del>P</del>	1	9071B
7440-44-0	Total Organic Carbon - Duplicates	16000	1700	150	mg/Kg			1	Lloyd Kahn

NW 12/21/14



9

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-C03 Lab Sample ID: 180-37750-9  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37750-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/13/2014 14:30  
Reporting Basis: DRY Date Received: 10/15/2014 09:30  
% Solids: 23.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	1.5	1.0	0.34	mg/Kg			1	9014
	HEM	18000	710	99	mg/Kg		<del>1</del>	1	9071B
7440-44-0	Total Organic Carbon - Duplicates	63000	4300	380	mg/Kg			1	Lloyd Kahn

*NW 12/21/14*

**DATA VALIDATION SUMMARY REPORT  
SPARROWS POINT, MARYLAND**

Client: EA Engineering, Science & Technology, Hunt Valley, Maryland  
SDG: J37760  
Laboratory: TestAmerica, Pittsburgh, Pennsylvania  
Site: Sparrows Point Trust Offshore Investigation, Maryland  
Date: December 21, 2014

VOC/SVOC/PCB/HEM			
EDS ID	Client Sample ID	Laboratory Sample ID	Matrix
7	SD-F01	180-37760-7	Sediment
9	SD-F02	180-37760-9	Sediment
10	SD-G01	180-37760-10	Sediment
11	SD-G02	180-37760-11	Sediment
12	SD-H01	180-37760-12	Sediment
13	SD-H02	180-37760-13	Sediment
14	SD-H03	180-37760-14	Sediment

PAH - LL			
EDS ID	Client Sample ID	Laboratory Sample ID	Matrix
1	SD-D01	180-37760-1	Sediment
2	SD-D02	180-37760-2	Sediment
3	SD-E01	180-37760-3	Sediment
4	SD-E02	180-37760-4	Sediment
5	SD-E03	180-37760-5	Sediment

Metals/AVS/SEM/Cyanide/TOC			
EDS ID	Client Sample ID	Laboratory Sample ID	Matrix
1	SD-D01	180-37760-1	Sediment
1MS*	SD-D01MS	180-37760-1MS	Sediment
1MSD*	SD-D01MSD	180-37760-1MSD	Sediment
2	SD-D02	180-37760-2	Sediment
3	SD-E01	180-37760-3	Sediment
4	SD-E02	180-37760-4	Sediment
4MS**	SD-E02MS	180-37760-4MS	Sediment
4MSD**	SD-E02MSD	180-37760-4MSD	Sediment
5	SD-E03	180-37760-5	Sediment
7	SD-F01	180-37760-7	Sediment
8	SD-F01-FD	180-37760-8	Sediment
9	SD-F02	180-37760-9	Sediment
10	SD-G01	180-37760-10	Sediment
11	SD-G02	180-37760-11	Sediment
12	SD-H01	180-37760-12	Sediment
13	SD-H02	180-37760-13	Sediment
14	SD-H03	180-37760-14	Sediment

\* - Cyanide only

\*\* - AVS/SEM only

A full data validation was performed on the analytical data for thirteen sediment samples collected on October 14, 2014 by EA Engineering at the Sparrows Point site in Maryland. The samples were analyzed under the Environmental Protection Agency (USEPA) "Test Methods for the Evaluation of Solid Waste, USEPA SW-846, Third Edition, September 1986, with revisions".

Specific method references are as follows:

<u>Analysis</u>	<u>Method References</u>
VOCs	USEPA SW-846 Method 8260C
SVOCs	USEPA SW-846 Method 8270D
PAH	USEPA SW-846 Method 8270D LL
PCBs	USEPA SW-846 Method 8082A
Metals/Hg	USEPA SW-846 Methods 6020A/7471A
AVS/SEM	USEPA SW-846 Methods 6010C/7471A/AVS
Cyanide	USEPA SW-846 Method 9014
TOC	USEPA Method Lloyd Kahn
HEM (Oil & Grease)	USEPA SW-846 Method 9071B

The data have been validated according to the protocols and quality control (QC) requirements of the analytical methods, the USEPA National Functional Guidelines for Organic and Inorganic Data Review as follows:

- The USEPA "Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review," June 2008;
- The USEPA "Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review," January 2010;
- and the reviewer's professional judgment.

### ***Organics***

- Holding times and sample preservation
- Gas Chromatography/Mass Spectroscopy (GC/MS) Tuning
- Initial and continuing calibration summaries
- Method blank and field blank contamination
- Surrogate Spike recoveries
- Matrix Spike/Matrix Spike Duplicate (MS/MSD) recoveries
- Laboratory Control Sample (LCS) recoveries
- Internal standard area and retention time summary forms
- Compound Quantitation
- Tentatively Identified Compounds (TICs)
- Field Duplicate sample precision

### ***Inorganics***

- Holding times and sample preservation
- ICP/MS Tuning
- Initial and continuing calibration verifications
- Method blank and field blank contamination
- ICP Interference Check Sample

- Laboratory Control Sample (LCS) recoveries
- Matrix Spike Analysis
- Duplicate Sample Analysis
- ICP Serial Dilution
- Compound Quantitation
- Field Duplicate sample precision

### **Overall Usability Issues:**

There were no rejections of data.

Overall the data is acceptable for the intended purposes as qualified for the deficiencies detailed in this report.

Please note that any results qualified (U) due to blank contamination may be then qualified (J) due to another action. Therefore, the results may be qualified (UJ) due to the culmination of the blank contaminations and actions from other exceedences of QC criteria.

### **Volatile Organic Compounds (VOCs)**

#### **Holding Times**

- All samples were analyzed within 14 days for sediment samples.

#### **GC/MS Tuning**

- All criteria were met.

#### **Initial Calibration**

- The initial calibrations exhibited acceptable %RSD and/or correlation coefficients and mean RRF values.

#### **Continuing Calibration**

- The continuing calibrations exhibited acceptable %D and RRF values except the following.

CCAL Date	Compound	%D/RRF	Qualifier	Affected Samples
10/21/14	Bromomethane	28.6%	J/UJ	13, 14
	Carbon Tetrachloride	27.2%	J/UJ	
	1,2-Dichloroethane	30.6%	J/UJ	

### **Method Blank**

- The method blanks exhibited the following contamination.

Blank ID	Compound	Conc. ug/kg	Qualifier	Affected Samples
180-122108/1-A	Methylene Chloride	1.85	None	All ND
	Toluene	1.17	U	13

### **Field Blank**

- The field QC samples were not collected.

### **Surrogate Spike Recoveries**

- All samples exhibited acceptable surrogate recoveries.

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- A MS/MSD sample was not collected.

### **Laboratory Control Samples**

- The LCS samples exhibited acceptable %R values.

### **Internal Standard (IS) Area Performance**

- All internal standards met response and retention time (RT) criteria.

### **Compound Quantitation**

- All criteria were met.

### **Tentatively Identified Compounds (TICs)**

- TICs were not reported.

### **Field Duplicate Sample Precision**

- Field duplicate samples were not collected.

## **Semivolatile Organic Compounds (SVOCs)**

### **Holding Times**

- All samples were extracted within 14 days for sediment samples and analyzed within 40 days for all samples.

### **GC/MS Tuning**

- All criteria were met.

### **Initial Calibration**

- The initial calibrations exhibited acceptable %RSD and/or correlation coefficients and mean RRF values.

### **Continuing Calibration**

- The continuing calibrations exhibited acceptable %D and RRF values.

### **Method Blank**

- The method blanks were free of contamination.

### **Field Blank**

- Field QC samples were not collected.

### **Surrogate Spike Recoveries**

- All samples exhibited acceptable surrogate recoveries except the following.

Sample ID	Surrogate	%R	Qualifier
7	2-Fluorophenol	25%	None for only 1 out
10-14	All Surrogates	"0D"	None - Diluted out

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- A MS/MSD sample was not collected.

### **Laboratory Control Samples**

- The LCS samples exhibited acceptable %R values.

### **Internal Standard (IS) Area Performance**

- All internal standards met response and retention time (RT) criteria except the following.

Sample ID	Internal Standard	Area Count	Qualifier
7	IS3-Acenaphthene-d10	Low	J/UJ - Associated Compounds
10	IS3-Acenaphthene-d10	Low	J/UJ - Associated Compounds
	IS4-Phenanthrene-d10	Low	
11	IS3-Acenaphthene-d10	Low	J/UJ - Associated Compounds
	IS4-Phenanthrene-d10	Low	
12	IS3-Acenaphthene-d10	Low	J/UJ - Associated Compounds
	IS4-Phenanthrene-d10	Low	
13	IS3-Acenaphthene-d10	Low	J/UJ - Associated Compounds
	IS4-Phenanthrene-d10	Low	
14	IS3-Acenaphthene-d10	Low	J/UJ - Associated Compounds
	IS4-Phenanthrene-d10	Low	

### **Compound Quantitation**

- Several samples were analyzed at various dilutions due to high concentrations of target compounds. The reporting limits were adjusted accordingly. No action was taken by the reviewer.

### **Tentatively Identified Compounds (TICs)**

- TICs were not reported.

### **Field Duplicate Sample Precision**

- Field duplicate samples were not collected.

## **Polynuclear Aromatic Hydrocarbons (PAH)**

### **Holding Times**

- All samples were extracted within 14 days for sediment samples and analyzed within 40 days for all samples.

### **GC/MS Tuning**

- All criteria were met.

### **Initial Calibration**

- The initial calibrations exhibited acceptable %RSD and/or correlation coefficients and mean RRF values.

### **Continuing Calibration**

- The continuing calibrations exhibited acceptable %D and RRF values.

### **Method Blank**

- The method blanks were free of contamination.

### **Field Blank**

- Field QC samples were not collected.

### **Surrogate Spike Recoveries**

- All samples exhibited acceptable surrogate recoveries except the following.

Sample ID	Surrogate	%R	Qualifier
5	All Surrogates	"0D"	None - Diluted out

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- A MS/MSD sample was not collected.



### **Laboratory Control Samples**

- The LCS samples exhibited acceptable %R values.

### **Internal Standard (IS) Area Performance**

- All internal standards met response and retention time (RT) criteria.

### **Compound Quantitation**

- Several samples were analyzed at various dilutions due to high concentrations of target compounds. The reporting limits were adjusted accordingly. No action was taken by the reviewer.

### **Field Duplicate Sample Precision**

- Field duplicate samples were not collected.

## **Polychlorinated Biphenyls (PCBs)**

### **Holding Times**

- All samples were extracted within 14 days for sediment samples and analyzed within 40 days.

### **Initial Calibration**

- All %RSD and/or correlation coefficient criteria were met.

### **Continuing Calibration**

- All %D criteria were met.

### **Method Blank**

- The method blanks were free of contamination.

### **Field Blank**

- Field QC samples were not collected.

### **Surrogate Spike Recoveries**

- All samples exhibited acceptable surrogate recoveries except the following.

Sample ID	Surrogate	%R	Qualifier
All Samples	DCB	High	None - All 10X dilutions

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- A MS/MSD sample was not analyzed.

### **Laboratory Control Samples**

- The LCS sample exhibited acceptable %R values.

### **Compound Quantitation**

- Several samples were analyzed at various dilutions due to high concentrations of target compounds. The reporting limits were adjusted accordingly. No action was taken by the reviewer.

### **Field Duplicate Sample Precision**

- Field duplicate samples were not collected.

### **GC Column Difference Results**

- EDS Sample ID# 14 exhibited high %D values > 25% between columns for aroclor-1248 and aroclor-1260 and have been qualified as estimated (J) by the reviewer.

## **Metals & Mercury**

### **Holding Times**

- All samples were prepared and analyzed within 28 days for mercury and 180 days for all other metals.

### **ICP/MS Tuning**

- All criteria were met.

### **Initial Calibration Verification**

- All initial calibration criteria were met.

### **Continuing Calibration Verification**

- All continuing calibration criteria were met.

### **Method Blank**

- The method blanks exhibited the following contamination.

Blank ID	Compound	Conc. mg/kg	Qualifier	Affected Samples
180-123407/1-A	Chromium	0.0212	None	All >10X
	Antimony	0.0033	None	All >10X

### **Field Blank**

- Field QC samples were not collected.

### **ICP Interference Check Sample**

- The ICP ICS exhibited acceptable recoveries.

### **Laboratory Control Samples**

- The LCS sample exhibited acceptable recoveries.

### Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries

- A MS/MSD sample was not collected.

### ICP Serial Dilution

- ICP serial dilution percent differences (%D) were within acceptance limits.

### Compound Quantitation

- All samples were analyzed at various dilutions due to matrix interference and/or high concentrations of target compounds. The reporting limits were adjusted accordingly. No action was required by the reviewer.

### Field Duplicate Sample Precision

- Field duplicate results are summarized below.

Metals/Hg				
Compound	SD-F01 mg/kg	SD-F01-FD mg/kg	RPD	Qualifier
Arsenic	9.7	10	3%	None
Cadmium	4.0	4.1	2%	
Chromium	530	530	0%	
Lead	110	110	0%	
Selenium	0.54	0.56	4%	
Silver	1.1	1.0	10%	
Beryllium	0.18	0.16	12%	
Thallium	0.12	0.11	9%	
Antimony	1.1	1.1	0%	
Nickel	19	19	0%	
Zinc	850	850	0%	
Copper	77	80	4%	
Mercury	0.26	0.17	42%	

## **Oil & Grease, Total Organic Carbon, AVS/SEM (Metals), Cyanide**

### **Holding Times**

- All samples were analyzed within the recommended holding time for each analysis.

### **Initial and Continuing Calibration**

- All %R criteria were met.

### **Method Blank**

- The method blanks exhibited the following contamination.

Blank ID	Compound	Conc. mg/kg	Qualifier	Affected Samples
180-121962/1-A	Copper SEM	0.123	None	All >10X
	Zinc SEM	0.856	None	All >10X
180-122889/1-A	Copper SEM	0.146	None	All >10X
	Lead SEM	0.135	None	All >10X
	Nickel SEM	0.127	None	All >10X
180-122780/1-A	HEM	26.7	None	All >5X

### **Field Blank**

- Field QC samples were not collected.

### **Laboratory Control Samples**

- The LCS samples exhibited acceptable %R values.

### **Matrix Spike/Duplicate (MS/DUP) Recoveries**

- The MS/MSD samples exhibited acceptable %R and RPD values except the following.

MS/DUP Sample ID	Compound	MS %R/RPD	Qualifier	Affected Samples
4	Copper SEM	OK/64%/25	J/UJ	All Samples
	Zinc SEM	250%/-134%/42	None	4X Rule

### **Compound Quantitation**

- All criteria were met.

### Field Duplicate Sample Precision


- Field duplicate results are summarized below.

AVS/SEM				
Compound	SD-F01 mg/kg	SD-F01-FD mg/kg	RPD	Qualifier
Cadmium SEM	9.5	3.1	102%	J
Copper SEM	110	29	117%	J
Lead SEM	170	43	119%	J
Nickel SEM	28	8.3	109%	J
Zinc SEM	1700	600	96%	None
SEM/AVS Ratio	0.92	0.40	79%	
Acid Volatile Sulfides (AVS)	1000	810	21%	

Cyanide/TOC				
Compound	SD-F01 mg/kg	SD-F01-FD mg/kg	RPD	Qualifier
Cyanide	0.40	0.22	58%	None
TOC	18000	20000	11%	

Please contact the undersigned at (757) 564-0090 if you have any questions or need further information.

Signed:

  
Nancy Weaver  
Senior Chemist

Dated: 12/22/14

## **Data Qualifiers**

- U = The analyte was analyzed for, but was not detected at a level greater than or equal to the level of the adjusted Contract Required Quantitation Limit (CRQL) for sample and method.
- UJ = The analyte was not detected at a level greater than or equal to the adjusted CRQL. However, the reported adjusted CRQL is approximate and may be inaccurate or imprecise.
- J = The analyte was positively identified and the associated numerical value is the approximate concentration of the analyte in the sample (due either to the quality of the data generated because certain quality control criteria were not met, or the concentration of the analyte was below the CRQL).
- J+ = The result is an estimated quantity, but the result may be biased high.
- J- = The result is an estimated quantity, but the result may be biased low.
- R = The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte may or may not be present in the sample.
- NJ = The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.



7

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-F01 Lab Sample ID: 180-37760-7

Matrix: Sediment Lab File ID: 3102309.D

Analysis Method: 8260C Date Collected: 10/14/2014 15:10

Sample wt/vol: 5.0011(g) Date Analyzed: 10/23/2014 07:43

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)

% Moisture: 39.1 Level: (low/med) Low

Analysis Batch No.: 122436 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		8.2	0.80
79-34-5	1,1,2,2-Tetrachloroethane	ND		8.2	1.2
79-00-5	1,1,2-Trichloroethane	ND		8.2	1.4
75-34-3	1,1-Dichloroethane	ND		8.2	0.94
75-35-4	1,1-Dichloroethene	ND		8.2	1.4
95-50-1	1,2-Dichlorobenzene	ND		8.2	1.3
107-06-2	1,2-Dichloroethane	ND		8.2	1.0
78-87-5	1,2-Dichloropropane	ND		8.2	0.89
541-73-1	1,3-Dichlorobenzene	ND		8.2	1.1
106-46-7	1,4-Dichlorobenzene	ND		8.2	1.0
110-75-8	2-Chloroethyl vinyl ether	ND		16	1.3
107-02-8	Acrolein	ND		160	12
107-13-1	Acrylonitrile	ND		160	17
71-43-2	Benzene	ND		8.2	1.1
75-25-2	Bromoform	ND		8.2	0.73
74-83-9	Bromomethane	ND		8.2	1.2
56-23-5	Carbon tetrachloride	ND		8.2	0.73
108-90-7	Chlorobenzene	ND		8.2	1.2
67-66-3	Chloroform	ND		8.2	0.96
74-87-3	Chloromethane	ND		8.2	1.4
124-48-1	Chlorodibromomethane	ND		8.2	1.2
10061-01-5	cis-1,3-Dichloropropene	ND		8.2	1.1
75-27-4	Dichlorobromomethane	ND		8.2	0.92
100-41-4	Ethylbenzene	ND		8.2	1.1
75-09-2	Methylene Chloride	ND		8.2	1.1
127-18-4	Tetrachloroethene	ND		8.2	1.1
108-88-3	Toluene	1.8	J	8.2	1.2
156-60-5	trans-1,2-Dichloroethene	ND		8.2	0.98
10061-02-6	trans-1,3-Dichloropropene	ND		8.2	0.98
79-01-6	Trichloroethene	ND		8.2	1.1
75-01-4	Vinyl chloride	ND		8.2	0.77
75-00-3	Chloroethane	ND		8.2	2.5

7

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-F01 Lab Sample ID: 180-37760-7  
 Matrix: Sediment Lab File ID: 3102309.D  
 Analysis Method: 8260C Date Collected: 10/14/2014 15:10  
 Sample wt/vol: 5.0011(g) Date Analyzed: 10/23/2014 07:43  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 39.1 Level: (low/med) Low  
 Analysis Batch No.: 122436 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	102		52-124
460-00-4	4-Bromofluorobenzene (Surr)	93		63-120
1868-53-7	Dibromofluoromethane (Surr)	110		68-121
2037-26-5	Toluene-d8 (Surr)	111		72-127

9

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-F02 Lab Sample ID: 180-37760-9

Matrix: Sediment Lab File ID: 3102310.D

Analysis Method: 8260C Date Collected: 10/14/2014 15:45

Sample wt/vol: 5.0025(g) Date Analyzed: 10/23/2014 08:05

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)

% Moisture: 30.7 Level: (low/med) Low

Analysis Batch No.: 122436 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		7.2	0.70
79-34-5	1,1,2,2-Tetrachloroethane	ND		7.2	1.0
79-00-5	1,1,2-Trichloroethane	ND		7.2	1.2
75-34-3	1,1-Dichloroethane	ND		7.2	0.83
75-35-4	1,1-Dichloroethene	ND		7.2	1.2
95-50-1	1,2-Dichlorobenzene	ND		7.2	1.1
107-06-2	1,2-Dichloroethane	ND		7.2	0.88
78-87-5	1,2-Dichloropropane	ND		7.2	0.78
541-73-1	1,3-Dichlorobenzene	ND		7.2	0.95
106-46-7	1,4-Dichlorobenzene	ND		7.2	0.92
110-75-8	2-Chloroethyl vinyl ether	ND		14	1.1
107-02-8	Acrolein	ND		140	10
107-13-1	Acrylonitrile	ND		140	15
71-43-2	Benzene	ND		7.2	0.97
75-25-2	Bromoform	ND		7.2	0.64
74-83-9	Bromomethane	ND		7.2	1.1
56-23-5	Carbon tetrachloride	ND		7.2	0.64
108-90-7	Chlorobenzene	ND		7.2	1.1
67-66-3	Chloroform	ND		7.2	0.84
74-87-3	Chloromethane	ND		7.2	1.2
124-48-1	Chlorodibromomethane	ND		7.2	1.0
10061-01-5	cis-1,3-Dichloropropene	ND		7.2	0.98
75-27-4	Dichlorobromomethane	ND		7.2	0.81
100-41-4	Ethylbenzene	ND		7.2	0.93
75-09-2	Methylene Chloride	ND		7.2	0.97
127-18-4	Tetrachloroethene	ND		7.2	0.98
108-88-3	Toluene	1.6	J	7.2	1.1
156-60-5	trans-1,2-Dichloroethene	ND		7.2	0.86
10061-02-6	trans-1,3-Dichloropropene	ND		7.2	0.86
79-01-6	Trichloroethene	ND		7.2	0.95
75-01-4	Vinyl chloride	ND		7.2	0.68
75-00-3	Chloroethane	ND		7.2	2.2

9

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-F02 Lab Sample ID: 180-37760-9  
Matrix: Sediment Lab File ID: 3102310.D  
Analysis Method: 8260C Date Collected: 10/14/2014 15:45  
Sample wt/vol: 5.0025(g) Date Analyzed: 10/23/2014 08:05  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 30.7 Level: (low/med) Low  
Analysis Batch No.: 122436 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	92		52-124
460-00-4	4-Bromofluorobenzene (Surr)	96		63-120
1868-53-7	Dibromofluoromethane (Surr)	104		68-121
2037-26-5	Toluene-d8 (Surr)	109		72-127

10

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G01 Lab Sample ID: 180-37760-10

Matrix: Sediment Lab File ID: 3102311.D

Analysis Method: 8260C Date Collected: 10/14/2014 13:15

Sample wt/vol: 5.0012(g) Date Analyzed: 10/23/2014 08:28

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)

% Moisture: 62.1 Level: (low/med) Low

Analysis Batch No.: 122436 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		13	1.3
79-34-5	1,1,2,2-Tetrachloroethane	ND		13	1.9
79-00-5	1,1,2-Trichloroethane	ND		13	2.2
75-34-3	1,1-Dichloroethane	ND		13	1.5
75-35-4	1,1-Dichloroethene	ND		13	2.2
95-50-1	1,2-Dichlorobenzene	ND		13	2.1
107-06-2	1,2-Dichloroethane	ND		13	1.6
78-87-5	1,2-Dichloropropane	ND		13	1.4
541-73-1	1,3-Dichlorobenzene	ND		13	1.7
106-46-7	1,4-Dichlorobenzene	ND		13	1.7
110-75-8	2-Chloroethyl vinyl ether	ND		26	2.0
107-02-8	Acrolein	ND		260	19
107-13-1	Acrylonitrile	ND		260	27
71-43-2	Benzene	ND		13	1.8
75-25-2	Bromoform	ND		13	1.2
74-83-9	Bromomethane	ND		13	1.9
56-23-5	Carbon tetrachloride	ND		13	1.2
108-90-7	Chlorobenzene	ND		13	2.0
67-66-3	Chloroform	ND		13	1.5
74-87-3	Chloromethane	ND		13	2.2
124-48-1	Chlorodibromomethane	ND		13	1.9
10061-01-5	cis-1,3-Dichloropropene	ND		13	1.8
75-27-4	Dichlorobromomethane	ND		13	1.5
100-41-4	Ethylbenzene	2.1	J	13	1.7
75-09-2	Methylene Chloride	ND		13	1.8
127-18-4	Tetrachloroethene	ND		13	1.8
108-88-3	Toluene	3.6	J	13	1.9
156-60-5	trans-1,2-Dichloroethene	ND		13	1.6
10061-02-6	trans-1,3-Dichloropropene	ND		13	1.6
79-01-6	Trichloroethene	ND		13	1.7
75-01-4	Vinyl chloride	ND		13	1.2
75-00-3	Chloroethane	ND		13	4.1

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G01 Lab Sample ID: 180-37760-10  
 Matrix: Sediment Lab File ID: 3102311.D  
 Analysis Method: 8260C Date Collected: 10/14/2014 13:15  
 Sample wt/vol: 5.0012(g) Date Analyzed: 10/23/2014 08:28  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 62.1 Level: (low/med) Low  
 Analysis Batch No.: 122436 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	99		52-124
460-00-4	4-Bromofluorobenzene (Surr)	94		63-120
1868-53-7	Dibromofluoromethane (Surr)	105		68-121
2037-26-5	Toluene-d8 (Surr)	116		72-127

11

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G02 Lab Sample ID: 180-37760-11

Matrix: Sediment Lab File ID: 3102312.D

Analysis Method: 8260C Date Collected: 10/14/2014 16:20

Sample wt/vol: 5.0007(g) Date Analyzed: 10/23/2014 08:50

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)

% Moisture: 74.9 Level: (low/med) Low

Analysis Batch No.: 122436 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		20	1.9
79-34-5	1,1,2,2-Tetrachloroethane	ND		20	2.9
79-00-5	1,1,2-Trichloroethane	ND		20	3.3
75-34-3	1,1-Dichloroethane	ND		20	2.3
75-35-4	1,1-Dichloroethene	ND		20	3.4
95-50-1	1,2-Dichlorobenzene	8.8	J	20	3.2
107-06-2	1,2-Dichloroethane	ND		20	2.4
78-87-5	1,2-Dichloropropane	ND		20	2.2
541-73-1	1,3-Dichlorobenzene	ND		20	2.6
106-46-7	1,4-Dichlorobenzene	ND		20	2.5
110-75-8	2-Chloroethyl vinyl ether	ND		40	3.1
107-02-8	Acrolein	ND		400	28
107-13-1	Acrylonitrile	ND		400	41
71-43-2	Benzene	ND		20	2.7
75-25-2	Bromoform	ND		20	1.8
74-83-9	Bromomethane	ND		20	2.9
56-23-5	Carbon tetrachloride	ND		20	1.8
108-90-7	Chlorobenzene	16	J	20	3.0
67-66-3	Chloroform	ND		20	2.3
74-87-3	Chloromethane	ND		20	3.4
124-48-1	Chlorodibromomethane	ND		20	2.8
10061-01-5	cis-1,3-Dichloropropene	ND		20	2.7
75-27-4	Dichlorobromomethane	ND		20	2.2
100-41-4	Ethylbenzene	5.8	J	20	2.6
75-09-2	Methylene Chloride	ND		20	2.7
127-18-4	Tetrachloroethene	ND		20	2.7
108-88-3	Toluene	5.3	J	20	2.9
156-60-5	trans-1,2-Dichloroethene	ND		20	2.4
10061-02-6	trans-1,3-Dichloropropene	ND		20	2.4
79-01-6	Trichloroethene	ND		20	2.6
75-01-4	Vinyl chloride	ND		20	1.9
75-00-3	Chloroethane	ND		20	6.2

11

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-G02 Lab Sample ID: 180-37760-11  
Matrix: Sediment Lab File ID: 3102312.D  
Analysis Method: 8260C Date Collected: 10/14/2014 16:20  
Sample wt/vol: 5.0007(g) Date Analyzed: 10/23/2014 08:50  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 74.9 Level: (low/med) Low  
Analysis Batch No.: 122436 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	99		52-124
460-00-4	4-Bromofluorobenzene (Surr)	91		63-120
1868-53-7	Dibromofluoromethane (Surr)	107		68-121
2037-26-5	Toluene-d8 (Surr)	113		72-127



12

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H01 Lab Sample ID: 180-37760-12

Matrix: Sediment Lab File ID: 3102313.D

Analysis Method: 8260C Date Collected: 10/14/2014 12:20

Sample wt/vol: 5.0028(g) Date Analyzed: 10/23/2014 09:13

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)

% Moisture: 57.1 Level: (low/med) Low

Analysis Batch No.: 122436 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		12	1.1
79-34-5	1,1,2,2-Tetrachloroethane	ND		12	1.7
79-00-5	1,1,2-Trichloroethane	ND		12	1.9
75-34-3	1,1-Dichloroethane	ND		12	1.3
75-35-4	1,1-Dichloroethene	ND		12	2.0
95-50-1	1,2-Dichlorobenzene	ND		12	1.9
107-06-2	1,2-Dichloroethane	ND		12	1.4
78-87-5	1,2-Dichloropropane	ND		12	1.3
541-73-1	1,3-Dichlorobenzene	ND		12	1.5
106-46-7	1,4-Dichlorobenzene	ND		12	1.5
110-75-8	2-Chloroethyl vinyl ether	ND		23	1.8
107-02-8	Acrolein	ND		230	16
107-13-1	Acrylonitrile	ND		230	24
71-43-2	Benzene	ND		12	1.6
75-25-2	Bromoform	ND		12	1.0
74-83-9	Bromomethane	ND		12	1.7
56-23-5	Carbon tetrachloride	ND		12	1.0
108-90-7	Chlorobenzene	ND		12	1.8
67-66-3	Chloroform	ND		12	1.4
74-87-3	Chloromethane	ND		12	2.0
124-48-1	Chlorodibromomethane	ND		12	1.7
10061-01-5	cis-1,3-Dichloropropene	ND		12	1.6
75-27-4	Dichlorobromomethane	ND		12	1.3
100-41-4	Ethylbenzene	ND		12	1.5
75-09-2	Methylene Chloride	ND		12	1.6
127-18-4	Tetrachloroethene	ND		12	1.6
108-88-3	Toluene	2.6	J	12	1.7
156-60-5	trans-1,2-Dichloroethene	ND		12	1.4
10061-02-6	trans-1,3-Dichloropropene	ND		12	1.4
79-01-6	Trichloroethene	ND		12	1.5
75-01-4	Vinyl chloride	ND		12	1.1
75-00-3	Chloroethane	ND		12	3.6

12

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H01 Lab Sample ID: 180-37760-12  
Matrix: Sediment Lab File ID: 3102313.D  
Analysis Method: 8260C Date Collected: 10/14/2014 12:20  
Sample wt/vol: 5.0028(g) Date Analyzed: 10/23/2014 09:13  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 57.1 Level: (low/med) Low  
Analysis Batch No.: 122436 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	104		52-124
460-00-4	4-Bromofluorobenzene (Surr)	95		63-120
1868-53-7	Dibromofluoromethane (Surr)	111		68-121
2037-26-5	Toluene-d8 (Surr)	119		72-127

13

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H02 Lab Sample ID: 180-37760-13

Matrix: Sediment Lab File ID: 3102127.D

Analysis Method: 8260C Date Collected: 10/14/2014 12:55

Sample wt/vol: 5.0019(g) Date Analyzed: 10/21/2014 14:37

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)

% Moisture: 58.5 Level: (low/med) Low

Analysis Batch No.: 122102 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		12	1.2
79-34-5	1,1,2,2-Tetrachloroethane	ND		12	1.7
79-00-5	1,1,2-Trichloroethane	ND		12	2.0
75-34-3	1,1-Dichloroethane	ND		12	1.4
75-35-4	1,1-Dichloroethene	ND		12	2.0
95-50-1	1,2-Dichlorobenzene	ND		12	1.9
107-06-2	1,2-Dichloroethane	ND	UJ	12	1.5
78-87-5	1,2-Dichloropropane	ND		12	1.3
541-73-1	1,3-Dichlorobenzene	ND		12	1.6
106-46-7	1,4-Dichlorobenzene	ND		12	1.5
110-75-8	2-Chloroethyl vinyl ether	ND		24	1.9
107-02-8	Acrolein	ND		240	17
107-13-1	Acrylonitrile	ND		240	25
71-43-2	Benzene	ND		12	1.6
75-25-2	Bromoform	ND		12	1.1
74-83-9	Bromomethane	ND	UJ	12	1.8
56-23-5	Carbon tetrachloride	ND	UJ	12	1.1
108-90-7	Chlorobenzene	2.4	J	12	1.8
67-66-3	Chloroform	ND		12	1.4
74-87-3	Chloromethane	ND		12	2.1
124-48-1	Chlorodibromomethane	ND		12	1.7
10061-01-5	cis-1,3-Dichloropropene	ND		12	1.6
75-27-4	Dichlorobromomethane	ND		12	1.4
100-41-4	Ethylbenzene	ND		12	1.5
75-09-2	Methylene Chloride	ND		12	1.6
127-18-4	Tetrachloroethene	ND		12	1.6
108-88-3	Toluene	3.3	J U	12	1.8
156-60-5	trans-1,2-Dichloroethene	ND		12	1.4
10061-02-6	trans-1,3-Dichloropropene	ND		12	1.4
79-01-6	Trichloroethene	ND		12	1.6
75-01-4	Vinyl chloride	ND		12	1.1
75-00-3	Chloroethane	ND		12	3.7

13

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H02 Lab Sample ID: 180-37760-13  
Matrix: Sediment Lab File ID: 3102127.D  
Analysis Method: 8260C Date Collected: 10/14/2014 12:55  
Sample wt/vol: 5.0019(g) Date Analyzed: 10/21/2014 14:37  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 58.5 Level: (low/med) Low  
Analysis Batch No.: 122102 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	114		52-124
460-00-4	4-Bromofluorobenzene (Surr)	86		63-120
1868-53-7	Dibromofluoromethane (Surr)	101		68-121
2037-26-5	Toluene-d8 (Surr)	110		72-127

14

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H03 Lab Sample ID: 180-37760-14

Matrix: Sediment Lab File ID: 3102128.D

Analysis Method: 8260C Date Collected: 10/14/2014 13:45

Sample wt/vol: 5.0003(g) Date Analyzed: 10/21/2014 14:59

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)

% Moisture: 73.8 Level: (low/med) Low

Analysis Batch No.: 122102 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		19	1.9
79-34-5	1,1,2,2-Tetrachloroethane	ND		19	2.7
79-00-5	1,1,2-Trichloroethane	ND		19	3.2
75-34-3	1,1-Dichloroethane	ND		19	2.2
75-35-4	1,1-Dichloroethene	ND		19	3.2
95-50-1	1,2-Dichlorobenzene	ND		19	3.0
107-06-2	1,2-Dichloroethane	ND	UJ	19	2.3
78-87-5	1,2-Dichloropropane	ND		19	2.1
541-73-1	1,3-Dichlorobenzene	ND		19	2.5
106-46-7	1,4-Dichlorobenzene	ND		19	2.4
110-75-8	2-Chloroethyl vinyl ether	ND		38	2.9
107-02-8	Acrolein	ND		380	27
107-13-1	Acrylonitrile	ND		380	40
71-43-2	Benzene	6.9	J	19	2.6
75-25-2	Bromoform	ND		19	1.7
74-83-9	Bromomethane	ND	UJ	19	2.8
56-23-5	Carbon tetrachloride	ND	UJ	19	1.7
108-90-7	Chlorobenzene	250		19	2.9
67-66-3	Chloroform	ND		19	2.2
74-87-3	Chloromethane	ND		19	3.2
124-48-1	Chlorodibromomethane	ND		19	2.7
10061-01-5	cis-1,3-Dichloropropene	ND		19	2.6
75-27-4	Dichlorobromomethane	ND		19	2.1
100-41-4	Ethylbenzene	33		19	2.4
75-09-2	Methylene Chloride	ND		19	2.6
127-18-4	Tetrachloroethene	ND		19	2.6
108-88-3	Toluene	16	J	19	2.8
156-60-5	trans-1,2-Dichloroethene	ND		19	2.3
10061-02-6	trans-1,3-Dichloropropene	ND		19	2.3
79-01-6	Trichloroethene	ND		19	2.5
75-01-4	Vinyl chloride	ND		19	1.8
75-00-3	Chloroethane	ND		19	5.9

14

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H03 Lab Sample ID: 180-37760-14  
Matrix: Sediment Lab File ID: 3102128.D  
Analysis Method: 8260C Date Collected: 10/14/2014 13:45  
Sample wt/vol: 5.0003(g) Date Analyzed: 10/21/2014 14:59  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 73.8 Level: (low/med) Low  
Analysis Batch No.: 122102 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	110		52-124
460-00-4	4-Bromofluorobenzene (Surr)	106		63-120
1868-53-7	Dibromofluoromethane (Surr)	101		68-121
2037-26-5	Toluene-d8 (Surr)	114		72-127

7

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-F01 Lab Sample ID: 180-37760-7

Matrix: Sediment Lab File ID: N1106023.D

Analysis Method: 8270D LL Date Collected: 10/14/2014 15:10

Extract. Method: 3541 Date Extracted: 10/27/2014 03:10

Sample wt/vol: 30.0(g) Date Analyzed: 11/06/2014 22:22

Con. Extract Vol.: 0.5(mL) Dilution Factor: 15

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 39.1 GPC Cleanup: (Y/N) N

Analysis Batch No.: 124126 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	<del>ND</del> * UJ		82	7.9
208-96-8	Acenaphthylene	<del>ND</del> * UJ		82	9.4
120-12-7	Anthracene	ND		82	8.0
92-87-5	Benzidine	ND		8200	1700
56-55-3	Benzo[a]anthracene	130		82	10
205-99-2	Benzo[b]fluoranthene	ND		82	13
207-08-9	Benzo[k]fluoranthene	ND		82	17
65-85-0	Benzoic acid	ND		2100	170
191-24-2	Benzo[g,h,i]perylene	ND		82	8.2
50-32-8	Benzo[a]pyrene	ND		82	8.2
111-91-1	Bis(2-chloroethoxy)methane	ND		410	27
111-44-4	Bis(2-chloroethyl) ether	ND		82	11
117-81-7	Bis(2-ethylhexyl) phthalate	1600		820	66
108-60-1	2,2'-oxybis[1-chloropropane]	ND		82	8.9
101-55-3	4-Bromophenyl phenyl ether	ND		410	36
7005-72-3	4-Chlorophenyl phenyl ether	<del>ND</del> * UJ		410	46
91-58-7	2-Chloronaphthalene	<del>ND</del> * UJ		82	8.6
85-68-7	Butyl benzyl phthalate	ND		410	56
218-01-9	Chrysene	240		82	9.8
53-70-3	Dibenz(a,h)anthracene	ND		82	9.1
84-74-2	Di-n-butyl phthalate	ND		410	51
117-84-0	Di-n-octyl phthalate	ND		410	43
84-66-2	Diethyl phthalate	<del>ND</del> * UJ		410	45
131-11-3	Dimethyl phthalate	<del>ND</del> * UJ		410	45
91-94-1	3,3'-Dichlorobenzidine	ND		410	43
121-14-2	2,4-Dinitrotoluene	<del>ND</del> * UJ		410	33
606-20-2	2,6-Dinitrotoluene	<del>ND</del> * UJ		410	42
95-57-8	2-Chlorophenol	ND		410	34
120-83-2	2,4-Dichlorophenol	ND		82	8.2
105-67-9	2,4-Dimethylphenol	ND		410	64
51-28-5	2,4-Dinitrophenol	<del>ND</del> * UJ		2100	490
88-75-5	2-Nitrophenol	ND		410	45
88-06-2	2,4,6-Trichlorophenol	<del>ND</del> * UJ		410	61
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		410	53

7

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-F01

Lab Sample ID: 180-37760-7

Matrix: Sediment

Lab File ID: N1106023.D

Analysis Method: 8270D LL

Date Collected: 10/14/2014 15:10

Extract. Method: 3541

Date Extracted: 10/27/2014 03:10

Sample wt/vol: 30.0(g)

Date Analyzed: 11/06/2014 22:22

Con. Extract Vol.: 0.5(mL)

Dilution Factor: 15

Injection Volume: 2(uL)

Level: (low/med) Low

% Moisture: 39.1

GPC Cleanup: (Y/N) N

Analysis Batch No.: 124126

Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		410	23
59-50-7	4-Chloro-3-methylphenol	ND		410	38
100-02-7	4-Nitrophenol	<del>ND</del> * UJ		2100	150
534-52-1	4,6-Dinitro-2-methylphenol	ND		2100	170
206-44-0	Fluoranthene	450		82	8.8
86-73-7	Fluorene	<del>ND</del> * UJ		82	11
118-74-1	Hexachlorobenzene	ND		82	8.7
87-68-3	Hexachlorobutadiene	ND		82	9.2
77-47-4	Hexachlorocyclopentadiene	<del>ND</del> * UJ		410	44
67-72-1	Hexachloroethane	ND		410	30
193-39-5	Indeno[1,2,3-cd]pyrene	ND		82	8.5
78-59-1	Isophorone	ND		410	31
91-20-3	Naphthalene	34	J	82	7.1
98-95-3	Nitrobenzene	ND		820	34
621-64-7	N-Nitrosodi-n-propylamine	ND		82	9.6
62-75-9	N-Nitrosodimethylamine	ND		410	35
86-30-6	N-Nitrosodiphenylamine	ND		410	38
85-01-8	Phenanthrene	ND		82	13
129-00-0	Pyrene	750		82	8.3
87-86-5	Pentachlorophenol	ND		410	37
108-95-2	Phenol	ND		82	9.7

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	66		21-116
321-60-8	2-Fluorobiphenyl	62	*	28-108
367-12-4	2-Fluorophenol (Surr)	25	X	28-107
4165-60-0	Nitrobenzene-d5 (Surr)	74		27-110
4165-62-2	Phenol-d5 (Surr)	50		30-112
1718-51-0	Terphenyl-d14 (Surr)	79		21-130



9

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-F02 Lab Sample ID: 180-37760-9

Matrix: Sediment Lab File ID: N1106024.D

Analysis Method: 8270D LL Date Collected: 10/14/2014 15:45

Extract. Method: 3541 Date Extracted: 10/27/2014 03:10

Sample wt/vol: 30.0(g) Date Analyzed: 11/06/2014 22:50

Con. Extract Vol.: 0.5(mL) Dilution Factor: 10

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 30.7 GPC Cleanup: (Y/N) N

Analysis Batch No.: 124126 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	ND		48	4.6
208-96-8	Acenaphthylene	ND		48	5.5
120-12-7	Anthracene	ND		48	4.7
92-87-5	Benzidine	ND		4800	1000
56-55-3	Benzo[a]anthracene	ND		48	6.0
205-99-2	Benzo[b]fluoranthene	ND		48	7.6
207-08-9	Benzo[k]fluoranthene	ND		48	9.7
65-85-0	Benzoic acid	ND		1200	100
191-24-2	Benzo[g,h,i]perylene	ND		48	4.8
50-32-8	Benzo[a]pyrene	ND		48	4.8
111-91-1	Bis(2-chloroethoxy)methane	ND		240	16
111-44-4	Bis(2-chloroethyl)ether	ND		48	6.5
117-81-7	Bis(2-ethylhexyl) phthalate	300	J	480	39
108-60-1	2,2'-oxybis[1-chloropropane]	ND		48	5.2
101-55-3	4-Bromophenyl phenyl ether	ND		240	21
7005-72-3	4-Chlorophenyl phenyl ether	ND		240	27
91-58-7	2-Chloronaphthalene	ND		48	5.0
85-68-7	Butyl benzyl phthalate	ND		240	33
218-01-9	Chrysene	ND		48	5.7
53-70-3	Dibenz(a,h)anthracene	ND		48	5.4
84-74-2	Di-n-butyl phthalate	ND		240	30
117-84-0	Di-n-octyl phthalate	ND		240	25
84-66-2	Diethyl phthalate	ND		240	26
131-11-3	Dimethyl phthalate	ND		240	26
91-94-1	3,3'-Dichlorobenzidine	ND		240	25
121-14-2	2,4-Dinitrotoluene	ND		240	19
606-20-2	2,6-Dinitrotoluene	ND		240	25
95-57-8	2-Chlorophenol	ND		240	20
120-83-2	2,4-Dichlorophenol	ND		48	4.8
105-67-9	2,4-Dimethylphenol	ND		240	38
51-28-5	2,4-Dinitrophenol	ND		1200	290
88-75-5	2-Nitrophenol	ND		240	27
88-06-2	2,4,6-Trichlorophenol	ND		240	36
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		240	31

9

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-F02 Lab Sample ID: 180-37760-9

Matrix: Sediment Lab File ID: N1106024.D

Analysis Method: 8270D LL Date Collected: 10/14/2014 15:45

Extract. Method: 3541 Date Extracted: 10/27/2014 03:10

Sample wt/vol: 30.0(g) Date Analyzed: 11/06/2014 22:50

Con. Extract Vol.: 0.5(mL) Dilution Factor: 10

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 30.7 GPC Cleanup: (Y/N) N

Analysis Batch No.: 124126 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		240	13
59-50-7	4-Chloro-3-methylphenol	ND		240	22
100-02-7	4-Nitrophenol	ND		1200	88
534-52-1	4,6-Dinitro-2-methylphenol	ND		1200	97
206-44-0	Fluoranthene	75		48	5.1
86-73-7	Fluorene	ND		48	6.3
118-74-1	Hexachlorobenzene	ND		48	5.1
87-68-3	Hexachlorobutadiene	ND		48	5.4
77-47-4	Hexachlorocyclopentadiene	ND		240	26
67-72-1	Hexachloroethane	ND		240	17
193-39-5	Indeno[1,2,3-cd]pyrene	ND		48	5.0
78-59-1	Isophorone	ND		240	18
91-20-3	Naphthalene	16	J	48	4.1
98-95-3	Nitrobenzene	ND		480	20
621-64-7	N-Nitrosodi-n-propylamine	ND		48	5.6
62-75-9	N-Nitrosodimethylamine	ND		240	21
86-30-6	N-Nitrosodiphenylamine	ND		240	22
85-01-8	Phenanthrene	ND		48	7.7
129-00-0	Pyrene	140		48	4.9
87-86-5	Pentachlorophenol	ND		240	22
108-95-2	Phenol	ND		48	5.7

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	42		21-116
321-60-8	2-Fluorobiphenyl	58		28-108
367-12-4	2-Fluorophenol (Surr)	76		28-107
4165-60-0	Nitrobenzene-d5 (Surr)	96		27-110
4165-62-2	Phenol-d5 (Surr)	65		30-112
1718-51-0	Terphenyl-d14 (Surr)	97		21-130

10

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G01

Lab Sample ID: 180-37760-10

Matrix: Sediment

Lab File ID: N1106025.D

Analysis Method: 8270D LL

Date Collected: 10/14/2014 13:15

Extract. Method: 3541

Date Extracted: 10/27/2014 03:10

Sample wt/vol: 30.1(g)

Date Analyzed: 11/06/2014 23:18

Con. Extract Vol.: 2.0(mL)

Dilution Factor: 25

Injection Volume: 2(uL)

Level: (low/med) Low

% Moisture: 62.1

GPC Cleanup: (Y/N) N

Analysis Batch No.: 124126

Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	ND	✓ UJ	880	84
208-96-8	Acenaphthylene	ND	✓ ↓	880	100
120-12-7	Anthracene	ND	✓ ↓	880	86
92-87-5	Benzidine	ND		88000	18000
56-55-3	Benzo[a]anthracene	ND		880	110
205-99-2	Benzo[b]fluoranthene	ND		880	140
207-08-9	Benzo[k]fluoranthene	ND		880	180
65-85-0	Benzoic acid	ND		22000	1800
191-24-2	Benzo[g,h,i]perylene	ND		880	87
50-32-8	Benzo[a]pyrene	ND		880	88
111-91-1	Bis(2-chloroethoxy)methane	ND		4300	290
111-44-4	Bis(2-chloroethyl)ether	ND		880	120
117-81-7	Bis(2-ethylhexyl) phthalate	3300	J	8800	710
108-60-1	2,2'-oxybis[1-chloropropane]	ND		880	95
101-55-3	4-Bromophenyl phenyl ether	ND	✓ UJ	4300	380
7005-72-3	4-Chlorophenyl phenyl ether	ND	✓ ↓	4300	490
91-58-7	2-Chloronaphthalene	ND	✓ ↓	880	92
85-68-7	Butyl benzyl phthalate	ND		4300	600
218-01-9	Chrysene	ND		880	100
53-70-3	Dibenz(a,h)anthracene	ND		880	98
84-74-2	Di-n-butyl phthalate	ND	✓ UJ	4300	550
117-84-0	Di-n-octyl phthalate	ND		4300	460
84-66-2	Diethyl phthalate	ND	✓ UJ	4300	480
131-11-3	Dimethyl phthalate	ND	✓ UJ	4300	480
91-94-1	3,3'-Dichlorobenzidine	ND		4300	460
121-14-2	2,4-Dinitrotoluene	ND	✓ UJ	4300	350
606-20-2	2,6-Dinitrotoluene	ND	✓ UJ	4300	450
95-57-8	2-Chlorophenol	ND		4300	360
120-83-2	2,4-Dichlorophenol	ND		880	88
105-67-9	2,4-Dimethylphenol	ND		4300	690
51-28-5	2,4-Dinitrophenol	ND	✓ UJ	22000	5200
88-75-5	2-Nitrophenol	ND		4300	480
88-06-2	2,4,6-Trichlorophenol	ND	✓ UJ	4300	660
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND	✓ UJ	4300	560

10

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G01 Lab Sample ID: 180-37760-10

Matrix: Sediment Lab File ID: N1106025.D

Analysis Method: 8270D LL Date Collected: 10/14/2014 13:15

Extract. Method: 3541 Date Extracted: 10/27/2014 03:10

Sample wt/vol: 30.1(g) Date Analyzed: 11/06/2014 23:18

Con. Extract Vol.: 2.0(mL) Dilution Factor: 25

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 62.1 GPC Cleanup: (Y/N) N

Analysis Batch No.: 124126 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		4300	240
59-50-7	4-Chloro-3-methylphenol	ND		4300	400
100-02-7	4-Nitrophenol	ND	* UJ	22000	1600
534-52-1	4,6-Dinitro-2-methylphenol	ND	* UJ	22000	1800
206-44-0	Fluoranthene	1200	J	880	94
86-73-7	Fluorene	ND	* UJ	880	120
118-74-1	Hexachlorobenzene	ND	* UJ	880	93
87-68-3	Hexachlorobutadiene	ND		880	98
77-47-4	Hexachlorocyclopentadiene	ND	* UJ	4300	470
67-72-1	Hexachloroethane	ND		4300	320
193-39-5	Indeno[1,2,3-cd]pyrene	ND		880	90
78-59-1	Isophorone	ND		4300	330
91-20-3	Naphthalene	200	J	880	76
98-95-3	Nitrobenzene	ND		8800	370
621-64-7	N-Nitrosodi-n-propylamine	ND		880	100
62-75-9	N-Nitrosodimethylamine	ND		4300	380
86-30-6	N-Nitrosodiphenylamine	ND	* UJ	4300	410
85-01-8	Phenanthrene	ND	* UJ	880	140
129-00-0	Pyrene	1000		880	89
87-86-5	Pentachlorophenol	ND	* UJ	4300	390
108-95-2	Phenol	ND		880	100

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	0	* X D	21-116
321-60-8	2-Fluorobiphenyl	0	* X D	28-108
367-12-4	2-Fluorophenol (Surr)	0	X D	28-107
4165-60-0	Nitrobenzene-d5 (Surr)	0	X D	27-110
4165-62-2	Phenol-d5 (Surr)	0	X D	30-112
1718-51-0	Terphenyl-d14 (Surr)	0	X D	21-130

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G02

Lab Sample ID: 180-37760-11

Matrix: Sediment

Lab File ID: N1106026.D

Analysis Method: 8270D LL

Date Collected: 10/14/2014 16:20

Extract. Method: 3541

Date Extracted: 10/27/2014 03:10

Sample wt/vol: 30.2(g)

Date Analyzed: 11/06/2014 23:46

Con. Extract Vol.: 1.0(mL)

Dilution Factor: 25

Injection Volume: 2(uL)

Level: (low/med) Low

% Moisture: 74.9

GPC Cleanup: (Y/N) N

Analysis Batch No.: 124126

Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	ND	UJ	660	63
208-96-8	Acenaphthylene	ND	UJ	660	76
120-12-7	Anthracene	ND	↓	660	65
92-87-5	Benzidine	ND		66000	14000
56-55-3	Benzo[a]anthracene	2300		660	83
205-99-2	Benzo[b]fluoranthene	ND		660	100
207-08-9	Benzo[k]fluoranthene	ND		660	130
65-85-0	Benzoic acid	ND		17000	1400
191-24-2	Benzo[g,h,i]perylene	ND		660	66
50-32-8	Benzo[a]pyrene	1700		660	66
111-91-1	Bis(2-chloroethoxy)methane	ND		3300	220
111-44-4	Bis(2-chloroethyl)ether	ND		660	89
117-81-7	Bis(2-ethylhexyl) phthalate	13000		6600	530
108-60-1	2,2'-oxybis[1-chloropropane]	ND		660	71
101-55-3	4-Bromophenyl phenyl ether	ND	UJ	3300	290
7005-72-3	4-Chlorophenyl phenyl ether	ND	↓	3300	370
91-58-7	2-Chloronaphthalene	ND	↓	660	69
85-68-7	Butyl benzyl phthalate	ND		3300	450
218-01-9	Chrysene	2200		660	79
53-70-3	Dibenz(a,h)anthracene	ND		660	73
84-74-2	Di-n-butyl phthalate	ND	UJ	3300	410
117-84-0	Di-n-octyl phthalate	ND		3300	350
84-66-2	Diethyl phthalate	ND	UJ	3300	360
131-11-3	Dimethyl phthalate	ND	UJ	3300	360
91-94-1	3,3'-Dichlorobenzidine	ND		3300	350
121-14-2	2,4-Dinitrotoluene	ND	UJ	3300	270
606-20-2	2,6-Dinitrotoluene	ND	UJ	3300	340
95-57-8	2-Chlorophenol	ND		3300	270
120-83-2	2,4-Dichlorophenol	ND		660	66
105-67-9	2,4-Dimethylphenol	ND		3300	520
51-28-5	2,4-Dinitrophenol	ND	UJ	17000	3900
88-75-5	2-Nitrophenol	ND		3300	360
88-06-2	2,4,6-Trichlorophenol	ND	UJ	3300	490
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND	UJ	3300	420

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G02 Lab Sample ID: 180-37760-11

Matrix: Sediment Lab File ID: N1106026.D

Analysis Method: 8270D LL Date Collected: 10/14/2014 16:20

Extract. Method: 3541 Date Extracted: 10/27/2014 03:10

Sample wt/vol: 30.2(g) Date Analyzed: 11/06/2014 23:46

Con. Extract Vol.: 1.0(mL) Dilution Factor: 25

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 74.9 GPC Cleanup: (Y/N) N

Analysis Batch No.: 124126 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		3300	180
59-50-7	4-Chloro-3-methylphenol	ND		3300	300
100-02-7	4-Nitrophenol	ND	✓ UJ	17000	1200
534-52-1	4,6-Dinitro-2-methylphenol	ND	✓ UJ	17000	1300
206-44-0	Fluoranthene	4900	✓ J	660	71
86-73-7	Fluorene	ND	✓ UJ	660	87
118-74-1	Hexachlorobenzene	ND	✓ UJ	660	70
87-68-3	Hexachlorobutadiene	ND	✓ UJ	660	74
77-47-4	Hexachlorocyclopentadiene	ND	✓ UJ	3300	360
67-72-1	Hexachloroethane	ND		3300	240
193-39-5	Indeno[1,2,3-cd]pyrene	ND		660	68
78-59-1	Isophorone	ND		3300	250
91-20-3	Naphthalene	430	J	660	57
98-95-3	Nitrobenzene	ND		6600	270
621-64-7	N-Nitrosodi-n-propylamine	ND		660	77
62-75-9	N-Nitrosodimethylamine	ND		3300	280
86-30-6	N-Nitrosodiphenylamine	ND	✓ UJ	3300	310
85-01-8	Phenanthrene	ND	✓ UJ	660	110
129-00-0	Pyrene	2800		660	67
87-86-5	Pentachlorophenol	ND	✓ UJ	3300	300
108-95-2	Phenol	ND		660	78

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	0	* X D	21-116
321-60-8	2-Fluorobiphenyl	0	* X D	28-108
367-12-4	2-Fluorophenol (Surr)	0	X D	28-107
4165-60-0	Nitrobenzene-d5 (Surr)	0	X D	27-110
4165-62-2	Phenol-d5 (Surr)	0	X D	30-112
1718-51-0	Terphenyl-d14 (Surr)	0	X D	21-130

12

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H01 Lab Sample ID: 180-37760-12

Matrix: Sediment Lab File ID: N1106027.D

Analysis Method: 8270D LL Date Collected: 10/14/2014 12:20

Extract. Method: 3541 Date Extracted: 10/27/2014 03:10

Sample wt/vol: 30.0(g) Date Analyzed: 11/07/2014 00:14

Con. Extract Vol.: 3.0(mL) Dilution Factor: 25

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 57.1 GPC Cleanup: (Y/N) N

Analysis Batch No.: 124126 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	<del>ND</del> * UJ		1200	110
208-96-8	Acenaphthylene	<del>ND</del> * ↓		1200	130
120-12-7	Anthracene	<del>ND</del> * ↓		1200	110
92-87-5	Benzidine	ND		120000	24000
56-55-3	Benzo[a]anthracene	ND		1200	150
205-99-2	Benzo[b]fluoranthene	ND		1200	180
207-08-9	Benzo[k]fluoranthene	ND		1200	240
65-85-0	Benzoic acid	ND		30000	2400
191-24-2	Benzo[g,h,i]perylene	ND		1200	120
50-32-8	Benzo[a]pyrene	ND		1200	120
111-91-1	Bis(2-chloroethoxy)methane	ND		5800	380
111-44-4	Bis(2-chloroethyl)ether	ND		1200	160
117-81-7	Bis(2-ethylhexyl) phthalate	7500	J	12000	940
108-60-1	2,2'-oxybis[1-chloropropane]	ND		1200	130
101-55-3	4-Bromophenyl phenyl ether	<del>ND</del> * UJ		5800	510
7005-72-3	4-Chlorophenyl phenyl ether	<del>ND</del> * ↓		5800	650
91-58-7	2-Chloronaphthalene	<del>ND</del> * ↓		1200	120
85-68-7	Butyl benzyl phthalate	ND		5800	800
218-01-9	Chrysene	ND		1200	140
53-70-3	Dibenz(a,h)anthracene	ND		1200	130
84-74-2	Di-n-butyl phthalate	<del>ND</del> * UJ		5800	730
117-84-0	Di-n-octyl phthalate	ND		5800	610
84-66-2	Diethyl phthalate	<del>ND</del> * UJ		5800	640
131-11-3	Dimethyl phthalate	<del>ND</del> * UJ		5800	630
91-94-1	3,3'-Dichlorobenzidine	ND		5800	620
121-14-2	2,4-Dinitrotoluene	<del>ND</del> * UJ		5800	470
606-20-2	2,6-Dinitrotoluene	<del>ND</del> * UJ		5800	600
95-57-8	2-Chlorophenol	ND		5800	480
120-83-2	2,4-Dichlorophenol	ND		1200	120
105-67-9	2,4-Dimethylphenol	ND		5800	910
51-28-5	2,4-Dinitrophenol	<del>ND</del> * UJ		30000	6900
88-75-5	2-Nitrophenol	ND		5800	640
88-06-2	2,4,6-Trichlorophenol	<del>ND</del> * UJ		5800	870
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	<del>ND</del> * UJ		5800	750

12

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H01 Lab Sample ID: 180-37760-12

Matrix: Sediment Lab File ID: N1106027.D

Analysis Method: 8270D LL Date Collected: 10/14/2014 12:20

Extract. Method: 3541 Date Extracted: 10/27/2014 03:10

Sample wt/vol: 30.0(g) Date Analyzed: 11/07/2014 00:14

Con. Extract Vol.: 3.0(mL) Dilution Factor: 25

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 57.1 GPC Cleanup: (Y/N) N

Analysis Batch No.: 124126 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		5800	320
59-50-7	4-Chloro-3-methylphenol	ND		5800	540
100-02-7	4-Nitrophenol	<del>ND</del> * UJ		30000	2100
534-52-1	4,6-Dinitro-2-methylphenol	<del>ND</del> * UJ		30000	2300
206-44-0	Fluoranthene	1400 * J		1200	120
86-73-7	Fluorene	<del>ND</del> * UJ		1200	150
118-74-1	Hexachlorobenzene	<del>ND</del> * UJ		1200	120
87-68-3	Hexachlorobutadiene	ND		1200	130
77-47-4	Hexachlorocyclopentadiene	<del>ND</del> * UJ		5800	630
67-72-1	Hexachloroethane	ND		5800	420
193-39-5	Indeno[1,2,3-cd]pyrene	ND		1200	120
78-59-1	Isophorone	ND		5800	440
91-20-3	Naphthalene	220 J		1200	100
98-95-3	Nitrobenzene	ND		12000	490
621-64-7	N-Nitrosodi-n-propylamine	ND		1200	140
62-75-9	N-Nitrosodimethylamine	ND		5800	500
86-30-6	N-Nitrosodiphenylamine	<del>ND</del> * UJ		5800	540
85-01-8	Phenanthrene	<del>ND</del> * UJ		1200	190
129-00-0	Pyrene	1300		1200	120
87-86-5	Pentachlorophenol	<del>ND</del> * UJ		5800	520
108-95-2	Phenol	ND		1200	140

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	0	* X D	21-116
321-60-8	2-Fluorobiphenyl	0	* X D	28-108
367-12-4	2-Fluorophenol (Surr)	0	X D	28-107
4165-60-0	Nitrobenzene-d5 (Surr)	0	X D	27-110
4165-62-2	Phenol-d5 (Surr)	0	X D	30-112
1718-51-0	Terphenyl-d14 (Surr)	0	X D	21-130



13

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H02 Lab Sample ID: 180-37760-13

Matrix: Sediment Lab File ID: N1106028.D

Analysis Method: 8270D LL Date Collected: 10/14/2014 12:55

Extract. Method: 3541 Date Extracted: 10/27/2014 03:10

Sample wt/vol: 30.1(g) Date Analyzed: 11/07/2014 00:42

Con. Extract Vol.: 3.0(mL) Dilution Factor: 25

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 58.5 GPC Cleanup: (Y/N) N

Analysis Batch No.: 124126 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	ND	* UJ	1200	120
208-96-8	Acenaphthylene	ND	* ↓	1200	140
120-12-7	Anthracene	ND	* ↓	1200	120
92-87-5	Benzidine	ND		120000	25000
56-55-3	Benzo[a]anthracene	ND		1200	150
205-99-2	Benzo[b]fluoranthene	ND		1200	190
207-08-9	Benzo[k]fluoranthene	ND		1200	240
65-85-0	Benzoic acid	ND		31000	2500
191-24-2	Benzo[g,h,i]perylene	ND		1200	120
50-32-8	Benzo[a]pyrene	ND		1200	120
111-91-1	Bis(2-chloroethoxy)methane	ND		5900	400
111-44-4	Bis(2-chloroethyl) ether	ND		1200	160
117-81-7	Bis(2-ethylhexyl) phthalate	3500	J	12000	970
108-60-1	2,2'-oxybis[1-chloropropane]	ND		1200	130
101-55-3	4-Bromophenyl phenyl ether	ND	* UJ	5900	520
7005-72-3	4-Chlorophenyl phenyl ether	ND	* ↓	5900	670
91-58-7	2-Chloronaphthalene	ND	* ↓	1200	130
85-68-7	Butyl benzyl phthalate	ND		5900	820
218-01-9	Chrysene	ND		1200	140
53-70-3	Dibenz(a,h)anthracene	ND		1200	130
84-74-2	Di-n-butyl phthalate	ND	* UJ	5900	750
117-84-0	Di-n-octyl phthalate	ND		5900	630
84-66-2	Diethyl phthalate	ND	* UJ	5900	660
131-11-3	Dimethyl phthalate	ND	* UJ	5900	660
91-94-1	3,3'-Dichlorobenzidine	ND		5900	640
121-14-2	2,4-Dinitrotoluene	ND	* UJ	5900	490
606-20-2	2,6-Dinitrotoluene	ND	* UJ	5900	620
95-57-8	2-Chlorophenol	ND		5900	490
120-83-2	2,4-Dichlorophenol	ND		1200	120
105-67-9	2,4-Dimethylphenol	ND		5900	940
51-28-5	2,4-Dinitrophenol	ND	* UJ	31000	7200
88-75-5	2-Nitrophenol	ND		5900	660
88-06-2	2,4,6-Trichlorophenol	ND	* UJ	5900	900
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND	* UJ	5900	770

13

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H02 Lab Sample ID: 180-37760-13  
Matrix: Sediment Lab File ID: N1106028.D  
Analysis Method: 8270D LL Date Collected: 10/14/2014 12:55  
Extract. Method: 3541 Date Extracted: 10/27/2014 03:10  
Sample wt/vol: 30.1(g) Date Analyzed: 11/07/2014 00:42  
Con. Extract Vol.: 3.0(mL) Dilution Factor: 25  
Injection Volume: 2(uL) Level: (low/med) Low  
% Moisture: 58.5 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 124126 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		5900	330
59-50-7	4-Chloro-3-methylphenol	ND		5900	550
100-02-7	4-Nitrophenol	ND	* UJ	31000	2200
534-52-1	4,6-Dinitro-2-methylphenol	ND	* UJ	31000	2400
206-44-0	Fluoranthene	3200	J	1200	130
86-73-7	Fluorene	ND	* UJ	1200	160
118-74-1	Hexachlorobenzene	ND	* UJ	1200	130
87-68-3	Hexachlorobutadiene	ND		1200	130
77-47-4	Hexachlorocyclopentadiene	ND	* UJ	5900	650
67-72-1	Hexachloroethane	ND		5900	430
193-39-5	Indeno[1,2,3-cd]pyrene	ND		1200	120
78-59-1	Isophorone	ND		5900	450
91-20-3	Naphthalene	210	J	1200	100
98-95-3	Nitrobenzene	ND		12000	500
621-64-7	N-Nitrosodi-n-propylamine	ND		1200	140
62-75-9	N-Nitrosodimethylamine	ND		5900	520
86-30-6	N-Nitrosodiphenylamine	ND	* UJ	5900	560
85-01-8	Phenanthrene	ND	* UJ	1200	190
129-00-0	Pyrene	2500		1200	120
87-86-5	Pentachlorophenol	ND	* UJ	5900	540
108-95-2	Phenol	ND		1200	140

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	0	* X D	21-116
321-60-8	2-Fluorobiphenyl	0	* X D	28-108
367-12-4	2-Fluorophenol (Surr)	0	X D	28-107
4165-60-0	Nitrobenzene-d5 (Surr)	0	X D	27-110
4165-62-2	Phenol-d5 (Surr)	0	X D	30-112
1718-51-0	Terphenyl-d14 (Surr)	0	X D	21-130

14

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H03 Lab Sample ID: 180-37760-14

Matrix: Sediment Lab File ID: N1106029.D

Analysis Method: 8270D LL Date Collected: 10/14/2014 13:45

Extract. Method: 3541 Date Extracted: 10/27/2014 03:10

Sample wt/vol: 30.0(g) Date Analyzed: 11/07/2014 01:11

Con. Extract Vol.: 3.0(mL) Dilution Factor: 25

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 73.8 GPC Cleanup: (Y/N) N

Analysis Batch No.: 124126 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	ND	* UJ	1900	180
208-96-8	Acenaphthylene	ND	* ↓	1900	220
120-12-7	Anthracene	ND	* ↓	1900	190
92-87-5	Benzidine	ND		190000	40000
56-55-3	Benzo[a]anthracene	ND		1900	240
205-99-2	Benzo[b]fluoranthene	ND		1900	300
207-08-9	Benzo[k]fluoranthene	ND		1900	390
65-85-0	Benzoic acid	ND		49000	4000
191-24-2	Benzo[g,h,i]perylene	ND		1900	190
50-32-8	Benzo[a]pyrene	ND		1900	190
111-91-1	Bis(2-chloroethoxy)methane	ND		9400	630
111-44-4	Bis(2-chloroethyl)ether	ND		1900	260
117-81-7	Bis(2-ethylhexyl) phthalate	33000		19000	1500
108-60-1	2,2'-oxybis[1-chloropropane]	ND		1900	210
101-55-3	4-Bromophenyl phenyl ether	ND	* UJ	9400	830
7005-72-3	4-Chlorophenyl phenyl ether	ND	* ↓	9400	1100
91-58-7	2-Chloronaphthalene	ND	* ↓	1900	200
85-68-7	Butyl benzyl phthalate	ND		9400	1300
218-01-9	Chrysene	ND		1900	230
53-70-3	Dibenz(a,h)anthracene	ND		1900	210
84-74-2	Di-n-butyl phthalate	ND	* UJ	9400	1200
117-84-0	Di-n-octyl phthalate	ND		9400	1000
84-66-2	Diethyl phthalate	ND	* UJ	9400	1000
131-11-3	Dimethyl phthalate	ND	* UJ	9400	1000
91-94-1	3,3'-Dichlorobenzidine	ND		9400	1000
121-14-2	2,4-Dinitrotoluene	ND	* UJ	9400	770
606-20-2	2,6-Dinitrotoluene	ND	* UJ	9400	980
95-57-8	2-Chlorophenol	ND		9400	780
120-83-2	2,4-Dichlorophenol	ND		1900	190
105-67-9	2,4-Dimethylphenol	ND		9400	1500
51-28-5	2,4-Dinitrophenol	ND	* UJ	49000	11000
88-75-5	2-Nitrophenol	ND		9400	1100
88-06-2	2,4,6-Trichlorophenol	ND	* UJ	9400	1400
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND	* UJ	9400	1200

14

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H03 Lab Sample ID: 180-37760-14

Matrix: Sediment Lab File ID: N1106029.D

Analysis Method: 8270D LL Date Collected: 10/14/2014 13:45

Extract. Method: 3541 Date Extracted: 10/27/2014 03:10

Sample wt/vol: 30.0(g) Date Analyzed: 11/07/2014 01:11

Con. Extract Vol.: 3.0(mL) Dilution Factor: 25

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 73.8 GPC Cleanup: (Y/N) N

Analysis Batch No.: 124126 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		9400	530
59-50-7	4-Chloro-3-methylphenol	ND		9400	880
100-02-7	4-Nitrophenol	ND	* UJ	49000	3500
534-52-1	4,6-Dinitro-2-methylphenol	ND	* UJ	49000	3800
206-44-0	Fluoranthene	2600	* J	1900	200
86-73-7	Fluorene	ND	* UJ	1900	250
118-74-1	Hexachlorobenzene	ND	* UJ	1900	200
87-68-3	Hexachlorobutadiene	ND		1900	210
77-47-4	Hexachlorocyclopentadiene	ND	* UJ	9400	1000
67-72-1	Hexachloroethane	ND		9400	690
193-39-5	Indeno[1,2,3-cd]pyrene	ND		1900	200
78-59-1	Isophorone	ND		9400	720
91-20-3	Naphthalene	4000		1900	160
98-95-3	Nitrobenzene	ND		19000	790
621-64-7	N-Nitrosodi-n-propylamine	ND		1900	220
62-75-9	N-Nitrosodimethylamine	ND		9400	820
86-30-6	N-Nitrosodiphenylamine	ND	* UJ	9400	880
85-01-8	Phenanthrene	ND	* UJ	1900	300
129-00-0	Pyrene	5000		1900	190
87-86-5	Pentachlorophenol	ND	* UJ	9400	850
108-95-2	Phenol	ND		1900	230

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	0	* X D	21-116
321-60-8	2-Fluorobiphenyl	0	* X D	28-108
367-12-4	2-Fluorophenol (Surr)	0	X D	28-107
4165-60-0	Nitrobenzene-d5 (Surr)	0	X D	27-110
4165-62-2	Phenol-d5 (Surr)	0	X D	30-112
1718-51-0	Terphenyl-d14 (Surr)	0	X D	21-130

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-D01 Lab Sample ID: 180-37760-1  
 Matrix: Sediment Lab File ID: N1105025.D  
 Analysis Method: 8270D LL Date Collected: 10/14/2014 09:50  
 Extract. Method: 3541 Date Extracted: 10/27/2014 03:10  
 Sample wt/vol: 30.1(g) Date Analyzed: 11/05/2014 14:19  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 5  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 33.8 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 123923 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-12-7	Anthracene	ND		25	2.5
56-55-3	Benzo[a]anthracene	14	J	25	3.1
205-99-2	Benzo[b]fluoranthene	11	J	25	3.9
207-08-9	Benzo[k]fluoranthene	ND		25	5.1
191-24-2	Benzo[g,h,i]perylene	ND		25	2.5
50-32-8	Benzo[a]pyrene	ND		25	2.5
218-01-9	Chrysene	13	J	25	3.0
53-70-3	Dibenz(a,h)anthracene	ND		25	2.8
206-44-0	Fluoranthene	22	J	25	2.7
86-73-7	Fluorene	ND		25	3.3
193-39-5	Indeno[1,2,3-cd]pyrene	ND		25	2.6
85-01-8	Phenanthrene	ND		25	4.0
129-00-0	Pyrene	16	J	25	2.5
83-32-9	Acenaphthene	ND		25	2.4
208-96-8	Acenaphthylene	ND		25	2.9
91-20-3	Naphthalene	ND		25	2.2
117-81-7	Bis(2-ethylhexyl) phthalate	ND		250	20

CAS NO.	SURROGATE	%REC	Q	LIMITS
4165-60-0	Nitrobenzene-d5 (Surr)	88		27-110
321-60-8	2-Fluorobiphenyl	67		28-108
1718-51-0	Terphenyl-d14 (Surr)	62		21-130

2

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica PittsburghJob No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-D02Lab Sample ID: 180-37760-2Matrix: SedimentLab File ID: N1105026.DAnalysis Method: 8270D LLDate Collected: 10/14/2014 09:20Extract. Method: 3541Date Extracted: 10/27/2014 03:10Sample wt/vol: 30.0(g)Date Analyzed: 11/05/2014 14:46Con. Extract Vol.: 0.5(mL)Dilution Factor: 4Injection Volume: 2(uL)Level: (low/med) Low% Moisture: 26.6GPC Cleanup: (Y/N) NAnalysis Batch No.: 123923Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-12-7	Anthracene	ND		18	1.8
56-55-3	Benzo[a]anthracene	ND		18	2.3
205-99-2	Benzo[b]fluoranthene	ND		18	2.9
207-08-9	Benzo[k]fluoranthene	ND		18	3.7
191-24-2	Benzo[g,h,i]perylene	ND		18	1.8
50-32-8	Benzo[a]pyrene	ND		18	1.8
218-01-9	Chrysene	ND		18	2.2
53-70-3	Dibenz(a,h)anthracene	ND		18	2.0
206-44-0	Fluoranthene	14	J	18	1.9
86-73-7	Fluorene	ND		18	2.4
193-39-5	Indeno[1,2,3-cd]pyrene	ND		18	1.9
85-01-8	Phenanthrene	ND		18	2.9
129-00-0	Pyrene	6.3	J	18	1.8
83-32-9	Acenaphthene	ND		18	1.7
208-96-8	Acenaphthylene	ND		18	2.1
91-20-3	Naphthalene	4.2	J	18	1.6
117-81-7	Bis(2-ethylhexyl) phthalate	29	J	180	15

CAS NO.	SURROGATE	%REC	Q	LIMITS
4165-60-0	Nitrobenzene-d5 (Surr)	60		27-110
321-60-8	2-Fluorobiphenyl	59		28-108
1718-51-0	Terphenyl-d14 (Surr)	41		21-130

3

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-E01 Lab Sample ID: 180-37760-3  
Matrix: Sediment Lab File ID: N1105027.D  
Analysis Method: 8270D LL Date Collected: 10/14/2014 11:55  
Extract. Method: 3541 Date Extracted: 10/27/2014 03:10  
Sample wt/vol: 30.0(g) Date Analyzed: 11/05/2014 15:14  
Con. Extract Vol.: 0.5(mL) Dilution Factor: 4  
Injection Volume: 2(uL) Level: (low/med) Low  
% Moisture: 19.7 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 123923 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-12-7	Anthracene	ND		17	1.6
56-55-3	Benzo[a]anthracene	ND		17	2.1
205-99-2	Benzo[b]fluoranthene	ND		17	2.6
207-08-9	Benzo[k]fluoranthene	ND		17	3.4
191-24-2	Benzo[g,h,i]perylene	ND		17	1.7
50-32-8	Benzo[a]pyrene	ND		17	1.7
218-01-9	Chrysene	ND		17	2.0
53-70-3	Dibenz(a,h)anthracene	ND		17	1.8
206-44-0	Fluoranthene	17		17	1.8
86-73-7	Fluorene	ND		17	2.2
193-39-5	Indeno[1,2,3-cd]pyrene	ND		17	1.7
85-01-8	Phenanthrene	ND		17	2.6
129-00-0	Pyrene	7.1	J	17	1.7
83-32-9	Acenaphthene	ND		17	1.6
208-96-8	Acenaphthylene	ND		17	1.9
91-20-3	Naphthalene	ND		17	1.4
117-81-7	Bis(2-ethylhexyl) phthalate	18	J	170	13

CAS NO.	SURROGATE	%REC	Q	LIMITS
4165-60-0	Nitrobenzene-d5 (Surr)	63		27-110
321-60-8	2-Fluorobiphenyl	97		28-108
1718-51-0	Terphenyl-d14 (Surr)	58		21-130

4

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-E02

Lab Sample ID: 180-37760-4

Matrix: Sediment

Lab File ID: N1105028.D

Analysis Method: 8270D LL

Date Collected: 10/14/2014 10:55

Extract. Method: 3541

Date Extracted: 10/27/2014 03:10

Sample wt/vol: 30.0(g)

Date Analyzed: 11/05/2014 15:41

Con. Extract Vol.: 0.5(mL)

Dilution Factor: 5

Injection Volume: 2(uL)

Level: (low/med) Low

% Moisture: 35.4

GPC Cleanup: (Y/N) N

Analysis Batch No.: 123923

Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-12-7	Anthracene	ND		26	2.5
56-55-3	Benzo[a]anthracene	ND		26	3.2
205-99-2	Benzo[b]fluoranthene	ND		26	4.1
207-08-9	Benzo[k]fluoranthene	ND		26	5.2
191-24-2	Benzo[g,h,i]perylene	ND		26	2.6
50-32-8	Benzo[a]pyrene	ND		26	2.6
218-01-9	Chrysene	ND		26	3.1
53-70-3	Dibenz(a,h)anthracene	ND		26	2.9
206-44-0	Fluoranthene	17	J	26	2.8
86-73-7	Fluorene	ND		26	3.4
193-39-5	Indeno[1,2,3-cd]pyrene	ND		26	2.7
85-01-8	Phenanthrene	ND		26	4.1
129-00-0	Pyrene	18	J	26	2.6
83-32-9	Acenaphthene	ND		26	2.5
208-96-8	Acenaphthylene	8.5	J	26	3.0
91-20-3	Naphthalene	17	J	26	2.2
117-81-7	Bis(2-ethylhexyl) phthalate	42	J	260	21

CAS NO.	SURROGATE	%REC	Q	LIMITS
4165-60-0	Nitrobenzene-d5 (Surr)	56		27-110
321-60-8	2-Fluorobiphenyl	77		28-108
1718-51-0	Terphenyl-d14 (Surr)	65		21-130



5

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-E03 Lab Sample ID: 180-37760-5

Matrix: Sediment Lab File ID: N1106022.D

Analysis Method: 8270D LL Date Collected: 10/14/2014 10:20

Extract. Method: 3541 Date Extracted: 10/27/2014 03:10

Sample wt/vol: 30.1(g) Date Analyzed: 11/06/2014 21:54

Con. Extract Vol.: 1.0(mL) Dilution Factor: 25

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 77.1 GPC Cleanup: (Y/N) N

Analysis Batch No.: 124126 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-12-7	Anthracene	ND		730	71
56-55-3	Benzo[a]anthracene	610	J	730	91
205-99-2	Benzo[b]fluoranthene	1700		730	110
207-08-9	Benzo[k]fluoranthene	280	J	730	150
191-24-2	Benzo[g,h,i]perylene	1000		730	72
50-32-8	Benzo[a]pyrene	1300		730	73
218-01-9	Chrysene	720	J	730	86
53-70-3	Dibenz(a,h)anthracene	ND		730	81
206-44-0	Fluoranthene	1900		730	78
86-73-7	Fluorene	ND		730	96
193-39-5	Indeno[1,2,3-cd]pyrene	ND		730	75
85-01-8	Phenanthrene	ND		730	120
129-00-0	Pyrene	2000		730	73
83-32-9	Acenaphthene	ND		730	70
208-96-8	Acenaphthylene	320	J	730	83
91-20-3	Naphthalene	530	J	730	63
117-81-7	Bis(2-ethylhexyl) phthalate	3700	J	7300	590

CAS NO.	SURROGATE	%REC	Q	LIMITS
4165-60-0	Nitrobenzene-d5 (Surr)	0	X D	27-110
321-60-8	2-Fluorobiphenyl	0	X D	28-108
1718-51-0	Terphenyl-d14 (Surr)	0	X D	21-130

7

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-F01 Lab Sample ID: 180-37760-7  
 Matrix: Sediment Lab File ID: 103014024.D  
 Analysis Method: 8082A Date Collected: 10/14/2014 15:10  
 Extraction Method: 3541 Date Extracted: 10/25/2014 03:15  
 Sample wt/vol: 30.0(g) Date Analyzed: 10/30/2014 14:03  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 39.1 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 123252 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		6.8	1.0
11104-28-2	PCB-1221	ND		6.8	1.3
11141-16-5	PCB-1232	ND		6.8	1.2
53469-21-9	PCB-1242	ND		6.8	1.1
12672-29-6	PCB-1248	1600		6.8	0.65
11097-69-1	PCB-1254	ND		6.8	0.97
11096-82-5	PCB-1260	ND		6.8	0.97

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	222	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	76		30-150

9

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-F02 Lab Sample ID: 180-37760-9  
 Matrix: Sediment Lab File ID: 103014025.D  
 Analysis Method: 8082A Date Collected: 10/14/2014 15:45  
 Extraction Method: 3541 Date Extracted: 10/25/2014 03:15  
 Sample wt/vol: 30.1(g) Date Analyzed: 10/30/2014 14:23  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 30.7 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 123252 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		6.0	0.89
11104-28-2	PCB-1221	ND		6.0	1.1
11141-16-5	PCB-1232	ND		6.0	1.0
53469-21-9	PCB-1242	ND		6.0	0.98
12672-29-6	PCB-1248	190		6.0	0.57
11097-69-1	PCB-1254	ND		6.0	0.85
11096-82-5	PCB-1260	ND		6.0	0.85

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	158	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	82		30-150

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G01 Lab Sample ID: 180-37760-10  
 Matrix: Sediment Lab File ID: 103014026.D  
 Analysis Method: 8082A Date Collected: 10/14/2014 13:15  
 Extraction Method: 3541 Date Extracted: 10/25/2014 03:15  
 Sample wt/vol: 30.1(g) Date Analyzed: 10/30/2014 14:42  
 Con. Extract Vol.: 2.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 62.1 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 123252 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		22	3.3
11104-28-2	PCB-1221	ND		22	4.2
11141-16-5	PCB-1232	ND		22	3.8
53469-21-9	PCB-1242	ND		22	3.6
12672-29-6	PCB-1248	260		22	2.1
11097-69-1	PCB-1254	ND		22	3.1
11096-82-5	PCB-1260	ND		22	3.1

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	256	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	93		30-150

11

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G02 Lab Sample ID: 180-37760-11  
 Matrix: Sediment Lab File ID: 103014027.D  
 Analysis Method: 8082A Date Collected: 10/14/2014 16:20  
 Extraction Method: 3541 Date Extracted: 10/25/2014 03:15  
 Sample wt/vol: 30.0(g) Date Analyzed: 10/30/2014 15:02  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 74.9 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 123252 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		17	2.5
11104-28-2	PCB-1221	ND		17	3.2
11141-16-5	PCB-1232	ND		17	2.8
53469-21-9	PCB-1242	ND		17	2.7
12672-29-6	PCB-1248	230		17	1.6
11097-69-1	PCB-1254	ND		17	2.4
11096-82-5	PCB-1260	ND		17	2.4

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	334	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	112		30-150

12

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H01 Lab Sample ID: 180-37760-12

Matrix: Sediment Lab File ID: 103014028.D

Analysis Method: 8082A Date Collected: 10/14/2014 12:20

Extraction Method: 3541 Date Extracted: 10/25/2014 03:15

Sample wt/vol: 30.2(g) Date Analyzed: 10/30/2014 15:21

Con. Extract Vol.: 2.0(mL) Dilution Factor: 10

Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)

% Moisture: 57.1 GPC Cleanup: (Y/N) N

Analysis Batch No.: 123252 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		19	2.9
11104-28-2	PCB-1221	ND		19	3.7
11141-16-5	PCB-1232	ND		19	3.3
53469-21-9	PCB-1242	ND		19	3.1
12672-29-6	PCB-1248	680		19	1.8
11097-69-1	PCB-1254	ND		19	2.7
11096-82-5	PCB-1260	ND		19	2.7

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	379	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	142		30-150

13

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H02 Lab Sample ID: 180-37760-13  
 Matrix: Sediment Lab File ID: 103014029.D  
 Analysis Method: 8082A Date Collected: 10/14/2014 12:55  
 Extraction Method: 3541 Date Extracted: 10/25/2014 03:15  
 Sample wt/vol: 30.1(g) Date Analyzed: 10/30/2014 15:41  
 Con. Extract Vol.: 2.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 58.5 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 123252 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		20	3.0
11104-28-2	PCB-1221	ND		20	3.8
11141-16-5	PCB-1232	ND		20	3.4
53469-21-9	PCB-1242	ND		20	3.3
12672-29-6	PCB-1248	570		20	1.9
11097-69-1	PCB-1254	ND		20	2.8
11096-82-5	PCB-1260	ND		20	2.8

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	401	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	134		30-150

14

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H03 Lab Sample ID: 180-37760-14  
 Matrix: Sediment Lab File ID: 103014030.D  
 Analysis Method: 8082A Date Collected: 10/14/2014 13:45  
 Extraction Method: 3541 Date Extracted: 10/25/2014 03:15  
 Sample wt/vol: 30.0(g) Date Analyzed: 10/30/2014 16:00  
 Con. Extract Vol.: 2.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 73.8 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 123252 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		32	4.7
11104-28-2	PCB-1221	ND		32	6.1
11141-16-5	PCB-1232	ND		32	5.4
53469-21-9	PCB-1242	ND		32	5.2
12672-29-6	PCB-1248	910	J	32	3.0
11097-69-1	PCB-1254	ND		32	4.5
11096-82-5	PCB-1260	1000	J	32	4.5

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	180	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	101		30-150



1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: SD-D01 Lab Sample ID: 180-37760-1  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/14/2014 09:50  
 Reporting Basis: DRY Date Received: 10/16/2014 09:35  
 % Solids: 66.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	4.8	0.079	0.014	mg/Kg			1	6020A
7440-43-9	Cadmium	4.4	0.079	0.0055	mg/Kg			1	6020A
7440-47-3	Chromium	44	0.16	0.0048	mg/Kg		<del>8</del>	1	6020A
7439-92-1	Lead	16	0.079	0.0030	mg/Kg			1	6020A
7782-49-2	Selenium	0.22	0.39	0.039	mg/Kg	J		1	6020A
7440-22-4	Silver	0.071	0.079	0.0031	mg/Kg	J		1	6020A
7440-41-7	Beryllium	0.15	0.079	0.0059	mg/Kg			1	6020A
7440-28-0	Thallium	0.039	0.079	0.0016	mg/Kg	J		1	6020A
7440-36-0	Antimony	0.27	0.16	0.0020	mg/Kg		<del>7</del>	1	6020A
7440-02-0	Nickel	5.5	0.079	0.0089	mg/Kg			1	6020A
7440-66-6	Zinc	510	0.39	0.051	mg/Kg			1	6020A
7440-50-8	Copper	11	0.16	0.026	mg/Kg			1	6020A

*MS 12/24/14*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-D01 Lab Sample ID: 180-37760-1  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/14/2014 09:50  
 Reporting Basis: DRY Date Received: 10/16/2014 09:35  
 % Solids: 66.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	3.6	0.19	0.0062	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.032	0.0017	0.000055	umol/g			1	6010B
7440-50-8	Copper SEM	6.0	<del>0.95</del>	0.085	mg/Kg		<del>1</del>	1	6010B
7440-50-8	Copper SEM	0.094	<del>0.015</del>	0.0013	umol/g		<del>1</del>	1	6010B
7439-92-1	Lead SEM	9.0	0.38	0.075	mg/Kg			1	6010B
7439-92-1	Lead SEM	0.043	0.0018	0.00036	umol/g			1	6010B
7440-02-0	Nickel SEM	2.7	1.5	0.043	mg/Kg			1	6010B
7440-02-0	Nickel SEM	0.047	0.026	0.00074	umol/g			1	6010B
7440-66-6	Zinc SEM	390	3.8	0.28	mg/Kg		<del>1</del>	1	6010B
7440-66-6	Zinc SEM	5.9	0.058	0.0043	umol/g		<del>1</del>	1	6010B

11/12/14

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-D01

Lab Sample ID: 180-37760-1

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37760-1

SDG ID.:

Matrix: Sediment

Date Sampled: 10/14/2014 09:50

Reporting Basis: WET

Date Received: 10/16/2014 09:35

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	NC	0.0010	0.0010	NONE			1	SEM

NW 12/21/14

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

2

Client Sample ID: SD-D02 Lab Sample ID: 180-37760-2  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/14/2014 09:20  
 Reporting Basis: DRY Date Received: 10/16/2014 09:35  
 % Solids: 73.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	5.4	0.072	0.013	mg/Kg			1	6020A
7440-43-9	Cadmium	4.8	0.072	0.0050	mg/Kg			1	6020A
7440-47-3	Chromium	170	0.14	0.0044	mg/Kg		<del>B</del>	1	6020A
7439-92-1	Lead	25	0.072	0.0027	mg/Kg			1	6020A
7782-49-2	Selenium	0.25	0.36	0.036	mg/Kg	J		1	6020A
7440-22-4	Silver	0.16	0.072	0.0028	mg/Kg			1	6020A
7440-41-7	Beryllium	0.13	0.072	0.0054	mg/Kg			1	6020A
7440-28-0	Thallium	0.062	0.072	0.0014	mg/Kg	J		1	6020A
7440-36-0	Antimony	0.36	0.14	0.0019	mg/Kg		<del>B</del>	1	6020A
7440-02-0	Nickel	6.4	0.072	0.0081	mg/Kg			1	6020A
7440-66-6	Zinc	670	0.36	0.046	mg/Kg			1	6020A
7440-50-8	Copper	19	0.14	0.024	mg/Kg			1	6020A

*11/21/14*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

2

Client Sample ID: SD-D02 Lab Sample ID: 180-37760-2  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 09:20  
Reporting Basis: DRY Date Received: 10/16/2014 09:35  
% Solids: 73.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	2.9	0.17	0.0056	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.026	0.0015	0.000050	umol/g			1	6010B
7440-50-8	Copper SEM	8.7	J 0.85	0.077	mg/Kg		<del>P</del>	1	6010B
7440-50-8	Copper SEM	0.14	J 0.013	0.0012	umol/g		<del>P</del>	1	6010B
7439-92-1	Lead SEM	11	0.34	0.068	mg/Kg			1	6010B
7439-92-1	Lead SEM	0.052	0.0016	0.00033	umol/g			1	6010B
7440-02-0	Nickel SEM	2.8	1.4	0.039	mg/Kg			1	6010B
7440-02-0	Nickel SEM	0.047	0.023	0.00067	umol/g			1	6010B
7440-66-6	Zinc SEM	400	3.4	0.25	mg/Kg		<del>P</del>	1	6010B
7440-66-6	Zinc SEM	6.2	0.052	0.0039	umol/g		<del>P</del>	1	6010B

NW 12/21/14

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

2

Client Sample ID: SD-D02 Lab Sample ID: 180-37760-2  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.:  
Matrix: Sediment Date Sampled: 10/14/2014 09:20  
Reporting Basis: WET Date Received: 10/16/2014 09:35

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	NC	0.0010	0.0010	NONE			1	SEM

11/12/2014

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

3

Client Sample ID: SD-E01 Lab Sample ID: 180-37760-3  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/14/2014 11:55  
 Reporting Basis: DRY Date Received: 10/16/2014 09:35  
 % Solids: 80.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	3.5	0.061	0.011	mg/Kg			1	6020A
7440-43-9	Cadmium	0.97	0.061	0.0043	mg/Kg			1	6020A
7440-47-3	Chromium	97	0.12	0.0037	mg/Kg			1	6020A
7439-92-1	Lead	16	0.061	0.0023	mg/Kg			1	6020A
7782-49-2	Selenium	0.14	0.31	0.031	mg/Kg	J		1	6020A
7440-22-4	Silver	0.063	0.061	0.0024	mg/Kg			1	6020A
7440-41-7	Beryllium	0.082	0.061	0.0046	mg/Kg			1	6020A
7440-28-0	Thallium	0.032	0.061	0.0012	mg/Kg	J		1	6020A
7440-36-0	Antimony	0.27	0.12	0.0016	mg/Kg			1	6020A
7440-02-0	Nickel	4.9	0.061	0.0069	mg/Kg			1	6020A
7440-66-6	Zinc	220	0.31	0.040	mg/Kg			1	6020A
7440-50-8	Copper	9.1	0.12	0.020	mg/Kg			1	6020A

*11/21/14*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

3

Client Sample ID: SD-E01

Lab Sample ID: 180-37760-3

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37760-1

SDG ID.: \_\_\_\_\_

Matrix: Sediment

Date Sampled: 10/14/2014 11:55

Reporting Basis: DRY

Date Received: 10/16/2014 09:35

% Solids: 80.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	0.80	0.16	0.0051	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.0071	0.0014	0.000046	umol/g			1	6010B
7440-50-8	Copper SEM	5.0	J 0.78	0.070	mg/Kg		<del>P</del>	1	6010B
7440-50-8	Copper SEM	0.078	J 0.012	0.0011	umol/g		<del>P</del>	1	6010B
7439-92-1	Lead SEM	9.6	0.31	0.062	mg/Kg			1	6010B
7439-92-1	Lead SEM	0.047	0.0015	0.00030	umol/g			1	6010B
7440-02-0	Nickel SEM	2.4	1.3	0.036	mg/Kg			1	6010B
7440-02-0	Nickel SEM	0.041	0.021	0.00061	umol/g			1	6010B
7440-66-6	Zinc SEM	170	3.1	0.23	mg/Kg		<del>P</del>	1	6010B
7440-66-6	Zinc SEM	2.6	0.048	0.0035	umol/g		<del>P</del>	1	6010B

11/12/2014



1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

3

Client Sample ID: SD-E01

Lab Sample ID: 180-37760-3

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37760-1

SDG ID.:

Matrix: Sediment

Date Sampled: 10/14/2014 11:55

Reporting Basis: WET

Date Received: 10/16/2014 09:35

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	NC	0.0010	0.0010	NONE			1	SEM

10/12/2014

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

4

Client Sample ID: SD-E02 Lab Sample ID: 180-37760-4  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/14/2014 10:55  
 Reporting Basis: DRY Date Received: 10/16/2014 09:35  
 % Solids: 64.6

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	2.8	0.081	0.015	mg/Kg			1	6020A
7440-43-9	Cadmium	0.72	0.081	0.0056	mg/Kg			1	6020A
7440-47-3	Chromium	66	0.16	0.0049	mg/Kg			1	6020A
7439-92-1	Lead	16	0.081	0.0031	mg/Kg			1	6020A
7782-49-2	Selenium	0.22	0.40	0.040	mg/Kg	J		1	6020A
7440-22-4	Silver	0.075	0.081	0.0031	mg/Kg	J		1	6020A
7440-41-7	Beryllium	0.15	0.081	0.0060	mg/Kg			1	6020A
7440-28-0	Thallium	0.054	0.081	0.0016	mg/Kg	J		1	6020A
7440-36-0	Antimony	0.22	0.16	0.0021	mg/Kg			1	6020A
7440-02-0	Nickel	5.6	0.081	0.0091	mg/Kg			1	6020A
7440-66-6	Zinc	140	0.40	0.052	mg/Kg			1	6020A
7440-50-8	Copper	11	0.16	0.027	mg/Kg			1	6020A

*11/12/2014*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

4

Client Sample ID: SD-E02 Lab Sample ID: 180-37760-4  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/14/2014 10:55  
 Reporting Basis: DRY Date Received: 10/16/2014 09:35  
 % Solids: 64.6

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	1.7	0.39	0.013	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.015	0.0035	0.00011	umol/g			1	6010B
7440-50-8	Copper SEM	18	J 1.9	0.17	mg/Kg		B	1	6010B
7440-50-8	Copper SEM	0.28	J 0.031	0.0027	umol/g		B	1	6010B
7439-92-1	Lead SEM	27	0.78	0.15	mg/Kg		B	1	6010B
7439-92-1	Lead SEM	0.13	0.0037	0.00074	umol/g		B	1	6010B
7440-02-0	Nickel SEM	7.9	3.1	0.089	mg/Kg		B	1	6010B
7440-02-0	Nickel SEM	0.13	0.053	0.0015	umol/g		B	1	6010B
7440-66-6	Zinc SEM	330	7.8	0.57	mg/Kg			1	6010B
7440-66-6	Zinc SEM	5.1	0.12	0.0088	umol/g			1	6010B

10/12/2014

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

4

Client Sample ID: SD-E02 Lab Sample ID: 180-37760-4  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 10:55  
Reporting Basis: WET Date Received: 10/16/2014 09:35

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	NC	0.0010	0.0010	NONE			1	SEM

11/12/2014

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

5

Client Sample ID: SD-E03 Lab Sample ID: 180-37760-5  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/14/2014 10:20  
 Reporting Basis: DRY Date Received: 10/16/2014 09:35  
 % Solids: 22.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	25	0.20	0.036	mg/Kg			1	6020A
7440-43-9	Cadmium	5.3	0.20	0.014	mg/Kg			1	6020A
7440-47-3	Chromium	1400	0.40	0.012	mg/Kg		<del>P</del>	1	6020A
7439-92-1	Lead	190	0.20	0.0076	mg/Kg			1	6020A
7782-49-2	Selenium	2.6	1.0	0.10	mg/Kg			1	6020A
7440-22-4	Silver	2.5	0.20	0.0078	mg/Kg			1	6020A
7440-41-7	Beryllium	0.92	0.20	0.015	mg/Kg			1	6020A
7440-28-0	Thallium	0.49	0.20	0.0040	mg/Kg			1	6020A
7440-36-0	Antimony	4.1	0.40	0.0052	mg/Kg		<del>P</del>	1	6020A
7440-02-0	Nickel	76	0.20	0.023	mg/Kg			1	6020A
7440-66-6	Zinc	1200	1.0	0.13	mg/Kg			1	6020A
7440-50-8	Copper	190	0.40	0.066	mg/Kg			1	6020A

11/12/2014

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

5

Client Sample ID: SD-E03

Lab Sample ID: 180-37760-5

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37760-1

SDG ID.:

Matrix: Sediment

Date Sampled: 10/14/2014 10:20

Reporting Basis: DRY

Date Received: 10/16/2014 09:35

% Solids: 22.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	12	1.1	0.036	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.11	0.0098	0.00032	umol/g			1	6010B
7440-50-8	Copper SEM	270	5.5	0.49	mg/Kg			1	6010B
7440-50-8	Copper SEM	4.2	0.086	0.0078	umol/g			1	6010B
7439-92-1	Lead SEM	310	11	2.2	mg/Kg			5	6010B
7439-92-1	Lead SEM	1.5	0.053	0.010	umol/g			5	6010B
7440-02-0	Nickel SEM	130	44	1.3	mg/Kg			5	6010B
7440-02-0	Nickel SEM	2.2	0.75	0.021	umol/g			5	6010B
7440-66-6	Zinc SEM	2600	22	1.6	mg/Kg			1	6010B
7440-66-6	Zinc SEM	40	0.34	0.025	umol/g			1	6010B

11/21/14

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

5

Client Sample ID: SD-E03 Lab Sample ID: 180-37760-5  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.:  
Matrix: Sediment Date Sampled: 10/14/2014 10:20  
Reporting Basis: WET Date Received: 10/16/2014 09:35

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.58	0.0010	0.0010	NONE			1	SEM

10/12/2014

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

7

Client Sample ID: SD-F01 Lab Sample ID: 180-37760-7  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/14/2014 15:10  
 Reporting Basis: DRY Date Received: 10/16/2014 09:35  
 % Solids: 60.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	9.7	0.071	0.013	mg/Kg			1	6020A
7440-43-9	Cadmium	4.0	0.071	0.0050	mg/Kg			1	6020A
7440-47-3	Chromium	530	0.14	0.0043	mg/Kg		<del>β</del>	1	6020A
7439-92-1	Lead	110	0.071	0.0027	mg/Kg			1	6020A
7782-49-2	Selenium	0.54	0.36	0.036	mg/Kg			1	6020A
7440-22-4	Silver	1.1	0.071	0.0028	mg/Kg			1	6020A
7440-41-7	Beryllium	0.18	0.071	0.0053	mg/Kg			1	6020A
7440-28-0	Thallium	0.12	0.071	0.0014	mg/Kg			1	6020A
7440-36-0	Antimony	1.1	0.14	0.0018	mg/Kg		<del>β</del>	1	6020A
7440-02-0	Nickel	19	0.071	0.0080	mg/Kg			1	6020A
7440-66-6	Zinc	850	0.36	0.046	mg/Kg			1	6020A
7440-50-8	Copper	77	0.14	0.023	mg/Kg			1	6020A
7439-97-6	Mercury	0.26	0.026	0.0085	mg/Kg			1	7471A

*11/12/2014*



1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

7

Client Sample ID: SD-F01

Lab Sample ID: 180-37760-7

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37760-1

SDG ID.:

Matrix: Sediment

Date Sampled: 10/14/2014 15:10

Reporting Basis: DRY

Date Received: 10/16/2014 09:35

% Solids: 60.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	9.5	0.41	0.013	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.085	0.0037	0.00012	umol/g			1	6010B
7440-50-8	Copper SEM	110	2.1	0.18	mg/Kg			1	6010B
7440-50-8	Copper SEM	1.7	0.032	0.0029	umol/g			1	6010B
7439-92-1	Lead SEM	170	1.6	0.32	mg/Kg			2	6010B
7439-92-1	Lead SEM	0.84	0.0079	0.0016	umol/g			2	6010B
7440-02-0	Nickel SEM	28	6.6	0.19	mg/Kg			2	6010B
7440-02-0	Nickel SEM	0.48	0.11	0.0032	umol/g			2	6010B
7440-66-6	Zinc SEM	1700	8.2	0.61	mg/Kg			1	6010B
7440-66-6	Zinc SEM	26	0.13	0.0093	umol/g			1	6010B

10/12/2014

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

7

Client Sample ID: SD-F01 Lab Sample ID: 180-37760-7  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 15:10  
Reporting Basis: WET Date Received: 10/16/2014 09:35

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.92	0.0010	0.0010	NONE			1	SEM

*mwiz/2/1/14*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

8

Client Sample ID: SD-F01-FD Lab Sample ID: 180-37760-8  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/14/2014 15:10  
 Reporting Basis: DRY Date Received: 10/16/2014 09:35  
 % Solids: 66.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	10	0.074	0.013	mg/Kg			1	6020A
7440-43-9	Cadmium	4.1	0.074	0.0052	mg/Kg			1	6020A
7440-47-3	Chromium	530	0.15	0.0045	mg/Kg			1	6020A
7439-92-1	Lead	110	0.074	0.0028	mg/Kg			1	6020A
7782-49-2	Selenium	0.56	0.37	0.037	mg/Kg			1	6020A
7440-22-4	Silver	1.0	0.074	0.0029	mg/Kg			1	6020A
7440-41-7	Beryllium	0.16	0.074	0.0055	mg/Kg			1	6020A
7440-28-0	Thallium	0.11	0.074	0.0015	mg/Kg			1	6020A
7440-36-0	Antimony	1.1	0.15	0.0019	mg/Kg			1	6020A
7440-02-0	Nickel	19	0.074	0.0083	mg/Kg			1	6020A
7440-66-6	Zinc	850	0.37	0.048	mg/Kg			1	6020A
7440-50-8	Copper	80	0.15	0.024	mg/Kg			1	6020A
7439-97-6	Mercury	0.17	0.024	0.0078	mg/Kg			1	7471A

11/12/2014

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

8

Client Sample ID: SD-F01-FD Lab Sample ID: 180-37760-8  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/14/2014 15:10  
 Reporting Basis: DRY Date Received: 10/16/2014 09:35  
 % Solids: 66.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	3.1	0.37	0.012	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.027	0.0033	0.00011	umol/g			1	6010B
7440-50-8	Copper SEM	29	1.9	0.17	mg/Kg			1	6010B
7440-50-8	Copper SEM	0.45	0.029	0.0026	umol/g			1	6010B
7439-92-1	Lead SEM	43	0.74	0.15	mg/Kg			1	6010B
7439-92-1	Lead SEM	0.21	0.0036	0.00071	umol/g			1	6010B
7440-02-0	Nickel SEM	8.3	3.0	0.085	mg/Kg			1	6010B
7440-02-0	Nickel SEM	0.14	0.051	0.0015	umol/g			1	6010B
7440-66-6	Zinc SEM	600	7.4	0.55	mg/Kg			1	6010B
7440-66-6	Zinc SEM	9.2	0.11	0.0084	umol/g			1	6010B

*Wiz2114*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

8

Client Sample ID: SD-F01-FD Lab Sample ID: 180-37760-8  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 15:10  
Reporting Basis: WET Date Received: 10/16/2014 09:35

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.40	0.0010	0.0010	NONE			1	SEM

MW12/21/14

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

9

Client Sample ID: SD-F02 Lab Sample ID: 180-37760-9  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/14/2014 15:45  
 Reporting Basis: DRY Date Received: 10/16/2014 09:35  
 % Solids: 69.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	6.1	0.072	0.013	mg/Kg			1	6020A
7440-43-9	Cadmium	2.5	0.072	0.0050	mg/Kg			1	6020A
7440-47-3	Chromium	250	0.14	0.0044	mg/Kg		<del>P</del>	1	6020A
7439-92-1	Lead	46	0.072	0.0027	mg/Kg			1	6020A
7782-49-2	Selenium	0.30	0.36	0.036	mg/Kg	J		1	6020A
7440-22-4	Silver	0.28	0.072	0.0028	mg/Kg			1	6020A
7440-41-7	Beryllium	0.13	0.072	0.0054	mg/Kg			1	6020A
7440-28-0	Thallium	0.079	0.072	0.0014	mg/Kg			1	6020A
7440-36-0	Antimony	0.68	0.14	0.0019	mg/Kg		<del>P</del>	1	6020A
7440-02-0	Nickel	10	0.072	0.0081	mg/Kg			1	6020A
7440-66-6	Zinc	490	0.36	0.047	mg/Kg			1	6020A
7440-50-8	Copper	29	0.14	0.024	mg/Kg			1	6020A
7439-97-6	Mercury	0.072	0.024	0.0078	mg/Kg			1	7471A

*W/12/21/14*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

9

Client Sample ID: SD-F02 Lab Sample ID: 180-37760-9  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/14/2014 15:45  
 Reporting Basis: DRY Date Received: 10/16/2014 09:35  
 % Solids: 69.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	7.0	0.36	0.012	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.062	0.0032	0.00010	umol/g			1	6010B
7440-50-8	Copper SEM	87	1.8	0.16	mg/Kg		B	1	6010B
7440-50-8	Copper SEM	1.4	0.028	0.0025	umol/g		B	1	6010B
7439-92-1	Lead SEM	130	1.4	0.28	mg/Kg		B	2	6010B
7439-92-1	Lead SEM	0.62	0.0069	0.0014	umol/g		B	2	6010B
7440-02-0	Nickel SEM	20	5.7	0.16	mg/Kg		B	2	6010B
7440-02-0	Nickel SEM	0.35	0.097	0.0028	umol/g		B	2	6010B
7440-66-6	Zinc SEM	1400	7.1	0.53	mg/Kg			1	6010B
7440-66-6	Zinc SEM	21	0.11	0.0081	umol/g			1	6010B

11/21/14

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

9

Client Sample ID: SD-F02 Lab Sample ID: 180-37760-9  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.:  
Matrix: Sediment Date Sampled: 10/14/2014 15:45  
Reporting Basis: WET Date Received: 10/16/2014 09:35

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	1.5	0.0010	0.0010	NONE			1	SEM

NW 12/21/14



1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

10

Client Sample ID: SD-G01 Lab Sample ID: 180-37760-10  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/14/2014 13:15  
 Reporting Basis: DRY Date Received: 10/16/2014 09:35  
 % Solids: 37.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	17	0.12	0.022	mg/Kg			1	6020A
7440-43-9	Cadmium	2.5	1.2	0.084	mg/Kg			10	6020A
7440-47-3	Chromium	800	2.4	0.073	mg/Kg		<del>B</del>	10	6020A
7439-92-1	Lead	67	1.2	0.046	mg/Kg			10	6020A
7782-49-2	Selenium	ND	6.0	0.60	mg/Kg			10	6020A
7440-22-4	Silver	0.89	1.2	0.047	mg/Kg	J		10	6020A
7440-41-7	Beryllium	0.24	1.2	0.090	mg/Kg	J		10	6020A
7440-28-0	Thallium	0.14	1.2	0.024	mg/Kg	J		10	6020A
7440-36-0	Antimony	7.8	2.4	0.031	mg/Kg		<del>B</del>	10	6020A
7440-02-0	Nickel	63	1.2	0.14	mg/Kg			10	6020A
7440-66-6	Zinc	1100	6.0	0.78	mg/Kg			10	6020A
7440-50-8	Copper	110	2.4	0.40	mg/Kg			10	6020A
7439-97-6	Mercury	0.26	0.042	0.014	mg/Kg			1	7471A

*10/12/2014*

10

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-G01 Lab Sample ID: 180-37760-10  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/14/2014 13:15  
 Reporting Basis: DRY Date Received: 10/16/2014 09:35  
 % Solids: 37.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	8.1	0.67	0.022	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.072	0.0059	0.00019	umol/g			1	6010B
7440-50-8	Copper SEM	230	J 3.3	0.30	mg/Kg		B	1	6010B
7440-50-8	Copper SEM	3.6	J 0.052	0.0047	umol/g		B	1	6010B
7439-92-1	Lead SEM	150	6.7	1.3	mg/Kg		B	5	6010B
7439-92-1	Lead SEM	0.73	0.032	0.0064	umol/g		B	5	6010B
7440-02-0	Nickel SEM	130	27	0.76	mg/Kg		B	5	6010B
7440-02-0	Nickel SEM	2.3	0.45	0.013	umol/g		B	5	6010B
7440-66-6	Zinc SEM	2400	13	0.99	mg/Kg			1	6010B
7440-66-6	Zinc SEM	37	0.20	0.015	umol/g			1	6010B

11/2/2014

10

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-G01 Lab Sample ID: 180-37760-10  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 13:15  
Reporting Basis: WET Date Received: 10/16/2014 09:35

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.87	0.0010	0.0010	NONE			1	SEM

NW 12/21/14

11

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: SD-G02 Lab Sample ID: 180-37760-11

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1

SDG ID.: \_\_\_\_\_

Matrix: Sediment Date Sampled: 10/14/2014 16:20

Reporting Basis: DRY Date Received: 10/16/2014 09:35

% Solids: 25.1

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	23	0.17	0.032	mg/Kg			1	6020A
7440-43-9	Cadmium	5.7	1.7	0.12	mg/Kg			10	6020A
7440-47-3	Chromium	2700	3.5	0.11	mg/Kg		<del>1</del>	10	6020A
7439-92-1	Lead	130	1.7	0.066	mg/Kg			10	6020A
7782-49-2	Selenium	ND	8.7	0.88	mg/Kg			10	6020A
7440-22-4	Silver	5.4	1.7	0.068	mg/Kg			10	6020A
7440-41-7	Beryllium	0.46	1.7	0.13	mg/Kg	J		10	6020A
7440-28-0	Thallium	0.30	1.7	0.035	mg/Kg	J		10	6020A
7440-36-0	Antimony	7.0	3.5	0.045	mg/Kg		<del>1</del>	10	6020A
7440-02-0	Nickel	130	1.7	0.20	mg/Kg			10	6020A
7440-66-6	Zinc	1700	8.7	1.1	mg/Kg			10	6020A
7440-50-8	Copper	260	3.5	0.58	mg/Kg			10	6020A
7439-97-6	Mercury	0.53	0.066	0.022	mg/Kg			1	7471A

*RW 12/21/14*

11

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-G02 Lab Sample ID: 180-37760-11  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/14/2014 16:20  
 Reporting Basis: DRY Date Received: 10/16/2014 09:35  
 % Solids: 25.1

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	13	0.99	0.033	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.11	0.0088	0.00029	umol/g			1	6010B
7440-50-8	Copper SEM	320	5.0	0.45	mg/Kg		B	1	6010B
7440-50-8	Copper SEM	5.0	0.078	0.0070	umol/g		B	1	6010B
7439-92-1	Lead SEM	230	9.9	2.0	mg/Kg		B	5	6010B
7439-92-1	Lead SEM	1.1	0.048	0.0095	umol/g		B	5	6010B
7440-02-0	Nickel SEM	200	40	1.1	mg/Kg		B	5	6010B
7440-02-0	Nickel SEM	3.5	0.68	0.019	umol/g		B	5	6010B
7440-66-6	Zinc SEM	2700	20	1.5	mg/Kg			1	6010B
7440-66-6	Zinc SEM	41	0.30	0.023	umol/g			1	6010B

11/12/2014

11

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-G02 Lab Sample ID: 180-37760-11  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 16:20  
Reporting Basis: WET Date Received: 10/16/2014 09:35

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	1.0	0.0010	0.0010	NONE			1	SEM

*pw 12/21/14*

12

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: SD-H01 Lab Sample ID: 180-37760-12

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1

SDG ID.: \_\_\_\_\_

Matrix: Sediment Date Sampled: 10/14/2014 12:20

Reporting Basis: DRY Date Received: 10/16/2014 09:35

% Solids: 42.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	20	0.10	0.019	mg/Kg			1	6020A
7440-43-9	Cadmium	4.9	1.0	0.073	mg/Kg			10	6020A
7440-47-3	Chromium	1400	2.1	0.063	mg/Kg		<del>B</del>	10	6020A
7439-92-1	Lead	110	1.0	0.040	mg/Kg			10	6020A
7782-49-2	Selenium	ND	5.2	0.52	mg/Kg			10	6020A
7440-22-4	Silver	1.9	1.0	0.041	mg/Kg			10	6020A
7440-41-7	Beryllium	0.35	1.0	0.078	mg/Kg	J		10	6020A
7440-28-0	Thallium	0.30	1.0	0.021	mg/Kg	J		10	6020A
7440-36-0	Antimony	6.1	2.1	0.027	mg/Kg		<del>B</del>	10	6020A
7440-02-0	Nickel	95	1.0	0.12	mg/Kg			10	6020A
7440-66-6	Zinc	1900	5.2	0.67	mg/Kg			10	6020A
7440-50-8	Copper	180	2.1	0.34	mg/Kg			10	6020A
7439-97-6	Mercury	0.38	0.037	0.012	mg/Kg			1	7471A

10/12/2014

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

12

Client Sample ID: SD-H01 Lab Sample ID: 180-37760-12  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 12:20  
Reporting Basis: DRY Date Received: 10/16/2014 09:35  
% Solids: 42.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	12	0.59	0.019	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.11	0.0052	0.00017	umol/g			1	6010B
7440-50-8	Copper SEM	300	J 2.9	0.26	mg/Kg		B	1	6010B
7440-50-8	Copper SEM	4.7	J 0.046	0.0041	umol/g		B	1	6010B
7439-92-1	Lead SEM	220	12	2.3	mg/Kg		B	10	6010B
7439-92-1	Lead SEM	1.1	0.057	0.011	umol/g		B	10	6010B
7440-02-0	Nickel SEM	160	47	1.3	mg/Kg		B	10	6010B
7440-02-0	Nickel SEM	2.8	0.80	0.023	umol/g		B	10	6010B
7440-66-6	Zinc SEM	3700	59	4.3	mg/Kg			5	6010B
7440-66-6	Zinc SEM	56	0.90	0.066	umol/g			5	6010B

11/12/2014



1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

12

Client Sample ID: SD-H01 Lab Sample ID: 180-37760-12  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.:  
Matrix: Sediment Date Sampled: 10/14/2014 12:20  
Reporting Basis: WET Date Received: 10/16/2014 09:35

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	2.0	0.0010	0.0010	NONE			1	SEM

10/12/2014

13

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: SD-H02 Lab Sample ID: 180-37760-13  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/14/2014 12:55  
 Reporting Basis: DRY Date Received: 10/16/2014 09:35  
 % Solids: 41.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	23	0.098	0.018	mg/Kg			1	6020A
7440-43-9	Cadmium	4.5	0.98	0.069	mg/Kg			10	6020A
7440-47-3	Chromium	1700	2.0	0.060	mg/Kg		<del>B</del>	10	6020A
7439-92-1	Lead	120	0.98	0.037	mg/Kg			10	6020A
7782-49-2	Selenium	ND	4.9	0.49	mg/Kg			10	6020A
7440-22-4	Silver	2.0	0.98	0.038	mg/Kg			10	6020A
7440-41-7	Beryllium	0.31	0.98	0.074	mg/Kg	J		10	6020A
7440-28-0	Thallium	0.27	0.98	0.020	mg/Kg	J		10	6020A
7440-36-0	Antimony	6.6	2.0	0.025	mg/Kg		<del>B</del>	10	6020A
7440-02-0	Nickel	120	0.98	0.11	mg/Kg			10	6020A
7440-66-6	Zinc	1900	4.9	0.64	mg/Kg			10	6020A
7440-50-8	Copper	190	2.0	0.32	mg/Kg			10	6020A
7439-97-6	Mercury	0.36	0.038	0.013	mg/Kg			1	7471A

10/12/2014

13

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-H02 Lab Sample ID: 180-37760-13

Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1

SDG ID.: \_\_\_\_\_

Matrix: Sediment Date Sampled: 10/14/2014 12:55

Reporting Basis: DRY Date Received: 10/16/2014 09:35

% Solids: 41.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	12	0.60	0.020	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.10	0.0054	0.00018	umol/g			1	6010B
7440-50-8	Copper SEM	330	J 3.0	0.27	mg/Kg		B	1	6010B
7440-50-8	Copper SEM	5.2	J 0.047	0.0043	umol/g		B	1	6010B
7439-92-1	Lead SEM	220	12	2.4	mg/Kg		B	10	6010B
7439-92-1	Lead SEM	1.1	0.058	0.012	umol/g		B	10	6010B
7440-02-0	Nickel SEM	210	48	1.4	mg/Kg		B	10	6010B
7440-02-0	Nickel SEM	3.5	0.82	0.024	umol/g		B	10	6010B
7440-66-6	Zinc SEM	3000	12	0.89	mg/Kg			1	6010B
7440-66-6	Zinc SEM	46	0.18	0.014	umol/g			1	6010B

*mu 12/21/14*

13

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-H02

Lab Sample ID: 180-37760-13

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37760-1

SDG ID.:

Matrix: Sediment

Date Sampled: 10/14/2014 12:55

Reporting Basis: WET

Date Received: 10/16/2014 09:35

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	1.7	0.0010	0.0010	NONE			1	SEM

11/12/2014

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

14

Client Sample ID: SD-H03 Lab Sample ID: 180-37760-14  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/14/2014 13:45  
 Reporting Basis: DRY Date Received: 10/16/2014 09:35  
 % Solids: 26.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	27	0.15	0.028	mg/Kg			1	6020A
7440-43-9	Cadmium	45	1.5	0.11	mg/Kg			10	6020A
7440-47-3	Chromium	2600	3.1	0.095	mg/Kg		<del>P</del>	10	6020A
7439-92-1	Lead	260	1.5	0.059	mg/Kg			10	6020A
7782-49-2	Selenium	ND	7.7	0.78	mg/Kg			10	6020A
7440-22-4	Silver	4.8	1.5	0.060	mg/Kg			10	6020A
7440-41-7	Beryllium	0.29	1.5	0.12	mg/Kg	J		10	6020A
7440-28-0	Thallium	0.20	1.5	0.031	mg/Kg	J		10	6020A
7440-36-0	Antimony	6.8	3.1	0.040	mg/Kg		<del>P</del>	10	6020A
7440-02-0	Nickel	170	1.5	0.18	mg/Kg			10	6020A
7440-66-6	Zinc	10000	7.7	1.0	mg/Kg			10	6020A
7440-50-8	Copper	470	3.1	0.51	mg/Kg			10	6020A
7439-97-6	Mercury	0.83	0.061	0.020	mg/Kg			1	7471A

*MW 12/21/14*

14

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-H03 Lab Sample ID: 180-37760-14  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 10/14/2014 13:45  
 Reporting Basis: DRY Date Received: 10/16/2014 09:35  
 % Solids: 26.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	91	0.95	0.031	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.81	0.0085	0.00028	umol/g			1	6010B
7440-50-8	Copper SEM	460	4.8	0.43	mg/Kg			1	6010B
7440-50-8	Copper SEM	7.2	0.075	0.0067	umol/g			1	6010B
7439-92-1	Lead SEM	450	9.5	1.9	mg/Kg			5	6010B
7439-92-1	Lead SEM	2.2	0.046	0.0091	umol/g			5	6010B
7440-02-0	Nickel SEM	330	38	1.1	mg/Kg			5	6010B
7440-02-0	Nickel SEM	5.6	0.65	0.019	umol/g			5	6010B
7440-66-6	Zinc SEM	19000	95	7.0	mg/Kg			5	6010B
7440-66-6	Zinc SEM	280	1.5	0.11	umol/g			5	6010B

11/12/2014

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

14

Client Sample ID: SD-H03

Lab Sample ID: 180-37760-14

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37760-1

SDG ID.:

Matrix: Sediment

Date Sampled: 10/14/2014 13:45

Reporting Basis: WET

Date Received: 10/16/2014 09:35

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	21	0.0010	0.0010	NONE			1	SEM

*Handwritten signature*

1

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-D01 Lab Sample ID: 180-37760-1  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 09:50  
Reporting Basis: DRY Date Received: 10/16/2014 09:35  
% Solids: 66.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	ND	23	4.5	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	ND	0.71	0.14	umol/g			1	9034

NW 12/21/14



1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

2

Client Sample ID: SD-D02 Lab Sample ID: 180-37760-2  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 09:20  
Reporting Basis: DRY Date Received: 10/16/2014 09:35  
% Solids: 73.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	ND	21	4.1	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	ND	0.64	0.13	umol/g			1	9034

11/12/2014

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

3

Client Sample ID: SD-E01 Lab Sample ID: 180-37760-3  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 11:55  
Reporting Basis: DRY Date Received: 10/16/2014 09:35  
% Solids: 80.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	ND	19	3.8	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	ND	0.59	0.12	umol/g			1	9034

MW12/21/14

4

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-E02 Lab Sample ID: 180-37760-4  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 10:55  
Reporting Basis: DRY Date Received: 10/16/2014 09:35  
% Solids: 64.6

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	ND	47	9.3	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	ND	1.5	0.29	umol/g			1	9034

11/12/2014

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

5

Client Sample ID: SD-E03

Lab Sample ID: 180-37760-5

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37760-1

SDG ID.:

Matrix: Sediment

Date Sampled: 10/14/2014 10:20

Reporting Basis: DRY

Date Received: 10/16/2014 09:35

% Solids: 22.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	2700	130	26	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	83	4.1	0.82	umol/g			1	9034

11/12/2014

7

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-F01

Lab Sample ID: 180-37760-7

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37760-1

SDG ID.: \_\_\_\_\_

Matrix: Sediment

Date Sampled: 10/14/2014 15:10

Reporting Basis: DRY

Date Received: 10/16/2014 09:35

% Solids: 60.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	1000	49	9.8	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	31	1.5	0.31	umol/g			1	9034

*mw 12/21/14*

8

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-F01-FD Lab Sample ID: 180-37760-8  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 15:10  
Reporting Basis: DRY Date Received: 10/16/2014 09:35  
% Solids: 66.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	810	45	8.9	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	25	1.4	0.28	umol/g			1	9034

*MW 12/21/14*

9

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-F02

Lab Sample ID: 180-37760-9

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37760-1

SDG ID.:

Matrix: Sediment

Date Sampled: 10/14/2014 15:45

Reporting Basis: DRY

Date Received: 10/16/2014 09:35

% Solids: 69.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	500	43	8.6	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	16	1.3	0.27	umol/g			1	9034

NW 12/21/14

10

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-G01 Lab Sample ID: 180-37760-10  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 13:15  
Reporting Basis: DRY Date Received: 10/16/2014 09:35  
% Solids: 37.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	1600	80	16	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	51	2.5	0.50	umol/g			1	9034

*11/21/2014*



11

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-G02

Lab Sample ID: 180-37760-11

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37760-1

SDG ID.:

Matrix: Sediment

Date Sampled: 10/14/2014 16:20

Reporting Basis: DRY

Date Received: 10/16/2014 09:35

% Solids: 25.1

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	1600	120	24	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	49	3.7	0.74	umol/g			1	9034

*MW 12/21/14*

12

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-H01 Lab Sample ID: 180-37760-12  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 12:20  
Reporting Basis: DRY Date Received: 10/16/2014 09:35  
% Solids: 42.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	1000	70	14	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	32	2.2	0.44	umol/g			1	9034

*NW 12/21/14*

13

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-H02 Lab Sample ID: 180-37760-13  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 12:55  
Reporting Basis: DRY Date Received: 10/16/2014 09:35  
% Solids: 41.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	1100	72	14	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	34	2.3	0.45	umol/g			1	9034

11/21/14

14

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-H03 Lab Sample ID: 180-37760-14  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 13:45  
Reporting Basis: DRY Date Received: 10/16/2014 09:35  
% Solids: 26.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	470	110	23	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	15	3.6	0.71	umol/g			1	9034

11/12/2014

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-D01                      Lab Sample ID: 180-37760-1  
Lab Name: TestAmerica Pittsburgh              Job No.: 180-37760-1  
SDG ID.:  
Matrix: Sediment                      Date Sampled: 10/14/2014 09:50  
Reporting Basis: DRY                      Date Received: 10/16/2014 09:35  
% Solids: 66.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	ND	0.38	0.12	mg/Kg			1	9014
7440-44-0	Total Organic Carbon - Duplicates	3500	1500	130	mg/Kg			1	Lloyd Kahn

11/21/14

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

2

Client Sample ID: SD-D02

Lab Sample ID: 180-37760-2

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37760-1

SDG ID.:

Matrix: Sediment

Date Sampled: 10/14/2014 09:20

Reporting Basis: DRY

Date Received: 10/16/2014 09:35

% Solids: 73.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	0.66	0.34	0.11	mg/Kg			1	9014
7440-44-0	Total Organic Carbon - Duplicates	3700	1400	120	mg/Kg			1	Lloyd Kahn

rw 12/21/14

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

3

Client Sample ID: SD-E01

Lab Sample ID: 180-37760-3

Lab Name: TestAmerica Pittsburgh

Job No.: 180-37760-1

SDG ID.:

Matrix: Sediment

Date Sampled: 10/14/2014 11:55

Reporting Basis: DRY

Date Received: 10/16/2014 09:35

% Solids: 80.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	0.21	0.31	0.10	mg/Kg	J		1	9014
7440-44-0	Total Organic Carbon - Duplicates	2300	1200	110	mg/Kg			1	Lloyd Kahn

MW 12/21/14

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

4

Client Sample ID: SD-E02 Lab Sample ID: 180-37760-4  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 10:55  
Reporting Basis: DRY Date Received: 10/16/2014 09:35  
% Solids: 64.6

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	0.18	0.39	0.13	mg/Kg	J		1	9014
7440-44-0	Total Organic Carbon - Duplicates	5000	1500	140	mg/Kg			1	Lloyd Kahn

NW 12/21/14



1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

5

Client Sample ID: SD-E03 Lab Sample ID: 180-37760-5  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 10:20  
Reporting Basis: DRY Date Received: 10/16/2014 09:35  
% Solids: 22.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	7.3	1.1	0.36	mg/Kg			1	9014
7440-44-0	Total Organic Carbon - Duplicates	120000	4400	390	mg/Kg			1	Lloyd Kahn

*lw/2/21/14*

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

7

Client Sample ID: SD-F01 Lab Sample ID: 180-37760-7  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 15:10  
Reporting Basis: DRY Date Received: 10/16/2014 09:35  
% Solids: 60.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	0.40	0.40	0.13	mg/Kg			1	9014
	HEM	15000	270	38	mg/Kg		<del>P</del>	1	9071B
7440-44-0	Total Organic Carbon - Duplicates	18000	1600	150	mg/Kg			1	Lloyd Kahn

11/12/2014

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

8

Client Sample ID: SD-F01-FD Lab Sample ID: 180-37760-8  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 15:10  
Reporting Basis: DRY Date Received: 10/16/2014 09:35  
% Solids: 66.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	0.22	0.37	0.12	mg/Kg	J		1	9014
7440-44-0	Total Organic Carbon - Duplicates	20000	1500	130	mg/Kg			1	Lloyd Kahn

MW 12/21/14

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

9

Client Sample ID: SD-F02 Lab Sample ID: 180-37760-9  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 15:45  
Reporting Basis: DRY Date Received: 10/16/2014 09:35  
% Solids: 69.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	0.31	0.35	0.12	mg/Kg	J		1	9014
	HEM	2500	240	33	mg/Kg		<del>P</del>	1	9071B
7440-44-0	Total Organic Carbon - Duplicates	5900	1400	130	mg/Kg			1	Lloyd Kahn

11/21/14

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

10

Client Sample ID: SD-G01 Lab Sample ID: 180-37760-10  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 13:15  
Reporting Basis: DRY Date Received: 10/16/2014 09:35  
% Solids: 37.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	0.37	0.65	0.21	mg/Kg	J		1	9014
	HEM	89000	440	61	mg/Kg		<del>7</del>	1	9071B
7440-44-0	Total Organic Carbon - Duplicates	130000	2600	230	mg/Kg			1	Lloyd Kahn

NW12/21/14

11

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-G02 Lab Sample ID: 180-37760-11  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 16:20  
Reporting Basis: DRY Date Received: 10/16/2014 09:35  
% Solids: 25.1

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	21	1.0	0.33	mg/Kg			1	9014
	HEM	95000	660	91	mg/Kg		<del>8</del>	1	9071B
7440-44-0	Total Organic Carbon - Duplicates	180000	4000	350	mg/Kg			1	Lloyd Kahn

*11/21/14*

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

12

Client Sample ID: SD-H01 Lab Sample ID: 180-37760-12  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 12:20  
Reporting Basis: DRY Date Received: 10/16/2014 09:35  
% Solids: 42.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	2.8	0.58	0.19	mg/Kg			1	9014
	HEM	90000	380	53	mg/Kg			1	9071B
7440-44-0	Total Organic Carbon - Duplicates	150000	2300	210	mg/Kg			1	Lloyd Kahn

11/12/2014

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

13

Client Sample ID: SD-H02 Lab Sample ID: 180-37760-13  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 12:55  
Reporting Basis: DRY Date Received: 10/16/2014 09:35  
% Solids: 41.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	1.2	0.59	0.19	mg/Kg			1	9014
	HEM	110000	400	56	mg/Kg		<del>1</del>	1	9071B
7440-44-0	Total Organic Carbon - Duplicates	150000	2400	210	mg/Kg			1	Lloyd Kahn

*mw 12/21/14*



1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

14

Client Sample ID: SD-H03 Lab Sample ID: 180-37760-14  
Lab Name: TestAmerica Pittsburgh Job No.: 180-37760-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 10/14/2014 13:45  
Reporting Basis: DRY Date Received: 10/16/2014 09:35  
% Solids: 26.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	12	0.93	0.30	mg/Kg			1	9014
	HEM	110000	630	88	mg/Kg		<del>F</del>	1	9071B
7440-44-0	Total Organic Carbon - Duplicates	180000	3800	340	mg/Kg			1	Lloyd Kahn

11/12/2014

**DATA VALIDATION SUMMARY REPORT  
SPARROWS POINT, MARYLAND**

Client: EA Engineering, Science & Technology, Hunt Valley, Maryland  
SDG: J39432  
Laboratory: TestAmerica, Pittsburgh, Pennsylvania  
Site: Sparrows Point Trust Offshore Investigation, Maryland  
Date: January 29, 2015

EDS ID	Client Sample ID	Laboratory Sample ID	Matrix
1	ST-071-120114	180-39432-1	Water
1MS†	ST-071-120114MS	180-39432-1MS	Water
1MSD†	ST-071-120114MSD	180-39432-1MSD	Water
2	ST-UNNAMED-120114	180-39432-2	Water
3	ST-018-120114	180-39432-3	Water
4	ST-014-120114	180-39432-4	Water
5*	TRIP BLANK	180-39432-5	Water

\* - VOC only      † - Metals only

A full data validation was performed on the analytical data for four water samples and one aqueous trip blank sample collected on December 1, 2014 by EA Engineering at the Sparrows Point site in Maryland. The samples were analyzed under the Environmental Protection Agency (USEPA) "Test Methods for the Evaluation of Solid Waste, USEPA SW-846, Third Edition, September 1986, with revisions".

Specific method references are as follows:

Analysis

VOCs  
SVOCs  
PCBs  
Metals/Hg  
Cyanide  
TSS  
HEM (Oil & Grease)

Method References

USEPA SW-846 Method 8260C  
USEPA SW-846 Method 8270D LL  
USEPA SW-846 Method 8082A  
USEPA SW-846 Methods 6020A/7470A  
USEPA SW-846 Method 9014  
USEPA SM 2540D  
USEPA Method 1664B

The data have been validated according to the protocols and quality control (QC) requirements of the analytical methods, the USEPA National Functional Guidelines for Organic and Inorganic Data Review as follows:

- The USEPA "Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review," June 2008;
- The USEPA "Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review," January 2010;
- and the reviewer's professional judgment.

## ***Organics***

- Holding times and sample preservation
- Gas Chromatography/Mass Spectroscopy (GC/MS) Tuning
- Initial and continuing calibration summaries
- Method blank and field blank contamination
- Surrogate Spike recoveries
- Matrix Spike/Matrix Spike Duplicate (MS/MSD) recoveries
- Laboratory Control Sample (LCS) recoveries
- Internal standard area and retention time summary forms
- Compound Quantitation
- Tentatively Identified Compounds (TICs)
- Field Duplicate sample precision

## ***Inorganics***

- Holding times and sample preservation
- ICP/MS Tuning
- Initial and continuing calibration verifications
- Method blank and field blank contamination
- ICP Interference Check Sample
- Laboratory Control Sample (LCS) recoveries
- Matrix Spike Analysis
- Duplicate Sample Analysis
- ICP Serial Dilution
- Compound Quantitation
- Field Duplicate sample precision

## **Overall Usability Issues:**

There were no rejections of data.

Overall the data is acceptable for the intended purposes as qualified for the deficiencies detailed in this report.

Please note that any results qualified (U) due to blank contamination may be then qualified (J) due to another action. Therefore, the results may be qualified (UJ) due to the culmination of the blank contaminations and actions from other exceedences of QC criteria.

## **Volatile Organic Compounds (VOCs)**

### **Holding Times**

- All samples were analyzed within 14 days for preserved water samples.

### **GC/MS Tuning**

- All criteria were met.

### **Initial Calibration**

- The initial calibrations exhibited acceptable %RSD and/or correlation coefficients and mean RRF values.

### **Continuing Calibration**

- The continuing calibrations exhibited acceptable %D and RRF values.

### **Method Blank**

- The method blanks were free of contamination.

### **Field Blank**

- Field QC results are summarized below.

Blank ID	Compound	Conc. ug/L	Qualifier	Affected Samples
TRIP BLANK	None - ND	-	-	-

### **Surrogate Spike Recoveries**

- All samples exhibited acceptable surrogate recoveries except the following.

Sample ID	Surrogate	%R	Qualifier
3	Dibromofluoromethane	10%	J/UJ

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- A MS/MSD sample was not collected.

### **Laboratory Control Samples**

- The LCS samples exhibited acceptable %R values.

### **Internal Standard (IS) Area Performance**

- All internal standards met response and retention time (RT) criteria.

### **Compound Quantitation**

- All criteria were met.

### **Tentatively Identified Compounds (TICs)**

- TICs were not reported.

### **Field Duplicate Sample Precision**

- Field duplicate samples were not collected.

## **Semivolatile Organic Compounds (SVOCs) (LL)**

### **Holding Times**

- All samples were extracted within 7 days for water samples and analyzed within 40 days for all samples.

### **GC/MS Tuning**

- All criteria were met.

### **Initial Calibration**

- The initial calibrations exhibited acceptable %RSD and/or correlation coefficients and mean RRF values.

### **Continuing Calibration**

- The continuing calibrations exhibited acceptable %D and RRF values.

### **Method Blank**

- The method blanks were free of contamination.

### **Field Blank**

- Field QC samples were not collected.

### **Surrogate Spike Recoveries**

- All samples exhibited acceptable surrogate recoveries.

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- A MS/MSD sample was not collected.

### **Laboratory Control Samples**

- The LCS samples exhibited acceptable %R values.

### **Internal Standard (IS) Area Performance**

- All internal standards met response and retention time (RT) criteria.

### **Compound Quantitation**

- All criteria were met.

### **Tentatively Identified Compounds (TICs)**

- TICs were not reported.

### **Field Duplicate Sample Precision**

- Field duplicate samples were not collected.

## **Polychlorinated Biphenyls (PCBs)**

### **Holding Times**

- All samples were extracted within 7 days for water samples and analyzed within 40 days.

### **Initial Calibration**

- All %RSD and/or correlation coefficient criteria were met.

### **Continuing Calibration**

- All %D criteria were met.

### **Method Blank**

- The method blanks were free of contamination.

### **Field Blank**

- Field QC samples were not collected.

### **Surrogate Spike Recoveries**

- All samples exhibited acceptable surrogate recoveries except the following.

Sample ID	Surrogate	%R	Qualifier
1	TCX1/TCX2/DCB1/DCB2	OK/OK/150%/142%	None - All ND
2	TCX1/TCX2/DCB1/DCB2	OK/OK/142%/147%	None - All ND
4	TCX1/TCX2/DCB1/DCB2	OK/OK/142%/142%	None - All ND

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- A MS/MSD sample was not collected.

### **Laboratory Control Samples**

- The LCS sample exhibited acceptable %R values.



### **Compound Quantitation**

- All criteria were met.

### **Field Duplicate Sample Precision**

- Field duplicate samples were not collected.

### **GC Column Difference Results**

- All criteria were met.

## **Metals & Mercury**

### **Holding Times**

- All samples were prepared and analyzed within 28 days for mercury and 180 days for all other metals.

### **ICP/MS Tuning**

- All criteria were met.

### **Initial Calibration Verification**

- All initial calibration criteria were met.

### **Continuing Calibration Verification**

- All continuing calibration criteria were met.

### **Method Blank**

- The method blanks exhibited the following contamination.

Blank ID	Compound	Conc. ug/L	Qualifier	Affected Samples
180-127321/1-A	Lead	0.595	U	1, 2, 3, 4
	Thallium	0.0530	U	1, 2
	Antimony	0.0400	None	All >10X
	Copper	0.274	U	3, 4

### **Field Blank**

- Field QC samples were not collected.

### **ICP Interference Check Sample**

- The ICP ICS exhibited acceptable recoveries.

### **Laboratory Control Samples**

- The LCS sample exhibited acceptable recoveries.

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- The MS/MSD sample exhibited acceptable %R and RPD values.

### **ICP Serial Dilution**

- ICP serial dilution percent differences (%D) were within acceptance limits.

### **Compound Quantitation**

- All criteria were met.

### **Field Duplicate Sample Precision**

- Field duplicate samples were not collected.

## HEM (Oil & Grease), Total Suspended Solids (TSS), & Cyanide

### Holding Times

- All samples were analyzed within the recommended holding time for each analysis.

### Initial and Continuing Calibration

- All %R criteria were met.

### Method Blank

- The method blanks were free of contamination.

### Field Blank

- Field QC samples were not collected.

### Laboratory Control Samples

- The LCS samples exhibited acceptable %R values.

### Matrix Spike/Duplicate (MS/DUP) Recoveries

- A MS/MSD sample was not collected.

### Compound Quantitation


- All criteria were met.

### Field Duplicate Sample Precision

- Field duplicate samples were not collected.

Please contact the undersigned at (757) 564-0090 if you have any questions or need further information.

Signed:

  
Nancy Weaver  
Senior Chemist

Dated: 1/30/15

## Data Qualifiers

- U = The analyte was analyzed for, but was not detected at a level greater than or equal to the level of the adjusted Contract Required Quantitation Limit (CRQL) for sample and method.
- UJ = The analyte was not detected at a level greater than or equal to the adjusted CRQL. However, the reported adjusted CRQL is approximate and may be inaccurate or imprecise.
- J = The analyte was positively identified and the associated numerical value is the approximate concentration of the analyte in the sample (due either to the quality of the data generated because certain quality control criteria were not met, or the concentration of the analyte was below the CRQL).
- J+ = The result is an estimated quantity, but the result may be biased high.
- J- = The result is an estimated quantity, but the result may be biased low.
- R = The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte may or may not be present in the sample.
- NJ = The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.

# Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-071-120114

Lab Sample ID: 180-39432-1

Date Sampled: 12/01/2014 1735

Client Matrix: Water

Date Received: 12/03/2014 0930

## 8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	180-127589	Instrument ID:	CHHP7
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	7120816.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	12/08/2014 1929			Final Weight/Volume:	5 mL
Prep Date:	12/08/2014 1929				

Analyte	Result (ug/L)	Qualifier	MDL	RL
1,1,1-Trichloroethane	ND		1.0	5.0
1,1,2,2-Tetrachloroethane	ND		0.93	5.0
1,1,2-Trichloroethane	ND		1.2	5.0
1,1-Dichloroethane	ND		1.0	5.0
1,1-Dichloroethene	ND		1.1	5.0
1,2-Dichlorobenzene	ND		0.68	5.0
1,2-Dichloroethane	ND		0.96	5.0
1,2-Dichloropropane	ND		1.3	5.0
1,3-Dichlorobenzene	ND		0.51	5.0
1,4-Dichlorobenzene	ND		0.53	5.0
2-Chloroethyl vinyl ether	ND		1.9	10
Acrolein	ND		5.7	100
Acrylonitrile	ND		9.0	50
Benzene	ND		0.99	5.0
Bromoform	ND		1.1	5.0
Bromomethane	ND		1.6	5.0
Carbon tetrachloride	ND		1.1	5.0
Chlorobenzene	ND		0.53	5.0
Chloroform	ND		1.0	5.0
Chloromethane	ND		1.4	5.0
Chlorodibromomethane	ND		0.65	5.0
cis-1,3-Dichloropropene	ND		0.73	5.0
Dichlorobromomethane	ND		0.93	5.0
Ethylbenzene	ND		0.62	5.0
Methylene Chloride	ND		1.1	5.0
Tetrachloroethene	ND		0.82	5.0
Toluene	ND		0.85	5.0
trans-1,2-Dichloroethene	ND		0.75	5.0
trans-1,3-Dichloropropene	ND		0.58	5.0
Trichloroethene	ND		0.80	5.0
Vinyl chloride	ND		1.3	5.0
Chloroethane	ND		0.75	5.0
Surrogate	%Rec	Qualifier	Acceptance Limits	
1,2-Dichloroethane-d4 (Surr)	101		62 - 123	
4-Bromofluorobenzene (Surr)	98		75 - 120	
Dibromofluoromethane (Surr)	109		80 - 120	
Toluene-d8 (Surr)	102		80 - 120	

2

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-UNNAMED-120114

Lab Sample ID: 180-39432-2

Date Sampled: 12/01/2014 1825

Client Matrix: Water

Date Received: 12/03/2014 0930

## 8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	180-127589	Instrument ID:	CHHP7
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	7120817.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	12/08/2014 1956			Final Weight/Volume:	5 mL
Prep Date:	12/08/2014 1956				

Analyte	Result (ug/L)	Qualifier	MDL	RL
1,1,1-Trichloroethane	ND		1.0	5.0
1,1,2,2-Tetrachloroethane	ND		0.93	5.0
1,1,2-Trichloroethane	ND		1.2	5.0
1,1-Dichloroethane	ND		1.0	5.0
1,1-Dichloroethene	ND		1.1	5.0
1,2-Dichlorobenzene	ND		0.68	5.0
1,2-Dichloroethane	ND		0.96	5.0
1,2-Dichloropropane	ND		1.3	5.0
1,3-Dichlorobenzene	ND		0.51	5.0
1,4-Dichlorobenzene	ND		0.53	5.0
2-Chloroethyl vinyl ether	ND		1.9	10
Acrolein	ND		5.7	100
Acrylonitrile	ND		9.0	50
Benzene	ND		0.99	5.0
Bromoform	ND		1.1	5.0
Bromomethane	ND		1.6	5.0
Carbon tetrachloride	ND		1.1	5.0
Chlorobenzene	ND		0.53	5.0
Chloroform	ND		1.0	5.0
Chloromethane	ND		1.4	5.0
Chlorodibromomethane	ND		0.65	5.0
cis-1,3-Dichloropropene	ND		0.73	5.0
Dichlorobromomethane	ND		0.93	5.0
Ethylbenzene	ND		0.62	5.0
Methylene Chloride	ND		1.1	5.0
Tetrachloroethene	ND		0.82	5.0
Toluene	ND		0.85	5.0
trans-1,2-Dichloroethene	ND		0.75	5.0
trans-1,3-Dichloropropene	ND		0.58	5.0
Trichloroethene	ND		0.80	5.0
Vinyl chloride	ND		1.3	5.0
Chloroethane	ND		0.75	5.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	82		62 - 123
4-Bromofluorobenzene (Surr)	85		75 - 120
Dibromofluoromethane (Surr)	99		80 - 120
Toluene-d8 (Surr)	90		80 - 120

NW 1/29/15

3

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-018-120114

Lab Sample ID: 180-39432-3

Date Sampled: 12/01/2014 1850

Client Matrix: Water

Date Received: 12/03/2014 0930

## 8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	180-127589	Instrument ID:	CHHP7
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	7120818.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	12/08/2014 2022			Final Weight/Volume:	5 mL
Prep Date:	12/08/2014 2022				

Analyte	Result (ug/L)	Qualifier	MDL	RL
1,1,1-Trichloroethane	ND	UJ	1.0	5.0
1,1,2,2-Tetrachloroethane	ND		0.93	5.0
1,1,2-Trichloroethane	ND		1.2	5.0
1,1-Dichloroethane	ND		1.0	5.0
1,1-Dichloroethene	ND		1.1	5.0
1,2-Dichlorobenzene	ND		0.68	5.0
1,2-Dichloroethane	ND		0.96	5.0
1,2-Dichloropropane	ND		1.3	5.0
1,3-Dichlorobenzene	ND		0.51	5.0
1,4-Dichlorobenzene	ND		0.53	5.0
2-Chloroethyl vinyl ether	ND		1.9	10
Acrolein	ND		5.7	100
Acrylonitrile	ND		9.0	50
Benzene	ND		0.99	5.0
Bromoform	ND		1.1	5.0
Bromomethane	ND		1.6	5.0
Carbon tetrachloride	ND		1.1	5.0
Chlorobenzene	ND		0.53	5.0
Chloroform	ND		1.0	5.0
Chloromethane	ND		1.4	5.0
Chlorodibromomethane	ND		0.65	5.0
cis-1,3-Dichloropropene	ND		0.73	5.0
Dichlorobromomethane	ND		0.93	5.0
Ethylbenzene	ND		0.62	5.0
Methylene Chloride	ND		1.1	5.0
Tetrachloroethene	ND		0.82	5.0
Toluene	ND		0.85	5.0
trans-1,2-Dichloroethene	ND		0.75	5.0
trans-1,3-Dichloropropene	ND		0.58	5.0
Trichloroethene	ND		0.80	5.0
Vinyl chloride	ND		1.3	5.0
Chloroethane	ND		0.75	5.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	80		62 - 123
4-Bromofluorobenzene (Surr)	84		75 - 120
Dibromofluoromethane (Surr)	10	X	80 - 120
Toluene-d8 (Surr)	94		80 - 120



4

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-014-120114

Lab Sample ID: 180-39432-4

Date Sampled: 12/01/2014 1920

Client Matrix: Water

Date Received: 12/03/2014 0930

## 8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	180-127589	Instrument ID:	CHHP7
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	7120819.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	12/08/2014 2049			Final Weight/Volume:	5 mL
Prep Date:	12/08/2014 2049				

Analyte	Result (ug/L)	Qualifier	MDL	RL
1,1,1-Trichloroethane	ND		1.0	5.0
1,1,2,2-Tetrachloroethane	ND		0.93	5.0
1,1,2-Trichloroethane	ND		1.2	5.0
1,1-Dichloroethane	ND		1.0	5.0
1,1-Dichloroethene	ND		1.1	5.0
1,2-Dichlorobenzene	ND		0.68	5.0
1,2-Dichloroethane	ND		0.96	5.0
1,2-Dichloropropane	ND		1.3	5.0
1,3-Dichlorobenzene	ND		0.51	5.0
1,4-Dichlorobenzene	ND		0.53	5.0
2-Chloroethyl vinyl ether	ND		1.9	10
Acrolein	ND		5.7	100
Acrylonitrile	ND		9.0	50
Benzene	ND		0.99	5.0
Bromoform	ND		1.1	5.0
Bromomethane	ND		1.6	5.0
Carbon tetrachloride	ND		1.1	5.0
Chlorobenzene	ND		0.53	5.0
Chloroform	ND		1.0	5.0
Chloromethane	ND		1.4	5.0
Chlorodibromomethane	ND		0.65	5.0
cis-1,3-Dichloropropene	ND		0.73	5.0
Dichlorobromomethane	ND		0.93	5.0
Ethylbenzene	ND		0.62	5.0
Methylene Chloride	ND		1.1	5.0
Tetrachloroethene	ND		0.82	5.0
Toluene	ND		0.85	5.0
trans-1,2-Dichloroethene	ND		0.75	5.0
trans-1,3-Dichloropropene	ND		0.58	5.0
Trichloroethene	ND		0.80	5.0
Vinyl chloride	ND		1.3	5.0
Chloroethane	ND		0.75	5.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	88		62 - 123
4-Bromofluorobenzene (Surr)	89		75 - 120
Dibromofluoromethane (Surr)	93		80 - 120
Toluene-d8 (Surr)	88		80 - 120

NW 1/29/15

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 180-39432-5

Date Sampled: 12/01/2014 0000

Client Matrix: Water

Date Received: 12/03/2014 0930

## 8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	180-127589	Instrument ID:	CHHP7
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	7120815.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	12/08/2014 1903			Final Weight/Volume:	5 mL
Prep Date:	12/08/2014 1903				

Analyte	Result (ug/L)	Qualifier	MDL	RL
1,1,1-Trichloroethane	ND		1.0	5.0
1,1,2,2-Tetrachloroethane	ND		0.93	5.0
1,1,2-Trichloroethane	ND		1.2	5.0
1,1-Dichloroethane	ND		1.0	5.0
1,1-Dichloroethene	ND		1.1	5.0
1,2-Dichlorobenzene	ND		0.68	5.0
1,2-Dichloroethane	ND		0.96	5.0
1,2-Dichloropropane	ND		1.3	5.0
1,3-Dichlorobenzene	ND		0.51	5.0
1,4-Dichlorobenzene	ND		0.53	5.0
2-Chloroethyl vinyl ether	ND		1.9	10
Acrolein	ND		5.7	100
Acrylonitrile	ND		9.0	50
Benzene	ND		0.99	5.0
Bromoform	ND		1.1	5.0
Bromomethane	ND		1.6	5.0
Carbon tetrachloride	ND		1.1	5.0
Chlorobenzene	ND		0.53	5.0
Chloroform	ND		1.0	5.0
Chloromethane	ND		1.4	5.0
Chlorodibromomethane	ND		0.65	5.0
cis-1,3-Dichloropropene	ND		0.73	5.0
Dichlorobromomethane	ND		0.93	5.0
Ethylbenzene	ND		0.62	5.0
Methylene Chloride	ND		1.1	5.0
Tetrachloroethene	ND		0.82	5.0
Toluene	ND		0.85	5.0
trans-1,2-Dichloroethene	ND		0.75	5.0
trans-1,3-Dichloropropene	ND		0.58	5.0
Trichloroethene	ND		0.80	5.0
Vinyl chloride	ND		1.3	5.0
Chloroethane	ND		0.75	5.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	109		62 - 123
4-Bromofluorobenzene (Surr)	107		75 - 120
Dibromofluoromethane (Surr)	115		80 - 120
Toluene-d8 (Surr)	114		80 - 120

# Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-071-120114

Lab Sample ID: 180-39432-1

Date Sampled: 12/01/2014 1735

Client Matrix: Water

Date Received: 12/03/2014 0930

## 8270D LL Semivolatile Organic Compounds by GC/MS - Low Level

Analysis Method:	8270D LL	Analysis Batch:	180-127527	Instrument ID:	CH731
Prep Method:	3520C	Prep Batch:	180-127168	Lab File ID:	V1208015.D
Dilution:	1.0			Initial Weight/Volume:	260 mL
Analysis Date:	12/08/2014 1544			Final Weight/Volume:	0.25 mL
Prep Date:	12/04/2014 0715			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acenaphthene	ND		0.028	0.19
Acenaphthylene	ND		0.021	0.19
Anthracene	ND		0.018	0.19
Benztidine	ND		4.6	19
Benzo[a]anthracene	ND		0.035	0.19
Benzo[b]fluoranthene	ND		0.047	0.19
Benzo[k]fluoranthene	ND		0.029	0.19
Benzoic acid	ND		1.6	4.8
Benzo[g,h,i]perylene	ND		0.028	0.19
Benzo[a]pyrene	ND		0.027	0.19
Bis(2-chloroethoxy)methane	ND		0.13	0.96
Bis(2-chloroethyl)ether	ND		0.030	0.96
Bis(2-ethylhexyl) phthalate	ND		0.42	1.9
2,2'-oxybis[1-chloropropane]	ND		0.023	0.96
4-Bromophenyl phenyl ether	ND		0.11	0.96
4-Chlorophenyl phenyl ether	ND		0.077	0.96
2-Chloronaphthalene	ND		0.030	0.19
Butyl benzyl phthalate	ND		0.21	0.96
Chrysene	ND		0.030	0.19
Dibenz(a,h)anthracene	ND		0.026	0.19
Di-n-butyl phthalate	ND		0.23	0.96
Di-n-octyl phthalate	ND		0.20	0.96
Diethyl phthalate	ND		0.29	0.96
Dimethyl phthalate	ND		0.18	0.96
3,3'-Dichlorobenzidine	ND		0.14	0.96
2,4-Dinitrotoluene	ND		0.21	0.96
2,6-Dinitrotoluene	ND		0.13	0.96
2-Chlorophenol	ND		0.22	0.96
2,4-Dichlorophenol	ND		0.065	0.96
2,4-Dimethylphenol	ND		0.16	0.96
2,4-Dinitrophenol	ND		2.4	4.8
2-Nitrophenol	ND		0.11	0.96
2,4,6-Trichlorophenol	ND		0.29	0.96
1,2-Diphenylhydrazine(as Azobenzene)	ND		0.11	0.96
1,2,4-Trichlorobenzene	ND		0.082	0.96
4-Chloro-3-methylphenol	ND		0.16	0.96
4-Nitrophenol	ND		0.77	4.8
4,6-Dinitro-2-methylphenol	ND		1.5	4.8
Fluoranthene	ND		0.020	0.19
Fluorene	ND		0.023	0.19
Hexachlorobenzene	ND		0.059	0.96
Hexachlorobutadiene	ND		0.090	0.96
Hexachlorocyclopentadiene	ND		0.13	0.96
Hexachloroethane	ND		0.13	0.96
Indeno[1,2,3-cd]pyrene	ND		0.042	0.19
Isophorone	ND		0.071	0.96

# Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-071-120114

Lab Sample ID: 180-39432-1

Date Sampled: 12/01/2014 1735

Client Matrix: Water

Date Received: 12/03/2014 0930

## 8270D LL Semivolatile Organic Compounds by GC/MS - Low Level

Analysis Method:	8270D LL	Analysis Batch:	180-127527	Instrument ID:	CH731
Prep Method:	3520C	Prep Batch:	180-127168	Lab File ID:	V1208015.D
Dilution:	1.0			Initial Weight/Volume:	260 mL
Analysis Date:	12/08/2014 1544			Final Weight/Volume:	0.25 mL
Prep Date:	12/04/2014 0715			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Naphthalene	ND		0.022	0.19
Nitrobenzene	ND		0.14	1.9
N-Nitrosodi-n-propylamine	ND		0.048	0.96
N-Nitrosodimethylamine	ND		0.11	0.96
N-Nitrosodiphenylamine	ND		0.12	0.96
Phenanthrene	ND		0.040	0.19
Pyrene	ND		0.022	0.19
Pentachlorophenol	ND		0.48	0.96
Phenol	ND		0.053	0.96

Surrogate	%Rec	Qualifier	Acceptance Limits
2,4,6-Tribromophenol (Surr)	71		30 - 150
2-Fluorobiphenyl	63		30 - 150
2-Fluorophenol (Surr)	35		30 - 150
Nitrobenzene-d5 (Surr)	61		30 - 150
Phenol-d5 (Surr)	50		30 - 150
Terphenyl-d14 (Surr)	58		10 - 150

2

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-UNNAMED-120114

Lab Sample ID: 180-39432-2

Date Sampled: 12/01/2014 1825

Client Matrix: Water

Date Received: 12/03/2014 0930

## 8270D LL Semivolatile Organic Compounds by GC/MS - Low Level

Analysis Method:	8270D LL	Analysis Batch:	180-127670	Instrument ID:	CH731
Prep Method:	3520C	Prep Batch:	180-127168	Lab File ID:	V1209016.D
Dilution:	1.0			Initial Weight/Volume:	260 mL
Analysis Date:	12/09/2014 1649			Final Weight/Volume:	0.25 mL
Prep Date:	12/04/2014 0715			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acenaphthene	ND		0.028	0.19
Acenaphthylene	ND		0.021	0.19
Anthracene	ND		0.018	0.19
Benzidine	ND		4.6	19
Benzo[a]anthracene	ND		0.035	0.19
Benzo[b]fluoranthene	ND		0.047	0.19
Benzo[k]fluoranthene	ND		0.029	0.19
Benzoic acid	ND		1.6	4.8
Benzo[g,h,i]perylene	ND		0.028	0.19
Benzo[a]pyrene	ND		0.027	0.19
Bis(2-chloroethoxy)methane	ND		0.13	0.96
Bis(2-chloroethyl)ether	ND		0.030	0.96
Bis(2-ethylhexyl) phthalate	ND		0.42	1.9
2,2'-oxybis[1-chloropropane]	ND		0.023	0.96
4-Bromophenyl phenyl ether	ND		0.11	0.96
4-Chlorophenyl phenyl ether	ND		0.077	0.96
2-Chloronaphthalene	ND		0.030	0.19
Butyl benzyl phthalate	ND		0.21	0.96
Chrysene	ND		0.030	0.19
Dibenz(a,h)anthracene	ND		0.026	0.19
Di-n-butyl phthalate	ND		0.23	0.96
Di-n-octyl phthalate	ND		0.20	0.96
Diethyl phthalate	ND		0.29	0.96
Dimethyl phthalate	ND		0.18	0.96
3,3'-Dichlorobenzidine	ND		0.14	0.96
2,4-Dinitrotoluene	ND		0.21	0.96
2,6-Dinitrotoluene	ND		0.13	0.96
2-Chlorophenol	ND		0.22	0.96
2,4-Dichlorophenol	ND		0.065	0.96
2,4-Dimethylphenol	ND		0.16	0.96
2,4-Dinitrophenol	ND		2.4	4.8
2-Nitrophenol	ND		0.11	0.96
2,4,6-Trichlorophenol	ND		0.29	0.96
1,2-Diphenylhydrazine(as Azobenzene)	ND		0.11	0.96
1,2,4-Trichlorobenzene	ND		0.082	0.96
4-Chloro-3-methylphenol	ND		0.16	0.96
4-Nitrophenol	ND		0.77	4.8
4,6-Dinitro-2-methylphenol	ND		1.5	4.8
Fluoranthene	ND		0.020	0.19
Fluorene	ND		0.023	0.19
Hexachlorobenzene	ND		0.059	0.96
Hexachlorobutadiene	ND		0.090	0.96
Hexachlorocyclopentadiene	ND		0.13	0.96
Hexachloroethane	ND		0.13	0.96
Indeno[1,2,3-cd]pyrene	ND		0.042	0.19
Isophorone	ND		0.071	0.96

NW 1/29/15

2

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-UNNAMED-120114

Lab Sample ID: 180-39432-2

Date Sampled: 12/01/2014 1825

Client Matrix: Water

Date Received: 12/03/2014 0930

## 8270D LL Semivolatile Organic Compounds by GC/MS - Low Level

Analysis Method:	8270D LL	Analysis Batch:	180-127670	Instrument ID:	CH731
Prep Method:	3520C	Prep Batch:	180-127168	Lab File ID:	V1209016.D
Dilution:	1.0			Initial Weight/Volume:	260 mL
Analysis Date:	12/09/2014 1649			Final Weight/Volume:	0.25 mL
Prep Date:	12/04/2014 0715			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Naphthalene	ND		0.022	0.19
Nitrobenzene	ND		0.14	1.9
N-Nitrosodi-n-propylamine	ND		0.048	0.96
N-Nitrosodimethylamine	ND		0.11	0.96
N-Nitrosodiphenylamine	ND		0.12	0.96
Phenanthrene	ND		0.040	0.19
Pyrene	ND		0.022	0.19
Pentachlorophenol	ND		0.48	0.96
Phenol	ND		0.053	0.96

Surrogate	%Rec	Qualifier	Acceptance Limits
2,4,6-Tribromophenol (Surr)	51		30 - 150
2-Fluorobiphenyl	67		30 - 150
2-Fluorophenol (Surr)	30		30 - 150
Nitrobenzene-d5 (Surr)	68		30 - 150
Phenol-d5 (Surr)	35		30 - 150
Terphenyl-d14 (Surr)	73		10 - 150

NW 1/29/15

3

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-018-120114

Lab Sample ID: 180-39432-3

Date Sampled: 12/01/2014 1850

Client Matrix: Water

Date Received: 12/03/2014 0930

## 8270D LL Semivolatile Organic Compounds by GC/MS - Low Level

Analysis Method:	8270D LL	Analysis Batch:	180-127527	Instrument ID:	CH731
Prep Method:	3520C	Prep Batch:	180-127168	Lab File ID:	V1208017.D
Dilution:	1.0			Initial Weight/Volume:	260 mL
Analysis Date:	12/08/2014 1641			Final Weight/Volume:	0.25 mL
Prep Date:	12/04/2014 0715			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acenaphthene	ND		0.028	0.19
Acenaphthylene	ND		0.021	0.19
Anthracene	ND		0.018	0.19
Benztidine	ND		4.6	19
Benzo[a]anthracene	ND		0.035	0.19
Benzo[b]fluoranthene	ND		0.047	0.19
Benzo[k]fluoranthene	ND		0.029	0.19
Benzoic acid	ND		1.6	4.8
Benzo[g,h,i]perylene	ND		0.028	0.19
Benzo[a]pyrene	ND		0.027	0.19
Bis(2-chloroethoxy)methane	ND		0.13	0.96
Bis(2-chloroethyl)ether	ND		0.030	0.96
Bis(2-ethylhexyl) phthalate	ND		0.42	1.9
2,2'-oxybis[1-chloropropane]	ND		0.023	0.96
4-Bromophenyl phenyl ether	ND		0.11	0.96
4-Chlorophenyl phenyl ether	ND		0.077	0.96
2-Chloronaphthalene	ND		0.030	0.19
Butyl benzyl phthalate	ND		0.21	0.96
Chrysene	ND		0.030	0.19
Dibenz(a,h)anthracene	ND		0.026	0.19
Di-n-butyl phthalate	ND		0.23	0.96
Di-n-octyl phthalate	ND		0.20	0.96
Diethyl phthalate	ND		0.29	0.96
Dimethyl phthalate	ND		0.18	0.96
3,3'-Dichlorobenzidine	ND		0.14	0.96
2,4-Dinitrotoluene	ND		0.21	0.96
2,6-Dinitrotoluene	ND		0.13	0.96
2-Chlorophenol	ND		0.22	0.96
2,4-Dichlorophenol	ND		0.065	0.96
2,4-Dimethylphenol	1.8		0.16	0.96
2,4-Dinitrophenol	ND		2.4	4.8
2-Nitrophenol	ND		0.11	0.96
2,4,6-Trichlorophenol	ND		0.29	0.96
1,2-Diphenylhydrazine(as Azobenzene)	ND		0.11	0.96
1,2,4-Trichlorobenzene	ND		0.082	0.96
4-Chloro-3-methylphenol	ND		0.16	0.96
4-Nitrophenol	ND		0.77	4.8
4,6-Dinitro-2-methylphenol	ND		1.5	4.8
Fluoranthene	ND		0.020	0.19
Fluorene	ND		0.023	0.19
Hexachlorobenzene	ND		0.059	0.96
Hexachlorobutadiene	ND		0.090	0.96
Hexachlorocyclopentadiene	ND		0.13	0.96
Hexachloroethane	ND		0.13	0.96
Indeno[1,2,3-cd]pyrene	ND		0.042	0.19
Isophorone	ND		0.071	0.96

3

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-018-120114

Lab Sample ID: 180-39432-3

Date Sampled: 12/01/2014 1850

Client Matrix: Water

Date Received: 12/03/2014 0930

## 8270D LL Semivolatile Organic Compounds by GC/MS - Low Level

Analysis Method:	8270D LL	Analysis Batch:	180-127527	Instrument ID:	CH731
Prep Method:	3520C	Prep Batch:	180-127168	Lab File ID:	V1208017.D
Dilution:	1.0			Initial Weight/Volume:	260 mL
Analysis Date:	12/08/2014 1641			Final Weight/Volume:	0.25 mL
Prep Date:	12/04/2014 0715			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Naphthalene	0.13	J	0.022	0.19
Nitrobenzene	ND		0.14	1.9
N-Nitrosodi-n-propylamine	ND		0.048	0.96
N-Nitrosodimethylamine	ND		0.11	0.96
N-Nitrosodiphenylamine	ND		0.12	0.96
Phenanthrene	ND		0.040	0.19
Pyrene	ND		0.022	0.19
Pentachlorophenol	ND		0.48	0.96
Phenol	3.3		0.053	0.96
Surrogate	%Rec	Qualifier	Acceptance Limits	
2,4,6-Tribromophenol (Surr)	72		30 - 150	
2-Fluorobiphenyl	68		30 - 150	
2-Fluorophenol (Surr)	44		30 - 150	
Nitrobenzene-d5 (Surr)	61		30 - 150	
Phenol-d5 (Surr)	58		30 - 150	
Terphenyl-d14 (Surr)	79		10 - 150	

NW1129/15



## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-014-120114

Lab Sample ID: 180-39432-4

Date Sampled: 12/01/2014 1920

Client Matrix: Water

Date Received: 12/03/2014 0930

## 8270D LL Semivolatile Organic Compounds by GC/MS - Low Level

Analysis Method:	8270D LL	Analysis Batch:	180-127527	Instrument ID:	CH731
Prep Method:	3520C	Prep Batch:	180-127168	Lab File ID:	V1208018.D
Dilution:	1.0			Initial Weight/Volume:	260 mL
Analysis Date:	12/08/2014 1709			Final Weight/Volume:	0.25 mL
Prep Date:	12/04/2014 0717			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acenaphthene	ND		0.028	0.19
Acenaphthylene	ND		0.021	0.19
Anthracene	ND		0.018	0.19
Benztidine	ND		4.6	19
Benzo[a]anthracene	ND		0.035	0.19
Benzo[b]fluoranthene	ND		0.047	0.19
Benzo[k]fluoranthene	ND		0.029	0.19
Benzoic acid	ND		1.6	4.8
Benzo[g,h,i]perylene	ND		0.028	0.19
Benzo[a]pyrene	ND		0.027	0.19
Bis(2-chloroethoxy)methane	ND		0.13	0.96
Bis(2-chloroethyl)ether	ND		0.030	0.96
Bis(2-ethylhexyl) phthalate	ND		0.42	1.9
2,2'-oxybis[1-chloropropane]	ND		0.023	0.96
4-Bromophenyl phenyl ether	ND		0.11	0.96
4-Chlorophenyl phenyl ether	ND		0.077	0.96
2-Chloronaphthalene	ND		0.030	0.19
Butyl benzyl phthalate	ND		0.21	0.96
Chrysene	ND		0.030	0.19
Dibenz(a,h)anthracene	ND		0.026	0.19
Di-n-butyl phthalate	0.49	J	0.23	0.96
Di-n-octyl phthalate	ND		0.20	0.96
Diethyl phthalate	ND		0.29	0.96
Dimethyl phthalate	ND		0.18	0.96
3,3'-Dichlorobenzidine	ND		0.14	0.96
2,4-Dinitrotoluene	ND		0.21	0.96
2,6-Dinitrotoluene	ND		0.13	0.96
2-Chlorophenol	ND		0.22	0.96
2,4-Dichlorophenol	ND		0.065	0.96
2,4-Dimethylphenol	ND		0.16	0.96
2,4-Dinitrophenol	ND		2.4	4.8
2-Nitrophenol	ND		0.11	0.96
2,4,6-Trichlorophenol	ND		0.29	0.96
1,2-Diphenylhydrazine(as Azobenzene)	ND		0.11	0.96
1,2,4-Trichlorobenzene	ND		0.082	0.96
4-Chloro-3-methylphenol	ND		0.16	0.96
4-Nitrophenol	ND		0.77	4.8
4,6-Dinitro-2-methylphenol	ND		1.5	4.8
Fluoranthene	ND		0.020	0.19
Fluorene	ND		0.023	0.19
Hexachlorobenzene	ND		0.059	0.96
Hexachlorobutadiene	ND		0.090	0.96
Hexachlorocyclopentadiene	ND		0.13	0.96
Hexachloroethane	ND		0.13	0.96
Indeno[1,2,3-cd]pyrene	ND		0.042	0.19
Isophorone	ND		0.071	0.96

4

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-014-120114

Lab Sample ID: 180-39432-4

Date Sampled: 12/01/2014 1920

Client Matrix: Water

Date Received: 12/03/2014 0930

## 8270D LL Semivolatile Organic Compounds by GC/MS - Low Level

Analysis Method:	8270D LL	Analysis Batch:	180-127527	Instrument ID:	CH731
Prep Method:	3520C	Prep Batch:	180-127168	Lab File ID:	V1208018.D
Dilution:	1.0			Initial Weight/Volume:	260 mL
Analysis Date:	12/08/2014 1709			Final Weight/Volume:	0.25 mL
Prep Date:	12/04/2014 0717			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Naphthalene	ND		0.022	0.19
Nitrobenzene	ND		0.14	1.9
N-Nitrosodi-n-propylamine	ND		0.048	0.96
N-Nitrosodimethylamine	ND		0.11	0.96
N-Nitrosodiphenylamine	ND		0.12	0.96
Phenanthrene	ND		0.040	0.19
Pyrene	ND		0.022	0.19
Pentachlorophenol	ND		0.48	0.96
Phenol	ND		0.053	0.96

Surrogate	%Rec	Qualifier	Acceptance Limits
2,4,6-Tribromophenol (Surr)	70		30 - 150
2-Fluorobiphenyl	61		30 - 150
2-Fluorophenol (Surr)	47		30 - 150
Nitrobenzene-d5 (Surr)	64		30 - 150
Phenol-d5 (Surr)	53		30 - 150
Terphenyl-d14 (Surr)	73		10 - 150

NW 1/29/15

# Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-071-120114

Lab Sample ID: 180-39432-1

Date Sampled: 12/01/2014 1735

Client Matrix: Water

Date Received: 12/03/2014 0930

## 8082A Polychlorinated Biphenyls (PCBs) (GC)

Analysis Method:	8082A	Analysis Batch:	180-128212	Instrument ID:	CHGC8
Prep Method:	3510C	Prep Batch:	180-127269	Initial Weight/Volume:	1060 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	12/13/2014 1550			Injection Volume:	1 uL
Prep Date:	12/04/2014 1150			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
PCB-1016	ND		0.0024	0.0094
PCB-1221	ND		0.0039	0.0094
PCB-1232	ND		0.0037	0.0094
PCB-1242	ND		0.0018	0.0094
PCB-1248	ND		0.0025	0.0094
PCB-1254	ND		0.0028	0.0094
PCB-1260	ND		0.0016	0.0094
Surrogate	%Rec	Qualifier	Acceptance Limits	
DCB Decachlorobiphenyl (Surr)	150	X	60 - 135	
Tetrachloro-m-xylene (Surr)	88		25 - 150	

# Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-071-120114

Lab Sample ID: 180-39432-1

Date Sampled: 12/01/2014 1735

Client Matrix: Water

Date Received: 12/03/2014 0930

## 8082A Polychlorinated Biphenyls (PCBs) (GC)

Analysis Method:	8082A	Analysis Batch:	180-128212	Instrument ID:	CHGC8
Prep Method:	3510C	Prep Batch:	180-127269	Initial Weight/Volume:	1060 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	12/13/2014 1550			Injection Volume:	1 uL
Prep Date:	12/04/2014 1150			Result Type:	SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl (Surr)	142	X	60 - 135
Tetrachloro-m-xylene (Surr)	87		25 - 150

2

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-UNNAMED-120114

Lab Sample ID: 180-39432-2

Date Sampled: 12/01/2014 1825

Client Matrix: Water

Date Received: 12/03/2014 0930

## 8082A Polychlorinated Biphenyls (PCBs) (GC)

Analysis Method:	8082A	Analysis Batch:	180-128212	Instrument ID:	CHGC8
Prep Method:	3510C	Prep Batch:	180-127269	Initial Weight/Volume:	1060 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	12/13/2014 1609			Injection Volume:	1 uL
Prep Date:	12/04/2014 1150			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
PCB-1016	ND		0.0024	0.0094
PCB-1221	ND		0.0039	0.0094
PCB-1232	ND		0.0037	0.0094
PCB-1242	ND		0.0018	0.0094
PCB-1248	ND		0.0025	0.0094
PCB-1254	ND		0.0028	0.0094
PCB-1260	ND		0.0016	0.0094
Surrogate	%Rec	Qualifier	Acceptance Limits	
DCB Decachlorobiphenyl (Surr)	147	X	60 - 135	
Tetrachloro-m-xylene (Surr)	101		25 - 150	

2

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-UNNAMED-120114

Lab Sample ID: 180-39432-2

Date Sampled: 12/01/2014 1825

Client Matrix: Water

Date Received: 12/03/2014 0930

## 8082A Polychlorinated Biphenyls (PCBs) (GC)

Analysis Method:	8082A	Analysis Batch:	180-128212	Instrument ID:	CHGC8
Prep Method:	3510C	Prep Batch:	180-127269	Initial Weight/Volume:	1060 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	12/13/2014 1609			Injection Volume:	1 uL
Prep Date:	12/04/2014 1150			Result Type:	SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl (Surr)	142	X	60 - 135
Tetrachloro-m-xylene (Surr)	98		25 - 150

3

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-018-120114

Lab Sample ID: 180-39432-3

Date Sampled: 12/01/2014 1850

Client Matrix: Water

Date Received: 12/03/2014 0930

## 8082A Polychlorinated Biphenyls (PCBs) (GC)

Analysis Method:	8082A	Analysis Batch:	180-128212	Instrument ID:	CHGC8
Prep Method:	3510C	Prep Batch:	180-127269	Initial Weight/Volume:	1060 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	12/13/2014 1629			Injection Volume:	1 uL
Prep Date:	12/04/2014 1150			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
PCB-1016	ND		0.0024	0.0094
PCB-1221	ND		0.0039	0.0094
PCB-1232	ND		0.0037	0.0094
PCB-1242	ND		0.0018	0.0094
PCB-1248	ND		0.0025	0.0094
PCB-1254	ND		0.0028	0.0094
PCB-1260	ND		0.0016	0.0094

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl (Surr)	131		60 - 135
Tetrachloro-m-xylene (Surr)	105		25 - 150

3

Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-018-120114

Lab Sample ID: 180-39432-3

Client Matrix: Water

Date Sampled: 12/01/2014 1850

Date Received: 12/03/2014 0930

8082A Polychlorinated Biphenyls (PCBs) (GC)

Analysis Method:	8082A	Analysis Batch:	180-128212	Instrument ID:	CHGC8
Prep Method:	3510C	Prep Batch:	180-127269	Initial Weight/Volume:	1060 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	12/13/2014 1629			Injection Volume:	1 uL
Prep Date:	12/04/2014 1150			Result Type:	SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl (Surr)	118		60 - 135
Tetrachloro-m-xylene (Surr)	103		25 - 150

mw/29/15



4

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-014-120114

Lab Sample ID: 180-39432-4

Date Sampled: 12/01/2014 1920

Client Matrix: Water

Date Received: 12/03/2014 0930

## 8082A Polychlorinated Biphenyls (PCBs) (GC)

Analysis Method:	8082A	Analysis Batch:	180-128212	Instrument ID:	CHGC8
Prep Method:	3510C	Prep Batch:	180-127269	Initial Weight/Volume:	1060 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	12/13/2014 1648			Injection Volume:	1 uL
Prep Date:	12/04/2014 1150			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
PCB-1016	ND		0.0024	0.0094
PCB-1221	ND		0.0039	0.0094
PCB-1232	ND		0.0037	0.0094
PCB-1242	ND		0.0018	0.0094
PCB-1248	ND		0.0025	0.0094
PCB-1254	ND		0.0028	0.0094
PCB-1260	ND		0.0016	0.0094
Surrogate	%Rec	Qualifier	Acceptance Limits	
DCB Decachlorobiphenyl (Surr)	142	X	60 - 135	
Tetrachloro-m-xylene (Surr)	92		25 - 150	

12/11/29/15

4

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-014-120114

Lab Sample ID: 180-39432-4

Date Sampled: 12/01/2014 1920

Client Matrix: Water

Date Received: 12/03/2014 0930

---

8082A Polychlorinated Biphenyls (PCBs) (GC)

Analysis Method:	8082A	Analysis Batch:	180-128212	Instrument ID:	CHGC8
Prep Method:	3510C	Prep Batch:	180-127269	Initial Weight/Volume:	1060 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	12/13/2014 1648			Injection Volume:	1 uL
Prep Date:	12/04/2014 1150			Result Type:	SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl (Surr)	142	X	60 - 135
Tetrachloro-m-xylene (Surr)	88		25 - 150

mw 12/29/15

# Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-071-120114

Lab Sample ID: 180-39432-1

Date Sampled: 12/01/2014 1735

Client Matrix: Water

Date Received: 12/03/2014 0930

## 6020A Metals (ICP/MS)-Total Recoverable

Analysis Method:	6020A	Analysis Batch:	180-128044	Instrument ID:	M
Prep Method:	3005A	Prep Batch:	180-127321	Lab File ID:	M41211A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	12/11/2014 1013			Final Weight/Volume:	50 mL
Prep Date:	12/05/2014 0645				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	2.4		0.29	1.0
Cadmium	ND		0.11	1.0
Chromium	1.7	J	0.54	2.0
Lead	3.6 <i>u</i>	<i>B</i>	0.019	1.0
Selenium	0.42	J	0.42	5.0
Silver	ND		0.036	1.0
Beryllium	ND		0.037	1.0
Thallium	1.0 0.042 <i>u</i>	<i>JB</i>	0.015	1.0
Antimony	0.63	<i>JB</i>	0.019	2.0
Nickel	4.1		0.17	1.0
Zinc	75		0.96	5.0
Copper	3.0	<i>B</i>	0.24	2.0

## 7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	180-128046	Instrument ID:	K
Prep Method:	7470A	Prep Batch:	180-127920	Lab File ID:	R41211A.CSV
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	12/11/2014 1256			Final Weight/Volume:	50 mL
Prep Date:	12/11/2014 0605				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.051	J	0.038	0.20

2  
**Analytical Data**

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-UNNAMED-120114

Lab Sample ID: 180-39432-2

Date Sampled: 12/01/2014 1825

Client Matrix: Water

Date Received: 12/03/2014 0930

**6020A Metals (ICP/MS)-Total Recoverable**

Analysis Method:	6020A	Analysis Batch:	180-128044	Instrument ID:	M
Prep Method:	3005A	Prep Batch:	180-127321	Lab File ID:	M41211A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	12/11/2014 1040			Final Weight/Volume:	50 mL
Prep Date:	12/05/2014 0645				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	ND		0.29	1.0
Cadmium	ND		0.11	1.0
Chromium	0.89	J	0.54	2.0
Lead	1.0 <del>0.07 u</del>	<del>JB</del>	0.019	1.0
Selenium	ND		0.42	5.0
Silver	ND		0.036	1.0
Beryllium	ND		0.037	1.0
Thallium	1.0 <del>0.024 u</del>	<del>JB</del>	0.015	1.0
Antimony	1.2	JB	0.019	2.0
Nickel	2.8		0.17	1.0
Zinc	12		0.96	5.0
Copper	3.1	B	0.24	2.0

**7470A Mercury (CVAA)**

Analysis Method:	7470A	Analysis Batch:	180-128046	Instrument ID:	K
Prep Method:	7470A	Prep Batch:	180-127920	Lab File ID:	R41211A.CSV
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	12/11/2014 1257			Final Weight/Volume:	50 mL
Prep Date:	12/11/2014 0605				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	0.083	J	0.038	0.20

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-018-120114

Lab Sample ID: 180-39432-3

Date Sampled: 12/01/2014 1850

Client Matrix: Water

Date Received: 12/03/2014 0930

**6020A Metals (ICP/MS)-Total Recoverable**

Analysis Method: 6020A	Analysis Batch: 180-128044	Instrument ID: M
Prep Method: 3005A	Prep Batch: 180-127321	Lab File ID: M41211A.xml
Dilution: 1.0		Initial Weight/Volume: 50 mL
Analysis Date: 12/11/2014 1044		Final Weight/Volume: 50 mL
Prep Date: 12/05/2014 0645		

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	2.2		0.29	1.0
Cadmium	ND		0.11	1.0
Chromium	6.8		0.54	2.0
Lead	3.2 u	B	0.019	1.0
Selenium	0.90	J	0.42	5.0
Silver	ND		0.036	1.0
Beryllium	ND		0.037	1.0
Thallium	ND		0.015	1.0
Antimony	0.88	J B	0.019	2.0
Nickel	1.2		0.17	1.0
Zinc	9.4		0.96	5.0
Copper	2.7 u	B	0.24	2.0

**7470A Mercury (CVAA)**

Analysis Method: 7470A	Analysis Batch: 180-128046	Instrument ID: K
Prep Method: 7470A	Prep Batch: 180-127920	Lab File ID: R41211A.CSV
Dilution: 1.0		Initial Weight/Volume: 50 mL
Analysis Date: 12/11/2014 1259		Final Weight/Volume: 50 mL
Prep Date: 12/11/2014 0605		

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	ND		0.038	0.20

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

Client Sample ID: ST-014-120114

Lab Sample ID: 180-39432-4

Date Sampled: 12/01/2014 1920

Client Matrix: Water

Date Received: 12/03/2014 0930

## 6020A Metals (ICP/MS)-Total Recoverable

Analysis Method:	6020A	Analysis Batch:	180-128044	Instrument ID:	M
Prep Method:	3005A	Prep Batch:	180-127321	Lab File ID:	M41211A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	12/11/2014 1047			Final Weight/Volume:	50 mL
Prep Date:	12/05/2014 0645				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	1.1		0.29	1.0
Cadmium	ND		0.11	1.0
Chromium	1.4	J	0.54	2.0
Lead	1.2 $\mu$	B	0.019	1.0
Selenium	ND		0.42	5.0
Silver	ND		0.036	1.0
Beryllium	ND		0.037	1.0
Thallium	ND		0.015	1.0
Antimony	1.1	J B	0.019	2.0
Nickel	6.3		0.17	1.0
Zinc	20		0.96	5.0
Copper	2.4 $\mu$	B	0.24	2.0

## 7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	180-128046	Instrument ID:	K
Prep Method:	7470A	Prep Batch:	180-127920	Lab File ID:	R41211A.CSV
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	12/11/2014 1301			Final Weight/Volume:	50 mL
Prep Date:	12/11/2014 0605				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	ND		0.038	0.20

# Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

## General Chemistry

Client Sample ID: ST-071-120114

Lab Sample ID: 180-39432-1

Client Matrix: Water

Date Sampled: 12/01/2014 1735

Date Received: 12/03/2014 0930

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
HEM (Oil & Grease)	3.4	J	mg/L	1.6	5.2	1.0	1664B
	Analysis Batch: 180-127859	Analysis Date: 12/10/2014 1207					
	Prep Batch: 180-127729	Prep Date: 12/09/2014 1531					
Cyanide, Total	ND		ug/L	2.5	10	1.0	9014
	Analysis Batch: 180-127728	Analysis Date: 12/09/2014 1342					
	Prep Batch: 180-127665	Prep Date: 12/09/2014 0845					
Total Suspended Solids	20		mg/L	2.0	2.0	1.0	SM 2540D
	Analysis Batch: 180-127233	Analysis Date: 12/04/2014 1135					

2

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

## General Chemistry

Client Sample ID: ST-UNNAMED-120114

Lab Sample ID: 180-39432-2

Date Sampled: 12/01/2014 1825

Client Matrix: Water

Date Received: 12/03/2014 0930

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
HEM (Oil & Grease)	2.7	J	mg/L	1.6	5.2	1.0	1664B
	Analysis Batch: 180-127859	Analysis Date: 12/10/2014 1207					
	Prep Batch: 180-127729	Prep Date: 12/09/2014 1531					
Cyanide, Total	ND		ug/L	2.5	10	1.0	9014
	Analysis Batch: 180-127728	Analysis Date: 12/09/2014 1344					
	Prep Batch: 180-127665	Prep Date: 12/09/2014 0845					
Total Suspended Solids	ND		mg/L	2.0	2.0	1.0	SM 2540D
	Analysis Batch: 180-127233	Analysis Date: 12/04/2014 1135					

NW 11/29/15



3

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

## General Chemistry

Client Sample ID: ST-018-120114

Lab Sample ID: 180-39432-3

Client Matrix: Water

Date Sampled: 12/01/2014 1850

Date Received: 12/03/2014 0930

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
HEM (Oil & Grease)	2.7	J	mg/L	1.6	5.2	1.0	1664B
	Analysis Batch: 180-127859		Analysis Date: 12/10/2014 1207				
	Prep Batch: 180-127729		Prep Date: 12/09/2014 1531				
Cyanide, Total	14		ug/L	2.5	10	1.0	9014
	Analysis Batch: 180-127728		Analysis Date: 12/09/2014 1346				
	Prep Batch: 180-127665		Prep Date: 12/09/2014 0845				
Total Suspended Solids	30		mg/L	2.0	2.0	1.0	SM 2540D
	Analysis Batch: 180-127233		Analysis Date: 12/04/2014 1135				

mwl/29/15

4

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39432-1

## General Chemistry

Client Sample ID: ST-014-120114

Lab Sample ID: 180-39432-4

Client Matrix: Water

Date Sampled: 12/01/2014 1920

Date Received: 12/03/2014 0930

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
HEM (Oil & Grease)	3.0	J	mg/L	1.6	5.2	1.0	1664B
	Analysis Batch: 180-127859	Analysis Date: 12/10/2014 1207					
	Prep Batch: 180-127729	Prep Date: 12/09/2014 1531					
Cyanide, Total	ND		ug/L	2.5	10	1.0	9014
	Analysis Batch: 180-127728	Analysis Date: 12/09/2014 1348					
	Prep Batch: 180-127665	Prep Date: 12/09/2014 0845					
Total Suspended Solids	6.4		mg/L	2.0	2.0	1.0	SM 2540D
	Analysis Batch: 180-127233	Analysis Date: 12/04/2014 1135					

**DATA VALIDATION SUMMARY REPORT  
SPARROWS POINT, MARYLAND**

Client: EA Engineering, Science & Technology, Hunt Valley, Maryland  
SDG: J39026  
Laboratory: TestAmerica, Pittsburgh, Pennsylvania  
Site: Sparrows Point Trust Offshore Investigation, Maryland  
Date: January 29, 2015

EDS ID	Client Sample ID	Laboratory Sample ID	Matrix
1	ST-018-111614	180-39026-1	Water
1MS $\alpha$	ST-018-111614MS	180-39026-1MS	Water
1MSD $\alpha$	ST-018-111614MSD	180-39026-1MSD	Water
1RE†	ST-018-111614RE	180-39026-1RE	Water
2	ST-UNNAMED-111614	180-39026-2	Water
3	ST-DUP1-111614	180-39026-3	Water
3RE†	ST-DUP1-111614RE	180-39026-3RE	Water
4	ST-014-111614	180-39026-4	Water
5*	TRIP BLANK	180-39026-5	Water

\* - VOCs only

† - SVOCs only

$\alpha$  - VOCs and Cyanide only

A full data validation was performed on the analytical data for four water samples and one aqueous trip blank sample collected on November 16, 2014 by EA Engineering at the Sparrows Point site in Maryland. The samples were analyzed under the Environmental Protection Agency (USEPA) "Test Methods for the Evaluation of Solid Waste, USEPA SW-846, Third Edition, September 1986, with revisions".

Specific method references are as follows:

Analysis

VOCs  
SVOCs  
PCBs  
Metals/Hg  
Cyanide  
TSS  
HEM (Oil & Grease)

Method References

USEPA SW-846 Method 8260C  
USEPA SW-846 Method 8270D LL  
USEPA SW-846 Method 8082A  
USEPA SW-846 Methods 6020A/7470A  
USEPA SW-846 Method 9014  
USEPA SM 2540D  
USEPA Method 1664B

The data have been validated according to the protocols and quality control (QC) requirements of the analytical methods, the USEPA National Functional Guidelines for Organic and Inorganic Data Review as follows:

- The USEPA "Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review," June 2008;

- The USEPA “Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review,” January 2010;
- and the reviewer's professional judgment.

### ***Organics***

- Holding times and sample preservation
- Gas Chromatography/Mass Spectroscopy (GC/MS) Tuning
- Initial and continuing calibration summaries
- Method blank and field blank contamination
- Surrogate Spike recoveries
- Matrix Spike/Matrix Spike Duplicate (MS/MSD) recoveries
- Laboratory Control Sample (LCS) recoveries
- Internal standard area and retention time summary forms
- Compound Quantitation
- Tentatively Identified Compounds (TICs)
- Field Duplicate sample precision

### ***Inorganics***

- Holding times and sample preservation
- ICP/MS Tuning
- Initial and continuing calibration verifications
- Method blank and field blank contamination
- ICP Interference Check Sample
- Laboratory Control Sample (LCS) recoveries
- Matrix Spike Analysis
- Duplicate Sample Analysis
- ICP Serial Dilution
- Compound Quantitation
- Field Duplicate sample precision

### **Overall Usability Issues:**

There were no rejections of data.

Overall the data is acceptable for the intended purposes as qualified for the deficiencies detailed in this report.

Please note that any results qualified (U) due to blank contamination may be then qualified (J) due to another action. Therefore, the results may be qualified (UJ) due to the culmination of the blank contaminations and actions from other exceedences of QC criteria.

## **Volatile Organic Compounds (VOCs)**

### **Holding Times**

- All samples were analyzed within 14 days for preserved water samples.

### **GC/MS Tuning**

- All criteria were met.

### **Initial Calibration**

- The initial calibrations exhibited acceptable %RSD and/or correlation coefficients and mean RRF values.

### **Continuing Calibration**

- The continuing calibrations exhibited acceptable %D and RRF values.

### **Method Blank**

- The method blanks were free of contamination.

### **Field Blank**

- Field QC results are summarized below.

Blank ID	Compound	Conc. ug/L	Qualifier	Affected Samples
TRIP BLANK	None - ND	-	-	-

### **Surrogate Spike Recoveries**

- All samples exhibited acceptable surrogate recoveries.

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- The MS/MSD sample exhibited acceptable %R and RPD values.

### Laboratory Control Samples

- The LCS samples exhibited acceptable %R values.

### Internal Standard (IS) Area Performance

- All internal standards met response and retention time (RT) criteria.

### Compound Quantitation

- All criteria were met.

### Tentatively Identified Compounds (TICs)

- TICs were not reported.

### Field Duplicate Sample Precision

- Field duplicate results are summarized below. The precision was acceptable.

VOC				
Compound	ST-UNNAMED-111614 ug/L	ST-DUP1-111614 ug/L	RPD	Qualifier
None	ND	ND	-	-

## Semivolatile Organic Compounds (SVOCs)

### Holding Times

- All samples were extracted within 7 days for water samples and analyzed within 40 days except the following.

Sample	Date Sampled	Date Extracted	# of Days	Qualifier
1RE	11/16/14	11/25/14	9	J/UJ
3RE	11/16/14	11/25/14	9	J/UJ

### GC/MS Tuning

- All criteria were met.

### Initial Calibration

- The initial calibrations exhibited acceptable %RSD and/or correlation coefficients and mean RRF values.

### Continuing Calibration

- The continuing calibrations exhibited acceptable %D and RRF values.

### Method Blank

- The method blanks were free of contamination.

### Field Blank

- Field QC samples were not collected.

### Surrogate Spike Recoveries

- All samples exhibited acceptable surrogate recoveries except the following.

Sample ID	Surrogate	%R	Qualifier
1	2-Fluorophenol	3%	J/R - Acid Compounds
	Phenol-d5	12%	
	2,4,6-Tribromophenol	25%	
3	2-Fluorophenol	26%	None Out for 1 per Fraction

\*EDS Sample ID #s 1RE and 3RE were reanalyzed outside holding time but with acceptable surrogate recoveries. Use the reanalysis results for reporting purposes since there are more detections and no rejections of data.

#### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- A MS/MSD sample was not collected.

#### **Laboratory Control Samples**

- The LCS samples exhibited acceptable %R values.

#### **Internal Standard (IS) Area Performance**

- All internal standards met response and retention time (RT) criteria.

#### **Compound Quantitation**

- All criteria were met.

#### **Tentatively Identified Compounds (TICs)**

- TICs were not reported.

#### **Field Duplicate Sample Precision**

- Field duplicate results are summarized below. The precision was acceptable.

SVOC				
Compound	ST-UNNAMED-111614 ug/L	ST-DUP1-111614 ug/L	RPD	Qualifier
Anthracene	ND	0.019	NC	None
bis(2-Ethylhexyl)phthalate	ND	0.42	NC	
Butyl benzyl phthalate	ND	0.47	NC	
Diethyl phthalate	ND	0.53	NC	



## **Polychlorinated Biphenyls (PCBs)**

### **Holding Times**

- All samples were extracted within 7 days for water samples and analyzed within 40 days.

### **Initial Calibration**

- All %RSD and/or correlation coefficient criteria were met.

### **Continuing Calibration**

- All %D criteria were met.

### **Method Blank**

- The method blanks were free of contamination.

### **Field Blank**

- Field QC samples were not collected.

### **Surrogate Spike Recoveries**

- All samples exhibited acceptable surrogate recoveries.

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- A MS/MSD sample was not analyzed.

### **Laboratory Control Samples**

- The LCS sample exhibited acceptable %R values.

### **Compound Quantitation**

- All criteria were met.

### **Field Duplicate Sample Precision**

- Field duplicate results are summarized below. The precision was acceptable.

PCBs				
Compound	ST-UNNAMED-111614 ug/L	ST-DUP1-111614 ug/L	RPD	Qualifier
None	ND	ND	-	-

### **GC Column Difference Results**

- All criteria were met.

## **Metals & Mercury**

### **Holding Times**

- All samples were prepared and analyzed within 28 days for mercury and 180 days for all other metals.

### **ICP/MS Tuning**

- All criteria were met.

### **Initial Calibration Verification**

- All initial calibration criteria were met.

### **Continuing Calibration Verification**

- All continuing calibration criteria were met.

### **Method Blank**

- The method blanks exhibited the following contamination.

Blank ID	Compound	Conc. ug/L	Qualifier	Affected Samples
180-126109/1-A	Lead	0.207	U	1-4
	Thallium	0.0240	U	1
	Antimony	0.122	U	1, 2, 3, 4

### **Field Blank**

- Field QC samples were not collected.

### **ICP Interference Check Sample**

- The ICP ICS exhibited acceptable recoveries.

### **Laboratory Control Samples**

- The LCS sample exhibited acceptable recoveries.

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- A MS/MSD sample was not collected.

### **ICP Serial Dilution**

- ICP serial dilution percent differences (%D) were not collected.

### **Compound Quantitation**

- All criteria were met.

### **Field Duplicate Sample Precision**

- Field duplicate results are summarized below.

Metals/Hg				
Compound	ST-UNNAMED-111614 ug/L	ST-DUP1-111614 ug/L	RPD	Qualifier
Arsenic	ND	0.67	NC	None
Chromium	0.96	1.0	4%	
Selenium	ND	0.45	NC	
Nickel	1.5	1.9	24%	
Zinc	10	14	33%	
Copper	1.1	1.1	0%	

## **HEM (Oil & Grease), Total Suspended Solids (TSS), & Cyanide**

### **Holding Times**

- All samples were analyzed within the recommended holding time for each analysis.

### **Initial and Continuing Calibration**

- All %R criteria were met.

### **Method Blank**

- The method blanks were free of contamination.

### **Field Blank**

- Field QC samples were not collected.

### **Laboratory Control Samples**

- The LCS samples exhibited acceptable %R values.

### **Matrix Spike/Duplicate (MS/DUP) Recoveries**

- The MS/MSD samples exhibited acceptable %R and RPD values.

### **Compound Quantitation**

- All criteria were met.

### **Field Duplicate Sample Precision**

- Field duplicate results are summarized below.

HEM/TSS				
Compound	ST-UNNAMED-111614 mg/L	ST-DUP1-111614 mg/L	RPD	Qualifier
HEM	2.0	2.0	0%	None
TSS	2.0	3.2	46%	

Cyanide				
Compound	ST-UNNAMED-111614 ug/L	ST-DUP1-111614 ug/L	RPD	Qualifier
None	ND	ND	-	-

Please contact the undersigned at (757) 564-0090 if you have any questions or need further information.

Signed:

Nancy Weaver  
Nancy Weaver  
Senior Chemist

Dated: 1/30/15

## Data Qualifiers

- U = The analyte was analyzed for, but was not detected at a level greater than or equal to the level of the adjusted Contract Required Quantitation Limit (CRQL) for sample and method.
- UJ = The analyte was not detected at a level greater than or equal to the adjusted CRQL. However, the reported adjusted CRQL is approximate and may be inaccurate or imprecise.
- J = The analyte was positively identified and the associated numerical value is the approximate concentration of the analyte in the sample (due either to the quality of the data generated because certain quality control criteria were not met, or the concentration of the analyte was below the CRQL).
- J+ = The result is an estimated quantity, but the result may be biased high.
- J- = The result is an estimated quantity, but the result may be biased low.
- R = The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte may or may not be present in the sample.
- NJ = The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.

# Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-018-111614

Lab Sample ID: 180-39026-1

Date Sampled: 11/16/2014 1808

Client Matrix: Water

Date Received: 11/18/2014 0935

## 8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	180-125940	Instrument ID:	CHHP4
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	4112108.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	11/21/2014 1259			Final Weight/Volume:	5 mL
Prep Date:	11/21/2014 1259				

Analyte	Result (ug/L)	Qualifier	MDL	RL
1,1,1-Trichloroethane	ND		1.0	5.0
1,1,2,2-Tetrachloroethane	ND		0.93	5.0
1,1,2-Trichloroethane	ND		1.2	5.0
1,1-Dichloroethane	ND		1.0	5.0
1,1-Dichloroethene	ND		1.1	5.0
1,2-Dichlorobenzene	ND		0.68	5.0
1,2-Dichloroethane	ND		0.96	5.0
1,2-Dichloropropane	ND		1.3	5.0
1,3-Dichlorobenzene	ND		0.51	5.0
1,4-Dichlorobenzene	ND		0.53	5.0
2-Chloroethyl vinyl ether	ND		1.9	10
Acrolein	ND		5.7	100
Acrylonitrile	ND		9.0	50
Benzene	ND		0.99	5.0
Bromoform	ND		1.1	5.0
Bromomethane	ND		1.6	5.0
Carbon tetrachloride	ND		1.1	5.0
Chlorobenzene	ND		0.53	5.0
Chloroform	ND		1.0	5.0
Chloromethane	ND		1.4	5.0
Chlorodibromomethane	ND		0.65	5.0
cis-1,3-Dichloropropene	ND		0.73	5.0
Dichlorobromomethane	ND		0.93	5.0
Ethylbenzene	ND		0.62	5.0
Methylene Chloride	ND		1.1	5.0
Tetrachloroethene	ND		0.82	5.0
Toluene	ND		0.85	5.0
trans-1,2-Dichloroethene	ND		0.75	5.0
trans-1,3-Dichloropropene	ND		0.58	5.0
Trichloroethene	ND		0.80	5.0
Vinyl chloride	ND		1.3	5.0
Chloroethane	ND		0.75	5.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	84		62 - 123
4-Bromofluorobenzene (Surr)	83		75 - 120
Dibromofluoromethane (Surr)	94		80 - 120
Toluene-d8 (Surr)	101		80 - 120



2

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-UNNAMED-111614

Lab Sample ID: 180-39026-2

Date Sampled: 11/16/2014 1855

Client Matrix: Water

Date Received: 11/18/2014 0935

## 8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	180-125940	Instrument ID:	CHHP4
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	4112109.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	11/21/2014 1326			Final Weight/Volume:	5 mL
Prep Date:	11/21/2014 1326				

Analyte	Result (ug/L)	Qualifier	MDL	RL
1,1,1-Trichloroethane	ND		1.0	5.0
1,1,2,2-Tetrachloroethane	ND		0.93	5.0
1,1,2-Trichloroethane	ND		1.2	5.0
1,1-Dichloroethane	ND		1.0	5.0
1,1-Dichloroethene	ND		1.1	5.0
1,2-Dichlorobenzene	ND		0.68	5.0
1,2-Dichloroethane	ND		0.96	5.0
1,2-Dichloropropane	ND		1.3	5.0
1,3-Dichlorobenzene	ND		0.51	5.0
1,4-Dichlorobenzene	ND		0.53	5.0
2-Chloroethyl vinyl ether	ND		1.9	10
Acrolein	ND		5.7	100
Acrylonitrile	ND		9.0	50
Benzene	ND		0.99	5.0
Bromoform	ND		1.1	5.0
Bromomethane	ND		1.6	5.0
Carbon tetrachloride	ND		1.1	5.0
Chlorobenzene	ND		0.53	5.0
Chloroform	ND		1.0	5.0
Chloromethane	ND		1.4	5.0
Chlorodibromomethane	ND		0.65	5.0
cis-1,3-Dichloropropene	ND		0.73	5.0
Dichlorobromomethane	ND		0.93	5.0
Ethylbenzene	ND		0.62	5.0
Methylene Chloride	ND		1.1	5.0
Tetrachloroethene	ND		0.82	5.0
Toluene	ND		0.85	5.0
trans-1,2-Dichloroethene	ND		0.75	5.0
trans-1,3-Dichloropropene	ND		0.58	5.0
Trichloroethene	ND		0.80	5.0
Vinyl chloride	ND		1.3	5.0
Chloroethane	ND		0.75	5.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	75		62 - 123
4-Bromofluorobenzene (Surr)	76		75 - 120
Dibromofluoromethane (Surr)	84		80 - 120
Toluene-d8 (Surr)	90		80 - 120

11/29/15

3

# Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-DUP1-111614

Lab Sample ID: 180-39026-3

Date Sampled: 11/16/2014 0000

Client Matrix: Water

Date Received: 11/18/2014 0935

## 8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	180-125940	Instrument ID:	CHHP4
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	4112110.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	11/21/2014 1353			Final Weight/Volume:	5 mL
Prep Date:	11/21/2014 1353				

Analyte	Result (ug/L)	Qualifier	MDL	RL
1,1,1-Trichloroethane	ND		1.0	5.0
1,1,2,2-Tetrachloroethane	ND		0.93	5.0
1,1,2-Trichloroethane	ND		1.2	5.0
1,1-Dichloroethane	ND		1.0	5.0
1,1-Dichloroethene	ND		1.1	5.0
1,2-Dichlorobenzene	ND		0.68	5.0
1,2-Dichloroethane	ND		0.96	5.0
1,2-Dichloropropane	ND		1.3	5.0
1,3-Dichlorobenzene	ND		0.51	5.0
1,4-Dichlorobenzene	ND		0.53	5.0
2-Chloroethyl vinyl ether	ND		1.9	10
Acrolein	ND		5.7	100
Acrylonitrile	ND		9.0	50
Benzene	ND		0.99	5.0
Bromoform	ND		1.1	5.0
Bromomethane	ND		1.6	5.0
Carbon tetrachloride	ND		1.1	5.0
Chlorobenzene	ND		0.53	5.0
Chloroform	ND		1.0	5.0
Chloromethane	ND		1.4	5.0
Chlorodibromomethane	ND		0.65	5.0
cis-1,3-Dichloropropene	ND		0.73	5.0
Dichlorobromomethane	ND		0.93	5.0
Ethylbenzene	ND		0.62	5.0
Methylene Chloride	ND		1.1	5.0
Tetrachloroethene	ND		0.82	5.0
Toluene	ND		0.85	5.0
trans-1,2-Dichloroethene	ND		0.75	5.0
trans-1,3-Dichloropropene	ND		0.58	5.0
Trichloroethene	ND		0.80	5.0
Vinyl chloride	ND		1.3	5.0
Chloroethane	ND		0.75	5.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	77		62 - 123
4-Bromofluorobenzene (Surr)	81		75 - 120
Dibromofluoromethane (Surr)	91		80 - 120
Toluene-d8 (Surr)	99		80 - 120

11/29/15

4

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-014-111614

Lab Sample ID: 180-39026-4

Date Sampled: 11/16/2014 1915

Client Matrix: Water

Date Received: 11/18/2014 0935

## 8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	180-125940	Instrument ID:	CHHP4
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	4112111.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	11/21/2014 1419			Final Weight/Volume:	5 mL
Prep Date:	11/21/2014 1419				

Analyte	Result (ug/L)	Qualifier	MDL	RL
1,1,1-Trichloroethane	ND		1.0	5.0
1,1,2,2-Tetrachloroethane	ND		0.93	5.0
1,1,2-Trichloroethane	ND		1.2	5.0
1,1-Dichloroethane	ND		1.0	5.0
1,1-Dichloroethene	ND		1.1	5.0
1,2-Dichlorobenzene	ND		0.68	5.0
1,2-Dichloroethane	ND		0.96	5.0
1,2-Dichloropropane	ND		1.3	5.0
1,3-Dichlorobenzene	ND		0.51	5.0
1,4-Dichlorobenzene	ND		0.53	5.0
2-Chloroethyl vinyl ether	ND		1.9	10
Acrolein	ND		5.7	100
Acrylonitrile	ND		9.0	50
Benzene	ND		0.99	5.0
Bromoform	ND		1.1	5.0
Bromomethane	ND		1.6	5.0
Carbon tetrachloride	ND		1.1	5.0
Chlorobenzene	ND		0.53	5.0
Chloroform	1.0	J	1.0	5.0
Chloromethane	ND		1.4	5.0
Chlorodibromomethane	ND		0.65	5.0
cis-1,3-Dichloropropene	ND		0.73	5.0
Dichlorobromomethane	ND		0.93	5.0
Ethylbenzene	ND		0.62	5.0
Methylene Chloride	ND		1.1	5.0
Tetrachloroethene	ND		0.82	5.0
Toluene	ND		0.85	5.0
trans-1,2-Dichloroethene	ND		0.75	5.0
trans-1,3-Dichloropropene	ND		0.58	5.0
Trichloroethene	ND		0.80	5.0
Vinyl chloride	ND		1.3	5.0
Chloroethane	ND		0.75	5.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	78		62 - 123
4-Bromofluorobenzene (Surr)	78		75 - 120
Dibromofluoromethane (Surr)	87		80 - 120
Toluene-d8 (Surr)	97		80 - 120

NW 11/29/15

5

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: TRIP BLANK

Lab Sample ID: 180-39026-5

Date Sampled: 11/16/2014 0000

Client Matrix: Water

Date Received: 11/18/2014 0935

## 8260C Volatile Organic Compounds by GC/MS

Analysis Method:	8260C	Analysis Batch:	180-125940	Instrument ID:	CHHP4
Prep Method:	5030C	Prep Batch:	N/A	Lab File ID:	4112107.D
Dilution:	1.0			Initial Weight/Volume:	5 mL
Analysis Date:	11/21/2014 1232			Final Weight/Volume:	5 mL
Prep Date:	11/21/2014 1232				

Analyte	Result (ug/L)	Qualifier	MDL	RL
1,1,1-Trichloroethane	ND		1.0	5.0
1,1,2,2-Tetrachloroethane	ND		0.93	5.0
1,1,2-Trichloroethane	ND		1.2	5.0
1,1-Dichloroethane	ND		1.0	5.0
1,1-Dichloroethene	ND		1.1	5.0
1,2-Dichlorobenzene	ND		0.68	5.0
1,2-Dichloroethane	ND		0.96	5.0
1,2-Dichloropropane	ND		1.3	5.0
1,3-Dichlorobenzene	ND		0.51	5.0
1,4-Dichlorobenzene	ND		0.53	5.0
2-Chloroethyl vinyl ether	ND		1.9	10
Acrolein	ND		5.7	100
Acrylonitrile	ND		9.0	50
Benzene	ND		0.99	5.0
Bromoform	ND		1.1	5.0
Bromomethane	ND		1.6	5.0
Carbon tetrachloride	ND		1.1	5.0
Chlorobenzene	ND		0.53	5.0
Chloroform	ND		1.0	5.0
Chloromethane	ND		1.4	5.0
Chlorodibromomethane	ND		0.65	5.0
cis-1,3-Dichloropropene	ND		0.73	5.0
Dichlorobromomethane	ND		0.93	5.0
Ethylbenzene	ND		0.62	5.0
Methylene Chloride	ND		1.1	5.0
Tetrachloroethene	ND		0.82	5.0
Toluene	ND		0.85	5.0
trans-1,2-Dichloroethene	ND		0.75	5.0
trans-1,3-Dichloropropene	ND		0.58	5.0
Trichloroethene	ND		0.80	5.0
Vinyl chloride	ND		1.3	5.0
Chloroethane	ND		0.75	5.0

Surrogate	%Rec	Qualifier	Acceptance Limits
1,2-Dichloroethane-d4 (Surr)	73		62 - 123
4-Bromofluorobenzene (Surr)	75		75 - 120
Dibromofluoromethane (Surr)	80		80 - 120
Toluene-d8 (Surr)	92		80 - 120

NW1129115

# Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-018-111614

Lab Sample ID: 180-39026-1

Client Matrix: Water

Date Sampled: 11/16/2014 1808

Date Received: 11/18/2014 0935

## 8270D LL Semivolatile Organic Compounds by GC/MS - Low Level

Analysis Method: 8270D LL Analysis Batch: 180-126233 Instrument ID: CH781  
 Prep Method: 3520C Prep Batch: 180-125791 Lab File ID: V1124016.D  
 Dilution: 1.0 Initial Weight/Volume: 260 mL  
 Analysis Date: 11/24/2014 1840 Final Weight/Volume: 0.25 mL  
 Prep Date: 11/20/2014 0907 Injection Volume: 2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acenaphthene	ND		0.028	0.19
Acenaphthylene	ND		0.021	0.19
Anthracene	ND		0.018	0.19
Benidine	ND		4.6	19
Benzo[a]anthracene	ND		0.035	0.19
Benzo[b]fluoranthene	ND		0.047	0.19
Benzo[k]fluoranthene	ND		0.029	0.19
Benzoic acid	ND		1.6	4.8
Benzo[g,h,i]perylene	ND		0.028	0.19
Benzo[a]pyrene	ND		0.027	0.19
Bis(2-chloroethoxy)methane	ND		0.13	0.96
Bis(2-chloroethyl)ether	ND		0.030	0.96
Bis(2-ethylhexyl) phthalate	2.0		0.42	1.9
2,2'-oxybis[1-chloropropane]	ND		0.023	0.96
4-Bromophenyl phenyl ether	ND		0.11	0.96
4-Chlorophenyl phenyl ether	ND		0.077	0.96
2-Chloronaphthalene	ND		0.030	0.19
Butyl benzyl phthalate	ND		0.21	0.96
Chrysene	ND		0.030	0.19
Dibenz(a,h)anthracene	ND		0.026	0.19
Di-n-butyl phthalate	ND		0.23	0.96
Di-n-octyl phthalate	ND		0.20	0.96
Diethyl phthalate	ND		0.29	0.96
Dimethyl phthalate	ND		0.18	0.96
3,3'-Dichlorobenzidine	ND		0.14	0.96
2,4-Dinitrotoluene	ND		0.21	0.96
2,6-Dinitrotoluene	ND		0.13	0.96
2-Chlorophenol	ND R		0.22	0.96
2,4-Dichlorophenol	ND		0.065	0.96
2,4-Dimethylphenol	ND		0.16	0.96
2,4-Dinitrophenol	ND		2.4	4.8
2-Nitrophenol	ND		0.11	0.96
2,4,6-Trichlorophenol	ND		0.29	0.96
1,2-Diphenylhydrazine(as Azobenzene)	ND		0.11	0.96
1,2,4-Trichlorobenzene	ND		0.082	0.96
4-Chloro-3-methylphenol	ND R		0.16	0.96
4-Nitrophenol	ND		0.77	4.8
4,6-Dinitro-2-methylphenol	ND		1.5	4.8
Fluoranthene	ND		0.020	0.19
Fluorene	ND		0.023	0.19
Hexachlorobenzene	ND		0.059	0.96
Hexachlorobutadiene	ND		0.090	0.96
Hexachlorocyclopentadiene	ND		0.13	0.96
Hexachloroethane	ND		0.13	0.96
Indeno[1,2,3-cd]pyrene	ND		0.042	0.19
Isophorone	ND		0.071	0.96

# Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-018-111614

Lab Sample ID: 180-39026-1

Client Matrix: Water

Date Sampled: 11/16/2014 1808

Date Received: 11/18/2014 0935

*Use reanalysis*

## 8270D LL Semivolatile Organic Compounds by GC/MS - Low Level

Analysis Method:	8270D LL	Analysis Batch:	180-126233	Instrument ID:	CH731
Prep Method:	3520C	Prep Batch:	180-125791	Lab File ID:	V1124016.D
Dilution:	1.0			Initial Weight/Volume:	260 mL
Analysis Date:	11/24/2014 1840			Final Weight/Volume:	0.25 mL
Prep Date:	11/20/2014 0907			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Naphthalene	0.16	J	0.022	0.19
Nitrobenzene	ND		0.14	1.9
N-Nitrosodi-n-propylamine	ND		0.048	0.96
N-Nitrosodimethylamine	ND		0.11	0.96
N-Nitrosodiphenylamine	ND		0.12	0.96
Phenanthrene	0.075	J	0.040	0.19
Pyrene	ND		0.022	0.19
Pentachlorophenol	ND R		0.48	0.96
Phenol	ND R		0.053	0.96

Surrogate	%Rec	Qualifier	Acceptance Limits
2,4,6-Tribromophenol (Surr)	25	X	30 - 150
2-Fluorobiphenyl	56		30 - 150
2-Fluorophenol (Surr)	3	X	30 - 150
Nitrobenzene-d5 (Surr)	54		30 - 150
Phenol-d5 (Surr)	12	X	30 - 150
Terphenyl-d14 (Surr)	66		10 - 150

*Exclude*

IRE

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-018-111614

Lab Sample ID: 180-39026-1

Date Sampled: 11/16/2014 1808

Client Matrix: Water

Date Received: 11/18/2014 0935

## 8270D LL Semivolatile Organic Compounds by GC/MS - Low Level

Analysis Method:	8270D LL	Analysis Batch:	180-126682	Instrument ID:	CH732
Prep Method:	3520C	Prep Batch:	180-126402	Lab File ID:	D1128022.D
Dilution:	1.0			Initial Weight/Volume:	260 mL
Analysis Date:	11/28/2014 2145	Run Type:	RE	Final Weight/Volume:	0.25 mL
Prep Date:	11/25/2014 0959			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acenaphthene	0.029 J	JH	0.028	0.19
Acenaphthylene	ND uJ	H	0.021	0.19
Anthracene	0.024 J	JH	0.018	0.19
Benzidine	ND uJ	H	4.6	19
Benzo[a]anthracene	ND	H	0.035	0.19
Benzo[b]fluoranthene	ND	H	0.047	0.19
Benzo[k]fluoranthene	ND	H	0.029	0.19
Benzoic acid	ND	H	1.6	4.8
Benzo[g,h,i]perylene	ND	H	0.028	0.19
Benzo[a]pyrene	ND	H	0.027	0.19
Bis(2-chloroethoxy)methane	ND	H	0.13	0.96
Bis(2-chloroethyl)ether	ND	H	0.030	0.96
Bis(2-ethylhexyl) phthalate	1.5 J	JH	0.42	1.9
2,2'-oxybis[1-chloropropane]	ND uJ	H	0.023	0.96
4-Bromophenyl phenyl ether	ND	H	0.11	0.96
4-Chlorophenyl phenyl ether	ND	H	0.077	0.96
2-Chloronaphthalene	ND	H	0.030	0.19
Butyl benzyl phthalate	0.41 J	JH	0.21	0.96
Chrysene	ND uJ	H	0.030	0.19
Dibenz(a,h)anthracene	ND	H	0.026	0.19
Di-n-butyl phthalate	ND	H	0.23	0.96
Di-n-octyl phthalate	ND	H	0.20	0.96
Diethyl phthalate	ND	H	0.29	0.96
Dimethyl phthalate	ND	H	0.18	0.96
3,3'-Dichlorobenzidine	ND	H	0.14	0.96
2,4-Dinitrotoluene	ND	H	0.21	0.96
2,6-Dinitrotoluene	ND	H	0.13	0.96
2-Chlorophenol	ND	H	0.22	0.96
2,4-Dichlorophenol	ND	H	0.065	0.96
2,4-Dimethylphenol	ND	H	0.16	0.96
2,4-Dinitrophenol	ND	H	2.4	4.8
2-Nitrophenol	ND	H	0.11	0.96
2,4,6-Trichlorophenol	ND	H	0.29	0.96
1,2-Diphenylhydrazine(as Azobenzene)	ND	H	0.11	0.96
1,2,4-Trichlorobenzene	ND	H	0.082	0.96
4-Chloro-3-methylphenol	ND	H	0.16	0.96
4-Nitrophenol	ND	H	0.77	4.8
4,6-Dinitro-2-methylphenol	ND	H	1.5	4.8
Fluoranthene	0.028 J	JH	0.020	0.19
Fluorene	0.025 J	JH	0.023	0.19
Hexachlorobenzene	ND uJ	H	0.059	0.96
Hexachlorobutadiene	ND	H	0.090	0.96
Hexachlorocyclopentadiene	ND	H	0.13	0.96
Hexachloroethane	ND	H	0.13	0.96
Indeno[1,2,3-cd]pyrene	ND	H	0.042	0.19
Isophorone	ND	H	0.071	0.96

IRE

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-018-111614

Lab Sample ID: 180-39026-1

Date Sampled: 11/16/2014 1808

Client Matrix: Water

Date Received: 11/18/2014 0935

## 8270D LL Semivolatile Organic Compounds by GC/MS - Low Level

Analysis Method:	8270D LL	Analysis Batch:	180-126682	Instrument ID:	CH732
Prep Method:	3520C	Prep Batch:	180-126402	Lab File ID:	D1128022.D
Dilution:	1.0			Initial Weight/Volume:	260 mL
Analysis Date:	11/28/2014 2145	Run Type:	RE	Final Weight/Volume:	0.25 mL
Prep Date:	11/25/2014 0959			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Naphthalene	0.050 J	JH	0.022	0.19
Nitrobenzene	ND UJ	H	0.14	1.9
N-Nitrosodi-n-propylamine	ND	H	0.048	0.96
N-Nitrosodimethylamine	ND	H	0.11	0.96
N-Nitrosodiphenylamine	ND	H	0.12	0.96
Phenanthrene	0.061 J	JH	0.040	0.19
Pyrene	ND UJ	H	0.022	0.19
Pentachlorophenol	ND UJ	H	0.48	0.96
Phenol	0.14 J	JH	0.053	0.96

Surrogate	%Rec	Qualifier	Acceptance Limits
2,4,6-Tribromophenol (Surr)	59		30 - 150
2-Fluorobiphenyl	67		30 - 150
2-Fluorophenol (Surr)	38		30 - 150
Nitrobenzene-d5 (Surr)	66		30 - 150
Phenol-d5 (Surr)	53		30 - 150
Terphenyl-d14 (Surr)	71		10 - 150



## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-UNNAMED-111614

Lab Sample ID: 180-39026-2

Date Sampled: 11/16/2014 1855

Client Matrix: Water

Date Received: 11/18/2014 0935

## 8270D LL Semivolatile Organic Compounds by GC/MS - Low Level

Analysis Method:	8270D LL	Analysis Batch:	180-126233	Instrument ID:	CH731
Prep Method:	3520C	Prep Batch:	180-125791	Lab File ID:	V1124017.D
Dilution:	1.0			Initial Weight/Volume:	260 mL
Analysis Date:	11/24/2014 1908			Final Weight/Volume:	0.25 mL
Prep Date:	11/20/2014 0907			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acenaphthene	ND		0.028	0.19
Acenaphthylene	ND		0.021	0.19
Anthracene	ND		0.018	0.19
Benidine	ND		4.6	19
Benzo[a]anthracene	ND		0.035	0.19
Benzo[b]fluoranthene	ND		0.047	0.19
Benzo[k]fluoranthene	ND		0.029	0.19
Benzoic acid	ND		1.6	4.8
Benzo[g,h,i]perylene	ND		0.028	0.19
Benzo[a]pyrene	ND		0.027	0.19
Bis(2-chloroethoxy)methane	ND		0.13	0.96
Bis(2-chloroethyl)ether	ND		0.030	0.96
Bis(2-ethylhexyl) phthalate	ND		0.42	1.9
2,2'-oxybis[1-chloropropane]	ND		0.023	0.96
4-Bromophenyl phenyl ether	ND		0.11	0.96
4-Chlorophenyl phenyl ether	ND		0.077	0.96
2-Chloronaphthalene	ND		0.030	0.19
Butyl benzyl phthalate	ND		0.21	0.96
Chrysene	ND		0.030	0.19
Dibenz(a,h)anthracene	ND		0.026	0.19
Di-n-butyl phthalate	ND		0.23	0.96
Di-n-octyl phthalate	ND		0.20	0.96
Diethyl phthalate	ND		0.29	0.96
Dimethyl phthalate	ND		0.18	0.96
3,3'-Dichlorobenzidine	ND		0.14	0.96
2,4-Dinitrotoluene	ND		0.21	0.96
2,6-Dinitrotoluene	ND		0.13	0.96
2-Chlorophenol	ND		0.22	0.96
2,4-Dichlorophenol	ND		0.065	0.96
2,4-Dimethylphenol	ND		0.16	0.96
2,4-Dinitrophenol	ND		2.4	4.8
2-Nitrophenol	ND		0.11	0.96
2,4,6-Trichlorophenol	ND		0.29	0.96
1,2-Diphenylhydrazine(as Azobenzene)	ND		0.11	0.96
1,2,4-Trichlorobenzene	ND		0.082	0.96
4-Chloro-3-methylphenol	ND		0.16	0.96
4-Nitrophenol	ND		0.77	4.8
4,6-Dinitro-2-methylphenol	ND		1.5	4.8
Fluoranthene	ND		0.020	0.19
Fluorene	ND		0.023	0.19
Hexachlorobenzene	ND		0.059	0.96
Hexachlorobutadiene	ND		0.090	0.96
Hexachlorocyclopentadiene	ND		0.13	0.96
Hexachloroethane	ND		0.13	0.96
Indeno[1,2,3-cd]pyrene	ND		0.042	0.19
Isophorone	ND		0.071	0.96

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-UNNAMED-111614

Lab Sample ID: 180-39026-2

Date Sampled: 11/16/2014 1855

Client Matrix: Water

Date Received: 11/18/2014 0935

## 8270D LL Semivolatile Organic Compounds by GC/MS - Low Level

Analysis Method:	8270D LL	Analysis Batch:	180-126233	Instrument ID:	CH731
Prep Method:	3520C	Prep Batch:	180-125791	Lab File ID:	V1124017.D
Dilution:	1.0			Initial Weight/Volume:	260 mL
Analysis Date:	11/24/2014 1908			Final Weight/Volume:	0.25 mL
Prep Date:	11/20/2014 0907			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Naphthalene	ND		0.022	0.19
Nitrobenzene	ND		0.14	1.9
N-Nitrosodi-n-propylamine	ND		0.048	0.96
N-Nitrosodimethylamine	ND		0.11	0.96
N-Nitrosodiphenylamine	ND		0.12	0.96
Phenanthrene	ND		0.040	0.19
Pyrene	ND		0.022	0.19
Pentachlorophenol	ND		0.48	0.96
Phenol	ND		0.053	0.96

Surrogate	%Rec	Qualifier	Acceptance Limits
2,4,6-Tribromophenol (Surr)	73		30 - 150
2-Fluorobiphenyl	65		30 - 150
2-Fluorophenol (Surr)	47		30 - 150
Nitrobenzene-d5 (Surr)	58		30 - 150
Phenol-d5 (Surr)	58		30 - 150
Terphenyl-d14 (Surr)	56		10 - 150

3

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-DUP1-111614

Lab Sample ID: 180-39026-3

Client Matrix: Water

Date Sampled: 11/16/2014 0000

Date Received: 11/18/2014 0935

Use reanalysis

## 8270D LL Semivolatile Organic Compounds by GC/MS - Low Level

Analysis Method:	8270D LL	Analysis Batch:	180-126233	Instrument ID:	CH731
Prep Method:	3520C	Prep Batch:	180-125791	Lab File ID:	V1124018.D
Dilution:	1.0			Initial Weight/Volume:	260 mL
Analysis Date:	11/24/2014 1935			Final Weight/Volume:	0.25 mL
Prep Date:	11/20/2014 0907			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acenaphthene	ND		0.028	0.19
Acenaphthylene	ND		0.021	0.19
Anthracene	ND		0.018	0.19
Benidine	ND		4.6	19
Benzo[a]anthracene	ND		0.035	0.19
Benzo[b]fluoranthene	ND		0.047	0.19
Benzo[k]fluoranthene	ND		0.029	0.19
Benzoic acid	ND		1.6	4.8
Benzo[g,h,i]perylene	ND		0.028	0.19
Benzo[a]pyrene	ND		0.027	0.19
Bis(2-chloroethoxy)methane	ND		0.13	0.96
Bis(2-chloroethyl)ether	ND		0.030	0.96
Bis(2-ethylhexyl) phthalate	ND		0.42	1.9
2,2'-oxybis[1-chloropropane]	ND		0.023	0.96
4-Bromophenyl phenyl ether	ND		0.11	0.96
4-Chlorophenyl phenyl ether	ND		0.077	0.96
2-Chloronaphthalene	ND		0.030	0.19
Butyl benzyl phthalate	0.51	J	0.21	0.96
Chrysene	ND		0.030	0.19
Dibenz(a,h)anthracene	ND		0.026	0.19
Di-n-butyl phthalate	ND		0.23	0.96
Di-n-octyl phthalate	ND		0.20	0.96
Diethyl phthalate	ND		0.29	0.96
Dimethyl phthalate	ND		0.18	0.96
3,3'-Dichlorobenzidine	ND		0.14	0.96
2,4-Dinitrotoluene	ND		0.21	0.96
2,6-Dinitrotoluene	ND		0.13	0.96
2-Chlorophenol	ND		0.22	0.96
2,4-Dichlorophenol	ND		0.065	0.96
2,4-Dimethylphenol	ND		0.16	0.96
2,4-Dinitrophenol	ND		2.4	4.8
2-Nitrophenol	ND		0.11	0.96
2,4,6-Trichlorophenol	ND		0.29	0.96
1,2-Diphenylhydrazine(as Azobenzene)	ND		0.11	0.96
1,2,4-Trichlorobenzene	ND		0.082	0.96
4-Chloro-3-methylphenol	ND		0.16	0.96
4-Nitrophenol	ND		0.77	4.8
4,6-Dinitro-2-methylphenol	ND		1.5	4.8
Fluoranthene	ND		0.020	0.19
Fluorene	ND		0.023	0.19
Hexachlorobenzene	ND		0.059	0.96
Hexachlorobutadiene	ND		0.090	0.96
Hexachlorocyclopentadiene	ND		0.13	0.96
Hexachloroethane	ND		0.13	0.96
Indeno[1,2,3-cd]pyrene	ND		0.042	0.19
Isophorone	ND		0.071	0.96

exclude

NW/29/15

3

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-DUP1-111614

Lab Sample ID: 180-39026-3

Date Sampled: 11/16/2014 0000

Client Matrix: Water

Date Received: 11/18/2014 0935

## 8270D LL Semivolatile Organic Compounds by GC/MS - Low Level

Analysis Method:	8270D LL	Analysis Batch:	180-126233	Instrument ID:	CH731
Prep Method:	3520C	Prep Batch:	180-125791	Lab File ID:	V1124018.D
Dilution:	1.0			Initial Weight/Volume:	260 mL
Analysis Date:	11/24/2014 1935			Final Weight/Volume:	0.25 mL
Prep Date:	11/20/2014 0907			Injection Volume:	2 uL

Use  
Reanalyzed

Analyte	Result (ug/L)	Qualifier	MDL	RL
Naphthalene	ND		0.022	0.19
Nitrobenzene	ND		0.14	1.9
N-Nitrosodi-n-propylamine	ND		0.048	0.96
N-Nitrosodimethylamine	ND		0.11	0.96
N-Nitrosodiphenylamine	ND		0.12	0.96
Phenanthrene	ND		0.040	0.19
Pyrene	ND		0.022	0.19
Pentachlorophenol	ND		0.48	0.96
Phenol	ND		0.053	0.96

Surrogate	%Rec	Qualifier	Acceptance Limits
2,4,6-Tribromophenol (Surr)	62		30 - 150
2-Fluorobiphenyl	76		30 - 150
2-Fluorophenol (Surr)	26	X	30 - 150
Nitrobenzene-d5 (Surr)	70		30 - 150
Phenol-d5 (Surr)	44		30 - 150
Terphenyl-d14 (Surr)	74		10 - 150

Exclude

NW 1/29/15

3RE

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-DUP1-111614

Lab Sample ID: 180-39026-3

Date Sampled: 11/16/2014 0000

Client Matrix: Water

Date Received: 11/18/2014 0935

## 8270D LL Semivolatile Organic Compounds by GC/MS - Low Level

Analysis Method:	8270D LL	Analysis Batch:	180-126682	Instrument ID:	CH732
Prep Method:	3520C	Prep Batch:	180-126402	Lab File ID:	D1128023.D
Dilution:	1.0			Initial Weight/Volume:	260 mL
Analysis Date:	11/28/2014 2211	Run Type:	RE	Final Weight/Volume:	0.25 mL
Prep Date:	11/25/2014 0959			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acenaphthene	ND uJ	H	0.028	0.19
Acenaphthylene	ND uJ	H	0.021	0.19
Anthracene	0.019 J	JH	0.018	0.19
Benzidine	ND uJ	H	4.6	19
Benzo[a]anthracene	ND	H	0.035	0.19
Benzo[b]fluoranthene	ND	H	0.047	0.19
Benzo[k]fluoranthene	ND	H	0.029	0.19
Benzoic acid	ND	H	1.6	4.8
Benzo[g,h,i]perylene	ND	H	0.028	0.19
Benzo[a]pyrene	ND	H	0.027	0.19
Bis(2-chloroethoxy)methane	ND	H	0.13	0.96
Bis(2-chloroethyl)ether	ND	H	0.030	0.96
Bis(2-ethylhexyl) phthalate	0.42 J	JH	0.42	1.9
2,2'-oxybis[1-chloropropane]	ND uJ	H	0.023	0.96
4-Bromophenyl phenyl ether	ND	H	0.11	0.96
4-Chlorophenyl phenyl ether	ND	H	0.077	0.96
2-Chloronaphthalene	ND	H	0.030	0.19
Butyl benzyl phthalate	0.47 J	JH	0.21	0.96
Chrysene	ND uJ	H	0.030	0.19
Dibenz(a,h)anthracene	ND	H	0.026	0.19
Di-n-butyl phthalate	ND	H	0.23	0.96
Di-n-octyl phthalate	ND	H	0.20	0.96
Diethyl phthalate	0.53 J	JH	0.29	0.96
Dimethyl phthalate	ND uJ	H	0.18	0.96
3,3'-Dichlorobenzidine	ND	H	0.14	0.96
2,4-Dinitrotoluene	ND	H	0.21	0.96
2,6-Dinitrotoluene	ND	H	0.13	0.96
2-Chlorophenol	ND	H	0.22	0.96
2,4-Dichlorophenol	ND	H	0.065	0.96
2,4-Dimethylphenol	ND	H	0.16	0.96
2,4-Dinitrophenol	ND	H	2.4	4.8
2-Nitrophenol	ND	H	0.11	0.96
2,4,6-Trichlorophenol	ND	H	0.29	0.96
1,2-Diphenylhydrazine(as Azobenzene)	ND	H	0.11	0.96
1,2,4-Trichlorobenzene	ND	H	0.082	0.96
4-Chloro-3-methylphenol	ND	H	0.16	0.96
4-Nitrophenol	ND	H	0.77	4.8
4,6-Dinitro-2-methylphenol	ND	H	1.5	4.8
Fluoranthene	ND	H	0.020	0.19
Fluorene	ND	H	0.023	0.19
Hexachlorobenzene	ND	H	0.059	0.96
Hexachlorobutadiene	ND	H	0.090	0.96
Hexachlorocyclopentadiene	ND	H	0.13	0.96
Hexachloroethane	ND	H	0.13	0.96
Indeno[1,2,3-cd]pyrene	ND	H	0.042	0.19
Isophorone	ND	H	0.071	0.96

NW129115

3RE

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-DUP1-111614

Lab Sample ID: 180-39026-3

Date Sampled: 11/16/2014 0000

Client Matrix: Water

Date Received: 11/18/2014 0935

## 8270D LL Semivolatile Organic Compounds by GC/MS - Low Level

Analysis Method:	8270D LL	Analysis Batch:	180-126682	Instrument ID:	CH732
Prep Method:	3520C	Prep Batch:	180-126402	Lab File ID:	D1128023.D
Dilution:	1.0			Initial Weight/Volume:	260 mL
Analysis Date:	11/28/2014 2211	Run Type:	RE	Final Weight/Volume:	0.25 mL
Prep Date:	11/25/2014 0959			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Naphthalene	ND <i>uJ</i>	H	0.022	0.19
Nitrobenzene	ND	H	0.14	1.9
N-Nitrosodi-n-propylamine	ND	H	0.048	0.96
N-Nitrosodimethylamine	ND	H	0.11	0.96
N-Nitrosodiphenylamine	ND	H	0.12	0.96
Phenanthrene	ND	H	0.040	0.19
Pyrene	ND	H	0.022	0.19
Pentachlorophenol	ND	H	0.48	0.96
Phenol	ND	H	0.053	0.96

Surrogate	%Rec	Qualifier	Acceptance Limits
2,4,6-Tribromophenol (Surr)	71		30 - 150
2-Fluorobiphenyl	68		30 - 150
2-Fluorophenol (Surr)	34		30 - 150
Nitrobenzene-d5 (Surr)	63		30 - 150
Phenol-d5 (Surr)	54		30 - 150
Terphenyl-d14 (Surr)	76		10 - 150

NW 1/29/15

4

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-014-111614

Lab Sample ID: 180-39026-4

Date Sampled: 11/16/2014 1915

Client Matrix: Water

Date Received: 11/18/2014 0935

## 8270D LL Semivolatile Organic Compounds by GC/MS - Low Level

Analysis Method:	8270D LL	Analysis Batch:	180-126233	Instrument ID:	CH731
Prep Method:	3520C	Prep Batch:	180-125791	Lab File ID:	V1124019.D
Dilution:	1.0			Initial Weight/Volume:	260 mL
Analysis Date:	11/24/2014 2002			Final Weight/Volume:	0.25 mL
Prep Date:	11/20/2014 0907			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Acenaphthene	ND		0.028	0.19
Acenaphthylene	ND		0.021	0.19
Anthracene	0.050	J	0.018	0.19
Benzidine	ND		4.6	19
Benzo[a]anthracene	ND		0.035	0.19
Benzo[b]fluoranthene	ND		0.047	0.19
Benzo[k]fluoranthene	ND		0.029	0.19
Benzoic acid	ND		1.6	4.8
Benzo[g,h,i]perylene	ND		0.028	0.19
Benzo[a]pyrene	ND		0.027	0.19
Bis(2-chloroethoxy)methane	ND		0.13	0.96
Bis(2-chloroethyl)ether	ND		0.030	0.96
Bis(2-ethylhexyl) phthalate	ND		0.42	1.9
2,2'-oxybis[1-chloropropane]	ND		0.023	0.96
4-Bromophenyl phenyl ether	ND		0.11	0.96
4-Chlorophenyl phenyl ether	ND		0.077	0.96
2-Chloronaphthalene	ND		0.030	0.19
Butyl benzyl phthalate	0.35	J	0.21	0.96
Chrysene	ND		0.030	0.19
Dibenz(a,h)anthracene	ND		0.026	0.19
Di-n-butyl phthalate	ND		0.23	0.96
Di-n-octyl phthalate	ND		0.20	0.96
Diethyl phthalate	ND		0.29	0.96
Dimethyl phthalate	ND		0.18	0.96
3,3'-Dichlorobenzidine	ND		0.14	0.96
2,4-Dinitrotoluene	ND		0.21	0.96
2,6-Dinitrotoluene	ND		0.13	0.96
2-Chlorophenol	ND		0.22	0.96
2,4-Dichlorophenol	ND		0.065	0.96
2,4-Dimethylphenol	ND		0.16	0.96
2,4-Dinitrophenol	ND		2.4	4.8
2-Nitrophenol	ND		0.11	0.96
2,4,6-Trichlorophenol	ND		0.29	0.96
1,2-Diphenylhydrazine(as Azobenzene)	ND		0.11	0.96
1,2,4-Trichlorobenzene	ND		0.082	0.96
4-Chloro-3-methylphenol	ND		0.16	0.96
4-Nitrophenol	ND		0.77	4.8
4,6-Dinitro-2-methylphenol	ND		1.5	4.8
Fluoranthene	0.11	J	0.020	0.19
Fluorene	0.14	J	0.023	0.19
Hexachlorobenzene	ND		0.059	0.96
Hexachlorobutadiene	ND		0.090	0.96
Hexachlorocyclopentadiene	ND		0.13	0.96
Hexachloroethane	ND		0.13	0.96
Indeno[1,2,3-cd]pyrene	ND		0.042	0.19
Isophorone	ND		0.071	0.96

NW129115

4

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-014-111614

Lab Sample ID: 180-39026-4

Date Sampled: 11/16/2014 1915

Client Matrix: Water

Date Received: 11/18/2014 0935

## 8270D LL Semivolatile Organic Compounds by GC/MS - Low Level

Analysis Method:	8270D LL	Analysis Batch:	180-126233	Instrument ID:	CH731
Prep Method:	3520C	Prep Batch:	180-125791	Lab File ID:	V1124019.D
Dilution:	1.0			Initial Weight/Volume:	260 mL
Analysis Date:	11/24/2014 2002			Final Weight/Volume:	0.25 mL
Prep Date:	11/20/2014 0907			Injection Volume:	2 uL

Analyte	Result (ug/L)	Qualifier	MDL	RL
Naphthalene	ND		0.022	0.19
Nitrobenzene	ND		0.14	1.9
N-Nitrosodi-n-propylamine	ND		0.048	0.96
N-Nitrosodimethylamine	ND		0.11	0.96
N-Nitrosodiphenylamine	ND		0.12	0.96
Phenanthrene	0.19		0.040	0.19
Pyrene	0.078	J	0.022	0.19
Pentachlorophenol	ND		0.48	0.96
Phenol	ND		0.053	0.96

Surrogate	%Rec	Qualifier	Acceptance Limits
2,4,6-Tribromophenol (Surr)	66		30 - 150
2-Fluorobiphenyl	56		30 - 150
2-Fluorophenol (Surr)	41		30 - 150
Nitrobenzene-d5 (Surr)	55		30 - 150
Phenol-d5 (Surr)	51		30 - 150
Terphenyl-d14 (Surr)	65		10 - 150

NW 11/29/15



# Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-018-111614

Lab Sample ID: 180-39026-1

Date Sampled: 11/16/2014 1808

Client Matrix: Water

Date Received: 11/18/2014 0935

## 8082A Polychlorinated Biphenyls (PCBs) (GC)

Analysis Method:	8082A	Analysis Batch:	180-127055	Instrument ID:	CHGC16
Prep Method:	3510C	Prep Batch:	180-126039	Initial Weight/Volume:	1060 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	12/04/2014 0636			Injection Volume:	1 uL
Prep Date:	11/21/2014 1615			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
PCB-1016	ND		0.0024	0.0094
PCB-1221	ND		0.0039	0.0094
PCB-1232	ND		0.0037	0.0094
PCB-1242	ND		0.0018	0.0094
PCB-1248	ND		0.0025	0.0094
PCB-1254	ND		0.0028	0.0094
PCB-1260	ND		0.0016	0.0094

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl (Surr)	128		60 - 135
Tetrachloro-m-xylene (Surr)	87		25 - 150

# Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-018-111614

Lab Sample ID: 180-39026-1

Client Matrix: Water

Date Sampled: 11/16/2014 1808

Date Received: 11/18/2014 0935

## 8082A Polychlorinated Biphenyls (PCBs) (GC)

Analysis Method:	8082A	Analysis Batch:	180-127055	Instrument ID:	CHGC16
Prep Method:	3510C	Prep Batch:	180-126039	Initial Weight/Volume:	1060 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	12/04/2014 0636			Injection Volume:	1 uL
Prep Date:	11/21/2014 1615			Result Type:	SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl (Surr)	120		60 - 135
Tetrachloro-m-xylene (Surr)	86		25 - 150

2

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-UNNAMED-111614

Lab Sample ID: 180-39026-2

Date Sampled: 11/16/2014 1855

Client Matrix: Water

Date Received: 11/18/2014 0935

## 8082A Polychlorinated Biphenyls (PCBs) (GC)

Analysis Method:	8082A	Analysis Batch:	180-127055	Instrument ID:	CHGC16
Prep Method:	3510C	Prep Batch:	180-126039	Initial Weight/Volume:	1060 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	12/04/2014 0656			Injection Volume:	1 uL
Prep Date:	11/21/2014 1615			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
PCB-1016	ND		0.0024	0.0094
PCB-1221	ND		0.0039	0.0094
PCB-1232	ND		0.0037	0.0094
PCB-1242	ND		0.0018	0.0094
PCB-1248	ND		0.0025	0.0094
PCB-1254	ND		0.0028	0.0094
PCB-1260	ND		0.0016	0.0094
Surrogate	%Rec	Qualifier	Acceptance Limits	
DCB Decachlorobiphenyl (Surr)	120		60 - 135	
Tetrachloro-m-xylene (Surr)	79		25 - 150	

MW 1/29/15

2

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-UNNAMED-111614

Lab Sample ID: 180-39026-2

Date Sampled: 11/16/2014 1855

Client Matrix: Water

Date Received: 11/18/2014 0935

## 8082A Polychlorinated Biphenyls (PCBs) (GC)

Analysis Method:	8082A	Analysis Batch:	180-127055	Instrument ID:	CHGC16
Prep Method:	3510C	Prep Batch:	180-126039	Initial Weight/Volume:	1060 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	12/04/2014 0656			Injection Volume:	1 uL
Prep Date:	11/21/2014 1615			Result Type:	SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl (Surr)	112		60 - 135
Tetrachloro-m-xylene (Surr)	78		25 - 150

NW 1/29/15

3

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-DUP1-111614

Lab Sample ID: 180-39026-3

Date Sampled: 11/16/2014 0000

Client Matrix: Water

Date Received: 11/18/2014 0935

## 8082A Polychlorinated Biphenyls (PCBs) (GC)

Analysis Method:	8082A	Analysis Batch:	180-127055	Instrument ID:	CHGC16
Prep Method:	3510C	Prep Batch:	180-126039	Initial Weight/Volume:	1060 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	12/04/2014 0715			Injection Volume:	1 uL
Prep Date:	11/21/2014 1615			Result Type:	PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
PCB-1016	ND		0.0024	0.0094
PCB-1221	ND		0.0039	0.0094
PCB-1232	ND		0.0037	0.0094
PCB-1242	ND		0.0018	0.0094
PCB-1248	ND		0.0025	0.0094
PCB-1254	ND		0.0028	0.0094
PCB-1260	ND		0.0016	0.0094
Surrogate	%Rec	Qualifier	Acceptance Limits	
DCB Decachlorobiphenyl (Surr)	122		60 - 135	
Tetrachloro-m-xylene (Surr)	93		25 - 150	

11/29/15

3

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-DUP1-111614

Lab Sample ID: 180-39026-3

Date Sampled: 11/16/2014 0000

Client Matrix: Water

Date Received: 11/18/2014 0935

## 8082A Polychlorinated Biphenyls (PCBs) (GC)

Analysis Method:	8082A	Analysis Batch:	180-127055	Instrument ID:	CHGC16
Prep Method:	3510C	Prep Batch:	180-126039	Initial Weight/Volume:	1060 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	12/04/2014 0715			Injection Volume:	1 uL
Prep Date:	11/21/2014 1615			Result Type:	SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl (Surr)	113		60 - 135
Tetrachloro-m-xylene (Surr)	91		25 - 150

MW1/29/15

4

**Analytical Data**

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-014-111614

Lab Sample ID: 180-39026-4

Client Matrix: Water

Date Sampled: 11/16/2014 1915

Date Received: 11/18/2014 0935

**8082A Polychlorinated Biphenyls (PCBs) (GC)**

Analysis Method: 8082A	Analysis Batch: 180-127055	Instrument ID: CHGC16
Prep Method: 3510C	Prep Batch: 180-126039	Initial Weight/Volume: 1060 mL
Dilution: 1.0		Final Weight/Volume: 1.0 mL
Analysis Date: 12/04/2014 0735		Injection Volume: 1 uL
Prep Date: 11/21/2014 1615		Result Type: PRIMARY

Analyte	Result (ug/L)	Qualifier	MDL	RL
PCB-1016	ND		0.0024	0.0094
PCB-1221	ND		0.0039	0.0094
PCB-1232	ND		0.0037	0.0094
PCB-1242	ND		0.0018	0.0094
PCB-1248	ND		0.0025	0.0094
PCB-1254	ND		0.0028	0.0094
PCB-1260	ND		0.0016	0.0094
Surrogate	%Rec	Qualifier	Acceptance Limits	
DCB Decachlorobiphenyl (Surr)	126		60 - 135	
Tetrachloro-m-xylene (Surr)	100		25 - 150	

4

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-014-111614

Lab Sample ID: 180-39026-4

Date Sampled: 11/16/2014 1915

Client Matrix: Water

Date Received: 11/18/2014 0935

## 8082A Polychlorinated Biphenyls (PCBs) (GC)

Analysis Method:	8082A	Analysis Batch:	180-127055	Instrument ID:	CHGC16
Prep Method:	3510C	Prep Batch:	180-126039	Initial Weight/Volume:	1060 mL
Dilution:	1.0			Final Weight/Volume:	1.0 mL
Analysis Date:	12/04/2014 0735			Injection Volume:	1 uL
Prep Date:	11/21/2014 1615			Result Type:	SECONDARY

Surrogate	%Rec	Qualifier	Acceptance Limits
DCB Decachlorobiphenyl (Surr)	117		60 - 135
Tetrachloro-m-xylene (Surr)	98		25 - 150

mw 11/29/15



# Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-018-111614

Lab Sample ID: 180-39026-1

Date Sampled: 11/16/2014 1808

Client Matrix: Water

Date Received: 11/18/2014 0935

## 6020A Metals (ICP/MS)-Total Recoverable

Analysis Method:	6020A	Analysis Batch:	180-127095	Instrument ID:	M
Prep Method:	3005A	Prep Batch:	180-126109	Lab File ID:	M41203A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	12/03/2014 1047			Final Weight/Volume:	50 mL
Prep Date:	11/23/2014 0831				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	3.4		0.29	1.0
Cadmium	ND		0.11	1.0
Chromium	3.7		0.54	2.0
Lead	1.0 <del>0.63</del> u	<del>JB</del>	0.019	1.0
Selenium	2.3	J	0.42	5.0
Silver	ND		0.036	1.0
Beryllium	ND		0.037	1.0
Thallium	1.0 <del>0.058</del> u	<del>JB</del>	0.015	1.0
Antimony	2.0 <del>0.00</del> u	<del>JB</del>	0.019	2.0
Nickel	0.30	J	0.17	1.0
Zinc	1.6	J	0.96	5.0
Copper	1.3	J	0.24	2.0

## 7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	180-126657	Instrument ID:	K
Prep Method:	7470A	Prep Batch:	180-126586	Lab File ID:	R41126D.CSV
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	11/26/2014 1732			Final Weight/Volume:	50 mL
Prep Date:	11/26/2014 1207				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	ND		0.038	0.20

2

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-UNNAMED-111614

Lab Sample ID: 180-39026-2

Date Sampled: 11/16/2014 1855

Client Matrix: Water

Date Received: 11/18/2014 0935

## 6020A Metals (ICP/MS)-Total Recoverable

Analysis Method:	6020A	Analysis Batch:	180-127095	Instrument ID:	M
Prep Method:	3005A	Prep Batch:	180-126109	Lab File ID:	M41203A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	12/03/2014 1100			Final Weight/Volume:	50 mL
Prep Date:	11/23/2014 0831				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	ND		0.29	1.0
Cadmium	ND		0.11	1.0
Chromium	0.96	J	0.54	2.0
Lead	1.0 <del>0.27</del> u	<del>JB</del>	0.019	1.0
Selenium	ND		0.42	5.0
Silver	ND		0.036	1.0
Beryllium	ND		0.037	1.0
Thallium	ND		0.015	1.0
Antimony	2.0 <del>0.51</del> u	<del>JB</del>	0.019	2.0
Nickel	1.5		0.17	1.0
Zinc	10		0.96	5.0
Copper	1.1	J	0.24	2.0

## 7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	180-126657	Instrument ID:	K
Prep Method:	7470A	Prep Batch:	180-126586	Lab File ID:	R41126D.CSV
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	11/26/2014 1733			Final Weight/Volume:	50 mL
Prep Date:	11/26/2014 1207				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	ND		0.038	0.20

3

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-DUP1-111614

Lab Sample ID: 180-39026-3

Date Sampled: 11/16/2014 0000

Client Matrix: Water

Date Received: 11/18/2014 0935

## 6020A Metals (ICP/MS)-Total Recoverable

Analysis Method:	6020A	Analysis Batch:	180-127095	Instrument ID:	M
Prep Method:	3005A	Prep Batch:	180-126109	Lab File ID:	M41203A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	12/03/2014 1104			Final Weight/Volume:	50 mL
Prep Date:	11/23/2014 0831				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	0.67	J	0.29	1.0
Cadmium	ND		0.11	1.0
Chromium	1.0	J	0.54	2.0
Lead	1.0 <del>0.28</del> u	<del>JB</del>	0.019	1.0
Selenium	0.45	J	0.42	5.0
Silver	ND		0.036	1.0
Beryllium	ND		0.037	1.0
Thallium	ND		0.015	1.0
Antimony	2.0 <del>0.33</del> u	<del>JB</del>	0.019	2.0
Nickel	1.9		0.17	1.0
Zinc	14		0.96	5.0
Copper	1.1	J	0.24	2.0

## 7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	180-126657	Instrument ID:	K
Prep Method:	7470A	Prep Batch:	180-126586	Lab File ID:	R41126D.CSV
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	11/26/2014 1735			Final Weight/Volume:	50 mL
Prep Date:	11/26/2014 1207				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	ND		0.038	0.20

NW 11/29/15

4

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

Client Sample ID: ST-014-111614

Lab Sample ID: 180-39026-4

Date Sampled: 11/16/2014 1915

Client Matrix: Water

Date Received: 11/18/2014 0935

## 6020A Metals (ICP/MS)-Total Recoverable

Analysis Method:	6020A	Analysis Batch:	180-127095	Instrument ID:	M
Prep Method:	3005A	Prep Batch:	180-126109	Lab File ID:	M41203A.xml
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	12/03/2014 1107			Final Weight/Volume:	50 mL
Prep Date:	11/23/2014 0831				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Arsenic	ND		0.29	1.0
Cadmium	ND		0.11	1.0
Chromium	1.2	J	0.54	2.0
Lead	1.0 <del>0.17</del> u	<del>JB</del>	0.019	1.0
Selenium	ND		0.42	5.0
Silver	ND		0.036	1.0
Beryllium	ND		0.037	1.0
Thallium	ND		0.015	1.0
Antimony	2.0 <del>0.42</del> u	<del>JB</del>	0.019	2.0
Nickel	4.1		0.17	1.0
Zinc	10		0.96	5.0
Copper	0.69	J	0.24	2.0

## 7470A Mercury (CVAA)

Analysis Method:	7470A	Analysis Batch:	180-126657	Instrument ID:	K
Prep Method:	7470A	Prep Batch:	180-126586	Lab File ID:	R41126D.CSV
Dilution:	1.0			Initial Weight/Volume:	50 mL
Analysis Date:	11/26/2014 1737			Final Weight/Volume:	50 mL
Prep Date:	11/26/2014 1207				

Analyte	Result (ug/L)	Qualifier	MDL	RL
Mercury	ND		0.038	0.20

# Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

## General Chemistry

Client Sample ID: ST-018-111614

Lab Sample ID: 180-39026-1

Client Matrix: Water

Date Sampled: 11/16/2014 1808

Date Received: 11/18/2014 0935

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
HEM (Oil & Grease)	2.0	J	mg/L	1.6	5.2	1.0	1664B
	Analysis Batch: 180-126598	Analysis Date: 11/26/2014 1159					
	Prep Batch: 180-126560	Prep Date: 11/26/2014 1159					
Cyanide, Total	40		ug/L	2.5	10	1.0	9014
	Analysis Batch: 180-126605	Analysis Date: 11/26/2014 1433					
	Prep Batch: 180-126579	Prep Date: 11/26/2014 1115					
Total Suspended Solids	3.6		mg/L	2.0	2.0	1.0	SM 2540D
	Analysis Batch: 180-125730	Analysis Date: 11/19/2014 1443					

2

Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

General Chemistry

Client Sample ID: ST-UNNAMED-111614

Lab Sample ID: 180-39026-2

Date Sampled: 11/16/2014 1855

Client Matrix: Water

Date Received: 11/18/2014 0935

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
HEM (Oil & Grease)	2.0	J	mg/L	1.6	5.2	1.0	1664B
	Analysis Batch: 180-126598	Analysis Date: 11/26/2014 1159					
	Prep Batch: 180-126560	Prep Date: 11/26/2014 1159					
Cyanide, Total	ND		ug/L	2.5	10	1.0	9014
	Analysis Batch: 180-126605	Analysis Date: 11/26/2014 1443					
	Prep Batch: 180-126579	Prep Date: 11/26/2014 1115					
Total Suspended Solids	2.0		mg/L	2.0	2.0	1.0	SM 2540D
	Analysis Batch: 180-125730	Analysis Date: 11/19/2014 1443					

NW 1/29/15

3

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

## General Chemistry

Client Sample ID: ST-DUP1-111614

Lab Sample ID: 180-39026-3

Date Sampled: 11/16/2014 0000

Client Matrix: Water

Date Received: 11/18/2014 0935

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
HEM (Oil & Grease)	2.0	J	mg/L	1.6	5.2	1.0	1664B
	Analysis Batch: 180-126598	Analysis Date: 11/26/2014 1159					
	Prep Batch: 180-126560	Prep Date: 11/26/2014 1159					
Cyanide, Total	ND		ug/L	2.5	10	1.0	9014
	Analysis Batch: 180-126605	Analysis Date: 11/26/2014 1446					
	Prep Batch: 180-126579	Prep Date: 11/26/2014 1115					
Total Suspended Solids	3.2		mg/L	2.0	2.0	1.0	SM 2540D
	Analysis Batch: 180-125730	Analysis Date: 11/19/2014 1443					

11/29/15

4

## Analytical Data

Client: EA Engineering, Science, and Technology

Job Number: 180-39026-1

## General Chemistry

Client Sample ID: ST-014-111614

Lab Sample ID: 180-39026-4

Date Sampled: 11/16/2014 1915

Client Matrix: Water

Date Received: 11/18/2014 0935

Analyte	Result	Qual	Units	MDL	RL	Dil	Method
HEM (Oil & Grease)	ND		mg/L	1.6	5.2	1.0	1664B
	Analysis Batch: 180-126598			Analysis Date: 11/26/2014 1159			
	Prep Batch: 180-126560			Prep Date: 11/26/2014 1159			
Cyanide, Total	4.3	J	ug/L	2.5	10	1.0	9014
	Analysis Batch: 180-126605			Analysis Date: 11/26/2014 1448			
	Prep Batch: 180-126579			Prep Date: 11/26/2014 1115			
Total Suspended Solids	2.4		mg/L	2.0	2.0	1.0	SM 2540D
	Analysis Batch: 180-125730			Analysis Date: 11/19/2014 1443			

11/29/15



**DATA VALIDATION SUMMARY REPORT  
SPARROWS POINT, MARYLAND**

Client: EA Engineering, Science & Technology, Hunt Valley, Maryland  
SDG: J43411  
Laboratory: TestAmerica, Pittsburgh, Pennsylvania  
Site: Sparrows Point Trust Offshore Investigation, Maryland  
Date: July 8, 2015

EDS ID	Client Sample ID	Laboratory Sample ID	Matrix
1	DE01-SD	180-43411-1	Sediment
2*	F05-SD	180-43411-2	Sediment

\* - VOC, PCB, HEM were analyzed for this sample only

A full data validation was performed on the analytical data for two sediment samples collected on April 23, 2015 by EA Engineering at the Sparrows Point site in Maryland. The samples were analyzed under the Environmental Protection Agency (USEPA) "Test Methods for the Evaluation of Solid Waste, USEPA SW-846, Third Edition, September 1986, with revisions".

Specific method references are as follows:

Analysis

VOCs  
SVOCs  
PCBs  
Metals/Hg  
Cyanide  
AVS/SEM  
HEM (Oil & Grease)

Method References

USEPA SW-846 Method 8260C  
USEPA SW-846 Method 8270D LL  
USEPA SW-846 Method 8082A  
USEPA SW-846 Methods 6020A/7471A  
USEPA SW-846 Method 9014  
USEPA SW-846 Methods 6010B/9034  
USEPA SW-846 Method 9071B

The data have been validated according to the protocols and quality control (QC) requirements of the analytical methods, the USEPA National Functional Guidelines for Organic and Inorganic Data Review as follows:

- The USEPA "Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review," June 2008;
- The USEPA "Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review," January 2010;
- and the reviewer's professional judgment.

***Organics***

- Holding times and sample preservation
- Gas Chromatography/Mass Spectroscopy (GC/MS) Tuning

- Initial and continuing calibration summaries
- Method blank and field blank contamination
- Surrogate Spike recoveries
- Matrix Spike/Matrix Spike Duplicate (MS/MSD) recoveries
- Laboratory Control Sample (LCS) recoveries
- Internal standard area and retention time summary forms
- Compound Quantitation
- Tentatively Identified Compounds (TICs)
- Field Duplicate sample precision

### ***Inorganics***

- Holding times and sample preservation
- ICP/MS Tuning
- Initial and continuing calibration verifications
- Method blank and field blank contamination
- ICP Interference Check Sample
- Laboratory Control Sample (LCS) recoveries
- Matrix Spike Analysis
- Duplicate Sample Analysis
- ICP Serial Dilution
- Compound Quantitation
- Field Duplicate sample precision

### **Overall Usability Issues:**

There were no rejections of data.

Overall the data is acceptable for the intended purposes as qualified for the deficiencies detailed in this report.

Please note that any results qualified (U) due to blank contamination may be then qualified (J) due to another action. Therefore, the results may be qualified (UJ) due to the culmination of the blank contaminations and actions from other exceedences of QC criteria.

### **Volatile Organic Compounds (VOCs)**

#### **Holding Times**

- All samples were analyzed within 14 days for sediment samples.

### GC/MS Tuning

- All criteria were met.

### Initial Calibration

- The initial calibrations exhibited acceptable %RSD and/or correlation coefficients and mean RRF values.

### Continuing Calibration

- The continuing calibrations exhibited acceptable %D and RRF values except the following.

CCAL Date	Compound	%D/RRF	Qualifier	Affected Samples
04/27/15	Vinyl Chloride	28.4%	J/UJ	2

### Method Blank

- The method blanks exhibited the following contamination.

Blank ID	Compound	Conc. ug/kg	Action Level ug/kg	Qualifier	Affected Samples
MB 180-139703/1-A	Methylene chloride	1.53	15.3	U	2
	Toluene	1.03	5.15	U	2

### Field Blank

- Field QC samples were not collected.

### Surrogate Spike Recoveries

- All samples exhibited acceptable surrogate recoveries.

### Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries

- MS/MSD samples were not analyzed.

### Laboratory Control Samples

- The LCS samples exhibited acceptable %R values.

#### **Internal Standard (IS) Area Performance**

- All internal standards met response and retention time (RT) criteria.

#### **Compound Quantitation**

- All criteria were met.

#### **Tentatively Identified Compounds (TICs)**

- TICs were not reported.

#### **Field Duplicate Sample Precision**

- Field duplicate samples were not collected.

## **Semivolatile Organic Compounds (SVOCs) (LL)**

### **Holding Times**

- All samples were extracted within 14 days for sediment samples and analyzed within 40 days.

### **GC/MS Tuning**

- All criteria were met.

### **Initial Calibration**

- The initial calibrations exhibited acceptable %RSD and/or correlation coefficients and mean RRF values.

### **Continuing Calibration**

- The continuing calibrations exhibited acceptable %D and RRF values.

### **Method Blank**

- The method blanks were free of contamination.

### **Field Blank**

- Field QC samples were not collected.

### **Surrogate Spike Recoveries**

- All samples exhibited acceptable surrogate recoveries.

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- MS/MSD samples were not analyzed.

### **Laboratory Control Samples**

- The LCS samples exhibited acceptable %R values.

### **Internal Standard (IS) Area Performance**

- All internal standards met response and retention time (RT) criteria.

### **Compound Quantitation**

- Both samples were analyzed at a 5X dilution due to matrix interference. The reporting limits were adjusted accordingly. No action was required.

### **Tentatively Identified Compounds (TICs)**

- TICs were not reported.

### **Field Duplicate Sample Precision**

- Field duplicate samples were not collected.

## **Polychlorinated Biphenyls (PCBs)**

### **Holding Times**

- All samples were extracted within 14 days for sediment samples and analyzed within 40 days.

### **Initial Calibration**

- All %RSD and/or correlation coefficient criteria were met.

### **Continuing Calibration**

- All %D criteria were met.

### **Method Blank**

- The method blanks were free of contamination.

### **Field Blank**

- Field QC samples were not collected.

### **Surrogate Spike Recoveries**

- All samples exhibited acceptable surrogate recoveries.

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- MS/MSD samples were not analyzed.

### **Laboratory Control Samples**

- The LCS sample exhibited acceptable %R values.

### **Compound Quantitation**

- Both samples were analyzed at a 5X dilution due to matrix interference. The reporting limits were adjusted accordingly. No action was required.

### **Field Duplicate Sample Precision**

- Field duplicate samples were not collected.

### **GC Column Difference Results**

- All criteria were met.



## **Metals & Mercury & AVS/SEM**

### **Holding Times**

- All samples were prepared and analyzed within 28 days for mercury and 180 days for all other metals.

### **ICP/MS Tuning**

- All criteria were met.

### **Initial Calibration Verification**

- All initial calibration criteria were met.

### **Continuing Calibration Verification**

- All continuing calibration criteria were met.

### **Method Blank**

- The method blanks exhibited the following contamination.

Metals/Mercury				
Blank ID	Compound	Conc. mg/kg	Qualifier	Affected Samples
MB	Various Compounds	Various	None	All >10X

AVS/SEM				
Blank ID	Compound	Conc. mg/kg	Qualifier	Affected Samples
MB	Various Compounds	Various	None	All >10X

### **Field Blank**

- Field QC samples were not collected.

### **ICP Interference Check Sample**

- The ICP ICS exhibited acceptable recoveries.

### **Laboratory Control Samples**

- The LCS sample exhibited acceptable recoveries.

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- MS/MSD samples were not analyzed.

### **ICP Serial Dilution**

- ICP serial dilution samples were not analyzed.

### **Compound Quantitation**

- All criteria were met.

### **Field Duplicate Sample Precision**

- Field duplicate samples were not collected.

## **HEM (Oil & Grease) & Cyanide**

### **Holding Times**

- All samples were analyzed within the recommended holding time for each analysis.

### **Initial and Continuing Calibration**

- All %R criteria were met.

### **Method Blank**

- The method blanks were free of contamination.

### **Field Blank**

- Field QC samples were not collected.

### **Laboratory Control Samples**

- The LCS samples exhibited acceptable %R values.

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- MS/MSD samples were not analyzed.

### **Compound Quantitation**


- All criteria were met.

### **Field Duplicate Sample Precision**

- Field duplicate samples were not collected.

Please contact the undersigned at (757) 564-0090 if you have any questions or need further information.

Signed:

  
Nancy Weaver  
Senior Chemist

Dated: 7/8/15

## Data Qualifiers

- U = The analyte was analyzed for, but was not detected at a level greater than or equal to the level of the adjusted Contract Required Quantitation Limit (CRQL) for sample and method.
- UJ = The analyte was not detected at a level greater than or equal to the adjusted CRQL. However, the reported adjusted CRQL is approximate and may be inaccurate or imprecise.
- J = The analyte was positively identified and the associated numerical value is the approximate concentration of the analyte in the sample (due either to the quality of the data generated because certain quality control criteria were not met, or the concentration of the analyte was below the CRQL).
- J+ = The result is an estimated quantity, but the result may be biased high.
- J- = The result is an estimated quantity, but the result may be biased low.
- R = The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte may or may not be present in the sample.
- NJ = The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43411-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: F05-SD Lab Sample ID: 180-43411-2  
 Matrix: Sediment Lab File ID: 3042715.D  
 Analysis Method: 8260C Date Collected: 04/23/2015 16:00  
 Sample wt/vol: 5.0008(g) Date Analyzed: 04/27/2015 11:57  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 28.7 Level: (low/med) Low  
 Analysis Batch No.: 139697 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		7.0	0.68
79-34-5	1,1,2,2-Tetrachloroethane	ND		7.0	1.0
79-00-5	1,1,2-Trichloroethane	ND		7.0	1.2
75-34-3	1,1-Dichloroethane	ND		7.0	0.81
75-35-4	1,1-Dichloroethene	ND		7.0	1.2
95-50-1	1,2-Dichlorobenzene	ND		7.0	1.1
107-06-2	1,2-Dichloroethane	ND		7.0	0.86
78-87-5	1,2-Dichloropropane	ND		7.0	0.76
541-73-1	1,3-Dichlorobenzene	ND		7.0	0.92
106-46-7	1,4-Dichlorobenzene	ND		7.0	0.89
110-75-8	2-Chloroethyl vinyl ether	ND		14	1.1
107-02-8	Acrolein	ND		140	9.9
107-13-1	Acrylonitrile	ND		140	15
71-43-2	Benzene	ND		7.0	0.95
75-25-2	Bromoform	ND		7.0	0.62
74-83-9	Bromomethane	ND		7.0	1.0
56-23-5	Carbon tetrachloride	ND		7.0	0.63
108-90-7	Chlorobenzene	ND		7.0	1.1
67-66-3	Chloroform	ND		7.0	0.82
74-87-3	Chloromethane	ND		7.0	1.2
124-48-1	Chlorodibromomethane	ND		7.0	0.99
10061-01-5	cis-1,3-Dichloropropene	ND		7.0	0.95
75-27-4	Dichlorobromomethane	ND		7.0	0.79
100-41-4	Ethylbenzene	ND		7.0	0.90
75-09-2	Methylene Chloride	7.0 2.2 <del>JB</del> u		7.0	0.94
127-18-4	Tetrachloroethene	ND		7.0	0.95
108-88-3	Toluene	7.0 1.3 <del>JB</del> u		7.0	1.0
156-60-5	trans-1,2-Dichloroethene	ND		7.0	0.84
10061-02-6	trans-1,3-Dichloropropene	ND		7.0	0.84
79-01-6	Trichloroethene	ND		7.0	0.92
75-01-4	Vinyl chloride	ND u J		7.0	0.66
75-00-3	Chloroethane	ND		7.0	2.2

2

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43411-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: F05-SD Lab Sample ID: 180-43411-2  
Matrix: Sediment Lab File ID: 3042715.D  
Analysis Method: 8260C Date Collected: 04/23/2015 16:00  
Sample wt/vol: 5.0008(g) Date Analyzed: 04/27/2015 11:57  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 28.7 Level: (low/med) Low  
Analysis Batch No.: 139697 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	96		52-124
460-00-4	4-Bromofluorobenzene (Surr)	87		63-120
1868-53-7	Dibromofluoromethane (Surr)	101		68-121
2037-26-5	Toluene-d8 (Surr)	110		72-127

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43411-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: DE01-SD Lab Sample ID: 180-43411-1  
 Matrix: Sediment Lab File ID: F0511015.D  
 Analysis Method: 8270D LL Date Collected: 04/23/2015 13:00  
 Extract. Method: 3541 Date Extracted: 05/04/2015 03:00  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/12/2015 12:12  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 5  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 27.8 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141206 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-12-7	Anthracene	ND		23	2.3
56-55-3	Benzo[a]anthracene	ND		23	2.9
205-99-2	Benzo[b]fluoranthene	ND		23	3.6
207-08-9	Benzo[k]fluoranthene	ND		23	4.7
191-24-2	Benzo[g,h,i]perylene	ND		23	2.3
50-32-8	Benzo[a]pyrene	ND		23	2.3
218-01-9	Chrysene	ND		23	2.7
53-70-3	Dibenz(a,h)anthracene	ND		23	2.6
206-44-0	Fluoranthene	7.2	J	23	2.5
86-73-7	Fluorene	ND		23	3.0
193-39-5	Indeno[1,2,3-cd]pyrene	ND		23	2.4
85-01-8	Phenanthrene	ND		23	3.7
129-00-0	Pyrene	6.5	J	23	2.3
83-32-9	Acenaphthene	ND		23	2.2
208-96-8	Acenaphthylene	ND		23	2.6
91-20-3	Naphthalene	ND		23	2.0
117-81-7	Bis(2-ethylhexyl) phthalate	ND		230	19

CAS NO.	SURROGATE	%REC	Q	LIMITS
4165-60-0	Nitrobenzene-d5 (Surr)	75		41-108
321-60-8	2-Fluorobiphenyl	75		38-103
1718-51-0	Terphenyl-d14 (Surr)	71		28-109

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43411-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: F05-SD Lab Sample ID: 180-43411-2  
 Matrix: Sediment Lab File ID: F0511016.D  
 Analysis Method: 8270D LL Date Collected: 04/23/2015 16:00  
 Extract. Method: 3541 Date Extracted: 05/04/2015 03:00  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 12:39  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 5  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 28.7 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141206 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	ND		23	2.2
208-96-8	Acenaphthylene	110		23	2.7
120-12-7	Anthracene	62		23	2.3
92-87-5	Benzidine	ND		2300	490
56-55-3	Benzo[a]anthracene	320		23	2.9
205-99-2	Benzo[b]fluoranthene	370		23	3.7
207-08-9	Benzo[k]fluoranthene	160		23	4.7
65-85-0	Benzoic acid	ND		600	48
191-24-2	Benzo[g,h,i]perylene	500		23	2.3
50-32-8	Benzo[a]pyrene	400		23	2.3
111-91-1	Bis(2-chloroethoxy)methane	ND		120	7.7
111-44-4	Bis(2-chloroethyl) ether	ND		23	3.1
117-81-7	Bis(2-ethylhexyl) phthalate	790		230	19
108-60-1	2,2'-oxybis[1-chloropropane]	ND		23	2.5
101-55-3	4-Bromophenyl phenyl ether	ND		120	10
7005-72-3	4-Chlorophenyl phenyl ether	ND		120	13
91-58-7	2-Chloronaphthalene	ND		23	2.4
85-68-7	Butyl benzyl phthalate	ND		120	16
218-01-9	Chrysene	280		23	2.8
53-70-3	Dibenz(a,h)anthracene	45		23	2.6
84-74-2	Di-n-butyl phthalate	ND		120	15
117-84-0	Di-n-octyl phthalate	ND		120	12
84-66-2	Diethyl phthalate	ND		120	13
131-11-3	Dimethyl phthalate	ND		120	13
91-94-1	3,3'-Dichlorobenzidine	ND		120	12
121-14-2	2,4-Dinitrotoluene	ND		120	9.4
606-20-2	2,6-Dinitrotoluene	ND		120	12
95-57-8	2-Chlorophenol	ND		120	9.6
120-83-2	2,4-Dichlorophenol	ND		23	2.3
105-67-9	2,4-Dimethylphenol	ND		120	18
51-28-5	2,4-Dinitrophenol	ND		600	140
88-75-5	2-Nitrophenol	ND		120	13
88-06-2	2,4,6-Trichlorophenol	ND		120	18
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		120	15



FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

2

Lab Name: TestAmerica Pittsburgh Job No.: 180-43411-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: F05-SD Lab Sample ID: 180-43411-2  
 Matrix: Sediment Lab File ID: F0511016.D  
 Analysis Method: 8270D LL Date Collected: 04/23/2015 16:00  
 Extract. Method: 3541 Date Extracted: 05/04/2015 03:00  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 12:39  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 5  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 28.7 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141206 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		120	6.5
59-50-7	4-Chloro-3-methylphenol	ND		120	11
100-02-7	4-Nitrophenol	ND		600	43
534-52-1	4,6-Dinitro-2-methylphenol	ND		600	47
206-44-0	Fluoranthene	1400		23	2.5
86-73-7	Fluorene	ND		23	3.1
118-74-1	Hexachlorobenzene	ND		23	2.5
87-68-3	Hexachlorobutadiene	ND		23	2.6
77-47-4	Hexachlorocyclopentadiene	ND		120	13
67-72-1	Hexachloroethane	ND		120	8.4
193-39-5	Indeno[1,2,3-cd]pyrene	310		23	2.4
78-59-1	Isophorone	ND		120	8.8
91-20-3	Naphthalene	37		23	2.0
98-95-3	Nitrobenzene	ND		230	9.7
621-64-7	N-Nitrosodi-n-propylamine	ND		23	2.7
62-75-9	N-Nitrosodimethylamine	ND		120	10
86-30-6	N-Nitrosodiphenylamine	ND		120	11
85-01-8	Phenanthrene	37		23	3.7
129-00-0	Pyrene	690		23	2.4
87-86-5	Pentachlorophenol	ND		120	10
108-95-2	Phenol	20	J	23	2.8

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	65		20-113
321-60-8	2-Fluorobiphenyl	71		38-103
367-12-4	2-Fluorophenol (Surr)	72		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	83		41-108
4165-62-2	Phenol-d5 (Surr)	81		35-103
1718-51-0	Terphenyl-d14 (Surr)	50		28-109

2

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43411-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: F05-SD Lab Sample ID: 180-43411-2  
 Matrix: Sediment Lab File ID: O0501042.D  
 Analysis Method: 8082A Date Collected: 04/23/2015 16:00  
 Extraction Method: 3541 Date Extracted: 05/01/2015 03:16  
 Sample wt/vol: 30.4(g) Date Analyzed: 05/01/2015 23:37  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 28.7 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 140301 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		2.9	0.59
11104-28-2	PCB-1221	ND		2.9	0.72
11141-16-5	PCB-1232	ND		2.9	1.0
53469-21-9	PCB-1242	ND		2.9	0.73
12672-29-6	PCB-1248	ND		2.9	0.72
11096-82-5	PCB-1260	ND		2.9	0.63

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	42	<del>p</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	58		30-150

2

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43411-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: F05-SD Lab Sample ID: 180-43411-2  
Matrix: Sediment Lab File ID: 00501042.D  
Analysis Method: 8082A Date Collected: 04/23/2015 16:00  
Extraction Method: 3541 Date Extracted: 05/01/2015 03:16  
Sample wt/vol: 30.4(g) Date Analyzed: 05/01/2015 23:37  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 28.7 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 140301 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11097-69-1	PCB-1254	38		2.9	0.69

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	82		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	56		30-150

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: DE01-SD

Lab Sample ID: 180-43411-1

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43411-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/23/2015 13:00

Reporting Basis: DRY

Date Received: 04/24/2015 08:30

% Solids: 72.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	5.0	0.068	0.012	mg/Kg			1	6020A
7440-43-9	Cadmium	1.8	0.068	0.0048	mg/Kg			1	6020A
7440-47-3	Chromium	110	0.14	0.0042	mg/Kg			1	6020A
7439-92-1	Lead	15	0.068	0.0026	mg/Kg			1	6020A
7782-49-2	Selenium	0.13	0.34	0.034	mg/Kg	J		1	6020A
7440-22-4	Silver	0.073	0.068	0.0027	mg/Kg			1	6020A
7440-41-7	Beryllium	0.10	0.068	0.0051	mg/Kg			1	6020A
7440-28-0	Thallium	0.032	0.068	0.0014	mg/Kg	J	<del>P</del>	1	6020A
7440-36-0	Antimony	0.29	0.14	0.0018	mg/Kg			1	6020A
7440-02-0	Nickel	4.1	0.068	0.0077	mg/Kg			1	6020A
7440-66-6	Zinc	290	0.34	0.044	mg/Kg			1	6020A
7440-50-8	Copper	8.5	0.14	0.023	mg/Kg			1	6020A

2

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: F05-SD

Lab Sample ID: 180-43411-2

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43411-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/23/2015 16:00

Reporting Basis: DRY

Date Received: 04/24/2015 08:30

% Solids: 71.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	5.9	0.068	0.012	mg/Kg			1	6020A
7440-43-9	Cadmium	5.3	0.068	0.0048	mg/Kg			1	6020A
7440-47-3	Chromium	860	0.14	0.0042	mg/Kg			1	6020A
7439-92-1	Lead	75	0.068	0.0026	mg/Kg			1	6020A
7782-49-2	Selenium	0.34	0.34	0.034	mg/Kg			1	6020A
7440-22-4	Silver	0.80	0.068	0.0027	mg/Kg			1	6020A
7440-41-7	Beryllium	0.10	0.068	0.0051	mg/Kg			1	6020A
7440-28-0	Thallium	0.093	0.068	0.0014	mg/Kg			1	6020A
7440-36-0	Antimony	1.9	0.14	0.0018	mg/Kg			1	6020A
7440-02-0	Nickel	41	0.068	0.0077	mg/Kg			1	6020A
7440-66-6	Zinc	1200	0.34	0.044	mg/Kg			1	6020A
7440-50-8	Copper	66	0.14	0.023	mg/Kg			1	6020A
7439-97-6	Mercury	0.088	0.023	0.0077	mg/Kg			1	7471A

*MW 7/8/15*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: DE01-SD

Lab Sample ID: 180-43411-1

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43411-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/23/2015 13:00

Reporting Basis: DRY

Date Received: 04/24/2015 08:30

% Solids: 72.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	2.5	0.17	0.0057	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.022	0.0015	0.000050	umol/g			1	6010B
7440-50-8	Copper SEM	9.1	0.86	0.077	mg/Kg		B	1	6010B
7440-50-8	Copper SEM	0.14	0.014	0.0012	umol/g		B	1	6010B
7439-92-1	Lead SEM	14	0.35	0.068	mg/Kg			1	6010B
7439-92-1	Lead SEM	0.067	0.0017	0.00033	umol/g			1	6010B
7440-02-0	Nickel SEM	3.4	1.4	0.040	mg/Kg		B	1	6010B
7440-02-0	Nickel SEM	0.059	0.024	0.00068	umol/g		B	1	6010B
7440-66-6	Zinc SEM	420	3.5	0.26	mg/Kg		B	1	6010B
7440-66-6	Zinc SEM	6.4	0.053	0.0039	umol/g		B	1	6010B

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: DE01-SD

Lab Sample ID: 180-43411-1

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43411-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/23/2015 13:00

Reporting Basis: WET

Date Received: 04/24/2015 08:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	19	0.0010	0.0010	NONE			1	SEM

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

2

Client Sample ID: F05-SD

Lab Sample ID: 180-43411-2

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43411-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/23/2015 16:00

Reporting Basis: DRY

Date Received: 04/24/2015 08:30

% Solids: 71.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	3.0	0.18	0.0058	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.027	0.0016	0.000051	umol/g			1	6010B
7440-50-8	Copper SEM	22	0.88	0.079	mg/Kg		B	1	6010B
7440-50-8	Copper SEM	0.34	0.014	0.0012	umol/g		B	1	6010B
7439-92-1	Lead SEM	34	0.70	0.14	mg/Kg			2	6010B
7439-92-1	Lead SEM	0.16	0.0034	0.00067	umol/g			2	6010B
7440-02-0	Nickel SEM	17	2.8	0.081	mg/Kg		B	2	6010B
7440-02-0	Nickel SEM	0.28	0.048	0.0014	umol/g		B	2	6010B
7440-66-6	Zinc SEM	570	3.5	0.26	mg/Kg		B	1	6010B
7440-66-6	Zinc SEM	8.7	0.054	0.0040	umol/g		B	1	6010B



2

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: F05-SD

Lab Sample ID: 180-43411-2

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43411-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/23/2015 16:00

Reporting Basis: WET

Date Received: 04/24/2015 08:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.28	0.0010	0.0010	NONE			1	SEM

1

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: DE01-SD

Lab Sample ID: 180-43411-1

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43411-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/23/2015 13:00

Reporting Basis: DRY

Date Received: 04/24/2015 08:30

% Solids: 72.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	1.6	0.34	0.11	mg/Kg			1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>3200</del>	<del>1400</del>	<del>120</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

1

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: DE01-SD

Lab Sample ID: 180-43411-1

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43411-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/23/2015 13:00

Reporting Basis: DRY

Date Received: 04/24/2015 08:30

% Solids: 72.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	11	21	4.1	mg/Kg	J		1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	0.35	0.65	0.13	umol/g	J		1	9034

NW 7/8/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

2

Client Sample ID: F05-SD

Lab Sample ID: 180-43411-2

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43411-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/23/2015 16:00

Reporting Basis: DRY

Date Received: 04/24/2015 08:30

% Solids: 71.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	0.74	0.35	0.11	mg/Kg			1	9014
	HEM	14000	1400	240	mg/Kg			1	9071B
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>17000</del>	<del>1400</del>	<del>120</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	<del>- Duplicates</del>								<del>Kahn</del>

*mw 7/8/15*

2

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: F05-SD Lab Sample ID: 180-43411-2  
Lab Name: TestAmerica Pittsburgh Job No.: 180-43411-1  
SDG ID.:  
Matrix: Sediment Date Sampled: 04/23/2015 16:00  
Reporting Basis: DRY Date Received: 04/24/2015 08:30  
% Solids: 71.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	1100	21	4.2	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	34	0.66	0.13	umol/g			1	9034

MW 7/8/15

**DATA VALIDATION SUMMARY REPORT  
SPARROWS POINT, MARYLAND**

Client: EA Engineering, Science & Technology, Hunt Valley, Maryland  
SDG: J43699  
Laboratory: TestAmerica, Pittsburgh, Pennsylvania  
Site: Sparrows Point Trust Offshore Investigation, Maryland  
Date: July 6, 2015

VOC/SVOC/PCB/Metals/Hg/Cyanide/HEM			
EDS ID	Client Sample ID	Laboratory Sample ID	Matrix
1	SD-H05-0002	180-43699-1	Sediment
2	SD-H05-0406	180-43699-2	Sediment
3	SD-F07-0002	180-43699-3	Sediment
4	SD-F07-0406	180-43699-4	Sediment
5	SD-G03-0002	180-43699-5	Sediment
6	SD-G03-0406	180-43699-6	Sediment
7	SD-H06-0002	180-43699-7	Sediment
8	SD-H06-0002-FD	180-43699-8	Sediment
9	SD-H06-0204	180-43699-9	Sediment
9MS	SD-H06-0204MS	180-43699-9MS	Sediment
9MSD	SD-H06-0204MSD	180-43699-9MSD	Sediment
10	SD-G02-0002	180-43699-10	Sediment
11	SD-G02-0406	180-43699-11	Sediment
12	SD-DE02-0002	180-43699-12	Sediment
13	SD-DE02-0406	180-43699-13	Sediment
14	SD-H07-0002	180-43699-14	Sediment
15	SD-H07-0002-FD	180-43699-15	Sediment
16	SD-H07-0406	180-43699-16	Sediment
16MS	SD-H07-0406MS	180-43699-16MS	Sediment
16MSD	SD-H07-0406MSD	180-43699-16MSD	Sediment
17	SD-G06-0002	180-43699-17	Sediment
18	SD-G06-0406	180-43699-18	Sediment
19	SD-I03-0002	180-43699-19	Sediment
20	SD-I03-0204	180-43699-20	Sediment
21	SD-I03-0406	180-43699-21	Sediment
22	SD-E03-0002	180-43699-22	Sediment
23	SD-E03-0204	180-43699-23	Sediment
24	SD-E03-0204-FD	180-43699-24	Sediment
25	SD-E03-0406	180-43699-25	Sediment
26	SD-I02-0002	180-43699-26	Sediment
27	SD-I02-0204	180-43699-27	Sediment
28	SD-I02-0406	180-43699-28	Sediment
29	SD-G01-0002	180-43699-29	Sediment
30	SD-G01-0406	180-43699-30	Sediment
31	SD-G04-0002	180-43699-31	Sediment
32	SD-G04-0406	180-43699-32	Sediment
33	SD-G04-0406-FD	180-43699-33	Sediment

VOC/SVOC/PCB/Metals/Hg/Cyanide/HEM			
EDS ID	Client Sample ID	Laboratory Sample ID	Matrix
34	SD-G05-0002	180-43699-34	Sediment
35	SD-G05-0406	180-43699-35	Sediment
36	SD-G05-0607	180-43699-36	Sediment
37	SD-H01-0002	180-43699-37	Sediment
38	SD-H01-0406	180-43699-38	Sediment
39	SD-H03-0002	180-43699-39	Sediment
40	SD-H03-0406	180-43699-40	Sediment
40MS	SD-H03-0406MS	180-43699-40MS	Sediment
40MSD	SD-H03-0406MSD	180-43699-40MSD	Sediment
41	SD-H04-0002	180-43699-41	Sediment
42	SD-H04-0002-FD	180-43699-42	Sediment
43	SD-H04-0406	180-43699-43	Sediment
44	SD-H03-0607	180-43699-44	Sediment
45	SD-F06-0002	180-43699-45	Sediment
46	SD-F06-0406	180-43699-46	Sediment
47	SD-I01-0001	180-43699-47	Sediment
48	SD-I01-0102	180-43699-48	Sediment
49	SD-F03-0002	180-43699-49	Sediment
50	SD-J02-0002	180-43699-50	Sediment
51	SD-J02-0204	180-43699-51	Sediment
52	SD-J02-0406	180-43699-52	Sediment
53	SD-F04-0002	180-43699-53	Sediment
54	SD-F04-0406	180-43699-54	Sediment

AVS/SEM			
EDS ID	Client Sample ID	Laboratory Sample ID	Matrix
1	SD-H05-0002	180-43699-1	Sediment
3	SD-F07-0002	180-43699-3	Sediment
5	SD-G03-0002	180-43699-5	Sediment
7	SD-H06-0002	180-43699-7	Sediment
8	SD-H06-0002-FD	180-43699-8	Sediment
10	SD-G02-0002	180-43699-10	Sediment
12	SD-DE02-0002	180-43699-12	Sediment
14	SD-H07-0002	180-43699-14	Sediment
15	SD-H07-0002-FD	180-43699-15	Sediment
17	SD-G06-0002	180-43699-17	Sediment
19	SD-I03-0002	180-43699-19	Sediment
22	SD-E03-0002	180-43699-22	Sediment
26	SD-I02-0002	180-43699-26	Sediment
29	SD-G01-0002	180-43699-29	Sediment
31	SD-G04-0002	180-43699-31	Sediment
34	SD-G05-0002	180-43699-34	Sediment
37	SD-H01-0002	180-43699-37	Sediment
39	SD-H03-0002	180-43699-39	Sediment
41	SD-H04-0002	180-43699-41	Sediment
42	SD-H04-0002-FD	180-43699-42	Sediment
45	SD-F06-0002	180-43699-45	Sediment
47	SD-I01-0001	180-43699-47	Sediment
49	SD-F03-0002	180-43699-49	Sediment
49MS	SD-F03-0002MS	180-43699-49MS	Sediment
49MSD	SD-F03-0002MSD	180-43699-49MSD	Sediment

AVS/SEM			
EDS ID	Client Sample ID	Laboratory Sample ID	Matrix
50	SD-J02-0002	180-43699-50	Sediment
53	SD-F04-0002	180-43699-53	Sediment

A full data validation was performed on the analytical data for fifty-four sediment samples collected on April 30-May 1, 2015 by EA Engineering at the Sparrows Point site in Maryland. The samples were analyzed under the Environmental Protection Agency (USEPA) "Test Methods for the Evaluation of Solid Waste, USEPA SW-846, Third Edition, September 1986, with revisions".

Specific method references are as follows:

Analysis

VOCs  
SVOCs  
PCBs  
Metals/Hg  
Cyanide  
AVS/SEM  
HEM (Oil & Grease)

Method References

USEPA SW-846 Method 8260C  
USEPA SW-846 Method 8270D LL  
USEPA SW-846 Method 8082A  
USEPA SW-846 Methods 6020A/7471A  
USEPA SW-846 Method 9014  
USEPA SW-846 Methods 6010B/9034  
USEPA SW-846 Method 9071B

The data have been validated according to the protocols and quality control (QC) requirements of the analytical methods, the USEPA National Functional Guidelines for Organic and Inorganic Data Review as follows:

- The USEPA "Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review," June 2008;
- The USEPA "Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review," January 2010;
- and the reviewer's professional judgment.

***Organics***

- Holding times and sample preservation
- Gas Chromatography/Mass Spectroscopy (GC/MS) Tuning
- Initial and continuing calibration summaries
- Method blank and field blank contamination
- Surrogate Spike recoveries
- Matrix Spike/Matrix Spike Duplicate (MS/MSD) recoveries
- Laboratory Control Sample (LCS) recoveries
- Internal standard area and retention time summary forms
- Compound Quantitation
- Tentatively Identified Compounds (TICs)
- Field Duplicate sample precision

***Inorganics***

- Holding times and sample preservation
- ICP/MS Tuning



- Initial and continuing calibration verifications
- Method blank and field blank contamination
- ICP Interference Check Sample
- Laboratory Control Sample (LCS) recoveries
- Matrix Spike Analysis
- Duplicate Sample Analysis
- ICP Serial Dilution
- Compound Quantitation
- Field Duplicate sample precision

### **Overall Usability Issues:**

There were minor rejections of data. This data cannot be used in the decision-making process for this project.

- Eight SVOC compounds were rejected in one sample due to a severely low internal standard recovery.

Overall the remaining data is acceptable for the intended purposes as qualified for the deficiencies detailed in this report.

EDS Sample ID #s 2, 3, 5, 7, 8, 9, 10, 12, 14, 22, 26, 30, 31, 34, 38, 39, 41, 42, 45 & 50 were greater than 70% moisture and all results in all of these samples have been qualified as estimated (J/UJ).

Please note that any results qualified (U) due to blank contamination may be then qualified (J) due to another action. Therefore, the results may be qualified (UJ) due to the culmination of the blank contaminations and actions from other exceedences of QC criteria.

### **Volatile Organic Compounds (VOCs)**

#### **Holding Times**

- All samples were analyzed within 14 days for sediment samples.

#### **GC/MS Tuning**

- All criteria were met.

#### **Initial Calibration**

- The initial calibrations exhibited acceptable %RSD and/or correlation coefficients and mean RRF values.

### Continuing Calibration

- The continuing calibrations exhibited acceptable %D and RRF values except the following.

CCAL Date	Compound	%D/RRF	Qualifier	Affected Samples
05/07/15	1,1,1-Trichloroethane	25.5%	J/UJ	16, 34, 35, 38, 48, 54
05/08/15	Acrolein	36.1%	J/UJ	9, 20-33, 36, 37, 39, 41, 42
	1,1,1-Trichloroethane	26.1%	J/UJ	
	Carbon tetrachloride	26.1%	J/UJ	

### Method Blank

- The method blanks exhibited the following contamination.

Blank ID	Compound	Conc. ug/kg	Action Level ug/kg	Qualifier	Affected Samples
MB 180-140540/1-A	Methylene chloride	1.28	12.8	U	40, 43-47, 49-53
MB 180-140823/1-A	Methylene chloride	2.10	21.0	U	16, 34, 35, 38, 48, 54
MB 180-140959/1-A	Methylene chloride	2.58	25.8	U	9, 20-33, 36, 37, 39, 41, 42
MB 180-141245/1-A	Methylene chloride	3.09	30.9	U	2-8, 10-15, 17, 18
MB 180-141378/1-A	Methylene chloride	2.50	25.0	U	1, 19

### Field Blank

- Field QC samples were not collected.

### Surrogate Spike Recoveries

- All samples exhibited acceptable surrogate recoveries.

### Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries

- The MS/MSD samples exhibited acceptable %R and RPD values except the following.

MS/MSD Sample ID	Compound	MS %R/MSD %R/ RPD	Qualifier
9	1,1,1-Trichloroethane	131%/OK/OK	None - Sample ND
	trans-1,2-Dichloroethene	124%/OK/OK	
16	1,1,1-Trichloroethane	128%/OK/OK	None - Sample ND
40	Carbon tetrachloride	123%/OK/OK	None - Sample ND
	Toluene	131%/139%/OK	J
	trans-1,2-Dichloroethene	122%/122%/OK	None - Sample ND
	Chloroethane	158%/164%/OK	

### **Laboratory Control Samples**

- The LCS samples exhibited acceptable %R values.

### **Internal Standard (IS) Area Performance**

- All internal standards met response and retention time (RT) criteria.

### **Compound Quantitation**

- All criteria were met.

### **Tentatively Identified Compounds (TICs)**

- TICs were not reported.

### **Field Duplicate Sample Precision**

- Field duplicate results are summarized below.

Compound	SD-H06-0002 ug/kg	SD-H06-0002-FD ug/kg	RPD	Qualifier
None	ND	ND	-	-

Compound	SD-H07-0002 ug/kg	SD-H07-0002-FD ug/kg	RPD	Qualifier
None	ND	ND	-	-

Compound	SD-E03-0204 ug/kg	SD-E03-0204-FD ug/kg	RPD	Qualifier
None	ND	ND	-	-

Compound	SD-G04-0406 ug/kg	SD-G04-0406-FD ug/kg	RPD	Qualifier
None	ND	ND	-	-

Compound	SD-H04-0002 ug/kg	SD-H04-0002-FD ug/kg	RPD	None
1,2-Dichlorobenzene	5.1	3.4	40%	
1,3-Dichlorobenzene	4.8	6.1	24%	
1,4-Dichlorobenzene	6.7	7.9	16%	
Benzene	3.6	3.8	5%	
Chlorobenzene	67	72	7%	
Toluene	11	12	9%	

## Semivolatile Organic Compounds (SVOCs) (LL)

### Holding Times

- All samples were extracted within 14 days for sediment samples and analyzed within 40 days.

### GC/MS Tuning

- All criteria were met.

### Initial Calibration

- The initial calibrations exhibited acceptable %RSD and/or correlation coefficients and mean RRF values.

### Continuing Calibration

- The continuing calibrations exhibited acceptable %D and RRF values except the following.

CCAL Date	Compound	%D/RRF	Qualifier	Affected Samples
05/23/15	Benzoic acid	28.0%	J/UJ	1, 2, 4-10
	Hexachlorocyclopentadiene	48.5%	J/UJ	
05/24/15	Benzoic acid	26.8%	J/UJ	50-54
	4-Nitrophenol	70.1%	J/UJ	
	Pentachlorophenol	35.4%	J/UJ	
05/25/15	n-Nitrosodimethylamine	36.5%	J/UJ	3, 11-22
	Hexachlorocyclopentadiene	47.7%	J/UJ	
	Pentachlorophenol	29.1%	J/UJ	
	Benzidine	28.4%	J/UJ	
05/26/15	n-Nitrosodimethylamine	34.6%	J/UJ	23-35
	Hexachlorocyclopentadiene	67.6%	J/UJ	
	Pentachlorophenol	52.3%	J/UJ	

### Method Blank

- The method blanks were free of contamination.

### Field Blank

- Field QC samples were not collected.

### Surrogate Spike Recoveries

- All samples exhibited acceptable surrogate recoveries except the following.

Sample ID	Surrogate	%R	Qualifier
2	Phenol-d5	14%	None for 1 Out
5	Phenol-d5	21%	None for 1 Out
10	Phenol-d5	11%	None for 1 Out
11	Nitrobenzene-d5	42%	None for 1 Out
13	2-Fluorophenol	104%	J - Positive Acid Cmpds
	Phenol-d5	104%	
	2-Fluorobiphenyl	106%	None for One Out
14	2-Fluorobiphenyl	105%	None for One Out
30	Phenol-d5	104%	None for One Out
	Nitrobenzene-d5	36%	J/UJ - Base/Neutrals Unless (R) due to IS
	Terphenyl-d14	21%	
35	2,4,6-Tribromophenol	42%	None for 1 Out
37	All Surrogates	"0D"	None - Diluted Out
41	All Surrogates	"0D"	None - Diluted Out
42	All Surrogates	"0D"	None - Diluted Out
50	All Surrogates	"0D"	None - Diluted Out
51	All Surrogates	"0D"	None - Diluted Out
53	All Surrogates	"0D"	None - Diluted Out
54	All Surrogates	"0D"	None - Diluted Out

### Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries

- The MS/MSD samples exhibited acceptable %R and RPD values except the following.

MS/MSD Sample ID	Compound	MS %R/MSD %R/ RPD	Qualifier
9	Several Compounds	High/Low/High	None - 10X Dilution
16	Several Compounds	High/Low/High	None - 5X Dilution
40	Several Compounds	High/Low/High	None - 10X Dilution

### Laboratory Control Samples

- The LCS samples exhibited acceptable %R values.

### Internal Standard (IS) Area Performance

- All internal standards met response and retention time (RT) criteria except the following.

Sample ID	Internal Standard	Area Count	Qualifier
5	IS6=Perylene-d12	High	J - Associated Positive Results
10	IS6=Perylene-d12	High	J - Associated Positive Results
11	IS2=Naphthalene-d8	High	J - Associated Positive Results
30	IS6=Perylene-d12	Severely Low	J/R - Associated Results
	IS2=Naphthalene-d8	High	J - Associated Positive Results
35	IS4=Phenanthrene-d10	Low	J/UJ - Associated Compounds

Sample ID	Internal Standard	Area Count	Qualifier
38	IS4=Phenanthrene-d10	Low	J/UJ - Associated Compounds
40	IS4=Phenanthrene-d10	Low	J/UJ - Associated Compounds
49	IS4=Phenanthrene-d10	Low	J/UJ - Associated Compounds
54	IS2=Naphthalene-d8	High	J - Associated Positive Results

### Compound Quantitation

- Several samples were analyzed at a dilution due to high concentrations of target compounds. The reporting limits were adjusted accordingly. No action was required.

### Tentatively Identified Compounds (TICs)

- TICs were not reported.

### Field Duplicate Sample Precision

- Field duplicate results are summarized below.

Compound	SD-H06-0002 ug/kg	SD-H06-0002-FD ug/kg	RPD	Qualifier
Acenaphthene	150	280	60%	None - See CQ
Acenaphthylene	640	1000	44%	None
Anthracene	520	930	57%	None - See CQ
Benzo(a)anthracene	1600	2000	22%	None
Benzo(b)fluoranthene	1600	1800	12%	
Benzo(k)fluoranthene	730	720	1%	
Benzo(g,h,i)perylene	2000	2200	10%	
Benzo(a)pyrene	1700	1900	11%	
bis(2-Ethylhexyl)phthalate	5200	7600	38%	
Chrysene	1600	1900	17%	
Dibenz(a,h)anthracene	310U	410	NC	
Fluoranthene	4300	4900	13%	
Fluorene	220	490	76%	None - See CQ
Indeno(1,2,3-cd)pyrene	1300	1500	14%	None
Naphthalene	820	1000	20%	None - See CQ
Phenanthrene	950	2000	71%	
Pyrene	2400	2700	12%	None

Compound	SD-H07-0002 ug/kg	SD-H07-0002-FD ug/kg	RPD	Qualifier
Acenaphthene	160	110	37%	None
Acenaphthylene	790	660	18%	
Anthracene	1300	1000	26%	
Benzo(a)anthracene	6400	5600	13%	
Benzo(b)fluoranthene	6100	5000	20%	
Benzo(k)fluoranthene	1500	1700	13%	
Benzo(g,h,i)perylene	4500	4000	12%	
Benzo(a)pyrene	5300	4600	14%	

Compound	SD-H07-0002 ug/kg	SD-H07-0002-FD ug/kg	RPD	Qualifier
bis(2-Ethylhexyl)phthalate	3300	2800	16%	None
Chrysene	5800	4900	17%	
Dibenz(a,h)anthracene	1100	1100	0%	
Fluoranthene	13000	10000	26%	
Fluorene	300	280	7%	
Indeno(1,2,3-cd)pyrene	3600	3300	9%	
Naphthalene	4800	4200	13%	
Phenanthrene	1000	920	8%	
Pyrene	7200	6500	10%	

Compound	SD-E03-0204 ug/kg	SD-E03-0204-FD ug/kg	RPD	Qualifier
Acenaphthene	46	53	14%	None
Acenaphthylene	170	190	11%	
Antracene	280	350	22%	
Benzo(a)anthracene	940	760	21%	
Benzo(b)fluoranthene	810	1000	21%	
Benzo(k)fluoranthene	220	330	40%	
Benzoic acid	810	1300U	NC	
Benzo(g,h,i)perylene	810	730	10%	
Benzo(a)pyrene	900	850	6%	
Chrysene	980	700	33%	
Dibenz(a,h)anthracene	160	230	36%	
Fluoranthene	1000	900	11%	
Fluorene	100	150	40%	
Indeno(1,2,3-cd)pyrene	440	640	37%	
Naphthalene	580	850	38%	
Phenanthrene	370	510	32%	
Pyrene	2200	1300	51%	J
Phenol	290	210	32%	None

Compound	SD-G04-0406 ug/kg	SD-G04-0406-FD ug/kg	RPD	Qualifier
Acenaphthene	110	110	0%	None
Acenaphthylene	370	440	17%	
Antracene	510	690	30%	
Benzo(a)anthracene	1400	1500	7%	
Benzo(b)fluoranthene	1500	2000	29%	
Benzo(k)fluoranthene	590	430	31%	
Benzoic acid	630	700	11%	
Benzo(g,h,i)perylene	1200	1400	15%	
Benzo(a)pyrene	1200	1500	22%	
Chrysene	1400	1500	7%	
Dibenz(a,h)anthracene	270	350	26%	
Fluoranthene	3400	3900	14%	
Fluorene	210	290	32%	
Indeno(1,2,3-cd)pyrene	1200	1300	8%	
Naphthalene	1700	2600	42%	
Phenanthrene	740	980	28%	
Pyrene	1800	2000	11%	
Phenol	30	46U	NC	

Compound	SD-H04-0002 ug/kg	SD-H04-0002-FD ug/kg	RPD	Qualifier
Acenaphthene	1400U	3100	NC	None
Acenaphthylene	2500	2900	15%	
Antracene	3200	3300	3%	
Benzo(a)anthracene	4400	4100	7%	
Benzo(b)fluoranthene	2600	2100	21%	
Benzo(k)fluoranthene	2200	3300	40%	
Benzo(g,h,i)perylene	1400U	2800	NC	
Benzo(a)pyrene	3300	3500	6%	
bis(2-Ethylhexyl)phthalate	48000	54000	12%	
Chrysene	5200	5400	4%	
Fluoranthene	11000	12000	9%	
Fluorene	4000	4600	14%	
Indeno(1,2,3-cd)pyrene	1800	1800	0%	
Naphthalene	5500	5900	7%	
Phenanthrene	14000	17000	19%	
Pyrene	9500	11000	15%	



## **Polychlorinated Biphenyls (PCBs)**

### **Holding Times**

- All samples were extracted within 14 days for sediment samples and analyzed within 40 days.

### **Initial Calibration**

- All %RSD and/or correlation coefficient criteria were met.

### **Continuing Calibration**

- All %D criteria were met.

### **Method Blank**

- The method blanks were free of contamination.

### **Field Blank**

- Field QC samples were not collected.

### **Surrogate Spike Recoveries**

- All samples exhibited acceptable surrogate recoveries except the following.

Sample ID	Surrogate	%R	Qualifier
2	TCX1/TCX2/DCB1/DCB2	0%/0%/0%/0%	None - Diluted Out
3	TCX1/TCX2/DCB1/DCB2	0%/0%/0%/0%	None - Diluted Out
4	TCX1/TCX2/DCB1/DCB2	OK/OK/380%/441%	J - Positive Results
5	TCX1/TCX2/DCB1/DCB2	OK/OK/OK/177%	None for 1 Out
6	TCX1/TCX2/DCB1/DCB2	0%/0%/0%/0%	None - Diluted Out
9	TCX1/TCX2/DCB1/DCB2	0%/0%/0%/0%	None - Diluted Out
10	TCX1/TCX2/DCB1/DCB2	192%/OK/OK/1901%	J - Positive Results
11	TCX1/TCX2/DCB1/DCB2	0%/0%/0%/0%	None - Diluted Out
12	TCX1/TCX2/DCB1/DCB2	OK/24%/OK/OK	None for 1 Out
13	TCX1/TCX2/DCB1/DCB2	OK/OK/288%/307%	J - Positive Results
14	TCX1/TCX2/DCB1/DCB2	OK/8%/OK/OK	None for 1 Out
15	TCX1/TCX2/DCB1/DCB2	0%/0%/OK/OK	None - Diluted Out
17	TCX1/TCX2/DCB1/DCB2	OK/OK/813%/931%	J - Positive Results
19	TCX1/TCX2/DCB1/DCB2	OK/OK/196%/240%	J - Positive Results
22	TCX1/TCX2/DCB1/DCB2	OK/OK/OK/268%	None for 1 Out
23	TCX1/TCX2/DCB1/DCB2	OK/OK/466%/517%	J - Positive Results
24	TCX1/TCX2/DCB1/DCB2	OK/OK/388%/440%	J - Positive Results

Sample ID	Surrogate	%R	Qualifier
26	TCX1/TCX2/DCB1/DCB2	OK/OK/OK/252%	None for 1 Out
27	TCX1/TCX2/DCB1/DCB2	OK/OK/OK/183%	None for 1 Out
29	TCX1/TCX2/DCB1/DCB2	OK/OK/11%/OK	None for 1 Out
30	TCX1/TCX2/DCB1/DCB2	0%/0%/0%/0%	None - Diluted Out
31	TCX1/TCX2/DCB1/DCB2	0%/0%/0%/0%	None - Diluted Out
32	TCX1/TCX2/DCB1/DCB2	OK/OK/OK/255%	None for 1 Out
35	TCX1/TCX2/DCB1/DCB2	OK/OK/OK/184%	None for 1 Out
37	TCX1/TCX2/DCB1/DCB2	OK/OK/14%/OK	None for 1 Out
38	TCX1/TCX2/DCB1/DCB2	0%/0%/0%/0%	None - Diluted Out
39	TCX1/TCX2/DCB1/DCB2	178%/165%/OK/OK	J - Positive Results
41	TCX1/TCX2/DCB1/DCB2	187%/193%/OK/OK	J - Positive Results
42	TCX1/TCX2/DCB1/DCB2	197%/215%/OK/OK	J - Positive Results
43	TCX1/TCX2/DCB1/DCB2	OK/OK/404%/458%	J - Positive Results
45	TCX1/TCX2/DCB1/DCB2	OK/OK/258%/OK	None for 1 Out
46	TCX1/TCX2/DCB1/DCB2	OK/OK/798%/615%	J - Positive Results
49	TCX1/TCX2/DCB1/DCB2	0%/0%/0%/0%	None - Diluted Out
53	TCX1/TCX2/DCB1/DCB2	OK/OK/17%/OK	None for 1 Out
54	TCX1/TCX2/DCB1/DCB2	0%/0%/0%/0%	None - Diluted Out

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- The MS/MSD samples exhibited acceptable %R and RPD values except the following.

MS/MSD Sample ID	Compound	MS %R/MSD %R/ RPD	Qualifier
9	PCB-1016	0%/0%/OK	None - 50X Dilution
	PCB-1260	OK/23%/OK	
40	PCB-1016	1853%/1771%/OK	None - 10X Dilution
	PCB-1260	215%/190%/OK	

### **Laboratory Control Samples**

- The LCS sample exhibited acceptable %R values.

### **Compound Quantitation**

- Several samples were analyzed at a dilution due to high concentrations of target compounds. The reporting limits were adjusted accordingly. No action was required.
- EDS Sample ID #s 1, 4, 5, 7, 8, 10, 12, 13, 14, 15, 17, 20, 21, 26, 28 & 34 contained PCB-1248, PCB-1254 and/or PCB-1260, however, due to weathering, the patterns don't closely match the standards. Due to the poor match, the reviewer qualified all positive results as estimated (J).

### **Field Duplicate Sample Precision**

- Field duplicate results are summarized below.

Compound	SD-H06-0002 ug/kg	SD-H06-0002-FD ug/kg	RPD	Qualifier
PCB-1248	89	100	12%	None
PCB-1260	42	47	11%	

Compound	SD-H07-0002 ug/kg	SD-H07-0002-FD ug/kg	RPD	Qualifier
PCB-1248	520	420	21%	None
PCB-1254	310	260	18%	
PCB-1260	100	81	21%	

Compound	SD-E03-0204 ug/kg	SD-E03-0204-FD ug/kg	RPD	Qualifier
PCB-1248	5.7	5.9	3%	None
PCB-1260	4.5	4.1	9%	

Compound	SD-G04-0406 ug/kg	SD-G04-0406-FD ug/kg	RPD	Qualifier
PCB-1260	2.7	1.7	45%	None

Compound	SD-H04-0002 ug/kg	SD-H04-0002-FD ug/kg	RPD	Qualifier
PCB-1248	530	510	4%	None
PCB-1254	770	690	11%	
PCB-1260	560	540	4%	

### **GC Column Difference Results**

- Several samples exhibited several results with a high %D value > 25% between columns. The results have been further qualified as estimated (J) by the reviewer.

## **Metals & Mercury & AVS/SEM**

### **Holding Times**

- All samples were prepared and analyzed within 28 days for mercury and 180 days for all other metals.

### **ICP/MS Tuning**

- All criteria were met.

### **Initial Calibration Verification**

- All initial calibration criteria were met.

### **Continuing Calibration Verification**

- All continuing calibration criteria were met.

### **Method Blank**

- The method blanks exhibited the following contamination.

Metals/Mercury				
Blank ID	Compound	Conc. mg/kg	Qualifier	Affected Samples
180-140638/1-A	Chromium	0.00421	None	All >10X
180-140639/1-A	Chromium	0.0105	None	All >10X

AVS/SEM				
Blank ID	Compound	Conc. mg/kg	Qualifier	Affected Samples
MB	Various Compounds	Various	None	All >10X

### **Field Blank**

- Field QC samples were not collected.

### **ICP Interference Check Sample**

- The ICP ICS exhibited acceptable recoveries.

### **Laboratory Control Samples**

- The LCS sample exhibited acceptable recoveries.

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- The MS/MSD samples exhibited acceptable %R and RPD values except the following.

Metals/Mercury				
MS/MSD Sample ID	Compound	MS %R/MSD %R/ RPD	Qualifier	Affected Samples
9	Cadmium	63%/OK/OK	J/UJ	1-15, 17-21
	Selenium	73%/131%/OK	J/UJ	
16	Cadmium	53%/45%/OK	J/UJ	16, 22-39, 41
	Antimony	45%/44%/OK	J/UJ	
40	Antimony	40%/40%/OK	J/UJ	40, 42-54
	Nickel	-4%/-3%/OK	J/R	
	Selenium	-43%/43%/23	J/R	
	Silver	30%/40%/OK	J/UJ	

AVS/SEM				
MS/MSD Sample ID	Compound	MS %R/MSD %R/ RPD	Qualifier	Affected Samples
49	Copper SEM	321%/155%/47	J	41, 42, 45, 47, 49, 50, 53

### **ICP Serial Dilution**

- ICP serial dilution percent differences (%D) were within acceptance limits except the following.

Metals/Mercury				
ICP Sample ID	Compound	%D	Qualifier	Affected Samples
16	Cadmium	12%	None	See MS/MSD

AVS/SEM				
ICP Sample ID	Compound	%D	Qualifier	Affected Samples
15	Copper SEM	13%	J	1, 3, 5, 7, 8, 10, 12, 14, 15, 17, 19, 22, 26, 29, 31
	Zinc SEM	21%	J	

### **Compound Quantitation**

- Several samples were analyzed at a dilution due to high concentrations of target compounds. The reporting limits were adjusted accordingly. No action was required.

### **Field Duplicate Sample Precision**

- Field duplicate results are summarized below.

Metals & Mercury				
Compound	SD-H06-0002 mg/kg	SD-H06-0002-FD mg/kg	RPD	Qualifier
Arsenic	26	28	7%	None
Cadmium	4.4	5.4	20%	
Chromium	1600	2100	27%	
Lead	150	190	24%	
Selenium	2.6	2.8	7%	
Silver	2.4	3.2	29%	
Beryllium	1.0	1.2	18%	
Thallium	0.40	0.48	18%	
Antimony	4.2	4.0	5%	
Nickel	78	79	1%	
Zinc	1300	1500	14%	
Copper	200	240	18%	
Mercury	0.47	0.54	14%	

Metals & Mercury				
Compound	SD-H07-0002 mg/kg	SD-H07-0002-FD mg/kg	RPD	Qualifier
Arsenic	67	57	16%	None
Cadmium	8.6	7.5	14%	
Chromium	1100	900	20%	
Lead	570	570	0%	
Selenium	9.9	10	1%	
Silver	2.5	2.0	22%	
Beryllium	1.2	1.0	18%	
Thallium	0.81	0.64	23%	
Antimony	3.2	2.6	21%	
Nickel	43	39	10%	
Zinc	2000	1700	16%	
Copper	290	230	23%	
Mercury	0.91	0.97	6%	

Metals & Mercury				
Compound	SD-E03-0204 mg/kg	SD-E03-0204-FD mg/kg	RPD	Qualifier
Arsenic	65	72	10%	None
Cadmium	6.6	6.5	2%	
Chromium	330	360	9%	
Lead	1000	1100	10%	
Selenium	17	25	38%	
Silver	1.0	0.80	22%	
Beryllium	0.86	0.83	4%	
Thallium	0.57	0.52	9%	
Antimony	2.3	2.7	16%	
Nickel	45	48	6%	
Zinc	4000	4500	12%	
Copper	200	200	0%	
Mercury	0.86	0.87	1%	

Metals & Mercury				
Compound	SD-G04-0406 mg/kg	SD-G04-0406-FD mg/kg	RPD	Qualifier
Arsenic	71	69	3%	None
Cadmium	5.6	5.5	2%	
Chromium	350	410	16%	
Lead	840	800	5%	
Selenium	30	30	0%	
Silver	0.64	0.64	0%	
Beryllium	0.92	0.95	3%	
Thallium	0.62	0.66	6%	
Antimony	3.3	3.2	3%	
Nickel	37	41	10%	
Zinc	1600	1500	6%	
Copper	210	210	0%	
Mercury	1.4	1.0	33%	

Metals & Mercury				
Compound	SD-H04-0002 mg/kg	SD-H04-0002-FD mg/kg	RPD	Qualifier
Arsenic	28	37	28%	None
Cadmium	21	22	5%	
Chromium	3400	4300	23%	
Lead	300	410	31%	
Selenium	1.8	2.2	20%	
Silver	5.4	6.3	15%	
Beryllium	0.37	0.35	6%	
Thallium	0.35	0.44	23%	
Antimony	7.4	10	30%	
Nickel	140	220	44%	
Zinc	5500	11000	67%	None - See CQ
Copper	350	510	37%	None
Mercury	0.74	0.67	10%	

AVS/SEM				
Compound	SD-H06-0002 mg/kg	SD-H06-0002-FD mg/kg	RPD	Qualifier
Cadmium SEM	4.8	5.0	4%	None
Copper SEM	120	130	8%	
Lead SEM	140	150	7%	
Nickel SEM	51	49	4%	
Zinc SEM	1200	1300	8%	
AVS/SEM Ratio	0.038	0.047	21%	
AVS	19000	16000	17%	

AVS/SEM				
Compound	SD-H07-0002 mg/kg	SD-H07-0002-FD mg/kg	RPD	Qualifier
Cadmium SEM	8.8	7.9	11%	None
Copper SEM	170	52	106%	None - See MS
Lead SEM	410	420	2%	None
Nickel SEM	29	29	0%	
Zinc SEM	1700	1500	13%	
AVS/SEM Ratio	0.12	0.13	8%	

AVS/SEM				
Compound	SD-H07-0002 mg/kg	SD-H07-0002-FD mg/kg	RPD	Qualifier
AVS	8500	6800	22%	None

AVS/SEM				
Compound	SD-H04-0002 mg/kg	SD-H04-0002-FD mg/kg	RPD	Qualifier
Cadmium SEM	18	25	33%	None
Copper SEM	280	350	22%	
Lead SEM	220	350	46%	
Nickel SEM	140	150	7%	
Zinc SEM	4500	8500	62%	None - See CQ
AVS/SEM Ratio	0.14	0.29	70%	
AVS	17000	16000	6%	None



## **HEM (Oil & Grease) & Cyanide**

### **Holding Times**

- All samples were analyzed within the recommended holding time for each analysis.

### **Initial and Continuing Calibration**

- All %R criteria were met.

### **Method Blank**

- The method blanks were free of contamination.

### **Field Blank**

- Field QC samples were not collected.

### **Laboratory Control Samples**

- The LCS samples exhibited acceptable %R values.

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- The MS/MSD samples exhibited acceptable %R and RPD values except the following.

MS/MSD Sample ID	Compound	MS %R/MSD %R/ RPD	Qualifier	Affected Samples
9	Cyanide	OK/139%/OK	J	9, 21-28
16	Cyanide	53%/54%/OK	J/UJ	16, 29-39, 41-48

### **Compound Quantitation**

- All criteria were met.

### **Field Duplicate Sample Precision**

- Field duplicate results are summarized below.

Cyanide				
Compound	SD-H06-0002 mg/kg	SD-H06-0002-FD mg/kg	RPD	Qualifier
Cyanide	2.5	6.5	89%	None - See QC

Cyanide				
Compound	SD-H07-0002 mg/kg	SD-H07-0002-FD mg/kg	RPD	Qualifier
Cyanide	34	36	6%	None

Cyanide				
Compound	SD-E03-0204 mg/kg	SD-E03-0204-FD mg/kg	RPD	Qualifier
Cyanide	27	13	70%	None - See QC

Cyanide				
Compound	SD-G04-0406 mg/kg	SD-G04-0406-FD mg/kg	RPD	Qualifier
Cyanide	7.0	9.1	26%	None

Cyanide				
Compound	SD-H04-0002 mg/kg	SD-H04-0002-FD mg/kg	RPD	Qualifier
Cyanide	7.1	9.5	29%	None

HEM				
Compound	SD-H06-0002 mg/kg	SD-H06-0002-FD mg/kg	RPD	Qualifier
HEM	1100	1400	24%	None

HEM				
Compound	SD-H07-0002 mg/kg	SD-H07-0002-FD mg/kg	RPD	Qualifier
HEM	470	420	11%	None


HEM				
Compound	SD-E03-0204 mg/kg	SD-E03-0204-FD mg/kg	RPD	Qualifier
HEM	470	310U	NC	None

HEM				
Compound	SD-G04-0406 mg/kg	SD-G04-0406-FD mg/kg	RPD	Qualifier
HEM	260	270U	NC	None

HEM				
Compound	SD-H04-0002 mg/kg	SD-H04-0002-FD mg/kg	RPD	Qualifier
HEM	4700	2300	69%	None

Please contact the undersigned at (757) 564-0090 if you have any questions or need further information.

Signed:



Nancy Weaver  
Senior Chemist

Dated:

7/8/15

## Data Qualifiers

- U = The analyte was analyzed for, but was not detected at a level greater than or equal to the level of the adjusted Contract Required Quantitation Limit (CRQL) for sample and method.
- UJ = The analyte was not detected at a level greater than or equal to the adjusted CRQL. However, the reported adjusted CRQL is approximate and may be inaccurate or imprecise.
- J = The analyte was positively identified and the associated numerical value is the approximate concentration of the analyte in the sample (due either to the quality of the data generated because certain quality control criteria were not met, or the concentration of the analyte was below the CRQL).
- J+ = The result is an estimated quantity, but the result may be biased high.
- J- = The result is an estimated quantity, but the result may be biased low.
- R = The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte may or may not be present in the sample.
- NJ = The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H05-0002 Lab Sample ID: 180-43699-1  
 Matrix: Sediment Lab File ID: 3051311.D  
 Analysis Method: 8260C Date Collected: 04/30/2015 10:10  
 Sample wt/vol: 5.0001(g) Date Analyzed: 05/13/2015 10:17  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 69.2 Level: (low/med) Low  
 Analysis Batch No.: 141363 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		16	1.6
79-34-5	1,1,2,2-Tetrachloroethane	ND		16	2.3
79-00-5	1,1,2-Trichloroethane	ND		16	2.7
75-34-3	1,1-Dichloroethane	ND		16	1.9
75-35-4	1,1-Dichloroethene	ND		16	2.8
95-50-1	1,2-Dichlorobenzene	ND		16	2.6
107-06-2	1,2-Dichloroethane	ND		16	2.0
78-87-5	1,2-Dichloropropane	ND		16	1.8
541-73-1	1,3-Dichlorobenzene	ND		16	2.1
106-46-7	1,4-Dichlorobenzene	ND		16	2.1
110-75-8	2-Chloroethyl vinyl ether	ND		32	2.5
107-02-8	Acrolein	ND		320	23
107-13-1	Acrylonitrile	ND		320	34
71-43-2	Benzene	ND		16	2.2
75-25-2	Bromoform	ND		16	1.4
74-83-9	Bromomethane	ND		16	2.4
56-23-5	Carbon tetrachloride	ND		16	1.4
108-90-7	Chlorobenzene	ND		16	2.5
67-66-3	Chloroform	ND		16	1.9
74-87-3	Chloromethane	ND		16	2.8
124-48-1	Chlorodibromomethane	ND		16	2.3
10061-01-5	cis-1,3-Dichloropropene	ND		16	2.2
75-27-4	Dichlorobromomethane	ND		16	1.8
100-41-4	Ethylbenzene	ND		16	2.1
75-09-2	Methylene Chloride	16 <del>ND</del> <u>LB u</u>		16	2.2
127-18-4	Tetrachloroethene	ND		16	2.2
108-88-3	Toluene	ND		16	2.4
156-60-5	trans-1,2-Dichloroethene	ND		16	1.9
10061-02-6	trans-1,3-Dichloropropene	ND		16	1.9
79-01-6	Trichloroethene	ND		16	2.1
75-01-4	Vinyl chloride	ND		16	1.5
75-00-3	Chloroethane	ND		16	5.0

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H05-0002 Lab Sample ID: 180-43699-1  
Matrix: Sediment Lab File ID: 3051311.D  
Analysis Method: 8260C Date Collected: 04/30/2015 10:10  
Sample wt/vol: 5.0001(g) Date Analyzed: 05/13/2015 10:17  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 69.2 Level: (low/med) Low  
Analysis Batch No.: 141363 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	97		52-124
460-00-4	4-Bromofluorobenzene (Surr)	91		63-120
1868-53-7	Dibromofluoromethane (Surr)	103		68-121
2037-26-5	Toluene-d8 (Surr)	111		72-127

2

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H05-0406

Lab Sample ID: 180-43699-2

Matrix: Sediment

Lab File ID: 3051214.D

Analysis Method: 8260C

Date Collected: 04/30/2015 10:20

Sample wt/vol: 5.0012(g)

Date Analyzed: 05/12/2015 11:55

Soil Aliquot Vol: \_\_\_\_\_

Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_

GC Column: DB-624 ID: 0.18 (mm)

% Moisture: 71.6

Level: (low/med) Low

Analysis Batch No.: 141219

Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND	uJ	18	1.7
79-34-5	1,1,2,2-Tetrachloroethane	ND		18	2.5
79-00-5	1,1,2-Trichloroethane	ND		18	2.9
75-34-3	1,1-Dichloroethane	ND		18	2.0
75-35-4	1,1-Dichloroethene	ND		18	3.0
95-50-1	1,2-Dichlorobenzene	ND		18	2.8
107-06-2	1,2-Dichloroethane	ND		18	2.2
78-87-5	1,2-Dichloropropane	ND		18	1.9
541-73-1	1,3-Dichlorobenzene	ND		18	2.3
106-46-7	1,4-Dichlorobenzene	ND		18	2.2
110-75-8	2-Chloroethyl vinyl ether	ND		35	2.7
107-02-8	Acrolein	ND		350	25
107-13-1	Acrylonitrile	ND		350	36
71-43-2	Benzene	10	uJ	18	2.4
75-25-2	Bromoform	ND	uJ	18	1.6
74-83-9	Bromomethane	ND		18	2.6
56-23-5	Carbon tetrachloride	ND		18	1.6
108-90-7	Chlorobenzene	ND		18	2.7
67-66-3	Chloroform	ND		18	2.1
74-87-3	Chloromethane	ND		18	3.0
124-48-1	Chlorodibromomethane	ND		18	2.5
10061-01-5	cis-1,3-Dichloropropene	ND		18	2.4
75-27-4	Dichlorobromomethane	ND		18	2.0
100-41-4	Ethylbenzene	ND		18	2.3
75-09-2	Methylene Chloride	18 18	uJ	18	2.4
127-18-4	Tetrachloroethene	ND	uJ	18	2.4
108-88-3	Toluene	2.7	uJ	18	2.6
156-60-5	trans-1,2-Dichloroethene	ND	uJ	18	2.1
10061-02-6	trans-1,3-Dichloropropene	ND		18	2.1
79-01-6	Trichloroethene	ND		18	2.3
75-01-4	Vinyl chloride	ND		18	1.7
75-00-3	Chloroethane	ND		18	5.5

2

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H05-0406 Lab Sample ID: 180-43699-2  
Matrix: Sediment Lab File ID: 3051214.D  
Analysis Method: 8260C Date Collected: 04/30/2015 10:20  
Sample wt/vol: 5.0012(g) Date Analyzed: 05/12/2015 11:55  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 71.6 Level: (low/med) Low  
Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	105		52-124
460-00-4	4-Bromofluorobenzene (Surr)	86		63-120
1868-53-7	Dibromofluoromethane (Surr)	109		68-121
2037-26-5	Toluene-d8 (Surr)	115		72-127



3

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-F07-0002 Lab Sample ID: 180-43699-3

Matrix: Sediment Lab File ID: 3051215.D

Analysis Method: 8260C Date Collected: 04/30/2015 10:45

Sample wt/vol: 5.0007(g) Date Analyzed: 05/12/2015 12:17

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)

% Moisture: 79.2 Level: (low/med) Low

Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND	uJ	24	2.3
79-34-5	1,1,2,2-Tetrachloroethane	ND		24	3.5
79-00-5	1,1,2-Trichloroethane	ND		24	4.0
75-34-3	1,1-Dichloroethane	ND		24	2.8
75-35-4	1,1-Dichloroethene	ND		24	4.1
95-50-1	1,2-Dichlorobenzene	ND		24	3.8
107-06-2	1,2-Dichloroethane	ND		24	3.0
78-87-5	1,2-Dichloropropane	ND		24	2.6
541-73-1	1,3-Dichlorobenzene	ND		24	3.2
106-46-7	1,4-Dichlorobenzene	ND		24	3.1
110-75-8	2-Chloroethyl vinyl ether	ND		48	3.7
107-02-8	Acrolein	ND		480	34
107-13-1	Acrylonitrile	ND		480	50
71-43-2	Benzene	ND		24	3.3
75-25-2	Bromoform	ND		24	2.1
74-83-9	Bromomethane	ND		24	3.6
56-23-5	Carbon tetrachloride	ND		24	2.2
108-90-7	Chlorobenzene	ND		24	3.6
67-66-3	Chloroform	ND		24	2.8
74-87-3	Chloromethane	ND		24	4.1
124-48-1	Chlorodibromomethane	ND		24	3.4
10061-01-5	cis-1,3-Dichloropropene	ND		24	3.3
75-27-4	Dichlorobromomethane	ND		24	2.7
100-41-4	Ethylbenzene	ND		24	3.1
75-09-2	Methylene Chloride	24 16	uJ	24	3.2
127-18-4	Tetrachloroethene	ND	uJ	24	3.3
108-88-3	Toluene	ND		24	3.5
156-60-5	trans-1,2-Dichloroethene	ND		24	2.9
10061-02-6	trans-1,3-Dichloropropene	ND		24	2.9
79-01-6	Trichloroethene	ND		24	3.2
75-01-4	Vinyl chloride	ND		24	2.3
75-00-3	Chloroethane	ND		24	7.5

3

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-F07-0002 Lab Sample ID: 180-43699-3  
Matrix: Sediment Lab File ID: 3051215.D  
Analysis Method: 8260C Date Collected: 04/30/2015 10:45  
Sample wt/vol: 5.0007(g) Date Analyzed: 05/12/2015 12:17  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 79.2 Level: (low/med) Low  
Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	102		52-124
460-00-4	4-Bromofluorobenzene (Surr)	95		63-120
1868-53-7	Dibromofluoromethane (Surr)	111		68-121
2037-26-5	Toluene-d8 (Surr)	112		72-127

4

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-F07-0406 Lab Sample ID: 180-43699-4

Matrix: Sediment Lab File ID: 3051216.D

Analysis Method: 8260C Date Collected: 04/30/2015 10:55

Sample wt/vol: 5.0009(g) Date Analyzed: 05/12/2015 12:40

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)

% Moisture: 68.2 Level: (low/med) Low

Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		16	1.5
79-34-5	1,1,2,2-Tetrachloroethane	ND		16	2.3
79-00-5	1,1,2-Trichloroethane	ND		16	2.6
75-34-3	1,1-Dichloroethane	ND		16	1.8
75-35-4	1,1-Dichloroethene	ND		16	2.7
95-50-1	1,2-Dichlorobenzene	ND		16	2.5
107-06-2	1,2-Dichloroethane	ND		16	1.9
78-87-5	1,2-Dichloropropane	ND		16	1.7
541-73-1	1,3-Dichlorobenzene	ND		16	2.1
106-46-7	1,4-Dichlorobenzene	ND		16	2.0
110-75-8	2-Chloroethyl vinyl ether	ND		31	2.4
107-02-8	Acrolein	ND		310	22
107-13-1	Acrylonitrile	ND		310	33
71-43-2	Benzene	ND		16	2.1
75-25-2	Bromoform	ND		16	1.4
74-83-9	Bromomethane	ND		16	2.3
56-23-5	Carbon tetrachloride	ND		16	1.4
108-90-7	Chlorobenzene	ND		16	2.4
67-66-3	Chloroform	ND		16	1.8
74-87-3	Chloromethane	ND		16	2.7
124-48-1	Chlorodibromomethane	ND		16	2.2
10061-01-5	cis-1,3-Dichloropropene	ND		16	2.1
75-27-4	Dichlorobromomethane	ND		16	1.8
100-41-4	Ethylbenzene	ND		16	2.0
75-09-2	Methylene Chloride	16 2.1 <del>ND</del>		16	2.1
127-18-4	Tetrachloroethene	ND		16	2.1
108-88-3	Toluene	ND		16	2.3
156-60-5	trans-1,2-Dichloroethene	ND		16	1.9
10061-02-6	trans-1,3-Dichloropropene	ND		16	1.9
79-01-6	Trichloroethene	ND		16	2.1
75-01-4	Vinyl chloride	ND		16	1.5
75-00-3	Chloroethane	ND		16	4.9

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-F07-0406 Lab Sample ID: 180-43699-4  
Matrix: Sediment Lab File ID: 3051216.D  
Analysis Method: 8260C Date Collected: 04/30/2015 10:55  
Sample wt/vol: 5.0009(g) Date Analyzed: 05/12/2015 12:40  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 68.2 Level: (low/med) Low  
Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	94		52-124
460-00-4	4-Bromofluorobenzene (Surr)	96		63-120
1868-53-7	Dibromofluoromethane (Surr)	105		68-121
2037-26-5	Toluene-d8 (Surr)	104		72-127

S

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G03-0002 Lab Sample ID: 180-43699-5

Matrix: Sediment Lab File ID: 3051217.D

Analysis Method: 8260C Date Collected: 04/30/2015 11:30

Sample wt/vol: 5.0024(g) Date Analyzed: 05/12/2015 13:02

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)

% Moisture: 73.7 Level: (low/med) Low

Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND	uJ	19	1.8
79-34-5	1,1,2,2-Tetrachloroethane	ND		19	2.7
79-00-5	1,1,2-Trichloroethane	ND		19	3.2
75-34-3	1,1-Dichloroethane	ND		19	2.2
75-35-4	1,1-Dichloroethene	ND		19	3.2
95-50-1	1,2-Dichlorobenzene	16	uJ	19	3.0
107-06-2	1,2-Dichloroethane	ND	uJ	19	2.3
78-87-5	1,2-Dichloropropane	ND	uJ	19	2.1
541-73-1	1,3-Dichlorobenzene	6.7	uJ	19	2.5
106-46-7	1,4-Dichlorobenzene	10	uJ	19	2.4
110-75-8	2-Chloroethyl vinyl ether	ND	uJ	38	2.9
107-02-8	Acrolein	ND		380	27
107-13-1	Acrylonitrile	ND		380	39
71-43-2	Benzene	4.5	uJ	19	2.6
75-25-2	Bromoform	ND	uJ	19	1.7
74-83-9	Bromomethane	ND		19	2.8
56-23-5	Carbon tetrachloride	ND		19	1.7
108-90-7	Chlorobenzene	84	J	19	2.9
67-66-3	Chloroform	ND	uJ	19	2.2
74-87-3	Chloromethane	ND		19	3.2
124-48-1	Chlorodibromomethane	ND		19	2.7
10061-01-5	cis-1,3-Dichloropropene	ND		19	2.6
75-27-4	Dichlorobromomethane	ND		19	2.1
100-41-4	Ethylbenzene	33	J	19	2.4
75-09-2	Methylene Chloride	19 13	<del>J</del> uJ	19	2.6
127-18-4	Tetrachloroethene	ND	uJ	19	2.6
108-88-3	Toluene	21	J	19	2.8
156-60-5	trans-1,2-Dichloroethene	ND	uJ	19	2.3
10061-02-6	trans-1,3-Dichloropropene	ND		19	2.3
79-01-6	Trichloroethene	ND		19	2.5
75-01-4	Vinyl chloride	ND		19	1.8
75-00-3	Chloroethane	ND		19	5.9

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G03-0002 Lab Sample ID: 180-43699-5  
 Matrix: Sediment Lab File ID: 3051217.D  
 Analysis Method: 8260C Date Collected: 04/30/2015 11:30  
 Sample wt/vol: 5.0024(g) Date Analyzed: 05/12/2015 13:02  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 73.7 Level: (low/med) Low  
 Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	94		52-124
460-00-4	4-Bromofluorobenzene (Surr)	92		63-120
1868-53-7	Dibromofluoromethane (Surr)	104		68-121
2037-26-5	Toluene-d8 (Surr)	113		72-127

6

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G03-0406 Lab Sample ID: 180-43699-6

Matrix: Sediment Lab File ID: 3051218.D

Analysis Method: 8260C Date Collected: 04/30/2015 11:40

Sample wt/vol: 5.0008(g) Date Analyzed: 05/12/2015 13:25

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)

% Moisture: 69.8 Level: (low/med) Low

Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		17	1.6
79-34-5	1,1,2,2-Tetrachloroethane	ND		17	2.4
79-00-5	1,1,2-Trichloroethane	ND		17	2.8
75-34-3	1,1-Dichloroethane	ND		17	1.9
75-35-4	1,1-Dichloroethene	ND		17	2.8
95-50-1	1,2-Dichlorobenzene	ND		17	2.6
107-06-2	1,2-Dichloroethane	ND		17	2.0
78-87-5	1,2-Dichloropropane	ND		17	1.8
541-73-1	1,3-Dichlorobenzene	ND		17	2.2
106-46-7	1,4-Dichlorobenzene	ND		17	2.1
110-75-8	2-Chloroethyl vinyl ether	ND		33	2.6
107-02-8	Acrolein	ND		330	23
107-13-1	Acrylonitrile	ND		330	34
71-43-2	Benzene	2.4	J	17	2.2
75-25-2	Bromoform	ND		17	1.5
74-83-9	Bromomethane	ND		17	2.4
56-23-5	Carbon tetrachloride	ND		17	1.5
108-90-7	Chlorobenzene	3.9	J	17	2.5
67-66-3	Chloroform	ND		17	1.9
74-87-3	Chloromethane	ND		17	2.8
124-48-1	Chlorodibromomethane	ND		17	2.3
10061-01-5	cis-1,3-Dichloropropene	ND		17	2.2
75-27-4	Dichlorobromomethane	ND		17	1.9
100-41-4	Ethylbenzene	3.3	J	17	2.1
75-09-2	Methylene Chloride	17 <del>12</del> <del>8-B U</del>		17	2.2
127-18-4	Tetrachloroethene	ND		17	2.3
108-88-3	Toluene	4.3	J	17	2.4
156-60-5	trans-1,2-Dichloroethene	ND		17	2.0
10061-02-6	trans-1,3-Dichloropropene	ND		17	2.0
79-01-6	Trichloroethene	ND		17	2.2
75-01-4	Vinyl chloride	ND		17	1.6
75-00-3	Chloroethane	ND		17	5.1

6

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-G03-0406 Lab Sample ID: 180-43699-6  
Matrix: Sediment Lab File ID: 3051218.D  
Analysis Method: 8260C Date Collected: 04/30/2015 11:40  
Sample wt/vol: 5.0008(g) Date Analyzed: 05/12/2015 13:25  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 69.8 Level: (low/med) Low  
Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	93		52-124
460-00-4	4-Bromofluorobenzene (Surr)	82		63-120
1868-53-7	Dibromofluoromethane (Surr)	102		68-121
2037-26-5	Toluene-d8 (Surr)	107		72-127



7

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H06-0002 Lab Sample ID: 180-43699-7  
Matrix: Sediment Lab File ID: 3051219.D  
Analysis Method: 8260C Date Collected: 04/30/2015 11:50  
Sample wt/vol: 5.0009(g) Date Analyzed: 05/12/2015 13:47  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 78.5 Level: (low/med) Low  
Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND	UJ	23	2.3
79-34-5	1,1,2,2-Tetrachloroethane	ND		23	3.3
79-00-5	1,1,2-Trichloroethane	ND		23	3.9
75-34-3	1,1-Dichloroethane	ND		23	2.7
75-35-4	1,1-Dichloroethene	ND		23	3.9
95-50-1	1,2-Dichlorobenzene	ND		23	3.7
107-06-2	1,2-Dichloroethane	ND		23	2.8
78-87-5	1,2-Dichloropropane	ND		23	2.5
541-73-1	1,3-Dichlorobenzene	ND		23	3.0
106-46-7	1,4-Dichlorobenzene	ND		23	3.0
110-75-8	2-Chloroethyl vinyl ether	ND		46	3.6
107-02-8	Acrolein	ND		460	33
107-13-1	Acrylonitrile	ND		460	48
71-43-2	Benzene	ND		23	3.1
75-25-2	Bromoform	ND		23	2.1
74-83-9	Bromomethane	ND		23	3.4
56-23-5	Carbon tetrachloride	ND		23	2.1
108-90-7	Chlorobenzene	ND		23	3.5
67-66-3	Chloroform	ND		23	2.7
74-87-3	Chloromethane	ND		23	4.0
124-48-1	Chlorodibromomethane	ND		23	3.3
10061-01-5	cis-1,3-Dichloropropene	ND		23	3.1
75-27-4	Dichlorobromomethane	ND		23	2.6
100-41-4	Ethylbenzene	ND		23	3.0
75-09-2	Methylene Chloride	23 17	UBUJ	23	3.1
127-18-4	Tetrachloroethene	ND	UJ	23	3.2
108-88-3	Toluene	ND		23	3.4
156-60-5	trans-1,2-Dichloroethene	ND		23	2.8
10061-02-6	trans-1,3-Dichloropropene	ND		23	2.8
79-01-6	Trichloroethene	ND		23	3.1
75-01-4	Vinyl chloride	ND		23	2.2
75-00-3	Chloroethane	ND		23	7.2

7

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H06-0002 Lab Sample ID: 180-43699-7  
Matrix: Sediment Lab File ID: 3051219.D  
Analysis Method: 8260C Date Collected: 04/30/2015 11:50  
Sample wt/vol: 5.0009(g) Date Analyzed: 05/12/2015 13:47  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 78.5 Level: (low/med) Low  
Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	94		52-124
460-00-4	4-Bromofluorobenzene (Surr)	86		63-120
1868-53-7	Dibromofluoromethane (Surr)	101		68-121
2037-26-5	Toluene-d8 (Surr)	107		72-127

8

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H06-0002-FD Lab Sample ID: 180-43699-8

Matrix: Sediment Lab File ID: 3051220.D

Analysis Method: 8260C Date Collected: 04/30/2015 12:10

Sample wt/vol: 5.0006(g) Date Analyzed: 05/12/2015 14:09

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)

% Moisture: 79.0 Level: (low/med) Low

Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND	UJ	24	2.3
79-34-5	1,1,2,2-Tetrachloroethane	ND		24	3.4
79-00-5	1,1,2-Trichloroethane	ND		24	4.0
75-34-3	1,1-Dichloroethane	ND		24	2.7
75-35-4	1,1-Dichloroethene	ND		24	4.0
95-50-1	1,2-Dichlorobenzene	ND		24	3.8
107-06-2	1,2-Dichloroethane	ND		24	2.9
78-87-5	1,2-Dichloropropane	ND		24	2.6
541-73-1	1,3-Dichlorobenzene	ND		24	3.1
106-46-7	1,4-Dichlorobenzene	ND		24	3.0
110-75-8	2-Chloroethyl vinyl ether	ND		48	3.7
107-02-8	Acrolein	ND		480	34
107-13-1	Acrylonitrile	ND		480	49
71-43-2	Benzene	ND		24	3.2
75-25-2	Bromoform	ND		24	2.1
74-83-9	Bromomethane	ND		24	3.5
56-23-5	Carbon tetrachloride	ND		24	2.1
108-90-7	Chlorobenzene	ND		24	3.6
67-66-3	Chloroform	ND		24	2.8
74-87-3	Chloromethane	ND		24	4.1
124-48-1	Chlorodibromomethane	ND		24	3.4
10061-01-5	cis-1,3-Dichloropropene	ND		24	3.2
75-27-4	Dichlorobromomethane	ND		24	2.7
100-41-4	Ethylbenzene	ND		24	3.1
75-09-2	Methylene Chloride	24 18	JB UJ	24	3.2
127-18-4	Tetrachloroethene	ND	UJ	24	3.2
108-88-3	Toluene	ND		24	3.5
156-60-5	trans-1,2-Dichloroethene	ND		24	2.8
10061-02-6	trans-1,3-Dichloropropene	ND		24	2.9
79-01-6	Trichloroethene	ND		24	3.1
75-01-4	Vinyl chloride	ND		24	2.2
75-00-3	Chloroethane	ND		24	7.4

8

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H06-0002-FD Lab Sample ID: 180-43699-8  
Matrix: Sediment Lab File ID: 3051220.D  
Analysis Method: 8260C Date Collected: 04/30/2015 12:10  
Sample wt/vol: 5.0006(g) Date Analyzed: 05/12/2015 14:09  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 79.0 Level: (low/med) Low  
Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	99		52-124
460-00-4	4-Bromofluorobenzene (Surr)	90		63-120
1868-53-7	Dibromofluoromethane (Surr)	109		68-121
2037-26-5	Toluene-d8 (Surr)	108		72-127

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H06-0204 Lab Sample ID: 180-43699-9  
 Matrix: Sediment Lab File ID: 3050804.D  
 Analysis Method: 8260C Date Collected: 04/30/2015 11:55  
 Sample wt/vol: 5.0002(g) Date Analyzed: 05/08/2015 08:02  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 75.5 Level: (low/med) Low  
 Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND	<del>FI</del> UJ	20	2.0
79-34-5	1,1,2,2-Tetrachloroethane	ND	UJ	20	2.9
79-00-5	1,1,2-Trichloroethane	ND		20	3.4
75-34-3	1,1-Dichloroethane	ND		20	2.3
75-35-4	1,1-Dichloroethene	ND		20	3.5
95-50-1	1,2-Dichlorobenzene	ND		20	3.3
107-06-2	1,2-Dichloroethane	ND		20	2.5
78-87-5	1,2-Dichloropropane	ND		20	2.2
541-73-1	1,3-Dichlorobenzene	ND		20	2.7
106-46-7	1,4-Dichlorobenzene	ND		20	2.6
110-75-8	2-Chloroethyl vinyl ether	ND		41	3.2
107-02-8	Acrolein	ND	<del>FI</del> UJ	410	29
107-13-1	Acrylonitrile	ND	UJ	410	42
71-43-2	Benzene	ND		20	2.8
75-25-2	Bromoform	ND		20	1.8
74-83-9	Bromomethane	ND		20	3.0
56-23-5	Carbon tetrachloride	ND	UJ	20	1.8
108-90-7	Chlorobenzene	ND		20	3.1
67-66-3	Chloroform	ND		20	2.4
74-87-3	Chloromethane	ND		20	3.5
124-48-1	Chlorodibromomethane	ND		20	2.9
10061-01-5	cis-1,3-Dichloropropene	ND		20	2.8
75-27-4	Dichlorobromomethane	ND		20	2.3
100-41-4	Ethylbenzene	ND		20	2.6
75-09-2	Methylene Chloride	20 15	<del>FI</del> UJ	20	2.7
127-18-4	Tetrachloroethene	ND	UJ	20	2.8
108-88-3	Toluene	ND	UJ	20	3.0
156-60-5	trans-1,2-Dichloroethene	ND	<del>FI</del> UJ	20	2.4
10061-02-6	trans-1,3-Dichloropropene	ND	UJ	20	2.4
79-01-6	Trichloroethene	ND		20	2.7
75-01-4	Vinyl chloride	ND		20	1.9
75-00-3	Chloroethane	ND		20	6.3

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H06-0204 Lab Sample ID: 180-43699-9  
Matrix: Sediment Lab File ID: 3050804.D  
Analysis Method: 8260C Date Collected: 04/30/2015 11:55  
Sample wt/vol: 5.0002(g) Date Analyzed: 05/08/2015 08:02  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 75.5 Level: (low/med) Low  
Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	96		52-124
460-00-4	4-Bromofluorobenzene (Surr)	88		63-120
1868-53-7	Dibromofluoromethane (Surr)	104		68-121
2037-26-5	Toluene-d8 (Surr)	111		72-127

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G02-0002 Lab Sample ID: 180-43699-10  
 Matrix: Sediment Lab File ID: 3051221.D  
 Analysis Method: 8260C Date Collected: 04/30/2015 13:30  
 Sample wt/vol: 5.0000(g) Date Analyzed: 05/12/2015 14:32  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 74.3 Level: (low/med) Low  
 Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND	uJ	19	1.9
79-34-5	1,1,2,2-Tetrachloroethane	ND	↓	19	2.8
79-00-5	1,1,2-Trichloroethane	ND	↓	19	3.2
75-34-3	1,1-Dichloroethane	ND	↓	19	2.2
75-35-4	1,1-Dichloroethene	ND	↓	19	3.3
95-50-1	1,2-Dichlorobenzene	180	J	19	3.1
107-06-2	1,2-Dichloroethane	ND	uJ	19	2.4
78-87-5	1,2-Dichloropropane	ND	↓	19	2.1
541-73-1	1,3-Dichlorobenzene	ND	↓	19	2.6
106-46-7	1,4-Dichlorobenzene	28	J	19	2.5
110-75-8	2-Chloroethyl vinyl ether	ND	uJ	39	3.0
107-02-8	Acrolein	ND	uJ	390	27
107-13-1	Acrylonitrile	ND	uJ	390	40
71-43-2	Benzene	12	J	19	2.6
75-25-2	Bromoform	ND	uJ	19	1.7
74-83-9	Bromomethane	ND	↓	19	2.9
56-23-5	Carbon tetrachloride	ND	↓	19	1.7
108-90-7	Chlorobenzene	45	J	19	2.9
67-66-3	Chloroform	ND	uJ	19	2.3
74-87-3	Chloromethane	ND	↓	19	3.3
124-48-1	Chlorodibromomethane	ND	↓	19	2.8
10061-01-5	cis-1,3-Dichloropropene	ND	↓	19	2.6
75-27-4	Dichlorobromomethane	ND	↓	19	2.2
100-41-4	Ethylbenzene	89	J	19	2.5
75-09-2	Methylene Chloride	19	<del>17</del> uJ	19	2.6
127-18-4	Tetrachloroethene	ND	uJ	19	2.6
108-88-3	Toluene	66	J	19	2.8
156-60-5	trans-1,2-Dichloroethene	ND	uJ	19	2.3
10061-02-6	trans-1,3-Dichloropropene	ND	↓	19	2.3
79-01-6	Trichloroethene	ND	↓	19	2.6
75-01-4	Vinyl chloride	ND	↓	19	1.8
75-00-3	Chloroethane	ND	↓	19	6.0

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-G02-0002 Lab Sample ID: 180-43699-10  
Matrix: Sediment Lab File ID: 3051221.D  
Analysis Method: 8260C Date Collected: 04/30/2015 13:30  
Sample wt/vol: 5.0000(g) Date Analyzed: 05/12/2015 14:32  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 74.3 Level: (low/med) Low  
Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	107		52-124
460-00-4	4-Bromofluorobenzene (Surr)	93		63-120
1868-53-7	Dibromofluoromethane (Surr)	112		68-121
2037-26-5	Toluene-d8 (Surr)	118		72-127



11

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G02-0406 Lab Sample ID: 180-43699-11

Matrix: Sediment Lab File ID: 3051222.D

Analysis Method: 8260C Date Collected: 04/30/2015 13:40

Sample wt/vol: 5.0019(g) Date Analyzed: 05/12/2015 14:54

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)

% Moisture: 69.2 Level: (low/med) Low

Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		16	1.6
79-34-5	1,1,2,2-Tetrachloroethane	ND		16	2.3
79-00-5	1,1,2-Trichloroethane	15	J	16	2.7
75-34-3	1,1-Dichloroethane	ND		16	1.9
75-35-4	1,1-Dichloroethene	ND		16	2.7
95-50-1	1,2-Dichlorobenzene	11	J	16	2.6
107-06-2	1,2-Dichloroethane	ND		16	2.0
78-87-5	1,2-Dichloropropane	ND		16	1.8
541-73-1	1,3-Dichlorobenzene	ND		16	2.1
106-46-7	1,4-Dichlorobenzene	ND		16	2.1
110-75-8	2-Chloroethyl vinyl ether	ND		32	2.5
107-02-8	Acrolein	ND		320	23
107-13-1	Acrylonitrile	ND		320	34
71-43-2	Benzene	16		16	2.2
75-25-2	Bromoform	ND		16	1.4
74-83-9	Bromomethane	ND		16	2.4
56-23-5	Carbon tetrachloride	ND		16	1.4
108-90-7	Chlorobenzene	ND		16	2.5
67-66-3	Chloroform	ND		16	1.9
74-87-3	Chloromethane	ND		16	2.8
124-48-1	Chlorodibromomethane	ND		16	2.3
10061-01-5	cis-1,3-Dichloropropene	ND		16	2.2
75-27-4	Dichlorobromomethane	ND		16	1.8
100-41-4	Ethylbenzene	14	J	16	2.1
75-09-2	Methylene Chloride	16 12 JBU		16	2.2
127-18-4	Tetrachloroethene	ND		16	2.2
108-88-3	Toluene	190		16	2.4
156-60-5	trans-1,2-Dichloroethene	ND		16	1.9
10061-02-6	trans-1,3-Dichloropropene	ND		16	1.9
79-01-6	Trichloroethene	ND		16	2.1
75-01-4	Vinyl chloride	ND		16	1.5
75-00-3	Chloroethane	ND		16	5.0

11

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-G02-0406 Lab Sample ID: 180-43699-11  
Matrix: Sediment Lab File ID: 3051222.D  
Analysis Method: 8260C Date Collected: 04/30/2015 13:40  
Sample wt/vol: 5.0019(g) Date Analyzed: 05/12/2015 14:54  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 69.2 Level: (low/med) Low  
Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	105		52-124
460-00-4	4-Bromofluorobenzene (Surr)	72		63-120
1868-53-7	Dibromofluoromethane (Surr)	107		68-121
2037-26-5	Toluene-d8 (Surr)	111		72-127

12

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-DE02-0002 Lab Sample ID: 180-43699-12

Matrix: Sediment Lab File ID: 3051223.D

Analysis Method: 8260C Date Collected: 04/30/2015 14:00

Sample wt/vol: 5.0016(g) Date Analyzed: 05/12/2015 15:17

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)

% Moisture: 80.6 Level: (low/med) Low

Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND	uJ	26	2.5
79-34-5	1,1,2,2-Tetrachloroethane	ND		26	3.7
79-00-5	1,1,2-Trichloroethane	ND		26	4.3
75-34-3	1,1-Dichloroethane	ND		26	3.0
75-35-4	1,1-Dichloroethene	ND		26	4.4
95-50-1	1,2-Dichlorobenzene	ND		26	4.1
107-06-2	1,2-Dichloroethane	ND		26	3.2
78-87-5	1,2-Dichloropropane	ND		26	2.8
541-73-1	1,3-Dichlorobenzene	ND		26	3.4
106-46-7	1,4-Dichlorobenzene	ND		26	3.3
110-75-8	2-Chloroethyl vinyl ether	ND		52	4.0
107-02-8	Acrolein	ND		520	36
107-13-1	Acrylonitrile	ND		520	54
71-43-2	Benzene	ND		26	3.5
75-25-2	Bromoform	ND		26	2.3
74-83-9	Bromomethane	ND		26	3.8
56-23-5	Carbon tetrachloride	ND		26	2.3
108-90-7	Chlorobenzene	ND		26	3.9
67-66-3	Chloroform	ND		26	3.0
74-87-3	Chloromethane	ND		26	4.4
124-48-1	Chlorodibromomethane	ND		26	3.7
10061-01-5	cis-1,3-Dichloropropene	ND		26	3.5
75-27-4	Dichlorobromomethane	ND		26	2.9
100-41-4	Ethylbenzene	ND		26	3.3
75-09-2	Methylene Chloride	26 14	uJ	26	3.5
127-18-4	Tetrachloroethene	ND	uJ	26	3.5
108-88-3	Toluene	ND		26	3.8
156-60-5	trans-1,2-Dichloroethene	ND		26	3.1
10061-02-6	trans-1,3-Dichloropropene	ND		26	3.1
79-01-6	Trichloroethene	ND		26	3.4
75-01-4	Vinyl chloride	ND		26	2.4
75-00-3	Chloroethane	ND		26	8.0

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-DE02-0002 Lab Sample ID: 180-43699-12  
 Matrix: Sediment Lab File ID: 3051223.D  
 Analysis Method: 8260C Date Collected: 04/30/2015 14:00  
 Sample wt/vol: 5.0016(g) Date Analyzed: 05/12/2015 15:17  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 80.6 Level: (low/med) Low  
 Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	95		52-124
460-00-4	4-Bromofluorobenzene (Surr)	89		63-120
1868-53-7	Dibromofluoromethane (Surr)	104		68-121
2037-26-5	Toluene-d8 (Surr)	108		72-127

13

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-DE02-0406 Lab Sample ID: 180-43699-13  
 Matrix: Sediment Lab File ID: 3051224.D  
 Analysis Method: 8260C Date Collected: 04/30/2015 14:10  
 Sample wt/vol: 5.0006(g) Date Analyzed: 05/12/2015 15:39  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 67.3 Level: (low/med) Low  
 Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		15	1.5
79-34-5	1,1,2,2-Tetrachloroethane	ND		15	2.2
79-00-5	1,1,2-Trichloroethane	ND		15	2.5
75-34-3	1,1-Dichloroethane	ND		15	1.8
75-35-4	1,1-Dichloroethene	ND		15	2.6
95-50-1	1,2-Dichlorobenzene	ND		15	2.4
107-06-2	1,2-Dichloroethane	ND		15	1.9
78-87-5	1,2-Dichloropropane	ND		15	1.7
541-73-1	1,3-Dichlorobenzene	ND		15	2.0
106-46-7	1,4-Dichlorobenzene	ND		15	1.9
110-75-8	2-Chloroethyl vinyl ether	ND		31	2.4
107-02-8	Acrolein	ND		310	22
107-13-1	Acrylonitrile	ND		310	32
71-43-2	Benzene	ND		15	2.1
75-25-2	Bromoform	ND		15	1.4
74-83-9	Bromomethane	ND		15	2.3
56-23-5	Carbon tetrachloride	ND		15	1.4
108-90-7	Chlorobenzene	ND		15	2.3
67-66-3	Chloroform	ND		15	1.8
74-87-3	Chloromethane	ND		15	2.6
124-48-1	Chlorodibromomethane	ND		15	2.2
10061-01-5	cis-1,3-Dichloropropene	ND		15	2.1
75-27-4	Dichlorobromomethane	ND		15	1.7
100-41-4	Ethylbenzene	ND		15	2.0
75-09-2	Methylene Chloride	15 6.1 7.4		15	2.1
127-18-4	Tetrachloroethene	ND		15	2.1
108-88-3	Toluene	ND		15	2.2
156-60-5	trans-1,2-Dichloroethene	ND		15	1.8
10061-02-6	trans-1,3-Dichloropropene	ND		15	1.8
79-01-6	Trichloroethene	ND		15	2.0
75-01-4	Vinyl chloride	ND		15	1.4
75-00-3	Chloroethane	ND		15	4.7

(3)

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-DE02-0406 Lab Sample ID: 180-43699-13  
Matrix: Sediment Lab File ID: 3051224.D  
Analysis Method: 8260C Date Collected: 04/30/2015 14:10  
Sample wt/vol: 5.0006(g) Date Analyzed: 05/12/2015 15:39  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 67.3 Level: (low/med) Low  
Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	99		52-124
460-00-4	4-Bromofluorobenzene (Surr)	93		63-120
1868-53-7	Dibromofluoromethane (Surr)	107		68-121
2037-26-5	Toluene-d8 (Surr)	108		72-127

14

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H07-0002 Lab Sample ID: 180-43699-14  
Matrix: Sediment Lab File ID: 3051225.D  
Analysis Method: 8260C Date Collected: 04/30/2015 14:30  
Sample wt/vol: 5.0008(g) Date Analyzed: 05/12/2015 16:02  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 70.2 Level: (low/med) Low  
Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND	UJ	17	1.6
79-34-5	1,1,2,2-Tetrachloroethane	ND		17	2.4
79-00-5	1,1,2-Trichloroethane	ND		17	2.8
75-34-3	1,1-Dichloroethane	ND		17	1.9
75-35-4	1,1-Dichloroethene	ND		17	2.8
95-50-1	1,2-Dichlorobenzene	ND		17	2.7
107-06-2	1,2-Dichloroethane	ND		17	2.1
78-87-5	1,2-Dichloropropane	ND		17	1.8
541-73-1	1,3-Dichlorobenzene	ND		17	2.2
106-46-7	1,4-Dichlorobenzene	ND		17	2.1
110-75-8	2-Chloroethyl vinyl ether	ND		34	2.6
107-02-8	Acrolein	ND		340	24
107-13-1	Acrylonitrile	ND		340	35
71-43-2	Benzene	ND		17	2.3
75-25-2	Bromoform	ND		17	1.5
74-83-9	Bromomethane	ND		17	2.5
56-23-5	Carbon tetrachloride	ND		17	1.5
108-90-7	Chlorobenzene	ND		17	2.5
67-66-3	Chloroform	ND		17	2.0
74-87-3	Chloromethane	ND		17	2.9
124-48-1	Chlorodibromomethane	ND		17	2.4
10061-01-5	cis-1,3-Dichloropropene	ND		17	2.3
75-27-4	Dichlorobromomethane	ND		17	1.9
100-41-4	Ethylbenzene	ND		17	2.2
75-09-2	Methylene Chloride	17 8-2	UJ	17	2.3
127-18-4	Tetrachloroethene	ND	UJ	17	2.3
108-88-3	Toluene	ND		17	2.4
156-60-5	trans-1,2-Dichloroethene	ND		17	2.0
10061-02-6	trans-1,3-Dichloropropene	ND		17	2.0
79-01-6	Trichloroethene	ND		17	2.2
75-01-4	Vinyl chloride	ND		17	1.6
75-00-3	Chloroethane	ND		17	5.2

14

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H07-0002 Lab Sample ID: 180-43699-14  
 Matrix: Sediment Lab File ID: 3051225.D  
 Analysis Method: 8260C Date Collected: 04/30/2015 14:30  
 Sample wt/vol: 5.0008(g) Date Analyzed: 05/12/2015 16:02  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 70.2 Level: (low/med) Low  
 Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	95		52-124
460-00-4	4-Bromofluorobenzene (Surr)	91		63-120
1868-53-7	Dibromofluoromethane (Surr)	106		68-121
2037-26-5	Toluene-d8 (Surr)	103		72-127



FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H07-0002-FD Lab Sample ID: 180-43699-15  
 Matrix: Sediment Lab File ID: 3051226.D  
 Analysis Method: 8260C Date Collected: 04/30/2015 14:30  
 Sample wt/vol: 5.0009(g) Date Analyzed: 05/12/2015 16:24  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18(mm)  
 % Moisture: 69.3 Level: (low/med) Low  
 Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		16	1.6
79-34-5	1,1,2,2-Tetrachloroethane	ND		16	2.3
79-00-5	1,1,2-Trichloroethane	ND		16	2.7
75-34-3	1,1-Dichloroethane	ND		16	1.9
75-35-4	1,1-Dichloroethene	ND		16	2.8
95-50-1	1,2-Dichlorobenzene	ND		16	2.6
107-06-2	1,2-Dichloroethane	ND		16	2.0
78-87-5	1,2-Dichloropropane	ND		16	1.8
541-73-1	1,3-Dichlorobenzene	ND		16	2.1
106-46-7	1,4-Dichlorobenzene	ND		16	2.1
110-75-8	2-Chloroethyl vinyl ether	ND		33	2.5
107-02-8	Acrolein	ND		330	23
107-13-1	Acrylonitrile	ND		330	34
71-43-2	Benzene	ND		16	2.2
75-25-2	Bromoform	ND		16	1.4
74-83-9	Bromomethane	ND		16	2.4
56-23-5	Carbon tetrachloride	ND		16	1.5
108-90-7	Chlorobenzene	ND		16	2.5
67-66-3	Chloroform	ND		16	1.9
74-87-3	Chloromethane	ND		16	2.8
124-48-1	Chlorodibromomethane	ND		16	2.3
10061-01-5	cis-1,3-Dichloropropene	ND		16	2.2
75-27-4	Dichlorobromomethane	ND		16	1.8
100-41-4	Ethylbenzene	ND		16	2.1
75-09-2	Methylene Chloride	16 63 <del>16</del> <del>63</del> <del>16</del> <del>63</del>		16	2.2
127-18-4	Tetrachloroethene	ND		16	2.2
108-88-3	Toluene	ND		16	2.4
156-60-5	trans-1,2-Dichloroethene	ND		16	1.9
10061-02-6	trans-1,3-Dichloropropene	ND		16	1.9
79-01-6	Trichloroethene	ND		16	2.1
75-01-4	Vinyl chloride	ND		16	1.5
75-00-3	Chloroethane	ND		16	5.1

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H07-0002-FD Lab Sample ID: 180-43699-15  
Matrix: Sediment Lab File ID: 3051226.D  
Analysis Method: 8260C Date Collected: 04/30/2015 14:30  
Sample wt/vol: 5.0009(g) Date Analyzed: 05/12/2015 16:24  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 69.3 Level: (low/med) Low  
Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	97		52-124
460-00-4	4-Bromofluorobenzene (Surr)	89		63-120
1868-53-7	Dibromofluoromethane (Surr)	102		68-121
2037-26-5	Toluene-d8 (Surr)	106		72-127

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H07-0406 Lab Sample ID: 180-43699-16  
 Matrix: Sediment Lab File ID: 3050706.D  
 Analysis Method: 8260C Date Collected: 04/30/2015 14:40  
 Sample wt/vol: 5.0005(g) Date Analyzed: 05/07/2015 08:41  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 53.4 Level: (low/med) Low  
 Analysis Batch No.: 140811 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND <del>FI</del> <u>UJ</u>		11	1.0
79-34-5	1,1,2,2-Tetrachloroethane	ND		11	1.5
79-00-5	1,1,2-Trichloroethane	ND		11	1.8
75-34-3	1,1-Dichloroethane	ND		11	1.2
75-35-4	1,1-Dichloroethene	ND		11	1.8
95-50-1	1,2-Dichlorobenzene	ND		11	1.7
107-06-2	1,2-Dichloroethane	ND		11	1.3
78-87-5	1,2-Dichloropropane	ND		11	1.2
541-73-1	1,3-Dichlorobenzene	ND		11	1.4
106-46-7	1,4-Dichlorobenzene	ND		11	1.4
110-75-8	2-Chloroethyl vinyl ether	ND		21	1.7
107-02-8	Acrolein	ND		210	15
107-13-1	Acrylonitrile	ND		210	22
71-43-2	Benzene	ND		11	1.4
75-25-2	Bromoform	ND		11	0.95
74-83-9	Bromomethane	ND		11	1.6
56-23-5	Carbon tetrachloride	ND		11	0.96
108-90-7	Chlorobenzene	ND		11	1.6
67-66-3	Chloroform	ND		11	1.3
74-87-3	Chloromethane	ND		11	1.8
124-48-1	Chlorodibromomethane	ND		11	1.5
10061-01-5	cis-1,3-Dichloropropene	ND		11	1.5
75-27-4	Dichlorobromomethane	ND		11	1.2
100-41-4	Ethylbenzene	ND		11	1.4
75-09-2	Methylene Chloride	ND <del>FI</del> <u>UJ</u>		11	1.4
127-18-4	Tetrachloroethene	ND		11	1.5
108-88-3	Toluene	ND		11	1.6
156-60-5	trans-1,2-Dichloroethene	ND		11	1.3
10061-02-6	trans-1,3-Dichloropropene	ND		11	1.3
79-01-6	Trichloroethene	ND		11	1.4
75-01-4	Vinyl chloride	ND		11	1.0
75-00-3	Chloroethane	ND		11	3.3

16

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H07-0406 Lab Sample ID: 180-43699-16  
Matrix: Sediment Lab File ID: 3050706.D  
Analysis Method: 8260C Date Collected: 04/30/2015 14:40  
Sample wt/vol: 5.0005(g) Date Analyzed: 05/07/2015 08:41  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 53.4 Level: (low/med) Low  
Analysis Batch No.: 140811 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	94		52-124
460-00-4	4-Bromofluorobenzene (Surr)	97		63-120
1868-53-7	Dibromofluoromethane (Surr)	104		68-121
2037-26-5	Toluene-d8 (Surr)	112		72-127

17

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G06-0002 Lab Sample ID: 180-43699-17

Matrix: Sediment Lab File ID: 3051227.D

Analysis Method: 8260C Date Collected: 04/30/2015 15:00

Sample wt/vol: 5.0006(g) Date Analyzed: 05/12/2015 16:47

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)

% Moisture: 66.8 Level: (low/med) Low

Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		15	1.5
79-34-5	1,1,2,2-Tetrachloroethane	ND		15	2.2
79-00-5	1,1,2-Trichloroethane	ND		15	2.5
75-34-3	1,1-Dichloroethane	ND		15	1.7
75-35-4	1,1-Dichloroethene	ND		15	2.6
95-50-1	1,2-Dichlorobenzene	ND		15	2.4
107-06-2	1,2-Dichloroethane	ND		15	1.8
78-87-5	1,2-Dichloropropane	ND		15	1.6
541-73-1	1,3-Dichlorobenzene	ND		15	2.0
106-46-7	1,4-Dichlorobenzene	ND		15	1.9
110-75-8	2-Chloroethyl vinyl ether	ND		30	2.3
107-02-8	Acrolein	ND		300	21
107-13-1	Acrylonitrile	ND		300	31
71-43-2	Benzene	ND		15	2.0
75-25-2	Bromoform	ND		15	1.3
74-83-9	Bromomethane	ND		15	2.2
56-23-5	Carbon tetrachloride	ND		15	1.3
108-90-7	Chlorobenzene	ND		15	2.3
67-66-3	Chloroform	ND		15	1.8
74-87-3	Chloromethane	ND		15	2.6
124-48-1	Chlorodibromomethane	ND		15	2.1
10061-01-5	cis-1,3-Dichloropropene	ND		15	2.0
75-27-4	Dichlorobromomethane	ND		15	1.7
100-41-4	Ethylbenzene	ND		15	1.9
75-09-2	Methylene Chloride	15 <del>7.5</del> <del>1.5</del>		15	2.0
127-18-4	Tetrachloroethene	ND		15	2.1
108-88-3	Toluene	ND		15	2.2
156-60-5	trans-1,2-Dichloroethene	ND		15	1.8
10061-02-6	trans-1,3-Dichloropropene	ND		15	1.8
79-01-6	Trichloroethene	ND		15	2.0
75-01-4	Vinyl chloride	ND		15	1.4
75-00-3	Chloroethane	ND		15	4.7

(7)

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-G06-0002 Lab Sample ID: 180-43699-17  
Matrix: Sediment Lab File ID: 3051227.D  
Analysis Method: 8260C Date Collected: 04/30/2015 15:00  
Sample wt/vol: 5.0006(g) Date Analyzed: 05/12/2015 16:47  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18(mm)  
% Moisture: 66.8 Level: (low/med) Low  
Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	95		52-124
460-00-4	4-Bromofluorobenzene (Surr)	90		63-120
1868-53-7	Dibromofluoromethane (Surr)	102		68-121
2037-26-5	Toluene-d8 (Surr)	103		72-127

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-G06-0406 Lab Sample ID: 180-43699-18  
Matrix: Sediment Lab File ID: 3051228.D  
Analysis Method: 8260C Date Collected: 04/30/2015 15:10  
Sample wt/vol: 5.0001(g) Date Analyzed: 05/12/2015 17:10  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 54.1 Level: (low/med) Low  
Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		11	1.1
79-34-5	1,1,2,2-Tetrachloroethane	ND		11	1.6
79-00-5	1,1,2-Trichloroethane	ND		11	1.8
75-34-3	1,1-Dichloroethane	ND		11	1.3
75-35-4	1,1-Dichloroethene	ND		11	1.8
95-50-1	1,2-Dichlorobenzene	ND		11	1.7
107-06-2	1,2-Dichloroethane	ND		11	1.3
78-87-5	1,2-Dichloropropane	ND		11	1.2
541-73-1	1,3-Dichlorobenzene	ND		11	1.4
106-46-7	1,4-Dichlorobenzene	ND		11	1.4
110-75-8	2-Chloroethyl vinyl ether	ND		22	1.7
107-02-8	Acrolein	ND		220	15
107-13-1	Acrylonitrile	ND		220	23
71-43-2	Benzene	ND		11	1.5
75-25-2	Bromoform	ND		11	0.96
74-83-9	Bromomethane	ND		11	1.6
56-23-5	Carbon tetrachloride	ND		11	0.97
108-90-7	Chlorobenzene	ND		11	1.6
67-66-3	Chloroform	ND		11	1.3
74-87-3	Chloromethane	ND		11	1.9
124-48-1	Chlorodibromomethane	ND		11	1.5
10061-01-5	cis-1,3-Dichloropropene	ND		11	1.5
75-27-4	Dichlorobromomethane	ND		11	1.2
100-41-4	Ethylbenzene	ND		11	1.4
75-09-2	Methylene Chloride	5.1 JBU		11	1.5
127-18-4	Tetrachloroethene	ND		11	1.5
108-88-3	Toluene	ND		11	1.6
156-60-5	trans-1,2-Dichloroethene	ND		11	1.3
10061-02-6	trans-1,3-Dichloropropene	ND		11	1.3
79-01-6	Trichloroethene	ND		11	1.4
75-01-4	Vinyl chloride	ND		11	1.0
75-00-3	Chloroethane	ND		11	3.4

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G06-0406 Lab Sample ID: 180-43699-18  
 Matrix: Sediment Lab File ID: 3051228.D  
 Analysis Method: 8260C Date Collected: 04/30/2015 15:10  
 Sample wt/vol: 5.0001(g) Date Analyzed: 05/12/2015 17:10  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 54.1 Level: (low/med) Low  
 Analysis Batch No.: 141219 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	96		52-124
460-00-4	4-Bromofluorobenzene (Surr)	95		63-120
1868-53-7	Dibromofluoromethane (Surr)	102		68-121
2037-26-5	Toluene-d8 (Surr)	104		72-127



FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-I03-0002 Lab Sample ID: 180-43699-19  
 Matrix: Sediment Lab File ID: 3051310.D  
 Analysis Method: 8260C Date Collected: 04/30/2015 15:35  
 Sample wt/vol: 5.0006(g) Date Analyzed: 05/13/2015 09:56  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18(mm)  
 % Moisture: 66.3 Level: (low/med) Low  
 Analysis Batch No.: 141363 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		15	1.4
79-34-5	1,1,2,2-Tetrachloroethane	ND		15	2.1
79-00-5	1,1,2-Trichloroethane	ND		15	2.5
75-34-3	1,1-Dichloroethane	ND		15	1.7
75-35-4	1,1-Dichloroethene	ND		15	2.5
95-50-1	1,2-Dichlorobenzene	ND		15	2.4
107-06-2	1,2-Dichloroethane	ND		15	1.8
78-87-5	1,2-Dichloropropane	ND		15	1.6
541-73-1	1,3-Dichlorobenzene	ND		15	1.9
106-46-7	1,4-Dichlorobenzene	ND		15	1.9
110-75-8	2-Chloroethyl vinyl ether	ND		30	2.3
107-02-8	Acrolein	ND		300	21
107-13-1	Acrylonitrile	ND		300	31
71-43-2	Benzene	ND		15	2.0
75-25-2	Bromoform	ND		15	1.3
74-83-9	Bromomethane	ND		15	2.2
56-23-5	Carbon tetrachloride	ND		15	1.3
108-90-7	Chlorobenzene	ND		15	2.2
67-66-3	Chloroform	ND		15	1.7
74-87-3	Chloromethane	ND		15	2.5
124-48-1	Chlorodibromomethane	ND		15	2.1
10061-01-5	cis-1,3-Dichloropropene	ND		15	2.0
75-27-4	Dichlorobromomethane	ND		15	1.7
100-41-4	Ethylbenzene	ND		15	1.9
75-09-2	Methylene Chloride	15 4.9 <del>ND</del> u		15	2.0
127-18-4	Tetrachloroethene	ND		15	2.0
108-88-3	Toluene	ND		15	2.2
156-60-5	trans-1,2-Dichloroethene	ND		15	1.8
10061-02-6	trans-1,3-Dichloropropene	ND		15	1.8
79-01-6	Trichloroethene	ND		15	1.9
75-01-4	Vinyl chloride	ND		15	1.4
75-00-3	Chloroethane	ND		15	4.6

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-I03-0002 Lab Sample ID: 180-43699-19  
Matrix: Sediment Lab File ID: 3051310.D  
Analysis Method: 8260C Date Collected: 04/30/2015 15:35  
Sample wt/vol: 5.0006(g) Date Analyzed: 05/13/2015 09:56  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 66.3 Level: (low/med) Low  
Analysis Batch No.: 141363 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	94		52-124
460-00-4	4-Bromofluorobenzene (Surr)	92		63-120
1868-53-7	Dibromofluoromethane (Surr)	104		68-121
2037-26-5	Toluene-d8 (Surr)	101		72-127

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-I03-0204 Lab Sample ID: 180-43699-20

Matrix: Sediment Lab File ID: 3050827.D

Analysis Method: 8260C Date Collected: 04/30/2015 15:40

Sample wt/vol: 5.0006(g) Date Analyzed: 05/08/2015 16:52

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18(mm)

% Moisture: 57.3 Level: (low/med) Low

Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	<del>ND</del> <u>4J</u>		12	1.1
79-34-5	1,1,2,2-Tetrachloroethane	ND		12	1.7
79-00-5	1,1,2-Trichloroethane	ND		12	1.9
75-34-3	1,1-Dichloroethane	ND		12	1.3
75-35-4	1,1-Dichloroethene	ND		12	2.0
95-50-1	1,2-Dichlorobenzene	ND		12	1.9
107-06-2	1,2-Dichloroethane	ND		12	1.4
78-87-5	1,2-Dichloropropane	ND		12	1.3
541-73-1	1,3-Dichlorobenzene	ND		12	1.5
106-46-7	1,4-Dichlorobenzene	ND		12	1.5
110-75-8	2-Chloroethyl vinyl ether	ND		23	1.8
107-02-8	Acrolein	<del>ND</del> <u>4J</u>		230	17
107-13-1	Acrylonitrile	ND		230	24
71-43-2	Benzene	ND		12	1.6
75-25-2	Bromoform	ND		12	1.0
74-83-9	Bromomethane	ND		12	1.7
56-23-5	Carbon tetrachloride	<del>ND</del> <u>4J</u>		12	1.0
108-90-7	Chlorobenzene	ND		12	1.8
67-66-3	Chloroform	ND		12	1.4
74-87-3	Chloromethane	ND		12	2.0
124-48-1	Chlorodibromomethane	ND		12	1.7
10061-01-5	cis-1,3-Dichloropropene	ND		12	1.6
75-27-4	Dichlorobromomethane	ND		12	1.3
100-41-4	Ethylbenzene	ND		12	1.5
75-09-2	Methylene Chloride	<u>12 4.5</u> <u>JBH</u>		12	1.6
127-18-4	Tetrachloroethene	ND		12	1.6
108-88-3	Toluene	ND		12	1.7
156-60-5	trans-1,2-Dichloroethene	ND		12	1.4
10061-02-6	trans-1,3-Dichloropropene	ND		12	1.4
79-01-6	Trichloroethene	ND		12	1.5
75-01-4	Vinyl chloride	ND		12	1.1
75-00-3	Chloroethane	ND		12	3.6

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-I03-0204 Lab Sample ID: 180-43699-20  
Matrix: Sediment Lab File ID: 3050827.D  
Analysis Method: 8260C Date Collected: 04/30/2015 15:40  
Sample wt/vol: 5.0006(g) Date Analyzed: 05/08/2015 16:52  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 57.3 Level: (low/med) Low  
Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	92		52-124
460-00-4	4-Bromofluorobenzene (Surr)	91		63-120
1868-53-7	Dibromofluoromethane (Surr)	101		68-121
2037-26-5	Toluene-d8 (Surr)	103		72-127

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-I03-0406 Lab Sample ID: 180-43699-21  
 Matrix: Sediment Lab File ID: 3050826.D  
 Analysis Method: 8260C Date Collected: 04/30/2015 15:45  
 Sample wt/vol: 5.0007(g) Date Analyzed: 05/08/2015 16:30  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18(mm)  
 % Moisture: 57.6 Level: (low/med) Low  
 Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND	UJ	12	1.1
79-34-5	1,1,2,2-Tetrachloroethane	ND		12	1.7
79-00-5	1,1,2-Trichloroethane	ND		12	2.0
75-34-3	1,1-Dichloroethane	ND		12	1.4
75-35-4	1,1-Dichloroethene	ND		12	2.0
95-50-1	1,2-Dichlorobenzene	ND		12	1.9
107-06-2	1,2-Dichloroethane	ND		12	1.4
78-87-5	1,2-Dichloropropane	ND		12	1.3
541-73-1	1,3-Dichlorobenzene	ND		12	1.5
106-46-7	1,4-Dichlorobenzene	ND		12	1.5
110-75-8	2-Chloroethyl vinyl ether	ND		24	1.8
107-02-8	Acrolein	ND	UJ	240	17
107-13-1	Acrylonitrile	ND		240	24
71-43-2	Benzene	ND		12	1.6
75-25-2	Bromoform	ND		12	1.0
74-83-9	Bromomethane	ND		12	1.7
56-23-5	Carbon tetrachloride	ND	UJ	12	1.1
108-90-7	Chlorobenzene	ND		12	1.8
67-66-3	Chloroform	ND		12	1.4
74-87-3	Chloromethane	ND		12	2.0
124-48-1	Chlorodibromomethane	ND		12	1.7
10061-01-5	cis-1,3-Dichloropropene	ND		12	1.6
75-27-4	Dichlorobromomethane	ND		12	1.3
100-41-4	Ethylbenzene	ND		12	1.5
75-09-2	Methylene Chloride	12 6+ JBU		12	1.6
127-18-4	Tetrachloroethene	ND		12	1.6
108-88-3	Toluene	ND		12	1.7
156-60-5	trans-1,2-Dichloroethene	ND		12	1.4
10061-02-6	trans-1,3-Dichloropropene	ND		12	1.4
79-01-6	Trichloroethene	ND		12	1.6
75-01-4	Vinyl chloride	ND		12	1.1
75-00-3	Chloroethane	ND		12	3.7

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-I03-0406 Lab Sample ID: 180-43699-21  
Matrix: Sediment Lab File ID: 3050826.D  
Analysis Method: 8260C Date Collected: 04/30/2015 15:45  
Sample wt/vol: 5.0007(g) Date Analyzed: 05/08/2015 16:30  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 57.6 Level: (low/med) Low  
Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	95		52-124
460-00-4	4-Bromofluorobenzene (Surr)	91		63-120
1868-53-7	Dibromofluoromethane (Surr)	101		68-121
2037-26-5	Toluene-d8 (Surr)	108		72-127

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-E03-0002 Lab Sample ID: 180-43699-22  
 Matrix: Sediment Lab File ID: 3050825.D  
 Analysis Method: 8260C Date Collected: 04/30/2015 16:15  
 Sample wt/vol: 5.0008(g) Date Analyzed: 05/08/2015 16:08  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 79.8 Level: (low/med) Low  
 Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND	uJ	25	2.4
79-34-5	1,1,2,2-Tetrachloroethane	ND		25	3.6
79-00-5	1,1,2-Trichloroethane	ND		25	4.1
75-34-3	1,1-Dichloroethane	ND		25	2.9
75-35-4	1,1-Dichloroethene	ND		25	4.2
95-50-1	1,2-Dichlorobenzene	ND		25	4.0
107-06-2	1,2-Dichloroethane	ND		25	3.0
78-87-5	1,2-Dichloropropane	ND		25	2.7
541-73-1	1,3-Dichlorobenzene	ND		25	3.3
106-46-7	1,4-Dichlorobenzene	ND		25	3.2
110-75-8	2-Chloroethyl vinyl ether	ND		50	3.8
107-02-8	Acrolein	ND	uJ	500	35
107-13-1	Acrylonitrile	ND		500	51
71-43-2	Benzene	ND		25	3.3
75-25-2	Bromoform	ND		25	2.2
74-83-9	Bromomethane	ND		25	3.7
56-23-5	Carbon tetrachloride	ND	uJ	25	2.2
108-90-7	Chlorobenzene	ND		25	3.8
67-66-3	Chloroform	ND		25	2.9
74-87-3	Chloromethane	ND		25	4.2
124-48-1	Chlorodibromomethane	ND		25	3.5
10061-01-5	cis-1,3-Dichloropropene	ND		25	3.4
75-27-4	Dichlorobromomethane	ND		25	2.8
100-41-4	Ethylbenzene	ND		25	3.2
75-09-2	Methylene Chloride	25 12	uJ	25	3.3
127-18-4	Tetrachloroethene	ND	uJ	25	3.4
108-88-3	Toluene	ND		25	3.6
156-60-5	trans-1,2-Dichloroethene	ND		25	3.0
10061-02-6	trans-1,3-Dichloropropene	ND		25	3.0
79-01-6	Trichloroethene	ND		25	3.3
75-01-4	Vinyl chloride	ND		25	2.3
75-00-3	Chloroethane	ND		25	7.7

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-E03-0002 Lab Sample ID: 180-43699-22  
Matrix: Sediment Lab File ID: 3050825.D  
Analysis Method: 8260C Date Collected: 04/30/2015 16:15  
Sample wt/vol: 5.0008(g) Date Analyzed: 05/08/2015 16:08  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 79.8 Level: (low/med) Low  
Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	100		52-124
460-00-4	4-Bromofluorobenzene (Surr)	97		63-120
1868-53-7	Dibromofluoromethane (Surr)	111		68-121
2037-26-5	Toluene-d8 (Surr)	108		72-127



23

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-E03-0204 Lab Sample ID: 180-43699-23

Matrix: Sediment Lab File ID: 3050824.D

Analysis Method: 8260C Date Collected: 04/30/2015 16:20

Sample wt/vol: 5.0009(g) Date Analyzed: 05/08/2015 15:46

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)

% Moisture: 68.0 Level: (low/med) Low

Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	<del>ND</del> <u>uJ</u>		16	1.5
79-34-5	1,1,2,2-Tetrachloroethane	ND		16	2.2
79-00-5	1,1,2-Trichloroethane	ND		16	2.6
75-34-3	1,1-Dichloroethane	ND		16	1.8
75-35-4	1,1-Dichloroethene	ND		16	2.6
95-50-1	1,2-Dichlorobenzene	ND		16	2.5
107-06-2	1,2-Dichloroethane	ND		16	1.9
78-87-5	1,2-Dichloropropane	ND		16	1.7
541-73-1	1,3-Dichlorobenzene	ND		16	2.0
106-46-7	1,4-Dichlorobenzene	ND		16	2.0
110-75-8	2-Chloroethyl vinyl ether	ND		31	2.4
107-02-8	Acrolein	<del>ND</del> <u>uJ</u>		310	22
107-13-1	Acrylonitrile	ND		310	32
71-43-2	Benzene	ND		16	2.1
75-25-2	Bromoform	ND		16	1.4
74-83-9	Bromomethane	ND		16	2.3
56-23-5	Carbon tetrachloride	<del>ND</del> <u>uJ</u>		16	1.4
108-90-7	Chlorobenzene	ND		16	2.4
67-66-3	Chloroform	ND		16	1.8
74-87-3	Chloromethane	ND		16	2.7
124-48-1	Chlorodibromomethane	ND		16	2.2
10061-01-5	cis-1,3-Dichloropropene	ND		16	2.1
75-27-4	Dichlorobromomethane	ND		16	1.8
100-41-4	Ethylbenzene	ND		16	2.0
75-09-2	Methylene Chloride	<u>16 6.3</u> <u>JBu</u>		16	2.1
127-18-4	Tetrachloroethene	ND		16	2.1
108-88-3	Toluene	ND		16	2.3
156-60-5	trans-1,2-Dichloroethene	ND		16	1.9
10061-02-6	trans-1,3-Dichloropropene	ND		16	1.9
79-01-6	Trichloroethene	ND		16	2.1
75-01-4	Vinyl chloride	ND		16	1.5
75-00-3	Chloroethane	ND		16	4.8

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-E03-0204 Lab Sample ID: 180-43699-23  
Matrix: Sediment Lab File ID: 3050824.D  
Analysis Method: 8260C Date Collected: 04/30/2015 16:20  
Sample wt/vol: 5.0009(g) Date Analyzed: 05/08/2015 15:46  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 68.0 Level: (low/med) Low  
Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	88		52-124
460-00-4	4-Bromofluorobenzene (Surr)	89		63-120
1868-53-7	Dibromofluoromethane (Surr)	100		68-121
2037-26-5	Toluene-d8 (Surr)	100		72-127

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-E03-0204-FD Lab Sample ID: 180-43699-24  
 Matrix: Sediment Lab File ID: 3050823.D  
 Analysis Method: 8260C Date Collected: 04/30/2015 16:20  
 Sample wt/vol: 5.0037(g) Date Analyzed: 05/08/2015 15:24  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 68.1 Level: (low/med) Low  
 Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	<del>ND</del> <u>uJ</u>		16	1.5
79-34-5	1,1,2,2-Tetrachloroethane	ND		16	2.2
79-00-5	1,1,2-Trichloroethane	ND		16	2.6
75-34-3	1,1-Dichloroethane	ND		16	1.8
75-35-4	1,1-Dichloroethene	ND		16	2.7
95-50-1	1,2-Dichlorobenzene	ND		16	2.5
107-06-2	1,2-Dichloroethane	ND		16	1.9
78-87-5	1,2-Dichloropropane	ND		16	1.7
541-73-1	1,3-Dichlorobenzene	ND		16	2.1
106-46-7	1,4-Dichlorobenzene	ND		16	2.0
110-75-8	2-Chloroethyl vinyl ether	ND		31	2.4
107-02-8	Acrolein	<del>ND</del> <u>uJ</u>		310	22
107-13-1	Acrylonitrile	ND		310	32
71-43-2	Benzene	ND		16	2.1
75-25-2	Bromoform	ND		16	1.4
74-83-9	Bromomethane	ND		16	2.3
56-23-5	Carbon tetrachloride	<del>ND</del> <u>uJ</u>		16	1.4
108-90-7	Chlorobenzene	ND		16	2.4
67-66-3	Chloroform	ND		16	1.8
74-87-3	Chloromethane	ND		16	2.7
124-48-1	Chlorodibromomethane	ND		16	2.2
10061-01-5	cis-1,3-Dichloropropene	ND		16	2.1
75-27-4	Dichlorobromomethane	ND		16	1.8
100-41-4	Ethylbenzene	ND		16	2.0
75-09-2	Methylene Chloride	<del>1p 6.0</del> <u>J B u</u>		16	2.1
127-18-4	Tetrachloroethene	ND		16	2.1
108-88-3	Toluene	ND		16	2.3
156-60-5	trans-1,2-Dichloroethene	ND		16	1.9
10061-02-6	trans-1,3-Dichloropropene	ND		16	1.9
79-01-6	Trichloroethene	ND		16	2.1
75-01-4	Vinyl chloride	ND		16	1.5
75-00-3	Chloroethane	ND		16	4.8

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-E03-0204-FD Lab Sample ID: 180-43699-24  
Matrix: Sediment Lab File ID: 3050823.D  
Analysis Method: 8260C Date Collected: 04/30/2015 16:20  
Sample wt/vol: 5.0037(g) Date Analyzed: 05/08/2015 15:24  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 68.1 Level: (low/med) Low  
Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	93		52-124
460-00-4	4-Bromofluorobenzene (Surr)	90		63-120
1868-53-7	Dibromofluoromethane (Surr)	102		68-121
2037-26-5	Toluene-d8 (Surr)	100		72-127

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-E03-0406 Lab Sample ID: 180-43699-25  
 Matrix: Sediment Lab File ID: 3050822.D  
 Analysis Method: 8260C Date Collected: 04/30/2015 16:25  
 Sample wt/vol: 5.0016(g) Date Analyzed: 05/08/2015 15:01  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 51.7 Level: (low/med) Low  
 Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND <i>uJ</i>		10	1.0
79-34-5	1,1,2,2-Tetrachloroethane	ND		10	1.5
79-00-5	1,1,2-Trichloroethane	ND		10	1.7
75-34-3	1,1-Dichloroethane	ND		10	1.2
75-35-4	1,1-Dichloroethene	ND		10	1.8
95-50-1	1,2-Dichlorobenzene	ND		10	1.7
107-06-2	1,2-Dichloroethane	ND		10	1.3
78-87-5	1,2-Dichloropropane	ND		10	1.1
541-73-1	1,3-Dichlorobenzene	ND		10	1.4
106-46-7	1,4-Dichlorobenzene	ND		10	1.3
110-75-8	2-Chloroethyl vinyl ether	ND		21	1.6
107-02-8	Acrolein	ND <i>uJ</i>		210	15
107-13-1	Acrylonitrile	ND		210	21
71-43-2	Benzene	ND		10	1.4
75-25-2	Bromoform	ND		10	0.92
74-83-9	Bromomethane	ND		10	1.5
56-23-5	Carbon tetrachloride	ND <i>uJ</i>		10	0.92
108-90-7	Chlorobenzene	ND		10	1.6
67-66-3	Chloroform	ND		10	1.2
74-87-3	Chloromethane	ND		10	1.8
124-48-1	Chlorodibromomethane	ND		10	1.5
10061-01-5	cis-1,3-Dichloropropene	ND		10	1.4
75-27-4	Dichlorobromomethane	ND		10	1.2
100-41-4	Ethylbenzene	ND		10	1.3
75-09-2	Methylene Chloride	10 <i>5.4</i> <i>uJ</i>		10	1.4
127-18-4	Tetrachloroethene	ND		10	1.4
108-88-3	Toluene	ND		10	1.5
156-60-5	trans-1,2-Dichloroethene	ND		10	1.2
10061-02-6	trans-1,3-Dichloropropene	ND		10	1.2
79-01-6	Trichloroethene	ND		10	1.4
75-01-4	Vinyl chloride	ND		10	0.97
75-00-3	Chloroethane	ND		10	3.2

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-E03-0406 Lab Sample ID: 180-43699-25  
Matrix: Sediment Lab File ID: 3050822.D  
Analysis Method: 8260C Date Collected: 04/30/2015 16:25  
Sample wt/vol: 5.0016(g) Date Analyzed: 05/08/2015 15:01  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 51.7 Level: (low/med) Low  
Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	91		52-124
460-00-4	4-Bromofluorobenzene (Surr)	95		63-120
1868-53-7	Dibromofluoromethane (Surr)	103		68-121
2037-26-5	Toluene-d8 (Surr)	103		72-127

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-I02-0002 Lab Sample ID: 180-43699-26  
 Matrix: Sediment Lab File ID: 3050821.D  
 Analysis Method: 8260C Date Collected: 04/30/2015 16:45  
 Sample wt/vol: 5.0006(g) Date Analyzed: 05/08/2015 14:39  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 77.2 Level: (low/med) Low  
 Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND	uJ	22	2.1
79-34-5	1,1,2,2-Tetrachloroethane	ND		22	3.2
79-00-5	1,1,2-Trichloroethane	ND		22	3.7
75-34-3	1,1-Dichloroethane	ND		22	2.5
75-35-4	1,1-Dichloroethene	ND		22	3.7
95-50-1	1,2-Dichlorobenzene	ND		22	3.5
107-06-2	1,2-Dichloroethane	ND		22	2.7
78-87-5	1,2-Dichloropropane	ND		22	2.4
541-73-1	1,3-Dichlorobenzene	ND		22	2.9
106-46-7	1,4-Dichlorobenzene	ND		22	2.8
110-75-8	2-Chloroethyl vinyl ether	ND		44	3.4
107-02-8	Acrolein	ND	uJ	440	31
107-13-1	Acrylonitrile	ND		440	46
71-43-2	Benzene	ND		22	3.0
75-25-2	Bromoform	ND		22	1.9
74-83-9	Bromomethane	ND		22	3.2
56-23-5	Carbon tetrachloride	ND	uJ	22	2.0
108-90-7	Chlorobenzene	ND		22	3.3
67-66-3	Chloroform	ND		22	2.6
74-87-3	Chloromethane	ND		22	3.7
124-48-1	Chlorodibromomethane	ND		22	3.1
10061-01-5	cis-1,3-Dichloropropene	ND		22	3.0
75-27-4	Dichlorobromomethane	ND		22	2.5
100-41-4	Ethylbenzene	ND		22	2.8
75-09-2	Methylene Chloride	229.8	uJ	22	3.0
127-18-4	Tetrachloroethene	ND	uJ	22	3.0
108-88-3	Toluene	ND		22	3.2
156-60-5	trans-1,2-Dichloroethene	ND		22	2.6
10061-02-6	trans-1,3-Dichloropropene	ND		22	2.6
79-01-6	Trichloroethene	ND		22	2.9
75-01-4	Vinyl chloride	ND		22	2.1
75-00-3	Chloroethane	ND		22	6.8

26

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-I02-0002 Lab Sample ID: 180-43699-26  
Matrix: Sediment Lab File ID: 3050821.D  
Analysis Method: 8260C Date Collected: 04/30/2015 16:45  
Sample wt/vol: 5.0006(g) Date Analyzed: 05/08/2015 14:39  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 77.2 Level: (low/med) Low  
Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	92		52-124
460-00-4	4-Bromofluorobenzene (Surr)	86		63-120
1868-53-7	Dibromofluoromethane (Surr)	101		68-121
2037-26-5	Toluene-d8 (Surr)	103		72-127



FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-I02-0204 Lab Sample ID: 180-43699-27  
 Matrix: Sediment Lab File ID: 3050820.D  
 Analysis Method: 8260C Date Collected: 04/30/2015 16:50  
 Sample wt/vol: 5.0002(g) Date Analyzed: 05/08/2015 14:18  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 68.5 Level: (low/med) Low  
 Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	<del>ND</del> <u>uJ</u>		16	1.5
79-34-5	1,1,2,2-Tetrachloroethane	ND		16	2.3
79-00-5	1,1,2-Trichloroethane	ND		16	2.6
75-34-3	1,1-Dichloroethane	ND		16	1.8
75-35-4	1,1-Dichloroethene	ND		16	2.7
95-50-1	1,2-Dichlorobenzene	ND		16	2.5
107-06-2	1,2-Dichloroethane	ND		16	1.9
78-87-5	1,2-Dichloropropane	ND		16	1.7
541-73-1	1,3-Dichlorobenzene	ND		16	2.1
106-46-7	1,4-Dichlorobenzene	ND		16	2.0
110-75-8	2-Chloroethyl vinyl ether	ND		32	2.5
107-02-8	Acrolein	<del>ND</del> <u>uJ</u>		320	22
107-13-1	Acrylonitrile	ND		320	33
71-43-2	Benzene	ND		16	2.1
75-25-2	Bromoform	ND		16	1.4
74-83-9	Bromomethane	ND		16	2.3
56-23-5	Carbon tetrachloride	<del>ND</del> <u>uJ</u>		16	1.4
108-90-7	Chlorobenzene	ND		16	2.4
67-66-3	Chloroform	ND		16	1.9
74-87-3	Chloromethane	ND		16	2.7
124-48-1	Chlorodibromomethane	ND		16	2.3
10061-01-5	cis-1,3-Dichloropropene	ND		16	2.2
75-27-4	Dichlorobromomethane	ND		16	1.8
100-41-4	Ethylbenzene	ND		16	2.0
75-09-2	Methylene Chloride	<u>uJ</u> <del>7-5</del> <u>uJ</u>		16	2.1
127-18-4	Tetrachloroethene	ND		16	2.2
108-88-3	Toluene	ND		16	2.3
156-60-5	trans-1,2-Dichloroethene	ND		16	1.9
10061-02-6	trans-1,3-Dichloropropene	ND		16	1.9
79-01-6	Trichloroethene	ND		16	2.1
75-01-4	Vinyl chloride	ND		16	1.5
75-00-3	Chloroethane	ND		16	4.9

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-I02-0204 Lab Sample ID: 180-43699-27  
Matrix: Sediment Lab File ID: 3050820.D  
Analysis Method: 8260C Date Collected: 04/30/2015 16:50  
Sample wt/vol: 5.0002(g) Date Analyzed: 05/08/2015 14:18  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 68.5 Level: (low/med) Low  
Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	94		52-124
460-00-4	4-Bromofluorobenzene (Surr)	90		63-120
1868-53-7	Dibromofluoromethane (Surr)	102		68-121
2037-26-5	Toluene-d8 (Surr)	108		72-127

28

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-I02-0406 Lab Sample ID: 180-43699-28  
 Matrix: Sediment Lab File ID: 3050819.D  
 Analysis Method: 8260C Date Collected: 04/30/2015 16:55  
 Sample wt/vol: 5.0017(g) Date Analyzed: 05/08/2015 13:33  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 61.3 Level: (low/med) Low  
 Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	<del>ND</del> <u>uJ</u>		13	1.3
79-34-5	1,1,2,2-Tetrachloroethane	ND		13	1.9
79-00-5	1,1,2-Trichloroethane	ND		13	2.1
75-34-3	1,1-Dichloroethane	ND		13	1.5
75-35-4	1,1-Dichloroethene	ND		13	2.2
95-50-1	1,2-Dichlorobenzene	ND		13	2.1
107-06-2	1,2-Dichloroethane	ND		13	1.6
78-87-5	1,2-Dichloropropane	ND		13	1.4
541-73-1	1,3-Dichlorobenzene	ND		13	1.7
106-46-7	1,4-Dichlorobenzene	ND		13	1.6
110-75-8	2-Chloroethyl vinyl ether	ND		26	2.0
107-02-8	Acrolein	<del>ND</del> <u>uJ</u>		260	18
107-13-1	Acrylonitrile	ND		260	27
71-43-2	Benzene	ND		13	1.7
75-25-2	Bromoform	ND		13	1.1
74-83-9	Bromomethane	ND		13	1.9
56-23-5	Carbon tetrachloride	<del>ND</del> <u>uJ</u>		13	1.2
108-90-7	Chlorobenzene	ND		13	2.0
67-66-3	Chloroform	ND		13	1.5
74-87-3	Chloromethane	ND		13	2.2
124-48-1	Chlorodibromomethane	ND		13	1.8
10061-01-5	cis-1,3-Dichloropropene	ND		13	1.8
75-27-4	Dichlorobromomethane	ND		13	1.4
100-41-4	Ethylbenzene	ND		13	1.7
75-09-2	Methylene Chloride	<u>13</u> <del>5.5</del> <u>LD u</u>		13	1.7
127-18-4	Tetrachloroethene	ND		13	1.8
108-88-3	Toluene	ND		13	1.9
156-60-5	trans-1,2-Dichloroethene	ND		13	1.5
10061-02-6	trans-1,3-Dichloropropene	ND		13	1.5
79-01-6	Trichloroethene	ND		13	1.7
75-01-4	Vinyl chloride	ND		13	1.2
75-00-3	Chloroethane	ND		13	4.0

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-I02-0406 Lab Sample ID: 180-43699-28  
 Matrix: Sediment Lab File ID: 3050819.D  
 Analysis Method: 8260C Date Collected: 04/30/2015 16:55  
 Sample wt/vol: 5.0017(g) Date Analyzed: 05/08/2015 13:33  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 61.3 Level: (low/med) Low  
 Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	87		52-124
460-00-4	4-Bromofluorobenzene (Surr)	88		63-120
1868-53-7	Dibromofluoromethane (Surr)	94		68-121
2037-26-5	Toluene-d8 (Surr)	102		72-127

29

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G01-0002 Lab Sample ID: 180-43699-29

Matrix: Sediment Lab File ID: 3050819A.D

Analysis Method: 8260C Date Collected: 05/01/2015 08:50

Sample wt/vol: 5.0025(g) Date Analyzed: 05/08/2015 13:56

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)

% Moisture: 63.7 Level: (low/med) Low

Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	<del>ND</del> <u>uJ</u>		14	1.3
79-34-5	1,1,2,2-Tetrachloroethane	ND		14	2.0
79-00-5	1,1,2-Trichloroethane	ND		14	2.3
75-34-3	1,1-Dichloroethane	ND		14	1.6
75-35-4	1,1-Dichloroethene	ND		14	2.3
95-50-1	1,2-Dichlorobenzene	ND		14	2.2
107-06-2	1,2-Dichloroethane	ND		14	1.7
78-87-5	1,2-Dichloropropane	ND		14	1.5
541-73-1	1,3-Dichlorobenzene	ND		14	1.8
106-46-7	1,4-Dichlorobenzene	2.8	J	14	1.8
110-75-8	2-Chloroethyl vinyl ether	ND		28	2.1
107-02-8	Acrolein	<del>ND</del> <u>uJ</u>		280	19
107-13-1	Acrylonitrile	ND		280	29
71-43-2	Benzene	2.7	J	14	1.9
75-25-2	Bromoform	ND		14	1.2
74-83-9	Bromomethane	ND		14	2.0
56-23-5	Carbon tetrachloride	<del>ND</del> <u>uJ</u>		14	1.2
108-90-7	Chlorobenzene	9.7	J	14	2.1
67-66-3	Chloroform	ND		14	1.6
74-87-3	Chloromethane	ND		14	2.3
124-48-1	Chlorodibromomethane	ND		14	2.0
10061-01-5	cis-1,3-Dichloropropene	ND		14	1.9
75-27-4	Dichlorobromomethane	ND		14	1.5
100-41-4	Ethylbenzene	8.6	J	14	1.8
75-09-2	Methylene Chloride	<u>14</u> <del>12</del> <u>J-B-U</u>		14	1.9
127-18-4	Tetrachloroethene	ND		14	1.9
108-88-3	Toluene	34		14	2.0
156-60-5	trans-1,2-Dichloroethene	ND		14	1.6
10061-02-6	trans-1,3-Dichloropropene	ND		14	1.6
79-01-6	Trichloroethene	ND		14	1.8
75-01-4	Vinyl chloride	ND		14	1.3
75-00-3	Chloroethane	ND		14	4.3

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G01-0002 Lab Sample ID: 180-43699-29  
 Matrix: Sediment Lab File ID: 3050819A.D  
 Analysis Method: 8260C Date Collected: 05/01/2015 08:50  
 Sample wt/vol: 5.0025(g) Date Analyzed: 05/08/2015 13:56  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 63.7 Level: (low/med) Low  
 Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	102		52-124
460-00-4	4-Bromofluorobenzene (Surr)	84		63-120
1868-53-7	Dibromofluoromethane (Surr)	112		68-121
2037-26-5	Toluene-d8 (Surr)	111		72-127

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G01-0406 Lab Sample ID: 180-43699-30  
 Matrix: Sediment Lab File ID: 3050817.D  
 Analysis Method: 8260C Date Collected: 05/01/2015 09:00  
 Sample wt/vol: 5.0004(g) Date Analyzed: 05/08/2015 12:49  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 70.2 Level: (low/med) Low  
 Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND	uJ	17	1.6
79-34-5	1,1,2,2-Tetrachloroethane	ND		17	2.4
79-00-5	1,1,2-Trichloroethane	ND		17	2.8
75-34-3	1,1-Dichloroethane	ND		17	1.9
75-35-4	1,1-Dichloroethene	ND		17	2.9
95-50-1	1,2-Dichlorobenzene	ND		17	2.7
107-06-2	1,2-Dichloroethane	ND		17	2.1
78-87-5	1,2-Dichloropropane	ND		17	1.8
541-73-1	1,3-Dichlorobenzene	ND		17	2.2
106-46-7	1,4-Dichlorobenzene	ND		17	2.1
110-75-8	2-Chloroethyl vinyl ether	ND		34	2.6
107-02-8	Acrolein	ND	uJ	340	24
107-13-1	Acrylonitrile	ND	uJ	340	35
71-43-2	Benzene	17	J	17	2.3
75-25-2	Bromoform	ND	uJ	17	1.5
74-83-9	Bromomethane	ND	uJ	17	2.5
56-23-5	Carbon tetrachloride	ND	uJ	17	1.5
108-90-7	Chlorobenzene	2.8	J	17	2.5
67-66-3	Chloroform	ND	uJ	17	2.0
74-87-3	Chloromethane	ND		17	2.9
124-48-1	Chlorodibromomethane	ND		17	2.4
10061-01-5	cis-1,3-Dichloropropene	ND		17	2.3
75-27-4	Dichlorobromomethane	ND		17	1.9
100-41-4	Ethylbenzene	19	J	17	2.2
75-09-2	Methylene Chloride	17 2.3	J uJ	17	2.3
127-18-4	Tetrachloroethene	ND	uJ	17	2.3
108-88-3	Toluene	220	J	17	2.5
156-60-5	trans-1,2-Dichloroethene	ND	uJ	17	2.0
10061-02-6	trans-1,3-Dichloropropene	ND		17	2.0
79-01-6	Trichloroethene	ND		17	2.2
75-01-4	Vinyl chloride	ND		17	1.6
75-00-3	Chloroethane	ND		17	5.2

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-G01-0406 Lab Sample ID: 180-43699-30  
Matrix: Sediment Lab File ID: 3050817.D  
Analysis Method: 8260C Date Collected: 05/01/2015 09:00  
Sample wt/vol: 5.0004(g) Date Analyzed: 05/08/2015 12:49  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 70.2 Level: (low/med) Low  
Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	97		52-124
460-00-4	4-Bromofluorobenzene (Surr)	76		63-120
1868-53-7	Dibromofluoromethane (Surr)	106		68-121
2037-26-5	Toluene-d8 (Surr)	111		72-127



FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G04-0002 Lab Sample ID: 180-43699-31  
 Matrix: Sediment Lab File ID: 3050816.D  
 Analysis Method: 8260C Date Collected: 05/01/2015 09:20  
 Sample wt/vol: 5.0008(g) Date Analyzed: 05/08/2015 12:27  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 74.8 Level: (low/med) Low  
 Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND	UJ	20	1.9
79-34-5	1,1,2,2-Tetrachloroethane	ND		20	2.8
79-00-5	1,1,2-Trichloroethane	ND		20	3.3
75-34-3	1,1-Dichloroethane	ND		20	2.3
75-35-4	1,1-Dichloroethene	ND		20	3.4
95-50-1	1,2-Dichlorobenzene	ND		20	3.2
107-06-2	1,2-Dichloroethane	ND		20	2.4
78-87-5	1,2-Dichloropropane	ND		20	2.2
541-73-1	1,3-Dichlorobenzene	ND		20	2.6
106-46-7	1,4-Dichlorobenzene	ND		20	2.5
110-75-8	2-Chloroethyl vinyl ether	ND		40	3.1
107-02-8	Acrolein	ND	UJ	400	28
107-13-1	Acrylonitrile	ND	UJ	400	41
71-43-2	Benzene	8.0	UJ	20	2.7
75-25-2	Bromoform	ND	UJ	20	1.8
74-83-9	Bromomethane	ND	UJ	20	2.9
56-23-5	Carbon tetrachloride	ND	UJ	20	1.8
108-90-7	Chlorobenzene	14	UJ	20	3.0
67-66-3	Chloroform	ND	UJ	20	2.3
74-87-3	Chloromethane	ND		20	3.4
124-48-1	Chlorodibromomethane	ND		20	2.8
10061-01-5	cis-1,3-Dichloropropene	ND		20	2.7
75-27-4	Dichlorobromomethane	ND		20	2.2
100-41-4	Ethylbenzene	ND		20	2.5
75-09-2	Methylene Chloride	20 <del>10</del>	UJ	20	2.7
127-18-4	Tetrachloroethene	ND	UJ	20	2.7
108-88-3	Toluene	6.3	UJ	20	2.9
156-60-5	trans-1,2-Dichloroethene	ND	UJ	20	2.4
10061-02-6	trans-1,3-Dichloropropene	ND		20	2.4
79-01-6	Trichloroethene	ND		20	2.6
75-01-4	Vinyl chloride	ND		20	1.9
75-00-3	Chloroethane	ND		20	6.1

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-G04-0002 Lab Sample ID: 180-43699-31  
Matrix: Sediment Lab File ID: 3050816.D  
Analysis Method: 8260C Date Collected: 05/01/2015 09:20  
Sample wt/vol: 5.0008(g) Date Analyzed: 05/08/2015 12:27  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 74.8 Level: (low/med) Low  
Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	99		52-124
460-00-4	4-Bromofluorobenzene (Surr)	84		63-120
1868-53-7	Dibromofluoromethane (Surr)	104		68-121
2037-26-5	Toluene-d8 (Surr)	113		72-127

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G04-0406 Lab Sample ID: 180-43699-32  
 Matrix: Sediment Lab File ID: 3050815.D  
 Analysis Method: 8260C Date Collected: 05/01/2015 09:30  
 Sample wt/vol: 5.0013(g) Date Analyzed: 05/08/2015 12:06  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 62.8 Level: (low/med) Low  
 Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND	uJ	13	1.3
79-34-5	1,1,2,2-Tetrachloroethane	ND		13	1.9
79-00-5	1,1,2-Trichloroethane	ND		13	2.2
75-34-3	1,1-Dichloroethane	ND		13	1.5
75-35-4	1,1-Dichloroethene	ND		13	2.3
95-50-1	1,2-Dichlorobenzene	ND		13	2.1
107-06-2	1,2-Dichloroethane	ND		13	1.6
78-87-5	1,2-Dichloropropane	ND		13	1.5
541-73-1	1,3-Dichlorobenzene	ND		13	1.8
106-46-7	1,4-Dichlorobenzene	ND		13	1.7
110-75-8	2-Chloroethyl vinyl ether	ND		27	2.1
107-02-8	Acrolein	ND	uJ	270	19
107-13-1	Acrylonitrile	ND		270	28
71-43-2	Benzene	ND		13	1.8
75-25-2	Bromoform	ND		13	1.2
74-83-9	Bromomethane	ND		13	2.0
56-23-5	Carbon tetrachloride	ND	uJ	13	1.2
108-90-7	Chlorobenzene	ND		13	2.0
67-66-3	Chloroform	ND		13	1.6
74-87-3	Chloromethane	ND		13	2.3
124-48-1	Chlorodibromomethane	ND		13	1.9
10061-01-5	cis-1,3-Dichloropropene	ND		13	1.8
75-27-4	Dichlorobromomethane	ND		13	1.5
100-41-4	Ethylbenzene	ND		13	1.7
75-09-2	Methylene Chloride	13	4.1	13	1.8
127-18-4	Tetrachloroethene	ND		13	1.8
108-88-3	Toluene	ND		13	2.0
156-60-5	trans-1,2-Dichloroethene	ND		13	1.6
10061-02-6	trans-1,3-Dichloropropene	ND		13	1.6
79-01-6	Trichloroethene	ND		13	1.8
75-01-4	Vinyl chloride	ND		13	1.3
75-00-3	Chloroethane	ND		13	4.2

32

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-G04-0406 Lab Sample ID: 180-43699-32  
Matrix: Sediment Lab File ID: 3050815.D  
Analysis Method: 8260C Date Collected: 05/01/2015 09:30  
Sample wt/vol: 5.0013(g) Date Analyzed: 05/08/2015 12:06  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 62.8 Level: (low/med) Low  
Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	90		52-124
460-00-4	4-Bromofluorobenzene (Surr)	90		63-120
1868-53-7	Dibromofluoromethane (Surr)	102		68-121
2037-26-5	Toluene-d8 (Surr)	100		72-127

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G04-0406-FD Lab Sample ID: 180-43699-33  
 Matrix: Sediment Lab File ID: 3050814.D  
 Analysis Method: 8260C Date Collected: 05/01/2015 09:30  
 Sample wt/vol: 5.0004(g) Date Analyzed: 05/08/2015 11:43  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 63.8 Level: (low/med) Low  
 Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	<del>ND</del> <u>uJ</u>		14	1.3
79-34-5	1,1,2,2-Tetrachloroethane	ND		14	2.0
79-00-5	1,1,2-Trichloroethane	ND		14	2.3
75-34-3	1,1-Dichloroethane	ND		14	1.6
75-35-4	1,1-Dichloroethene	ND		14	2.3
95-50-1	1,2-Dichlorobenzene	ND		14	2.2
107-06-2	1,2-Dichloroethane	ND		14	1.7
78-87-5	1,2-Dichloropropane	ND		14	1.5
541-73-1	1,3-Dichlorobenzene	ND		14	1.8
106-46-7	1,4-Dichlorobenzene	ND		14	1.8
110-75-8	2-Chloroethyl vinyl ether	ND		28	2.1
107-02-8	Acrolein	<del>ND</del> <u>uJ</u>		280	19
107-13-1	Acrylonitrile	ND		280	29
71-43-2	Benzene	ND		14	1.9
75-25-2	Bromoform	ND		14	1.2
74-83-9	Bromomethane	ND		14	2.0
56-23-5	Carbon tetrachloride	<del>ND</del> <u>uJ</u>		14	1.2
108-90-7	Chlorobenzene	ND		14	2.1
67-66-3	Chloroform	ND		14	1.6
74-87-3	Chloromethane	ND		14	2.3
124-48-1	Chlorodibromomethane	ND		14	2.0
10061-01-5	cis-1,3-Dichloropropene	ND		14	1.9
75-27-4	Dichlorobromomethane	ND		14	1.5
100-41-4	Ethylbenzene	ND		14	1.8
75-09-2	Methylene Chloride	<u>14</u> <del>4.3</del> <u>uJ</u>		14	1.9
127-18-4	Tetrachloroethene	ND		14	1.9
108-88-3	Toluene	ND		14	2.0
156-60-5	trans-1,2-Dichloroethene	ND		14	1.6
10061-02-6	trans-1,3-Dichloropropene	ND		14	1.6
79-01-6	Trichloroethene	ND		14	1.8
75-01-4	Vinyl chloride	ND		14	1.3
75-00-3	Chloroethane	ND		14	4.3

33

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-G04-0406-FD Lab Sample ID: 180-43699-33  
Matrix: Sediment Lab File ID: 3050814.D  
Analysis Method: 8260C Date Collected: 05/01/2015 09:30  
Sample wt/vol: 5.0004(g) Date Analyzed: 05/08/2015 11:43  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 63.8 Level: (low/med) Low  
Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	91		52-124
460-00-4	4-Bromofluorobenzene (Surr)	95		63-120
1868-53-7	Dibromofluoromethane (Surr)	101		68-121
2037-26-5	Toluene-d8 (Surr)	104		72-127

mw7/6/15

34

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G05-0002 Lab Sample ID: 180-43699-34

Matrix: Sediment Lab File ID: 3050731.D

Analysis Method: 8260C Date Collected: 05/01/2015 09:50

Sample wt/vol: 5.0002(g) Date Analyzed: 05/07/2015 17:52

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18(mm)

% Moisture: 78.1 Level: (low/med) Low

Analysis Batch No.: 140811 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND	uJ	23	2.2
79-34-5	1,1,2,2-Tetrachloroethane	ND		23	3.3
79-00-5	1,1,2-Trichloroethane	ND		23	3.8
75-34-3	1,1-Dichloroethane	ND		23	2.6
75-35-4	1,1-Dichloroethene	ND		23	3.9
95-50-1	1,2-Dichlorobenzene	ND		23	3.6
107-06-2	1,2-Dichloroethane	ND		23	2.8
78-87-5	1,2-Dichloropropane	ND		23	2.5
541-73-1	1,3-Dichlorobenzene	ND		23	3.0
106-46-7	1,4-Dichlorobenzene	ND		23	2.9
110-75-8	2-Chloroethyl vinyl ether	ND		46	3.5
107-02-8	Acrolein	ND		460	32
107-13-1	Acrylonitrile	ND		460	47
71-43-2	Benzene	ND		23	3.1
75-25-2	Bromoform	ND		23	2.0
74-83-9	Bromomethane	ND		23	3.4
56-23-5	Carbon tetrachloride	ND		23	2.0
108-90-7	Chlorobenzene	ND		23	3.5
67-66-3	Chloroform	ND		23	2.7
74-87-3	Chloromethane	ND		23	3.9
124-48-1	Chlorodibromomethane	ND		23	3.2
10061-01-5	cis-1,3-Dichloropropene	ND		23	3.1
75-27-4	Dichlorobromomethane	ND		23	2.6
100-41-4	Ethylbenzene	ND		23	2.9
75-09-2	Methylene Chloride	23 13	uJ	23	3.1
127-18-4	Tetrachloroethene	ND	uJ	23	3.1
108-88-3	Toluene	ND		23	3.3
156-60-5	trans-1,2-Dichloroethene	ND		23	2.7
10061-02-6	trans-1,3-Dichloropropene	ND		23	2.7
79-01-6	Trichloroethene	ND		23	3.0
75-01-4	Vinyl chloride	ND		23	2.1
75-00-3	Chloroethane	ND		23	7.1

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G05-0002 Lab Sample ID: 180-43699-34  
 Matrix: Sediment Lab File ID: 3050731.D  
 Analysis Method: 8260C Date Collected: 05/01/2015 09:50  
 Sample wt/vol: 5.0002(g) Date Analyzed: 05/07/2015 17:52  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18(mm)  
 % Moisture: 78.1 Level: (low/med) Low  
 Analysis Batch No.: 140811 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	95		52-124
460-00-4	4-Bromofluorobenzene (Surr)	86		63-120
1868-53-7	Dibromofluoromethane (Surr)	107		68-121
2037-26-5	Toluene-d8 (Surr)	108		72-127



FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G05-0406 Lab Sample ID: 180-43699-35  
 Matrix: Sediment Lab File ID: 3050725.D  
 Analysis Method: 8260C Date Collected: 05/01/2015 10:00  
 Sample wt/vol: 5.0009(g) Date Analyzed: 05/07/2015 15:39  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 59.0 Level: (low/med) Low  
 Analysis Batch No.: 140811 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	<del>ND</del> <u>uJ</u>		12	1.2
79-34-5	1,1,2,2-Tetrachloroethane	ND		12	1.8
79-00-5	1,1,2-Trichloroethane	ND		12	2.0
75-34-3	1,1-Dichloroethane	ND		12	1.4
75-35-4	1,1-Dichloroethene	ND		12	2.1
95-50-1	1,2-Dichlorobenzene	ND		12	1.9
107-06-2	1,2-Dichloroethane	ND		12	1.5
78-87-5	1,2-Dichloropropane	ND		12	1.3
541-73-1	1,3-Dichlorobenzene	ND		12	1.6
106-46-7	1,4-Dichlorobenzene	ND		12	1.6
110-75-8	2-Chloroethyl vinyl ether	ND		24	1.9
107-02-8	Acrolein	ND		240	17
107-13-1	Acrylonitrile	ND		240	25
71-43-2	Benzene	ND		12	1.6
75-25-2	Bromoform	ND		12	1.1
74-83-9	Bromomethane	ND		12	1.8
56-23-5	Carbon tetrachloride	ND		12	1.1
108-90-7	Chlorobenzene	ND		12	1.8
67-66-3	Chloroform	ND		12	1.4
74-87-3	Chloromethane	ND		12	2.1
124-48-1	Chlorodibromomethane	ND		12	1.7
10061-01-5	cis-1,3-Dichloropropene	ND		12	1.7
75-27-4	Dichlorobromomethane	ND		12	1.4
100-41-4	Ethylbenzene	ND		12	1.6
75-09-2	Methylene Chloride	<u>12 6.5</u> <u>LDU</u>		12	1.6
127-18-4	Tetrachloroethene	ND		12	1.7
108-88-3	Toluene	ND		12	1.8
156-60-5	trans-1,2-Dichloroethene	ND		12	1.5
10061-02-6	trans-1,3-Dichloropropene	ND		12	1.5
79-01-6	Trichloroethene	ND		12	1.6
75-01-4	Vinyl chloride	ND		12	1.1
75-00-3	Chloroethane	ND		12	3.8

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-G05-0406 Lab Sample ID: 180-43699-35  
Matrix: Sediment Lab File ID: 3050725.D  
Analysis Method: 8260C Date Collected: 05/01/2015 10:00  
Sample wt/vol: 5.0009(g) Date Analyzed: 05/07/2015 15:39  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 59.0 Level: (low/med) Low  
Analysis Batch No.: 140811 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	91		52-124
460-00-4	4-Bromofluorobenzene (Surr)	88		63-120
1868-53-7	Dibromofluoromethane (Surr)	100		68-121
2037-26-5	Toluene-d8 (Surr)	106		72-127

36

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-G05-0607 Lab Sample ID: 180-43699-36  
Matrix: Sediment Lab File ID: 3050813.D  
Analysis Method: 8260C Date Collected: 05/01/2015 10:05  
Sample wt/vol: 5.0020(g) Date Analyzed: 05/08/2015 11:21  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18(mm)  
% Moisture: 52.1 Level: (low/med) Low  
Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	<del>ND</del> <u>UJ</u>		10	1.0
79-34-5	1,1,2,2-Tetrachloroethane	ND		10	1.5
79-00-5	1,1,2-Trichloroethane	ND		10	1.7
75-34-3	1,1-Dichloroethane	ND		10	1.2
75-35-4	1,1-Dichloroethene	ND		10	1.8
95-50-1	1,2-Dichlorobenzene	ND		10	1.7
107-06-2	1,2-Dichloroethane	ND		10	1.3
78-87-5	1,2-Dichloropropane	ND		10	1.1
541-73-1	1,3-Dichlorobenzene	ND		10	1.4
106-46-7	1,4-Dichlorobenzene	ND		10	1.3
110-75-8	2-Chloroethyl vinyl ether	ND		21	1.6
107-02-8	Acrolein	<del>ND</del> <u>UJ</u>		210	15
107-13-1	Acrylonitrile	ND		210	22
71-43-2	Benzene	ND		10	1.4
75-25-2	Bromoform	ND		10	0.92
74-83-9	Bromomethane	ND		10	1.5
56-23-5	Carbon tetrachloride	<del>ND</del> <u>UJ</u>		10	0.93
108-90-7	Chlorobenzene	ND		10	1.6
67-66-3	Chloroform	ND		10	1.2
74-87-3	Chloromethane	ND		10	1.8
124-48-1	Chlorodibromomethane	ND		10	1.5
10061-01-5	cis-1,3-Dichloropropene	ND		10	1.4
75-27-4	Dichlorobromomethane	ND		10	1.2
100-41-4	Ethylbenzene	ND		10	1.3
75-09-2	Methylene Chloride	<u>10 6.0</u> <del>ND</del> <u>JB U</u>		10	1.4
127-18-4	Tetrachloroethene	ND		10	1.4
108-88-3	Toluene	ND		10	1.5
156-60-5	trans-1,2-Dichloroethene	ND		10	1.2
10061-02-6	trans-1,3-Dichloropropene	ND		10	1.2
79-01-6	Trichloroethene	ND		10	1.4
75-01-4	Vinyl chloride	ND		10	0.98
75-00-3	Chloroethane	ND		10	3.2

36

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G05-0607 Lab Sample ID: 180-43699-36  
 Matrix: Sediment Lab File ID: 3050813.D  
 Analysis Method: 8260C Date Collected: 05/01/2015 10:05  
 Sample wt/vol: 5.0020(g) Date Analyzed: 05/08/2015 11:21  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 52.1 Level: (low/med) Low  
 Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	92		52-124
460-00-4	4-Bromofluorobenzene (Surr)	95		63-120
1868-53-7	Dibromofluoromethane (Surr)	102		68-121
2037-26-5	Toluene-d8 (Surr)	101		72-127

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H01-0002 Lab Sample ID: 180-43699-37  
 Matrix: Sediment Lab File ID: 3050809.D  
 Analysis Method: 8260C Date Collected: 05/01/2015 11:00  
 Sample wt/vol: 5.0006(g) Date Analyzed: 05/08/2015 09:53  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 68.9 Level: (low/med) Low  
 Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	<del>ND</del> <u>uJ</u>		16	1.6
79-34-5	1,1,2,2-Tetrachloroethane	ND		16	2.3
79-00-5	1,1,2-Trichloroethane	ND		16	2.7
75-34-3	1,1-Dichloroethane	ND		16	1.9
75-35-4	1,1-Dichloroethene	ND		16	2.7
95-50-1	1,2-Dichlorobenzene	ND		16	2.6
107-06-2	1,2-Dichloroethane	ND		16	2.0
78-87-5	1,2-Dichloropropane	ND		16	1.7
541-73-1	1,3-Dichlorobenzene	ND		16	2.1
106-46-7	1,4-Dichlorobenzene	4.4	J	16	2.0
110-75-8	2-Chloroethyl vinyl ether	ND		32	2.5
107-02-8	Acrolein	<del>ND</del> <u>uJ</u>		320	23
107-13-1	Acrylonitrile	ND		320	33
71-43-2	Benzene	4.5	J	16	2.2
75-25-2	Bromoform	ND		16	1.4
74-83-9	Bromomethane	ND		16	2.4
56-23-5	Carbon tetrachloride	<del>ND</del> <u>uJ</u>		16	1.4
108-90-7	Chlorobenzene	11	J	16	2.4
67-66-3	Chloroform	ND		16	1.9
74-87-3	Chloromethane	ND		16	2.7
124-48-1	Chlorodibromomethane	ND		16	2.3
10061-01-5	cis-1,3-Dichloropropene	ND		16	2.2
75-27-4	Dichlorobromomethane	ND		16	1.8
100-41-4	Ethylbenzene	4.8	J	16	2.1
75-09-2	Methylene Chloride	<del>16 8.3</del> <u>J u</u>		16	2.2
127-18-4	Tetrachloroethene	ND		16	2.2
108-88-3	Toluene	24		16	2.3
156-60-5	trans-1,2-Dichloroethene	ND		16	1.9
10061-02-6	trans-1,3-Dichloropropene	ND		16	1.9
79-01-6	Trichloroethene	ND		16	2.1
75-01-4	Vinyl chloride	ND		16	1.5
75-00-3	Chloroethane	ND		16	5.0

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H01-0002 Lab Sample ID: 180-43699-37  
Matrix: Sediment Lab File ID: 3050809.D  
Analysis Method: 8260C Date Collected: 05/01/2015 11:00  
Sample wt/vol: 5.0006(g) Date Analyzed: 05/08/2015 09:53  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 68.9 Level: (low/med) Low  
Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	105		52-124
460-00-4	4-Bromofluorobenzene (Surr)	79		63-120
1868-53-7	Dibromofluoromethane (Surr)	115		68-121
2037-26-5	Toluene-d8 (Surr)	112		72-127

38

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H01-0406 Lab Sample ID: 180-43699-38  
 Matrix: Sediment Lab File ID: 3050724.D  
 Analysis Method: 8260C Date Collected: 05/01/2015 11:10  
 Sample wt/vol: 5.0003(g) Date Analyzed: 05/07/2015 15:17  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18(mm)  
 % Moisture: 72.8 Level: (low/med) Low  
 Analysis Batch No.: 140811 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND	uJ	18	1.8
79-34-5	1,1,2,2-Tetrachloroethane	ND		18	2.6
79-00-5	1,1,2-Trichloroethane	ND		18	3.1
75-34-3	1,1-Dichloroethane	ND		18	2.1
75-35-4	1,1-Dichloroethene	ND		18	3.1
95-50-1	1,2-Dichlorobenzene	ND		18	2.9
107-06-2	1,2-Dichloroethane	ND		18	2.3
78-87-5	1,2-Dichloropropane	ND		18	2.0
541-73-1	1,3-Dichlorobenzene	ND		18	2.4
106-46-7	1,4-Dichlorobenzene	ND		18	2.3
110-75-8	2-Chloroethyl vinyl ether	ND		37	2.8
107-02-8	Acrolein	ND		370	26
107-13-1	Acrylonitrile	ND		370	38
71-43-2	Benzene	15	J J	18	2.5
75-25-2	Bromoform	ND	uJ	18	1.6
74-83-9	Bromomethane	ND		18	2.7
56-23-5	Carbon tetrachloride	ND		18	1.6
108-90-7	Chlorobenzene	ND		18	2.8
67-66-3	Chloroform	ND		18	2.1
74-87-3	Chloromethane	ND		18	3.1
124-48-1	Chlorodibromomethane	ND		18	2.6
10061-01-5	cis-1,3-Dichloropropene	ND		18	2.5
75-27-4	Dichlorobromomethane	ND		18	2.1
100-41-4	Ethylbenzene	8.9	J J	18	2.4
75-09-2	Methylene Chloride	18	J J uJ	18	2.5
127-18-4	Tetrachloroethene	ND	uJ	18	2.5
108-88-3	Toluene	120	J	18	2.7
156-60-5	trans-1,2-Dichloroethene	ND	uJ	18	2.2
10061-02-6	trans-1,3-Dichloropropene	ND		18	2.2
79-01-6	Trichloroethene	ND		18	2.4
75-01-4	Vinyl chloride	ND		18	1.7
75-00-3	Chloroethane	ND		18	5.7

38

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H01-0406 Lab Sample ID: 180-43699-38  
Matrix: Sediment Lab File ID: 3050724.D  
Analysis Method: 8260C Date Collected: 05/01/2015 11:10  
Sample wt/vol: 5.0003(g) Date Analyzed: 05/07/2015 15:17  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 72.8 Level: (low/med) Low  
Analysis Batch No.: 140811 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	107		52-124
460-00-4	4-Bromofluorobenzene (Surr)	82		63-120
1868-53-7	Dibromofluoromethane (Surr)	111		68-121
2037-26-5	Toluene-d8 (Surr)	111		72-127

mw 7/6/15



FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H03-0002 Lab Sample ID: 180-43699-39  
 Matrix: Sediment Lab File ID: 3050810.D  
 Analysis Method: 8260C Date Collected: 05/01/2015 11:35  
 Sample wt/vol: 5.0012(g) Date Analyzed: 05/08/2015 10:15  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18(mm)  
 % Moisture: 77.6 Level: (low/med) Low  
 Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND	UJ	22	2.2
79-34-5	1,1,2,2-Tetrachloroethane	ND	↓	22	3.2
79-00-5	1,1,2-Trichloroethane	ND	↓	22	3.7
75-34-3	1,1-Dichloroethane	ND	↓	22	2.6
75-35-4	1,1-Dichloroethene	ND	↓	22	3.8
95-50-1	1,2-Dichlorobenzene	92	J	22	3.6
107-06-2	1,2-Dichloroethane	ND	UJ	22	2.7
78-87-5	1,2-Dichloropropane	ND	UJ	22	2.4
541-73-1	1,3-Dichlorobenzene	13	J	22	2.9
106-46-7	1,4-Dichlorobenzene	19	J	22	2.8
110-75-8	2-Chloroethyl vinyl ether	ND	UJ	45	3.5
107-02-8	Acrolein	ND	UJ	450	31
107-13-1	Acrylonitrile	ND	UJ	450	46
71-43-2	Benzene	9.6	J	22	3.0
75-25-2	Bromoform	ND	UJ	22	2.0
74-83-9	Bromomethane	ND	UJ	22	3.3
56-23-5	Carbon tetrachloride	ND	UJ	22	2.0
108-90-7	Chlorobenzene	50	J	22	3.4
67-66-3	Chloroform	ND	UJ	22	2.6
74-87-3	Chloromethane	ND	↓	22	3.8
124-48-1	Chlorodibromomethane	ND	↓	22	3.2
10061-01-5	cis-1,3-Dichloropropene	ND	↓	22	3.0
75-27-4	Dichlorobromomethane	ND	↓	22	2.5
100-41-4	Ethylbenzene	80	J	22	2.9
75-09-2	Methylene Chloride	22-12	J-B UJ	22	3.0
127-18-4	Tetrachloroethene	ND	UJ	22	3.0
108-88-3	Toluene	71	J	22	3.3
156-60-5	trans-1,2-Dichloroethene	ND	UJ	22	2.7
10061-02-6	trans-1,3-Dichloropropene	ND	↓	22	2.7
79-01-6	Trichloroethene	ND	↓	22	2.9
75-01-4	Vinyl chloride	ND	↓	22	2.1
75-00-3	Chloroethane	ND	↓	22	6.9

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H03-0002 Lab Sample ID: 180-43699-39  
Matrix: Sediment Lab File ID: 3050810.D  
Analysis Method: 8260C Date Collected: 05/01/2015 11:35  
Sample wt/vol: 5.0012(g) Date Analyzed: 05/08/2015 10:15  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 77.6 Level: (low/med) Low  
Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	97		52-124
460-00-4	4-Bromofluorobenzene (Surr)	83		63-120
1868-53-7	Dibromofluoromethane (Surr)	107		68-121
2037-26-5	Toluene-d8 (Surr)	112		72-127

40

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H03-0406 Lab Sample ID: 180-43699-40

Matrix: Sediment Lab File ID: 3050505.D

Analysis Method: 8260C Date Collected: 05/01/2015 11:45

Sample wt/vol: 5.0002(g) Date Analyzed: 05/05/2015 07:52

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18(mm)

% Moisture: 66.3 Level: (low/med) Low

Analysis Batch No.: 140536 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		15	1.4
79-34-5	1,1,2,2-Tetrachloroethane	ND		15	2.1
79-00-5	1,1,2-Trichloroethane	ND		15	2.5
75-34-3	1,1-Dichloroethane	ND		15	1.7
75-35-4	1,1-Dichloroethene	ND		15	2.5
95-50-1	1,2-Dichlorobenzene	ND		15	2.4
107-06-2	1,2-Dichloroethane	ND		15	1.8
78-87-5	1,2-Dichloropropane	ND		15	1.6
541-73-1	1,3-Dichlorobenzene	ND		15	1.9
106-46-7	1,4-Dichlorobenzene	ND		15	1.9
110-75-8	2-Chloroethyl vinyl ether	ND		30	2.3
107-02-8	Acrolein	ND	<del>FI</del>	300	21
107-13-1	Acrylonitrile	ND		300	31
71-43-2	Benzene	8.3	J	15	2.0
75-25-2	Bromoform	ND		15	1.3
74-83-9	Bromomethane	ND		15	2.2
56-23-5	Carbon tetrachloride	ND	<del>FI</del>	15	1.3
108-90-7	Chlorobenzene	ND		15	2.3
67-66-3	Chloroform	ND		15	1.7
74-87-3	Chloromethane	ND		15	2.5
124-48-1	Chlorodibromomethane	ND		15	2.1
10061-01-5	cis-1,3-Dichloropropene	ND		15	2.0
75-27-4	Dichlorobromomethane	ND		15	1.7
100-41-4	Ethylbenzene	4.6	J	15	1.9
75-09-2	Methylene Chloride	15.11	<del>J</del> B u	15	2.0
127-18-4	Tetrachloroethene	ND		15	2.0
108-88-3	Toluene	83	<del>FI</del> J	15	2.2
156-60-5	trans-1,2-Dichloroethene	ND	<del>FI</del>	15	1.8
10061-02-6	trans-1,3-Dichloropropene	ND		15	1.8
79-01-6	Trichloroethene	ND		15	2.0
75-01-4	Vinyl chloride	ND		15	1.4
75-00-3	Chloroethane	ND	<del>FI</del>	15	4.6

40

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H03-0406 Lab Sample ID: 180-43699-40  
Matrix: Sediment Lab File ID: 3050505.D  
Analysis Method: 8260C Date Collected: 05/01/2015 11:45  
Sample wt/vol: 5.0002(g) Date Analyzed: 05/05/2015 07:52  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 66.3 Level: (low/med) Low  
Analysis Batch No.: 140536 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	104		52-124
460-00-4	4-Bromofluorobenzene (Surr)	98		63-120
1868-53-7	Dibromofluoromethane (Surr)	112		68-121
2037-26-5	Toluene-d8 (Surr)	115		72-127

41

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H04-0002 Lab Sample ID: 180-43699-41  
Matrix: Sediment Lab File ID: 3050811.D  
Analysis Method: 8260C Date Collected: 05/01/2015 12:05  
Sample wt/vol: 5.0006(g) Date Analyzed: 05/08/2015 10:37  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 75.4 Level: (low/med) Low  
Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND	UJ	20	2.0
79-34-5	1,1,2,2-Tetrachloroethane	ND	UJ	20	2.9
79-00-5	1,1,2-Trichloroethane	ND	UJ	20	3.4
75-34-3	1,1-Dichloroethane	ND	UJ	20	2.3
75-35-4	1,1-Dichloroethene	ND	UJ	20	3.5
95-50-1	1,2-Dichlorobenzene	5.1	UJ	20	3.2
107-06-2	1,2-Dichloroethane	ND	UJ	20	2.5
78-87-5	1,2-Dichloropropane	ND	UJ	20	2.2
541-73-1	1,3-Dichlorobenzene	4.8	UJ	20	2.7
106-46-7	1,4-Dichlorobenzene	6.7	UJ	20	2.6
110-75-8	2-Chloroethyl vinyl ether	ND	UJ	41	3.1
107-02-8	Acrolein	ND	UJ	410	29
107-13-1	Acrylonitrile	ND	UJ	410	42
71-43-2	Benzene	3.6	UJ	20	2.7
75-25-2	Bromoform	ND	UJ	20	1.8
74-83-9	Bromomethane	ND	UJ	20	3.0
56-23-5	Carbon tetrachloride	ND	UJ	20	1.8
108-90-7	Chlorobenzene	67	UJ	20	3.1
67-66-3	Chloroform	ND	UJ	20	2.4
74-87-3	Chloromethane	ND	UJ	20	3.5
124-48-1	Chlorodibromomethane	ND	UJ	20	2.9
10061-01-5	cis-1,3-Dichloropropene	ND	UJ	20	2.8
75-27-4	Dichlorobromomethane	ND	UJ	20	2.3
100-41-4	Ethylbenzene	ND	UJ	20	2.6
75-09-2	Methylene Chloride	20 9.9	UJ	20	2.7
127-18-4	Tetrachloroethene	ND	UJ	20	2.8
108-88-3	Toluene	11	UJ	20	3.0
156-60-5	trans-1,2-Dichloroethene	ND	UJ	20	2.4
10061-02-6	trans-1,3-Dichloropropene	ND	UJ	20	2.4
79-01-6	Trichloroethene	ND	UJ	20	2.7
75-01-4	Vinyl chloride	ND	UJ	20	1.9
75-00-3	Chloroethane	ND	UJ	20	6.3

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H04-0002 Lab Sample ID: 180-43699-41  
Matrix: Sediment Lab File ID: 3050811.D  
Analysis Method: 8260C Date Collected: 05/01/2015 12:05  
Sample wt/vol: 5.0006(g) Date Analyzed: 05/08/2015 10:37  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 75.4 Level: (low/med) Low  
Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	99		52-124
460-00-4	4-Bromofluorobenzene (Surr)	82		63-120
1868-53-7	Dibromofluoromethane (Surr)	105		68-121
2037-26-5	Toluene-d8 (Surr)	114		72-127

42

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H04-0002-FD Lab Sample ID: 180-43699-42  
Matrix: Sediment Lab File ID: 3050812.D  
Analysis Method: 8260C Date Collected: 05/01/2015 12:05  
Sample wt/vol: 5.0007(g) Date Analyzed: 05/08/2015 10:59  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 75.4 Level: (low/med) Low  
Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND	uJ	20	2.0
79-34-5	1,1,2,2-Tetrachloroethane	ND		20	2.9
79-00-5	1,1,2-Trichloroethane	ND		20	3.4
75-34-3	1,1-Dichloroethane	ND		20	2.3
75-35-4	1,1-Dichloroethene	ND		20	3.4
95-50-1	1,2-Dichlorobenzene	3.4	JJ	20	3.2
107-06-2	1,2-Dichloroethane	ND	uJ	20	2.5
78-87-5	1,2-Dichloropropane	ND	uJ	20	2.2
541-73-1	1,3-Dichlorobenzene	6.1	JJ	20	2.7
106-46-7	1,4-Dichlorobenzene	7.9	JJ	20	2.6
110-75-8	2-Chloroethyl vinyl ether	ND	uJ	41	3.1
107-02-8	Acrolein	ND	uJ	410	29
107-13-1	Acrylonitrile	ND	uJ	410	42
71-43-2	Benzene	3.8	JJ	20	2.7
75-25-2	Bromoform	ND	uJ	20	1.8
74-83-9	Bromomethane	ND	uJ	20	3.0
56-23-5	Carbon tetrachloride	ND	uJ	20	1.8
108-90-7	Chlorobenzene	72	J	20	3.1
67-66-3	Chloroform	ND	uJ	20	2.4
74-87-3	Chloromethane	ND		20	3.5
124-48-1	Chlorodibromomethane	ND		20	2.9
10061-01-5	cis-1,3-Dichloropropene	ND		20	2.8
75-27-4	Dichlorobromomethane	ND		20	2.3
100-41-4	Ethylbenzene	ND		20	2.6
75-09-2	Methylene Chloride	20 9.3	JJ	20	2.7
127-18-4	Tetrachloroethene	ND	uJ	20	2.8
108-88-3	Toluene	12	JJ	20	3.0
156-60-5	trans-1,2-Dichloroethene	ND	uJ	20	2.4
10061-02-6	trans-1,3-Dichloropropene	ND		20	2.4
79-01-6	Trichloroethene	ND		20	2.7
75-01-4	Vinyl chloride	ND		20	1.9
75-00-3	Chloroethane	ND		20	6.3

42

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H04-0002-FD Lab Sample ID: 180-43699-42  
Matrix: Sediment Lab File ID: 3050812.D  
Analysis Method: 8260C Date Collected: 05/01/2015 12:05  
Sample wt/vol: 5.0007(g) Date Analyzed: 05/08/2015 10:59  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 75.4 Level: (low/med) Low  
Analysis Batch No.: 140955 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	102		52-124
460-00-4	4-Bromofluorobenzene (Surr)	85		63-120
1868-53-7	Dibromofluoromethane (Surr)	112		68-121
2037-26-5	Toluene-d8 (Surr)	110		72-127



43

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H04-0406 Lab Sample ID: 180-43699-43  
Matrix: Sediment Lab File ID: 3050528.D  
Analysis Method: 8260C Date Collected: 05/01/2015 12:15  
Sample wt/vol: 5.0004(g) Date Analyzed: 05/05/2015 17:04  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 64.2 Level: (low/med) Low  
Analysis Batch No.: 140536 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		14	1.4
79-34-5	1,1,2,2-Tetrachloroethane	ND		14	2.0
79-00-5	1,1,2-Trichloroethane	ND		14	2.3
75-34-3	1,1-Dichloroethane	ND		14	1.6
75-35-4	1,1-Dichloroethene	ND		14	2.4
95-50-1	1,2-Dichlorobenzene	ND		14	2.2
107-06-2	1,2-Dichloroethane	ND		14	1.7
78-87-5	1,2-Dichloropropane	ND		14	1.5
541-73-1	1,3-Dichlorobenzene	ND		14	1.8
106-46-7	1,4-Dichlorobenzene	ND		14	1.8
110-75-8	2-Chloroethyl vinyl ether	ND		28	2.2
107-02-8	Acrolein	ND		280	20
107-13-1	Acrylonitrile	ND		280	29
71-43-2	Benzene	ND		14	1.9
75-25-2	Bromoform	ND		14	1.2
74-83-9	Bromomethane	ND		14	2.1
56-23-5	Carbon tetrachloride	ND		14	1.2
108-90-7	Chlorobenzene	ND		14	2.1
67-66-3	Chloroform	ND		14	1.6
74-87-3	Chloromethane	ND		14	2.4
124-48-1	Chlorodibromomethane	ND		14	2.0
10061-01-5	cis-1,3-Dichloropropene	ND		14	1.9
75-27-4	Dichlorobromomethane	ND		14	1.6
100-41-4	Ethylbenzene	ND		14	1.8
75-09-2	Methylene Chloride	14 6.9 <del>1.9</del> <i>IB u</i>		14	1.9
127-18-4	Tetrachloroethene	ND		14	1.9
108-88-3	Toluene	ND		14	2.0
156-60-5	trans-1,2-Dichloroethene	ND		14	1.7
10061-02-6	trans-1,3-Dichloropropene	ND		14	1.7
79-01-6	Trichloroethene	ND		14	1.8
75-01-4	Vinyl chloride	ND		14	1.3
75-00-3	Chloroethane	ND		14	4.3

*mw 7/6/15*

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H04-0406 Lab Sample ID: 180-43699-43  
Matrix: Sediment Lab File ID: 3050528.D  
Analysis Method: 8260C Date Collected: 05/01/2015 12:15  
Sample wt/vol: 5.0004(g) Date Analyzed: 05/05/2015 17:04  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 64.2 Level: (low/med) Low  
Analysis Batch No.: 140536 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	99		52-124
460-00-4	4-Bromofluorobenzene (Surr)	92		63-120
1868-53-7	Dibromofluoromethane (Surr)	107		68-121
2037-26-5	Toluene-d8 (Surr)	113		72-127

44

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H03-0607 Lab Sample ID: 180-43699-44  
Matrix: Sediment Lab File ID: 3050527.D  
Analysis Method: 8260C Date Collected: 05/01/2015 12:15  
Sample wt/vol: 5.0002(g) Date Analyzed: 05/05/2015 16:42  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 54.3 Level: (low/med) Low  
Analysis Batch No.: 140536 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		11	1.1
79-34-5	1,1,2,2-Tetrachloroethane	ND		11	1.6
79-00-5	1,1,2-Trichloroethane	ND		11	1.8
75-34-3	1,1-Dichloroethane	ND		11	1.3
75-35-4	1,1-Dichloroethene	ND		11	1.9
95-50-1	1,2-Dichlorobenzene	ND		11	1.7
107-06-2	1,2-Dichloroethane	ND		11	1.3
78-87-5	1,2-Dichloropropane	ND		11	1.2
541-73-1	1,3-Dichlorobenzene	ND		11	1.4
106-46-7	1,4-Dichlorobenzene	ND		11	1.4
110-75-8	2-Chloroethyl vinyl ether	ND		22	1.7
107-02-8	Acrolein	ND		220	15
107-13-1	Acrylonitrile	ND		220	23
71-43-2	Benzene	ND		11	1.5
75-25-2	Bromoform	ND		11	0.97
74-83-9	Bromomethane	ND		11	1.6
56-23-5	Carbon tetrachloride	ND		11	0.98
108-90-7	Chlorobenzene	ND		11	1.7
67-66-3	Chloroform	ND		11	1.3
74-87-3	Chloromethane	ND		11	1.9
124-48-1	Chlorodibromomethane	ND		11	1.6
10061-01-5	cis-1,3-Dichloropropene	ND		11	1.5
75-27-4	Dichlorobromomethane	ND		11	1.2
100-41-4	Ethylbenzene	ND		11	1.4
75-09-2	Methylene Chloride	11 4.9 IBA		11	1.5
127-18-4	Tetrachloroethene	ND		11	1.5
108-88-3	Toluene	ND		11	1.6
156-60-5	trans-1,2-Dichloroethene	ND		11	1.3
10061-02-6	trans-1,3-Dichloropropene	ND		11	1.3
79-01-6	Trichloroethene	ND		11	1.4
75-01-4	Vinyl chloride	ND		11	1.0
75-00-3	Chloroethane	ND		11	3.4

44

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H03-0607 Lab Sample ID: 180-43699-44  
Matrix: Sediment Lab File ID: 3050527.D  
Analysis Method: 8260C Date Collected: 05/01/2015 12:15  
Sample wt/vol: 5.0002(g) Date Analyzed: 05/05/2015 16:42  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 54.3 Level: (low/med) Low  
Analysis Batch No.: 140536 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	90		52-124
460-00-4	4-Bromofluorobenzene (Surr)	92		63-120
1868-53-7	Dibromofluoromethane (Surr)	96		68-121
2037-26-5	Toluene-d8 (Surr)	110		72-127

mw 7/6/15

45

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-F06-0002 Lab Sample ID: 180-43699-45  
Matrix: Sediment Lab File ID: 3050526.D  
Analysis Method: 8260C Date Collected: 05/01/2015 13:25  
Sample wt/vol: 5.0016(g) Date Analyzed: 05/05/2015 16:20  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 77.7 Level: (low/med) Low  
Analysis Batch No.: 140536 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND	uJ	22	2.2
79-34-5	1,1,2,2-Tetrachloroethane	ND		22	3.2
79-00-5	1,1,2-Trichloroethane	ND		22	3.7
75-34-3	1,1-Dichloroethane	ND		22	2.6
75-35-4	1,1-Dichloroethene	ND		22	3.8
95-50-1	1,2-Dichlorobenzene	ND		22	3.6
107-06-2	1,2-Dichloroethane	ND		22	2.7
78-87-5	1,2-Dichloropropane	ND		22	2.4
541-73-1	1,3-Dichlorobenzene	ND		22	2.9
106-46-7	1,4-Dichlorobenzene	ND		22	2.9
110-75-8	2-Chloroethyl vinyl ether	ND		45	3.5
107-02-8	Acrolein	ND		450	32
107-13-1	Acrylonitrile	ND		450	46
71-43-2	Benzene	ND		22	3.0
75-25-2	Bromoform	ND		22	2.0
74-83-9	Bromomethane	ND		22	3.3
56-23-5	Carbon tetrachloride	ND		22	2.0
108-90-7	Chlorobenzene	ND		22	3.4
67-66-3	Chloroform	ND		22	2.6
74-87-3	Chloromethane	ND		22	3.8
124-48-1	Chlorodibromomethane	ND		22	3.2
10061-01-5	cis-1,3-Dichloropropene	ND		22	3.0
75-27-4	Dichlorobromomethane	ND		22	2.5
100-41-4	Ethylbenzene	ND		22	2.9
75-09-2	Methylene Chloride	22 12	LD uJ	22	3.0
127-18-4	Tetrachloroethene	ND	uJ	22	3.1
108-88-3	Toluene	ND		22	3.3
156-60-5	trans-1,2-Dichloroethene	ND		22	2.7
10061-02-6	trans-1,3-Dichloropropene	ND		22	2.7
79-01-6	Trichloroethene	ND		22	2.9
75-01-4	Vinyl chloride	ND		22	2.1
75-00-3	Chloroethane	ND		22	6.9

45

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-F06-0002 Lab Sample ID: 180-43699-45  
 Matrix: Sediment Lab File ID: 3050526.D  
 Analysis Method: 8260C Date Collected: 05/01/2015 13:25  
 Sample wt/vol: 5.0016(g) Date Analyzed: 05/05/2015 16:20  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 77.7 Level: (low/med) Low  
 Analysis Batch No.: 140536 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	91		52-124
460-00-4	4-Bromofluorobenzene (Surr)	92		63-120
1868-53-7	Dibromofluoromethane (Surr)	102		68-121
2037-26-5	Toluene-d8 (Surr)	109		72-127

*mw 7/6/15*

46

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-F06-0406 Lab Sample ID: 180-43699-46  
Matrix: Sediment Lab File ID: 3050525.D  
Analysis Method: 8260C Date Collected: 05/01/2015 13:35  
Sample wt/vol: 5.0001(g) Date Analyzed: 05/05/2015 15:15  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 67.7 Level: (low/med) Low  
Analysis Batch No.: 140536 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		15	1.5
79-34-5	1,1,2,2-Tetrachloroethane	ND		15	2.2
79-00-5	1,1,2-Trichloroethane	ND		15	2.6
75-34-3	1,1-Dichloroethane	ND		15	1.8
75-35-4	1,1-Dichloroethene	ND		15	2.6
95-50-1	1,2-Dichlorobenzene	ND		15	2.5
107-06-2	1,2-Dichloroethane	ND		15	1.9
78-87-5	1,2-Dichloropropane	ND		15	1.7
541-73-1	1,3-Dichlorobenzene	ND		15	2.0
106-46-7	1,4-Dichlorobenzene	ND		15	2.0
110-75-8	2-Chloroethyl vinyl ether	ND		31	2.4
107-02-8	Acrolein	ND		310	22
107-13-1	Acrylonitrile	ND		310	32
71-43-2	Benzene	ND		15	2.1
75-25-2	Bromoform	ND		15	1.4
74-83-9	Bromomethane	ND		15	2.3
56-23-5	Carbon tetrachloride	ND		15	1.4
108-90-7	Chlorobenzene	ND		15	2.3
67-66-3	Chloroform	ND		15	1.8
74-87-3	Chloromethane	ND		15	2.6
124-48-1	Chlorodibromomethane	ND		15	2.2
10061-01-5	cis-1,3-Dichloropropene	ND		15	2.1
75-27-4	Dichlorobromomethane	ND		15	1.7
100-41-4	Ethylbenzene	ND		15	2.0
75-09-2	Methylene Chloride	15 <del>8-2</del> <del>15</del> <del>h</del>		15	2.1
127-18-4	Tetrachloroethene	ND		15	2.1
108-88-3	Toluene	ND		15	2.3
156-60-5	trans-1,2-Dichloroethene	ND		15	1.8
10061-02-6	trans-1,3-Dichloropropene	ND		15	1.8
79-01-6	Trichloroethene	ND		15	2.0
75-01-4	Vinyl chloride	ND		15	1.5
75-00-3	Chloroethane	ND		15	4.8

46

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-F06-0406 Lab Sample ID: 180-43699-46  
 Matrix: Sediment Lab File ID: 3050525.D  
 Analysis Method: 8260C Date Collected: 05/01/2015 13:35  
 Sample wt/vol: 5.0001(g) Date Analyzed: 05/05/2015 15:15  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 67.7 Level: (low/med) Low  
 Analysis Batch No.: 140536 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	94		52-124
460-00-4	4-Bromofluorobenzene (Surr)	90		63-120
1868-53-7	Dibromofluoromethane (Surr)	99		68-121
2037-26-5	Toluene-d8 (Surr)	108		72-127



47

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-I01-0001 Lab Sample ID: 180-43699-47

Matrix: Sediment Lab File ID: 3050524.D

Analysis Method: 8260C Date Collected: 05/01/2015 14:15

Sample wt/vol: 5.0006(g) Date Analyzed: 05/05/2015 14:53

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)

% Moisture: 46.7 Level: (low/med) Low

Analysis Batch No.: 140536 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		9.4	0.91
79-34-5	1,1,2,2-Tetrachloroethane	ND		9.4	1.3
79-00-5	1,1,2-Trichloroethane	ND		9.4	1.6
75-34-3	1,1-Dichloroethane	ND		9.4	1.1
75-35-4	1,1-Dichloroethene	ND		9.4	1.6
95-50-1	1,2-Dichlorobenzene	ND		9.4	1.5
107-06-2	1,2-Dichloroethane	ND		9.4	1.2
78-87-5	1,2-Dichloropropane	ND		9.4	1.0
541-73-1	1,3-Dichlorobenzene	ND		9.4	1.2
106-46-7	1,4-Dichlorobenzene	ND		9.4	1.2
110-75-8	2-Chloroethyl vinyl ether	ND		19	1.5
107-02-8	Acrolein	ND		190	13
107-13-1	Acrylonitrile	ND		190	19
71-43-2	Benzene	ND		9.4	1.3
75-25-2	Bromoform	ND		9.4	0.83
74-83-9	Bromomethane	ND		9.4	1.4
56-23-5	Carbon tetrachloride	ND		9.4	0.84
108-90-7	Chlorobenzene	ND		9.4	1.4
67-66-3	Chloroform	ND		9.4	1.1
74-87-3	Chloromethane	ND		9.4	1.6
124-48-1	Chlorodibromomethane	ND		9.4	1.3
10061-01-5	cis-1,3-Dichloropropene	ND		9.4	1.3
75-27-4	Dichlorobromomethane	ND		9.4	1.1
100-41-4	Ethylbenzene	ND		9.4	1.2
75-09-2	Methylene Chloride	9.4 <del>5.0</del> <i>JBH</i>		9.4	1.3
127-18-4	Tetrachloroethene	ND		9.4	1.3
108-88-3	Toluene	ND		9.4	1.4
156-60-5	trans-1,2-Dichloroethene	ND		9.4	1.1
10061-02-6	trans-1,3-Dichloropropene	ND		9.4	1.1
79-01-6	Trichloroethene	ND		9.4	1.2
75-01-4	Vinyl chloride	ND		9.4	0.88
75-00-3	Chloroethane	ND		9.4	2.9

47

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-I01-0001 Lab Sample ID: 180-43699-47  
Matrix: Sediment Lab File ID: 3050524.D  
Analysis Method: 8260C Date Collected: 05/01/2015 14:15  
Sample wt/vol: 5.0006(g) Date Analyzed: 05/05/2015 14:53  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 46.7 Level: (low/med) Low  
Analysis Batch No.: 140536 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	105		52-124
460-00-4	4-Bromofluorobenzene (Surr)	96		63-120
1868-53-7	Dibromofluoromethane (Surr)	103		68-121
2037-26-5	Toluene-d8 (Surr)	106		72-127

48

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-I01-0102 Lab Sample ID: 180-43699-48

Matrix: Sediment Lab File ID: 3050718.D

Analysis Method: 8260C Date Collected: 05/01/2015 14:20

Sample wt/vol: 5.0012(g) Date Analyzed: 05/07/2015 13:05

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)

% Moisture: 31.1 Level: (low/med) Low

Analysis Batch No.: 140811 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND <u>UJ</u>		7.3	0.71
79-34-5	1,1,2,2-Tetrachloroethane	ND		7.3	1.0
79-00-5	1,1,2-Trichloroethane	ND		7.3	1.2
75-34-3	1,1-Dichloroethane	ND		7.3	0.83
75-35-4	1,1-Dichloroethene	ND		7.3	1.2
95-50-1	1,2-Dichlorobenzene	ND		7.3	1.2
107-06-2	1,2-Dichloroethane	ND		7.3	0.89
78-87-5	1,2-Dichloropropane	ND		7.3	0.79
541-73-1	1,3-Dichlorobenzene	ND		7.3	0.95
106-46-7	1,4-Dichlorobenzene	ND		7.3	0.92
110-75-8	2-Chloroethyl vinyl ether	ND		15	1.1
107-02-8	Acrolein	ND		150	10
107-13-1	Acrylonitrile	ND		150	15
71-43-2	Benzene	ND		7.3	0.98
75-25-2	Bromoform	ND		7.3	0.64
74-83-9	Bromomethane	ND		7.3	1.1
56-23-5	Carbon tetrachloride	ND		7.3	0.65
108-90-7	Chlorobenzene	ND		7.3	1.1
67-66-3	Chloroform	ND		7.3	0.85
74-87-3	Chloromethane	ND		7.3	1.2
124-48-1	Chlorodibromomethane	ND		7.3	1.0
10061-01-5	cis-1,3-Dichloropropene	ND		7.3	0.98
75-27-4	Dichlorobromomethane	ND		7.3	0.81
100-41-4	Ethylbenzene	ND		7.3	0.93
75-09-2	Methylene Chloride	<u>7.3</u> <u>4.3</u> <u>JBH</u>		7.3	0.97
127-18-4	Tetrachloroethene	ND		7.3	0.99
108-88-3	Toluene	ND		7.3	1.1
156-60-5	trans-1,2-Dichloroethene	ND		7.3	0.86
10061-02-6	trans-1,3-Dichloropropene	ND		7.3	0.87
79-01-6	Trichloroethene	ND		7.3	0.95
75-01-4	Vinyl chloride	ND		7.3	0.68
75-00-3	Chloroethane	ND		7.3	2.2

48

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-I01-0102 Lab Sample ID: 180-43699-48  
Matrix: Sediment Lab File ID: 3050718.D  
Analysis Method: 8260C Date Collected: 05/01/2015 14:20  
Sample wt/vol: 5.0012(g) Date Analyzed: 05/07/2015 13:05  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 31.1 Level: (low/med) Low  
Analysis Batch No.: 140811 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	94		52-124
460-00-4	4-Bromofluorobenzene (Surr)	94		63-120
1868-53-7	Dibromofluoromethane (Surr)	100		68-121
2037-26-5	Toluene-d8 (Surr)	105		72-127

49

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-F03-0002 Lab Sample ID: 180-43699-49  
 Matrix: Sediment Lab File ID: 3050522.D  
 Analysis Method: 8260C Date Collected: 05/01/2015 14:30  
 Sample wt/vol: 5.0005(g) Date Analyzed: 05/05/2015 14:08  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 37.1 Level: (low/med) Low  
 Analysis Batch No.: 140536 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		7.9	0.77
79-34-5	1,1,2,2-Tetrachloroethane	ND		7.9	1.1
79-00-5	1,1,2-Trichloroethane	ND		7.9	1.3
75-34-3	1,1-Dichloroethane	ND		7.9	0.91
75-35-4	1,1-Dichloroethene	ND		7.9	1.3
95-50-1	1,2-Dichlorobenzene	ND		7.9	1.3
107-06-2	1,2-Dichloroethane	ND		7.9	0.97
78-87-5	1,2-Dichloropropane	ND		7.9	0.86
541-73-1	1,3-Dichlorobenzene	2.4	J	7.9	1.0
106-46-7	1,4-Dichlorobenzene	3.5	J	7.9	1.0
110-75-8	2-Chloroethyl vinyl ether	ND		16	1.2
107-02-8	Acrolein	ND		160	11
107-13-1	Acrylonitrile	ND		160	16
71-43-2	Benzene	ND		7.9	1.1
75-25-2	Bromoform	ND		7.9	0.70
74-83-9	Bromomethane	ND		7.9	1.2
56-23-5	Carbon tetrachloride	ND		7.9	0.71
108-90-7	Chlorobenzene	32		7.9	1.2
67-66-3	Chloroform	ND		7.9	0.93
74-87-3	Chloromethane	ND		7.9	1.4
124-48-1	Chlorodibromomethane	ND		7.9	1.1
10061-01-5	cis-1,3-Dichloropropene	ND		7.9	1.1
75-27-4	Dichlorobromomethane	ND		7.9	0.89
100-41-4	Ethylbenzene	ND		7.9	1.0
75-09-2	Methylene Chloride	7.9 3.8	LB u	7.9	1.1
127-18-4	Tetrachloroethene	ND		7.9	1.1
108-88-3	Toluene	1.3	J	7.9	1.2
156-60-5	trans-1,2-Dichloroethene	ND		7.9	0.95
10061-02-6	trans-1,3-Dichloropropene	ND		7.9	0.95
79-01-6	Trichloroethene	ND		7.9	1.0
75-01-4	Vinyl chloride	ND		7.9	0.75
75-00-3	Chloroethane	ND		7.9	2.5

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-F03-0002 Lab Sample ID: 180-43699-49  
Matrix: Sediment Lab File ID: 3050522.D  
Analysis Method: 8260C Date Collected: 05/01/2015 14:30  
Sample wt/vol: 5.0005(g) Date Analyzed: 05/05/2015 14:08  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 37.1 Level: (low/med) Low  
Analysis Batch No.: 140536 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	102		52-124
460-00-4	4-Bromofluorobenzene (Surr)	91		63-120
1868-53-7	Dibromofluoromethane (Surr)	106		68-121
2037-26-5	Toluene-d8 (Surr)	112		72-127

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-J02-0002 Lab Sample ID: 180-43699-50  
 Matrix: Sediment Lab File ID: 3050521.D  
 Analysis Method: 8260C Date Collected: 05/01/2015 13:55  
 Sample wt/vol: 5.0003(g) Date Analyzed: 05/05/2015 13:47  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 75.8 Level: (low/med) Low  
 Analysis Batch No.: 140536 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND	uJ	21	2.0
79-34-5	1,1,2,2-Tetrachloroethane	ND		21	3.0
79-00-5	1,1,2-Trichloroethane	ND		21	3.4
75-34-3	1,1-Dichloroethane	ND		21	2.4
75-35-4	1,1-Dichloroethene	ND		21	3.5
95-50-1	1,2-Dichlorobenzene	ND		21	3.3
107-06-2	1,2-Dichloroethane	ND		21	2.5
78-87-5	1,2-Dichloropropane	ND		21	2.2
541-73-1	1,3-Dichlorobenzene	ND		21	2.7
106-46-7	1,4-Dichlorobenzene	ND		21	2.6
110-75-8	2-Chloroethyl vinyl ether	ND		41	3.2
107-02-8	Acrolein	ND		410	29
107-13-1	Acrylonitrile	ND		410	43
71-43-2	Benzene	ND		21	2.8
75-25-2	Bromoform	ND		21	1.8
74-83-9	Bromomethane	ND		21	3.1
56-23-5	Carbon tetrachloride	ND		21	1.8
108-90-7	Chlorobenzene	ND		21	3.1
67-66-3	Chloroform	ND		21	2.4
74-87-3	Chloromethane	ND		21	3.5
124-48-1	Chlorodibromomethane	ND		21	2.9
10061-01-5	cis-1,3-Dichloropropene	ND		21	2.8
75-27-4	Dichlorobromomethane	ND		21	2.3
100-41-4	Ethylbenzene	ND		21	2.7
75-09-2	Methylene Chloride	21 9.0	IB uJ	21	2.8
127-18-4	Tetrachloroethene	ND	uJ	21	2.8
108-88-3	Toluene	ND		21	3.0
156-60-5	trans-1,2-Dichloroethene	ND		21	2.5
10061-02-6	trans-1,3-Dichloropropene	ND		21	2.5
79-01-6	Trichloroethene	ND		21	2.7
75-01-4	Vinyl chloride	ND		21	1.9
75-00-3	Chloroethane	ND		21	6.4

50

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-J02-0002 Lab Sample ID: 180-43699-50  
Matrix: Sediment Lab File ID: 3050521.D  
Analysis Method: 8260C Date Collected: 05/01/2015 13:55  
Sample wt/vol: 5.0003(g) Date Analyzed: 05/05/2015 13:47  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 75.8 Level: (low/med) Low  
Analysis Batch No.: 140536 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	92		52-124
460-00-4	4-Bromofluorobenzene (Surr)	91		63-120
1868-53-7	Dibromofluoromethane (Surr)	101		68-121
2037-26-5	Toluene-d8 (Surr)	112		72-127



FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-J02-0204 Lab Sample ID: 180-43699-51  
 Matrix: Sediment Lab File ID: 3050520.D  
 Analysis Method: 8260C Date Collected: 05/01/2015 14:00  
 Sample wt/vol: 5.0009(g) Date Analyzed: 05/05/2015 13:25  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 64.5 Level: (low/med) Low  
 Analysis Batch No.: 140536 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		14	1.4
79-34-5	1,1,2,2-Tetrachloroethane	ND		14	2.0
79-00-5	1,1,2-Trichloroethane	ND		14	2.3
75-34-3	1,1-Dichloroethane	ND		14	1.6
75-35-4	1,1-Dichloroethene	ND		14	2.4
95-50-1	1,2-Dichlorobenzene	ND		14	2.2
107-06-2	1,2-Dichloroethane	ND		14	1.7
78-87-5	1,2-Dichloropropane	ND		14	1.5
541-73-1	1,3-Dichlorobenzene	ND		14	1.8
106-46-7	1,4-Dichlorobenzene	ND		14	1.8
110-75-8	2-Chloroethyl vinyl ether	ND		28	2.2
107-02-8	Acrolein	ND		280	20
107-13-1	Acrylonitrile	ND		280	29
71-43-2	Benzene	ND		14	1.9
75-25-2	Bromoform	ND		14	1.2
74-83-9	Bromomethane	ND		14	2.1
56-23-5	Carbon tetrachloride	ND		14	1.3
108-90-7	Chlorobenzene	ND		14	2.1
67-66-3	Chloroform	ND		14	1.6
74-87-3	Chloromethane	ND		14	2.4
124-48-1	Chlorodibromomethane	ND		14	2.0
10061-01-5	cis-1,3-Dichloropropene	ND		14	1.9
75-27-4	Dichlorobromomethane	ND		14	1.6
100-41-4	Ethylbenzene	ND		14	1.8
75-09-2	Methylene Chloride	14 7.0 JDU		14	1.9
127-18-4	Tetrachloroethene	ND		14	1.9
108-88-3	Toluene	ND		14	2.1
156-60-5	trans-1,2-Dichloroethene	ND		14	1.7
10061-02-6	trans-1,3-Dichloropropene	ND		14	1.7
79-01-6	Trichloroethene	ND		14	1.9
75-01-4	Vinyl chloride	ND		14	1.3
75-00-3	Chloroethane	ND		14	4.4

51

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-J02-0204 Lab Sample ID: 180-43699-51  
Matrix: Sediment Lab File ID: 3050520.D  
Analysis Method: 8260C Date Collected: 05/01/2015 14:00  
Sample wt/vol: 5.0009(g) Date Analyzed: 05/05/2015 13:25  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 64.5 Level: (low/med) Low  
Analysis Batch No.: 140536 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	92		52-124
460-00-4	4-Bromofluorobenzene (Surr)	90		63-120
1868-53-7	Dibromofluoromethane (Surr)	98		68-121
2037-26-5	Toluene-d8 (Surr)	109		72-127

52

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-J02-0406 Lab Sample ID: 180-43699-52  
 Matrix: Sediment Lab File ID: 3050519.D  
 Analysis Method: 8260C Date Collected: 05/01/2015 14:05  
 Sample wt/vol: 5.0002(g) Date Analyzed: 05/05/2015 13:03  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 57.7 Level: (low/med) Low  
 Analysis Batch No.: 140536 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		12	1.1
79-34-5	1,1,2,2-Tetrachloroethane	ND		12	1.7
79-00-5	1,1,2-Trichloroethane	ND		12	2.0
75-34-3	1,1-Dichloroethane	ND		12	1.4
75-35-4	1,1-Dichloroethene	ND		12	2.0
95-50-1	1,2-Dichlorobenzene	ND		12	1.9
107-06-2	1,2-Dichloroethane	ND		12	1.4
78-87-5	1,2-Dichloropropane	ND		12	1.3
541-73-1	1,3-Dichlorobenzene	ND		12	1.5
106-46-7	1,4-Dichlorobenzene	ND		12	1.5
110-75-8	2-Chloroethyl vinyl ether	ND		24	1.8
107-02-8	Acrolein	ND		240	17
107-13-1	Acrylonitrile	ND		240	24
71-43-2	Benzene	ND		12	1.6
75-25-2	Bromoform	ND		12	1.0
74-83-9	Bromomethane	ND		12	1.7
56-23-5	Carbon tetrachloride	ND		12	1.1
108-90-7	Chlorobenzene	ND		12	1.8
67-66-3	Chloroform	ND		12	1.4
74-87-3	Chloromethane	ND		12	2.0
124-48-1	Chlorodibromomethane	ND		12	1.7
10061-01-5	cis-1,3-Dichloropropene	ND		12	1.6
75-27-4	Dichlorobromomethane	ND		12	1.3
100-41-4	Ethylbenzene	ND		12	1.5
75-09-2	Methylene Chloride	12 5.5 <del>5.5</del> u		12	1.6
127-18-4	Tetrachloroethene	ND		12	1.6
108-88-3	Toluene	ND		12	1.7
156-60-5	trans-1,2-Dichloroethene	ND		12	1.4
10061-02-6	trans-1,3-Dichloropropene	ND		12	1.4
79-01-6	Trichloroethene	ND		12	1.6
75-01-4	Vinyl chloride	ND		12	1.1
75-00-3	Chloroethane	ND		12	3.7

52

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-J02-0406 Lab Sample ID: 180-43699-52  
Matrix: Sediment Lab File ID: 3050519.D  
Analysis Method: 8260C Date Collected: 05/01/2015 14:05  
Sample wt/vol: 5.0002(g) Date Analyzed: 05/05/2015 13:03  
Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
% Moisture: 57.7 Level: (low/med) Low  
Analysis Batch No.: 140536 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	94		52-124
460-00-4	4-Bromofluorobenzene (Surr)	90		63-120
1868-53-7	Dibromofluoromethane (Surr)	99		68-121
2037-26-5	Toluene-d8 (Surr)	109		72-127

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-F04-0002 Lab Sample ID: 180-43699-53  
 Matrix: Sediment Lab File ID: 3050518.D  
 Analysis Method: 8260C Date Collected: 05/01/2015 10:20  
 Sample wt/vol: 5.0004(g) Date Analyzed: 05/05/2015 12:41  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 60.5 Level: (low/med) Low  
 Analysis Batch No.: 140536 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	ND		13	1.2
79-34-5	1,1,2,2-Tetrachloroethane	ND		13	1.8
79-00-5	1,1,2-Trichloroethane	ND		13	2.1
75-34-3	1,1-Dichloroethane	ND		13	1.5
75-35-4	1,1-Dichloroethene	ND		13	2.1
95-50-1	1,2-Dichlorobenzene	ND		13	2.0
107-06-2	1,2-Dichloroethane	ND		13	1.6
78-87-5	1,2-Dichloropropane	ND		13	1.4
541-73-1	1,3-Dichlorobenzene	ND		13	1.7
106-46-7	1,4-Dichlorobenzene	ND		13	1.6
110-75-8	2-Chloroethyl vinyl ether	ND		25	2.0
107-02-8	Acrolein	ND		250	18
107-13-1	Acrylonitrile	ND		250	26
71-43-2	Benzene	2.6	J	13	1.7
75-25-2	Bromoform	ND		13	1.1
74-83-9	Bromomethane	ND		13	1.9
56-23-5	Carbon tetrachloride	ND		13	1.1
108-90-7	Chlorobenzene	4.6	J	13	1.9
67-66-3	Chloroform	ND		13	1.5
74-87-3	Chloromethane	ND		13	2.2
124-48-1	Chlorodibromomethane	ND		13	1.8
10061-01-5	cis-1,3-Dichloropropene	ND		13	1.7
75-27-4	Dichlorobromomethane	ND		13	1.4
100-41-4	Ethylbenzene	4.7	J	13	1.6
75-09-2	Methylene Chloride	13 <del>7.1</del> <del>1.6</del> <del>u</del>		13	1.7
127-18-4	Tetrachloroethene	ND		13	1.7
108-88-3	Toluene	12	J	13	1.8
156-60-5	trans-1,2-Dichloroethene	ND		13	1.5
10061-02-6	trans-1,3-Dichloropropene	ND		13	1.5
79-01-6	Trichloroethene	ND		13	1.7
75-01-4	Vinyl chloride	ND		13	1.2
75-00-3	Chloroethane	ND		13	3.9

53

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-F04-0002 Lab Sample ID: 180-43699-53  
 Matrix: Sediment Lab File ID: 3050518.D  
 Analysis Method: 8260C Date Collected: 05/01/2015 10:20  
 Sample wt/vol: 5.0004(g) Date Analyzed: 05/05/2015 12:41  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 60.5 Level: (low/med) Low  
 Analysis Batch No.: 140536 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	96		52-124
460-00-4	4-Bromofluorobenzene (Surr)	89		63-120
1868-53-7	Dibromofluoromethane (Surr)	100		68-121
2037-26-5	Toluene-d8 (Surr)	112		72-127

*mw 7/6/15*

54

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-F04-0406 Lab Sample ID: 180-43699-54

Matrix: Sediment Lab File ID: 3050720.D

Analysis Method: 8260C Date Collected: 05/01/2015 10:30

Sample wt/vol: 5.0010(g) Date Analyzed: 05/07/2015 13:49

Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1

Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)

% Moisture: 31.0 Level: (low/med) Low

Analysis Batch No.: 140811 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
71-55-6	1,1,1-Trichloroethane	<del>ND</del> <b>u J</b>		7.2	0.71
79-34-5	1,1,2,2-Tetrachloroethane	ND		7.2	1.0
79-00-5	1,1,2-Trichloroethane	ND		7.2	1.2
75-34-3	1,1-Dichloroethane	ND		7.2	0.83
75-35-4	1,1-Dichloroethene	ND		7.2	1.2
95-50-1	1,2-Dichlorobenzene	ND		7.2	1.2
107-06-2	1,2-Dichloroethane	ND		7.2	0.89
78-87-5	1,2-Dichloropropane	ND		7.2	0.79
541-73-1	1,3-Dichlorobenzene	ND		7.2	0.95
106-46-7	1,4-Dichlorobenzene	ND		7.2	0.92
110-75-8	2-Chloroethyl vinyl ether	ND		14	1.1
107-02-8	Acrolein	ND		140	10
107-13-1	Acrylonitrile	ND		140	15
71-43-2	Benzene	2.6	J	7.2	0.98
75-25-2	Bromoform	ND		7.2	0.64
74-83-9	Bromomethane	ND		7.2	1.1
56-23-5	Carbon tetrachloride	ND		7.2	0.65
108-90-7	Chlorobenzene	ND		7.2	1.1
67-66-3	Chloroform	ND		7.2	0.85
74-87-3	Chloromethane	ND		7.2	1.2
124-48-1	Chlorodibromomethane	ND		7.2	1.0
10061-01-5	cis-1,3-Dichloropropene	ND		7.2	0.98
75-27-4	Dichlorobromomethane	ND		7.2	0.81
100-41-4	Ethylbenzene	2.5	J	7.2	0.93
75-09-2	Methylene Chloride	<del>7.2</del> <b>7.2</b>	<del>J</del> <b>u</b>	7.2	0.97
127-18-4	Tetrachloroethene	ND		7.2	0.99
108-88-3	Toluene	30		7.2	1.1
156-60-5	trans-1,2-Dichloroethene	ND		7.2	0.86
10061-02-6	trans-1,3-Dichloropropene	ND		7.2	0.87
79-01-6	Trichloroethene	ND		7.2	0.95
75-01-4	Vinyl chloride	ND		7.2	0.68
75-00-3	Chloroethane	ND		7.2	2.2

54

FORM I  
GC/MS VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-F04-0406 Lab Sample ID: 180-43699-54  
 Matrix: Sediment Lab File ID: 3050720.D  
 Analysis Method: 8260C Date Collected: 05/01/2015 10:30  
 Sample wt/vol: 5.0010(g) Date Analyzed: 05/07/2015 13:49  
 Soil Aliquot Vol: \_\_\_\_\_ Dilution Factor: 1  
 Soil Extract Vol.: \_\_\_\_\_ GC Column: DB-624 ID: 0.18 (mm)  
 % Moisture: 31.0 Level: (low/med) Low  
 Analysis Batch No.: 140811 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
17060-07-0	1,2-Dichloroethane-d4 (Surr)	106		52-124
460-00-4	4-Bromofluorobenzene (Surr)	86		63-120
1868-53-7	Dibromofluoromethane (Surr)	106		68-121
2037-26-5	Toluene-d8 (Surr)	114		72-127

*MW 7/6/15*



FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H05-0002 Lab Sample ID: 180-43699-1  
 Matrix: Sediment Lab File ID: F0523015.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 10:10  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:05  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/23/2015 11:26  
 Con. Extract Vol.: 2.0(mL) Dilution Factor: 10  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 69.2 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142613 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	330	J	440	42
208-96-8	Acenaphthylene	920		440	50
120-12-7	Anthracene	1300		440	42
92-87-5	Benzidine	ND		44000	9100
56-55-3	Benzo[a]anthracene	2400		440	54
205-99-2	Benzo[b]fluoranthene	2100		440	68
207-08-9	Benzo[k]fluoranthene	890		440	88
65-85-0	Benzoic acid	<del>ND</del> <i>uJ</i>		11000	900
191-24-2	Benzo[g,h,i]perylene	2600		440	43
50-32-8	Benzo[a]pyrene	2200		440	43
111-91-1	Bis(2-chloroethoxy)methane	ND		2100	140
111-44-4	Bis(2-chloroethyl)ether	ND		440	58
117-81-7	Bis(2-ethylhexyl) phthalate	8700		4300	350
108-60-1	2,2'-oxybis[1-chloropropane]	ND		440	47
101-55-3	4-Bromophenyl phenyl ether	ND		2100	190
7005-72-3	4-Chlorophenyl phenyl ether	ND		2100	240
91-58-7	2-Chloronaphthalene	ND		440	45
85-68-7	Butyl benzyl phthalate	ND		2100	300
218-01-9	Chrysene	2400		440	52
53-70-3	Dibenz(a,h)anthracene	ND		440	48
84-74-2	Di-n-butyl phthalate	ND		2100	270
117-84-0	Di-n-octyl phthalate	ND		2100	230
84-66-2	Diethyl phthalate	ND		2100	240
131-11-3	Dimethyl phthalate	ND		2100	240
91-94-1	3,3'-Dichlorobenzidine	ND		2100	230
121-14-2	2,4-Dinitrotoluene	ND		2100	170
606-20-2	2,6-Dinitrotoluene	ND		2100	220
95-57-8	2-Chlorophenol	ND		2100	180
120-83-2	2,4-Dichlorophenol	ND		440	43
105-67-9	2,4-Dimethylphenol	ND		2100	340
51-28-5	2,4-Dinitrophenol	ND		11000	2600
88-75-5	2-Nitrophenol	ND		2100	240
88-06-2	2,4,6-Trichlorophenol	ND		2100	320
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		2100	280

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H05-0002 Lab Sample ID: 180-43699-1  
 Matrix: Sediment Lab File ID: F0523015.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 10:10  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:05  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/23/2015 11:26  
 Con. Extract Vol.: 2.0(mL) Dilution Factor: 10  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 69.2 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142613 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		2100	120
59-50-7	4-Chloro-3-methylphenol	ND		2100	200
100-02-7	4-Nitrophenol	ND		11000	790
534-52-1	4,6-Dinitro-2-methylphenol	ND		11000	870
206-44-0	Fluoranthene	7300		440	46
86-73-7	Fluorene	850		440	57
118-74-1	Hexachlorobenzene	ND		440	46
87-68-3	Hexachlorobutadiene	ND		440	48
77-47-4	Hexachlorocyclopentadiene	ND	uJ	2100	230
67-72-1	Hexachloroethane	ND		2100	160
193-39-5	Indeno[1,2,3-cd]pyrene	1800		440	45
78-59-1	Isophorone	ND		2100	160
91-20-3	Naphthalene	760		440	37
98-95-3	Nitrobenzene	ND		4300	180
621-64-7	N-Nitrosodi-n-propylamine	ND		440	51
62-75-9	N-Nitrosodimethylamine	ND		2100	190
86-30-6	N-Nitrosodiphenylamine	ND		2100	200
85-01-8	Phenanthrene	3900		440	69
129-00-0	Pyrene	3800		440	44
87-86-5	Pentachlorophenol	ND		2100	190
108-95-2	Phenol	ND		440	51

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	83		20-113
321-60-8	2-Fluorobiphenyl	77		38-103
367-12-4	2-Fluorophenol (Surr)	72		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	105		41-108
4165-62-2	Phenol-d5 (Surr)	81		35-103
1718-51-0	Terphenyl-d14 (Surr)	59		28-109

2

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: <u>TestAmerica Pittsburgh</u>	Job No.: <u>180-43699-1</u>
SDG No.: _____	
Client Sample ID: <u>SD-H05-0406</u>	Lab Sample ID: <u>180-43699-2</u>
Matrix: <u>Sediment</u>	Lab File ID: <u>F0523016.D</u>
Analysis Method: <u>8270D LL</u>	Date Collected: <u>04/30/2015 10:20</u>
Extract. Method: <u>3541</u>	Date Extracted: <u>05/07/2015 03:05</u>
Sample wt/vol: <u>30.1(g)</u>	Date Analyzed: <u>05/23/2015 11:53</u>
Con. Extract Vol.: <u>2.0(mL)</u>	Dilution Factor: <u>10</u>
Injection Volume: <u>2(uL)</u>	Level: (low/med) <u>Low</u>
% Moisture: <u>71.6</u>	GPC Cleanup: (Y/N) <u>N</u>
Analysis Batch No.: <u>142613</u>	Units: <u>ug/Kg</u>

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	1100	J	470	45
208-96-8	Acenaphthylene	1100	J	470	54
120-12-7	Anthracene	1600	J	470	46
92-87-5	Benzidine	ND	uJ	47000	9800
56-55-3	Benzo[a]anthracene	3800	J	470	59
205-99-2	Benzo[b]fluoranthene	3000	J	470	74
207-08-9	Benzo[k]fluoranthene	940	J	470	95
65-85-0	Benzoic acid	ND	uJ	12000	970
191-24-2	Benzo[g,h,i]perylene	2400	J	470	47
50-32-8	Benzo[a]pyrene	2900	J	470	47
111-91-1	Bis(2-chloroethoxy)methane	ND	uJ	2300	150
111-44-4	Bis(2-chloroethyl)ether	ND	uJ	470	63
117-81-7	Bis(2-ethylhexyl) phthalate	29000	J	4700	380
108-60-1	2,2'-oxybis[1-chloropropane]	ND	uJ	470	51
101-55-3	4-Bromophenyl phenyl ether	ND	J	2300	200
7005-72-3	4-Chlorophenyl phenyl ether	ND	J	2300	260
91-58-7	2-Chloronaphthalene	ND	J	470	49
85-68-7	Butyl benzyl phthalate	ND	J	2300	320
218-01-9	Chrysene	5300	J	470	56
53-70-3	Dibenz(a,h)anthracene	ND	uJ	470	52
84-74-2	Di-n-butyl phthalate	ND	J	2300	290
117-84-0	Di-n-octyl phthalate	ND	J	2300	250
84-66-2	Diethyl phthalate	ND	J	2300	260
131-11-3	Dimethyl phthalate	ND	J	2300	260
91-94-1	3,3'-Dichlorobenzidine	ND	J	2300	250
121-14-2	2,4-Dinitrotoluene	ND	J	2300	190
606-20-2	2,6-Dinitrotoluene	ND	J	2300	240
95-57-8	2-Chlorophenol	ND	J	2300	190
120-83-2	2,4-Dichlorophenol	ND	J	470	47
105-67-9	2,4-Dimethylphenol	ND	J	2300	370
51-28-5	2,4-Dinitrophenol	ND	J	12000	2800
88-75-5	2-Nitrophenol	ND	J	2300	260
88-06-2	2,4,6-Trichlorophenol	ND	J	2300	350
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND	J	2300	300

2

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H05-0406 Lab Sample ID: 180-43699-2

Matrix: Sediment Lab File ID: F0523016.D

Analysis Method: 8270D LL Date Collected: 04/30/2015 10:20

Extract. Method: 3541 Date Extracted: 05/07/2015 03:05

Sample wt/vol: 30.1(g) Date Analyzed: 05/23/2015 11:53

Con. Extract Vol.: 2.0(mL) Dilution Factor: 10

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 71.6 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142613 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND	uJ	2300	130
59-50-7	4-Chloro-3-methylphenol	ND	↓	2300	220
100-02-7	4-Nitrophenol	ND	↓	12000	850
534-52-1	4,6-Dinitro-2-methylphenol	ND	↓	12000	940
206-44-0	Fluoranthene	13000	J	470	50
86-73-7	Fluorene	2400	J	470	62
118-74-1	Hexachlorobenzene	ND	uJ	470	50
87-68-3	Hexachlorobutadiene	ND	uJ	470	52
77-47-4	Hexachlorocyclopentadiene	ND	uJ	2300	250
67-72-1	Hexachloroethane	ND	uJ	2300	170
193-39-5	Indeno[1,2,3-cd]pyrene	1600	J	470	48
78-59-1	Isophorone	ND	uJ	2300	180
91-20-3	Naphthalene	2700	J	470	40
98-95-3	Nitrobenzene	ND	uJ	4700	190
621-64-7	N-Nitrosodi-n-propylamine	ND	↓	470	55
62-75-9	N-Nitrosodimethylamine	ND	↓	2300	200
86-30-6	N-Nitrosodiphenylamine	ND	↓	2300	220
85-01-8	Phenanthrene	12000	J	470	75
129-00-0	Pyrene	8400	J	470	47
87-86-5	Pentachlorophenol	ND	uJ	2300	210
108-95-2	Phenol	ND	uJ	470	55

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	72		20-113
321-60-8	2-Fluorobiphenyl	67		38-103
367-12-4	2-Fluorophenol (Surr)	50		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	78		41-108
4165-62-2	Phenol-d5 (Surr)	14	X	35-103
1718-51-0	Terphenyl-d14 (Surr)	49		28-109

3

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-F07-0002 Lab Sample ID: 180-43699-3

Matrix: Sediment Lab File ID: F0524009.D

Analysis Method: 8270D LL Date Collected: 04/30/2015 10:45

Extract. Method: 3541 Date Extracted: 05/07/2015 03:05

Sample wt/vol: 30.0(g) Date Analyzed: 05/25/2015 07:02

Con. Extract Vol.: 1.0(mL) Dilution Factor: 10

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 79.2 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142685 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	850	J	320	31
208-96-8	Acenaphthylene	620	↓	320	37
120-12-7	Anthracene	1300	↓	320	31
92-87-5	Benzidine	ND	uJ	32000	6700
56-55-3	Benzo[a]anthracene	3600	J	320	40
205-99-2	Benzo[b]fluoranthene	4600	↓	320	51
207-08-9	Benzo[k]fluoranthene	2400	↓	320	65
65-85-0	Benzoic acid	ND	uJ	8200	670
191-24-2	Benzo[g,h,i]perylene	3500	J	320	32
50-32-8	Benzo[a]pyrene	3700	J	320	32
111-91-1	Bis(2-chloroethoxy)methane	ND	uJ	1600	110
111-44-4	Bis(2-chloroethyl)ether	ND	uJ	320	43
117-81-7	Bis(2-ethylhexyl) phthalate	14000	J	3200	260
108-60-1	2,2'-oxybis[1-chloropropane]	ND	uJ	320	35
101-55-3	4-Bromophenyl phenyl ether	ND	↓	1600	140
7005-72-3	4-Chlorophenyl phenyl ether	ND	↓	1600	180
91-58-7	2-Chloronaphthalene	ND	↓	320	34
85-68-7	Butyl benzyl phthalate	ND	↓	1600	220
218-01-9	Chrysene	4100	J	320	38
53-70-3	Dibenz(a,h)anthracene	ND	uJ	320	36
84-74-2	Di-n-butyl phthalate	ND	↓	1600	200
117-84-0	Di-n-octyl phthalate	ND	↓	1600	170
84-66-2	Diethyl phthalate	ND	↓	1600	180
131-11-3	Dimethyl phthalate	ND	↓	1600	180
91-94-1	3,3'-Dichlorobenzidine	ND	↓	1600	170
121-14-2	2,4-Dinitrotoluene	ND	↓	1600	130
606-20-2	2,6-Dinitrotoluene	ND	↓	1600	170
95-57-8	2-Chlorophenol	ND	↓	1600	130
120-83-2	2,4-Dichlorophenol	ND	↓	320	32
105-67-9	2,4-Dimethylphenol	ND	↓	1600	250
51-28-5	2,4-Dinitrophenol	ND	↓	8200	1900
88-75-5	2-Nitrophenol	ND	↓	1600	180
88-06-2	2,4,6-Trichlorophenol	ND	↓	1600	240
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND	↓	1600	210

3

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-F07-0002 Lab Sample ID: 180-43699-3  
 Matrix: Sediment Lab File ID: F0524009.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 10:45  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:05  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/25/2015 07:02  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 79.2 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142685 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND	UJ	1600	89
59-50-7	4-Chloro-3-methylphenol	ND	UJ	1600	150
100-02-7	4-Nitrophenol	3600	J	8200	590
534-52-1	4,6-Dinitro-2-methylphenol	ND	UJ	8200	650
206-44-0	Fluoranthene	7900	J	320	34
86-73-7	Fluorene	1500	J	320	42
118-74-1	Hexachlorobenzene	ND	UJ	320	34
87-68-3	Hexachlorobutadiene	ND	UJ	320	36
77-47-4	Hexachlorocyclopentadiene	ND	UJ	1600	170
67-72-1	Hexachloroethane	ND	UJ	1600	120
193-39-5	Indeno[1,2,3-cd]pyrene	2600	J	320	33
78-59-1	Isophorone	ND	UJ	1600	120
91-20-3	Naphthalene	2900	J	320	28
98-95-3	Nitrobenzene	ND	UJ	3200	130
621-64-7	N-Nitrosodi-n-propylamine	ND	UJ	320	38
62-75-9	N-Nitrosodimethylamine	ND	UJ	1600	140
86-30-6	N-Nitrosodiphenylamine	ND	UJ	1600	150
85-01-8	Phenanthrene	7000	J	320	51
129-00-0	Pyrene	5300	J	320	32
87-86-5	Pentachlorophenol	ND	UJ	1600	140
108-95-2	Phenol	390	J	320	38

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	67		20-113
321-60-8	2-Fluorobiphenyl	72		38-103
367-12-4	2-Fluorophenol (Surr)	62		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	83		41-108
4165-62-2	Phenol-d5 (Surr)	71		35-103
1718-51-0	Terphenyl-d14 (Surr)	54		28-109

4

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-F07-0406 Lab Sample ID: 180-43699-4

Matrix: Sediment Lab File ID: F0523018.D

Analysis Method: 8270D LL Date Collected: 04/30/2015 10:55

Extract. Method: 3541 Date Extracted: 05/07/2015 03:05

Sample wt/vol: 30.2(g) Date Analyzed: 05/23/2015 12:50

Con. Extract Vol.: 0.5(mL) Dilution Factor: 10

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 68.2 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142613 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	190		100	10
208-96-8	Acenaphthylene	540		100	12
120-12-7	Anthracene	830		100	10
92-87-5	Benzidine	ND		10000	2200
56-55-3	Benzo[a]anthracene	2000		100	13
205-99-2	Benzo[b]fluoranthene	2100		100	16
207-08-9	Benzo[k]fluoranthene	910		100	21
65-85-0	Benzoic acid	1600	J	2700	220
191-24-2	Benzo[g,h,i]perylene	1700		100	10
50-32-8	Benzo[a]pyrene	1700		100	10
111-91-1	Bis(2-chloroethoxy)methane	ND		520	34
111-44-4	Bis(2-chloroethyl)ether	ND		100	14
117-81-7	Bis(2-ethylhexyl) phthalate	ND		1000	84
108-60-1	2,2'-oxybis[1-chloropropane]	ND		100	11
101-55-3	4-Bromophenyl phenyl ether	ND		520	45
7005-72-3	4-Chlorophenyl phenyl ether	ND		520	58
91-58-7	2-Chloronaphthalene	ND		100	11
85-68-7	Butyl benzyl phthalate	ND		520	71
218-01-9	Chrysene	1700		100	12
53-70-3	Dibenz(a,h)anthracene	400		100	12
84-74-2	Di-n-butyl phthalate	ND		520	65
117-84-0	Di-n-octyl phthalate	ND		520	55
84-66-2	Diethyl phthalate	ND		520	57
131-11-3	Dimethyl phthalate	ND		520	57
91-94-1	3,3'-Dichlorobenzidine	ND		520	55
121-14-2	2,4-Dinitrotoluene	ND		520	42
606-20-2	2,6-Dinitrotoluene	ND		520	54
95-57-8	2-Chlorophenol	ND		520	43
120-83-2	2,4-Dichlorophenol	ND		100	10
105-67-9	2,4-Dimethylphenol	ND		520	82
51-28-5	2,4-Dinitrophenol	ND		2700	620
88-75-5	2-Nitrophenol	ND		520	57
88-06-2	2,4,6-Trichlorophenol	ND		520	78
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		520	67

4

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-F07-0406 Lab Sample ID: 180-43699-4  
 Matrix: Sediment Lab File ID: F0523018.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 10:55  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:05  
 Sample wt/vol: 30.2(g) Date Analyzed: 05/23/2015 12:50  
 Con. Extract Vol.: 0.5 (mL) Dilution Factor: 10  
 Injection Volume: 2 (uL) Level: (low/med) Low  
 % Moisture: 68.2 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142613 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		520	29
59-50-7	4-Chloro-3-methylphenol	ND		520	48
100-02-7	4-Nitrophenol	ND		2700	190
534-52-1	4,6-Dinitro-2-methylphenol	ND		2700	210
206-44-0	Fluoranthene	4700		100	11
86-73-7	Fluorene	370		100	14
118-74-1	Hexachlorobenzene	ND		100	11
87-68-3	Hexachlorobutadiene	ND		100	12
77-47-4	Hexachlorocyclopentadiene	ND	uj	520	56
67-72-1	Hexachloroethane	ND		520	38
193-39-5	Indeno[1,2,3-cd]pyrene	1400		100	11
78-59-1	Isophorone	ND		520	39
91-20-3	Naphthalene	2200		100	9.0
98-95-3	Nitrobenzene	ND		1000	43
621-64-7	N-Nitrosodi-n-propylamine	ND		100	12
62-75-9	N-Nitrosodimethylamine	ND		520	45
86-30-6	N-Nitrosodiphenylamine	ND		520	48
85-01-8	Phenanthrene	1300		100	17
129-00-0	Pyrene	2300		100	11
87-86-5	Pentachlorophenol	ND		520	47
108-95-2	Phenol	300		100	12

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	63		20-113
321-60-8	2-Fluorobiphenyl	84		38-103
367-12-4	2-Fluorophenol (Surr)	93		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	86		41-108
4165-62-2	Phenol-d5 (Surr)	90		35-103
1718-51-0	Terphenyl-d14 (Surr)	64		28-109



5

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G03-0002 Lab Sample ID: 180-43699-5

Matrix: Sediment Lab File ID: F0523019.D

Analysis Method: 8270D LL Date Collected: 04/30/2015 11:30

Extract. Method: 3541 Date Extracted: 05/07/2015 03:05

Sample wt/vol: 30.0(g) Date Analyzed: 05/23/2015 13:18

Con. Extract Vol.: 1.0(mL) Dilution Factor: 10

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 73.7 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142613 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	380	J	250	24
208-96-8	Acenaphthylene	710	J	250	29
120-12-7	Anthracene	560	J	250	25
92-87-5	Benzidine	ND	UJ	25000	5300
56-55-3	Benzo[a]anthracene	1100	J	250	32
205-99-2	Benzo[b]fluoranthene	1000	J	250	40
207-08-9	Benzo[k]fluoranthene	260	J	250	51
65-85-0	Benzoic acid	ND	UJ	6500	530
191-24-2	Benzo[g,h,i]perylene	1500	J	250	25
50-32-8	Benzo[a]pyrene	950	J	250	25
111-91-1	Bis(2-chloroethoxy)methane	ND	UJ	1300	83
111-44-4	Bis(2-chloroethyl)ether	ND	UJ	250	34
117-81-7	Bis(2-ethylhexyl) phthalate	11000	J	2500	200
108-60-1	2,2'-oxybis[1-chloropropane]	ND	UJ	250	27
101-55-3	4-Bromophenyl phenyl ether	ND	J	1300	110
7005-72-3	4-Chlorophenyl phenyl ether	ND	J	1300	140
91-58-7	2-Chloronaphthalene	ND	J	250	26
85-68-7	Butyl benzyl phthalate	ND	J	1300	170
218-01-9	Chrysene	1100	J	250	30
53-70-3	Dibenz(a,h)anthracene	ND	UJ	250	28
84-74-2	Di-n-butyl phthalate	ND	J	1300	160
117-84-0	Di-n-octyl phthalate	ND	J	1300	130
84-66-2	Diethyl phthalate	ND	J	1300	140
131-11-3	Dimethyl phthalate	ND	J	1300	140
91-94-1	3,3'-Dichlorobenzidine	ND	J	1300	130
121-14-2	2,4-Dinitrotoluene	ND	J	1300	100
606-20-2	2,6-Dinitrotoluene	ND	J	1300	130
95-57-8	2-Chlorophenol	ND	J	1300	100
120-83-2	2,4-Dichlorophenol	ND	J	250	25
105-67-9	2,4-Dimethylphenol	ND	J	1300	200
51-28-5	2,4-Dinitrophenol	ND	J	6500	1500
88-75-5	2-Nitrophenol	ND	J	1300	140
88-06-2	2,4,6-Trichlorophenol	ND	J	1300	190
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND	J	1300	160

5

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G03-0002 Lab Sample ID: 180-43699-5

Matrix: Sediment Lab File ID: F0523019.D

Analysis Method: 8270D LL Date Collected: 04/30/2015 11:30

Extract. Method: 3541 Date Extracted: 05/07/2015 03:05

Sample wt/vol: 30.0(g) Date Analyzed: 05/23/2015 13:18

Con. Extract Vol.: 1.0(mL) Dilution Factor: 10

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 73.7 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142613 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND	UJ	1300	70
59-50-7	4-Chloro-3-methylphenol	ND	↓	1300	120
100-02-7	4-Nitrophenol	ND	↓	6500	460
534-52-1	4,6-Dinitro-2-methylphenol	ND	↓	6500	510
206-44-0	Fluoranthene	3100	J	250	27
86-73-7	Fluorene	730	J	250	33
118-74-1	Hexachlorobenzene	ND	UJ	250	27
87-68-3	Hexachlorobutadiene	ND	UJ	250	28
77-47-4	Hexachlorocyclopentadiene	ND	UJ	1300	140
67-72-1	Hexachloroethane	ND	UJ	1300	91
193-39-5	Indeno[1,2,3-cd]pyrene	840	J	250	26
78-59-1	Isophorone	ND	UJ	1300	96
91-20-3	Naphthalene	1600	J	250	22
98-95-3	Nitrobenzene	ND	UJ	2500	110
621-64-7	N-Nitrosodi-n-propylamine	ND	↓	250	30
62-75-9	N-Nitrosodimethylamine	ND	↓	1300	110
86-30-6	N-Nitrosodiphenylamine	ND	↓	1300	120
85-01-8	Phenanthrene	2400	J	250	40
129-00-0	Pyrene	2000	J	250	26
87-86-5	Pentachlorophenol	ND	UJ	1300	110
108-95-2	Phenol	ND	UJ	250	30

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	59		20-113
321-60-8	2-Fluorobiphenyl	62		38-103
367-12-4	2-Fluorophenol (Surr)	61		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	104		41-108
4165-62-2	Phenol-d5 (Surr)	21	X	35-103
1718-51-0	Terphenyl-d14 (Surr)	43		28-109

6

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G03-0406 Lab Sample ID: 180-43699-6

Matrix: Sediment Lab File ID: F0523020.D

Analysis Method: 8270D LL Date Collected: 04/30/2015 11:40

Extract. Method: 3541 Date Extracted: 05/07/2015 03:05

Sample wt/vol: 30.1(g) Date Analyzed: 05/23/2015 13:46

Con. Extract Vol.: 1.0(mL) Dilution Factor: 10

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 69.8 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142613 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	310		220	21
208-96-8	Acenaphthylene	470		220	25
120-12-7	Anthracene	1300		220	22
92-87-5	Benzidine	ND		22000	4600
56-55-3	Benzo[a]anthracene	2900		220	28
205-99-2	Benzo[b]fluoranthene	2100		220	35
207-08-9	Benzo[k]fluoranthene	710		220	44
65-85-0	Benzoic acid	3700	JS	5600	460
191-24-2	Benzo[g,h,i]perylene	1600		220	22
50-32-8	Benzo[a]pyrene	1900		220	22
111-91-1	Bis(2-chloroethoxy)methane	ND		1100	72
111-44-4	Bis(2-chloroethyl)ether	ND		220	30
117-81-7	Bis(2-ethylhexyl) phthalate	4600		2200	180
108-60-1	2,2'-oxybis[1-chloropropane]	ND		220	24
101-55-3	4-Bromophenyl phenyl ether	ND		1100	96
7005-72-3	4-Chlorophenyl phenyl ether	ND		1100	120
91-58-7	2-Chloronaphthalene	ND		220	23
85-68-7	Butyl benzyl phthalate	ND		1100	150
218-01-9	Chrysene	3100		220	26
53-70-3	Dibenz(a,h)anthracene	600		220	24
84-74-2	Di-n-butyl phthalate	ND		1100	140
117-84-0	Di-n-octyl phthalate	ND		1100	120
84-66-2	Diethyl phthalate	ND		1100	120
131-11-3	Dimethyl phthalate	ND		1100	120
91-94-1	3,3'-Dichlorobenzidine	ND		1100	120
121-14-2	2,4-Dinitrotoluene	ND		1100	89
606-20-2	2,6-Dinitrotoluene	ND		1100	110
95-57-8	2-Chlorophenol	ND		1100	90
120-83-2	2,4-Dichlorophenol	ND		220	22
105-67-9	2,4-Dimethylphenol	ND		1100	170
51-28-5	2,4-Dinitrophenol	ND		5600	1300
88-75-5	2-Nitrophenol	ND		1100	120
88-06-2	2,4,6-Trichlorophenol	ND		1100	160
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		1100	140

6

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G03-0406 Lab Sample ID: 180-43699-6  
 Matrix: Sediment Lab File ID: F0523020.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 11:40  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:05  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/23/2015 13:46  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 69.8 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142613 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		1100	61
59-50-7	4-Chloro-3-methylphenol	ND		1100	100
100-02-7	4-Nitrophenol	ND		5600	400
534-52-1	4,6-Dinitro-2-methylphenol	ND		5600	440
206-44-0	Fluoranthene	7300		220	24
86-73-7	Fluorene	740		220	29
118-74-1	Hexachlorobenzene	ND		220	23
87-68-3	Hexachlorobutadiene	ND		220	25
77-47-4	Hexachlorocyclopentadiene	ND	uJ	1100	120
67-72-1	Hexachloroethane	ND		1100	79
193-39-5	Indeno[1,2,3-cd]pyrene	1300		220	23
78-59-1	Isophorone	ND		1100	83
91-20-3	Naphthalene	2200		220	19
98-95-3	Nitrobenzene	ND		2200	92
621-64-7	N-Nitrosodi-n-propylamine	ND		220	26
62-75-9	N-Nitrosodimethylamine	ND		1100	94
86-30-6	N-Nitrosodiphenylamine	ND		1100	100
85-01-8	Phenanthrene	3600		220	35
129-00-0	Pyrene	3500		220	22
87-86-5	Pentachlorophenol	ND		1100	98
108-95-2	Phenol	ND		220	26

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	58		20-113
321-60-8	2-Fluorobiphenyl	70		38-103
367-12-4	2-Fluorophenol (Surr)	77		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	91		41-108
4165-62-2	Phenol-d5 (Surr)	79		35-103
1718-51-0	Terphenyl-d14 (Surr)	50		28-109

7

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H06-0002 Lab Sample ID: 180-43699-7  
Matrix: Sediment Lab File ID: F0523021.D  
Analysis Method: 8270D LL Date Collected: 04/30/2015 11:50  
Extract. Method: 3541 Date Extracted: 05/07/2015 03:05  
Sample wt/vol: 30.0(g) Date Analyzed: 05/23/2015 14:14  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
Injection Volume: 2(uL) Level: (low/med) Low  
% Moisture: 78.5 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 142613 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	150	J	310	30
208-96-8	Acenaphthylene	640	J	310	35
120-12-7	Anthracene	520	J	310	30
92-87-5	Benzidine	ND	uJ	31000	6500
56-55-3	Benzo[a]anthracene	1600	J	310	39
205-99-2	Benzo[b]fluoranthene	1600	J	310	49
207-08-9	Benzo[k]fluoranthene	730	J	310	63
65-85-0	Benzoic acid	ND	uJ	7900	640
191-24-2	Benzo[g,h,i]perylene	2000	J	310	31
50-32-8	Benzo[a]pyrene	1700	J	310	31
111-91-1	Bis(2-chloroethoxy)methane	ND	uJ	1500	100
111-44-4	Bis(2-chloroethyl)ether	ND	uJ	310	42
117-81-7	Bis(2-ethylhexyl) phthalate	5200	J	3100	250
108-60-1	2,2'-oxybis[1-chloropropane]	ND	uJ	310	33
101-55-3	4-Bromophenyl phenyl ether	ND	J	1500	130
7005-72-3	4-Chlorophenyl phenyl ether	ND	J	1500	170
91-58-7	2-Chloronaphthalene	ND	J	310	32
85-68-7	Butyl benzyl phthalate	ND	J	1500	210
218-01-9	Chrysene	1600	J	310	37
53-70-3	Dibenz(a,h)anthracene	ND	uJ	310	34
84-74-2	Di-n-butyl phthalate	ND	J	1500	190
117-84-0	Di-n-octyl phthalate	ND	J	1500	160
84-66-2	Diethyl phthalate	ND	J	1500	170
131-11-3	Dimethyl phthalate	ND	J	1500	170
91-94-1	3,3'-Dichlorobenzidine	ND	J	1500	160
121-14-2	2,4-Dinitrotoluene	ND	J	1500	130
606-20-2	2,6-Dinitrotoluene	ND	J	1500	160
95-57-8	2-Chlorophenol	ND	J	1500	130
120-83-2	2,4-Dichlorophenol	ND	J	310	31
105-67-9	2,4-Dimethylphenol	ND	J	1500	240
51-28-5	2,4-Dinitrophenol	ND	J	7900	1800
88-75-5	2-Nitrophenol	ND	J	1500	170
88-06-2	2,4,6-Trichlorophenol	ND	J	1500	230
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND	J	1500	200

7

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H06-0002 Lab Sample ID: 180-43699-7

Matrix: Sediment Lab File ID: F0523021.D

Analysis Method: 8270D LL Date Collected: 04/30/2015 11:50

Extract. Method: 3541 Date Extracted: 05/07/2015 03:05

Sample wt/vol: 30.0(g) Date Analyzed: 05/23/2015 14:14

Con. Extract Vol.: 1.0(mL) Dilution Factor: 10

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 78.5 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142613 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND	uJ	1500	86
59-50-7	4-Chloro-3-methylphenol	ND	↓	1500	140
100-02-7	4-Nitrophenol	ND	↓	7900	570
534-52-1	4,6-Dinitro-2-methylphenol	ND	↓	7900	620
206-44-0	Fluoranthene	4300	J	310	33
86-73-7	Fluorene	220	J	310	41
118-74-1	Hexachlorobenzene	ND	uJ	310	33
87-68-3	Hexachlorobutadiene	ND	uJ	310	35
77-47-4	Hexachlorocyclopentadiene	ND	uJ	1500	170
67-72-1	Hexachloroethane	ND	uJ	1500	110
193-39-5	Indeno[1,2,3-cd]pyrene	1300	J	310	32
78-59-1	Isophorone	ND	uJ	1500	120
91-20-3	Naphthalene	820	J	310	27
98-95-3	Nitrobenzene	ND	uJ	3100	130
621-64-7	N-Nitrosodi-n-propylamine	ND	↓	310	36
62-75-9	N-Nitrosodimethylamine	ND	↓	1500	130
86-30-6	N-Nitrosodiphenylamine	ND	↓	1500	140
85-01-8	Phenanthrene	950	J	310	49
129-00-0	Pyrene	2400	J	310	31
87-86-5	Pentachlorophenol	ND	uJ	1500	140
108-95-2	Phenol	ND	uJ	310	37

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	56		20-113
321-60-8	2-Fluorobiphenyl	58		38-103
367-12-4	2-Fluorophenol (Surr)	46		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	67		41-108
4165-62-2	Phenol-d5 (Surr)	57		35-103
1718-51-0	Terphenyl-d14 (Surr)	40		28-109

8

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H06-0002-FD Lab Sample ID: 180-43699-8

Matrix: Sediment Lab File ID: F0523022.D

Analysis Method: 8270D LL Date Collected: 04/30/2015 12:10

Extract. Method: 3541 Date Extracted: 05/07/2015 03:05

Sample wt/vol: 30.1(g) Date Analyzed: 05/23/2015 14:42

Con. Extract Vol.: 1.0(mL) Dilution Factor: 10

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 79.0 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142613 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	280	J	320	30
208-96-8	Acenaphthylene	1000	J	320	36
120-12-7	Anthracene	930	J	320	31
92-87-5	Benzidine	ND	J	32000	6600
56-55-3	Benzo[a]anthracene	2000	J	320	40
205-99-2	Benzo[b]fluoranthene	1800	J	320	50
207-08-9	Benzo[k]fluoranthene	720	J	320	64
65-85-0	Benzoic acid	ND	J	8100	660
191-24-2	Benzo[g,h,i]perylene	2200	J	320	32
50-32-8	Benzo[a]pyrene	1900	J	320	32
111-91-1	Bis(2-chloroethoxy)methane	ND	J	1600	100
111-44-4	Bis(2-chloroethyl)ether	ND	J	320	43
117-81-7	Bis(2-ethylhexyl) phthalate	7600	J	3200	260
108-60-1	2,2'-oxybis[1-chloropropane]	ND	J	320	34
101-55-3	4-Bromophenyl phenyl ether	ND	J	1600	140
7005-72-3	4-Chlorophenyl phenyl ether	ND	J	1600	180
91-58-7	2-Chloronaphthalene	ND	J	320	33
85-68-7	Butyl benzyl phthalate	ND	J	1600	220
218-01-9	Chrysene	1900	J	320	38
53-70-3	Dibenz(a,h)anthracene	410	J	320	35
84-74-2	Di-n-butyl phthalate	ND	J	1600	200
117-84-0	Di-n-octyl phthalate	ND	J	1600	170
84-66-2	Diethyl phthalate	ND	J	1600	170
131-11-3	Dimethyl phthalate	ND	J	1600	170
91-94-1	3,3'-Dichlorobenzidine	ND	J	1600	170
121-14-2	2,4-Dinitrotoluene	ND	J	1600	130
606-20-2	2,6-Dinitrotoluene	ND	J	1600	160
95-57-8	2-Chlorophenol	ND	J	1600	130
120-83-2	2,4-Dichlorophenol	ND	J	320	32
105-67-9	2,4-Dimethylphenol	ND	J	1600	250
51-28-5	2,4-Dinitrophenol	ND	J	8100	1900
88-75-5	2-Nitrophenol	ND	J	1600	170
88-06-2	2,4,6-Trichlorophenol	ND	J	1600	240
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND	J	1600	200

8

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H06-0002-FD

Lab Sample ID: 180-43699-8

Matrix: Sediment

Lab File ID: F0523022.D

Analysis Method: 8270D LL

Date Collected: 04/30/2015 12:10

Extract. Method: 3541

Date Extracted: 05/07/2015 03:05

Sample wt/vol: 30.1(g)

Date Analyzed: 05/23/2015 14:42

Con. Extract Vol.: 1.0(mL)

Dilution Factor: 10

Injection Volume: 2(uL)

Level: (low/med) Low

% Moisture: 79.0

GPC Cleanup: (Y/N) N

Analysis Batch No.: 142613

Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND	uJ	1600	88
59-50-7	4-Chloro-3-methylphenol	ND		1600	150
100-02-7	4-Nitrophenol	ND		8100	580
534-52-1	4,6-Dinitro-2-methylphenol	ND		8100	640
206-44-0	Fluoranthene	4900	J	320	34
86-73-7	Fluorene	490	J	320	42
118-74-1	Hexachlorobenzene	ND	uJ	320	34
87-68-3	Hexachlorobutadiene	ND	uJ	320	36
77-47-4	Hexachlorocyclopentadiene	ND	uJ	1600	170
67-72-1	Hexachloroethane	ND	uJ	1600	110
193-39-5	Indeno[1,2,3-cd]pyrene	1500	J	320	33
78-59-1	Isophorone	ND	uJ	1600	120
91-20-3	Naphthalene	1000	J	320	27
98-95-3	Nitrobenzene	ND	uJ	3200	130
621-64-7	N-Nitrosodi-n-propylamine	ND		320	37
62-75-9	N-Nitrosodimethylamine	ND		1600	140
86-30-6	N-Nitrosodiphenylamine	ND		1600	150
85-01-8	Phenanthrene	2000	J	320	50
129-00-0	Pyrene	2700	J	320	32
87-86-5	Pentachlorophenol	ND	uJ	1600	140
108-95-2	Phenol	ND	uJ	320	37

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	56		20-113
321-60-8	2-Fluorobiphenyl	60		38-103
367-12-4	2-Fluorophenol (Surr)	53		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	72		41-108
4165-62-2	Phenol-d5 (Surr)	62		35-103
1718-51-0	Terphenyl-d14 (Surr)	44		28-109



9

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H06-0204 Lab Sample ID: 180-43699-9

Matrix: Sediment Lab File ID: F0523023.D

Analysis Method: 8270D LL Date Collected: 04/30/2015 11:55

Extract. Method: 3541 Date Extracted: 05/07/2015 03:05

Sample wt/vol: 30.1(g) Date Analyzed: 05/23/2015 15:10

Con. Extract Vol.: 1.0(mL) Dilution Factor: 10

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 75.5 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142613 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	590	J	270	26
208-96-8	Acenaphthylene	850	↓	270	31
120-12-7	Anthracene	880	↓	270	27
92-87-5	Benzidine	ND	UJ	27000	5700
56-55-3	Benzo[a]anthracene	3200	FI J	270	34
205-99-2	Benzo[b]fluoranthene	2800	FI J	270	43
207-08-9	Benzo[k]fluoranthene	850	J	270	55
65-85-0	Benzoic acid	4400	J	6900	560
191-24-2	Benzo[g,h,i]perylene	2700	↓	270	27
50-32-8	Benzo[a]pyrene	2600	↓	270	27
111-91-1	Bis(2-chloroethoxy)methane	ND	UJ	1300	89
111-44-4	Bis(2-chloroethyl)ether	ND	FI UJ	270	36
117-81-7	Bis(2-ethylhexyl) phthalate	16000	J	2700	220
108-60-1	2,2'-oxybis[1-chloropropane]	ND	UJ	270	29
101-55-3	4-Bromophenyl phenyl ether	ND	FI UJ	1300	120
7005-72-3	4-Chlorophenyl phenyl ether	ND	↓	1300	150
91-58-7	2-Chloronaphthalene	ND	↓	270	28
85-68-7	Butyl benzyl phthalate	ND	↓	1300	190
218-01-9	Chrysene	3400	J	270	32
53-70-3	Dibenz(a,h)anthracene	530	FI J	270	30
84-74-2	Di-n-butyl phthalate	ND	FI UJ	1300	170
117-84-0	Di-n-octyl phthalate	ND	FI UJ	1300	140
84-66-2	Diethyl phthalate	ND	FI UJ	1300	150
131-11-3	Dimethyl phthalate	ND	UJ	1300	150
91-94-1	3,3'-Dichlorobenzidine	ND	UJ	1300	140
121-14-2	2,4-Dinitrotoluene	ND	FI FI UJ	1300	110
606-20-2	2,6-Dinitrotoluene	ND	FI FI UJ	1300	140
95-57-8	2-Chlorophenol	ND	UJ	1300	110
120-83-2	2,4-Dichlorophenol	ND	UJ	270	27
105-67-9	2,4-Dimethylphenol	ND	FI	1300	210
51-28-5	2,4-Dinitrophenol	ND	FI	6900	1600
88-75-5	2-Nitrophenol	ND	↓	1300	150
88-06-2	2,4,6-Trichlorophenol	ND	FI	1300	200
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND	↓	1300	170

9

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H06-0204 Lab Sample ID: 180-43699-9  
 Matrix: Sediment Lab File ID: F0523023.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 11:55  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:05  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/23/2015 15:10  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 75.5 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142613 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND	uJ	1300	75
59-50-7	4-Chloro-3-methylphenol	ND	uJ	1300	120
100-02-7	4-Nitrophenol	ND	<del>E1</del>	6900	500
534-52-1	4,6-Dinitro-2-methylphenol	ND	<del>E2</del>	6900	550
206-44-0	Fluoranthene	8100	J	270	29
86-73-7	Fluorene	960	J	270	36
118-74-1	Hexachlorobenzene	ND	uJ	270	29
87-68-3	Hexachlorobutadiene	ND	uJ	270	30
77-47-4	Hexachlorocyclopentadiene	ND	<del>E1</del> uJ	1300	150
67-72-1	Hexachloroethane	ND	<del>E2</del> uJ	1300	98
193-39-5	Indeno[1,2,3-cd]pyrene	1700	J	270	28
78-59-1	Isophorone	ND	<del>E1</del> uJ	1300	100
91-20-3	Naphthalene	3100	J	270	23
98-95-3	Nitrobenzene	ND	uJ	2700	110
621-64-7	N-Nitrosodi-n-propylamine	ND	<del>E2</del> <del>E1</del>	270	32
62-75-9	N-Nitrosodimethylamine	ND	<del>E2</del> <del>E1</del>	1300	120
86-30-6	N-Nitrosodiphenylamine	ND	<del>E1</del>	1300	130
85-01-8	Phenanthrene	3800	<del>E1</del> J	270	43
129-00-0	Pyrene	4300	J	270	27
87-86-5	Pentachlorophenol	ND	<del>E2</del> <del>E1</del> uJ	1300	120
108-95-2	Phenol	ND	<del>E1</del> uJ	270	32

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	53		20-113
321-60-8	2-Fluorobiphenyl	64		38-103
367-12-4	2-Fluorophenol (Surr)	43		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	82		41-108
4165-62-2	Phenol-d5 (Surr)	63		35-103
1718-51-0	Terphenyl-d14 (Surr)	42		28-109

10

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G02-0002 Lab Sample ID: 180-43699-10

Matrix: Sediment Lab File ID: F0523024.D

Analysis Method: 8270D LL Date Collected: 04/30/2015 13:30

Extract. Method: 3541 Date Extracted: 05/07/2015 03:05

Sample wt/vol: 30.0(g) Date Analyzed: 05/23/2015 15:38

Con. Extract Vol.: 1.0(mL) Dilution Factor: 10

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 74.3 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142613 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	890	J	260	25
208-96-8	Acenaphthylene	950	J	260	30
120-12-7	Anthracene	1000	J	260	25
92-87-5	Benzidine	ND	uJ	26000	5400
56-55-3	Benzo[a]anthracene	1200	J	260	33
205-99-2	Benzo[b]fluoranthene	800	J	260	41
207-08-9	Benzo[k]fluoranthene	350	J	260	52
65-85-0	Benzoic acid	ND	uJ	6600	540
191-24-2	Benzo[g,h,i]perylene	760	J	260	26
50-32-8	Benzo[a]pyrene	ND	J	260	26
111-91-1	Bis(2-chloroethoxy)methane	ND	↓	1300	85
111-44-4	Bis(2-chloroethyl)ether	ND	↓	260	35
117-81-7	Bis(2-ethylhexyl) phthalate	18000	J	2600	210
108-60-1	2,2'-oxybis[1-chloropropane]	ND	uJ	260	28
101-55-3	4-Bromophenyl phenyl ether	ND	↓	1300	110
7005-72-3	4-Chlorophenyl phenyl ether	ND	↓	1300	140
91-58-7	2-Chloronaphthalene	ND	↓	260	27
85-68-7	Butyl benzyl phthalate	ND	↓	1300	180
218-01-9	Chrysene	1500	J	260	31
53-70-3	Dibenz(a,h)anthracene	ND	J	260	29
84-74-2	Di-n-butyl phthalate	ND	↓	1300	160
117-84-0	Di-n-octyl phthalate	ND	↓	1300	140
84-66-2	Diethyl phthalate	ND	↓	1300	140
131-11-3	Dimethyl phthalate	ND	↓	1300	140
91-94-1	3,3'-Dichlorobenzidine	ND	↓	1300	140
121-14-2	2,4-Dinitrotoluene	ND	↓	1300	100
606-20-2	2,6-Dinitrotoluene	ND	↓	1300	130
95-57-8	2-Chlorophenol	ND	↓	1300	110
120-83-2	2,4-Dichlorophenol	ND	↓	260	26
105-67-9	2,4-Dimethylphenol	ND	↓	1300	200
51-28-5	2,4-Dinitrophenol	ND	↓	6600	1500
88-75-5	2-Nitrophenol	ND	↓	1300	140
88-06-2	2,4,6-Trichlorophenol	ND	↓	1300	190
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND	↓	1300	170

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G02-0002 Lab Sample ID: 180-43699-10  
 Matrix: Sediment Lab File ID: F0523024.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 13:30  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:05  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/23/2015 15:38  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 74.3 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142613 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND	uJ	1300	72
59-50-7	4-Chloro-3-methylphenol	ND	↓	1300	120
100-02-7	4-Nitrophenol	ND	↓	6600	470
534-52-1	4,6-Dinitro-2-methylphenol	ND	↓	6600	520
206-44-0	Fluoranthene	4000	J	260	28
86-73-7	Fluorene	2000	J	260	34
118-74-1	Hexachlorobenzene	ND	uJ	260	28
87-68-3	Hexachlorobutadiene	ND	uJ	260	29
77-47-4	Hexachlorocyclopentadiene	ND	uJ	1300	140
67-72-1	Hexachloroethane	ND	uJ	1300	93
193-39-5	Indeno[1,2,3-cd]pyrene	520	J	260	27
78-59-1	Isophorone	ND	uJ	1300	98
91-20-3	Naphthalene	2100	J	260	22
98-95-3	Nitrobenzene	ND	uJ	2600	110
621-64-7	N-Nitrosodi-n-propylamine	ND	↓	260	30
62-75-9	N-Nitrosodimethylamine	ND	↓	1300	110
86-30-6	N-Nitrosodiphenylamine	ND	↓	1300	120
85-01-8	Phenanthrene	5800	J	260	41
129-00-0	Pyrene	2700	J	260	26
87-86-5	Pentachlorophenol	ND	uJ	1300	120
108-95-2	Phenol	ND	uJ	260	31

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	62		20-113
321-60-8	2-Fluorobiphenyl	59		38-103
367-12-4	2-Fluorophenol (Surr)	38		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	91		41-108
4165-62-2	Phenol-d5 (Surr)	11	X	35-103
1718-51-0	Terphenyl-d14 (Surr)	43		28-109

11

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G02-0406 Lab Sample ID: 180-43699-11

Matrix: Sediment Lab File ID: F0524010.D

Analysis Method: 8270D LL Date Collected: 04/30/2015 13:40

Extract. Method: 3541 Date Extracted: 05/07/2015 03:05

Sample wt/vol: 30.2(g) Date Analyzed: 05/25/2015 07:29

Con. Extract Vol.: 2.0(mL) Dilution Factor: 10

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 69.2 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142685 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	1700		430	41
208-96-8	Acenaphthylene	580		430	49
120-12-7	Anthracene	1600		430	42
92-87-5	Benzidine	ND	uJ	43000	9000
56-55-3	Benzo[a]anthracene	1700		430	54
205-99-2	Benzo[b]fluoranthene	860		430	68
207-08-9	Benzo[k]fluoranthene	1400		430	87
65-85-0	Benzoic acid	ND	/	11000	890
191-24-2	Benzo[g,h,i]perylene	ND		430	43
50-32-8	Benzo[a]pyrene	ND		430	43
111-91-1	Bis(2-chloroethoxy)methane	ND	*/	2100	140
111-44-4	Bis(2-chloroethyl)ether	ND		430	58
117-81-7	Bis(2-ethylhexyl) phthalate	29000		4300	350
108-60-1	2,2'-oxybis[1-chloropropane]	ND		430	46
101-55-3	4-Bromophenyl phenyl ether	ND		2100	190
7005-72-3	4-Chlorophenyl phenyl ether	ND		2100	240
91-58-7	2-Chloronaphthalene	ND		430	45
85-68-7	Butyl benzyl phthalate	ND		2100	290
218-01-9	Chrysene	3200		430	51
53-70-3	Dibenz(a,h)anthracene	ND		430	48
84-74-2	Di-n-butyl phthalate	ND		2100	270
117-84-0	Di-n-octyl phthalate	ND		2100	230
84-66-2	Diethyl phthalate	ND		2100	230
131-11-3	Dimethyl phthalate	ND		2100	230
91-94-1	3,3'-Dichlorobenzidine	ND		2100	230
121-14-2	2,4-Dinitrotoluene	ND		2100	170
606-20-2	2,6-Dinitrotoluene	ND		2100	220
95-57-8	2-Chlorophenol	ND		2100	180
120-83-2	2,4-Dichlorophenol	ND	/	430	43
105-67-9	2,4-Dimethylphenol	5100	uJ	2100	340
51-28-5	2,4-Dinitrophenol	ND		11000	2600
88-75-5	2-Nitrophenol	ND	/	2100	240
88-06-2	2,4,6-Trichlorophenol	ND		2100	320
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		2100	280

11

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G02-0406 Lab Sample ID: 180-43699-11

Matrix: Sediment Lab File ID: F0524010.D

Analysis Method: 8270D LL Date Collected: 04/30/2015 13:40

Extract. Method: 3541 Date Extracted: 05/07/2015 03:05

Sample wt/vol: 30.2(g) Date Analyzed: 05/25/2015 07:29

Con. Extract Vol.: 2.0(mL) Dilution Factor: 10

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 69.2 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142685 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND	✓	2100	120
59-50-7	4-Chloro-3-methylphenol	ND	✓	2100	200
100-02-7	4-Nitrophenol	ND		11000	780
534-52-1	4,6-Dinitro-2-methylphenol	ND		11000	860
206-44-0	Fluoranthene	6700		430	46
86-73-7	Fluorene	3200		430	57
118-74-1	Hexachlorobenzene	ND		430	46
87-68-3	Hexachlorobutadiene	ND	✓	430	48
77-47-4	Hexachlorocyclopentadiene	ND	uJ	2100	230
67-72-1	Hexachloroethane	ND		2100	150
193-39-5	Indeno[1,2,3-cd]pyrene	ND		430	44
78-59-1	Isophorone	ND	✓	2100	160
91-20-3	Naphthalene	1000	✓ J	430	37
98-95-3	Nitrobenzene	ND	✓	4300	180
621-64-7	N-Nitrosodi-n-propylamine	ND		430	50
62-75-9	N-Nitrosodimethylamine	ND	uJ	2100	180
86-30-6	N-Nitrosodiphenylamine	ND		2100	200
85-01-8	Phenanthrene	15000		430	68
129-00-0	Pyrene	4700		430	43
87-86-5	Pentachlorophenol	ND	uJ	2100	190
108-95-2	Phenol	700		430	51

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	86		20-113
321-60-8	2-Fluorobiphenyl	92		38-103
367-12-4	2-Fluorophenol (Surr)	83		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	42	*	41-108
4165-62-2	Phenol-d5 (Surr)	91		35-103
1718-51-0	Terphenyl-d14 (Surr)	71		28-109

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica PittsburghJob No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-DE02-0002Lab Sample ID: 180-43699-12Matrix: SedimentLab File ID: F0524011.DAnalysis Method: 8270D LLDate Collected: 04/30/2015 14:00Extract. Method: 3541Date Extracted: 05/07/2015 03:05Sample wt/vol: 30.2(g)Date Analyzed: 05/25/2015 07:57Con. Extract Vol.: 1.0(mL)Dilution Factor: 10Injection Volume: 2(uL)Level: (low/med) Low% Moisture: 80.6GPC Cleanup: (Y/N) NAnalysis Batch No.: 142685Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	240	J J	340	33
208-96-8	Acenaphthylene	610		340	39
120-12-7	Anthracene	1100	↓	340	33
92-87-5	Benzidine	ND	U J	34000	7200
56-55-3	Benzo[a]anthracene	3700	J	340	43
205-99-2	Benzo[b]fluoranthene	3000	↓	340	54
207-08-9	Benzo[k]fluoranthene	1500	↓	340	69
65-85-0	Benzoic acid	ND	U J	8700	710
191-24-2	Benzo[g,h,i]perylene	3200	J	340	34
50-32-8	Benzo[a]pyrene	3500	J	340	34
111-91-1	Bis(2-chloroethoxy)methane	ND	U J	1700	110
111-44-4	Bis(2-chloroethyl)ether	ND	U J	340	46
117-81-7	Bis(2-ethylhexyl) phthalate	12000	J	3400	280
108-60-1	2,2'-oxybis[1-chloropropane]	ND	U J	340	37
101-55-3	4-Bromophenyl phenyl ether	ND	↓	1700	150
7005-72-3	4-Chlorophenyl phenyl ether	ND	↓	1700	190
91-58-7	2-Chloronaphthalene	ND	↓	340	36
85-68-7	Butyl benzyl phthalate	ND	↓	1700	230
218-01-9	Chrysene	3600	J	340	41
53-70-3	Dibenz(a,h)anthracene	600	J J	340	38
84-74-2	Di-n-butyl phthalate	ND	U J	1700	210
117-84-0	Di-n-octyl phthalate	ND	↓	1700	180
84-66-2	Diethyl phthalate	ND	↓	1700	190
131-11-3	Dimethyl phthalate	ND	↓	1700	190
91-94-1	3,3'-Dichlorobenzidine	ND	↓	1700	180
121-14-2	2,4-Dinitrotoluene	ND	↓	1700	140
606-20-2	2,6-Dinitrotoluene	ND	↓	1700	180
95-57-8	2-Chlorophenol	ND	↓	1700	140
120-83-2	2,4-Dichlorophenol	ND	↓	340	34
105-67-9	2,4-Dimethylphenol	ND	↓	1700	270
51-28-5	2,4-Dinitrophenol	ND	↓	8700	2000
88-75-5	2-Nitrophenol	ND	↓	1700	190
88-06-2	2,4,6-Trichlorophenol	ND	↓	1700	260
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND	↓	1700	220

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-DE02-0002 Lab Sample ID: 180-43699-12  
 Matrix: Sediment Lab File ID: F0524011.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 14:00  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:05  
 Sample wt/vol: 30.2(g) Date Analyzed: 05/25/2015 07:57  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 80.6 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142685 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND	UJ	1700	95
59-50-7	4-Chloro-3-methylphenol	ND	↓	1700	160
100-02-7	4-Nitrophenol	ND	↓	8700	620
534-52-1	4,6-Dinitro-2-methylphenol	ND	↓	8700	690
206-44-0	Fluoranthene	7600	J	340	37
86-73-7	Fluorene	380	J	340	45
118-74-1	Hexachlorobenzene	ND	UJ	340	36
87-68-3	Hexachlorobutadiene	ND	UJ	340	38
77-47-4	Hexachlorocyclopentadiene	ND	UJ	1700	180
67-72-1	Hexachloroethane	ND	UJ	1700	120
193-39-5	Indeno[1,2,3-cd]pyrene	2400	J	340	35
78-59-1	Isophorone	ND	UJ	1700	130
91-20-3	Naphthalene	1200	J	340	30
98-95-3	Nitrobenzene	ND	UJ	3400	140
621-64-7	N-Nitrosodi-n-propylamine	ND	UJ	340	40
62-75-9	N-Nitrosodimethylamine	ND	UJ	1700	150
86-30-6	N-Nitrosodiphenylamine	ND	UJ	1700	160
85-01-8	Phenanthrene	1400	J	340	54
129-00-0	Pyrene	5700	J	340	35
87-86-5	Pentachlorophenol	ND	UJ	1700	150
108-95-2	Phenol	180	✓ J	340	40

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	79		20-113
321-60-8	2-Fluorobiphenyl	94		38-103
367-12-4	2-Fluorophenol (Surr)	75		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	107		41-108
4165-62-2	Phenol-d5 (Surr)	90		35-103
1718-51-0	Terphenyl-d14 (Surr)	77		28-109



FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-DE02-0406 Lab Sample ID: 180-43699-13  
 Matrix: Sediment Lab File ID: F0524012.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 14:10  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:05  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/25/2015 08:25  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 67.3 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142685 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	110	J	200	20
208-96-8	Acenaphthylene	250		200	23
120-12-7	Anthracene	350		200	20
92-87-5	Benzidine	ND	uJ	20000	4300
56-55-3	Benzo[a]anthracene	860		200	25
205-99-2	Benzo[b]fluoranthene	1100		200	32
207-08-9	Benzo[k]fluoranthene	310		200	41
65-85-0	Benzoic acid	ND		5200	420
191-24-2	Benzo[g,h,i]perylene	670		200	20
50-32-8	Benzo[a]pyrene	840		200	20
111-91-1	Bis(2-chloroethoxy)methane	ND		1000	67
111-44-4	Bis(2-chloroethyl)ether	ND		200	27
117-81-7	Bis(2-ethylhexyl) phthalate	ND		2000	160
108-60-1	2,2'-oxybis[1-chloropropane]	ND		200	22
101-55-3	4-Bromophenyl phenyl ether	ND		1000	88
7005-72-3	4-Chlorophenyl phenyl ether	ND		1000	110
91-58-7	2-Chloronaphthalene	ND		200	21
85-68-7	Butyl benzyl phthalate	ND		1000	140
218-01-9	Chrysene	890		200	24
53-70-3	Dibenz(a,h)anthracene	ND		200	23
84-74-2	Di-n-butyl phthalate	ND		1000	130
117-84-0	Di-n-octyl phthalate	ND		1000	110
84-66-2	Diethyl phthalate	ND		1000	110
131-11-3	Dimethyl phthalate	ND		1000	110
91-94-1	3,3'-Dichlorobenzidine	ND		1000	110
121-14-2	2,4-Dinitrotoluene	ND		1000	82
606-20-2	2,6-Dinitrotoluene	ND		1000	100
95-57-8	2-Chlorophenol	ND		1000	83
120-83-2	2,4-Dichlorophenol	ND		200	20
105-67-9	2,4-Dimethylphenol	ND		1000	160
51-28-5	2,4-Dinitrophenol	ND		5200	1200
88-75-5	2-Nitrophenol	ND		1000	110
88-06-2	2,4,6-Trichlorophenol	ND		1000	150
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		1000	130

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-DE02-0406 Lab Sample ID: 180-43699-13  
 Matrix: Sediment Lab File ID: F0524012.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 14:10  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:05  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/25/2015 08:25  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 67.3 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142685 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		1000	56
59-50-7	4-Chloro-3-methylphenol	ND		1000	94
100-02-7	4-Nitrophenol	ND		5200	370
534-52-1	4,6-Dinitro-2-methylphenol	ND		5200	410
206-44-0	Fluoranthene	1800		200	22
86-73-7	Fluorene	250		200	27
118-74-1	Hexachlorobenzene	ND		200	22
87-68-3	Hexachlorobutadiene	ND		200	23
77-47-4	Hexachlorocyclopentadiene	<del>ND</del> uJ		1000	110
67-72-1	Hexachloroethane	ND		1000	73
193-39-5	Indeno[1,2,3-cd]pyrene	660		200	21
78-59-1	Isophorone	ND		1000	77
91-20-3	Naphthalene	1400		200	18
98-95-3	Nitrobenzene	ND		2000	85
621-64-7	N-Nitrosodi-n-propylamine	ND		200	24
62-75-9	N-Nitrosodimethylamine	<del>ND</del> uJ		1000	87
86-30-6	N-Nitrosodiphenylamine	ND		1000	94
85-01-8	Phenanthrene	780		200	32
129-00-0	Pyrene	1300		200	21
87-86-5	Pentachlorophenol	<del>ND</del> uJ		1000	91
108-95-2	Phenol	210 J		200	24

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	76		20-113
321-60-8	2-Fluorobiphenyl	106	X	38-103
367-12-4	2-Fluorophenol (Surr)	104	X	34-103
4165-60-0	Nitrobenzene-d5 (Surr)	106		41-108
4165-62-2	Phenol-d5 (Surr)	104	X	35-103
1718-51-0	Terphenyl-d14 (Surr)	88		28-109

14

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica PittsburghJob No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H07-0002Lab Sample ID: 180-43699-14Matrix: SedimentLab File ID: F0524013.DAnalysis Method: 8270D LLDate Collected: 04/30/2015 14:30Extract. Method: 3541Date Extracted: 05/07/2015 03:05Sample wt/vol: 30.2(g)Date Analyzed: 05/25/2015 08:52Con. Extract Vol.: 0.5(mL)Dilution Factor: 10Injection Volume: 2(uL)Level: (low/med) Low% Moisture: 70.2GPC Cleanup: (Y/N) NAnalysis Batch No.: 142685Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	160	J	110	11
208-96-8	Acenaphthylene	790	↓	110	13
120-12-7	Anthracene	1300	↓	110	11
92-87-5	Benzidine	ND	uJ	11000	2300
56-55-3	Benzo[a]anthracene	6400	J	110	14
205-99-2	Benzo[b]fluoranthene	6100	↓	110	17
207-08-9	Benzo[k]fluoranthene	1500	↓	110	22
65-85-0	Benzoic acid	ND	uJ	2800	230
191-24-2	Benzo[g,h,i]perylene	4500	J	110	11
50-32-8	Benzo[a]pyrene	5300	J	110	11
111-91-1	Bis(2-chloroethoxy)methane	ND	uJ	550	37
111-44-4	Bis(2-chloroethyl)ether	ND	uJ	110	15
117-81-7	Bis(2-ethylhexyl) phthalate	3300	J	1100	90
108-60-1	2,2'-oxybis[1-chloropropane]	ND	uJ	110	12
101-55-3	4-Bromophenyl phenyl ether	ND	↓	550	48
7005-72-3	4-Chlorophenyl phenyl ether	ND	↓	550	62
91-58-7	2-Chloronaphthalene	ND	↓	110	12
85-68-7	Butyl benzyl phthalate	ND	↓	550	76
218-01-9	Chrysene	5800	J	110	13
53-70-3	Dibenz(a,h)anthracene	1100	J	110	12
84-74-2	Di-n-butyl phthalate	ND	uJ	550	70
117-84-0	Di-n-octyl phthalate	ND	↓	550	59
84-66-2	Diethyl phthalate	ND	↓	550	61
131-11-3	Dimethyl phthalate	ND	↓	550	61
91-94-1	3,3'-Dichlorobenzidine	ND	↓	550	59
121-14-2	2,4-Dinitrotoluene	ND	↓	550	45
606-20-2	2,6-Dinitrotoluene	ND	↓	550	57
95-57-8	2-Chlorophenol	ND	↓	550	45
120-83-2	2,4-Dichlorophenol	ND	↓	110	11
105-67-9	2,4-Dimethylphenol	ND	↓	550	87
51-28-5	2,4-Dinitrophenol	ND	↓	2800	660
88-75-5	2-Nitrophenol	ND	↓	550	61
88-06-2	2,4,6-Trichlorophenol	ND	↓	550	83
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND	↓	550	71

14

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H07-0002 Lab Sample ID: 180-43699-14  
Matrix: Sediment Lab File ID: F0524013.D  
Analysis Method: 8270D LL Date Collected: 04/30/2015 14:30  
Extract. Method: 3541 Date Extracted: 05/07/2015 03:05  
Sample wt/vol: 30.2(g) Date Analyzed: 05/25/2015 08:52  
Con. Extract Vol.: 0.5(mL) Dilution Factor: 10  
Injection Volume: 2(uL) Level: (low/med) Low  
% Moisture: 70.2 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 142685 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND	uJ	550	31
59-50-7	4-Chloro-3-methylphenol	ND	↓	550	51
100-02-7	4-Nitrophenol	ND	↓	2800	200
534-52-1	4,6-Dinitro-2-methylphenol	ND	↓	2800	220
206-44-0	Fluoranthene	13000	J	110	12
86-73-7	Fluorene	300	J	110	15
118-74-1	Hexachlorobenzene	ND	uJ	110	12
87-68-3	Hexachlorobutadiene	ND	↓	110	12
77-47-4	Hexachlorocyclopentadiene	ND	uJ	550	60
67-72-1	Hexachloroethane	ND	uJ	550	40
193-39-5	Indeno[1,2,3-cd]pyrene	3600	J	110	11
78-59-1	Isophorone	ND	uJ	550	42
91-20-3	Naphthalene	4800	J	110	9.6
98-95-3	Nitrobenzene	ND	uJ	1100	46
621-64-7	N-Nitrosodi-n-propylamine	ND	uJ	110	13
62-75-9	N-Nitrosodimethylamine	ND	uJ	550	48
86-30-6	N-Nitrosodiphenylamine	ND	uJ	550	51
85-01-8	Phenanthrene	1000	J	110	18
129-00-0	Pyrene	7200	J	110	11
87-86-5	Pentachlorophenol	ND	uJ	550	50
108-95-2	Phenol	ND	uJ	110	13

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	79		20-113
321-60-8	2-Fluorobiphenyl	105	X	38-103
367-12-4	2-Fluorophenol (Surr)	99		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	106		41-108
4165-62-2	Phenol-d5 (Surr)	103		35-103
1718-51-0	Terphenyl-d14 (Surr)	86		28-109

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H07-0002-FD Lab Sample ID: 180-43699-15  
 Matrix: Sediment Lab File ID: F0524014.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 14:30  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:05  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/25/2015 09:20  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 10  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 69.3 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142685 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	110		110	10
208-96-8	Acenaphthylene	660		110	12
120-12-7	Anthracene	1000		110	11
92-87-5	Benzidine	ND	uJ	11000	2300
56-55-3	Benzo[a]anthracene	5600		110	14
205-99-2	Benzo[b]fluoranthene	5000		110	17
207-08-9	Benzo[k]fluoranthene	1700		110	22
65-85-0	Benzoic acid	ND		2800	230
191-24-2	Benzo[g,h,i]perylene	4000		110	11
50-32-8	Benzo[a]pyrene	4600		110	11
111-91-1	Bis(2-chloroethoxy)methane	ND		540	36
111-44-4	Bis(2-chloroethyl) ether	ND		110	15
117-81-7	Bis(2-ethylhexyl) phthalate	2800		1100	88
108-60-1	2,2'-oxybis[1-chloropropane]	ND		110	12
101-55-3	4-Bromophenyl phenyl ether	ND		540	47
7005-72-3	4-Chlorophenyl phenyl ether	ND		540	60
91-58-7	2-Chloronaphthalene	ND		110	11
85-68-7	Butyl benzyl phthalate	ND		540	74
218-01-9	Chrysene	4900		110	13
53-70-3	Dibenz(a,h)anthracene	1100		110	12
84-74-2	Di-n-butyl phthalate	ND		540	68
117-84-0	Di-n-octyl phthalate	ND		540	57
84-66-2	Diethyl phthalate	ND		540	59
131-11-3	Dimethyl phthalate	ND		540	59
91-94-1	3,3'-Dichlorobenzidine	ND		540	58
121-14-2	2,4-Dinitrotoluene	ND		540	44
606-20-2	2,6-Dinitrotoluene	ND		540	56
95-57-8	2-Chlorophenol	ND		540	44
120-83-2	2,4-Dichlorophenol	ND		110	11
105-67-9	2,4-Dimethylphenol	ND		540	85
51-28-5	2,4-Dinitrophenol	ND		2800	650
88-75-5	2-Nitrophenol	ND		540	60
88-06-2	2,4,6-Trichlorophenol	ND		540	81
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		540	70

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H07-0002-FD Lab Sample ID: 180-43699-15  
 Matrix: Sediment Lab File ID: F0524014.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 14:30  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:05  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/25/2015 09:20  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 10  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 69.3 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142685 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		540	30
59-50-7	4-Chloro-3-methylphenol	ND		540	50
100-02-7	4-Nitrophenol	ND		2800	200
534-52-1	4,6-Dinitro-2-methylphenol	ND		2800	220
206-44-0	Fluoranthene	10000		110	12
86-73-7	Fluorene	280		110	14
118-74-1	Hexachlorobenzene	ND		110	12
87-68-3	Hexachlorobutadiene	ND		110	12
77-47-4	Hexachlorocyclopentadiene	ND	UJ	540	59
67-72-1	Hexachloroethane	ND		540	39
193-39-5	Indeno[1,2,3-cd]pyrene	3300		110	11
78-59-1	Isophorone	ND		540	41
91-20-3	Naphthalene	4200		110	9.4
98-95-3	Nitrobenzene	ND		1100	45
621-64-7	N-Nitrosodi-n-propylamine	ND		110	13
62-75-9	N-Nitrosodimethylamine	ND	UJ	540	47
86-30-6	N-Nitrosodiphenylamine	ND		540	50
85-01-8	Phenanthrene	920		110	17
129-00-0	Pyrene	6500		110	11
87-86-5	Pentachlorophenol	ND	UJ	540	49
108-95-2	Phenol	ND		110	13

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	67		20-113
321-60-8	2-Fluorobiphenyl	94		38-103
367-12-4	2-Fluorophenol (Surr)	98		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	93		41-108
4165-62-2	Phenol-d5 (Surr)	95		35-103
1718-51-0	Terphenyl-d14 (Surr)	74		28-109

16

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H07-0406 Lab Sample ID: 180-43699-16

Matrix: Sediment Lab File ID: F0524017.D

Analysis Method: 8270D LL Date Collected: 04/30/2015 14:40

Extract. Method: 3541 Date Extracted: 05/07/2015 03:20

Sample wt/vol: 30.0(g) Date Analyzed: 05/25/2015 10:43

Con. Extract Vol.: 0.5(mL) Dilution Factor: 5

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 53.4 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142685 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	60	<del>F1</del>	36	3.4
208-96-8	Acenaphthylene	260	<del>F1</del>	36	4.1
120-12-7	Anthracene	300	<del>F1</del>	36	3.5
92-87-5	Benzidine	ND	<del>uJ</del>	3600	750
56-55-3	Benzo[a]anthracene	860	<del>F1</del>	36	4.5
205-99-2	Benzo[b]fluoranthene	1100	<del>F1</del>	36	5.6
207-08-9	Benzo[k]fluoranthene	360		36	7.2
65-85-0	Benzoic acid	ND	<del>F1</del>	910	74
191-24-2	Benzo[g,h,i]perylene	880	<del>F1</del>	36	3.6
50-32-8	Benzo[a]pyrene	890	<del>F1</del>	36	3.6
111-91-1	Bis(2-chloroethoxy)methane	ND		180	12
111-44-4	Bis(2-chloroethyl)ether	ND		36	4.8
117-81-7	Bis(2-ethylhexyl) phthalate	ND		360	29
108-60-1	2,2'-oxybis[1-chloropropane]	ND		36	3.9
101-55-3	4-Bromophenyl phenyl ether	ND		180	16
7005-72-3	4-Chlorophenyl phenyl ether	ND		180	20
91-58-7	2-Chloronaphthalene	ND		36	3.7
85-68-7	Butyl benzyl phthalate	ND		180	24
218-01-9	Chrysene	700	<del>F1</del>	36	4.3
53-70-3	Dibenz(a,h)anthracene	250	<del>F1</del>	36	4.0
84-74-2	Di-n-butyl phthalate	ND	<del>F1</del>	180	22
117-84-0	Di-n-octyl phthalate	ND		180	19
84-66-2	Diethyl phthalate	ND		180	20
131-11-3	Dimethyl phthalate	ND	<del>F1</del>	180	19
91-94-1	3,3'-Dichlorobenzidine	ND		180	19
121-14-2	2,4-Dinitrotoluene	ND	<del>F1</del>	180	14
606-20-2	2,6-Dinitrotoluene	ND	<del>F1</del>	180	18
95-57-8	2-Chlorophenol	ND		180	15
120-83-2	2,4-Dichlorophenol	ND		36	3.6
105-67-9	2,4-Dimethylphenol	ND	<del>F1</del>	180	28
51-28-5	2,4-Dinitrophenol	ND	<del>F1</del>	910	210
88-75-5	2-Nitrophenol	ND	<del>F1</del>	180	20
88-06-2	2,4,6-Trichlorophenol	ND		180	27
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		180	23

16

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H07-0406

Lab Sample ID: 180-43699-16

Matrix: Sediment

Lab File ID: F0524017.D

Analysis Method: 8270D LL

Date Collected: 04/30/2015 14:40

Extract. Method: 3541

Date Extracted: 05/07/2015 03:20

Sample wt/vol: 30.0(g)

Date Analyzed: 05/25/2015 10:43

Con. Extract Vol.: 0.5(mL)

Dilution Factor: 5

Injection Volume: 2(uL)

Level: (low/med) Low

% Moisture: 53.4

GPC Cleanup: (Y/N) N

Analysis Batch No.: 142685

Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		180	9.9
59-50-7	4-Chloro-3-methylphenol	ND	<del>PI</del>	180	16
100-02-7	4-Nitrophenol	ND		910	65
534-52-1	4,6-Dinitro-2-methylphenol	ND		910	72
206-44-0	Fluoranthene	1700	<del>PI</del>	36	3.8
86-73-7	Fluorene	110	<del>PI</del>	36	4.7
118-74-1	Hexachlorobenzene	ND		36	3.8
87-68-3	Hexachlorobutadiene	ND		36	4.0
77-47-4	Hexachlorocyclopentadiene	<del>ND</del>	<del>PI</del> <u>uJ</u>	180	19
67-72-1	Hexachloroethane	ND		180	13
193-39-5	Indeno[1,2,3-cd]pyrene	740	<del>PI</del>	36	3.7
78-59-1	Isophorone	ND		180	13
91-20-3	Naphthalene	1400	<del>PI</del>	36	3.1
98-95-3	Nitrobenzene	ND		360	15
621-64-7	N-Nitrosodi-n-propylamine	ND		36	4.2
62-75-9	N-Nitrosodimethylamine	<del>ND</del>	<del>PI</del> <u>uJ</u>	180	15
86-30-6	N-Nitrosodiphenylamine	ND		180	17
85-01-8	Phenanthrene	400	<del>PI</del>	36	5.7
129-00-0	Pyrene	1100	<del>PI</del>	36	3.6
87-86-5	Pentachlorophenol	<del>ND</del>	<del>PI</del> <u>uJ</u>	180	16
108-95-2	Phenol	ND		36	4.2

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	42		20-113
321-60-8	2-Fluorobiphenyl	75		38-103
367-12-4	2-Fluorophenol (Surr)	81		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	74		41-108
4165-62-2	Phenol-d5 (Surr)	81		35-103
1718-51-0	Terphenyl-d14 (Surr)	69		28-109



17

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-G06-0002 Lab Sample ID: 180-43699-17  
Matrix: Sediment Lab File ID: F0524018.D  
Analysis Method: 8270D LL Date Collected: 04/30/2015 15:00  
Extract. Method: 3541 Date Extracted: 05/07/2015 03:20  
Sample wt/vol: 30.2(g) Date Analyzed: 05/25/2015 11:11  
Con. Extract Vol.: 0.5(mL) Dilution Factor: 5  
Injection Volume: 2(uL) Level: (low/med) Low  
% Moisture: 66.8 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 142685 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	110		50	4.8
208-96-8	Acenaphthylene	400		50	5.7
120-12-7	Anthracene	660		50	4.9
92-87-5	Benzidine	ND	UJ	5000	1000
56-55-3	Benzo[a]anthracene	1500		50	6.3
205-99-2	Benzo[b]fluoranthene	1800		50	7.9
207-08-9	Benzo[k]fluoranthene	800		50	10
65-85-0	Benzoic acid	790	J	1300	100
191-24-2	Benzo[g,h,i]perylene	1600		50	5.0
50-32-8	Benzo[a]pyrene	1600		50	5.0
111-91-1	Bis(2-chloroethoxy)methane	ND		250	16
111-44-4	Bis(2-chloroethyl)ether	ND		50	6.7
117-81-7	Bis(2-ethylhexyl) phthalate	180	J	500	40
108-60-1	2,2'-oxybis[1-chloropropane]	ND		50	5.4
101-55-3	4-Bromophenyl phenyl ether	ND		250	22
7005-72-3	4-Chlorophenyl phenyl ether	ND		250	28
91-58-7	2-Chloronaphthalene	ND		50	5.2
85-68-7	Butyl benzyl phthalate	ND		250	34
218-01-9	Chrysene	1300		50	5.9
53-70-3	Dibenz(a,h)anthracene	380		50	5.6
84-74-2	Di-n-butyl phthalate	ND		250	31
117-84-0	Di-n-octyl phthalate	ND		250	26
84-66-2	Diethyl phthalate	ND		250	27
131-11-3	Dimethyl phthalate	ND		250	27
91-94-1	3,3'-Dichlorobenzidine	ND		250	26
121-14-2	2,4-Dinitrotoluene	ND		250	20
606-20-2	2,6-Dinitrotoluene	ND		250	26
95-57-8	2-Chlorophenol	ND		250	20
120-83-2	2,4-Dichlorophenol	ND		50	5.0
105-67-9	2,4-Dimethylphenol	ND		250	39
51-28-5	2,4-Dinitrophenol	ND		1300	300
88-75-5	2-Nitrophenol	ND		250	28
88-06-2	2,4,6-Trichlorophenol	ND		250	37
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		250	32

17

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G06-0002 Lab Sample ID: 180-43699-17

Matrix: Sediment Lab File ID: F0524018.D

Analysis Method: 8270D LL Date Collected: 04/30/2015 15:00

Extract. Method: 3541 Date Extracted: 05/07/2015 03:20

Sample wt/vol: 30.2(g) Date Analyzed: 05/25/2015 11:11

Con. Extract Vol.: 0.5(mL) Dilution Factor: 5

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 66.8 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142685 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		250	14
59-50-7	4-Chloro-3-methylphenol	ND		250	23
100-02-7	4-Nitrophenol	ND		1300	91
534-52-1	4,6-Dinitro-2-methylphenol	ND		1300	100
206-44-0	Fluoranthene	4000		50	5.3
86-73-7	Fluorene	290		50	6.6
118-74-1	Hexachlorobenzene	ND		50	5.3
87-68-3	Hexachlorobutadiene	ND		50	5.6
77-47-4	Hexachlorocyclopentadiene	<del>ND</del> <i>uJ</i>		250	27
67-72-1	Hexachloroethane	ND		250	18
193-39-5	Indeno[1,2,3-cd]pyrene	1400		50	5.1
78-59-1	Isophorone	ND		250	19
91-20-3	Naphthalene	3500		50	4.3
98-95-3	Nitrobenzene	ND		500	21
621-64-7	N-Nitrosodi-n-propylamine	ND		50	5.9
62-75-9	N-Nitrosodimethylamine	<del>ND</del> <i>uJ</i>		250	21
86-30-6	N-Nitrosodiphenylamine	ND		250	23
85-01-8	Phenanthrene	990		50	7.9
129-00-0	Pyrene	2400		50	5.0
87-86-5	Pentachlorophenol	<del>ND</del> <i>uJ</i>		250	22
108-95-2	Phenol	170		50	5.9

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	48		20-113
321-60-8	2-Fluorobiphenyl	70		38-103
367-12-4	2-Fluorophenol (Surr)	73		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	71		41-108
4165-62-2	Phenol-d5 (Surr)	73		35-103
1718-51-0	Terphenyl-d14 (Surr)	56		28-109

18

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G06-0406 Lab Sample ID: 180-43699-18

Matrix: Sediment Lab File ID: F0524019.D

Analysis Method: 8270D LL Date Collected: 04/30/2015 15:10

Extract. Method: 3541 Date Extracted: 05/07/2015 03:20

Sample wt/vol: 30.0(g) Date Analyzed: 05/25/2015 11:39

Con. Extract Vol.: 0.5(mL) Dilution Factor: 5

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 54.1 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142685 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	ND		36	3.5
208-96-8	Acenaphthylene	ND		36	4.2
120-12-7	Anthracene	15	J	36	3.6
92-87-5	Benzidine	<del>ND</del> <i>uJ</i>		3600	760
56-55-3	Benzo[a]anthracene	34	J	36	4.5
205-99-2	Benzo[b]fluoranthene	35	J	36	5.7
207-08-9	Benzo[k]fluoranthene	11	J	36	7.3
65-85-0	Benzoic acid	ND		930	75
191-24-2	Benzo[g,h,i]perylene	30	J	36	3.6
50-32-8	Benzo[a]pyrene	31	J	36	3.6
111-91-1	Bis(2-chloroethoxy)methane	ND		180	12
111-44-4	Bis(2-chloroethyl)ether	ND		36	4.9
117-81-7	Bis(2-ethylhexyl) phthalate	ND		360	29
108-60-1	2,2'-oxybis[1-chloropropane]	ND		36	3.9
101-55-3	4-Bromophenyl phenyl ether	ND		180	16
7005-72-3	4-Chlorophenyl phenyl ether	ND		180	20
91-58-7	2-Chloronaphthalene	ND		36	3.8
85-68-7	Butyl benzyl phthalate	ND		180	25
218-01-9	Chrysene	35	J	36	4.3
53-70-3	Dibenz(a,h)anthracene	ND		36	4.0
84-74-2	Di-n-butyl phthalate	ND		180	23
117-84-0	Di-n-octyl phthalate	ND		180	19
84-66-2	Diethyl phthalate	ND		180	20
131-11-3	Dimethyl phthalate	ND		180	20
91-94-1	3,3'-Dichlorobenzidine	ND		180	19
121-14-2	2,4-Dinitrotoluene	ND		180	15
606-20-2	2,6-Dinitrotoluene	ND		180	19
95-57-8	2-Chlorophenol	ND		180	15
120-83-2	2,4-Dichlorophenol	ND		36	3.6
105-67-9	2,4-Dimethylphenol	ND		180	28
51-28-5	2,4-Dinitrophenol	ND		930	220
88-75-5	2-Nitrophenol	ND		180	20
88-06-2	2,4,6-Trichlorophenol	ND		180	27
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		180	23

18

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G06-0406 Lab Sample ID: 180-43699-18

Matrix: Sediment Lab File ID: F0524019.D

Analysis Method: 8270D LL Date Collected: 04/30/2015 15:10

Extract. Method: 3541 Date Extracted: 05/07/2015 03:20

Sample wt/vol: 30.0(g) Date Analyzed: 05/25/2015 11:39

Con. Extract Vol.: 0.5(mL) Dilution Factor: 5

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 54.1 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142685 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		180	10
59-50-7	4-Chloro-3-methylphenol	ND		180	17
100-02-7	4-Nitrophenol	ND		930	66
534-52-1	4,6-Dinitro-2-methylphenol	ND		930	73
206-44-0	Fluoranthene	64		36	3.9
86-73-7	Fluorene	ND		36	4.8
118-74-1	Hexachlorobenzene	ND		36	3.9
87-68-3	Hexachlorobutadiene	ND		36	4.1
77-47-4	Hexachlorocyclopentadiene	<del>ND</del>	UJ	180	20
67-72-1	Hexachloroethane	ND		180	13
193-39-5	Indeno[1,2,3-cd]pyrene	22	J	36	3.7
78-59-1	Isophorone	ND		180	14
91-20-3	Naphthalene	26	J	36	3.1
98-95-3	Nitrobenzene	ND		360	15
621-64-7	N-Nitrosodi-n-propylamine	ND		36	4.3
62-75-9	N-Nitrosodimethylamine	<del>ND</del>	UJ	180	16
86-30-6	N-Nitrosodiphenylamine	ND		180	17
85-01-8	Phenanthrene	34	J	36	5.8
129-00-0	Pyrene	51		36	3.7
87-86-5	Pentachlorophenol	<del>ND</del>	UJ	180	16
108-95-2	Phenol	120		36	4.3

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	35		20-113
321-60-8	2-Fluorobiphenyl	65		38-103
367-12-4	2-Fluorophenol (Surr)	73		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	66		41-108
4165-62-2	Phenol-d5 (Surr)	73		35-103
1718-51-0	Terphenyl-d14 (Surr)	60		28-109

19

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: <u>TestAmerica Pittsburgh</u>	Job No.: <u>180-43699-1</u>
SDG No.: _____	
Client Sample ID: <u>SD-I03-0002</u>	Lab Sample ID: <u>180-43699-19</u>
Matrix: <u>Sediment</u>	Lab File ID: <u>F0524020.D</u>
Analysis Method: <u>8270D LL</u>	Date Collected: <u>04/30/2015 15:35</u>
Extract. Method: <u>3541</u>	Date Extracted: <u>05/07/2015 03:20</u>
Sample wt/vol: <u>30.0(g)</u>	Date Analyzed: <u>05/25/2015 12:07</u>
Con. Extract Vol.: <u>0.5(mL)</u>	Dilution Factor: <u>5</u>
Injection Volume: <u>2(uL)</u>	Level: (low/med) <u>Low</u>
% Moisture: <u>66.3</u>	GPC Cleanup: (Y/N) <u>N</u>
Analysis Batch No.: <u>142685</u>	Units: <u>ug/Kg</u>

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	79		50	4.7
208-96-8	Acenaphthylene	560		50	5.7
120-12-7	Anthracene	650		50	4.8
92-87-5	Benzidine	<del>ND</del> <b>uJ</b>		5000	1000
56-55-3	Benzo[a]anthracene	3500		50	6.2
205-99-2	Benzo[b]fluoranthene	3300		50	7.8
207-08-9	Benzo[k]fluoranthene	1500		50	10
65-85-0	Benzoic acid	960	J	1300	100
191-24-2	Benzo[g,h,i]perylene	2700		50	4.9
50-32-8	Benzo[a]pyrene	3200		50	4.9
111-91-1	Bis(2-chloroethoxy)methane	ND		240	16
111-44-4	Bis(2-chloroethyl)ether	ND		50	6.6
117-81-7	Bis(2-ethylhexyl) phthalate	220	J	490	40
108-60-1	2,2'-oxybis[1-chloropropane]	ND		50	5.3
101-55-3	4-Bromophenyl phenyl ether	ND		240	22
7005-72-3	4-Chlorophenyl phenyl ether	ND		240	27
91-58-7	2-Chloronaphthalene	ND		50	5.2
85-68-7	Butyl benzyl phthalate	ND		240	34
218-01-9	Chrysene	3000		50	5.9
53-70-3	Dibenz(a,h)anthracene	780		50	5.5
84-74-2	Di-n-butyl phthalate	ND		240	31
117-84-0	Di-n-octyl phthalate	ND		240	26
84-66-2	Diethyl phthalate	ND		240	27
131-11-3	Dimethyl phthalate	ND		240	27
91-94-1	3,3'-Dichlorobenzidine	ND		240	26
121-14-2	2,4-Dinitrotoluene	ND		240	20
606-20-2	2,6-Dinitrotoluene	ND		240	25
95-57-8	2-Chlorophenol	ND		240	20
120-83-2	2,4-Dichlorophenol	ND		50	5.0
105-67-9	2,4-Dimethylphenol	59	J	240	39
51-28-5	2,4-Dinitrophenol	ND		1300	290
88-75-5	2-Nitrophenol	ND		240	27
88-06-2	2,4,6-Trichlorophenol	ND		240	37
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		240	32

19

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-I03-0002 Lab Sample ID: 180-43699-19  
 Matrix: Sediment Lab File ID: F0524020.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 15:35  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:20  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/25/2015 12:07  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 5  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 66.3 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142685 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		240	14
59-50-7	4-Chloro-3-methylphenol	ND		240	23
100-02-7	4-Nitrophenol	ND		1300	90
534-52-1	4,6-Dinitro-2-methylphenol	ND		1300	99
206-44-0	Fluoranthene	6700		50	5.3
86-73-7	Fluorene	210		50	6.5
118-74-1	Hexachlorobenzene	ND		50	5.3
87-68-3	Hexachlorobutadiene	ND		50	5.5
77-47-4	Hexachlorocyclopentadiene	ND	UJ	240	27
67-72-1	Hexachloroethane	ND		240	18
193-39-5	Indeno[1,2,3-cd]pyrene	2400		50	5.1
78-59-1	Isophorone	ND		240	19
91-20-3	Naphthalene	2300		50	4.3
98-95-3	Nitrobenzene	ND		490	21
621-64-7	N-Nitrosodi-n-propylamine	ND		50	5.8
62-75-9	N-Nitrosodimethylamine	ND	UJ	240	21
86-30-6	N-Nitrosodiphenylamine	ND		240	23
85-01-8	Phenanthrene	660		50	7.9
129-00-0	Pyrene	4200		50	5.0
87-86-5	Pentachlorophenol	ND	UJ	240	22
108-95-2	Phenol	79		50	5.8

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	48		20-113
321-60-8	2-Fluorobiphenyl	67		38-103
367-12-4	2-Fluorophenol (Surr)	71		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	64		41-108
4165-62-2	Phenol-d5 (Surr)	73		35-103
1718-51-0	Terphenyl-d14 (Surr)	60		28-109

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-I03-0204 Lab Sample ID: 180-43699-20

Matrix: Sediment Lab File ID: F0524021.D

Analysis Method: 8270D LL Date Collected: 04/30/2015 15:40

Extract. Method: 3541 Date Extracted: 05/07/2015 03:20

Sample wt/vol: 30.2(g) Date Analyzed: 05/25/2015 12:35

Con. Extract Vol.: 0.5(mL) Dilution Factor: 5

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 57.3 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142685 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	36	J	39	3.7
208-96-8	Acenaphthylene	130		39	4.4
120-12-7	Anthracene	220		39	3.8
92-87-5	Benzidine	<del>ND</del> <u>uJ</u>		3900	810
56-55-3	Benzo[a]anthracene	590		39	4.9
205-99-2	Benzo[b]fluoranthene	640		39	6.1
207-08-9	Benzo[k]fluoranthene	240		39	7.9
65-85-0	Benzoic acid	ND		990	81
191-24-2	Benzo[g,h,i]perylene	580		39	3.9
50-32-8	Benzo[a]pyrene	570		39	3.9
111-91-1	Bis(2-chloroethoxy)methane	ND		190	13
111-44-4	Bis(2-chloroethyl)ether	ND		39	5.2
117-81-7	Bis(2-ethylhexyl) phthalate	ND		390	31
108-60-1	2,2'-oxybis[1-chloropropane]	ND		39	4.2
101-55-3	4-Bromophenyl phenyl ether	ND		190	17
7005-72-3	4-Chlorophenyl phenyl ether	ND		190	22
91-58-7	2-Chloronaphthalene	ND		39	4.1
85-68-7	Butyl benzyl phthalate	ND		190	27
218-01-9	Chrysene	450		39	4.6
53-70-3	Dibenz(a,h)anthracene	140		39	4.3
84-74-2	Di-n-butyl phthalate	ND		190	24
117-84-0	Di-n-octyl phthalate	ND		190	20
84-66-2	Diethyl phthalate	ND		190	21
131-11-3	Dimethyl phthalate	ND		190	21
91-94-1	3,3'-Dichlorobenzidine	ND		190	21
121-14-2	2,4-Dinitrotoluene	ND		190	16
606-20-2	2,6-Dinitrotoluene	ND		190	20
95-57-8	2-Chlorophenol	ND		190	16
120-83-2	2,4-Dichlorophenol	ND		39	3.9
105-67-9	2,4-Dimethylphenol	ND		190	30
51-28-5	2,4-Dinitrophenol	ND		990	230
88-75-5	2-Nitrophenol	ND		190	21
88-06-2	2,4,6-Trichlorophenol	ND		190	29
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		190	25

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-I03-0204 Lab Sample ID: 180-43699-20  
 Matrix: Sediment Lab File ID: F0524021.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 15:40  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:20  
 Sample wt/vol: 30.2(g) Date Analyzed: 05/25/2015 12:35  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 5  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 57.3 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142685 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		190	11
59-50-7	4-Chloro-3-methylphenol	ND		190	18
100-02-7	4-Nitrophenol	ND		990	71
534-52-1	4,6-Dinitro-2-methylphenol	ND		990	78
206-44-0	Fluoranthene	1000		39	4.2
86-73-7	Fluorene	91		39	5.1
118-74-1	Hexachlorobenzene	ND		39	4.1
87-68-3	Hexachlorobutadiene	ND		39	4.3
77-47-4	Hexachlorocyclopentadiene	ND	uJ	190	21
67-72-1	Hexachloroethane	ND		190	14
193-39-5	Indeno[1,2,3-cd]pyrene	480		39	4.0
78-59-1	Isophorone	ND		190	15
91-20-3	Naphthalene	530		39	3.3
98-95-3	Nitrobenzene	ND		390	16
621-64-7	N-Nitrosodi-n-propylamine	ND		39	4.6
62-75-9	N-Nitrosodimethylamine	ND	uJ	190	17
86-30-6	N-Nitrosodiphenylamine	ND		190	18
85-01-8	Phenanthrene	310		39	6.2
129-00-0	Pyrene	730		39	3.9
87-86-5	Pentachlorophenol	ND	uJ	190	17
108-95-2	Phenol	57		39	4.6

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	39		20-113
321-60-8	2-Fluorobiphenyl	73		38-103
367-12-4	2-Fluorophenol (Surr)	72		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	70		41-108
4165-62-2	Phenol-d5 (Surr)	70		35-103
1718-51-0	Terphenyl-d14 (Surr)	69		28-109



FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-I03-0406 Lab Sample ID: 180-43699-21  
 Matrix: Sediment Lab File ID: F0524022.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 15:45  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:20  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/25/2015 13:03  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 1  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 57.6 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142685 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	ND		7.9	0.76
208-96-8	Acenaphthylene	ND		7.9	0.90
120-12-7	Anthracene	ND		7.9	0.77
92-87-5	Benzidine	<del>ND</del> <i>uJ</i>		790	160
56-55-3	Benzo[a]anthracene	ND		7.9	0.99
205-99-2	Benzo[b]fluoranthene	ND		7.9	1.2
207-08-9	Benzo[k]fluoranthene	ND		7.9	1.6
65-85-0	Benzoic acid	ND		200	16
191-24-2	Benzo[g,h,i]perylene	ND		7.9	0.78
50-32-8	Benzo[a]pyrene	ND		7.9	0.79
111-91-1	Bis(2-chloroethoxy)methane	ND		39	2.6
111-44-4	Bis(2-chloroethyl)ether	ND		7.9	1.1
117-81-7	Bis(2-ethylhexyl) phthalate	13	J	79	6.4
108-60-1	2,2'-oxybis[1-chloropropane]	ND		7.9	0.85
101-55-3	4-Bromophenyl phenyl ether	ND		39	3.4
7005-72-3	4-Chlorophenyl phenyl ether	ND		39	4.4
91-58-7	2-Chloronaphthalene	ND		7.9	0.82
85-68-7	Butyl benzyl phthalate	19	J	39	5.4
218-01-9	Chrysene	ND		7.9	0.94
53-70-3	Dibenz(a,h)anthracene	ND		7.9	0.88
84-74-2	Di-n-butyl phthalate	ND		39	4.9
117-84-0	Di-n-octyl phthalate	ND		39	4.1
84-66-2	Diethyl phthalate	ND		39	4.3
131-11-3	Dimethyl phthalate	ND		39	4.3
91-94-1	3,3'-Dichlorobenzidine	ND		39	4.2
121-14-2	2,4-Dinitrotoluene	ND		39	3.2
606-20-2	2,6-Dinitrotoluene	ND		39	4.1
95-57-8	2-Chlorophenol	ND		39	3.2
120-83-2	2,4-Dichlorophenol	ND		7.9	0.79
105-67-9	2,4-Dimethylphenol	ND		39	6.2
51-28-5	2,4-Dinitrophenol	ND		200	47
88-75-5	2-Nitrophenol	ND		39	4.3
88-06-2	2,4,6-Trichlorophenol	ND		39	5.9
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		39	5.0

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-I03-0406 Lab Sample ID: 180-43699-21  
Matrix: Sediment Lab File ID: F0524022.D  
Analysis Method: 8270D LL Date Collected: 04/30/2015 15:45  
Extract. Method: 3541 Date Extracted: 05/07/2015 03:20  
Sample wt/vol: 30.0(g) Date Analyzed: 05/25/2015 13:03  
Con. Extract Vol.: 0.5 (mL) Dilution Factor: 1  
Injection Volume: 2 (uL) Level: (low/med) Low  
% Moisture: 57.6 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 142685 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		39	2.2
59-50-7	4-Chloro-3-methylphenol	ND		39	3.6
100-02-7	4-Nitrophenol	ND		200	14
534-52-1	4,6-Dinitro-2-methylphenol	ND		200	16
206-44-0	Fluoranthene	ND		7.9	0.84
86-73-7	Fluorene	ND		7.9	1.0
118-74-1	Hexachlorobenzene	ND		7.9	0.84
87-68-3	Hexachlorobutadiene	ND		7.9	0.88
77-47-4	Hexachlorocyclopentadiene	ND	uJ	39	4.2
67-72-1	Hexachloroethane	ND		39	2.8
193-39-5	Indeno[1,2,3-cd]pyrene	ND		7.9	0.81
78-59-1	Isophorone	ND		39	3.0
91-20-3	Naphthalene	ND		7.9	0.68
98-95-3	Nitrobenzene	ND		79	3.3
621-64-7	N-Nitrosodi-n-propylamine	ND		7.9	0.92
62-75-9	N-Nitrosodimethylamine	ND	uJ	39	3.4
86-30-6	N-Nitrosodiphenylamine	ND		39	3.6
85-01-8	Phenanthrene	ND		7.9	1.3
129-00-0	Pyrene	ND		7.9	0.80
87-86-5	Pentachlorophenol	ND	uJ	39	3.5
108-95-2	Phenol	ND		7.9	0.93

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	39		20-113
321-60-8	2-Fluorobiphenyl	71		38-103
367-12-4	2-Fluorophenol (Surr)	74		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	67		41-108
4165-62-2	Phenol-d5 (Surr)	74		35-103
1718-51-0	Terphenyl-d14 (Surr)	64		28-109

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica PittsburghJob No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-E03-0002Lab Sample ID: 180-43699-22Matrix: SedimentLab File ID: F0524023.DAnalysis Method: 8270D LLDate Collected: 04/30/2015 16:15Extract. Method: 3541Date Extracted: 05/07/2015 03:20Sample wt/vol: 30.0(g)Date Analyzed: 05/25/2015 13:31Con. Extract Vol.: 0.5(mL)Dilution Factor: 5Injection Volume: 2(uL)Level: (low/med) Low% Moisture: 79.8GPC Cleanup: (Y/N) NAnalysis Batch No.: 142685Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	140	J	83	7.9
208-96-8	Acenaphthylene	360		83	9.5
120-12-7	Anthracene	750	↓	83	8.1
92-87-5	Benzidine	ND	uJ	8300	1700
56-55-3	Benzo[a]anthracene	2000	J	83	10
205-99-2	Benzo[b]fluoranthene	1400		83	13
207-08-9	Benzo[k]fluoranthene	890		83	17
65-85-0	Benzoic acid	1400	J	2100	170
191-24-2	Benzo[g,h,i]perylene	1400		83	8.2
50-32-8	Benzo[a]pyrene	1500	↓	83	8.3
111-91-1	Bis(2-chloroethoxy)methane	ND	uJ	410	27
111-44-4	Bis(2-chloroethyl)ether	ND	uJ	83	11
117-81-7	Bis(2-ethylhexyl) phthalate	3600	J	830	67
108-60-1	2,2'-oxybis[1-chloropropane]	ND	uJ	83	8.9
101-55-3	4-Bromophenyl phenyl ether	ND		410	36
7005-72-3	4-Chlorophenyl phenyl ether	ND		410	46
91-58-7	2-Chloronaphthalene	ND		83	8.6
85-68-7	Butyl benzyl phthalate	ND		410	56
218-01-9	Chrysene	2000	J	83	9.8
53-70-3	Dibenz(a,h)anthracene	330	J	83	9.2
84-74-2	Di-n-butyl phthalate	ND	uJ	410	52
117-84-0	Di-n-octyl phthalate	ND		410	44
84-66-2	Diethyl phthalate	ND		410	45
131-11-3	Dimethyl phthalate	ND		410	45
91-94-1	3,3'-Dichlorobenzidine	ND		410	44
121-14-2	2,4-Dinitrotoluene	ND		410	33
606-20-2	2,6-Dinitrotoluene	ND		410	43
95-57-8	2-Chlorophenol	ND		410	34
120-83-2	2,4-Dichlorophenol	ND		83	8.3
105-67-9	2,4-Dimethylphenol	ND		410	65
51-28-5	2,4-Dinitrophenol	ND		2100	490
88-75-5	2-Nitrophenol	ND		410	46
88-06-2	2,4,6-Trichlorophenol	ND		410	62
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND	↓	410	53

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-E03-0002 Lab Sample ID: 180-43699-22  
 Matrix: Sediment Lab File ID: F0524023.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 16:15  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:20  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/25/2015 13:31  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 5  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 79.8 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142685 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND	uJ	410	23
59-50-7	4-Chloro-3-methylphenol	ND	↓	410	38
100-02-7	4-Nitrophenol	ND	↓	2100	150
534-52-1	4,6-Dinitro-2-methylphenol	ND	↓	2100	170
206-44-0	Fluoranthene	4900	J	83	8.8
86-73-7	Fluorene	170	J	83	11
118-74-1	Hexachlorobenzene	ND	uJ	83	8.8
87-68-3	Hexachlorobutadiene	ND	uJ	83	9.2
77-47-4	Hexachlorocyclopentadiene	ND	uJ	410	45
67-72-1	Hexachloroethane	ND	uJ	410	30
193-39-5	Indeno[1,2,3-cd]pyrene	1100	J	83	8.5
78-59-1	Isophorone	ND	uJ	410	31
91-20-3	Naphthalene	950	J	83	7.1
98-95-3	Nitrobenzene	ND	uJ	830	34
621-64-7	N-Nitrosodi-n-propylamine	ND	↓	83	9.7
62-75-9	N-Nitrosodimethylamine	ND	uJ	410	35
86-30-6	N-Nitrosodiphenylamine	ND	uJ	410	38
85-01-8	Phenanthrene	930	J	83	13
129-00-0	Pyrene	2800	J	83	8.4
87-86-5	Pentachlorophenol	ND	uJ	410	37
108-95-2	Phenol	250	J	83	9.8

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	38		20-113
321-60-8	2-Fluorobiphenyl	53		38-103
367-12-4	2-Fluorophenol (Surr)	48		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	56		41-108
4165-62-2	Phenol-d5 (Surr)	54		35-103
1718-51-0	Terphenyl-d14 (Surr)	37		28-109

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-E03-0204 Lab Sample ID: 180-43699-23  
 Matrix: Sediment Lab File ID: F0526005.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 16:20  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:20  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/26/2015 07:40  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 5  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 68.0 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142702 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	46	J	52	5.0
208-96-8	Acenaphthylene	170		52	6.0
120-12-7	Anthracene	280		52	5.1
92-87-5	Benzidine	ND		5200	1100
56-55-3	Benzo[a]anthracene	940		52	6.5
205-99-2	Benzo[b]fluoranthene	810		52	8.2
207-08-9	Benzo[k]fluoranthene	220		52	11
65-85-0	Benzoic acid	810	J	1300	110
191-24-2	Benzo[g,h,i]perylene	810		52	5.2
50-32-8	Benzo[a]pyrene	900		52	5.2
111-91-1	Bis(2-chloroethoxy)methane	ND		260	17
111-44-4	Bis(2-chloroethyl) ether	ND		52	7.0
117-81-7	Bis(2-ethylhexyl) phthalate	ND		520	42
108-60-1	2,2'-oxybis[1-chloropropane]	ND		52	5.6
101-55-3	4-Bromophenyl phenyl ether	ND		260	23
7005-72-3	4-Chlorophenyl phenyl ether	ND		260	29
91-58-7	2-Chloronaphthalene	ND		52	5.4
85-68-7	Butyl benzyl phthalate	ND		260	36
218-01-9	Chrysene	980		52	6.2
53-70-3	Dibenz(a,h)anthracene	160		52	5.8
84-74-2	Di-n-butyl phthalate	ND		260	33
117-84-0	Di-n-octyl phthalate	ND		260	27
84-66-2	Diethyl phthalate	ND		260	28
131-11-3	Dimethyl phthalate	ND		260	28
91-94-1	3,3'-Dichlorobenzidine	ND		260	28
121-14-2	2,4-Dinitrotoluene	ND		260	21
606-20-2	2,6-Dinitrotoluene	ND		260	27
95-57-8	2-Chlorophenol	ND		260	21
120-83-2	2,4-Dichlorophenol	ND		52	5.2
105-67-9	2,4-Dimethylphenol	ND		260	41
51-28-5	2,4-Dinitrophenol	ND		1300	310
88-75-5	2-Nitrophenol	ND		260	29
88-06-2	2,4,6-Trichlorophenol	ND		260	39
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		260	33

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-E03-0204 Lab Sample ID: 180-43699-23  
 Matrix: Sediment Lab File ID: F0526005.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 16:20  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:20  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/26/2015 07:40  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 5  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 68.0 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142702 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		260	14
59-50-7	4-Chloro-3-methylphenol	ND		260	24
100-02-7	4-Nitrophenol	ND		1300	95
534-52-1	4,6-Dinitro-2-methylphenol	ND		1300	100
206-44-0	Fluoranthene	1000		52	5.6
86-73-7	Fluorene	100		52	6.9
118-74-1	Hexachlorobenzene	ND		52	5.5
87-68-3	Hexachlorobutadiene	ND		52	5.8
77-47-4	Hexachlorocyclopentadiene	ND	uJ	260	28
67-72-1	Hexachloroethane	ND		260	19
193-39-5	Indeno[1,2,3-cd]pyrene	440		52	5.4
78-59-1	Isophorone	ND		260	20
91-20-3	Naphthalene	580		52	4.5
98-95-3	Nitrobenzene	ND		520	22
621-64-7	N-Nitrosodi-n-propylamine	ND		52	6.1
62-75-9	N-Nitrosodimethylamine	ND	uJ	260	22
86-30-6	N-Nitrosodiphenylamine	ND		260	24
85-01-8	Phenanthrene	370		52	8.3
129-00-0	Pyrene	2200	J	52	5.3
87-86-5	Pentachlorophenol	ND	uJ	260	23
108-95-2	Phenol	290		52	6.2

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	49		20-113
321-60-8	2-Fluorobiphenyl	70		38-103
367-12-4	2-Fluorophenol (Surr)	76		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	66		41-108
4165-62-2	Phenol-d5 (Surr)	71		35-103
1718-51-0	Terphenyl-d14 (Surr)	57		28-109

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-E03-0204-FD Lab Sample ID: 180-43699-24  
Matrix: Sediment Lab File ID: F0526006.D  
Analysis Method: 8270D LL Date Collected: 04/30/2015 16:20  
Extract. Method: 3541 Date Extracted: 05/07/2015 03:20  
Sample wt/vol: 30.2(g) Date Analyzed: 05/26/2015 08:08  
Con. Extract Vol.: 0.5(mL) Dilution Factor: 5  
Injection Volume: 2(uL) Level: (low/med) Low  
% Moisture: 68.1 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 142702 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	53		52	5.0
208-96-8	Acenaphthylene	190		52	5.9
120-12-7	Anthracene	350		52	5.1
92-87-5	Benzidine	ND		5200	1100
56-55-3	Benzo[a]anthracene	760		52	6.5
205-99-2	Benzo[b]fluoranthene	1000		52	8.2
207-08-9	Benzo[k]fluoranthene	330		52	10
65-85-0	Benzoic acid	ND		1300	110
191-24-2	Benzo[g,h,i]perylene	730		52	5.2
50-32-8	Benzo[a]pyrene	850		52	5.2
111-91-1	Bis(2-chloroethoxy)methane	ND		260	17
111-44-4	Bis(2-chloroethyl)ether	ND		52	7.0
117-81-7	Bis(2-ethylhexyl) phthalate	ND		520	42
108-60-1	2,2'-oxybis[1-chloropropane]	ND		52	5.6
101-55-3	4-Bromophenyl phenyl ether	ND		260	23
7005-72-3	4-Chlorophenyl phenyl ether	ND		260	29
91-58-7	2-Chloronaphthalene	ND		52	5.4
85-68-7	Butyl benzyl phthalate	ND		260	35
218-01-9	Chrysene	700		52	6.2
53-70-3	Dibenz(a,h)anthracene	230		52	5.8
84-74-2	Di-n-butyl phthalate	ND		260	32
117-84-0	Di-n-octyl phthalate	ND		260	27
84-66-2	Diethyl phthalate	ND		260	28
131-11-3	Dimethyl phthalate	ND		260	28
91-94-1	3,3'-Dichlorobenzidine	ND		260	27
121-14-2	2,4-Dinitrotoluene	ND		260	21
606-20-2	2,6-Dinitrotoluene	ND		260	27
95-57-8	2-Chlorophenol	ND		260	21
120-83-2	2,4-Dichlorophenol	ND		52	5.2
105-67-9	2,4-Dimethylphenol	ND		260	41
51-28-5	2,4-Dinitrophenol	ND		1300	310
88-75-5	2-Nitrophenol	ND		260	29
88-06-2	2,4,6-Trichlorophenol	ND		260	39
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		260	33

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-E03-0204-FD Lab Sample ID: 180-43699-24  
 Matrix: Sediment Lab File ID: F0526006.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 16:20  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:20  
 Sample wt/vol: 30.2(g) Date Analyzed: 05/26/2015 08:08  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 5  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 68.1 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142702 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		260	14
59-50-7	4-Chloro-3-methylphenol	ND		260	24
100-02-7	4-Nitrophenol	ND		1300	95
534-52-1	4,6-Dinitro-2-methylphenol	ND		1300	100
206-44-0	Fluoranthene	900		52	5.5
86-73-7	Fluorene	150		52	6.8
118-74-1	Hexachlorobenzene	ND		52	5.5
87-68-3	Hexachlorobutadiene	ND		52	5.8
77-47-4	Hexachlorocyclopentadiene	ND	uj	260	28
67-72-1	Hexachloroethane	ND		260	19
193-39-5	Indeno[1,2,3-cd]pyrene	640		52	5.3
78-59-1	Isophorone	ND		260	20
91-20-3	Naphthalene	850		52	4.5
98-95-3	Nitrobenzene	ND		520	22
621-64-7	N-Nitrosodi-n-propylamine	ND		52	6.1
62-75-9	N-Nitrosodimethylamine	ND	uj	260	22
86-30-6	N-Nitrosodiphenylamine	ND		260	24
85-01-8	Phenanthrene	510		52	8.3
129-00-0	Pyrene	1300	J	52	5.2
87-86-5	Pentachlorophenol	ND	uj	260	23
108-95-2	Phenol	210		52	6.1

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	44		20-113
321-60-8	2-Fluorobiphenyl	75		38-103
367-12-4	2-Fluorophenol (Surr)	71		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	66		41-108
4165-62-2	Phenol-d5 (Surr)	73		35-103
1718-51-0	Terphenyl-d14 (Surr)	64		28-109



FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-E03-0406 Lab Sample ID: 180-43699-25  
 Matrix: Sediment Lab File ID: F0526007.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 16:25  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:20  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/26/2015 08:36  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 5  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 51.7 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142702 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	ND		35	3.3
208-96-8	Acenaphthylene	ND		35	4.0
120-12-7	Anthracene	15	J	35	3.4
92-87-5	Benzidine	ND		3500	720
56-55-3	Benzo[a]anthracene	35		35	4.3
205-99-2	Benzo[b]fluoranthene	35		35	5.4
207-08-9	Benzo[k]fluoranthene	23	J	35	7.0
65-85-0	Benzoic acid	ND		880	72
191-24-2	Benzo[g,h,i]perylene	32	J	35	3.4
50-32-8	Benzo[a]pyrene	42		35	3.5
111-91-1	Bis(2-chloroethoxy)methane	ND		170	11
111-44-4	Bis(2-chloroethyl) ether	ND		35	4.6
117-81-7	Bis(2-ethylhexyl) phthalate	ND		350	28
108-60-1	2,2'-oxybis[1-chloropropane]	ND		35	3.7
101-55-3	4-Bromophenyl phenyl ether	ND		170	15
7005-72-3	4-Chlorophenyl phenyl ether	ND		170	19
91-58-7	2-Chloronaphthalene	ND		35	3.6
85-68-7	Butyl benzyl phthalate	36	J	170	24
218-01-9	Chrysene	35		35	4.1
53-70-3	Dibenz(a,h)anthracene	ND		35	3.8
84-74-2	Di-n-butyl phthalate	ND		170	22
117-84-0	Di-n-octyl phthalate	ND		170	18
84-66-2	Diethyl phthalate	ND		170	19
131-11-3	Dimethyl phthalate	ND		170	19
91-94-1	3,3'-Dichlorobenzidine	ND		170	18
121-14-2	2,4-Dinitrotoluene	ND		170	14
606-20-2	2,6-Dinitrotoluene	ND		170	18
95-57-8	2-Chlorophenol	ND		170	14
120-83-2	2,4-Dichlorophenol	ND		35	3.5
105-67-9	2,4-Dimethylphenol	ND		170	27
51-28-5	2,4-Dinitrophenol	ND		880	210
88-75-5	2-Nitrophenol	ND		170	19
88-06-2	2,4,6-Trichlorophenol	ND		170	26
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		170	22

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-E03-0406 Lab Sample ID: 180-43699-25  
 Matrix: Sediment Lab File ID: F0526007.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 16:25  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:20  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/26/2015 08:36  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 5  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 51.7 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142702 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		170	9.6
59-50-7	4-Chloro-3-methylphenol	ND		170	16
100-02-7	4-Nitrophenol	ND		880	63
534-52-1	4,6-Dinitro-2-methylphenol	ND		880	69
206-44-0	Fluoranthene	64		35	3.7
86-73-7	Fluorene	ND		35	4.6
118-74-1	Hexachlorobenzene	ND		35	3.7
87-68-3	Hexachlorobutadiene	ND		35	3.9
77-47-4	Hexachlorocyclopentadiene	ND	UJ	170	19
67-72-1	Hexachloroethane	ND		170	12
193-39-5	Indeno[1,2,3-cd]pyrene	23	J	35	3.6
78-59-1	Isophorone	ND		170	13
91-20-3	Naphthalene	41		35	3.0
98-95-3	Nitrobenzene	ND		350	14
621-64-7	N-Nitrosodi-n-propylamine	ND		35	4.1
62-75-9	N-Nitrosodimethylamine	ND	UJ	170	15
86-30-6	N-Nitrosodiphenylamine	ND		170	16
85-01-8	Phenanthrene	29	J	35	5.5
129-00-0	Pyrene	55		35	3.5
87-86-5	Pentachlorophenol	ND	UJ	170	15
108-95-2	Phenol	96		35	4.1

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	36		20-113
321-60-8	2-Fluorobiphenyl	81		38-103
367-12-4	2-Fluorophenol (Surr)	92		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	78		41-108
4165-62-2	Phenol-d5 (Surr)	87		35-103
1718-51-0	Terphenyl-d14 (Surr)	72		28-109

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-I02-0002 Lab Sample ID: 180-43699-26

Matrix: Sediment Lab File ID: F0526008.D

Analysis Method: 8270D LL Date Collected: 04/30/2015 16:45

Extract. Method: 3541 Date Extracted: 05/07/2015 03:20

Sample wt/vol: 30.0(g) Date Analyzed: 05/26/2015 09:04

Con. Extract Vol.: 0.5(mL) Dilution Factor: 5

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 77.2 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142702 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	100	J	74	7.0
208-96-8	Acenaphthylene	250	J	74	8.4
120-12-7	Anthracene	440	J	74	7.2
92-87-5	Benzidine	ND	uJ	7400	1500
56-55-3	Benzo[a]anthracene	2000	J	74	9.2
205-99-2	Benzo[b]fluoranthene	1700	J	74	12
207-08-9	Benzo[k]fluoranthene	830	J	74	15
65-85-0	Benzoic acid	ND	uJ	1900	150
191-24-2	Benzo[g,h,i]perylene	1900	J	74	7.3
50-32-8	Benzo[a]pyrene	1800	J	74	7.3
111-91-1	Bis(2-chloroethoxy)methane	ND	uJ	360	24
111-44-4	Bis(2-chloroethyl)ether	ND	uJ	74	9.8
117-81-7	Bis(2-ethylhexyl) phthalate	2800	J	730	59
108-60-1	2,2'-oxybis[1-chloropropane]	ND	uJ	74	7.9
101-55-3	4-Bromophenyl phenyl ether	ND	J	360	32
7005-72-3	4-Chlorophenyl phenyl ether	ND	J	360	41
91-58-7	2-Chloronaphthalene	ND	J	74	7.6
85-68-7	Butyl benzyl phthalate	ND	J	360	50
218-01-9	Chrysene	1700	J	74	8.7
53-70-3	Dibenz(a,h)anthracene	320	J	74	8.2
84-74-2	Di-n-butyl phthalate	77	J	360	46
117-84-0	Di-n-octyl phthalate	ND	uJ	360	39
84-66-2	Diethyl phthalate	ND	J	360	40
131-11-3	Dimethyl phthalate	ND	J	360	40
91-94-1	3,3'-Dichlorobenzidine	ND	J	360	39
121-14-2	2,4-Dinitrotoluene	ND	J	360	30
606-20-2	2,6-Dinitrotoluene	ND	J	360	38
95-57-8	2-Chlorophenol	ND	J	360	30
120-83-2	2,4-Dichlorophenol	ND	J	74	7.4
105-67-9	2,4-Dimethylphenol	ND	J	360	57
51-28-5	2,4-Dinitrophenol	ND	J	1900	440
88-75-5	2-Nitrophenol	ND	J	360	40
88-06-2	2,4,6-Trichlorophenol	ND	J	360	55
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND	J	360	47

26

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-I02-0002 Lab Sample ID: 180-43699-26  
 Matrix: Sediment Lab File ID: F0526008.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 16:45  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:20  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/26/2015 09:04  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 5  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 77.2 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142702 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND	uJ	360	20
59-50-7	4-Chloro-3-methylphenol	ND	↓	360	34
100-02-7	4-Nitrophenol	ND	↓	1900	130
534-52-1	4,6-Dinitro-2-methylphenol	ND	↓	1900	150
206-44-0	Fluoranthene	4100	J	74	7.8
86-73-7	Fluorene	170	J	74	9.7
118-74-1	Hexachlorobenzene	ND	uJ	74	7.8
87-68-3	Hexachlorobutadiene	ND	uJ	74	8.2
77-47-4	Hexachlorocyclopentadiene	ND	uJ	360	40
67-72-1	Hexachloroethane	ND	uJ	360	26
193-39-5	Indeno[1,2,3-cd]pyrene	1200	J	74	7.6
78-59-1	Isophorone	ND	uJ	360	28
91-20-3	Naphthalene	1000	J	74	6.3
98-95-3	Nitrobenzene	ND	uJ	730	31
621-64-7	N-Nitrosodi-n-propylamine	ND	uJ	74	8.6
62-75-9	N-Nitrosodimethylamine	ND	uJ	360	31
86-30-6	N-Nitrosodiphenylamine	ND	uJ	360	34
85-01-8	Phenanthrene	920	J	74	12
129-00-0	Pyrene	2800	J	74	7.4
87-86-5	Pentachlorophenol	ND	uJ	360	33
108-95-2	Phenol	ND	uJ	74	8.7

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	34		20-113
321-60-8	2-Fluorobiphenyl	54		38-103
367-12-4	2-Fluorophenol (Surr)	51		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	55		41-108
4165-62-2	Phenol-d5 (Surr)	53		35-103
1718-51-0	Terphenyl-d14 (Surr)	41		28-109

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-I02-0204 Lab Sample ID: 180-43699-27

Matrix: Sediment Lab File ID: F0526009.D

Analysis Method: 8270D LL Date Collected: 04/30/2015 16:50

Extract. Method: 3541 Date Extracted: 05/07/2015 03:20

Sample wt/vol: 30.1(g) Date Analyzed: 05/26/2015 09:32

Con. Extract Vol.: 0.5(mL) Dilution Factor: 5

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 68.5 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142702 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	190		53	5.1
208-96-8	Acenaphthylene	290		53	6.0
120-12-7	Anthracene	360		53	5.2
92-87-5	Benzidine	ND		5300	1100
56-55-3	Benzo[a]anthracene	1800		53	6.6
205-99-2	Benzo[b]fluoranthene	1400		53	8.3
207-08-9	Benzo[k]fluoranthene	550		53	11
65-85-0	Benzoic acid	ND		1300	110
191-24-2	Benzo[g,h,i]perylene	1100		53	5.2
50-32-8	Benzo[a]pyrene	1300		53	5.3
111-91-1	Bis(2-chloroethoxy)methane	ND		260	17
111-44-4	Bis(2-chloroethyl)ether	ND		53	7.1
117-81-7	Bis(2-ethylhexyl) phthalate	5100		530	43
108-60-1	2,2'-oxybis[1-chloropropane]	ND		53	5.7
101-55-3	4-Bromophenyl phenyl ether	ND		260	23
7005-72-3	4-Chlorophenyl phenyl ether	ND		260	29
91-58-7	2-Chloronaphthalene	ND		53	5.5
85-68-7	Butyl benzyl phthalate	ND		260	36
218-01-9	Chrysene	1600		53	6.3
53-70-3	Dibenz(a,h)anthracene	250		53	5.9
84-74-2	Di-n-butyl phthalate	120	J	260	33
117-84-0	Di-n-octyl phthalate	ND		260	28
84-66-2	Diethyl phthalate	ND		260	29
131-11-3	Dimethyl phthalate	ND		260	29
91-94-1	3,3'-Dichlorobenzidine	ND		260	28
121-14-2	2,4-Dinitrotoluene	ND		260	21
606-20-2	2,6-Dinitrotoluene	ND		260	27
95-57-8	2-Chlorophenol	ND		260	22
120-83-2	2,4-Dichlorophenol	ND		53	5.3
105-67-9	2,4-Dimethylphenol	ND		260	41
51-28-5	2,4-Dinitrophenol	ND		1300	310
88-75-5	2-Nitrophenol	ND		260	29
88-06-2	2,4,6-Trichlorophenol	ND		260	39
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		260	34

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-I02-0204 Lab Sample ID: 180-43699-27  
 Matrix: Sediment Lab File ID: F0526009.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 16:50  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:20  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/26/2015 09:32  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 5  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 68.5 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142702 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		260	15
59-50-7	4-Chloro-3-methylphenol	ND		260	24
100-02-7	4-Nitrophenol	ND		1300	96
534-52-1	4,6-Dinitro-2-methylphenol	ND		1300	110
206-44-0	Fluoranthene	3200		53	5.6
86-73-7	Fluorene	270		53	7.0
118-74-1	Hexachlorobenzene	ND		53	5.6
87-68-3	Hexachlorobutadiene	ND		53	5.9
77-47-4	Hexachlorocyclopentadiene	ND <i>uJ</i>		260	28
67-72-1	Hexachloroethane	ND		260	19
193-39-5	Indeno[1,2,3-cd]pyrene	810		53	5.4
78-59-1	Isophorone	ND		260	20
91-20-3	Naphthalene	3400		53	4.5
98-95-3	Nitrobenzene	ND		530	22
621-64-7	N-Nitrosodi-n-propylamine	ND		53	6.2
62-75-9	N-Nitrosodimethylamine	ND <i>uJ</i>		260	23
86-30-6	N-Nitrosodiphenylamine	ND		260	24
85-01-8	Phenanthrene	1300		53	8.4
129-00-0	Pyrene	2000		53	5.3
87-86-5	Pentachlorophenol	ND <i>uJ</i>		260	24
108-95-2	Phenol	ND		53	6.2

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	45		20-113
321-60-8	2-Fluorobiphenyl	75		38-103
367-12-4	2-Fluorophenol (Surr)	63		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	71		41-108
4165-62-2	Phenol-d5 (Surr)	74		35-103
1718-51-0	Terphenyl-d14 (Surr)	58		28-109

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-I02-0406 Lab Sample ID: 180-43699-28

Matrix: Sediment Lab File ID: F0526010.D

Analysis Method: 8270D LL Date Collected: 04/30/2015 16:55

Extract. Method: 3541 Date Extracted: 05/07/2015 03:20

Sample wt/vol: 30.0(g) Date Analyzed: 05/26/2015 10:00

Con. Extract Vol.: 0.5(mL) Dilution Factor: 5

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 61.3 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142702 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	ND		43	4.1
208-96-8	Acenaphthylene	ND		43	4.9
120-12-7	Anthracene	ND		43	4.2
92-87-5	Benzidine	ND		4300	900
56-55-3	Benzo[a]anthracene	ND		43	5.4
205-99-2	Benzo[b]fluoranthene	ND		43	6.8
207-08-9	Benzo[k]fluoranthene	ND		43	8.7
65-85-0	Benzoic acid	ND		1100	89
191-24-2	Benzo[g,h,i]perylene	ND		43	4.3
50-32-8	Benzo[a]pyrene	ND		43	4.3
111-91-1	Bis(2-chloroethoxy)methane	ND		210	14
111-44-4	Bis(2-chloroethyl)ether	ND		43	5.8
117-81-7	Bis(2-ethylhexyl) phthalate	ND		430	35
108-60-1	2,2'-oxybis[1-chloropropane]	ND		43	4.7
101-55-3	4-Bromophenyl phenyl ether	ND		210	19
7005-72-3	4-Chlorophenyl phenyl ether	ND		210	24
91-58-7	2-Chloronaphthalene	ND		43	4.5
85-68-7	Butyl benzyl phthalate	ND		210	29
218-01-9	Chrysene	ND		43	5.1
53-70-3	Dibenz(a,h)anthracene	ND		43	4.8
84-74-2	Di-n-butyl phthalate	48	J	210	27
117-84-0	Di-n-octyl phthalate	ND		210	23
84-66-2	Diethyl phthalate	ND		210	24
131-11-3	Dimethyl phthalate	ND		210	23
91-94-1	3,3'-Dichlorobenzidine	ND		210	23
121-14-2	2,4-Dinitrotoluene	ND		210	17
606-20-2	2,6-Dinitrotoluene	ND		210	22
95-57-8	2-Chlorophenol	ND		210	18
120-83-2	2,4-Dichlorophenol	ND		43	4.3
105-67-9	2,4-Dimethylphenol	ND		210	34
51-28-5	2,4-Dinitrophenol	ND		1100	260
88-75-5	2-Nitrophenol	ND		210	24
88-06-2	2,4,6-Trichlorophenol	ND		210	32
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		210	28

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-I02-0406 Lab Sample ID: 180-43699-28  
 Matrix: Sediment Lab File ID: F0526010.D  
 Analysis Method: 8270D LL Date Collected: 04/30/2015 16:55  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:20  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/26/2015 10:00  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 5  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 61.3 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142702 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		210	12
59-50-7	4-Chloro-3-methylphenol	ND		210	20
100-02-7	4-Nitrophenol	ND		1100	79
534-52-1	4,6-Dinitro-2-methylphenol	ND		1100	87
206-44-0	Fluoranthene	15	J	43	4.6
86-73-7	Fluorene	ND		43	5.7
118-74-1	Hexachlorobenzene	ND		43	4.6
87-68-3	Hexachlorobutadiene	ND		43	4.8
77-47-4	Hexachlorocyclopentadiene	ND	uJ	210	23
67-72-1	Hexachloroethane	ND		210	15
193-39-5	Indeno[1,2,3-cd]pyrene	ND		43	4.4
78-59-1	Isophorone	ND		210	16
91-20-3	Naphthalene	ND		43	3.7
98-95-3	Nitrobenzene	ND		430	18
621-64-7	N-Nitrosodi-n-propylamine	ND		43	5.1
62-75-9	N-Nitrosodimethylamine	ND	uJ	210	18
86-30-6	N-Nitrosodiphenylamine	ND		210	20
85-01-8	Phenanthrene	ND		43	6.9
129-00-0	Pyrene	11	J	43	4.4
87-86-5	Pentachlorophenol	ND	uJ	210	19
108-95-2	Phenol	28	J	43	5.1

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	31		20-113
321-60-8	2-Fluorobiphenyl	71		38-103
367-12-4	2-Fluorophenol (Surr)	79		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	72		41-108
4165-62-2	Phenol-d5 (Surr)	78		35-103
1718-51-0	Terphenyl-d14 (Surr)	74		28-109



FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

29

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G01-0002 Lab Sample ID: 180-43699-29  
 Matrix: Sediment Lab File ID: F0526011.D  
 Analysis Method: 8270D LL Date Collected: 05/01/2015 08:50  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:20  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/26/2015 10:28  
 Con. Extract Vol.: 2.0(mL) Dilution Factor: 5  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 63.7 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142702 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	450		180	18
208-96-8	Acenaphthylene	1800		180	21
120-12-7	Anthracene	3100		180	18
92-87-5	Benzidine	ND		18000	3900
56-55-3	Benzo[a]anthracene	3500		180	23
205-99-2	Benzo[b]fluoranthene	1300		180	29
207-08-9	Benzo[k]fluoranthene	3300		180	37
65-85-0	Benzoic acid	ND		4700	380
191-24-2	Benzo[g,h,i]perylene	3500		180	18
50-32-8	Benzo[a]pyrene	3300		180	18
111-91-1	Bis(2-chloroethoxy)methane	ND		910	61
111-44-4	Bis(2-chloroethyl)ether	ND		180	25
117-81-7	Bis(2-ethylhexyl) phthalate	6600		1800	150
108-60-1	2,2'-oxybis[1-chloropropane]	ND		180	20
101-55-3	4-Bromophenyl phenyl ether	ND		910	80
7005-72-3	4-Chlorophenyl phenyl ether	ND		910	100
91-58-7	2-Chloronaphthalene	ND		180	19
85-68-7	Butyl benzyl phthalate	ND		910	130
218-01-9	Chrysene	3200		180	22
53-70-3	Dibenz(a,h)anthracene	800		180	20
84-74-2	Di-n-butyl phthalate	ND		910	120
117-84-0	Di-n-octyl phthalate	ND		910	97
84-66-2	Diethyl phthalate	ND		910	100
131-11-3	Dimethyl phthalate	ND		910	100
91-94-1	3,3'-Dichlorobenzidine	ND		910	97
121-14-2	2,4-Dinitrotoluene	ND		910	74
606-20-2	2,6-Dinitrotoluene	ND		910	95
95-57-8	2-Chlorophenol	ND		910	75
120-83-2	2,4-Dichlorophenol	ND		180	18
105-67-9	2,4-Dimethylphenol	ND		910	140
51-28-5	2,4-Dinitrophenol	ND		4700	1100
88-75-5	2-Nitrophenol	ND		910	100
88-06-2	2,4,6-Trichlorophenol	ND		910	140
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		910	120

29

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G01-0002 Lab Sample ID: 180-43699-29  
 Matrix: Sediment Lab File ID: F0526011.D  
 Analysis Method: 8270D LL Date Collected: 05/01/2015 08:50  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:20  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/26/2015 10:28  
 Con. Extract Vol.: 2.0(mL) Dilution Factor: 5  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 63.7 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142702 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		910	51
59-50-7	4-Chloro-3-methylphenol	ND		910	85
100-02-7	4-Nitrophenol	ND		4700	340
534-52-1	4,6-Dinitro-2-methylphenol	ND		4700	370
206-44-0	Fluoranthene	12000		180	20
86-73-7	Fluorene	2000		180	24
118-74-1	Hexachlorobenzene	ND		180	20
87-68-3	Hexachlorobutadiene	ND		180	21
77-47-4	Hexachlorocyclopentadiene	<del>ND</del> <i>uJ</i>		910	99
67-72-1	Hexachloroethane	ND		910	66
193-39-5	Indeno[1,2,3-cd]pyrene	2600		180	19
78-59-1	Isophorone	ND		910	69
91-20-3	Naphthalene	1800		180	16
98-95-3	Nitrobenzene	ND		1800	77
621-64-7	N-Nitrosodi-n-propylamine	ND		180	22
62-75-9	N-Nitrosodimethylamine	<del>ND</del> <i>uJ</i>		910	79
86-30-6	N-Nitrosodiphenylamine	ND		910	85
85-01-8	Phenanthrene	11000		180	29
129-00-0	Pyrene	6300		180	19
87-86-5	Pentachlorophenol	<del>ND</del> <i>uJ</i>		910	82
108-95-2	Phenol	ND		180	22

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	38		20-113
321-60-8	2-Fluorobiphenyl	59		38-103
367-12-4	2-Fluorophenol (Surr)	43		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	87		41-108
4165-62-2	Phenol-d5 (Surr)	58		35-103
1718-51-0	Terphenyl-d14 (Surr)	43		28-109

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica PittsburghJob No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G01-0406Lab Sample ID: 180-43699-30Matrix: SedimentLab File ID: F0526012.DAnalysis Method: 8270D LLDate Collected: 05/01/2015 09:00Extract. Method: 3541Date Extracted: 05/07/2015 03:20Sample wt/vol: 30.0(g)Date Analyzed: 05/26/2015 10:57Con. Extract Vol.: 2.0(mL)Dilution Factor: 5Injection Volume: 2(uL)Level: (low/med) Low% Moisture: 70.2GPC Cleanup: (Y/N) NAnalysis Batch No.: 142702Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	1700	J	230	22
208-96-8	Acenaphthylene	530	↓	230	26
120-12-7	Anthracene	1200	↓	230	22
92-87-5	Benzidine	ND	uJ	23000	4700
56-55-3	Benzo[a]anthracene	1400	J	230	28
205-99-2	Benzo[b]fluoranthene	ND	R	230	35
207-08-9	Benzo[k]fluoranthene	ND	R	230	45
65-85-0	Benzoic acid	ND	↓	5700	460
191-24-2	Benzo[g,h,i]perylene	ND	R	230	22
50-32-8	Benzo[a]pyrene	ND	R	230	22
111-91-1	Bis(2-chloroethoxy)methane	ND	*	1100	74
111-44-4	Bis(2-chloroethyl)ether	ND	uJ	230	30
117-81-7	Bis(2-ethylhexyl) phthalate	27000	J	2200	180
108-60-1	2,2'-oxybis[1-chloropropane]	ND	uJ	230	24
101-55-3	4-Bromophenyl phenyl ether	ND	↓	1100	98
7005-72-3	4-Chlorophenyl phenyl ether	ND	↓	1100	120
91-58-7	2-Chloronaphthalene	ND	↓	230	23
85-68-7	Butyl benzyl phthalate	ND	↓	1100	150
218-01-9	Chrysene	2200	J	230	27
53-70-3	Dibenz(a,h)anthracene	ND	*R	230	25
84-74-2	Di-n-butyl phthalate	ND	uJ	1100	140
117-84-0	Di-n-octyl phthalate	ND	*R	1100	120
84-66-2	Diethyl phthalate	ND	uJ	1100	120
131-11-3	Dimethyl phthalate	ND	↓	1100	120
91-94-1	3,3'-Dichlorobenzidine	ND	↓	1100	120
121-14-2	2,4-Dinitrotoluene	ND	↓	1100	90
606-20-2	2,6-Dinitrotoluene	ND	↓	1100	120
95-57-8	2-Chlorophenol	ND	↓	1100	92
120-83-2	2,4-Dichlorophenol	ND	*	230	22
105-67-9	2,4-Dimethylphenol	2400	*J	1100	180
51-28-5	2,4-Dinitrophenol	ND	uJ	5700	1300
88-75-5	2-Nitrophenol	ND	*	1100	120
88-06-2	2,4,6-Trichlorophenol	ND	uJ	1100	170
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND	uJ	1100	140

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica PittsburghJob No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G01-0406Lab Sample ID: 180-43699-30Matrix: SedimentLab File ID: F0526012.DAnalysis Method: 8270D LLDate Collected: 05/01/2015 09:00Extract. Method: 3541Date Extracted: 05/07/2015 03:20Sample wt/vol: 30.0(g)Date Analyzed: 05/26/2015 10:57Con. Extract Vol.: 2.0(mL)Dilution Factor: 5Injection Volume: 2(uL)Level: (low/med) Low% Moisture: 70.2GPC Cleanup: (Y/N) NAnalysis Batch No.: 142702Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND	*	1100	62
59-50-7	4-Chloro-3-methylphenol	ND	*	1100	100
100-02-7	4-Nitrophenol	ND	UJ	5700	410
534-52-1	4,6-Dinitro-2-methylphenol	ND	UJ	5700	450
206-44-0	Fluoranthene	5900	J	230	24
86-73-7	Fluorene	2800	J	230	30
118-74-1	Hexachlorobenzene	ND	UJ	230	24
87-68-3	Hexachlorobutadiene	ND	*	230	25
77-47-4	Hexachlorocyclopentadiene	ND	UJ	1100	120
67-72-1	Hexachloroethane	ND	UJ	1100	81
193-39-5	Indeno[1,2,3-cd]pyrene	ND	* R	230	23
78-59-1	Isophorone	ND	*	1100	84
91-20-3	Naphthalene	730	* J	230	19
98-95-3	Nitrobenzene	ND	*	2200	93
621-64-7	N-Nitrosodi-n-propylamine	ND	UJ	230	26
62-75-9	N-Nitrosodimethylamine	ND		1100	96
86-30-6	N-Nitrosodiphenylamine	ND		1100	100
85-01-8	Phenanthrene	11000	J	230	36
129-00-0	Pyrene	4400	J	230	23
87-86-5	Pentachlorophenol	ND	UJ	1100	100
108-95-2	Phenol	370	J	230	26

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	65		20-113
321-60-8	2-Fluorobiphenyl	93		38-103
367-12-4	2-Fluorophenol (Surr)	94		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	36	X *	41-108
4165-62-2	Phenol-d5 (Surr)	104	X	35-103
1718-51-0	Terphenyl-d14 (Surr)	21	X	28-109

31

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G04-0002

Lab Sample ID: 180-43699-31

Matrix: Sediment

Lab File ID: F0526013.D

Analysis Method: 8270D LL

Date Collected: 05/01/2015 09:20

Extract. Method: 3541

Date Extracted: 05/07/2015 03:20

Sample wt/vol: 30.1(g)

Date Analyzed: 05/26/2015 11:25

Con. Extract Vol.: 1.0(mL)

Dilution Factor: 5

Injection Volume: 2(uL)

Level: (low/med) Low

% Moisture: 74.8

GPC Cleanup: (Y/N) N

Analysis Batch No.: 142702

Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	640	J	130	13
208-96-8	Acenaphthylene	580		130	15
120-12-7	Anthracene	1200	↓	130	13
92-87-5	Benzidine	ND	uJ	13000	2800
56-55-3	Benzo[a]anthracene	1300	J	130	17
205-99-2	Benzo[b]fluoranthene	680		130	21
207-08-9	Benzo[k]fluoranthene	1000	↓	130	27
65-85-0	Benzoic acid	ND	uJ	3400	270
191-24-2	Benzo[g,h,i]perylene	1000	J	130	13
50-32-8	Benzo[a]pyrene	2600	J	130	13
111-91-1	Bis(2-chloroethoxy)methane	ND	uJ	650	43
111-44-4	Bis(2-chloroethyl)ether	ND	uJ	130	18
117-81-7	Bis(2-ethylhexyl) phthalate	17000	J	1300	110
108-60-1	2,2'-oxybis[1-chloropropane]	ND	uJ	130	14
101-55-3	4-Bromophenyl phenyl ether	ND		650	57
7005-72-3	4-Chlorophenyl phenyl ether	ND		650	73
91-58-7	2-Chloronaphthalene	ND		130	14
85-68-7	Butyl benzyl phthalate	ND		650	90
218-01-9	Chrysene	2200	J	130	16
53-70-3	Dibenz(a,h)anthracene	ND	uJ	130	15
84-74-2	Di-n-butyl phthalate	ND		650	83
117-84-0	Di-n-octyl phthalate	ND		650	69
84-66-2	Diethyl phthalate	ND		650	72
131-11-3	Dimethyl phthalate	ND		650	72
91-94-1	3,3'-Dichlorobenzidine	ND		650	70
121-14-2	2,4-Dinitrotoluene	ND		650	53
606-20-2	2,6-Dinitrotoluene	ND		650	68
95-57-8	2-Chlorophenol	ND		650	54
120-83-2	2,4-Dichlorophenol	ND		130	13
105-67-9	2,4-Dimethylphenol	ND		650	100
51-28-5	2,4-Dinitrophenol	ND		3400	780
88-75-5	2-Nitrophenol	ND		650	73
88-06-2	2,4,6-Trichlorophenol	ND		650	99
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND	↓	650	84

31

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G04-0002 Lab Sample ID: 180-43699-31

Matrix: Sediment Lab File ID: F0526013.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 09:20

Extract. Method: 3541 Date Extracted: 05/07/2015 03:20

Sample wt/vol: 30.1(g) Date Analyzed: 05/26/2015 11:25

Con. Extract Vol.: 1.0(mL) Dilution Factor: 5

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 74.8 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142702 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND	UJ	650	36
59-50-7	4-Chloro-3-methylphenol	ND	UJ	650	61
100-02-7	4-Nitrophenol	ND	UJ	3400	240
534-52-1	4,6-Dinitro-2-methylphenol	ND	UJ	3400	260
206-44-0	Fluoranthene	5300	J	130	14
86-73-7	Fluorene	1200	J	130	17
118-74-1	Hexachlorobenzene	ND	UJ	130	14
87-68-3	Hexachlorobutadiene	ND	UJ	130	15
77-47-4	Hexachlorocyclopentadiene	ND	UJ	650	71
67-72-1	Hexachloroethane	ND	UJ	650	47
193-39-5	Indeno[1,2,3-cd]pyrene	630	J	130	14
78-59-1	Isophorone	ND	UJ	650	50
91-20-3	Naphthalene	920	J	130	11
98-95-3	Nitrobenzene	ND	UJ	1300	55
621-64-7	N-Nitrosodi-n-propylamine	ND	UJ	130	15
62-75-9	N-Nitrosodimethylamine	ND	UJ	650	56
86-30-6	N-Nitrosodiphenylamine	ND	UJ	650	61
85-01-8	Phenanthrene	5800	J	130	21
129-00-0	Pyrene	3800	J	130	13
87-86-5	Pentachlorophenol	ND	UJ	650	59
108-95-2	Phenol	110	J	130	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	45		20-113
321-60-8	2-Fluorobiphenyl	55		38-103
367-12-4	2-Fluorophenol (Surr)	44		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	74		41-108
4165-62-2	Phenol-d5 (Surr)	57		35-103
1718-51-0	Terphenyl-d14 (Surr)	34		28-109

32

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G04-0406 Lab Sample ID: 180-43699-32

Matrix: Sediment Lab File ID: F0526014.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 09:30

Extract. Method: 3541 Date Extracted: 05/07/2015 03:20

Sample wt/vol: 30.2(g) Date Analyzed: 05/26/2015 11:53

Con. Extract Vol.: 0.5(mL) Dilution Factor: 5

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 62.8 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142702 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	110		45	4.3
208-96-8	Acenaphthylene	370		45	5.1
120-12-7	Anthracene	510		45	4.4
92-87-5	Benzidine	ND		4500	930
56-55-3	Benzo[a]anthracene	1400		45	5.6
205-99-2	Benzo[b]fluoranthene	1500		45	7.0
207-08-9	Benzo[k]fluoranthene	590		45	9.0
65-85-0	Benzoic acid	630	J	1100	92
191-24-2	Benzo[g,h,i]perylene	1200		45	4.4
50-32-8	Benzo[a]pyrene	1200		45	4.5
111-91-1	Bis(2-chloroethoxy)methane	ND		220	15
111-44-4	Bis(2-chloroethyl)ether	ND		45	6.0
117-81-7	Bis(2-ethylhexyl) phthalate	ND		450	36
108-60-1	2,2'-oxybis[1-chloropropane]	ND		45	4.8
101-55-3	4-Bromophenyl phenyl ether	ND		220	19
7005-72-3	4-Chlorophenyl phenyl ether	ND		220	25
91-58-7	2-Chloronaphthalene	ND		45	4.6
85-68-7	Butyl benzyl phthalate	ND		220	30
218-01-9	Chrysene	1400		45	5.3
53-70-3	Dibenz(a,h)anthracene	270		45	5.0
84-74-2	Di-n-butyl phthalate	ND		220	28
117-84-0	Di-n-octyl phthalate	ND		220	23
84-66-2	Diethyl phthalate	ND		220	24
131-11-3	Dimethyl phthalate	ND		220	24
91-94-1	3,3'-Dichlorobenzidine	ND		220	24
121-14-2	2,4-Dinitrotoluene	ND		220	18
606-20-2	2,6-Dinitrotoluene	ND		220	23
95-57-8	2-Chlorophenol	ND		220	18
120-83-2	2,4-Dichlorophenol	ND		45	4.5
105-67-9	2,4-Dimethylphenol	ND		220	35
51-28-5	2,4-Dinitrophenol	ND		1100	270
88-75-5	2-Nitrophenol	ND		220	25
88-06-2	2,4,6-Trichlorophenol	ND		220	33
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		220	29

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G04-0406 Lab Sample ID: 180-43699-32  
 Matrix: Sediment Lab File ID: F0526014.D  
 Analysis Method: 8270D LL Date Collected: 05/01/2015 09:30  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:20  
 Sample wt/vol: 30.2(g) Date Analyzed: 05/26/2015 11:53  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 5  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 62.8 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142702 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		220	12
59-50-7	4-Chloro-3-methylphenol	ND		220	21
100-02-7	4-Nitrophenol	ND		1100	81
534-52-1	4,6-Dinitro-2-methylphenol	ND		1100	90
206-44-0	Fluoranthene	3400		45	4.8
86-73-7	Fluorene	210		45	5.9
118-74-1	Hexachlorobenzene	ND		45	4.7
87-68-3	Hexachlorobutadiene	ND		45	5.0
77-47-4	Hexachlorocyclopentadiene	<del>ND</del> <i>uJ</i>		220	24
67-72-1	Hexachloroethane	ND		220	16
193-39-5	Indeno[1,2,3-cd]pyrene	1200		45	4.6
78-59-1	Isophorone	ND		220	17
91-20-3	Naphthalene	1700		45	3.8
98-95-3	Nitrobenzene	ND		450	19
621-64-7	N-Nitrosodi-n-propylamine	ND		45	5.2
62-75-9	N-Nitrosodimethylamine	<del>ND</del> <i>uJ</i>		220	19
86-30-6	N-Nitrosodiphenylamine	ND		220	21
85-01-8	Phenanthrene	740		45	7.1
129-00-0	Pyrene	1800		45	4.5
87-86-5	Pentachlorophenol	<del>ND</del> <i>uJ</i>		220	20
108-95-2	Phenol	30 <i>J</i>		45	5.3

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	49		20-113
321-60-8	2-Fluorobiphenyl	76		38-103
367-12-4	2-Fluorophenol (Surr)	83		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	78		41-108
4165-62-2	Phenol-d5 (Surr)	79		35-103
1718-51-0	Terphenyl-d14 (Surr)	54		28-109



FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G04-0406-FD Lab Sample ID: 180-43699-33  
 Matrix: Sediment Lab File ID: F0526015.D  
 Analysis Method: 8270D LL Date Collected: 05/01/2015 09:30  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:20  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/26/2015 12:22  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 5  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 63.8 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142702 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	110		46	4.4
208-96-8	Acenaphthylene	440		46	5.3
120-12-7	Anthracene	690		46	4.5
92-87-5	Benzidine	ND		4600	960
56-55-3	Benzo[a]anthracene	1500		46	5.7
205-99-2	Benzo[b]fluoranthene	2000		46	7.2
207-08-9	Benzo[k]fluoranthene	430		46	9.3
65-85-0	Benzoic acid	700	J	1200	95
191-24-2	Benzo[g,h,i]perylene	1400		46	4.6
50-32-8	Benzo[a]pyrene	1500		46	4.6
111-91-1	Bis(2-chloroethoxy)methane	ND		230	15
111-44-4	Bis(2-chloroethyl)ether	ND		46	6.2
117-81-7	Bis(2-ethylhexyl) phthalate	ND		460	37
108-60-1	2,2'-oxybis[1-chloropropane]	ND		46	5.0
101-55-3	4-Bromophenyl phenyl ether	ND		230	20
7005-72-3	4-Chlorophenyl phenyl ether	ND		230	25
91-58-7	2-Chloronaphthalene	ND		46	4.8
85-68-7	Butyl benzyl phthalate	ND		230	31
218-01-9	Chrysene	1500		46	5.5
53-70-3	Dibenz(a,h)anthracene	350		46	5.1
84-74-2	Di-n-butyl phthalate	ND		230	29
117-84-0	Di-n-octyl phthalate	ND		230	24
84-66-2	Diethyl phthalate	ND		230	25
131-11-3	Dimethyl phthalate	ND		230	25
91-94-1	3,3'-Dichlorobenzidine	ND		230	24
121-14-2	2,4-Dinitrotoluene	ND		230	19
606-20-2	2,6-Dinitrotoluene	ND		230	24
95-57-8	2-Chlorophenol	ND		230	19
120-83-2	2,4-Dichlorophenol	ND		46	4.6
105-67-9	2,4-Dimethylphenol	ND		230	36
51-28-5	2,4-Dinitrophenol	ND		1200	270
88-75-5	2-Nitrophenol	ND		230	25
88-06-2	2,4,6-Trichlorophenol	ND		230	34
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		230	29

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G04-0406-FD Lab Sample ID: 180-43699-33

Matrix: Sediment Lab File ID: F0526015.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 09:30

Extract. Method: 3541 Date Extracted: 05/07/2015 03:20

Sample wt/vol: 30.1(g) Date Analyzed: 05/26/2015 12:22

Con. Extract Vol.: 0.5(mL) Dilution Factor: 5

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 63.8 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142702 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		230	13
59-50-7	4-Chloro-3-methylphenol	ND		230	21
100-02-7	4-Nitrophenol	ND		1200	84
534-52-1	4,6-Dinitro-2-methylphenol	ND		1200	92
206-44-0	Fluoranthene	3900		46	4.9
86-73-7	Fluorene	290		46	6.0
118-74-1	Hexachlorobenzene	ND		46	4.9
87-68-3	Hexachlorobutadiene	ND		46	5.1
77-47-4	Hexachlorocyclopentadiene	ND	uj	230	25
67-72-1	Hexachloroethane	ND		230	16
193-39-5	Indeno[1,2,3-cd]pyrene	1300		46	4.7
78-59-1	Isophorone	ND		230	17
91-20-3	Naphthalene	2600		46	4.0
98-95-3	Nitrobenzene	ND		460	19
621-64-7	N-Nitrosodi-n-propylamine	ND		46	5.4
62-75-9	N-Nitrosodimethylamine	ND	uj	230	20
86-30-6	N-Nitrosodiphenylamine	ND		230	21
85-01-8	Phenanthrene	980		46	7.3
129-00-0	Pyrene	2000		46	4.6
87-86-5	Pentachlorophenol	ND	uj	230	21
108-95-2	Phenol	ND		46	5.4

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	51		20-113
321-60-8	2-Fluorobiphenyl	81		38-103
367-12-4	2-Fluorophenol (Surr)	90		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	83		41-108
4165-62-2	Phenol-d5 (Surr)	88		35-103
1718-51-0	Terphenyl-d14 (Surr)	56		28-109

34

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica PittsburghJob No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G05-0002Lab Sample ID: 180-43699-34Matrix: SedimentLab File ID: F0526016.DAnalysis Method: 8270D LLDate Collected: 05/01/2015 09:50Extract. Method: 3541Date Extracted: 05/07/2015 03:20Sample wt/vol: 30.0(g)Date Analyzed: 05/26/2015 12:50Con. Extract Vol.: 0.5(mL)Dilution Factor: 5Injection Volume: 2(uL)Level: (low/med) Low% Moisture: 78.1GPC Cleanup: (Y/N) NAnalysis Batch No.: 142702Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	110	J	76	7.3
208-96-8	Acenaphthylene	260	↓	76	8.7
120-12-7	Anthracene	280	↓	76	7.4
92-87-5	Benzidine	ND	uJ	7600	1600
56-55-3	Benzo[a]anthracene	710	J	76	9.5
205-99-2	Benzo[b]fluoranthene	660	↓	76	12
207-08-9	Benzo[k]fluoranthene	500	↓	76	15
65-85-0	Benzoic acid	ND	uJ	1900	160
191-24-2	Benzo[g,h,i]perylene	830	J	76	7.6
50-32-8	Benzo[a]pyrene	800	J	76	7.6
111-91-1	Bis(2-chloroethoxy)methane	ND	uJ	380	25
111-44-4	Bis(2-chloroethyl)ether	ND	uJ	76	10
117-81-7	Bis(2-ethylhexyl) phthalate	3900	J	760	62
108-60-1	2,2'-oxybis[1-chloropropane]	ND	uJ	76	8.2
101-55-3	4-Bromophenyl phenyl ether	ND	↓	380	33
7005-72-3	4-Chlorophenyl phenyl ether	ND	↓	380	42
91-58-7	2-Chloronaphthalene	ND	↓	76	7.9
85-68-7	Butyl benzyl phthalate	ND	↓	380	52
218-01-9	Chrysene	710	J	76	9.1
53-70-3	Dibenz(a,h)anthracene	140	↓	76	8.5
84-74-2	Di-n-butyl phthalate	180	↓	380	48
117-84-0	Di-n-octyl phthalate	ND	uJ	380	40
84-66-2	Diethyl phthalate	ND	↓	380	42
131-11-3	Dimethyl phthalate	ND	↓	380	41
91-94-1	3,3'-Dichlorobenzidine	ND	↓	380	40
121-14-2	2,4-Dinitrotoluene	ND	↓	380	31
606-20-2	2,6-Dinitrotoluene	ND	↓	380	39
95-57-8	2-Chlorophenol	ND	↓	380	31
120-83-2	2,4-Dichlorophenol	ND	↓	76	7.6
105-67-9	2,4-Dimethylphenol	ND	↓	380	60
51-28-5	2,4-Dinitrophenol	ND	↓	1900	450
88-75-5	2-Nitrophenol	ND	↓	380	42
88-06-2	2,4,6-Trichlorophenol	ND	↓	380	57
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND	↓	380	49

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G05-0002 Lab Sample ID: 180-43699-34  
 Matrix: Sediment Lab File ID: F0526016.D  
 Analysis Method: 8270D LL Date Collected: 05/01/2015 09:50  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:20  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/26/2015 12:50  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 5  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 78.1 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142702 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND	uJ	380	21
59-50-7	4-Chloro-3-methylphenol	ND	uJ	380	35
100-02-7	4-Nitrophenol	ND	uJ	1900	140
534-52-1	4,6-Dinitro-2-methylphenol	ND	uJ	1900	150
206-44-0	Fluoranthene	1600	J	76	8.1
86-73-7	Fluorene	180	J	76	10
118-74-1	Hexachlorobenzene	ND	uJ	76	8.1
87-68-3	Hexachlorobutadiene	ND	uJ	76	8.5
77-47-4	Hexachlorocyclopentadiene	ND	uJ	380	41
67-72-1	Hexachloroethane	ND	uJ	380	27
193-39-5	Indeno[1,2,3-cd]pyrene	580	J	76	7.8
78-59-1	Isophorone	ND	uJ	380	29
91-20-3	Naphthalene	690	J	76	6.6
98-95-3	Nitrobenzene	ND	uJ	760	32
621-64-7	N-Nitrosodi-n-propylamine	ND	uJ	76	8.9
62-75-9	N-Nitrosodimethylamine	ND	uJ	380	33
86-30-6	N-Nitrosodiphenylamine	ND	uJ	380	35
85-01-8	Phenanthrene	630	J	76	12
129-00-0	Pyrene	1100	J	76	7.7
87-86-5	Pentachlorophenol	ND	uJ	380	34
108-95-2	Phenol	ND	uJ	76	9.0

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	37		20-113
321-60-8	2-Fluorobiphenyl	51		38-103
367-12-4	2-Fluorophenol (Surr)	54		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	54		41-108
4165-62-2	Phenol-d5 (Surr)	55		35-103
1718-51-0	Terphenyl-d14 (Surr)	34		28-109

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: <u>TestAmerica Pittsburgh</u>	Job No.: <u>180-43699-1</u>
SDG No.: _____	
Client Sample ID: <u>SD-G05-0406</u>	Lab Sample ID: <u>180-43699-35</u>
Matrix: <u>Sediment</u>	Lab File ID: <u>F0526017.D</u>
Analysis Method: <u>8270D LL</u>	Date Collected: <u>05/01/2015 10:00</u>
Extract. Method: <u>3541</u>	Date Extracted: <u>05/07/2015 03:20</u>
Sample wt/vol: <u>30.2(g)</u>	Date Analyzed: <u>05/26/2015 13:18</u>
Con. Extract Vol.: <u>0.5(mL)</u>	Dilution Factor: <u>5</u>
Injection Volume: <u>2(uL)</u>	Level: (low/med) <u>Low</u>
% Moisture: <u>59.0</u>	GPC Cleanup: (Y/N) <u>N</u>
Analysis Batch No.: <u>142702</u>	Units: <u>ug/Kg</u>

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	170		41	3.9
208-96-8	Acenaphthylene	240		41	4.6
120-12-7	Anthracene	410	<i>✓ J</i>	41	4.0
92-87-5	Benzidine	ND		4100	850
56-55-3	Benzo[a]anthracene	1200		41	5.1
205-99-2	Benzo[b]fluoranthene	720		41	6.4
207-08-9	Benzo[k]fluoranthene	590		41	8.2
65-85-0	Benzoic acid	ND		1000	84
191-24-2	Benzo[g,h,i]perylene	630		41	4.0
50-32-8	Benzo[a]pyrene	850		41	4.0
111-91-1	Bis(2-chloroethoxy)methane	ND		200	13
111-44-4	Bis(2-chloroethyl)ether	ND		41	5.4
117-81-7	Bis(2-ethylhexyl) phthalate	2200		400	33
108-60-1	2,2'-oxybis[1-chloropropane]	ND		41	4.4
101-55-3	4-Bromophenyl phenyl ether	<del>ND</del>	<i>✓ uJ</i>	200	18
7005-72-3	4-Chlorophenyl phenyl ether	ND		200	22
91-58-7	2-Chloronaphthalene	ND		41	4.2
85-68-7	Butyl benzyl phthalate	ND		200	28
218-01-9	Chrysene	1100		41	4.8
53-70-3	Dibenz(a,h)anthracene	180		41	4.5
84-74-2	Di-n-butyl phthalate	<del>ND</del>	<i>✓ uJ</i>	200	25
117-84-0	Di-n-octyl phthalate	ND		200	21
84-66-2	Diethyl phthalate	ND		200	22
131-11-3	Dimethyl phthalate	ND		200	22
91-94-1	3,3'-Dichlorobenzidine	ND		200	21
121-14-2	2,4-Dinitrotoluene	ND		200	16
606-20-2	2,6-Dinitrotoluene	ND		200	21
95-57-8	2-Chlorophenol	ND		200	17
120-83-2	2,4-Dichlorophenol	ND		41	4.1
105-67-9	2,4-Dimethylphenol	ND		200	32
51-28-5	2,4-Dinitrophenol	ND		1000	240
88-75-5	2-Nitrophenol	ND		200	22
88-06-2	2,4,6-Trichlorophenol	ND		200	30
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	<del>ND</del>	<i>✓ uJ</i>	200	26

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G05-0406 Lab Sample ID: 180-43699-35  
 Matrix: Sediment Lab File ID: F0526017.D  
 Analysis Method: 8270D LL Date Collected: 05/01/2015 10:00  
 Extract. Method: 3541 Date Extracted: 05/07/2015 03:20  
 Sample wt/vol: 30.2(g) Date Analyzed: 05/26/2015 13:18  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 5  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 59.0 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142702 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		200	11
59-50-7	4-Chloro-3-methylphenol	ND		200	19
100-02-7	4-Nitrophenol	ND		1000	74
534-52-1	4,6-Dinitro-2-methylphenol	<del>ND</del> <i>uJ</i>		1000	81
206-44-0	Fluoranthene	2200 <i>J</i>		41	4.3
86-73-7	Fluorene	250		41	5.3
118-74-1	Hexachlorobenzene	<del>ND</del> <i>uJ</i>		41	4.3
87-68-3	Hexachlorobutadiene	ND		41	4.5
77-47-4	Hexachlorocyclopentadiene	<del>ND</del> <i>uJ</i>		200	22
67-72-1	Hexachloroethane	ND		200	15
193-39-5	Indeno[1,2,3-cd]pyrene	560		41	4.2
78-59-1	Isophorone	ND		200	15
91-20-3	Naphthalene	4400		41	3.5
98-95-3	Nitrobenzene	ND		400	17
621-64-7	N-Nitrosodi-n-propylamine	ND		41	4.7
62-75-9	N-Nitrosodimethylamine	<del>ND</del> <i>uJ</i>		200	17
86-30-6	N-Nitrosodiphenylamine	<del>ND</del> <i>* uJ</i>		200	19
85-01-8	Phenanthrene	1000 <i>J</i>		41	6.4
129-00-0	Pyrene	1300		41	4.1
87-86-5	Pentachlorophenol	<del>ND</del> <i>* uJ</i>		200	18
108-95-2	Phenol	55		41	4.8

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	42	*	20-113
321-60-8	2-Fluorobiphenyl	64		38-103
367-12-4	2-Fluorophenol (Surr)	68		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	66		41-108
4165-62-2	Phenol-d5 (Surr)	69		35-103
1718-51-0	Terphenyl-d14 (Surr)	44		28-109

36

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G05-0607 Lab Sample ID: 180-43699-36

Matrix: Sediment Lab File ID: D05230012.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 10:05

Extract. Method: 3541 Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.2(g) Date Analyzed: 05/23/2015 11:53

Con. Extract Vol.: 0.5(mL) Dilution Factor: 3

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 52.1 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142622 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	4.8	J	21	2.0
208-96-8	Acenaphthylene	5.0	J	21	2.4
120-12-7	Anthracene	10	J	21	2.0
92-87-5	Benzidine	ND		2100	430
56-55-3	Benzo[a]anthracene	24		21	2.6
205-99-2	Benzo[b]fluoranthene	30		21	3.3
207-08-9	Benzo[k]fluoranthene	12	J	21	4.2
65-85-0	Benzoic acid	ND		530	43
191-24-2	Benzo[g,h,i]perylene	22		21	2.1
50-32-8	Benzo[a]pyrene	25		21	2.1
111-91-1	Bis(2-chloroethoxy)methane	ND		100	6.8
111-44-4	Bis(2-chloroethyl)ether	ND		21	2.8
117-81-7	Bis(2-ethylhexyl) phthalate	50	J	210	17
108-60-1	2,2'-oxybis[1-chloropropane]	ND		21	2.2
101-55-3	4-Bromophenyl phenyl ether	ND		100	9.0
7005-72-3	4-Chlorophenyl phenyl ether	ND		100	12
91-58-7	2-Chloronaphthalene	ND		21	2.2
85-68-7	Butyl benzyl phthalate	16	J	100	14
218-01-9	Chrysene	27		21	2.5
53-70-3	Dibenz(a,h)anthracene	ND		21	2.3
84-74-2	Di-n-butyl phthalate	ND		100	13
117-84-0	Di-n-octyl phthalate	ND		100	11
84-66-2	Diethyl phthalate	ND		100	11
131-11-3	Dimethyl phthalate	ND		100	11
91-94-1	3,3'-Dichlorobenzidine	ND		100	11
121-14-2	2,4-Dinitrotoluene	ND		100	8.4
606-20-2	2,6-Dinitrotoluene	ND		100	11
95-57-8	2-Chlorophenol	ND		100	8.5
120-83-2	2,4-Dichlorophenol	ND		21	2.1
105-67-9	2,4-Dimethylphenol	ND		100	16
51-28-5	2,4-Dinitrophenol	ND		530	120
88-75-5	2-Nitrophenol	ND		100	11
88-06-2	2,4,6-Trichlorophenol	ND		100	16
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		100	13

36

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G05-0607 Lab Sample ID: 180-43699-36  
 Matrix: Sediment Lab File ID: D05230012.D  
 Analysis Method: 8270D LL Date Collected: 05/01/2015 10:05  
 Extract. Method: 3541 Date Extracted: 05/08/2015 03:00  
 Sample wt/vol: 30.2(g) Date Analyzed: 05/23/2015 11:53  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 3  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 52.1 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142622 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		100	5.7
59-50-7	4-Chloro-3-methylphenol	ND		100	9.5
100-02-7	4-Nitrophenol	ND		530	38
534-52-1	4,6-Dinitro-2-methylphenol	ND		530	42
206-44-0	Fluoranthene	52		21	2.2
86-73-7	Fluorene	9.5	J	21	2.7
118-74-1	Hexachlorobenzene	ND		21	2.2
87-68-3	Hexachlorobutadiene	ND		21	2.3
77-47-4	Hexachlorocyclopentadiene	ND		100	11
67-72-1	Hexachloroethane	ND		100	7.5
193-39-5	Indeno[1,2,3-cd]pyrene	21		21	2.1
78-59-1	Isophorone	ND		100	7.8
91-20-3	Naphthalene	67		21	1.8
98-95-3	Nitrobenzene	ND		210	8.6
621-64-7	N-Nitrosodi-n-propylamine	ND		21	2.4
62-75-9	N-Nitrosodimethylamine	ND		100	8.9
86-30-6	N-Nitrosodiphenylamine	ND		100	9.6
85-01-8	Phenanthrene	29		21	3.3
129-00-0	Pyrene	41		21	2.1
87-86-5	Pentachlorophenol	ND		100	9.3
108-95-2	Phenol	47		21	2.5

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	74		20-113
321-60-8	2-Fluorobiphenyl	64		38-103
367-12-4	2-Fluorophenol (Surr)	61		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	65		41-108
4165-62-2	Phenol-d5 (Surr)	63		35-103
1718-51-0	Terphenyl-d14 (Surr)	77		28-109



37

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica PittsburghJob No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H01-0002Lab Sample ID: 180-43699-37Matrix: SedimentLab File ID: D05230013.DAnalysis Method: 8270D LLDate Collected: 05/01/2015 11:00Extract. Method: 3541Date Extracted: 05/08/2015 03:00Sample wt/vol: 30.1(g)Date Analyzed: 05/23/2015 12:20Con. Extract Vol.: 2.0(mL)Dilution Factor: 25Injection Volume: 2(uL)Level: (low/med) Low% Moisture: 68.9GPC Cleanup: (Y/N) NAnalysis Batch No.: 142622Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	1400		1100	100
208-96-8	Acenaphthylene	2500		1100	120
120-12-7	Anthracene	4100		1100	100
92-87-5	Benzidine	ND		110000	22000
56-55-3	Benzo[a]anthracene	4900		1100	130
205-99-2	Benzo[b]fluoranthene	5800		1100	170
207-08-9	Benzo[k]fluoranthene	ND		1100	220
65-85-0	Benzoic acid	ND		27000	2200
191-24-2	Benzo[g,h,i]perylene	4300		1100	110
50-32-8	Benzo[a]pyrene	4300		1100	110
111-91-1	Bis(2-chloroethoxy)methane	ND		5300	350
111-44-4	Bis(2-chloroethyl)ether	ND		1100	140
117-81-7	Bis(2-ethylhexyl) phthalate	23000		11000	860
108-60-1	2,2'-oxybis[1-chloropropane]	ND		1100	120
101-55-3	4-Bromophenyl phenyl ether	ND		5300	470
7005-72-3	4-Chlorophenyl phenyl ether	ND		5300	590
91-58-7	2-Chloronaphthalene	ND		1100	110
85-68-7	Butyl benzyl phthalate	ND		5300	730
218-01-9	Chrysene	4500		1100	130
53-70-3	Dibenz(a,h)anthracene	ND		1100	120
84-74-2	Di-n-butyl phthalate	ND		5300	670
117-84-0	Di-n-octyl phthalate	ND		5300	560
84-66-2	Diethyl phthalate	ND		5300	580
131-11-3	Dimethyl phthalate	ND		5300	580
91-94-1	3,3'-Dichlorobenzidine	ND		5300	570
121-14-2	2,4-Dinitrotoluene	ND		5300	430
606-20-2	2,6-Dinitrotoluene	ND		5300	550
95-57-8	2-Chlorophenol	ND		5300	440
120-83-2	2,4-Dichlorophenol	ND		1100	110
105-67-9	2,4-Dimethylphenol	ND		5300	840
51-28-5	2,4-Dinitrophenol	ND		27000	6400
88-75-5	2-Nitrophenol	ND		5300	590
88-06-2	2,4,6-Trichlorophenol	ND		5300	800
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		5300	680

37

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H01-0002 Lab Sample ID: 180-43699-37

Matrix: Sediment Lab File ID: D05230013.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 11:00

Extract. Method: 3541 Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.1(g) Date Analyzed: 05/23/2015 12:20

Con. Extract Vol.: 2.0(mL) Dilution Factor: 25

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 68.9 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142622 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		5300	300
59-50-7	4-Chloro-3-methylphenol	ND		5300	490
100-02-7	4-Nitrophenol	ND		27000	2000
534-52-1	4,6-Dinitro-2-methylphenol	ND		27000	2100
206-44-0	Fluoranthene	14000		1100	110
86-73-7	Fluorene	3200		1100	140
118-74-1	Hexachlorobenzene	ND		1100	110
87-68-3	Hexachlorobutadiene	ND		1100	120
77-47-4	Hexachlorocyclopentadiene	ND		5300	580
67-72-1	Hexachloroethane	ND		5300	380
193-39-5	Indeno[1,2,3-cd]pyrene	3200		1100	110
78-59-1	Isophorone	ND		5300	400
91-20-3	Naphthalene	3300		1100	92
98-95-3	Nitrobenzene	ND		11000	450
621-64-7	N-Nitrosodi-n-propylamine	ND		1100	130
62-75-9	N-Nitrosodimethylamine	ND		5300	460
86-30-6	N-Nitrosodiphenylamine	ND		5300	500
85-01-8	Phenanthrene	14000		1100	170
129-00-0	Pyrene	10000		1100	110
87-86-5	Pentachlorophenol	ND		5300	480
108-95-2	Phenol	ND		1100	130

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	0	D X	20-113
321-60-8	2-Fluorobiphenyl	0	D X	38-103
367-12-4	2-Fluorophenol (Surr)	0	D X	34-103
4165-60-0	Nitrobenzene-d5 (Surr)	0	D X	41-108
4165-62-2	Phenol-d5 (Surr)	0	D X	35-103
1718-51-0	Terphenyl-d14 (Surr)	0	D X	28-109

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica PittsburghJob No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H01-0406Lab Sample ID: 180-43699-38Matrix: SedimentLab File ID: D05230014.DAnalysis Method: 8270D LLDate Collected: 05/01/2015 11:10Extract. Method: 3541Date Extracted: 05/08/2015 03:00Sample wt/vol: 30.2(g)Date Analyzed: 05/23/2015 12:46Con. Extract Vol.: 2.0(mL)Dilution Factor: 5Injection Volume: 2(uL)Level: (low/med) Low% Moisture: 72.8GPC Cleanup: (Y/N) NAnalysis Batch No.: 142622Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	1500	J	240	23
208-96-8	Acenaphthylene	450	J	240	28
120-12-7	Anthracene	850	J	240	24
92-87-5	Benzidine	ND	uJ	24000	5100
56-55-3	Benzo[a]anthracene	1400	J	240	31
205-99-2	Benzo[b]fluoranthene	ND	uJ	240	38
207-08-9	Benzo[k]fluoranthene	ND		240	49
65-85-0	Benzoic acid	ND		6200	510
191-24-2	Benzo[g,h,i]perylene	ND		240	24
50-32-8	Benzo[a]pyrene	ND		240	24
111-91-1	Bis(2-chloroethoxy)methane	ND		1200	80
111-44-4	Bis(2-chloroethyl)ether	ND		240	33
117-81-7	Bis(2-ethylhexyl) phthalate	17000	J	2400	200
108-60-1	2,2'-oxybis[1-chloropropane]	ND	uJ	240	26
101-55-3	4-Bromophenyl phenyl ether	ND	uJ	1200	110
7005-72-3	4-Chlorophenyl phenyl ether	ND		1200	140
91-58-7	2-Chloronaphthalene	ND		240	25
85-68-7	Butyl benzyl phthalate	ND		1200	170
218-01-9	Chrysene	2200	J	240	29
53-70-3	Dibenz(a,h)anthracene	ND	uJ	240	27
84-74-2	Di-n-butyl phthalate	ND	uJ	1200	150
117-84-0	Di-n-octyl phthalate	ND		1200	130
84-66-2	Diethyl phthalate	ND		1200	130
131-11-3	Dimethyl phthalate	ND		1200	130
91-94-1	3,3'-Dichlorobenzidine	ND		1200	130
121-14-2	2,4-Dinitrotoluene	ND		1200	98
606-20-2	2,6-Dinitrotoluene	ND		1200	130
95-57-8	2-Chlorophenol	ND		1200	100
120-83-2	2,4-Dichlorophenol	ND		240	24
105-67-9	2,4-Dimethylphenol	7300	J	1200	190
51-28-5	2,4-Dinitrophenol	ND	uJ	6200	1400
88-75-5	2-Nitrophenol	ND		1200	130
88-06-2	2,4,6-Trichlorophenol	ND		1200	180
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND	uJ	1200	160

39

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H01-0406 Lab Sample ID: 180-43699-38

Matrix: Sediment Lab File ID: D05230014.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 11:10

Extract. Method: 3541 Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.2(g) Date Analyzed: 05/23/2015 12:46

Con. Extract Vol.: 2.0(mL) Dilution Factor: 5

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 72.8 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142622 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND	uJ	1200	67
59-50-7	4-Chloro-3-methylphenol	ND	↓	1200	110
100-02-7	4-Nitrophenol	ND	↓	6200	440
534-52-1	4,6-Dinitro-2-methylphenol	ND	* uJ	6200	490
206-44-0	Fluoranthene	4700	* J	240	26
86-73-7	Fluorene	2000	J	240	32
118-74-1	Hexachlorobenzene	ND	* uJ	240	26
87-68-3	Hexachlorobutadiene	ND	↓	240	27
77-47-4	Hexachlorocyclopentadiene	ND	↓	1200	130
67-72-1	Hexachloroethane	ND	↓	1200	88
193-39-5	Indeno[1,2,3-cd]pyrene	ND	↓	240	25
78-59-1	Isophorone	ND	↓	1200	92
91-20-3	Naphthalene	7000	J	240	21
98-95-3	Nitrobenzene	ND	uJ	2400	100
621-64-7	N-Nitrosodi-n-propylamine	ND	↓	240	29
62-75-9	N-Nitrosodimethylamine	ND	↓	1200	100
86-30-6	N-Nitrosodiphenylamine	ND	* uJ	1200	110
85-01-8	Phenanthrene	9500	* J	240	39
129-00-0	Pyrene	3800	J	240	25
87-86-5	Pentachlorophenol	ND	* uJ	1200	110
108-95-2	Phenol	290	J	240	29

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	74	*	20-113
321-60-8	2-Fluorobiphenyl	80		38-103
367-12-4	2-Fluorophenol (Surr)	51		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	77		41-108
4165-62-2	Phenol-d5 (Surr)	64		35-103
1718-51-0	Terphenyl-d14 (Surr)	69		28-109

39

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H03-0002

Lab Sample ID: 180-43699-39

Matrix: Sediment

Lab File ID: D05230015.D

Analysis Method: 8270D LL

Date Collected: 05/01/2015 11:35

Extract. Method: 3541

Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.0(g)

Date Analyzed: 05/23/2015 13:13

Con. Extract Vol.: 2.0(mL)

Dilution Factor: 5

Injection Volume: 2(uL)

Level: (low/med) Low

% Moisture: 77.6

GPC Cleanup: (Y/N) N

Analysis Batch No.: 142622

Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	1400	J	300	29
208-96-8	Acenaphthylene	1000	J	300	34
120-12-7	Anthracene	950	J	300	29
92-87-5	Benzidine	ND	uJ	30000	6200
56-55-3	Benzo[a]anthracene	980	J	300	37
205-99-2	Benzo[b]fluoranthene	ND	uJ	300	47
207-08-9	Benzo[k]fluoranthene	ND	J	300	60
65-85-0	Benzoic acid	ND	J	7600	620
191-24-2	Benzo[g,h,i]perylene	ND	J	300	30
50-32-8	Benzo[a]pyrene	ND	J	300	30
111-91-1	Bis(2-chloroethoxy)methane	ND	J	1500	98
111-44-4	Bis(2-chloroethyl)ether	ND	J	300	40
117-81-7	Bis(2-ethylhexyl) phthalate	19000	J	3000	240
108-60-1	2,2'-oxybis[1-chloropropane]	ND	uJ	300	32
101-55-3	4-Bromophenyl phenyl ether	ND	J	1500	130
7005-72-3	4-Chlorophenyl phenyl ether	ND	J	1500	170
91-58-7	2-Chloronaphthalene	ND	J	300	31
85-68-7	Butyl benzyl phthalate	ND	J	1500	200
218-01-9	Chrysene	1300	J	300	35
53-70-3	Dibenz(a,h)anthracene	ND	uJ	300	33
84-74-2	Di-n-butyl phthalate	ND	J	1500	190
117-84-0	Di-n-octyl phthalate	ND	J	1500	160
84-66-2	Diethyl phthalate	ND	J	1500	160
131-11-3	Dimethyl phthalate	ND	J	1500	160
91-94-1	3,3'-Dichlorobenzidine	ND	J	1500	160
121-14-2	2,4-Dinitrotoluene	ND	J	1500	120
606-20-2	2,6-Dinitrotoluene	ND	J	1500	150
95-57-8	2-Chlorophenol	ND	J	1500	120
120-83-2	2,4-Dichlorophenol	ND	J	300	30
105-67-9	2,4-Dimethylphenol	ND	J	1500	230
51-28-5	2,4-Dinitrophenol	ND	J	7600	1800
88-75-5	2-Nitrophenol	ND	J	1500	160
88-06-2	2,4,6-Trichlorophenol	ND	J	1500	220
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND	J	1500	190

39

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H03-0002 Lab Sample ID: 180-43699-39

Matrix: Sediment Lab File ID: D05230015.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 11:35

Extract. Method: 3541 Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.0(g) Date Analyzed: 05/23/2015 13:13

Con. Extract Vol.: 2.0(mL) Dilution Factor: 5

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 77.6 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142622 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND	uJ	1500	82
59-50-7	4-Chloro-3-methylphenol	ND		1500	140
100-02-7	4-Nitrophenol	ND		7600	540
534-52-1	4,6-Dinitro-2-methylphenol	ND	Y	7600	600
206-44-0	Fluoranthene	2800	J	300	32
86-73-7	Fluorene	2000	J	300	39
118-74-1	Hexachlorobenzene	ND	uJ	300	32
87-68-3	Hexachlorobutadiene	ND		300	33
77-47-4	Hexachlorocyclopentadiene	ND		1500	160
67-72-1	Hexachloroethane	ND		1500	110
193-39-5	Indeno[1,2,3-cd]pyrene	ND		300	31
78-59-1	Isophorone	ND		1500	110
91-20-3	Naphthalene	6000	J	300	26
98-95-3	Nitrobenzene	ND	uJ	3000	120
621-64-7	N-Nitrosodi-n-propylamine	ND		300	35
62-75-9	N-Nitrosodimethylamine	ND		1500	130
86-30-6	N-Nitrosodiphenylamine	ND		1500	140
85-01-8	Phenanthrene	6400	J	300	47
129-00-0	Pyrene	3200	J	300	30
87-86-5	Pentachlorophenol	ND	uJ	1500	130
108-95-2	Phenol	ND	uJ	300	35

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	78		20-113
321-60-8	2-Fluorobiphenyl	81		38-103
367-12-4	2-Fluorophenol (Surr)	51		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	95		41-108
4165-62-2	Phenol-d5 (Surr)	66		35-103
1718-51-0	Terphenyl-d14 (Surr)	69		28-109

40

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H03-0406 Lab Sample ID: 180-43699-40

Matrix: Sediment Lab File ID: D05230016.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 11:45

Extract. Method: 3541 Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.0(g) Date Analyzed: 05/23/2015 13:40

Con. Extract Vol.: 1.0(mL) Dilution Factor: 10

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 66.3 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142622 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	810	<del>F1</del>	200	19
208-96-8	Acenaphthylene	440		200	23
120-12-7	Anthracene	640	<del>F1</del> <del>F2</del> J	200	19
92-87-5	Benzidine	ND		20000	4200
56-55-3	Benzo[a]anthracene	1200	<del>F1</del>	200	25
205-99-2	Benzo[b]fluoranthene	1300	<del>F1</del> <del>F2</del>	200	31
207-08-9	Benzo[k]fluoranthene	480	<del>F1</del>	200	40
65-85-0	Benzoic acid	ND	<del>F1</del>	5100	410
191-24-2	Benzo[g,h,i]perylene	ND	<del>F1</del> <del>F2</del>	200	20
50-32-8	Benzo[a]pyrene	890	<del>F1</del>	200	20
111-91-1	Bis(2-chloroethoxy)methane	ND		980	65
111-44-4	Bis(2-chloroethyl) ether	ND	<del>F2</del>	200	27
117-81-7	Bis(2-ethylhexyl) phthalate	9700		2000	160
108-60-1	2,2'-oxybis[1-chloropropane]	ND		200	21
101-55-3	4-Bromophenyl phenyl ether	ND	<del>F1</del> <del>F2</del> UJ	980	86
7005-72-3	4-Chlorophenyl phenyl ether	ND		980	110
91-58-7	2-Chloronaphthalene	ND		200	21
85-68-7	Butyl benzyl phthalate	ND		980	140
218-01-9	Chrysene	1800	<del>F1</del>	200	24
53-70-3	Dibenz(a,h)anthracene	ND	<del>F1</del> <del>F2</del>	200	22
84-74-2	Di-n-butyl phthalate	ND	<del>F1</del> UJ	980	120
117-84-0	Di-n-octyl phthalate	ND	<del>F1</del>	980	100
84-66-2	Diethyl phthalate	ND		980	110
131-11-3	Dimethyl phthalate	ND	<del>F1</del> <del>F2</del>	980	110
91-94-1	3,3'-Dichlorobenzidine	ND	<del>F1</del> <del>F2</del>	980	100
121-14-2	2,4-Dinitrotoluene	ND	<del>F1</del> <del>F2</del>	980	80
606-20-2	2,6-Dinitrotoluene	ND	<del>F2</del>	980	100
95-57-8	2-Chlorophenol	ND		980	81
120-83-2	2,4-Dichlorophenol	ND	<del>F2</del>	200	20
105-67-9	2,4-Dimethylphenol	5300		980	160
51-28-5	2,4-Dinitrophenol	ND	<del>F1</del>	5100	1200
88-75-5	2-Nitrophenol	ND	<del>F2</del>	980	110
88-06-2	2,4,6-Trichlorophenol	ND		980	150
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND	<del>F1</del> UJ	980	130

40

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H03-0406 Lab Sample ID: 180-43699-40

Matrix: Sediment Lab File ID: D05230016.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 11:45

Extract. Method: 3541 Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.0(g) Date Analyzed: 05/23/2015 13:40

Con. Extract Vol.: 1.0(mL) Dilution Factor: 10

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 66.3 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142622 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		980	55
59-50-7	4-Chloro-3-methylphenol	ND		980	91
100-02-7	4-Nitrophenol	ND	<del>E2</del>	5100	360
534-52-1	4,6-Dinitro-2-methylphenol	ND	<del>* E1</del> <del>E2</del> <del>uJ</del>	5100	400
206-44-0	Fluoranthene	3800	<del>* E1</del> <del>E2</del> <del>uJ</del>	200	21
86-73-7	Fluorene	1200	<del>E1</del> <del>uJ</del>	200	26
118-74-1	Hexachlorobenzene	ND	<del>* E1</del> <del>uJ</del>	200	21
87-68-3	Hexachlorobutadiene	ND		200	22
77-47-4	Hexachlorocyclopentadiene	ND	<del>E1</del>	980	110
67-72-1	Hexachloroethane	ND		980	71
193-39-5	Indeno[1,2,3-cd]pyrene	ND	<del>E1</del>	200	20
78-59-1	Isophorone	ND		980	75
91-20-3	Naphthalene	1500		200	17
98-95-3	Nitrobenzene	ND		2000	83
621-64-7	N-Nitrosodi-n-propylamine	ND	<del>E1</del>	200	23
62-75-9	N-Nitrosodimethylamine	ND		980	85
86-30-6	N-Nitrosodiphenylamine	<del>ND</del>	<del>* E1</del> <del>E2</del> <del>uJ</del>	980	92
85-01-8	Phenanthrene	5500	<del>* E1</del> <del>E2</del> <del>uJ</del>	200	32
129-00-0	Pyrene	2800	<del>E1</del>	200	20
87-86-5	Pentachlorophenol	<del>ND</del>	<del>* E1</del> <del>E2</del> <del>uJ</del>	980	89
108-95-2	Phenol	ND		200	23

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	77	*	20-113
321-60-8	2-Fluorobiphenyl	69		38-103
367-12-4	2-Fluorophenol (Surr)	42		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	73		41-108
4165-62-2	Phenol-d5 (Surr)	55		35-103
1718-51-0	Terphenyl-d14 (Surr)	55		28-109



41

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H04-0002 Lab Sample ID: 180-43699-41  
Matrix: Sediment Lab File ID: D05230019.D  
Analysis Method: 8270D LL Date Collected: 05/01/2015 12:05  
Extract. Method: 3541 Date Extracted: 05/08/2015 03:00  
Sample wt/vol: 30.0(g) Date Analyzed: 05/23/2015 15:00  
Con. Extract Vol.: 2.0(mL) Dilution Factor: 25  
Injection Volume: 2(uL) Level: (low/med) Low  
% Moisture: 75.4 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 142622 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	ND	UJ	1400	130
208-96-8	Acenaphthylene	2500	J	1400	160
120-12-7	Anthracene	3200	J	1400	130
92-87-5	Benzidine	ND	UJ	140000	28000
56-55-3	Benzo[a]anthracene	4400	J	1400	170
205-99-2	Benzo[b]fluoranthene	2600	↓	1400	210
207-08-9	Benzo[k]fluoranthene	2200	↓	1400	270
65-85-0	Benzoic acid	ND	UJ	35000	2800
191-24-2	Benzo[g,h,i]perylene	ND	UJ	1400	140
50-32-8	Benzo[a]pyrene	3300	J	1400	140
111-91-1	Bis(2-chloroethoxy)methane	ND	UJ	6700	450
111-44-4	Bis(2-chloroethyl)ether	ND	UJ	1400	180
117-81-7	Bis(2-ethylhexyl) phthalate	48000	J	14000	1100
108-60-1	2,2'-oxybis[1-chloropropane]	ND	UJ	1400	150
101-55-3	4-Bromophenyl phenyl ether	ND	↓	6700	590
7005-72-3	4-Chlorophenyl phenyl ether	ND	↓	6700	750
91-58-7	2-Chloronaphthalene	ND	↓	1400	140
85-68-7	Butyl benzyl phthalate	ND	↓	6700	930
218-01-9	Chrysene	5200	J	1400	160
53-70-3	Dibenz(a,h)anthracene	ND	UJ	1400	150
84-74-2	Di-n-butyl phthalate	ND	↓	6700	850
117-84-0	Di-n-octyl phthalate	ND	↓	6700	720
84-66-2	Diethyl phthalate	ND	↓	6700	740
131-11-3	Dimethyl phthalate	ND	↓	6700	740
91-94-1	3,3'-Dichlorobenzidine	ND	↓	6700	720
121-14-2	2,4-Dinitrotoluene	ND	↓	6700	550
606-20-2	2,6-Dinitrotoluene	ND	↓	6700	700
95-57-8	2-Chlorophenol	ND	↓	6700	560
120-83-2	2,4-Dichlorophenol	ND	↓	1400	140
105-67-9	2,4-Dimethylphenol	ND	↓	6700	1100
51-28-5	2,4-Dinitrophenol	ND	↓	35000	8100
88-75-5	2-Nitrophenol	ND	↓	6700	750
88-06-2	2,4,6-Trichlorophenol	ND	↓	6700	1000
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND	↓	6700	870

NW 7/6/15

41

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H04-0002 Lab Sample ID: 180-43699-41  
Matrix: Sediment Lab File ID: D05230019.D  
Analysis Method: 8270D LL Date Collected: 05/01/2015 12:05  
Extract. Method: 3541 Date Extracted: 05/08/2015 03:00  
Sample wt/vol: 30.0(g) Date Analyzed: 05/23/2015 15:00  
Con. Extract Vol.: 2.0(mL) Dilution Factor: 25  
Injection Volume: 2(uL) Level: (low/med) Low  
% Moisture: 75.4 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 142622 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND	UJ	6700	380
59-50-7	4-Chloro-3-methylphenol	ND		6700	630
100-02-7	4-Nitrophenol	ND		35000	2500
534-52-1	4,6-Dinitro-2-methylphenol	ND		35000	2700
206-44-0	Fluoranthene	11000	J	1400	150
86-73-7	Fluorene	4000	J	1400	180
118-74-1	Hexachlorobenzene	ND	UJ	1400	140
87-68-3	Hexachlorobutadiene	ND		1400	150
77-47-4	Hexachlorocyclopentadiene	ND		6700	730
67-72-1	Hexachloroethane	ND		6700	490
193-39-5	Indeno[1,2,3-cd]pyrene	1800	J	1400	140
78-59-1	Isophorone	ND	UJ	6700	510
91-20-3	Naphthalene	5500	J	1400	120
98-95-3	Nitrobenzene	ND	UJ	14000	570
621-64-7	N-Nitrosodi-n-propylamine	ND		1400	160
62-75-9	N-Nitrosodimethylamine	ND		6700	580
86-30-6	N-Nitrosodiphenylamine	ND		6700	630
85-01-8	Phenanthrene	14000	J	1400	220
129-00-0	Pyrene	9500	J	1400	140
87-86-5	Pentachlorophenol	ND	UJ	6700	610
108-95-2	Phenol	ND	UJ	1400	160

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	0	D X	20-113
321-60-8	2-Fluorobiphenyl	0	D X	38-103
367-12-4	2-Fluorophenol (Surr)	0	D X	34-103
4165-60-0	Nitrobenzene-d5 (Surr)	0	D X	41-108
4165-62-2	Phenol-d5 (Surr)	0	D X	35-103
1718-51-0	Terphenyl-d14 (Surr)	0	D X	28-109

42

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica PittsburghJob No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H04-0002-FDLab Sample ID: 180-43699-42Matrix: SedimentLab File ID: D05230020.DAnalysis Method: 8270D LLDate Collected: 05/01/2015 12:05Extract. Method: 3541Date Extracted: 05/08/2015 03:00Sample wt/vol: 30.1(g)Date Analyzed: 05/23/2015 15:27Con. Extract Vol.: 2.0(mL)Dilution Factor: 25Injection Volume: 2(uL)Level: (low/med) Low% Moisture: 75.4GPC Cleanup: (Y/N) NAnalysis Batch No.: 142622Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	3100	J	1400	130
208-96-8	Acenaphthylene	2900	J	1400	150
120-12-7	Anthracene	3300	J	1400	130
92-87-5	Benzidine	ND	UJ	140000	28000
56-55-3	Benzo[a]anthracene	4100	J	1400	170
205-99-2	Benzo[b]fluoranthene	2100	J	1400	210
207-08-9	Benzo[k]fluoranthene	3300	J	1400	270
65-85-0	Benzoic acid	ND	UJ	34000	2800
191-24-2	Benzo[g,h,i]perylene	2800	J	1400	130
50-32-8	Benzo[a]pyrene	3500	J	1400	140
111-91-1	Bis(2-chloroethoxy)methane	ND	UJ	6700	440
111-44-4	Bis(2-chloroethyl)ether	ND	UJ	1400	180
117-81-7	Bis(2-ethylhexyl) phthalate	54000	J	13000	1100
108-60-1	2,2'-oxybis[1-chloropropane]	ND	UJ	1400	150
101-55-3	4-Bromophenyl phenyl ether	ND	J	6700	590
7005-72-3	4-Chlorophenyl phenyl ether	ND	J	6700	750
91-58-7	2-Chloronaphthalene	ND	J	1400	140
85-68-7	Butyl benzyl phthalate	ND	J	6700	920
218-01-9	Chrysene	5400	J	1400	160
53-70-3	Dibenz(a,h)anthracene	ND	UJ	1400	150
84-74-2	Di-n-butyl phthalate	ND	J	6700	850
117-84-0	Di-n-octyl phthalate	ND	J	6700	710
84-66-2	Diethyl phthalate	ND	J	6700	740
131-11-3	Dimethyl phthalate	ND	J	6700	740
91-94-1	3,3'-Dichlorobenzidine	ND	J	6700	710
121-14-2	2,4-Dinitrotoluene	ND	J	6700	540
606-20-2	2,6-Dinitrotoluene	ND	J	6700	700
95-57-8	2-Chlorophenol	ND	J	6700	550
120-83-2	2,4-Dichlorophenol	ND	J	1400	140
105-67-9	2,4-Dimethylphenol	ND	J	6700	1100
51-28-5	2,4-Dinitrophenol	ND	J	34000	8000
88-75-5	2-Nitrophenol	ND	J	6700	740
88-06-2	2,4,6-Trichlorophenol	ND	J	6700	1000
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND	J	6700	860

42

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H04-0002-FD Lab Sample ID: 180-43699-42

Matrix: Sediment Lab File ID: D05230020.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 12:05

Extract. Method: 3541 Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.1(g) Date Analyzed: 05/23/2015 15:27

Con. Extract Vol.: 2.0(mL) Dilution Factor: 25

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 75.4 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142622 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND	uJ	6700	370
59-50-7	4-Chloro-3-methylphenol	ND	↓	6700	620
100-02-7	4-Nitrophenol	ND	↓	34000	2500
534-52-1	4,6-Dinitro-2-methylphenol	ND	↓	34000	2700
206-44-0	Fluoranthene	12000	J	1400	140
86-73-7	Fluorene	4600	J	1400	180
118-74-1	Hexachlorobenzene	ND	uJ	1400	140
87-68-3	Hexachlorobutadiene	ND	↓	1400	150
77-47-4	Hexachlorocyclopentadiene	ND	↓	6700	730
67-72-1	Hexachloroethane	ND	↓	6700	490
193-39-5	Indeno[1,2,3-cd]pyrene	1800	J	1400	140
78-59-1	Isophorone	ND	uJ	6700	510
91-20-3	Naphthalene	5900	J	1400	120
98-95-3	Nitrobenzene	ND	uJ	13000	560
621-64-7	N-Nitrosodi-n-propylamine	ND	↓	1400	160
62-75-9	N-Nitrosodimethylamine	ND	↓	6700	580
86-30-6	N-Nitrosodiphenylamine	ND	↓	6700	620
85-01-8	Phenanthrene	17000	J	1400	210
129-00-0	Pyrene	11000	J	1400	140
87-86-5	Pentachlorophenol	ND	uJ	6700	600
108-95-2	Phenol	ND	uJ	1400	160

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	0	D X	20-113
321-60-8	2-Fluorobiphenyl	0	D X	38-103
367-12-4	2-Fluorophenol (Surr)	0	D X	34-103
4165-60-0	Nitrobenzene-d5 (Surr)	0	D X	41-108
4165-62-2	Phenol-d5 (Surr)	0	D X	35-103
1718-51-0	Terphenyl-d14 (Surr)	0	D X	28-109

43

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H04-0406 Lab Sample ID: 180-43699-43

Matrix: Sediment Lab File ID: D05230021.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 12:15

Extract. Method: 3541 Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.0(g) Date Analyzed: 05/23/2015 15:54

Con. Extract Vol.: 0.5(mL) Dilution Factor: 15

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 64.2 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142622 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	660		140	13
208-96-8	Acenaphthylene	610		140	16
120-12-7	Anthracene	1300		140	14
92-87-5	Benzidine	ND		14000	2900
56-55-3	Benzo[a]anthracene	2700		140	18
205-99-2	Benzo[b]fluoranthene	2800		140	22
207-08-9	Benzo[k]fluoranthene	1000		140	28
65-85-0	Benzoic acid	ND		3600	290
191-24-2	Benzo[g,h,i]perylene	1900		140	14
50-32-8	Benzo[a]pyrene	2100		140	14
111-91-1	Bis(2-chloroethoxy)methane	ND		690	46
111-44-4	Bis(2-chloroethyl)ether	ND		140	19
117-81-7	Bis(2-ethylhexyl) phthalate	ND		1400	110
108-60-1	2,2'-oxybis[1-chloropropane]	ND		140	15
101-55-3	4-Bromophenyl phenyl ether	ND		690	61
7005-72-3	4-Chlorophenyl phenyl ether	ND		690	78
91-58-7	2-Chloronaphthalene	ND		140	15
85-68-7	Butyl benzyl phthalate	ND		690	96
218-01-9	Chrysene	2900		140	17
53-70-3	Dibenz(a,h)anthracene	440		140	16
84-74-2	Di-n-butyl phthalate	ND		690	88
117-84-0	Di-n-octyl phthalate	ND		690	74
84-66-2	Diethyl phthalate	ND		690	76
131-11-3	Dimethyl phthalate	ND		690	76
91-94-1	3,3'-Dichlorobenzidine	ND		690	74
121-14-2	2,4-Dinitrotoluene	ND		690	56
606-20-2	2,6-Dinitrotoluene	150	J	690	72
95-57-8	2-Chlorophenol	ND		690	57
120-83-2	2,4-Dichlorophenol	ND		140	14
105-67-9	2,4-Dimethylphenol	ND		690	110
51-28-5	2,4-Dinitrophenol	ND		3600	830
88-75-5	2-Nitrophenol	ND		690	77
88-06-2	2,4,6-Trichlorophenol	ND		690	100
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		690	90

43

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H04-0406 Lab Sample ID: 180-43699-43

Matrix: Sediment Lab File ID: D05230021.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 12:15

Extract. Method: 3541 Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.0(g) Date Analyzed: 05/23/2015 15:54

Con. Extract Vol.: 0.5(mL) Dilution Factor: 15

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 64.2 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142622 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		690	39
59-50-7	4-Chloro-3-methylphenol	ND		690	64
100-02-7	4-Nitrophenol	ND		3600	250
534-52-1	4,6-Dinitro-2-methylphenol	ND		3600	280
206-44-0	Fluoranthene	6200		140	15
86-73-7	Fluorene	750		140	18
118-74-1	Hexachlorobenzene	ND		140	15
87-68-3	Hexachlorobutadiene	ND		140	16
77-47-4	Hexachlorocyclopentadiene	ND		690	75
67-72-1	Hexachloroethane	ND		690	50
193-39-5	Indeno[1,2,3-cd]pyrene	1700		140	14
78-59-1	Isophorone	ND		690	53
91-20-3	Naphthalene	6400		140	12
98-95-3	Nitrobenzene	ND		1400	58
621-64-7	N-Nitrosodi-n-propylamine	ND		140	16
62-75-9	N-Nitrosodimethylamine	ND		690	60
86-30-6	N-Nitrosodiphenylamine	ND		690	65
85-01-8	Phenanthrene	3400		140	22
129-00-0	Pyrene	4700		140	14
87-86-5	Pentachlorophenol	ND		690	63
108-95-2	Phenol	ND		140	17

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	56		20-113
321-60-8	2-Fluorobiphenyl	71		38-103
367-12-4	2-Fluorophenol (Surr)	66		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	77		41-108
4165-62-2	Phenol-d5 (Surr)	61		35-103
1718-51-0	Terphenyl-d14 (Surr)	68		28-109

44

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H03-0607 Lab Sample ID: 180-43699-44

Matrix: Sediment Lab File ID: D05230022.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 12:15

Extract. Method: 3541 Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.2(g) Date Analyzed: 05/23/2015 16:21

Con. Extract Vol.: 0.5(mL) Dilution Factor: 3

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 54.3 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142622 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	11	J	22	2.1
208-96-8	Acenaphthylene	43		22	2.5
120-12-7	Anthracene	76		22	2.1
92-87-5	Benzidine	ND		2200	460
56-55-3	Benzo[a]anthracene	190		22	2.7
205-99-2	Benzo[b]fluoranthene	220		22	3.4
207-08-9	Benzo[k]fluoranthene	57		22	4.4
65-85-0	Benzoic acid	ND		550	45
191-24-2	Benzo[g,h,i]perylene	130		22	2.2
50-32-8	Benzo[a]pyrene	160		22	2.2
111-91-1	Bis(2-chloroethoxy)methane	ND		110	7.2
111-44-4	Bis(2-chloroethyl)ether	ND		22	2.9
117-81-7	Bis(2-ethylhexyl) phthalate	49	J	220	18
108-60-1	2,2'-oxybis[1-chloropropane]	ND		22	2.3
101-55-3	4-Bromophenyl phenyl ether	ND		110	9.5
7005-72-3	4-Chlorophenyl phenyl ether	ND		110	12
91-58-7	2-Chloronaphthalene	ND		22	2.3
85-68-7	Butyl benzyl phthalate	ND		110	15
218-01-9	Chrysene	180		22	2.6
53-70-3	Dibenz(a,h)anthracene	43		22	2.4
84-74-2	Di-n-butyl phthalate	ND		110	14
117-84-0	Di-n-octyl phthalate	ND		110	11
84-66-2	Diethyl phthalate	ND		110	12
131-11-3	Dimethyl phthalate	ND		110	12
91-94-1	3,3'-Dichlorobenzidine	ND		110	12
121-14-2	2,4-Dinitrotoluene	ND		110	8.8
606-20-2	2,6-Dinitrotoluene	ND		110	11
95-57-8	2-Chlorophenol	ND		110	8.9
120-83-2	2,4-Dichlorophenol	ND		22	2.2
105-67-9	2,4-Dimethylphenol	290		110	17
51-28-5	2,4-Dinitrophenol	ND		550	130
88-75-5	2-Nitrophenol	ND		110	12
88-06-2	2,4,6-Trichlorophenol	ND		110	16
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		110	14

44

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H03-0607 Lab Sample ID: 180-43699-44

Matrix: Sediment Lab File ID: D05230022.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 12:15

Extract. Method: 3541 Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.2(g) Date Analyzed: 05/23/2015 16:21

Con. Extract Vol.: 0.5(mL) Dilution Factor: 3

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 54.3 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142622 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		110	6.0
59-50-7	4-Chloro-3-methylphenol	ND		110	10
100-02-7	4-Nitrophenol	ND		550	40
534-52-1	4,6-Dinitro-2-methylphenol	ND		550	44
206-44-0	Fluoranthene	330		22	2.3
86-73-7	Fluorene	23		22	2.9
118-74-1	Hexachlorobenzene	ND		22	2.3
87-68-3	Hexachlorobutadiene	ND		22	2.4
77-47-4	Hexachlorocyclopentadiene	ND		110	12
67-72-1	Hexachloroethane	ND		110	7.8
193-39-5	Indeno[1,2,3-cd]pyrene	120		22	2.2
78-59-1	Isophorone	ND		110	8.2
91-20-3	Naphthalene	130		22	1.9
98-95-3	Nitrobenzene	ND		220	9.1
621-64-7	N-Nitrosodi-n-propylamine	ND		22	2.6
62-75-9	N-Nitrosodimethylamine	ND		110	9.3
86-30-6	N-Nitrosodiphenylamine	ND		110	10
85-01-8	Phenanthrene	100		22	3.5
129-00-0	Pyrene	240		22	2.2
87-86-5	Pentachlorophenol	ND		110	9.7
108-95-2	Phenol	ND		22	2.6

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	51		20-113
321-60-8	2-Fluorobiphenyl	57		38-103
367-12-4	2-Fluorophenol (Surr)	51		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	60		41-108
4165-62-2	Phenol-d5 (Surr)	53		35-103
1718-51-0	Terphenyl-d14 (Surr)	56		28-109



45

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-F06-0002 Lab Sample ID: 180-43699-45

Matrix: Sediment Lab File ID: D05230023.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 13:25

Extract. Method: 3541 Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.0(g) Date Analyzed: 05/23/2015 16:48

Con. Extract Vol.: 1.0(mL) Dilution Factor: 10

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 77.7 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142622 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	670	J	300	29
208-96-8	Acenaphthylene	740	↓	300	34
120-12-7	Anthracene	1100	↓	300	29
92-87-5	Benzidine	ND	uJ	30000	6300
56-55-3	Benzo[a]anthracene	3800	J	300	37
205-99-2	Benzo[b]fluoranthene	3100	↓	300	47
207-08-9	Benzo[k]fluoranthene	1600	↓	300	60
65-85-0	Benzoic acid	ND	uJ	7600	620
191-24-2	Benzo[g,h,i]perylene	2500	J	300	30
50-32-8	Benzo[a]pyrene	3000	J	300	30
111-91-1	Bis(2-chloroethoxy)methane	ND	uJ	1500	98
111-44-4	Bis(2-chloroethyl)ether	ND	uJ	300	40
117-81-7	Bis(2-ethylhexyl) phthalate	16000	J	3000	240
108-60-1	2,2'-oxybis[1-chloropropane]	ND	uJ	300	32
101-55-3	4-Bromophenyl phenyl ether	ND	↓	1500	130
7005-72-3	4-Chlorophenyl phenyl ether	ND	↓	1500	170
91-58-7	2-Chloronaphthalene	ND	↓	300	31
85-68-7	Butyl benzyl phthalate	ND	↓	1500	200
218-01-9	Chrysene	4300	J	300	36
53-70-3	Dibenz(a,h)anthracene	610	J	300	33
84-74-2	Di-n-butyl phthalate	ND	uJ	1500	190
117-84-0	Di-n-octyl phthalate	ND	↓	1500	160
84-66-2	Diethyl phthalate	ND	↓	1500	160
131-11-3	Dimethyl phthalate	ND	↓	1500	160
91-94-1	3,3'-Dichlorobenzidine	ND	↓	1500	160
121-14-2	2,4-Dinitrotoluene	ND	↓	1500	120
606-20-2	2,6-Dinitrotoluene	ND	↓	1500	150
95-57-8	2-Chlorophenol	ND	↓	1500	120
120-83-2	2,4-Dichlorophenol	ND	↓	300	30
105-67-9	2,4-Dimethylphenol	ND	↓	1500	230
51-28-5	2,4-Dinitrophenol	ND	↓	7600	1800
88-75-5	2-Nitrophenol	ND	↓	1500	160
88-06-2	2,4,6-Trichlorophenol	ND	↓	1500	220
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND	↓	1500	190

45

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-F06-0002 Lab Sample ID: 180-43699-45

Matrix: Sediment Lab File ID: D05230023.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 13:25

Extract. Method: 3541 Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.0(g) Date Analyzed: 05/23/2015 16:48

Con. Extract Vol.: 1.0(mL) Dilution Factor: 10

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 77.7 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142622 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND	uJ	1500	83
59-50-7	4-Chloro-3-methylphenol	ND	↓	1500	140
100-02-7	4-Nitrophenol	ND	↓	7600	550
534-52-1	4,6-Dinitro-2-methylphenol	ND	↓	7600	600
206-44-0	Fluoranthene	6900	J	300	32
86-73-7	Fluorene	650	J	300	39
118-74-1	Hexachlorobenzene	ND	uJ	300	32
87-68-3	Hexachlorobutadiene	ND	↓	300	33
77-47-4	Hexachlorocyclopentadiene	ND	↓	1500	160
67-72-1	Hexachloroethane	ND	↓	1500	110
193-39-5	Indeno[1,2,3-cd]pyrene	1900	J	300	31
78-59-1	Isophorone	ND	uJ	1500	110
91-20-3	Naphthalene	9100	J	300	26
98-95-3	Nitrobenzene	ND	uJ	3000	120
621-64-7	N-Nitrosodi-n-propylamine	ND	↓	300	35
62-75-9	N-Nitrosodimethylamine	ND	↓	1500	130
86-30-6	N-Nitrosodiphenylamine	ND	↓	1500	140
85-01-8	Phenanthrene	2800	J	300	48
129-00-0	Pyrene	4700	J	300	30
87-86-5	Pentachlorophenol	ND	uJ	1500	130
108-95-2	Phenol	330	J	300	35

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	67		20-113
321-60-8	2-Fluorobiphenyl	74		38-103
367-12-4	2-Fluorophenol (Surr)	48		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	89		41-108
4165-62-2	Phenol-d5 (Surr)	58		35-103
1718-51-0	Terphenyl-d14 (Surr)	58		28-109

46

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-F06-0406 Lab Sample ID: 180-43699-46

Matrix: Sediment Lab File ID: D05230024.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 13:35

Extract. Method: 3541 Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.0(g) Date Analyzed: 05/23/2015 17:14

Con. Extract Vol.: 0.5(mL) Dilution Factor: 10

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 67.7 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142622 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	160		100	9.9
208-96-8	Acenaphthylene	390		100	12
120-12-7	Anthracene	440		100	10
92-87-5	Benzidine	ND		10000	2200
56-55-3	Benzo[a]anthracene	1000		100	13
205-99-2	Benzo[b]fluoranthene	1200		100	16
207-08-9	Benzo[k]fluoranthene	620		100	21
65-85-0	Benzoic acid	ND		2600	210
191-24-2	Benzo[g,h,i]perylene	950		100	10
50-32-8	Benzo[a]pyrene	1000		100	10
111-91-1	Bis(2-chloroethoxy)methane	ND		510	34
111-44-4	Bis(2-chloroethyl)ether	ND		100	14
117-81-7	Bis(2-ethylhexyl) phthalate	ND		1000	83
108-60-1	2,2'-oxybis[1-chloropropane]	ND		100	11
101-55-3	4-Bromophenyl phenyl ether	ND		510	45
7005-72-3	4-Chlorophenyl phenyl ether	ND		510	57
91-58-7	2-Chloronaphthalene	ND		100	11
85-68-7	Butyl benzyl phthalate	ND		510	70
218-01-9	Chrysene	1200		100	12
53-70-3	Dibenz(a,h)anthracene	250		100	11
84-74-2	Di-n-butyl phthalate	ND		510	65
117-84-0	Di-n-octyl phthalate	ND		510	54
84-66-2	Diethyl phthalate	ND		510	56
131-11-3	Dimethyl phthalate	ND		510	56
91-94-1	3,3'-Dichlorobenzidine	ND		510	55
121-14-2	2,4-Dinitrotoluene	ND		510	42
606-20-2	2,6-Dinitrotoluene	ND		510	53
95-57-8	2-Chlorophenol	ND		510	42
120-83-2	2,4-Dichlorophenol	ND		100	10
105-67-9	2,4-Dimethylphenol	ND		510	81
51-28-5	2,4-Dinitrophenol	ND		2600	610
88-75-5	2-Nitrophenol	ND		510	57
88-06-2	2,4,6-Trichlorophenol	ND		510	77
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		510	66

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

46

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-F06-0406 Lab Sample ID: 180-43699-46  
 Matrix: Sediment Lab File ID: D05230024.D  
 Analysis Method: 8270D LL Date Collected: 05/01/2015 13:35  
 Extract. Method: 3541 Date Extracted: 05/08/2015 03:00  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/23/2015 17:14  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 10  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 67.7 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142622 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		510	29
59-50-7	4-Chloro-3-methylphenol	ND		510	47
100-02-7	4-Nitrophenol	ND		2600	190
534-52-1	4,6-Dinitro-2-methylphenol	ND		2600	210
206-44-0	Fluoranthene	2100		100	11
86-73-7	Fluorene	230		100	14
118-74-1	Hexachlorobenzene	ND		100	11
87-68-3	Hexachlorobutadiene	ND		100	12
77-47-4	Hexachlorocyclopentadiene	ND		510	56
67-72-1	Hexachloroethane	ND		510	37
193-39-5	Indeno[1,2,3-cd]pyrene	830		100	11
78-59-1	Isophorone	ND		510	39
91-20-3	Naphthalene	2000		100	8.9
98-95-3	Nitrobenzene	ND		1000	43
621-64-7	N-Nitrosodi-n-propylamine	ND		100	12
62-75-9	N-Nitrosodimethylamine	ND		510	44
86-30-6	N-Nitrosodiphenylamine	ND		510	48
85-01-8	Phenanthrene	870		100	16
129-00-0	Pyrene	1600		100	10
87-86-5	Pentachlorophenol	ND		510	46
108-95-2	Phenol	370		100	12

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	61		20-113
321-60-8	2-Fluorobiphenyl	76		38-103
367-12-4	2-Fluorophenol (Surr)	65		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	82		41-108
4165-62-2	Phenol-d5 (Surr)	66		35-103
1718-51-0	Terphenyl-d14 (Surr)	67		28-109

47

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-I01-0001

Lab Sample ID: 180-43699-47

Matrix: Sediment

Lab File ID: D05230025.D

Analysis Method: 8270D LL

Date Collected: 05/01/2015 14:15

Extract. Method: 3541

Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.0(g)

Date Analyzed: 05/23/2015 17:41

Con. Extract Vol.: 0.5 (mL)

Dilution Factor: 4

Injection Volume: 2 (uL)

Level: (low/med) Low

% Moisture: 46.7

GPC Cleanup: (Y/N) N

Analysis Batch No.: 142622

Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	32		25	2.4
208-96-8	Acenaphthylene	220		25	2.9
120-12-7	Anthracene	280		25	2.4
92-87-5	Benzidine	ND		2500	520
56-55-3	Benzo[a]anthracene	790		25	3.1
205-99-2	Benzo[b]fluoranthene	1100		25	3.9
207-08-9	Benzo[k]fluoranthene	550		25	5.1
65-85-0	Benzoic acid	ND		640	52
191-24-2	Benzo[g,h,i]perylene	820		25	2.5
50-32-8	Benzo[a]pyrene	930		25	2.5
111-91-1	Bis(2-chloroethoxy)methane	ND		120	8.2
111-44-4	Bis(2-chloroethyl)ether	ND		25	3.4
117-81-7	Bis(2-ethylhexyl) phthalate	ND		250	20
108-60-1	2,2'-oxybis[1-chloropropane]	ND		25	2.7
101-55-3	4-Bromophenyl phenyl ether	ND		120	11
7005-72-3	4-Chlorophenyl phenyl ether	ND		120	14
91-58-7	2-Chloronaphthalene	ND		25	2.6
85-68-7	Butyl benzyl phthalate	ND		120	17
218-01-9	Chrysene	750		25	3.0
53-70-3	Dibenz(a,h)anthracene	250		25	2.8
84-74-2	Di-n-butyl phthalate	ND		120	16
117-84-0	Di-n-octyl phthalate	ND		120	13
84-66-2	Diethyl phthalate	ND		120	14
131-11-3	Dimethyl phthalate	ND		120	14
91-94-1	3,3'-Dichlorobenzidine	ND		120	13
121-14-2	2,4-Dinitrotoluene	ND		120	10
606-20-2	2,6-Dinitrotoluene	ND		120	13
95-57-8	2-Chlorophenol	ND		120	10
120-83-2	2,4-Dichlorophenol	ND		25	2.5
105-67-9	2,4-Dimethylphenol	ND		120	20
51-28-5	2,4-Dinitrophenol	ND		640	150
88-75-5	2-Nitrophenol	ND		120	14
88-06-2	2,4,6-Trichlorophenol	ND		120	19
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		120	16

47

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-I01-0001 Lab Sample ID: 180-43699-47

Matrix: Sediment Lab File ID: D05230025.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 14:15

Extract. Method: 3541 Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.0(g) Date Analyzed: 05/23/2015 17:41

Con. Extract Vol.: 0.5(mL) Dilution Factor: 4

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 46.7 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142622 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		120	6.9
59-50-7	4-Chloro-3-methylphenol	ND		120	12
100-02-7	4-Nitrophenol	ND		640	46
534-52-1	4,6-Dinitro-2-methylphenol	ND		640	50
206-44-0	Fluoranthene	950		25	2.7
86-73-7	Fluorene	77		25	3.3
118-74-1	Hexachlorobenzene	ND		25	2.7
87-68-3	Hexachlorobutadiene	ND		25	2.8
77-47-4	Hexachlorocyclopentadiene	ND		120	13
67-72-1	Hexachloroethane	ND		120	9.0
193-39-5	Indeno[1,2,3-cd]pyrene	750		25	2.6
78-59-1	Isophorone	ND		120	9.4
91-20-3	Naphthalene	750		25	2.2
98-95-3	Nitrobenzene	ND		250	10
621-64-7	N-Nitrosodi-n-propylamine	ND		25	2.9
62-75-9	N-Nitrosodimethylamine	ND		120	11
86-30-6	N-Nitrosodiphenylamine	ND		120	12
85-01-8	Phenanthrene	240		25	4.0
129-00-0	Pyrene	940		25	2.5
87-86-5	Pentachlorophenol	ND		120	11
108-95-2	Phenol	58		25	3.0

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	42		20-113
321-60-8	2-Fluorobiphenyl	51		38-103
367-12-4	2-Fluorophenol (Surr)	48		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	54		41-108
4165-62-2	Phenol-d5 (Surr)	47		35-103
1718-51-0	Terphenyl-d14 (Surr)	47		28-109

48

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-I01-0102 Lab Sample ID: 180-43699-48

Matrix: Sediment Lab File ID: D05230026.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 14:20

Extract. Method: 3541 Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.0(g) Date Analyzed: 05/23/2015 18:08

Con. Extract Vol.: 0.5(mL) Dilution Factor: 3

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 31.1 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142622 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	7.1	J	15	1.4
208-96-8	Acenaphthylene	14	J	15	1.7
120-12-7	Anthracene	20		15	1.4
92-87-5	Benzidine	ND		1500	300
56-55-3	Benzo[a]anthracene	52		15	1.8
205-99-2	Benzo[b]fluoranthene	74		15	2.3
207-08-9	Benzo[k]fluoranthene	18		15	2.9
65-85-0	Benzoic acid	ND		370	30
191-24-2	Benzo[g,h,i]perylene	47		15	1.4
50-32-8	Benzo[a]pyrene	56		15	1.5
111-91-1	Bis(2-chloroethoxy)methane	ND		72	4.8
111-44-4	Bis(2-chloroethyl)ether	ND		15	1.9
117-81-7	Bis(2-ethylhexyl) phthalate	ND		150	12
108-60-1	2,2'-oxybis[1-chloropropane]	ND		15	1.6
101-55-3	4-Bromophenyl phenyl ether	ND		72	6.3
7005-72-3	4-Chlorophenyl phenyl ether	ND		72	8.1
91-58-7	2-Chloronaphthalene	ND		15	1.5
85-68-7	Butyl benzyl phthalate	ND		72	9.9
218-01-9	Chrysene	49		15	1.7
53-70-3	Dibenz(a,h)anthracene	14	J	15	1.6
84-74-2	Di-n-butyl phthalate	ND		72	9.1
117-84-0	Di-n-octyl phthalate	ND		72	7.6
84-66-2	Diethyl phthalate	ND		72	7.9
131-11-3	Dimethyl phthalate	ND		72	7.9
91-94-1	3,3'-Dichlorobenzidine	ND		72	7.7
121-14-2	2,4-Dinitrotoluene	ND		72	5.9
606-20-2	2,6-Dinitrotoluene	ND		72	7.5
95-57-8	2-Chlorophenol	ND		72	5.9
120-83-2	2,4-Dichlorophenol	ND		15	1.5
105-67-9	2,4-Dimethylphenol	ND		72	11
51-28-5	2,4-Dinitrophenol	ND		370	86
88-75-5	2-Nitrophenol	ND		72	8.0
88-06-2	2,4,6-Trichlorophenol	ND		72	11
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		72	9.3

48

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-I01-0102 Lab Sample ID: 180-43699-48

Matrix: Sediment Lab File ID: D05230026.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 14:20

Extract. Method: 3541 Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.0(g) Date Analyzed: 05/23/2015 18:08

Con. Extract Vol.: 0.5(mL) Dilution Factor: 3

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 31.1 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142622 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		72	4.0
59-50-7	4-Chloro-3-methylphenol	ND		72	6.7
100-02-7	4-Nitrophenol	ND		370	26
534-52-1	4,6-Dinitro-2-methylphenol	ND		370	29
206-44-0	Fluoranthene	75		15	1.6
86-73-7	Fluorene	12	J	15	1.9
118-74-1	Hexachlorobenzene	ND		15	1.5
87-68-3	Hexachlorobutadiene	ND		15	1.6
77-47-4	Hexachlorocyclopentadiene	ND		72	7.8
67-72-1	Hexachloroethane	ND		72	5.2
193-39-5	Indeno[1,2,3-cd]pyrene	42		15	1.5
78-59-1	Isophorone	ND		72	5.5
91-20-3	Naphthalene	89		15	1.3
98-95-3	Nitrobenzene	ND		150	6.0
621-64-7	N-Nitrosodi-n-propylamine	ND		15	1.7
62-75-9	N-Nitrosodimethylamine	ND		72	6.2
86-30-6	N-Nitrosodiphenylamine	ND		72	6.7
85-01-8	Phenanthrene	42		15	2.3
129-00-0	Pyrene	70		15	1.5
87-86-5	Pentachlorophenol	ND		72	6.5
108-95-2	Phenol	ND		15	1.7

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	29		20-113
321-60-8	2-Fluorobiphenyl	58		38-103
367-12-4	2-Fluorophenol (Surr)	62		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	66		41-108
4165-62-2	Phenol-d5 (Surr)	59		35-103
1718-51-0	Terphenyl-d14 (Surr)	55		28-109



FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

49

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-F03-0002 Lab Sample ID: 180-43699-49  
 Matrix: Sediment Lab File ID: D05230027.D  
 Analysis Method: 8270D LL Date Collected: 05/01/2015 14:30  
 Extract. Method: 3541 Date Extracted: 05/08/2015 03:00  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/23/2015 18:35  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 37.1 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142622 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	770		110	10
208-96-8	Acenaphthylene	170		110	12
120-12-7	Anthracene	460	<i>J</i>	110	10
92-87-5	Benzidine	ND		11000	2200
56-55-3	Benzo[a]anthracene	660		110	13
205-99-2	Benzo[b]fluoranthene	440		110	17
207-08-9	Benzo[k]fluoranthene	370		110	21
65-85-0	Benzoic acid	ND		2700	220
191-24-2	Benzo[g,h,i]perylene	ND		110	11
50-32-8	Benzo[a]pyrene	ND		110	11
111-91-1	Bis(2-chloroethoxy)methane	ND		520	35
111-44-4	Bis(2-chloroethyl)ether	ND		110	14
117-81-7	Bis(2-ethylhexyl) phthalate	6500		1100	85
108-60-1	2,2'-oxybis[1-chloropropane]	ND		110	11
101-55-3	4-Bromophenyl phenyl ether	ND	<i>uJ</i>	520	46
7005-72-3	4-Chlorophenyl phenyl ether	ND		520	59
91-58-7	2-Chloronaphthalene	ND		110	11
85-68-7	Butyl benzyl phthalate	ND		520	72
218-01-9	Chrysene	1100		110	13
53-70-3	Dibenz(a,h)anthracene	ND		110	12
84-74-2	Di-n-butyl phthalate	ND	<i>uJ</i>	520	66
117-84-0	Di-n-octyl phthalate	ND		520	56
84-66-2	Diethyl phthalate	ND		520	58
131-11-3	Dimethyl phthalate	ND		520	58
91-94-1	3,3'-Dichlorobenzidine	ND		520	56
121-14-2	2,4-Dinitrotoluene	ND		520	43
606-20-2	2,6-Dinitrotoluene	ND		520	54
95-57-8	2-Chlorophenol	ND		520	43
120-83-2	2,4-Dichlorophenol	ND		110	11
105-67-9	2,4-Dimethylphenol	ND		520	83
51-28-5	2,4-Dinitrophenol	ND		2700	630
88-75-5	2-Nitrophenol	ND		520	58
88-06-2	2,4,6-Trichlorophenol	ND		520	79
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND	<i>uJ</i>	520	68

49

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-F03-0002 Lab Sample ID: 180-43699-49

Matrix: Sediment Lab File ID: D05230027.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 14:30

Extract. Method: 3541 Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.1(g) Date Analyzed: 05/23/2015 18:35

Con. Extract Vol.: 1.0(mL) Dilution Factor: 10

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 37.1 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142622 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		520	29
59-50-7	4-Chloro-3-methylphenol	ND		520	49
100-02-7	4-Nitrophenol	ND		2700	190
534-52-1	4,6-Dinitro-2-methylphenol	<del>ND</del> * uJ		2700	210
206-44-0	Fluoranthene	2300	* J	110	11
86-73-7	Fluorene	980		110	14
118-74-1	Hexachlorobenzene	<del>ND</del> * uJ		110	11
87-68-3	Hexachlorobutadiene	ND		110	12
77-47-4	Hexachlorocyclopentadiene	ND		520	57
67-72-1	Hexachloroethane	ND		520	38
193-39-5	Indeno[1,2,3-cd]pyrene	ND		110	11
78-59-1	Isophorone	ND		520	40
91-20-3	Naphthalene	230		110	9.1
98-95-3	Nitrobenzene	ND		1100	44
621-64-7	N-Nitrosodi-n-propylamine	ND		110	12
62-75-9	N-Nitrosodimethylamine	ND		520	45
86-30-6	N-Nitrosodiphenylamine	<del>ND</del> * uJ		520	49
85-01-8	Phenanthrene	3500	* J	110	17
129-00-0	Pyrene	1700		110	11
87-86-5	Pentachlorophenol	<del>ND</del> * uJ		520	47
108-95-2	Phenol	ND		110	12

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	48	*	20-113
321-60-8	2-Fluorobiphenyl	68		38-103
367-12-4	2-Fluorophenol (Surr)	50		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	92		41-108
4165-62-2	Phenol-d5 (Surr)	52		35-103
1718-51-0	Terphenyl-d14 (Surr)	56		28-109

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-J02-0002 Lab Sample ID: 180-43699-50  
Matrix: Sediment Lab File ID: D05240025.D  
Analysis Method: 8270D LL Date Collected: 05/01/2015 13:55  
Extract. Method: 3541 Date Extracted: 05/08/2015 03:00  
Sample wt/vol: 30.1(g) Date Analyzed: 05/24/2015 19:48  
Con. Extract Vol.: 0.5(mL) Dilution Factor: 25  
Injection Volume: 2(uL) Level: (low/med) Low  
% Moisture: 75.8 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 142672 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	91	J	350	33
208-96-8	Acenaphthylene	280	J	350	39
120-12-7	Anthracene	340	J	350	34
92-87-5	Benzidine	ND	uJ	35000	7200
56-55-3	Benzo[a]anthracene	1300	J	350	43
205-99-2	Benzo[b]fluoranthene	2000	J	350	54
207-08-9	Benzo[k]fluoranthene	550	J	350	70
65-85-0	Benzoic acid	ND	uJ	8800	710
191-24-2	Benzo[g,h,i]perylene	1700	J	350	34
50-32-8	Benzo[a]pyrene	1700	J	350	34
111-91-1	Bis(2-chloroethoxy)methane	ND	uJ	1700	110
111-44-4	Bis(2-chloroethyl)ether	ND	uJ	350	46
117-81-7	Bis(2-ethylhexyl) phthalate	2000	J	3400	280
108-60-1	2,2'-oxybis[1-chloropropane]	ND	uJ	350	37
101-55-3	4-Bromophenyl phenyl ether	ND	J	1700	150
7005-72-3	4-Chlorophenyl phenyl ether	ND	J	1700	190
91-58-7	2-Chloronaphthalene	ND	J	350	36
85-68-7	Butyl benzyl phthalate	ND	J	1700	240
218-01-9	Chrysene	1400	J	350	41
53-70-3	Dibenz(a,h)anthracene	390	J	350	38
84-74-2	Di-n-butyl phthalate	ND	uJ	1700	220
117-84-0	Di-n-octyl phthalate	ND	J	1700	180
84-66-2	Diethyl phthalate	ND	J	1700	190
131-11-3	Dimethyl phthalate	ND	J	1700	190
91-94-1	3,3'-Dichlorobenzidine	ND	J	1700	180
121-14-2	2,4-Dinitrotoluene	ND	J	1700	140
606-20-2	2,6-Dinitrotoluene	ND	J	1700	180
95-57-8	2-Chlorophenol	ND	J	1700	140
120-83-2	2,4-Dichlorophenol	ND	J	350	35
105-67-9	2,4-Dimethylphenol	ND	J	1700	270
51-28-5	2,4-Dinitrophenol	ND	J	8800	2000
88-75-5	2-Nitrophenol	ND	J	1700	190
88-06-2	2,4,6-Trichlorophenol	ND	J	1700	260
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND	J	1700	220

50

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-J02-0002 Lab Sample ID: 180-43699-50  
Matrix: Sediment Lab File ID: D05240025.D  
Analysis Method: 8270D LL Date Collected: 05/01/2015 13:55  
Extract. Method: 3541 Date Extracted: 05/08/2015 03:00  
Sample wt/vol: 30.1(g) Date Analyzed: 05/24/2015 19:48  
Con. Extract Vol.: 0.5(mL) Dilution Factor: 25  
Injection Volume: 2(uL) Level: (low/med) Low  
% Moisture: 75.8 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 142672 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND	uJ	1700	95
59-50-7	4-Chloro-3-methylphenol	ND	uJ	1700	160
100-02-7	4-Nitrophenol	ND	uJ	8800	630
534-52-1	4,6-Dinitro-2-methylphenol	ND	uJ	8800	690
206-44-0	Fluoranthene	2800	J	350	37
86-73-7	Fluorene	110	J	350	45
118-74-1	Hexachlorobenzene	ND	uJ	350	37
87-68-3	Hexachlorobutadiene	ND		350	39
77-47-4	Hexachlorocyclopentadiene	ND		1700	190
67-72-1	Hexachloroethane	ND		1700	120
193-39-5	Indeno[1,2,3-cd]pyrene	1300	J	350	35
78-59-1	Isophorone	ND	uJ	1700	130
91-20-3	Naphthalene	1400	J	350	30
98-95-3	Nitrobenzene	ND	uJ	3400	140
621-64-7	N-Nitrosodi-n-propylamine	ND		350	40
62-75-9	N-Nitrosodimethylamine	ND		1700	150
86-30-6	N-Nitrosodiphenylamine	ND		1700	160
85-01-8	Phenanthrene	390	J	350	55
129-00-0	Pyrene	1800	J	350	35
87-86-5	Pentachlorophenol	ND	uJ	1700	150
108-95-2	Phenol	170	J	350	41

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	0	X D	20-113
321-60-8	2-Fluorobiphenyl	0	X D	38-103
367-12-4	2-Fluorophenol (Surr)	0	X D	34-103
4165-60-0	Nitrobenzene-d5 (Surr)	0	X D	41-108
4165-62-2	Phenol-d5 (Surr)	0	X D	35-103
1718-51-0	Terphenyl-d14 (Surr)	0	X D	28-109

51

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: <u>TestAmerica Pittsburgh</u>	Job No.: <u>180-43699-1</u>
SDG No.: _____	
Client Sample ID: <u>SD-J02-0204</u>	Lab Sample ID: <u>180-43699-51</u>
Matrix: <u>Sediment</u>	Lab File ID: <u>D05240026.D</u>
Analysis Method: <u>8270D LL</u>	Date Collected: <u>05/01/2015 14:00</u>
Extract. Method: <u>3541</u>	Date Extracted: <u>05/08/2015 03:00</u>
Sample wt/vol: <u>30.0(g)</u>	Date Analyzed: <u>05/24/2015 20:15</u>
Con. Extract Vol.: <u>0.5(mL)</u>	Dilution Factor: <u>25</u>
Injection Volume: <u>2(uL)</u>	Level: (low/med) <u>Low</u>
% Moisture: <u>64.5</u>	GPC Cleanup: (Y/N) <u>N</u>
Analysis Batch No.: <u>142672</u>	Units: <u>ug/Kg</u>

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	200	J	240	23
208-96-8	Acenaphthylene	260		240	27
120-12-7	Anthracene	370		240	23
92-87-5	Benzidine	ND		24000	4900
56-55-3	Benzo[a]anthracene	1400		240	29
205-99-2	Benzo[b]fluoranthene	1400		240	37
207-08-9	Benzo[k]fluoranthene	580		240	47
65-85-0	Benzoic acid	ND	4J	6000	490
191-24-2	Benzo[g,h,i]perylene	1100		240	23
50-32-8	Benzo[a]pyrene	1200		240	23
111-91-1	Bis(2-chloroethoxy)methane	ND		1200	77
111-44-4	Bis(2-chloroethyl)ether	ND		240	32
117-81-7	Bis(2-ethylhexyl) phthalate	3900		2300	190
108-60-1	2,2'-oxybis[1-chloropropane]	ND		240	25
101-55-3	4-Bromophenyl phenyl ether	ND		1200	100
7005-72-3	4-Chlorophenyl phenyl ether	ND		1200	130
91-58-7	2-Chloronaphthalene	ND		240	24
85-68-7	Butyl benzyl phthalate	ND		1200	160
218-01-9	Chrysene	1500		240	28
53-70-3	Dibenz(a,h)anthracene	260		240	26
84-74-2	Di-n-butyl phthalate	ND		1200	150
117-84-0	Di-n-octyl phthalate	ND		1200	120
84-66-2	Diethyl phthalate	ND		1200	130
131-11-3	Dimethyl phthalate	ND		1200	130
91-94-1	3,3'-Dichlorobenzidine	ND		1200	120
121-14-2	2,4-Dinitrotoluene	ND		1200	95
606-20-2	2,6-Dinitrotoluene	ND		1200	120
95-57-8	2-Chlorophenol	ND		1200	96
120-83-2	2,4-Dichlorophenol	ND		240	24
105-67-9	2,4-Dimethylphenol	ND		1200	180
51-28-5	2,4-Dinitrophenol	ND		6000	1400
88-75-5	2-Nitrophenol	ND		1200	130
88-06-2	2,4,6-Trichlorophenol	ND		1200	180
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		1200	150

51

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-J02-0204 Lab Sample ID: 180-43699-51

Matrix: Sediment Lab File ID: D05240026.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 14:00

Extract. Method: 3541 Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.0(g) Date Analyzed: 05/24/2015 20:15

Con. Extract Vol.: 0.5(mL) Dilution Factor: 25

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 64.5 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142672 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		1200	65
59-50-7	4-Chloro-3-methylphenol	ND		1200	110
100-02-7	4-Nitrophenol	<del>ND</del> <b>UJ</b>		6000	430
534-52-1	4,6-Dinitro-2-methylphenol	ND		6000	470
206-44-0	Fluoranthene	2500		240	25
86-73-7	Fluorene	190	J	240	31
118-74-1	Hexachlorobenzene	ND		240	25
87-68-3	Hexachlorobutadiene	ND		240	26
77-47-4	Hexachlorocyclopentadiene	ND		1200	130
67-72-1	Hexachloroethane	ND		1200	84
193-39-5	Indeno[1,2,3-cd]pyrene	830		240	24
78-59-1	Isophorone	ND		1200	88
91-20-3	Naphthalene	3000		240	20
98-95-3	Nitrobenzene	ND		2300	98
621-64-7	N-Nitrosodi-n-propylamine	ND		240	28
62-75-9	N-Nitrosodimethylamine	ND		1200	100
86-30-6	N-Nitrosodiphenylamine	ND		1200	110
85-01-8	Phenanthrene	760		240	37
129-00-0	Pyrene	1700		240	24
87-86-5	Pentachlorophenol	<del>ND</del> <b>UJ</b>		1200	100
108-95-2	Phenol	160	J	240	28

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	0	X D	20-113
321-60-8	2-Fluorobiphenyl	0	X D	38-103
367-12-4	2-Fluorophenol (Surr)	0	X D	34-103
4165-60-0	Nitrobenzene-d5 (Surr)	0	X D	41-108
4165-62-2	Phenol-d5 (Surr)	0	X D	35-103
1718-51-0	Terphenyl-d14 (Surr)	0	X D	28-109

52

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-J02-0406 Lab Sample ID: 180-43699-52

Matrix: Sediment Lab File ID: D05240027.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 14:05

Extract. Method: 3541 Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.0(g) Date Analyzed: 05/24/2015 20:41

Con. Extract Vol.: 0.5(mL) Dilution Factor: 2

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 57.7 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142672 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	ND		16	1.5
208-96-8	Acenaphthylene	ND		16	1.8
120-12-7	Anthracene	ND		16	1.5
92-87-5	Benzidine	ND		1600	330
56-55-3	Benzo[a]anthracene	ND		16	2.0
205-99-2	Benzo[b]fluoranthene	ND		16	2.5
207-08-9	Benzo[k]fluoranthene	ND		16	3.2
65-85-0	Benzoic acid	ND	4J	400	33
191-24-2	Benzo[g,h,i]perylene	ND		16	1.6
50-32-8	Benzo[a]pyrene	ND		16	1.6
111-91-1	Bis(2-chloroethoxy)methane	ND		78	5.2
111-44-4	Bis(2-chloroethyl)ether	ND		16	2.1
117-81-7	Bis(2-ethylhexyl) phthalate	ND		160	13
108-60-1	2,2'-oxybis[1-chloropropane]	ND		16	1.7
101-55-3	4-Bromophenyl phenyl ether	ND		78	6.9
7005-72-3	4-Chlorophenyl phenyl ether	ND		78	8.8
91-58-7	2-Chloronaphthalene	ND		16	1.6
85-68-7	Butyl benzyl phthalate	ND		78	11
218-01-9	Chrysene	ND		16	1.9
53-70-3	Dibenz(a,h)anthracene	ND		16	1.8
84-74-2	Di-n-butyl phthalate	ND		78	9.9
117-84-0	Di-n-octyl phthalate	ND		78	8.3
84-66-2	Diethyl phthalate	ND		78	8.6
131-11-3	Dimethyl phthalate	ND		78	8.6
91-94-1	3,3'-Dichlorobenzidine	ND		78	8.3
121-14-2	2,4-Dinitrotoluene	ND		78	6.4
606-20-2	2,6-Dinitrotoluene	ND		78	8.1
95-57-8	2-Chlorophenol	ND		78	6.4
120-83-2	2,4-Dichlorophenol	ND		16	1.6
105-67-9	2,4-Dimethylphenol	ND		78	12
51-28-5	2,4-Dinitrophenol	ND		400	94
88-75-5	2-Nitrophenol	ND		78	8.7
88-06-2	2,4,6-Trichlorophenol	ND		78	12
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		78	10

52

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-J02-0406 Lab Sample ID: 180-43699-52

Matrix: Sediment Lab File ID: D05240027.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 14:05

Extract. Method: 3541 Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.0(g) Date Analyzed: 05/24/2015 20:41

Con. Extract Vol.: 0.5(mL) Dilution Factor: 2

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 57.7 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142672 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		78	4.4
59-50-7	4-Chloro-3-methylphenol	ND		78	7.3
100-02-7	4-Nitrophenol	ND	uJ	400	29
534-52-1	4,6-Dinitro-2-methylphenol	ND		400	32
206-44-0	Fluoranthene	6.0	J	16	1.7
86-73-7	Fluorene	ND		16	2.1
118-74-1	Hexachlorobenzene	ND		16	1.7
87-68-3	Hexachlorobutadiene	ND		16	1.8
77-47-4	Hexachlorocyclopentadiene	ND		78	8.5
67-72-1	Hexachloroethane	ND		78	5.7
193-39-5	Indeno[1,2,3-cd]pyrene	ND		16	1.6
78-59-1	Isophorone	ND		78	5.9
91-20-3	Naphthalene	6.4	J	16	1.4
98-95-3	Nitrobenzene	ND		160	6.6
621-64-7	N-Nitrosodi-n-propylamine	ND		16	1.8
62-75-9	N-Nitrosodimethylamine	ND		78	6.8
86-30-6	N-Nitrosodiphenylamine	ND		78	7.3
85-01-8	Phenanthrene	ND		16	2.5
129-00-0	Pyrene	4.4	J	16	1.6
87-86-5	Pentachlorophenol	ND	uJ	78	7.0
108-95-2	Phenol	110		16	1.9

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	51		20-113
321-60-8	2-Fluorobiphenyl	61		38-103
367-12-4	2-Fluorophenol (Surr)	65		34-103
4165-60-0	Nitrobenzene-d5 (Surr)	67		41-108
4165-62-2	Phenol-d5 (Surr)	65		35-103
1718-51-0	Terphenyl-d14 (Surr)	52		28-109



53

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-F04-0002 Lab Sample ID: 180-43699-53

Matrix: Sediment Lab File ID: D05240028.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 10:20

Extract. Method: 3541 Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.2(g) Date Analyzed: 05/24/2015 21:08

Con. Extract Vol.: 2.0(mL) Dilution Factor: 25

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 60.5 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142672 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	ND		840	81
208-96-8	Acenaphthylene	1500		840	96
120-12-7	Anthracene	2100		840	82
92-87-5	Benzidine	ND		84000	18000
56-55-3	Benzo[a]anthracene	2600		840	110
205-99-2	Benzo[b]fluoranthene	2600		840	130
207-08-9	Benzo[k]fluoranthene	810	J	840	170
65-85-0	Benzoic acid	<del>ND</del> <u>uJ</u>		21000	1700
191-24-2	Benzo[g,h,i]perylene	2800		840	84
50-32-8	Benzo[a]pyrene	2500		840	84
111-91-1	Bis(2-chloroethoxy)methane	ND		4200	280
111-44-4	Bis(2-chloroethyl)ether	ND		840	110
117-81-7	Bis(2-ethylhexyl) phthalate	7600	J	8400	680
108-60-1	2,2'-oxybis[1-chloropropane]	ND		840	91
101-55-3	4-Bromophenyl phenyl ether	ND		4200	370
7005-72-3	4-Chlorophenyl phenyl ether	ND		4200	470
91-58-7	2-Chloronaphthalene	ND		840	88
85-68-7	Butyl benzyl phthalate	ND		4200	570
218-01-9	Chrysene	2800		840	100
53-70-3	Dibenz(a,h)anthracene	ND		840	93
84-74-2	Di-n-butyl phthalate	ND		4200	530
117-84-0	Di-n-octyl phthalate	ND		4200	440
84-66-2	Diethyl phthalate	ND		4200	460
131-11-3	Dimethyl phthalate	ND		4200	460
91-94-1	3,3'-Dichlorobenzidine	ND		4200	440
121-14-2	2,4-Dinitrotoluene	ND		4200	340
606-20-2	2,6-Dinitrotoluene	ND		4200	430
95-57-8	2-Chlorophenol	ND		4200	340
120-83-2	2,4-Dichlorophenol	ND		840	84
105-67-9	2,4-Dimethylphenol	ND		4200	660
51-28-5	2,4-Dinitrophenol	ND		21000	5000
88-75-5	2-Nitrophenol	ND		4200	460
88-06-2	2,4,6-Trichlorophenol	ND		4200	630
122-66-7	1,2-Diphenylhydrazine(as Azobenzene)	ND		4200	540

53

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-F04-0002 Lab Sample ID: 180-43699-53

Matrix: Sediment Lab File ID: D05240028.D

Analysis Method: 8270D LL Date Collected: 05/01/2015 10:20

Extract. Method: 3541 Date Extracted: 05/08/2015 03:00

Sample wt/vol: 30.2(g) Date Analyzed: 05/24/2015 21:08

Con. Extract Vol.: 2.0(mL) Dilution Factor: 25

Injection Volume: 2(uL) Level: (low/med) Low

% Moisture: 60.5 GPC Cleanup: (Y/N) N

Analysis Batch No.: 142672 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND		4200	230
59-50-7	4-Chloro-3-methylphenol	ND		4200	390
100-02-7	4-Nitrophenol	ND	uJ	21000	1500
534-52-1	4,6-Dinitro-2-methylphenol	ND		21000	1700
206-44-0	Fluoranthene	8600		840	90
86-73-7	Fluorene	1700		840	110
118-74-1	Hexachlorobenzene	ND		840	89
87-68-3	Hexachlorobutadiene	ND		840	94
77-47-4	Hexachlorocyclopentadiene	ND		4200	450
67-72-1	Hexachloroethane	ND		4200	300
193-39-5	Indeno[1,2,3-cd]pyrene	1800		840	87
78-59-1	Isophorone	ND		4200	320
91-20-3	Naphthalene	1700		840	72
98-95-3	Nitrobenzene	ND		8400	350
621-64-7	N-Nitrosodi-n-propylamine	ND		840	98
62-75-9	N-Nitrosodimethylamine	ND		4200	360
86-30-6	N-Nitrosodiphenylamine	ND		4200	390
85-01-8	Phenanthrene	7900		840	130
129-00-0	Pyrene	6600		840	85
87-86-5	Pentachlorophenol	ND	uJ	4200	380
108-95-2	Phenol	ND		840	99

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	0	X D	20-113
321-60-8	2-Fluorobiphenyl	0	X D	38-103
367-12-4	2-Fluorophenol (Surr)	0	X D	34-103
4165-60-0	Nitrobenzene-d5 (Surr)	0	X D	41-108
4165-62-2	Phenol-d5 (Surr)	0	X D	35-103
1718-51-0	Terphenyl-d14 (Surr)	0	X D	28-109

MW 7/16/15

54

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica PittsburghJob No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-F04-0406Lab Sample ID: 180-43699-54Matrix: SedimentLab File ID: D05240029.DAnalysis Method: 8270D LLDate Collected: 05/01/2015 10:30Extract. Method: 3541Date Extracted: 05/08/2015 03:00Sample wt/vol: 30.0(g)Date Analyzed: 05/24/2015 21:35Con. Extract Vol.: 0.5(mL)Dilution Factor: 25Injection Volume: 2(uL)Level: (low/med) Low% Moisture: 31.0GPC Cleanup: (Y/N) NAnalysis Batch No.: 142672Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
83-32-9	Acenaphthene	160		120	12
208-96-8	Acenaphthylene	66	J	120	14
120-12-7	Anthracene	76	J	120	12
92-87-5	Benzidine	ND		12000	2500
56-55-3	Benzo[a]anthracene	210		120	15
205-99-2	Benzo[b]fluoranthene	ND		120	19
207-08-9	Benzo[k]fluoranthene	ND		120	24
65-85-0	Benzoic acid	ND	✓ uJ	3100	250
191-24-2	Benzo[g,h,i]perylene	ND		120	12
50-32-8	Benzo[a]pyrene	ND		120	12
111-91-1	Bis(2-chloroethoxy)methane	ND	/	600	40
111-44-4	Bis(2-chloroethyl) ether	ND		120	16
117-81-7	Bis(2-ethylhexyl) phthalate	2400		1200	98
108-60-1	2,2'-oxybis[1-chloropropane]	ND		120	13
101-55-3	4-Bromophenyl phenyl ether	ND		600	53
7005-72-3	4-Chlorophenyl phenyl ether	ND		600	67
91-58-7	2-Chloronaphthalene	ND		120	13
85-68-7	Butyl benzyl phthalate	ND		600	83
218-01-9	Chrysene	430		120	14
53-70-3	Dibenz(a,h)anthracene	ND		120	13
84-74-2	Di-n-butyl phthalate	ND		600	76
117-84-0	Di-n-octyl phthalate	ND		600	64
84-66-2	Diethyl phthalate	ND		600	66
131-11-3	Dimethyl phthalate	ND		600	66
91-94-1	3,3'-Dichlorobenzidine	ND		600	64
121-14-2	2,4-Dinitrotoluene	ND		600	49
606-20-2	2,6-Dinitrotoluene	ND		600	62
95-57-8	2-Chlorophenol	ND		600	49
120-83-2	2,4-Dichlorophenol	ND	/	120	12
105-67-9	2,4-Dimethylphenol	ND	/	600	95
51-28-5	2,4-Dinitrophenol	ND		3100	720
88-75-5	2-Nitrophenol	ND	/	600	67
88-06-2	2,4,6-Trichlorophenol	ND		600	91
122-66-7	1,2-Diphenylhydrazine (as Azobenzene)	ND		600	77

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-F04-0406 Lab Sample ID: 180-43699-54  
 Matrix: Sediment Lab File ID: D05240029.D  
 Analysis Method: 8270D LL Date Collected: 05/01/2015 10:30  
 Extract. Method: 3541 Date Extracted: 05/08/2015 03:00  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/24/2015 21:35  
 Con. Extract Vol.: 0.5(mL) Dilution Factor: 25  
 Injection Volume: 2(uL) Level: (low/med) Low  
 % Moisture: 31.0 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 142672 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-82-1	1,2,4-Trichlorobenzene	ND	/	600	33
59-50-7	4-Chloro-3-methylphenol	ND	/	600	56
100-02-7	4-Nitrophenol	ND	uJ	3100	220
534-52-1	4,6-Dinitro-2-methylphenol	ND		3100	240
206-44-0	Fluoranthene	610		120	13
86-73-7	Fluorene	290		120	16
118-74-1	Hexachlorobenzene	ND		120	13
87-68-3	Hexachlorobutadiene	ND	/	120	14
77-47-4	Hexachlorocyclopentadiene	ND		600	65
67-72-1	Hexachloroethane	ND		600	43
193-39-5	Indeno[1,2,3-cd]pyrene	ND		120	12
78-59-1	Isophorone	ND	/	600	46
91-20-3	Naphthalene	22	/J	120	10
98-95-3	Nitrobenzene	ND	/	1200	50
621-64-7	N-Nitrosodi-n-propylamine	ND		120	14
62-75-9	N-Nitrosodimethylamine	ND		600	52
86-30-6	N-Nitrosodiphenylamine	ND		600	56
85-01-8	Phenanthrene	1400		120	19
129-00-0	Pyrene	550		120	12
87-86-5	Pentachlorophenol	ND	uJ	600	54
108-95-2	Phenol	160		120	14

CAS NO.	SURROGATE	%REC	Q	LIMITS
118-79-6	2,4,6-Tribromophenol (Surr)	0	X D	20-113
321-60-8	2-Fluorobiphenyl	0	X D	38-103
367-12-4	2-Fluorophenol (Surr)	0	X D	34-103
4165-60-0	Nitrobenzene-d5 (Surr)	0	X * D	41-108
4165-62-2	Phenol-d5 (Surr)	0	X D	35-103
1718-51-0	Terphenyl-d14 (Surr)	0	X D	28-109

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H05-0002 Lab Sample ID: 180-43699-1  
 Matrix: Sediment Lab File ID: 00510028.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 10:10  
 Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/11/2015 21:10  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 69.2 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		6.8	1.4
11104-28-2	PCB-1221	ND		6.8	1.7
11141-16-5	PCB-1232	ND		6.8	2.3
53469-21-9	PCB-1242	ND		6.8	1.7
12672-29-6	PCB-1248	120	J	6.8	1.7
11097-69-1	PCB-1254	ND		6.8	1.6
11096-82-5	PCB-1260	37	J	6.8	1.5

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	58	✓	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	72		30-150

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H05-0002 Lab Sample ID: 180-43699-1  
Matrix: Sediment Lab File ID: 00510028.D  
Analysis Method: 8082A Date Collected: 04/30/2015 10:10  
Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
Sample wt/vol: 30.0(g) Date Analyzed: 05/11/2015 21:10  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 69.2 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	121		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	59		30-150

2

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H05-0406 Lab Sample ID: 180-43699-2

Matrix: Sediment Lab File ID: 00510029.D

Analysis Method: 8082A Date Collected: 04/30/2015 10:20

Extraction Method: 3541 Date Extracted: 05/07/2015 04:58

Sample wt/vol: 30.2(g) Date Analyzed: 05/11/2015 21:29

Con. Extract Vol.: 1.0(mL) Dilution Factor: 100

Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)

% Moisture: 71.6 GPC Cleanup: (Y/N) N

Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND	uJ	150	30
11104-28-2	PCB-1221	ND	↓	150	37
11141-16-5	PCB-1232	ND	↓	150	50
53469-21-9	PCB-1242	ND	↓	150	37
12672-29-6	PCB-1248	6900	J	150	36

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	0	<del>X-D</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	0	<del>X-D</del>	30-150

2

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H05-0406 Lab Sample ID: 180-43699-2  
Matrix: Sediment Lab File ID: 00510029.D  
Analysis Method: 8082A Date Collected: 04/30/2015 10:20  
Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
Sample wt/vol: 30.2(g) Date Analyzed: 05/11/2015 21:29  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 100  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 71.6 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11097-69-1	PCB-1254	3200	J	150	35
11096-82-5	PCB-1260	990	J	150	32

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	0	<del>X-D</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	0	<del>X-D</del>	30-150



3

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-F07-0002 Lab Sample ID: 180-43699-3  
 Matrix: Sediment Lab File ID: 00510030.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 10:45  
 Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/11/2015 21:49  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 100  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 79.2 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND	uJ	200	41
11104-28-2	PCB-1221	ND	I	200	50
11141-16-5	PCB-1232	ND	I	200	69
53469-21-9	PCB-1242	ND	I	200	51
12672-29-6	PCB-1248	5100	J	200	50
11097-69-1	PCB-1254	1800	J	200	48

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	0	<del>*D</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	0	<del>*D</del>	30-150

3

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-F07-0002 Lab Sample ID: 180-43699-3  
 Matrix: Sediment Lab File ID: 00510030.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 10:45  
 Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/11/2015 21:49  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 100  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 79.2 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11096-82-5	PCB-1260	550	J	200	44

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	0	<del>Y-D</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	0	<del>Y-D</del>	30-150

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

4

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-F07-0406 Lab Sample ID: 180-43699-4  
 Matrix: Sediment Lab File ID: 00510031.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 10:55  
 Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/11/2015 22:09  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 68.2 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		6.5	1.3
11104-28-2	PCB-1221	ND		6.5	1.6
11141-16-5	PCB-1232	ND		6.5	2.3
53469-21-9	PCB-1242	ND		6.5	1.7
12672-29-6	PCB-1248	5.7	J	6.5	1.6
11096-82-5	PCB-1260	ND		6.5	1.4

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	380	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	67		30-150

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

4

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-F07-0406 Lab Sample ID: 180-43699-4  
Matrix: Sediment Lab File ID: O0510031.D  
Analysis Method: 8082A Date Collected: 04/30/2015 10:55  
Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
Sample wt/vol: 30.1(g) Date Analyzed: 05/11/2015 22:09  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 68.2 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11097-69-1	PCB-1254	3.5	<del>7.5</del>	6.5	1.6

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	441	<del>X</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	50		30-150

5

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G03-0002 Lab Sample ID: 180-43699-5  
 Matrix: Sediment Lab File ID: O0510032.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 11:30  
 Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/11/2015 22:29  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 73.7 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND	uJ	16	3.2
11104-28-2	PCB-1221	ND	↓	16	4.0
11141-16-5	PCB-1232	ND	↓	16	5.5
53469-21-9	PCB-1242	ND	↓	16	4.0
11097-69-1	PCB-1254	580	J	16	3.8
11096-82-5	PCB-1260	300	J	16	3.5

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	67	✓	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	119		30-150

5

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-G03-0002 Lab Sample ID: 180-43699-5  
Matrix: Sediment Lab File ID: 00510032.D  
Analysis Method: 8082A Date Collected: 04/30/2015 11:30  
Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
Sample wt/vol: 30.1(g) Date Analyzed: 05/11/2015 22:29  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 73.7 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12672-29-6	PCB-1248	470	J	16	4.0

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	177	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	87		30-150

6

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G03-0406 Lab Sample ID: 180-43699-6  
 Matrix: Sediment Lab File ID: 00510033.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 11:40  
 Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/11/2015 22:49  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 100  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 69.8 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		140	28
11104-28-2	PCB-1221	ND		140	34
11141-16-5	PCB-1232	ND		140	48
53469-21-9	PCB-1242	ND		140	35
12672-29-6	PCB-1248	8900	J	140	34
11097-69-1	PCB-1254	2700		140	33

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	0	<del>ND</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	0	<del>ND</del>	30-150

6

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G03-0406 Lab Sample ID: 180-43699-6  
 Matrix: Sediment Lab File ID: 00510033.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 11:40  
 Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/11/2015 22:49  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 100  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 69.8 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11096-82-5	PCB-1260	760		140	30

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	0	<del>X</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	0	<del>X</del>	30-150



7

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H06-0002 Lab Sample ID: 180-43699-7  
 Matrix: Sediment Lab File ID: 00510034.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 11:50  
 Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/11/2015 23:09  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 78.5 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND	WJ	9.7	2.0
11104-28-2	PCB-1221	ND	1	9.7	2.4
11141-16-5	PCB-1232	ND	1	9.7	3.3
53469-21-9	PCB-1242	ND	1	9.7	2.4
12672-29-6	PCB-1248	89	J	9.7	2.4
11097-69-1	PCB-1254	ND	WJ	9.7	2.3

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	93		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	72		30-150

7

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H06-0002 Lab Sample ID: 180-43699-7  
 Matrix: Sediment Lab File ID: 00510034.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 11:50  
 Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/11/2015 23:09  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 78.5 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11096-82-5	PCB-1260	42	J	9.7	2.1

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	110		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	54		30-150

8

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H06-0002-FD Lab Sample ID: 180-43699-8  
 Matrix: Sediment Lab File ID: 00510035.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 12:10  
 Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/11/2015 23:28  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 79.0 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND	uJ	9.9	2.0
11104-28-2	PCB-1221	ND	↓	9.9	2.5
11141-16-5	PCB-1232	ND	↓	9.9	3.4
53469-21-9	PCB-1242	ND	↓	9.9	2.5
12672-29-6	PCB-1248	100	J	9.9	2.5
11097-69-1	PCB-1254	ND	uJ	9.9	2.4

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	92		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	75		30-150

8

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H06-0002-FD Lab Sample ID: 180-43699-8  
 Matrix: Sediment Lab File ID: 00510035.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 12:10  
 Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/11/2015 23:28  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 79.0 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11096-82-5	PCB-1260	47	J	9.9	2.2

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	118		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	58		30-150

9

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H06-0204 Lab Sample ID: 180-43699-9  
 Matrix: Sediment Lab File ID: 00510036.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 11:55  
 Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/11/2015 23:48  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 50  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 75.5 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND	<del>ND</del> <u>1 ug</u>	85	17
11104-28-2	PCB-1221	ND	<del>ND</del>	85	21
11141-16-5	PCB-1232	ND	<del>ND</del>	85	29
53469-21-9	PCB-1242	ND	<del>ND</del>	85	21
12672-29-6	PCB-1248	5700	<del>J</del>	85	21
11097-69-1	PCB-1254	2300	<del>J</del>	85	20

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	0	<del>X-D</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	0	<del>X-D</del>	30-150

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

9

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H06-0204 Lab Sample ID: 180-43699-9  
 Matrix: Sediment Lab File ID: 00510036.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 11:55  
 Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/11/2015 23:48  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 50  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 75.5 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11096-82-5	PCB-1260	810	<u>J</u>	85	19

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	0	<del>X-D</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	0	<del>X-D</del>	30-150

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

10

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G02-0002 Lab Sample ID: 180-43699-10  
 Matrix: Sediment Lab File ID: 00510039.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 13:30  
 Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
 Sample wt/vol: 30.2(g) Date Analyzed: 05/12/2015 00:48  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 74.3 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND	WJ	16	3.3
11104-28-2	PCB-1221	ND	I	16	4.0
11141-16-5	PCB-1232	ND	I	16	5.6
53469-21-9	PCB-1242	ND	I	16	4.1
12672-29-6	PCB-1248	600	J	16	4.0
11097-69-1	PCB-1254	560	J	16	3.8

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	55	Ø	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	192	X	30-150

*W 7/6/15*

10

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G02-0002 Lab Sample ID: 180-43699-10  
 Matrix: Sediment Lab File ID: 00510039.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 13:30  
 Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
 Sample wt/vol: 30.2(g) Date Analyzed: 05/12/2015 00:48  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 74.3 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11096-82-5	PCB-1260	390	J	16	3.5

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	1901	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	118	P	30-150

*W 7/6/15*



FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

11

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G02-0406 Lab Sample ID: 180-43699-11  
 Matrix: Sediment Lab File ID: O0510040.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 13:40  
 Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 01:08  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 100  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 69.2 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		140	28
11104-28-2	PCB-1221	ND		140	34
11141-16-5	PCB-1232	ND		140	47
53469-21-9	PCB-1242	ND		140	34
12672-29-6	PCB-1248	8200	J	140	34

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	0	<del>X-D</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	0	<del>X-D</del>	30-150

*mw 7/6/15*

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

11

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G02-0406 Lab Sample ID: 180-43699-11  
 Matrix: Sediment Lab File ID: 00510040.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 13:40  
 Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 01:08  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 100  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 69.2 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11097-69-1	PCB-1254	2800		140	32
11096-82-5	PCB-1260	840		140	30

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	0	<del>XD</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	0	<del>XD</del>	30-150

*mw 7/6/15*

12

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-DE02-0002 Lab Sample ID: 180-43699-12  
 Matrix: Sediment Lab File ID: 00510041.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 14:00  
 Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/12/2015 01:28  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 80.6 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND	WJ	21	4.4
11104-28-2	PCB-1221	ND		21	5.4
11141-16-5	PCB-1232	ND		21	7.4
53469-21-9	PCB-1242	ND		21	5.4
12672-29-6	PCB-1248	320	J	21	5.4
11097-69-1	PCB-1254	290		21	5.1
11096-82-5	PCB-1260	160		21	4.7

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	112		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	54		30-150

12

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-DE02-0002 Lab Sample ID: 180-43699-12  
Matrix: Sediment Lab File ID: 00510041.D  
Analysis Method: 8082A Date Collected: 04/30/2015 14:00  
Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
Sample wt/vol: 30.1(g) Date Analyzed: 05/12/2015 01:28  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 80.6 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	130		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	24	Xp	30-150

13

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-DE02-0406 Lab Sample ID: 180-43699-13  
 Matrix: Sediment Lab File ID: 00510042.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 14:10  
 Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/12/2015 01:47  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 67.3 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		6.3	1.3
11104-28-2	PCB-1221	ND		6.3	1.6
11141-16-5	PCB-1232	ND		6.3	2.2
53469-21-9	PCB-1242	ND		6.3	1.6
11097-69-1	PCB-1254	22	J	6.3	1.5

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	288	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	77		30-150

NW 7/6/15

13

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-DE02-0406 Lab Sample ID: 180-43699-13  
Matrix: Sediment Lab File ID: 00510042.D  
Analysis Method: 8082A Date Collected: 04/30/2015 14:10  
Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
Sample wt/vol: 30.1(g) Date Analyzed: 05/12/2015 01:47  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 67.3 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12672-29-6	PCB-1248	23	J	6.3	1.6
11096-82-5	PCB-1260	12	J	6.3	1.4

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	307	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	51		30-150

14

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H07-0002 Lab Sample ID: 180-43699-14  
 Matrix: Sediment Lab File ID: 00510043.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 14:30  
 Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 02:07  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 25  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 70.2 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND	uJ	35	7.1
11104-28-2	PCB-1221	ND	↓	35	8.8
11141-16-5	PCB-1232	ND	↓	35	12
53469-21-9	PCB-1242	ND	↓	35	8.8
12672-29-6	PCB-1248	520	J	35	8.7
11097-69-1	PCB-1254	310	↓	35	8.3
11096-82-5	PCB-1260	100	↓	35	7.7

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	94		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	55		30-150

14

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H07-0002 Lab Sample ID: 180-43699-14  
Matrix: Sediment Lab File ID: O0510043.D  
Analysis Method: 8082A Date Collected: 04/30/2015 14:30  
Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 02:07  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 25  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 70.2 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	125		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	8	*P	30-150



15

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H07-0002-FD Lab Sample ID: 180-43699-15  
 Matrix: Sediment Lab File ID: 00510044.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 14:30  
 Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
 Sample wt/vol: 30.2(g) Date Analyzed: 05/12/2015 02:27  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 25  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 69.3 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		34	6.9
11104-28-2	PCB-1221	ND		34	8.5
11141-16-5	PCB-1232	ND		34	12
53469-21-9	PCB-1242	ND		34	8.5
12672-29-6	PCB-1248	420	J	34	8.4
11097-69-1	PCB-1254	260		34	8.0
11096-82-5	PCB-1260	81		34	7.4

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	102		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	0	X	30-150

15

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H07-0002-FD Lab Sample ID: 180-43699-15  
 Matrix: Sediment Lab File ID: 00510044.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 14:30  
 Extraction Method: 3541 Date Extracted: 05/07/2015 04:58  
 Sample wt/vol: 30.2(g) Date Analyzed: 05/12/2015 02:27  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 25  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 69.3 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	84		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	0	<del>✓</del>	30-150

MW 7/6/15

16

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-H07-0406 Lab Sample ID: 180-43699-16

Matrix: Sediment Lab File ID: 00510050.D

Analysis Method: 8082A Date Collected: 04/30/2015 14:40

Extraction Method: 3541 Date Extracted: 05/08/2015 03:15

Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 04:26

Con. Extract Vol.: 1.0(mL) Dilution Factor: 5

Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53 (mm)

% Moisture: 53.4 GPC Cleanup: (Y/N) N

Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		4.5	0.91
11104-28-2	PCB-1221	ND		4.5	1.1
11141-16-5	PCB-1232	ND		4.5	1.5
53469-21-9	PCB-1242	ND		4.5	1.1
12672-29-6	PCB-1248	ND		4.5	1.1
11097-69-1	PCB-1254	ND		4.5	1.1
11096-82-5	PCB-1260	ND		4.5	0.98

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	86		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	91		30-150

16

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H07-0406 Lab Sample ID: 180-43699-16  
Matrix: Sediment Lab File ID: 00510050.D  
Analysis Method: 8082A Date Collected: 04/30/2015 14:40  
Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 04:26  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 53.4 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	88		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	70		30-150

17

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-G06-0002 Lab Sample ID: 180-43699-17  
Matrix: Sediment Lab File ID: 00510053.D  
Analysis Method: 8082A Date Collected: 04/30/2015 15:00  
Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
Sample wt/vol: 30.1(g) Date Analyzed: 05/12/2015 05:25  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
% Moisture: 66.8 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		6.3	1.3
11104-28-2	PCB-1221	ND		6.3	1.6
11141-16-5	PCB-1232	ND		6.3	2.2
53469-21-9	PCB-1242	ND		6.3	1.6
11097-69-1	PCB-1254	130	J	6.3	1.5

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	813	✓	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	79		30-150

*mw 7/6/15*

17

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-G06-0002 Lab Sample ID: 180-43699-17  
Matrix: Sediment Lab File ID: 00510053.D  
Analysis Method: 8082A Date Collected: 04/30/2015 15:00  
Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
Sample wt/vol: 30.1(g) Date Analyzed: 05/12/2015 05:25  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 66.8 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12672-29-6	PCB-1248	94	<i>J</i>	6.3	1.6
11096-82-5	PCB-1260	50	<i>J</i>	6.3	1.4

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	931	<i>X</i>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	64		30-150

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G06-0406 Lab Sample ID: 180-43699-18  
 Matrix: Sediment Lab File ID: 00510054.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 15:10  
 Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/12/2015 05:45  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 54.1 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		4.5	0.92
11104-28-2	PCB-1221	ND		4.5	1.1
11141-16-5	PCB-1232	ND		4.5	1.6
53469-21-9	PCB-1242	ND		4.5	1.1
12672-29-6	PCB-1248	ND		4.5	1.1
11097-69-1	PCB-1254	ND		4.5	1.1
11096-82-5	PCB-1260	ND		4.5	0.99

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	82		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	87		30-150

18

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-G06-0406 Lab Sample ID: 180-43699-18  
Matrix: Sediment Lab File ID: 00510054.D  
Analysis Method: 8082A Date Collected: 04/30/2015 15:10  
Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
Sample wt/vol: 30.1(g) Date Analyzed: 05/12/2015 05:45  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 54.1 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	76		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	68		30-150



19

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-I03-0002 Lab Sample ID: 180-43699-19

Matrix: Sediment Lab File ID: 00510055.D

Analysis Method: 8082A Date Collected: 04/30/2015 15:35

Extraction Method: 3541 Date Extracted: 05/08/2015 03:15

Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 06:05

Con. Extract Vol.: 1.0(mL) Dilution Factor: 5

Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)

% Moisture: 66.3 GPC Cleanup: (Y/N) N

Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		6.2	1.3
11104-28-2	PCB-1221	ND		6.2	1.5
11141-16-5	PCB-1232	ND		6.2	2.1
53469-21-9	PCB-1242	ND		6.2	1.6
12672-29-6	PCB-1248	260	J	6.2	1.5
11097-69-1	PCB-1254	120	J	6.2	1.5

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	196	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	65		30-150

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-I03-0002 Lab Sample ID: 180-43699-19  
 Matrix: Sediment Lab File ID: O0510055.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 15:35  
 Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 06:05  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 66.3 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11096-82-5	PCB-1260	40	J	6.2	1.4

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	240	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	54		30-150

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

20

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-I03-0204 Lab Sample ID: 180-43699-20  
Matrix: Sediment Lab File ID: 00510060.D  
Analysis Method: 8082A Date Collected: 04/30/2015 15:40  
Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 07:44  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
% Moisture: 57.3 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		4.9	1.0
11104-28-2	PCB-1221	ND		4.9	1.2
11141-16-5	PCB-1232	ND		4.9	1.7
53469-21-9	PCB-1242	ND		4.9	1.2
12672-29-6	PCB-1248	ND		4.9	1.2
11097-69-1	PCB-1254	ND		4.9	1.2
11096-82-5	PCB-1260	ND		4.9	1.1

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	90		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	94		30-150

20

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-I03-0204 Lab Sample ID: 180-43699-20  
Matrix: Sediment Lab File ID: 00510060.D  
Analysis Method: 8082A Date Collected: 04/30/2015 15:40  
Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 07:44  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 57.3 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	87		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	70		30-150

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-I03-0406 Lab Sample ID: 180-43699-21  
 Matrix: Sediment Lab File ID: 00510061.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 15:45  
 Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
 Sample wt/vol: 30.2(g) Date Analyzed: 05/12/2015 08:04  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 57.6 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		4.9	1.0
11104-28-2	PCB-1221	ND		4.9	1.2
11141-16-5	PCB-1232	ND		4.9	1.7
53469-21-9	PCB-1242	ND		4.9	1.2
12672-29-6	PCB-1248	ND		4.9	1.2
11097-69-1	PCB-1254	ND		4.9	1.2
11096-82-5	PCB-1260	ND		4.9	1.1

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	95		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	87		30-150

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-I03-0406 Lab Sample ID: 180-43699-21  
Matrix: Sediment Lab File ID: 00510061.D  
Analysis Method: 8082A Date Collected: 04/30/2015 15:45  
Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
Sample wt/vol: 30.2(g) Date Analyzed: 05/12/2015 08:04  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 57.6 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	83		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	77		30-150

22

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-E03-0002 Lab Sample ID: 180-43699-22  
 Matrix: Sediment Lab File ID: 00510062.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 16:15  
 Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 08:24  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 79.8 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND	uJ	10	2.1
11104-28-2	PCB-1221	ND	↓	10	2.6
11141-16-5	PCB-1232	ND	↓	10	3.6
53469-21-9	PCB-1242	ND	↓	10	2.6
12672-29-6	PCB-1248	2500	J	10	2.6

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	148	✓	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	69		30-150

22

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-E03-0002 Lab Sample ID: 180-43699-22  
 Matrix: Sediment Lab File ID: 00510062.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 16:15  
 Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 08:24  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 79.8 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11097-69-1	PCB-1254	840	<u>I</u>	10	2.5
11096-82-5	PCB-1260	320	<u>J</u>	10	2.3

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	268	<u>X</u>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	58		30-150



23

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-E03-0204 Lab Sample ID: 180-43699-23  
 Matrix: Sediment Lab File ID: 00510063.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 16:20  
 Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 08:44  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 68.0 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		6.5	1.3
11104-28-2	PCB-1221	ND		6.5	1.6
11141-16-5	PCB-1232	ND		6.5	2.3
53469-21-9	PCB-1242	ND		6.5	1.6
12672-29-6	PCB-1248	5.7	J J	6.5	1.6
11097-69-1	PCB-1254	ND		6.5	1.5
11096-82-5	PCB-1260	4.5	J J J	6.5	1.4

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	466	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	72		30-150

23

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-E03-0204 Lab Sample ID: 180-43699-23  
Matrix: Sediment Lab File ID: 00510063.D  
Analysis Method: 8082A Date Collected: 04/30/2015 16:20  
Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 08:44  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 68.0 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	517	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	51		30-150

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

24

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-E03-0204-FD Lab Sample ID: 180-43699-24  
 Matrix: Sediment Lab File ID: 00510064.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 16:20  
 Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/12/2015 09:04  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53 (mm)  
 % Moisture: 68.1 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		6.5	1.3
11104-28-2	PCB-1221	ND		6.5	1.6
11141-16-5	PCB-1232	ND		6.5	2.2
53469-21-9	PCB-1242	ND		6.5	1.6
12672-29-6	PCB-1248	5.9	<del>7.5</del>	6.5	1.6
11097-69-1	PCB-1254	ND		6.5	1.5

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	388	<del>7.5</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	67		30-150

24

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-E03-0204-FD Lab Sample ID: 180-43699-24  
Matrix: Sediment Lab File ID: 00510064.D  
Analysis Method: 8082A Date Collected: 04/30/2015 16:20  
Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
Sample wt/vol: 30.1(g) Date Analyzed: 05/12/2015 09:04  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 68.1 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11096-82-5	PCB-1260	4.1	✓ J	6.5	1.4

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	440	✓	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	50		30-150

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

25

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-E03-0406 Lab Sample ID: 180-43699-25  
 Matrix: Sediment Lab File ID: 00510065.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 16:25  
 Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/12/2015 09:24  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 51.7 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		4.3	0.88
11104-28-2	PCB-1221	ND		4.3	1.1
11141-16-5	PCB-1232	ND		4.3	1.5
53469-21-9	PCB-1242	ND		4.3	1.1
12672-29-6	PCB-1248	ND		4.3	1.1
11097-69-1	PCB-1254	ND		4.3	1.0
11096-82-5	PCB-1260	ND		4.3	0.94

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	86		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	87		30-150

NW 7/6/15

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

25

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-E03-0406 Lab Sample ID: 180-43699-25  
Matrix: Sediment Lab File ID: 00510065.D  
Analysis Method: 8082A Date Collected: 04/30/2015 16:25  
Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
Sample wt/vol: 30.1(g) Date Analyzed: 05/12/2015 09:24  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 51.7 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	84		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	62		30-150

NW 7/6/15

26

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-I02-0002 Lab Sample ID: 180-43699-26  
 Matrix: Sediment Lab File ID: 00510066.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 16:45  
 Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 09:43  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 77.2 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND	WJ	9.2	1.9
11104-28-2	PCB-1221	ND	↓	9.2	2.3
11141-16-5	PCB-1232	ND	↓	9.2	3.2
53469-21-9	PCB-1242	ND	↓	9.2	2.3
12672-29-6	PCB-1248	650	J	9.2	2.3
11097-69-1	PCB-1254	470	↓	9.2	2.2
11096-82-5	PCB-1260	160	↓	9.2	2.0

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	86	✓	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	84		30-150

NW 7/6/15

26

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-I02-0002 Lab Sample ID: 180-43699-26  
Matrix: Sediment Lab File ID: 00510066.D  
Analysis Method: 8082A Date Collected: 04/30/2015 16:45  
Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 09:43  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 77.2 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	252	✓	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	57		30-150

NW 7/6/15



27

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-I02-0204 Lab Sample ID: 180-43699-27  
 Matrix: Sediment Lab File ID: 00510067.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 16:50  
 Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/12/2015 10:03  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 68.5 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		6.6	1.3
11104-28-2	PCB-1221	ND		6.6	1.7
11141-16-5	PCB-1232	ND		6.6	2.3
53469-21-9	PCB-1242	ND		6.6	1.7
12672-29-6	PCB-1248	1300	J	6.6	1.6

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	111	<del>6</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	69		30-150

27

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-I02-0204 Lab Sample ID: 180-43699-27  
Matrix: Sediment Lab File ID: 00510067.D  
Analysis Method: 8082A Date Collected: 04/30/2015 16:50  
Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
Sample wt/vol: 30.1(g) Date Analyzed: 05/12/2015 10:03  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 68.5 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11097-69-1	PCB-1254	450		6.6	1.6
11096-82-5	PCB-1260	160		6.6	1.4

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	183	✓	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	61		30-150

*lw 7/6/15*

28

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-I02-0406 Lab Sample ID: 180-43699-28  
 Matrix: Sediment Lab File ID: 00510068.D  
 Analysis Method: 8082A Date Collected: 04/30/2015 16:55  
 Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 10:23  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 61.3 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		5.4	1.1
11104-28-2	PCB-1221	ND		5.4	1.3
11141-16-5	PCB-1232	ND		5.4	1.9
53469-21-9	PCB-1242	ND		5.4	1.4
12672-29-6	PCB-1248	5.7	J	5.4	1.3
11097-69-1	PCB-1254	ND		5.4	1.3
11096-82-5	PCB-1260	ND		5.4	1.2

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	77		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	80		30-150

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-I02-0406 Lab Sample ID: 180-43699-28  
Matrix: Sediment Lab File ID: 00510068.D  
Analysis Method: 8082A Date Collected: 04/30/2015 16:55  
Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 10:23  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 61.3 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	79		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	60		30-150

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G01-0002 Lab Sample ID: 180-43699-29  
 Matrix: Sediment Lab File ID: 00510069.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 08:50  
 Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
 Sample wt/vol: 30.2(g) Date Analyzed: 05/12/2015 10:43  
 Con. Extract Vol.: 2.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53 (mm)  
 % Moisture: 63.7 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		11	2.3
11104-28-2	PCB-1221	ND		11	2.9
11141-16-5	PCB-1232	ND		11	3.9
53469-21-9	PCB-1242	ND		11	2.9
12672-29-6	PCB-1248	260		11	2.9
11096-82-5	PCB-1260	ND		11	2.5

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	11	<del>PX</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	129		30-150

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G01-0002 Lab Sample ID: 180-43699-29  
 Matrix: Sediment Lab File ID: 00510069.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 08:50  
 Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
 Sample wt/vol: 30.2(g) Date Analyzed: 05/12/2015 10:43  
 Con. Extract Vol.: 2.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 63.7 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11097-69-1	PCB-1254	100		11	2.7

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	85		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	111		30-150

30

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1

SDG No.: \_\_\_\_\_

Client Sample ID: SD-G01-0406 Lab Sample ID: 180-43699-30

Matrix: Sediment Lab File ID: 00510076.D

Analysis Method: 8082A Date Collected: 05/01/2015 09:00

Extraction Method: 3541 Date Extracted: 05/08/2015 03:15

Sample wt/vol: 30.1(g) Date Analyzed: 05/12/2015 13:02

Con. Extract Vol.: 2.0(mL) Dilution Factor: 50

Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)

% Moisture: 70.2 GPC Cleanup: (Y/N) N

Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND	WJ	140	29
11104-28-2	PCB-1221	ND	J	140	35
11141-16-5	PCB-1232	ND	J	140	48
53469-21-9	PCB-1242	ND	J	140	35
12672-29-6	PCB-1248	6500	J	140	35
11097-69-1	PCB-1254	2600	J	140	33

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	0	<del>X-D</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	0	<del>X-D</del>	30-150

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G01-0406 Lab Sample ID: 180-43699-30  
 Matrix: Sediment Lab File ID: 00510076.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 09:00  
 Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/12/2015 13:02  
 Con. Extract Vol.: 2.0(mL) Dilution Factor: 50  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 70.2 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11096-82-5	PCB-1260	850	J	140	31

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	0	<del>XD</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	0	<del>XD</del>	30-150



FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G04-0002 Lab Sample ID: 180-43699-31  
 Matrix: Sediment Lab File ID: 00510077.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 09:20  
 Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 13:22  
 Con. Extract Vol.: 2.0(mL) Dilution Factor: 50  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 74.8 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND	uJ	170	34
11104-28-2	PCB-1221	ND	↓	170	41
11141-16-5	PCB-1232	ND	↓	170	57
53469-21-9	PCB-1242	ND	↓	170	42
12672-29-6	PCB-1248	9000	J	170	41

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	0	<del>X</del> D	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	0	<del>X</del> D	30-150

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G04-0002 Lab Sample ID: 180-43699-31  
 Matrix: Sediment Lab File ID: 00510077.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 09:20  
 Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 13:22  
 Con. Extract Vol.: 2.0(mL) Dilution Factor: 50  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 74.8 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11097-69-1	PCB-1254	3200	J	170	39
11096-82-5	PCB-1260	1000	J	170	36

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	0	<del>XB</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	0	<del>XB</del>	30-150

32

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G04-0406 Lab Sample ID: 180-43699-32  
 Matrix: Sediment Lab File ID: 00510072.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 09:30  
 Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
 Sample wt/vol: 30.2(g) Date Analyzed: 05/12/2015 11:43  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 62.8 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		5.6	1.1
11104-28-2	PCB-1221	ND		5.6	1.4
11141-16-5	PCB-1232	ND		5.6	1.9
53469-21-9	PCB-1242	ND		5.6	1.4
12672-29-6	PCB-1248	ND		5.6	1.4
11097-69-1	PCB-1254	ND		5.6	1.3
11096-82-5	PCB-1260	2.7	J	5.6	1.2

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	66	<input checked="" type="checkbox"/>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	76		30-150

32

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G04-0406 Lab Sample ID: 180-43699-32  
 Matrix: Sediment Lab File ID: 00510072.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 09:30  
 Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
 Sample wt/vol: 30.2(g) Date Analyzed: 05/12/2015 11:43  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 62.8 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	255	<del>7</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	54		30-150

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G04-0406-FD Lab Sample ID: 180-43699-33  
 Matrix: Sediment Lab File ID: 00510073.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 09:30  
 Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 12:03  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 63.8 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		5.7	1.2
11104-28-2	PCB-1221	ND		5.7	1.4
11141-16-5	PCB-1232	ND		5.7	2.0
53469-21-9	PCB-1242	ND		5.7	1.5
12672-29-6	PCB-1248	ND		5.7	1.4
11097-69-1	PCB-1254	ND		5.7	1.4
11096-82-5	PCB-1260	1.7	<del>5.7</del> J	5.7	1.3

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	54		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	77		30-150

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-G04-0406-FD Lab Sample ID: 180-43699-33  
Matrix: Sediment Lab File ID: 00510073.D  
Analysis Method: 8082A Date Collected: 05/01/2015 09:30  
Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 12:03  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 63.8 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	78		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	58		30-150

34

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G05-0002 Lab Sample ID: 180-43699-34  
 Matrix: Sediment Lab File ID: 00510074.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 09:50  
 Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
 Sample wt/vol: 30.2(g) Date Analyzed: 05/12/2015 12:22  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 78.1 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND	uJ	9.4	1.9
11104-28-2	PCB-1221	ND	J	9.4	2.4
11141-16-5	PCB-1232	ND	J	9.4	3.3
53469-21-9	PCB-1242	ND	J	9.4	2.4
11097-69-1	PCB-1254	320	J	9.4	2.3
11096-82-5	PCB-1260	170	J	9.4	2.1

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	70		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	89		30-150

34

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-G05-0002 Lab Sample ID: 180-43699-34  
Matrix: Sediment Lab File ID: 00510074.D  
Analysis Method: 8082A Date Collected: 05/01/2015 09:50  
Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
Sample wt/vol: 30.2(g) Date Analyzed: 05/12/2015 12:22  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 5  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 78.1 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141160 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12672-29-6	PCB-1248	290	J	9.4	2.4

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	102		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	63		30-150

NW 7/6/15



FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G05-0406 Lab Sample ID: 180-43699-35  
 Matrix: Sediment Lab File ID: 00512004.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 10:00  
 Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 17:44  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 25  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 59.0 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141309 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		25	5.2
11104-28-2	PCB-1221	ND		25	6.4
11141-16-5	PCB-1232	ND		25	8.8
53469-21-9	PCB-1242	ND		25	6.4
12672-29-6	PCB-1248	1900		25	6.4
11096-82-5	PCB-1260	ND		25	5.6

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	83	<input checked="" type="checkbox"/>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	82	<input checked="" type="checkbox"/>	30-150

35

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-G05-0406 Lab Sample ID: 180-43699-35  
Matrix: Sediment Lab File ID: 00512004.D  
Analysis Method: 8082A Date Collected: 05/01/2015 10:00  
Extraction Method: 3541 Date Extracted: 05/08/2015 03:15  
Sample wt/vol: 30.0(g) Date Analyzed: 05/12/2015 17:44  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 25  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 59.0 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141309 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11097-69-1	PCB-1254	540		25	6.1

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	184	<del>X</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	45	<del>P</del>	30-150

NW 7/6/15

36

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G05-0607 Lab Sample ID: 180-43699-36  
 Matrix: Sediment Lab File ID: S513A046.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 10:05  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/14/2015 01:32  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 52.1 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		0.87	0.18
11104-28-2	PCB-1221	ND		0.87	0.22
11141-16-5	PCB-1232	ND		0.87	0.30
53469-21-9	PCB-1242	ND		0.87	0.22

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	78		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	74		30-150

NW 7/6/15

36

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-G05-0607 Lab Sample ID: 180-43699-36  
 Matrix: Sediment Lab File ID: S513A046.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 10:05  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/14/2015 01:32  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 52.1 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12672-29-6	PCB-1248	10		0.87	0.22
11097-69-1	PCB-1254	6.1	J	0.87	0.21
11096-82-5	PCB-1260	2.1		0.87	0.19

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	87		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	80		30-150

*mw 7/6/15*

37

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H01-0002 Lab Sample ID: 180-43699-37  
 Matrix: Sediment Lab File ID: S513A047.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 11:00  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.2(g) Date Analyzed: 05/14/2015 01:50  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 68.9 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		13	2.7
11104-28-2	PCB-1221	ND		13	3.3
11141-16-5	PCB-1232	ND		13	4.6
53469-21-9	PCB-1242	ND		13	3.4
11097-69-1	PCB-1254	ND		13	3.2
11096-82-5	PCB-1260	44	<del>7</del> J	13	2.9

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	14	<del>X</del> p	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	135		30-150

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

37

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H01-0002 Lab Sample ID: 180-43699-37  
 Matrix: Sediment Lab File ID: S513A047.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 11:00  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.2(g) Date Analyzed: 05/14/2015 01:50  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 68.9 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12672-29-6	PCB-1248	300	J	13	3.3

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	53		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	137		30-150

*mw 7/6/15*

38

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H01-0406 Lab Sample ID: 180-43699-38  
 Matrix: Sediment Lab File ID: S513A048.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 11:10  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/14/2015 02:09  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 100  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 72.8 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND	UJ	150	31
11104-28-2	PCB-1221	ND	I	150	38
11141-16-5	PCB-1232	ND	I	150	53
53469-21-9	PCB-1242	ND	I	150	39
12672-29-6	PCB-1248	8100	J	150	38

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	0	<del>ND</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	0	<del>ND</del>	30-150

MW 7/6/15

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H01-0406 Lab Sample ID: 180-43699-38  
 Matrix: Sediment Lab File ID: S513A048.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 11:10  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/14/2015 02:09  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 100  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 72.8 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11097-69-1	PCB-1254	3800	J	150	36
11096-82-5	PCB-1260	860	J	150	34

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	0	<del>XD</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	0	<del>XD</del>	30-150



39

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H03-0002 Lab Sample ID: 180-43699-39  
 Matrix: Sediment Lab File ID: S513A049.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 11:35  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/14/2015 02:28  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 77.6 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND	W	19	3.8
11104-28-2	PCB-1221	ND	↓	19	4.6
11141-16-5	PCB-1232	ND	↓	19	6.4
53469-21-9	PCB-1242	ND	↓	19	4.7

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	33		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	178	X	30-150

39

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H03-0002 Lab Sample ID: 180-43699-39  
Matrix: Sediment Lab File ID: S513A049.D  
Analysis Method: 8082A Date Collected: 05/01/2015 11:35  
Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
Sample wt/vol: 30.1(g) Date Analyzed: 05/14/2015 02:28  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 77.6 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12672-29-6	PCB-1248	1600	J	19	4.6
11097-69-1	PCB-1254	2400	J	19	4.4
11096-82-5	PCB-1260	2000	J	19	4.1

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	36		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	165	X	30-150

NW 7/6/15

40

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H03-0406 Lab Sample ID: 180-43699-40  
 Matrix: Sediment Lab File ID: S513A050.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 11:45  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/14/2015 02:47  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 66.3 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11104-28-2	PCB-1221	ND		12	3.1
11141-16-5	PCB-1232	ND		12	4.3
53469-21-9	PCB-1242	ND		12	3.1
12672-29-6	PCB-1248	1900		12	3.1
11097-69-1	PCB-1254	620		12	3.0

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	83		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	121		30-150

*MW 7/6/15*

40

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H03-0406 Lab Sample ID: 180-43699-40  
 Matrix: Sediment Lab File ID: S513A050.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 11:45  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/14/2015 02:47  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 66.3 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND	<del>1</del>	12	2.5
11096-82-5	PCB-1260	170	<del>1</del>	12	2.7

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	119		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	111		30-150

41

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H04-0002 Lab Sample ID: 180-43699-41  
Matrix: Sediment Lab File ID: S513A053.D  
Analysis Method: 8082A Date Collected: 05/01/2015 12:05  
Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
Sample wt/vol: 30.2(g) Date Analyzed: 05/14/2015 03:43  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
% Moisture: 75.4 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND	UJ	17	3.4
11104-28-2	PCB-1221	ND	↓	17	4.2
11141-16-5	PCB-1232	ND	↓	17	5.8
53469-21-9	PCB-1242	ND	↓	17	4.3

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	55		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	187	✓	30-150

11/7/15

41

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H04-0002 Lab Sample ID: 180-43699-41  
Matrix: Sediment Lab File ID: S513A053.D  
Analysis Method: 8082A Date Collected: 05/01/2015 12:05  
Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
Sample wt/vol: 30.2(g) Date Analyzed: 05/14/2015 03:43  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 75.4 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12672-29-6	PCB-1248	530	J	17	4.2
11097-69-1	PCB-1254	770	J	17	4.0
11096-82-5	PCB-1260	560	J	17	3.7

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	52		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	193	X	30-150

mw 7/6/15

42

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H04-0002-FD Lab Sample ID: 180-43699-42  
 Matrix: Sediment Lab File ID: S513A054.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 12:05  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/14/2015 04:01  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 75.4 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND	uJ	17	3.5
11104-28-2	PCB-1221	ND		17	4.2
11141-16-5	PCB-1232	ND		17	5.9
53469-21-9	PCB-1242	ND		17	4.3

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	143		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	197	✓	30-150

m 7/6/15

42

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H04-0002-FD Lab Sample ID: 180-43699-42  
Matrix: Sediment Lab File ID: S513A054.D  
Analysis Method: 8082A Date Collected: 05/01/2015 12:05  
Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
Sample wt/vol: 30.0(g) Date Analyzed: 05/14/2015 04:01  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 75.4 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12672-29-6	PCB-1248	510	J	17	4.2
11097-69-1	PCB-1254	690	J	17	4.0
11096-82-5	PCB-1260	540	J	17	3.7

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	42	<del>P</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	215	<del>X</del>	30-150

NW 7/6/15



43

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H04-0406 Lab Sample ID: 180-43699-43  
 Matrix: Sediment Lab File ID: S513A055.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 12:15  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/14/2015 04:20  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 64.2 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		12	2.4
11104-28-2	PCB-1221	ND		12	2.9
11141-16-5	PCB-1232	ND		12	4.0
53469-21-9	PCB-1242	ND		12	2.9

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	404	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	76		30-150

43

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-H04-0406 Lab Sample ID: 180-43699-43  
 Matrix: Sediment Lab File ID: S513A055.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 12:15  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/14/2015 04:20  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 64.2 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12672-29-6	PCB-1248	44	J	12	2.9
11097-69-1	PCB-1254	41	J	12	2.8
11096-82-5	PCB-1260	31	J	12	2.6

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	458	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	81		30-150

Mw 7/6/15

44

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H03-0607 Lab Sample ID: 180-43699-44  
Matrix: Sediment Lab File ID: S513A056.D  
Analysis Method: 8082A Date Collected: 05/01/2015 12:15  
Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
Sample wt/vol: 30.0(g) Date Analyzed: 05/14/2015 04:39  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 1  
Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
% Moisture: 54.3 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		0.91	0.19
11104-28-2	PCB-1221	ND		0.91	0.23
11141-16-5	PCB-1232	ND		0.91	0.32
53469-21-9	PCB-1242	ND		0.91	0.23

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	38		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	64		30-150

NW 7/6/15

44

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-H03-0607 Lab Sample ID: 180-43699-44  
Matrix: Sediment Lab File ID: S513A056.D  
Analysis Method: 8082A Date Collected: 05/01/2015 12:15  
Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
Sample wt/vol: 30.0(g) Date Analyzed: 05/14/2015 04:39  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 1  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 54.3 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12672-29-6	PCB-1248	7.7		0.91	0.23
11097-69-1	PCB-1254	5.7		0.91	0.22
11096-82-5	PCB-1260	3.4		0.91	0.20

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	41		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	64		30-150

NW 7/6/15

45

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-F06-0002 Lab Sample ID: 180-43699-45  
 Matrix: Sediment Lab File ID: S513A057.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 13:25  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/14/2015 04:58  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 77.7 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND	4J	19	3.8
11104-28-2	PCB-1221	ND	↓	19	4.7
11141-16-5	PCB-1232	ND	↓	19	6.4
53469-21-9	PCB-1242	ND	↓	19	4.7
12672-29-6	PCB-1248	2200	J	19	4.7

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	258	✓	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	104		30-150

NW 7/6/15

45

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-F06-0002 Lab Sample ID: 180-43699-45  
Matrix: Sediment Lab File ID: S513A057.D  
Analysis Method: 8082A Date Collected: 05/01/2015 13:25  
Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
Sample wt/vol: 30.1(g) Date Analyzed: 05/14/2015 04:58  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 77.7 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11097-69-1	PCB-1254	1400	J	19	4.4
11096-82-5	PCB-1260	490	J	19	4.1

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	113	<del>1</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	93		30-150

NW 7/6/15

46

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-F06-0406 Lab Sample ID: 180-43699-46  
Matrix: Sediment Lab File ID: S513A058.D  
Analysis Method: 8082A Date Collected: 05/01/2015 13:35  
Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
Sample wt/vol: 30.1(g) Date Analyzed: 05/14/2015 05:16  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
% Moisture: 67.7 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		13	2.6
11104-28-2	PCB-1221	ND		13	3.2
11141-16-5	PCB-1232	ND		13	4.4
53469-21-9	PCB-1242	ND		13	3.3

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	798	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	123		30-150

mw 7/6/15

46

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-F06-0406 Lab Sample ID: 180-43699-46  
Matrix: Sediment Lab File ID: S513A058.D  
Analysis Method: 8082A Date Collected: 05/01/2015 13:35  
Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
Sample wt/vol: 30.1(g) Date Analyzed: 05/14/2015 05:16  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 67.7 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12672-29-6	PCB-1248	34	J	13	3.2
11097-69-1	PCB-1254	47	J	13	3.1
11096-82-5	PCB-1260	33	J	13	2.8

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	615	X	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	104		30-150



47

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-I01-0001 Lab Sample ID: 180-43699-47  
 Matrix: Sediment Lab File ID: S513A078.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 14:15  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/14/2015 13:14  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 46.7 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		0.78	0.16
11104-28-2	PCB-1221	ND		0.78	0.20
11141-16-5	PCB-1232	ND		0.78	0.27
53469-21-9	PCB-1242	ND		0.78	0.20
12672-29-6	PCB-1248	4.4	✓J	0.78	0.19

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	118		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	65		30-150

*MW 7/6/15*

47

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-I01-0001 Lab Sample ID: 180-43699-47  
 Matrix: Sediment Lab File ID: S513A078.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 14:15  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/14/2015 13:14  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 46.7 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11097-69-1	PCB-1254	9.2		0.78	0.19
11096-82-5	PCB-1260	5.3	J	0.78	0.17

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	129		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	62		30-150

*mw 7/6/15*

48

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-I01-0102 Lab Sample ID: 180-43699-48  
 Matrix: Sediment Lab File ID: S513A079.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 14:20  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.2(g) Date Analyzed: 05/14/2015 13:33  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 31.1 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		0.60	0.12
11104-28-2	PCB-1221	ND		0.60	0.15
11141-16-5	PCB-1232	ND		0.60	0.21
53469-21-9	PCB-1242	ND		0.60	0.15
12672-29-6	PCB-1248	0.33	<del>ND</del>	0.60	0.15

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	47		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	75		30-150

48

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-I01-0102 Lab Sample ID: 180-43699-48  
Matrix: Sediment Lab File ID: S513A079.D  
Analysis Method: 8082A Date Collected: 05/01/2015 14:20  
Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
Sample wt/vol: 30.2(g) Date Analyzed: 05/14/2015 13:33  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 1  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 31.1 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11097-69-1	PCB-1254	0.55	J	0.60	0.14
11096-82-5	PCB-1260	0.35	J	0.60	0.13

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	49		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	69		30-150

49

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-F03-0002 Lab Sample ID: 180-43699-49  
 Matrix: Sediment Lab File ID: S513A080.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 14:30  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/14/2015 13:51  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 100  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 37.1 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		66	14
11104-28-2	PCB-1221	ND		66	17
11141-16-5	PCB-1232	ND		66	23
53469-21-9	PCB-1242	ND		66	17
12672-29-6	PCB-1248	5100		66	17
11097-69-1	PCB-1254	1800		66	16

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	0	<del>X-D</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	0	<del>X-D</del>	30-150

49

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-F03-0002 Lab Sample ID: 180-43699-49  
Matrix: Sediment Lab File ID: S513A080.D  
Analysis Method: 8082A Date Collected: 05/01/2015 14:30  
Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
Sample wt/vol: 30.0(g) Date Analyzed: 05/14/2015 13:51  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 100  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 37.1 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11096-82-5	PCB-1260	540		66	15

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	0	<del>ND</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	0	<del>ND</del>	30-150

50

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-J02-0002 Lab Sample ID: 180-43699-50  
Matrix: Sediment Lab File ID: S513A081.D  
Analysis Method: 8082A Date Collected: 05/01/2015 13:55  
Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
Sample wt/vol: 30.1(g) Date Analyzed: 05/14/2015 14:10  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
% Moisture: 75.8 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND	WJ	17	3.5
11104-28-2	PCB-1221	ND		17	4.3
11141-16-5	PCB-1232	ND		17	6.0
53469-21-9	PCB-1242	ND		17	4.4

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	111		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	75		30-150

NW 7/6/15

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-J02-0002 Lab Sample ID: 180-43699-50  
 Matrix: Sediment Lab File ID: S513A081.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 13:55  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/14/2015 14:10  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 75.8 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12672-29-6	PCB-1248	200	J	17	4.3
11097-69-1	PCB-1254	190		17	4.1
11096-82-5	PCB-1260	100		17	3.8

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	117		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	75		30-150



51

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-J02-0204 Lab Sample ID: 180-43699-51  
 Matrix: Sediment Lab File ID: S513A082.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 14:00  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/14/2015 14:29  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 64.5 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		12	2.4
11104-28-2	PCB-1221	ND		12	2.9
11141-16-5	PCB-1232	ND		12	4.0
53469-21-9	PCB-1242	ND		12	3.0
12672-29-6	PCB-1248	620		12	2.9

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	132		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	116		30-150

51

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-J02-0204 Lab Sample ID: 180-43699-51  
 Matrix: Sediment Lab File ID: S513A082.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 14:00  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/14/2015 14:29  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 64.5 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11097-69-1	PCB-1254	420		12	2.8
11096-82-5	PCB-1260	150		12	2.6

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	148		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	96		30-150

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-J02-0406 Lab Sample ID: 180-43699-52  
 Matrix: Sediment Lab File ID: S513A083.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 14:05  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/14/2015 14:48  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 57.7 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		0.98	0.20
11104-28-2	PCB-1221	ND		0.98	0.25
11141-16-5	PCB-1232	ND		0.98	0.34
53469-21-9	PCB-1242	ND		0.98	0.25

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	45		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	70		30-150

*mw 5/16/15*

52

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-J02-0406 Lab Sample ID: 180-43699-52  
 Matrix: Sediment Lab File ID: S513A083.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 14:05  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.0(g) Date Analyzed: 05/14/2015 14:48  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 1  
 Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
 % Moisture: 57.7 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12672-29-6	PCB-1248	1.1		0.98	0.25
11097-69-1	PCB-1254	0.83	J	0.98	0.23
11096-82-5	PCB-1260	0.37	J	0.98	0.22

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	47		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	68		30-150

53

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-F04-0002 Lab Sample ID: 180-43699-53  
 Matrix: Sediment Lab File ID: S513A084.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 10:20  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.1(g) Date Analyzed: 05/14/2015 15:07  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 60.5 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		11	2.2
11104-28-2	PCB-1221	ND		11	2.6
11141-16-5	PCB-1232	ND		11	3.6
53469-21-9	PCB-1242	ND		11	2.7

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	17	<del>xp</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	93		30-150

*MW 7/6/15*

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-F04-0002 Lab Sample ID: 180-43699-53  
Matrix: Sediment Lab File ID: S513A084.D  
Analysis Method: 8082A Date Collected: 05/01/2015 10:20  
Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
Sample wt/vol: 30.1(g) Date Analyzed: 05/14/2015 15:07  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 10  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 60.5 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12672-29-6	PCB-1248	220		11	2.6
11097-69-1	PCB-1254	230		11	2.5
11096-82-5	PCB-1260	160		11	2.3

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	28		20-150
877-09-8	Tetrachloro-m-xylene (Surr)	105		30-150

54

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: SD-F04-0406 Lab Sample ID: 180-43699-54  
 Matrix: Sediment Lab File ID: S513A085.D  
 Analysis Method: 8082A Date Collected: 05/01/2015 10:30  
 Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
 Sample wt/vol: 30.2(g) Date Analyzed: 05/14/2015 15:25  
 Con. Extract Vol.: 1.0(mL) Dilution Factor: 100  
 Injection Volume: 1(uL) GC Column: RTX-CLP1 ID: 0.53(mm)  
 % Moisture: 31.0 GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
12674-11-2	PCB-1016	ND		60	12
11104-28-2	PCB-1221	ND		60	15
11141-16-5	PCB-1232	ND		60	21
53469-21-9	PCB-1242	ND		60	15
12672-29-6	PCB-1248	2800		60	15

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	0	<del>X-D</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	0	<del>X-D</del>	30-150

54

FORM I  
GC SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: SD-F04-0406 Lab Sample ID: 180-43699-54  
Matrix: Sediment Lab File ID: S513A085.D  
Analysis Method: 8082A Date Collected: 05/01/2015 10:30  
Extraction Method: 3541 Date Extracted: 05/08/2015 04:25  
Sample wt/vol: 30.2(g) Date Analyzed: 05/14/2015 15:25  
Con. Extract Vol.: 1.0(mL) Dilution Factor: 100  
Injection Volume: 1(uL) GC Column: RTX-CLP2 ID: 0.53(mm)  
% Moisture: 31.0 GPC Cleanup: (Y/N) N  
Analysis Batch No.: 141434 Units: ug/Kg

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
11097-69-1	PCB-1254	1300	<u>J</u>	60	14
11096-82-5	PCB-1260	250		60	13

CAS NO.	SURROGATE	%REC	Q	LIMITS
2051-24-3	DCB Decachlorobiphenyl (Surr)	0	<del>X</del>	20-150
877-09-8	Tetrachloro-m-xylene (Surr)	0	<del>X</del>	30-150





1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: SD-H05-0002

Lab Sample ID: 180-43699-1

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 10:10

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 30.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	31	0.16	0.029	mg/Kg			1	6020A
7440-43-9	Cadmium	4.6	0.16	0.011	mg/Kg	J		1	6020A
7440-47-3	Chromium	2100	0.32	0.0098	mg/Kg		/	1	6020A
7439-92-1	Lead	130	0.16	0.0061	mg/Kg			1	6020A
7782-49-2	Selenium	2.1	0.80	0.080	mg/Kg	J		1	6020A
7440-22-4	Silver	3.1	0.16	0.0062	mg/Kg			1	6020A
7440-41-7	Beryllium	0.63	0.16	0.012	mg/Kg			1	6020A
7440-28-0	Thallium	0.41	0.16	0.0032	mg/Kg			1	6020A
7440-36-0	Antimony	6.8	0.32	0.0042	mg/Kg			1	6020A
7440-02-0	Nickel	120	0.16	0.018	mg/Kg			1	6020A
7440-66-6	Zinc	1700	0.80	0.10	mg/Kg			1	6020A
7440-50-8	Copper	240	0.32	0.053	mg/Kg			1	6020A
7439-97-6	Mercury	0.38	0.052	0.018	mg/Kg			1	7471A

MW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

2

Client Sample ID: SD-H05-0406

Lab Sample ID: 180-43699-2

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 10:20

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 28.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	69	0.18	0.032	mg/Kg	J		1	6020A
7440-43-9	Cadmium	62	0.18	0.012	mg/Kg	J		1	6020A
7440-47-3	Chromium	6900	3.5	0.11	mg/Kg	J		10	6020A
7439-92-1	Lead	1000	0.18	0.0067	mg/Kg	J		1	6020A
7782-49-2	Selenium	7.6	0.88	0.088	mg/Kg	J		1	6020A
7440-22-4	Silver	15	0.18	0.0069	mg/Kg	J		1	6020A
7440-41-7	Beryllium	0.70	0.18	0.013	mg/Kg	J		1	6020A
7440-28-0	Thallium	1.1	0.18	0.0035	mg/Kg	J		1	6020A
7440-36-0	Antimony	11	0.35	0.0046	mg/Kg	J		1	6020A
7440-02-0	Nickel	120	0.18	0.020	mg/Kg	J		1	6020A
7440-66-6	Zinc	9800	8.8	1.1	mg/Kg	J		10	6020A
7440-50-8	Copper	940	0.35	0.058	mg/Kg	J		1	6020A
7439-97-6	Mercury	2.3	0.055	0.019	mg/Kg	J		1	7471A

*mw 7/6/15*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

3

Client Sample ID: SD-F07-0002

Lab Sample ID: 180-43699-3

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 10:45

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 20.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	77	0.24	0.043	mg/Kg	J		1	6020A
7440-43-9	Cadmium	22	0.24	0.017	mg/Kg	J		1	6020A
7440-47-3	Chromium	2700	0.48	0.015	mg/Kg		P	1	6020A
7439-92-1	Lead	920	0.24	0.0091	mg/Kg	J		1	6020A
7782-49-2	Selenium	13	1.2	0.12	mg/Kg	J		1	6020A
7440-22-4	Silver	6.2	0.24	0.0093	mg/Kg			1	6020A
7440-41-7	Beryllium	1.1	0.24	0.018	mg/Kg			1	6020A
7440-28-0	Thallium	0.86	0.24	0.0048	mg/Kg			1	6020A
7440-36-0	Antimony	ND	0.48	0.0062	mg/Kg			1	6020A
7440-02-0	Nickel	69	0.24	0.027	mg/Kg			1	6020A
7440-66-6	Zinc	4600	1.2	0.16	mg/Kg			1	6020A
7440-50-8	Copper	480	0.48	0.079	mg/Kg			1	6020A
7439-97-6	Mercury	1.6	0.076	0.026	mg/Kg			1	7471A

*mw 7/6/15*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

4

Client Sample ID: SD-F07-0406

Lab Sample ID: 180-43699-4

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 10:55

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 31.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	97	0.16	0.028	mg/Kg			1	6020A
7440-43-9	Cadmium	6.1	0.16	0.011	mg/Kg	J		1	6020A
7440-47-3	Chromium	460	0.31	0.0095	mg/Kg		P	1	6020A
7439-92-1	Lead	1300	0.16	0.0059	mg/Kg			1	6020A
7782-49-2	Selenium	30	0.78	0.078	mg/Kg	J		1	6020A
7440-22-4	Silver	1.0	0.16	0.0061	mg/Kg			1	6020A
7440-41-7	Beryllium	1.3	0.16	0.012	mg/Kg			1	6020A
7440-28-0	Thallium	0.70	0.16	0.0031	mg/Kg			1	6020A
7440-36-0	Antimony	3.3	0.31	0.0041	mg/Kg			1	6020A
7440-02-0	Nickel	43	0.16	0.018	mg/Kg			1	6020A
7440-66-6	Zinc	2400	0.78	0.10	mg/Kg			1	6020A
7440-50-8	Copper	270	0.31	0.051	mg/Kg			1	6020A
7439-97-6	Mercury	1.5	0.049	0.017	mg/Kg			1	7471A

*MW 7/6/15*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

5

Client Sample ID: SD-G03-0002

Lab Sample ID: 180-43699-5

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 11:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 26.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	29	0.19	0.034	mg/Kg	J		1	6020A
7440-43-9	Cadmium	14	0.19	0.013	mg/Kg	J		1	6020A
7440-47-3	Chromium	2600	0.38	0.012	mg/Kg	J		1	6020A
7439-92-1	Lead	190	0.19	0.0072	mg/Kg	J		1	6020A
7782-49-2	Selenium	2.0	0.95	0.095	mg/Kg	J		1	6020A
7440-22-4	Silver	3.0	0.19	0.0074	mg/Kg	J		1	6020A
7440-41-7	Beryllium	0.60	0.19	0.014	mg/Kg	J		1	6020A
7440-28-0	Thallium	0.34	0.19	0.0038	mg/Kg	J		1	6020A
7440-36-0	Antimony	6.7	0.38	0.0049	mg/Kg	J		1	6020A
7440-02-0	Nickel	140	0.19	0.021	mg/Kg	J		1	6020A
7440-66-6	Zinc	3900	0.95	0.12	mg/Kg	J		1	6020A
7440-50-8	Copper	290	0.38	0.062	mg/Kg	J		1	6020A
7439-97-6	Mercury	0.53	0.058	0.020	mg/Kg	J		1	7471A

NW 7/16/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

6

Client Sample ID: SD-G03-0406

Lab Sample ID: 180-43699-6

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 11:40

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 30.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	84	0.16	0.029	mg/Kg			1	6020A
7440-43-9	Cadmium	20	0.16	0.011	mg/Kg	J		1	6020A
7440-47-3	Chromium	1900	0.32	0.0099	mg/Kg			1	6020A
7439-92-1	Lead	1200	0.16	0.0062	mg/Kg			1	6020A
7782-49-2	Selenium	13	0.81	0.081	mg/Kg	J		1	6020A
7440-22-4	Silver	7.6	0.16	0.0063	mg/Kg			1	6020A
7440-41-7	Beryllium	0.75	0.16	0.012	mg/Kg			1	6020A
7440-28-0	Thallium	0.82	0.16	0.0032	mg/Kg			1	6020A
7440-36-0	Antimony	11	0.32	0.0042	mg/Kg			1	6020A
7440-02-0	Nickel	54	0.16	0.018	mg/Kg			1	6020A
7440-66-6	Zinc	3500	0.81	0.11	mg/Kg			1	6020A
7440-50-8	Copper	500	0.32	0.054	mg/Kg			1	6020A
7439-97-6	Mercury	1.7	0.053	0.018	mg/Kg			1	7471A

MW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

7

Client Sample ID: SD-H06-0002

Lab Sample ID: 180-43699-7

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 11:50

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 21.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	26	0.23	0.041	mg/Kg	J		1	6020A
7440-43-9	Cadmium	4.4	0.23	0.016	mg/Kg	J		1	6020A
7440-47-3	Chromium	1600	0.45	0.014	mg/Kg			1	6020A
7439-92-1	Lead	150	0.23	0.0086	mg/Kg	↓		1	6020A
7782-49-2	Selenium	2.6	1.1	0.11	mg/Kg	J		1	6020A
7440-22-4	Silver	2.4	0.23	0.0088	mg/Kg			1	6020A
7440-41-7	Beryllium	1.0	0.23	0.017	mg/Kg			1	6020A
7440-28-0	Thallium	0.40	0.23	0.0045	mg/Kg			1	6020A
7440-36-0	Antimony	4.2	0.45	0.0059	mg/Kg			1	6020A
7440-02-0	Nickel	78	0.23	0.025	mg/Kg			1	6020A
7440-66-6	Zinc	1300	1.1	0.15	mg/Kg			1	6020A
7440-50-8	Copper	200	0.45	0.074	mg/Kg			1	6020A
7439-97-6	Mercury	0.47	0.077	0.026	mg/Kg			1	7471A

NW 7/6/15



1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

8

Client Sample ID: SD-H06-0002-FD

Lab Sample ID: 180-43699-8

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 12:10

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 21.0

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	28	0.24	0.043	mg/Kg	J		1	6020A
7440-43-9	Cadmium	5.4	0.24	0.017	mg/Kg	J		1	6020A
7440-47-3	Chromium	2100	0.47	0.014	mg/Kg	J	B	1	6020A
7439-92-1	Lead	190	0.24	0.0090	mg/Kg	J		1	6020A
7782-49-2	Selenium	2.8	1.2	0.12	mg/Kg	J		1	6020A
7440-22-4	Silver	3.2	0.24	0.0093	mg/Kg	J		1	6020A
7440-41-7	Beryllium	1.2	0.24	0.018	mg/Kg	J		1	6020A
7440-28-0	Thallium	0.48	0.24	0.0047	mg/Kg	J		1	6020A
7440-36-0	Antimony	4.0	0.47	0.0062	mg/Kg	J		1	6020A
7440-02-0	Nickel	79	0.24	0.027	mg/Kg	J		1	6020A
7440-66-6	Zinc	1500	1.2	0.15	mg/Kg	J		1	6020A
7440-50-8	Copper	240	0.47	0.078	mg/Kg	J		1	6020A
7439-97-6	Mercury	0.54	0.074	0.025	mg/Kg	J		1	7471A

NW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

9

Client Sample ID: SD-H06-0204

Lab Sample ID: 180-43699-9

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 11:55

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 24.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	62	0.20	0.037	mg/Kg	J		1	6020A
7440-43-9	Cadmium	36	0.20	0.014	mg/Kg	J	<del>FL</del>	1	6020A
7440-47-3	Chromium	4000	0.41	0.012	mg/Kg	J	<del>FL</del>	1	6020A
7439-92-1	Lead	680	0.20	0.0077	mg/Kg	J	<del>FL</del>	1	6020A
7782-49-2	Selenium	7.7	1.0	0.10	mg/Kg	J	<del>FL</del>	1	6020A
7440-22-4	Silver	7.5	0.20	0.0079	mg/Kg	J		1	6020A
7440-41-7	Beryllium	1.0	0.20	0.015	mg/Kg	J		1	6020A
7440-28-0	Thallium	0.85	0.20	0.0041	mg/Kg	J		1	6020A
7440-36-0	Antimony	5.9	0.41	0.0053	mg/Kg	J		1	6020A
7440-02-0	Nickel	83	0.20	0.023	mg/Kg	J		1	6020A
7440-66-6	Zinc	5600	1.0	0.13	mg/Kg	J		1	6020A
7440-50-8	Copper	610	0.41	0.067	mg/Kg	J		1	6020A
7439-97-6	Mercury	1.5	0.064	0.022	mg/Kg	J		1	7471A

MW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

10

Client Sample ID: SD-G02-0002

Lab Sample ID: 180-43699-10

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 13:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 25.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	29	0.19	0.034	mg/Kg	J		1	6020A
7440-43-9	Cadmium	33	0.19	0.013	mg/Kg	J		1	6020A
7440-47-3	Chromium	3900	0.38	0.012	mg/Kg			1	6020A
7439-92-1	Lead	300	0.19	0.0072	mg/Kg			1	6020A
7782-49-2	Selenium	1.5	0.95	0.095	mg/Kg	J		1	6020A
7440-22-4	Silver	4.8	0.19	0.0074	mg/Kg			1	6020A
7440-41-7	Beryllium	0.26	0.19	0.014	mg/Kg			1	6020A
7440-28-0	Thallium	0.28	0.19	0.0038	mg/Kg			1	6020A
7440-36-0	Antimony	6.9	0.38	0.0049	mg/Kg			1	6020A
7440-02-0	Nickel	170	0.19	0.021	mg/Kg			1	6020A
7440-66-6	Zinc	11000	9.5	1.2	mg/Kg			10	6020A
7440-50-8	Copper	400	0.38	0.063	mg/Kg			1	6020A
7439-97-6	Mercury	0.63	0.064	0.022	mg/Kg			1	7471A

NW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

11

Client Sample ID: SD-G02-0406

Lab Sample ID: 180-43699-11

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 13:40

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 30.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	57	0.16	0.029	mg/Kg			1	6020A
7440-43-9	Cadmium	71	0.16	0.011	mg/Kg	J		1	6020A
7440-47-3	Chromium	5600	3.2	0.098	mg/Kg		B	10	6020A
7439-92-1	Lead	840	0.16	0.0061	mg/Kg			1	6020A
7782-49-2	Selenium	2.7	0.80	0.081	mg/Kg	J		1	6020A
7440-22-4	Silver	12	0.16	0.0063	mg/Kg			1	6020A
7440-41-7	Beryllium	0.24	0.16	0.012	mg/Kg			1	6020A
7440-28-0	Thallium	0.28	0.16	0.0032	mg/Kg			1	6020A
7440-36-0	Antimony	13	0.32	0.0042	mg/Kg			1	6020A
7440-02-0	Nickel	160	0.16	0.018	mg/Kg			1	6020A
7440-66-6	Zinc	12000	8.0	1.0	mg/Kg			10	6020A
7440-50-8	Copper	580	0.32	0.053	mg/Kg			1	6020A
7439-97-6	Mercury	1.8	0.054	0.018	mg/Kg			1	7471A

NW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

12

Client Sample ID: SD-DE02-0002

Lab Sample ID: 180-43699-12

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 14:00

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 19.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	35	0.25	0.046	mg/Kg	J		1	6020A
7440-43-9	Cadmium	26	0.25	0.018	mg/Kg	J		1	6020A
7440-47-3	Chromium	2300	0.51	0.015	mg/Kg	J		1	6020A
7439-92-1	Lead	320	0.25	0.0096	mg/Kg	J		1	6020A
7782-49-2	Selenium	4.4	1.3	0.13	mg/Kg	J		1	6020A
7440-22-4	Silver	3.9	0.25	0.0099	mg/Kg	J		1	6020A
7440-41-7	Beryllium	1.3	0.25	0.019	mg/Kg	J		1	6020A
7440-28-0	Thallium	0.70	0.25	0.0051	mg/Kg	J		1	6020A
7440-36-0	Antimony	3.7	0.51	0.0066	mg/Kg	J		1	6020A
7440-02-0	Nickel	67	0.25	0.029	mg/Kg	J		1	6020A
7440-66-6	Zinc	4100	1.3	0.16	mg/Kg	J		1	6020A
7440-50-8	Copper	290	0.51	0.084	mg/Kg	J		1	6020A
7439-97-6	Mercury	0.69	0.084	0.029	mg/Kg	J		1	7471A

NW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

13

Client Sample ID: SD-DE02-0406

Lab Sample ID: 180-43699-13

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 14:10

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 32.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	83	0.15	0.027	mg/Kg			1	6020A
7440-43-9	Cadmium	3.5	0.15	0.010	mg/Kg	J		1	6020A
7440-47-3	Chromium	440	0.30	0.0091	mg/Kg			1	6020A
7439-92-1	Lead	1000	0.15	0.0057	mg/Kg			1	6020A
7782-49-2	Selenium	15	0.75	0.075	mg/Kg	J		1	6020A
7440-22-4	Silver	1.0	0.15	0.0058	mg/Kg			1	6020A
7440-41-7	Beryllium	1.1	0.15	0.011	mg/Kg			1	6020A
7440-28-0	Thallium	0.49	0.15	0.0030	mg/Kg			1	6020A
7440-36-0	Antimony	3.2	0.30	0.0039	mg/Kg			1	6020A
7440-02-0	Nickel	36	0.15	0.017	mg/Kg			1	6020A
7440-66-6	Zinc	2100	0.75	0.097	mg/Kg			1	6020A
7440-50-8	Copper	190	0.30	0.049	mg/Kg			1	6020A
7439-97-6	Mercury	1.0	0.050	0.017	mg/Kg			1	7471A

MW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

14

Client Sample ID: SD-H07-0002

Lab Sample ID: 180-43699-14

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 14:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 29.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	67	0.17	0.030	mg/Kg	J		1	6020A
7440-43-9	Cadmium	8.6	0.17	0.012	mg/Kg	J		1	6020A
7440-47-3	Chromium	1100	0.33	0.010	mg/Kg		P	1	6020A
7439-92-1	Lead	570	0.17	0.0063	mg/Kg	J		1	6020A
7782-49-2	Selenium	9.9	0.83	0.083	mg/Kg	J		1	6020A
7440-22-4	Silver	2.5	0.17	0.0064	mg/Kg			1	6020A
7440-41-7	Beryllium	1.2	0.17	0.012	mg/Kg			1	6020A
7440-28-0	Thallium	0.81	0.17	0.0033	mg/Kg			1	6020A
7440-36-0	Antimony	3.2	0.33	0.0043	mg/Kg			1	6020A
7440-02-0	Nickel	43	0.17	0.019	mg/Kg			1	6020A
7440-66-6	Zinc	2000	0.83	0.11	mg/Kg			1	6020A
7440-50-8	Copper	290	0.33	0.055	mg/Kg			1	6020A
7439-97-6	Mercury	0.91	0.053	0.018	mg/Kg			1	7471A

mw 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

15

Client Sample ID: SD-H07-0002-FD

Lab Sample ID: 180-43699-15

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 14:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 30.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	57	0.16	0.029	mg/Kg			1	6020A
7440-43-9	Cadmium	7.5	0.16	0.011	mg/Kg	J		1	6020A
7440-47-3	Chromium	900	0.32	0.0098	mg/Kg		/	1	6020A
7439-92-1	Lead	570	0.16	0.0061	mg/Kg			1	6020A
7782-49-2	Selenium	10	0.80	0.081	mg/Kg	J		1	6020A
7440-22-4	Silver	2.0	0.16	0.0063	mg/Kg			1	6020A
7440-41-7	Beryllium	1.0	0.16	0.012	mg/Kg			1	6020A
7440-28-0	Thallium	0.64	0.16	0.0032	mg/Kg			1	6020A
7440-36-0	Antimony	2.6	0.32	0.0042	mg/Kg			1	6020A
7440-02-0	Nickel	39	0.16	0.018	mg/Kg			1	6020A
7440-66-6	Zinc	1700	0.80	0.10	mg/Kg			1	6020A
7440-50-8	Copper	230	0.32	0.053	mg/Kg			1	6020A
7439-97-6	Mercury	0.97	0.054	0.018	mg/Kg			1	7471A

MW 7/6/15



1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

16

Client Sample ID: SD-H07-0406

Lab Sample ID: 180-43699-16

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 14:40

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 46.6

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	43	0.11	0.019	mg/Kg		<del>P2</del>	1	6020A
7440-43-9	Cadmium	3.5	0.11	0.0074	mg/Kg	J	<del>P1</del>	1	6020A
7440-47-3	Chromium	360	0.21	0.0065	mg/Kg		<del>P</del>	1	6020A
7439-92-1	Lead	360	0.11	0.0040	mg/Kg		<del>P2</del>	1	6020A
7782-49-2	Selenium	9.8	0.53	0.053	mg/Kg			1	6020A
7440-22-4	Silver	0.39	0.11	0.0041	mg/Kg			1	6020A
7440-41-7	Beryllium	1.1	0.11	0.0080	mg/Kg			1	6020A
7440-28-0	Thallium	0.41	0.11	0.0021	mg/Kg			1	6020A
7440-36-0	Antimony	0.97	0.21	0.0028	mg/Kg	J	<del>P1</del>	1	6020A
7440-02-0	Nickel	40	0.11	0.012	mg/Kg			1	6020A
7440-66-6	Zinc	680	0.53	0.069	mg/Kg		<del>P2</del>	1	6020A
7440-50-8	Copper	120	0.21	0.035	mg/Kg			1	6020A
7439-97-6	Mercury	1.1	0.031	0.011	mg/Kg		<del>P2</del>	1	7471A

NW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

17

Client Sample ID: SD-G06-0002

Lab Sample ID: 180-43699-17

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 15:00

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 33.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	120	0.15	0.027	mg/Kg			1	6020A
7440-43-9	Cadmium	5.8	0.15	0.010	mg/Kg	J		1	6020A
7440-47-3	Chromium	560	0.30	0.0091	mg/Kg		/	1	6020A
7439-92-1	Lead	1100	0.15	0.0057	mg/Kg			1	6020A
7782-49-2	Selenium	16	0.75	0.075	mg/Kg	J		1	6020A
7440-22-4	Silver	1.4	0.15	0.0058	mg/Kg			1	6020A
7440-41-7	Beryllium	0.99	0.15	0.011	mg/Kg			1	6020A
7440-28-0	Thallium	0.70	0.15	0.0030	mg/Kg			1	6020A
7440-36-0	Antimony	3.0	0.30	0.0039	mg/Kg			1	6020A
7440-02-0	Nickel	30	0.15	0.017	mg/Kg			1	6020A
7440-66-6	Zinc	2000	0.75	0.097	mg/Kg			1	6020A
7440-50-8	Copper	230	0.30	0.049	mg/Kg			1	6020A
7439-97-6	Mercury	0.95	0.049	0.017	mg/Kg			1	7471A

MW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

18

Client Sample ID: SD-G06-0406

Lab Sample ID: 180-43699-18

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 15:10

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 45.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	10	0.11	0.019	mg/Kg			1	6020A
7440-43-9	Cadmium	0.26	0.11	0.0075	mg/Kg	J		1	6020A
7440-47-3	Chromium	50	0.21	0.0065	mg/Kg			1	6020A
7439-92-1	Lead	45	0.11	0.0041	mg/Kg			1	6020A
7782-49-2	Selenium	0.87	0.54	0.054	mg/Kg	J		1	6020A
7440-22-4	Silver	0.12	0.11	0.0042	mg/Kg			1	6020A
7440-41-7	Beryllium	1.1	0.11	0.0080	mg/Kg			1	6020A
7440-28-0	Thallium	0.19	0.11	0.0021	mg/Kg			1	6020A
7440-36-0	Antimony	0.22	0.21	0.0028	mg/Kg			1	6020A
7440-02-0	Nickel	26	0.11	0.012	mg/Kg			1	6020A
7440-66-6	Zinc	100	0.54	0.069	mg/Kg			1	6020A
7440-50-8	Copper	38	0.21	0.035	mg/Kg			1	6020A
7439-97-6	Mercury	0.17	0.034	0.012	mg/Kg			1	7471A

MW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

19

Client Sample ID: SD-I03-0002

Lab Sample ID: 180-43699-19

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 15:35

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 33.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	99	0.15	0.026	mg/Kg			1	6020A
7440-43-9	Cadmium	8.9	0.15	0.010	mg/Kg	J		1	6020A
7440-47-3	Chromium	1000	0.29	0.0089	mg/Kg			1	6020A
7439-92-1	Lead	840	0.15	0.0055	mg/Kg			1	6020A
7782-49-2	Selenium	17	0.73	0.073	mg/Kg	J		1	6020A
7440-22-4	Silver	1.6	0.15	0.0057	mg/Kg			1	6020A
7440-41-7	Beryllium	1.1	0.15	0.011	mg/Kg			1	6020A
7440-28-0	Thallium	0.81	0.15	0.0029	mg/Kg			1	6020A
7440-36-0	Antimony	3.4	0.29	0.0038	mg/Kg			1	6020A
7440-02-0	Nickel	46	0.15	0.016	mg/Kg			1	6020A
7440-66-6	Zinc	1900	0.73	0.095	mg/Kg			1	6020A
7440-50-8	Copper	270	0.29	0.048	mg/Kg			1	6020A
7439-97-6	Mercury	1.5	0.049	0.017	mg/Kg			1	7471A

Mw 7/6/15

20

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: SD-I03-0204

Lab Sample ID: 180-43699-20

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 15:40

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 42.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	30	0.12	0.021	mg/Kg			1	6020A
7440-43-9	Cadmium	1.5	0.12	0.0082	mg/Kg	J		1	6020A
7440-47-3	Chromium	210	0.23	0.0071	mg/Kg		/	1	6020A
7439-92-1	Lead	170	0.12	0.0045	mg/Kg			1	6020A
7782-49-2	Selenium	3.6	0.59	0.059	mg/Kg	J		1	6020A
7440-22-4	Silver	0.27	0.12	0.0046	mg/Kg			1	6020A
7440-41-7	Beryllium	1.1	0.12	0.0088	mg/Kg			1	6020A
7440-28-0	Thallium	0.31	0.12	0.0023	mg/Kg			1	6020A
7440-36-0	Antimony	0.69	0.23	0.0030	mg/Kg			1	6020A
7440-02-0	Nickel	36	0.12	0.013	mg/Kg			1	6020A
7440-66-6	Zinc	380	0.59	0.076	mg/Kg			1	6020A
7440-50-8	Copper	74	0.23	0.039	mg/Kg			1	6020A
7439-97-6	Mercury	1.1	0.036	0.012	mg/Kg			1	7471A

rw 7/6/15

21

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: SD-I03-0406

Lab Sample ID: 180-43699-21

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 15:45

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 42.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	7.6	0.12	0.021	mg/Kg			1	6020A
7440-43-9	Cadmium	0.16	0.12	0.0081	mg/Kg	J		1	6020A
7440-47-3	Chromium	30	0.23	0.0070	mg/Kg		✓	1	6020A
7439-92-1	Lead	16	0.12	0.0044	mg/Kg			1	6020A
7782-49-2	Selenium	0.73	0.58	0.058	mg/Kg	J		1	6020A
7440-22-4	Silver	0.052	0.12	0.0045	mg/Kg	J		1	6020A
7440-41-7	Beryllium	1.0	0.12	0.0086	mg/Kg			1	6020A
7440-28-0	Thallium	0.16	0.12	0.0023	mg/Kg			1	6020A
7440-36-0	Antimony	0.10	0.23	0.0030	mg/Kg	J		1	6020A
7440-02-0	Nickel	19	0.12	0.013	mg/Kg			1	6020A
7440-66-6	Zinc	58	0.58	0.075	mg/Kg			1	6020A
7440-50-8	Copper	14	0.23	0.038	mg/Kg			1	6020A
7439-97-6	Mercury	0.018	0.037	0.013	mg/Kg	J		1	7471A

NW 7/6/15

22

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: SD-E03-0002

Lab Sample ID: 180-43699-22

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:15

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 20.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	60	0.24	0.044	mg/Kg	J		1	6020A
7440-43-9	Cadmium	13	0.24	0.017	mg/Kg	J		1	6020A
7440-47-3	Chromium	1600	0.49	0.015	mg/Kg		/	1	6020A
7439-92-1	Lead	860	0.24	0.0092	mg/Kg			1	6020A
7782-49-2	Selenium	9.7	1.2	0.12	mg/Kg			1	6020A
7440-22-4	Silver	3.8	0.24	0.0095	mg/Kg			1	6020A
7440-41-7	Beryllium	0.50	0.24	0.018	mg/Kg			1	6020A
7440-28-0	Thallium	0.51	0.24	0.0049	mg/Kg			1	6020A
7440-36-0	Antimony	6.2	0.49	0.0063	mg/Kg	J		1	6020A
7440-02-0	Nickel	56	0.24	0.027	mg/Kg			1	6020A
7440-66-6	Zinc	3400	1.2	0.16	mg/Kg			1	6020A
7440-50-8	Copper	330	0.49	0.080	mg/Kg			1	6020A
7439-97-6	Mercury	1.0	0.075	0.026	mg/Kg			1	7471A

NW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: SD-E03-0204

Lab Sample ID: 180-43699-23

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:20

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 32.0

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	65	0.15	0.028	mg/Kg			1	6020A
7440-43-9	Cadmium	6.6	0.15	0.011	mg/Kg	J		1	6020A
7440-47-3	Chromium	330	0.30	0.0093	mg/Kg		/	1	6020A
7439-92-1	Lead	1000	0.15	0.0058	mg/Kg			1	6020A
7782-49-2	Selenium	17	0.76	0.076	mg/Kg			1	6020A
7440-22-4	Silver	1.0	0.15	0.0059	mg/Kg			1	6020A
7440-41-7	Beryllium	0.86	0.15	0.011	mg/Kg			1	6020A
7440-28-0	Thallium	0.57	0.15	0.0030	mg/Kg			1	6020A
7440-36-0	Antimony	2.3	0.30	0.0040	mg/Kg	J		1	6020A
7440-02-0	Nickel	45	0.15	0.017	mg/Kg			1	6020A
7440-66-6	Zinc	4000	0.76	0.099	mg/Kg			1	6020A
7440-50-8	Copper	200	0.30	0.050	mg/Kg			1	6020A
7439-97-6	Mercury	0.86	0.044	0.015	mg/Kg			1	7471A

MW 7/6/15



1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: SD-E03-0204-FD

Lab Sample ID: 180-43699-24

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:20

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 31.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	72	0.15	0.028	mg/Kg			1	6020A
7440-43-9	Cadmium	6.5	0.15	0.011	mg/Kg	J		1	6020A
7440-47-3	Chromium	360	0.31	0.0095	mg/Kg		/	1	6020A
7439-92-1	Lead	1100	0.15	0.0059	mg/Kg			1	6020A
7782-49-2	Selenium	25	0.77	0.078	mg/Kg			1	6020A
7440-22-4	Silver	0.80	0.15	0.0060	mg/Kg			1	6020A
7440-41-7	Beryllium	0.83	0.15	0.012	mg/Kg			1	6020A
7440-28-0	Thallium	0.52	0.15	0.0031	mg/Kg			1	6020A
7440-36-0	Antimony	2.7	0.31	0.0040	mg/Kg	J		1	6020A
7440-02-0	Nickel	48	0.15	0.018	mg/Kg			1	6020A
7440-66-6	Zinc	4500	0.77	0.10	mg/Kg			1	6020A
7440-50-8	Copper	200	0.31	0.051	mg/Kg			1	6020A
7439-97-6	Mercury	0.87	0.047	0.016	mg/Kg			1	7471A

NW 7/6/15

25

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: SD-E03-0406

Lab Sample ID: 180-43699-25

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:25

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 48.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	29	0.10	0.019	mg/Kg			1	6020A
7440-43-9	Cadmium	0.40	0.10	0.0072	mg/Kg	J		1	6020A
7440-47-3	Chromium	67	0.21	0.0063	mg/Kg		/	1	6020A
7439-92-1	Lead	88	0.10	0.0039	mg/Kg			1	6020A
7782-49-2	Selenium	1.5	0.52	0.052	mg/Kg			1	6020A
7440-22-4	Silver	0.16	0.10	0.0040	mg/Kg			1	6020A
7440-41-7	Beryllium	1.2	0.10	0.0078	mg/Kg			1	6020A
7440-28-0	Thallium	0.25	0.10	0.0021	mg/Kg			1	6020A
7440-36-0	Antimony	0.37	0.21	0.0027	mg/Kg	J		1	6020A
7440-02-0	Nickel	32	0.10	0.012	mg/Kg			1	6020A
7440-66-6	Zinc	190	0.52	0.067	mg/Kg			1	6020A
7440-50-8	Copper	58	0.21	0.034	mg/Kg			1	6020A
7439-97-6	Mercury	0.29	0.029	0.010	mg/Kg			1	7471A

MW 7/6/15

26

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: SD-I02-0002

Lab Sample ID: 180-43699-26

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:45

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 22.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	47	0.22	0.039	mg/Kg	J		1	6020A
7440-43-9	Cadmium	17	0.22	0.015	mg/Kg	J		1	6020A
7440-47-3	Chromium	1900	0.44	0.013	mg/Kg			1	6020A
7439-92-1	Lead	430	0.22	0.0083	mg/Kg			1	6020A
7782-49-2	Selenium	7.3	1.1	0.11	mg/Kg			1	6020A
7440-22-4	Silver	4.3	0.22	0.0085	mg/Kg			1	6020A
7440-41-7	Beryllium	0.96	0.22	0.016	mg/Kg			1	6020A
7440-28-0	Thallium	0.86	0.22	0.0044	mg/Kg			1	6020A
7440-36-0	Antimony	3.3	0.44	0.0057	mg/Kg	J		1	6020A
7440-02-0	Nickel	61	0.22	0.025	mg/Kg			1	6020A
7440-66-6	Zinc	3000	1.1	0.14	mg/Kg			1	6020A
7440-50-8	Copper	370	0.44	0.072	mg/Kg			1	6020A
7439-97-6	Mercury	0.58	0.061	0.021	mg/Kg			1	7471A

rw 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

27

Client Sample ID: SD-I02-0204

Lab Sample ID: 180-43699-27

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:50

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 31.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	33	0.16	0.029	mg/Kg			1	6020A
7440-43-9	Cadmium	7.3	0.16	0.011	mg/Kg	J		1	6020A
7440-47-3	Chromium	850	0.32	0.0096	mg/Kg		/	1	6020A
7439-92-1	Lead	250	0.16	0.0060	mg/Kg			1	6020A
7782-49-2	Selenium	4.8	0.79	0.079	mg/Kg			1	6020A
7440-22-4	Silver	2.0	0.16	0.0062	mg/Kg			1	6020A
7440-41-7	Beryllium	0.77	0.16	0.012	mg/Kg			1	6020A
7440-28-0	Thallium	0.43	0.16	0.0032	mg/Kg			1	6020A
7440-36-0	Antimony	1.8	0.32	0.0041	mg/Kg	J		1	6020A
7440-02-0	Nickel	30	0.16	0.018	mg/Kg			1	6020A
7440-66-6	Zinc	990	0.79	0.10	mg/Kg			1	6020A
7440-50-8	Copper	210	0.32	0.052	mg/Kg			1	6020A
7439-97-6	Mercury	0.63	0.048	0.017	mg/Kg			1	7471A

MW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

28

Client Sample ID: SD-I02-0406

Lab Sample ID: 180-43699-28

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:55

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 38.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	7.1	0.13	0.023	mg/Kg			1	6020A
7440-43-9	Cadmium	0.25	0.13	0.0090	mg/Kg	J		1	6020A
7440-47-3	Chromium	39	0.26	0.0078	mg/Kg			1	6020A
7439-92-1	Lead	19	0.13	0.0049	mg/Kg			1	6020A
7782-49-2	Selenium	0.71	0.64	0.064	mg/Kg			1	6020A
7440-22-4	Silver	0.067	0.13	0.0050	mg/Kg	J		1	6020A
7440-41-7	Beryllium	1.0	0.13	0.0096	mg/Kg			1	6020A
7440-28-0	Thallium	0.18	0.13	0.0026	mg/Kg			1	6020A
7440-36-0	Antimony	0.15	0.26	0.0033	mg/Kg	J		1	6020A
7440-02-0	Nickel	21	0.13	0.014	mg/Kg			1	6020A
7440-66-6	Zinc	71	0.64	0.083	mg/Kg			1	6020A
7440-50-8	Copper	15	0.26	0.042	mg/Kg			1	6020A
7439-97-6	Mercury	0.018	0.035	0.012	mg/Kg	J		1	7471A

*mw 7/6/15*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

29

Client Sample ID: SD-G01-0002

Lab Sample ID: 180-43699-29

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 08:50

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 36.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	21	0.14	0.025	mg/Kg			1	6020A
7440-43-9	Cadmium	2.1	0.14	0.0095	mg/Kg	J		1	6020A
7440-47-3	Chromium	2900	0.27	0.0083	mg/Kg			1	6020A
7439-92-1	Lead	77	0.14	0.0052	mg/Kg			1	6020A
7782-49-2	Selenium	0.88	0.68	0.068	mg/Kg			1	6020A
7440-22-4	Silver	2.0	0.14	0.0053	mg/Kg			1	6020A
7440-41-7	Beryllium	0.17	0.14	0.010	mg/Kg			1	6020A
7440-28-0	Thallium	0.16	0.14	0.0027	mg/Kg			1	6020A
7440-36-0	Antimony	6.2	0.27	0.0035	mg/Kg	J		1	6020A
7440-02-0	Nickel	180	0.14	0.015	mg/Kg			1	6020A
7440-66-6	Zinc	880	0.68	0.088	mg/Kg			1	6020A
7440-50-8	Copper	200	0.27	0.045	mg/Kg			1	6020A
7439-97-6	Mercury	0.32	0.035	0.012	mg/Kg			1	7471A

*mw 7/6/15*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

30

Client Sample ID: SD-G01-0406

Lab Sample ID: 180-43699-30

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 09:00

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 29.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	50	0.17	0.030	mg/Kg	J		1	6020A
7440-43-9	Cadmium	90	0.17	0.012	mg/Kg	J		1	6020A
7440-47-3	Chromium	7300	3.4	0.10	mg/Kg		✓	10	6020A
7439-92-1	Lead	890	0.17	0.0064	mg/Kg	J		1	6020A
7782-49-2	Selenium	1.4	0.84	0.084	mg/Kg	J		1	6020A
7440-22-4	Silver	10	0.17	0.0066	mg/Kg	J		1	6020A
7440-41-7	Beryllium	0.15	0.17	0.013	mg/Kg	J		1	6020A
7440-28-0	Thallium	0.16	0.17	0.0034	mg/Kg	J		1	6020A
7440-36-0	Antimony	7.6	0.34	0.0044	mg/Kg	J		1	6020A
7440-02-0	Nickel	170	0.17	0.019	mg/Kg	J		1	6020A
7440-66-6	Zinc	16000	8.4	1.1	mg/Kg	J		10	6020A
7440-50-8	Copper	540	0.34	0.055	mg/Kg	J		1	6020A
7439-97-6	Mercury	1.1	0.049	0.017	mg/Kg	J		1	7471A

*rw 7/6/15*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

31

Client Sample ID: SD-G04-0002

Lab Sample ID: 180-43699-31

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 09:20

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 25.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	41	0.19	0.035	mg/Kg	J		1	6020A
7440-43-9	Cadmium	34	0.19	0.014	mg/Kg	J		1	6020A
7440-47-3	Chromium	4200	0.39	0.012	mg/Kg			1	6020A
7439-92-1	Lead	560	0.19	0.0073	mg/Kg			1	6020A
7782-49-2	Selenium	3.4	0.97	0.097	mg/Kg			1	6020A
7440-22-4	Silver	8.1	0.19	0.0075	mg/Kg			1	6020A
7440-41-7	Beryllium	0.36	0.19	0.014	mg/Kg			1	6020A
7440-28-0	Thallium	0.55	0.19	0.0039	mg/Kg			1	6020A
7440-36-0	Antimony	6.2	0.39	0.0050	mg/Kg	J		1	6020A
7440-02-0	Nickel	92	0.19	0.022	mg/Kg			1	6020A
7440-66-6	Zinc	8000	9.7	1.3	mg/Kg			10	6020A
7440-50-8	Copper	440	0.39	0.064	mg/Kg			1	6020A
7439-97-6	Mercury	1.5	0.051	0.017	mg/Kg			1	7471A

NW 7/6/15



1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

32

Client Sample ID: SD-G04-0406

Lab Sample ID: 180-43699-32

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 09:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 37.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	71	0.13	0.024	mg/Kg			1	6020A
7440-43-9	Cadmium	5.6	0.13	0.0092	mg/Kg	J		1	6020A
7440-47-3	Chromium	350	0.26	0.0080	mg/Kg		/	1	6020A
7439-92-1	Lead	840	0.13	0.0050	mg/Kg			1	6020A
7782-49-2	Selenium	30	0.66	0.066	mg/Kg			1	6020A
7440-22-4	Silver	0.64	0.13	0.0051	mg/Kg			1	6020A
7440-41-7	Beryllium	0.92	0.13	0.0099	mg/Kg			1	6020A
7440-28-0	Thallium	0.62	0.13	0.0026	mg/Kg			1	6020A
7440-36-0	Antimony	3.3	0.26	0.0034	mg/Kg	J		1	6020A
7440-02-0	Nickel	37	0.13	0.015	mg/Kg			1	6020A
7440-66-6	Zinc	1600	0.66	0.085	mg/Kg			1	6020A
7440-50-8	Copper	210	0.26	0.044	mg/Kg			1	6020A
7439-97-6	Mercury	1.4	0.039	0.013	mg/Kg			1	7471A

*mw 7/6/15*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

33

Client Sample ID: SD-G04-0406-FD

Lab Sample ID: 180-43699-33

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 09:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 36.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	69	0.13	0.024	mg/Kg			1	6020A
7440-43-9	Cadmium	5.5	0.13	0.0094	mg/Kg	J		1	6020A
7440-47-3	Chromium	410	0.27	0.0082	mg/Kg		✓	1	6020A
7439-92-1	Lead	800	0.13	0.0051	mg/Kg			1	6020A
7782-49-2	Selenium	30	0.67	0.068	mg/Kg			1	6020A
7440-22-4	Silver	0.64	0.13	0.0052	mg/Kg			1	6020A
7440-41-7	Beryllium	0.95	0.13	0.010	mg/Kg			1	6020A
7440-28-0	Thallium	0.66	0.13	0.0027	mg/Kg			1	6020A
7440-36-0	Antimony	3.2	0.27	0.0035	mg/Kg	J		1	6020A
7440-02-0	Nickel	41	0.13	0.015	mg/Kg			1	6020A
7440-66-6	Zinc	1500	0.67	0.087	mg/Kg			1	6020A
7440-50-8	Copper	210	0.27	0.044	mg/Kg			1	6020A
7439-97-6	Mercury	1.0	0.041	0.014	mg/Kg			1	7471A

*mw 7/6/15*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

34

Client Sample ID: SD-G05-0002

Lab Sample ID: 180-43699-34

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 09:50

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 21.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	22	0.23	0.041	mg/Kg	J		1	6020A
7440-43-9	Cadmium	8.0	0.23	0.016	mg/Kg	J		1	6020A
7440-47-3	Chromium	1100	0.46	0.014	mg/Kg			1	6020A
7439-92-1	Lead	180	0.23	0.0087	mg/Kg			1	6020A
7782-49-2	Selenium	2.3	1.1	0.11	mg/Kg			1	6020A
7440-22-4	Silver	2.2	0.23	0.0089	mg/Kg			1	6020A
7440-41-7	Beryllium	0.84	0.23	0.017	mg/Kg			1	6020A
7440-28-0	Thallium	0.38	0.23	0.0046	mg/Kg			1	6020A
7440-36-0	Antimony	3.1	0.46	0.0059	mg/Kg	J		1	6020A
7440-02-0	Nickel	60	0.23	0.026	mg/Kg			1	6020A
7440-66-6	Zinc	1900	1.1	0.15	mg/Kg			1	6020A
7440-50-8	Copper	180	0.46	0.075	mg/Kg			1	6020A
7439-97-6	Mercury	0.49	0.069	0.024	mg/Kg			1	7471A

MW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

35

Client Sample ID: SD-G05-0406

Lab Sample ID: 180-43699-35

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 10:00

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 41.0

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	31	0.12	0.022	mg/Kg			1	6020A
7440-43-9	Cadmium	11	0.12	0.0084	mg/Kg	J		1	6020A
7440-47-3	Chromium	1100	0.24	0.0073	mg/Kg		/	1	6020A
7439-92-1	Lead	300	0.12	0.0045	mg/Kg			1	6020A
7782-49-2	Selenium	4.0	0.60	0.060	mg/Kg			1	6020A
7440-22-4	Silver	3.0	0.12	0.0047	mg/Kg			1	6020A
7440-41-7	Beryllium	0.76	0.12	0.0090	mg/Kg			1	6020A
7440-28-0	Thallium	0.41	0.12	0.0024	mg/Kg			1	6020A
7440-36-0	Antimony	2.3	0.24	0.0031	mg/Kg	J		1	6020A
7440-02-0	Nickel	32	0.12	0.014	mg/Kg			1	6020A
7440-66-6	Zinc	1300	0.60	0.078	mg/Kg			1	6020A
7440-50-8	Copper	240	0.24	0.039	mg/Kg			1	6020A
7439-97-6	Mercury	0.74	0.036	0.012	mg/Kg			1	7471A

MV 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

36

Client Sample ID: SD-G05-0607

Lab Sample ID: 180-43699-36

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 10:05

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 47.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	9.8	0.10	0.019	mg/Kg			1	6020A
7440-43-9	Cadmium	0.35	0.10	0.0072	mg/Kg	J		1	6020A
7440-47-3	Chromium	66	0.21	0.0063	mg/Kg		/	1	6020A
7439-92-1	Lead	45	0.10	0.0039	mg/Kg			1	6020A
7782-49-2	Selenium	0.81	0.52	0.052	mg/Kg			1	6020A
7440-22-4	Silver	0.14	0.10	0.0040	mg/Kg			1	6020A
7440-41-7	Beryllium	1.4	0.10	0.0077	mg/Kg			1	6020A
7440-28-0	Thallium	0.21	0.10	0.0021	mg/Kg			1	6020A
7440-36-0	Antimony	0.21	0.21	0.0027	mg/Kg	J		1	6020A
7440-02-0	Nickel	26	0.10	0.012	mg/Kg			1	6020A
7440-66-6	Zinc	110	0.52	0.067	mg/Kg			1	6020A
7440-50-8	Copper	35	0.21	0.034	mg/Kg			1	6020A
7439-97-6	Mercury	0.19	0.031	0.011	mg/Kg			1	7471A

*new 7/6/15*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

37

Client Sample ID: SD-H01-0002

Lab Sample ID: 180-43699-37

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 11:00

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 31.1

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	25	0.16	0.028	mg/Kg			1	6020A
7440-43-9	Cadmium	3.5	0.16	0.011	mg/Kg	J		1	6020A
7440-47-3	Chromium	1900	0.31	0.0095	mg/Kg		/	1	6020A
7439-92-1	Lead	94	0.16	0.0059	mg/Kg			1	6020A
7782-49-2	Selenium	1.2	0.78	0.078	mg/Kg			1	6020A
7440-22-4	Silver	2.1	0.16	0.0061	mg/Kg			1	6020A
7440-41-7	Beryllium	0.35	0.16	0.012	mg/Kg			1	6020A
7440-28-0	Thallium	0.23	0.16	0.0031	mg/Kg			1	6020A
7440-36-0	Antimony	10	0.31	0.0041	mg/Kg	J		1	6020A
7440-02-0	Nickel	110	0.16	0.018	mg/Kg			1	6020A
7440-66-6	Zinc	1400	0.78	0.10	mg/Kg			1	6020A
7440-50-8	Copper	180	0.31	0.052	mg/Kg			1	6020A
7439-97-6	Mercury	ND	0.053	0.018	mg/Kg			1	7471A

NW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

38

Client Sample ID: SD-H01-0406

Lab Sample ID: 180-43699-38

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 11:10

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 27.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	42	0.18	0.033	mg/Kg	J		1	6020A
7440-43-9	Cadmium	81	0.18	0.013	mg/Kg	J		1	6020A
7440-47-3	Chromium	5300	0.37	0.011	mg/Kg		✓	1	6020A
7439-92-1	Lead	940	0.18	0.0070	mg/Kg			1	6020A
7782-49-2	Selenium	1.8	0.92	0.092	mg/Kg			1	6020A
7440-22-4	Silver	8.6	0.18	0.0072	mg/Kg			1	6020A
7440-41-7	Beryllium	0.35	0.18	0.014	mg/Kg			1	6020A
7440-28-0	Thallium	0.18	0.18	0.0037	mg/Kg			1	6020A
7440-36-0	Antimony	7.7	0.37	0.0048	mg/Kg	J		1	6020A
7440-02-0	Nickel	120	0.18	0.021	mg/Kg			1	6020A
7440-66-6	Zinc	10000	0.92	0.12	mg/Kg			1	6020A
7440-50-8	Copper	400	0.37	0.061	mg/Kg			1	6020A
7439-97-6	Mercury	ND	0.046	0.016	mg/Kg			1	7471A

NW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

39

Client Sample ID: SD-H03-0002

Lab Sample ID: 180-43699-39

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 11:35

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 22.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	43	0.22	0.040	mg/Kg	J		1	6020A
7440-43-9	Cadmium	110	0.22	0.015	mg/Kg	J		1	6020A
7440-47-3	Chromium	4600	0.44	0.013	mg/Kg		✓	1	6020A
7439-92-1	Lead	500	0.22	0.0083	mg/Kg			1	6020A
7782-49-2	Selenium	1.3	1.1	0.11	mg/Kg			1	6020A
7440-22-4	Silver	6.0	0.22	0.0085	mg/Kg			1	6020A
7440-41-7	Beryllium	0.26	0.22	0.016	mg/Kg			1	6020A
7440-28-0	Thallium	0.65	0.22	0.0044	mg/Kg			1	6020A
7440-36-0	Antimony	3.8	0.44	0.0057	mg/Kg	J		1	6020A
7440-02-0	Nickel	210	0.22	0.025	mg/Kg			1	6020A
7440-66-6	Zinc	17000	1.1	0.14	mg/Kg			1	6020A
7440-50-8	Copper	550	0.44	0.072	mg/Kg			1	6020A
7439-97-6	Mercury	0.74	0.062	0.021	mg/Kg			1	7471A

NW 7/6/15



1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

40

Client Sample ID: SD-H03-0406

Lab Sample ID: 180-43699-40

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 11:45

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 33.6

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	56	0.15	0.027	mg/Kg		F2	1	6020A
7440-43-9	Cadmium	32	0.15	0.010	mg/Kg			1	6020A
7440-47-3	Chromium	3700	3.0	0.091	mg/Kg		F2	10	6020A
7439-92-1	Lead	1000	0.15	0.0056	mg/Kg		F2	1	6020A
7782-49-2	Selenium	5.4	0.74	0.075	mg/Kg	HH	F1 F2	1	6020A
7440-22-4	Silver	6.6	0.15	0.0058	mg/Kg	HH	F1	1	6020A
7440-41-7	Beryllium	0.53	0.15	0.011	mg/Kg			1	6020A
7440-28-0	Thallium	0.38	0.15	0.0030	mg/Kg			1	6020A
7440-36-0	Antimony	6.0	0.30	0.0039	mg/Kg	HH	F1	1	6020A
7440-02-0	Nickel	130	0.15	0.017	mg/Kg	HH	F1	1	6020A
7440-66-6	Zinc	8600	7.4	0.96	mg/Kg		F2	10	6020A
7440-50-8	Copper	510	0.30	0.049	mg/Kg		F2	1	6020A
7439-97-6	Mercury	1.3	0.039	0.013	mg/Kg		F2	1	7471A

new 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

41

Client Sample ID: SD-H04-0002

Lab Sample ID: 180-43699-41

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 12:05

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 24.6

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	28	0.20	0.036	mg/Kg	J		1	6020A
7440-43-9	Cadmium	21	0.20	0.014	mg/Kg	J		1	6020A
7440-47-3	Chromium	3400	0.40	0.012	mg/Kg			1	6020A
7439-92-1	Lead	300	0.20	0.0077	mg/Kg			1	6020A
7782-49-2	Selenium	1.8	1.0	0.10	mg/Kg			1	6020A
7440-22-4	Silver	5.4	0.20	0.0079	mg/Kg			1	6020A
7440-41-7	Beryllium	0.37	0.20	0.015	mg/Kg			1	6020A
7440-28-0	Thallium	0.35	0.20	0.0040	mg/Kg			1	6020A
7440-36-0	Antimony	7.4	0.40	0.0052	mg/Kg	J		1	6020A
7440-02-0	Nickel	140	0.20	0.023	mg/Kg			1	6020A
7440-66-6	Zinc	5500	1.0	0.13	mg/Kg			1	6020A
7440-50-8	Copper	350	0.40	0.067	mg/Kg			1	6020A
7439-97-6	Mercury	0.74	0.062	0.021	mg/Kg			1	7471A

*m 7/6/15*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

42

Client Sample ID: SD-H04-0002-FD

Lab Sample ID: 180-43699-42

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 12:05

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 24.6

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	37	0.20	0.036	mg/Kg	J		1	6020A
7440-43-9	Cadmium	22	0.20	0.014	mg/Kg			1	6020A
7440-47-3	Chromium	4300	4.0	0.12	mg/Kg			10	6020A
7439-92-1	Lead	410	0.20	0.0075	mg/Kg			1	6020A
7782-49-2	Selenium	2.2	0.99	0.099	mg/Kg	J		1	6020A
7440-22-4	Silver	6.3	0.20	0.0077	mg/Kg	J		1	6020A
7440-41-7	Beryllium	0.35	0.20	0.015	mg/Kg			1	6020A
7440-28-0	Thallium	0.44	0.20	0.0040	mg/Kg			1	6020A
7440-36-0	Antimony	10	0.40	0.0051	mg/Kg			1	6020A
7440-02-0	Nickel	220	0.20	0.022	mg/Kg			1	6020A
7440-66-6	Zinc	11000	9.9	1.3	mg/Kg			10	6020A
7440-50-8	Copper	510	0.40	0.065	mg/Kg			1	6020A
7439-97-6	Mercury	0.67	0.057	0.020	mg/Kg			1	7471A

*mw 7/6/15*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

43

Client Sample ID: SD-H04-0406

Lab Sample ID: 180-43699-43

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 12:15

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 35.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	90	0.14	0.025	mg/Kg			1	6020A
7440-43-9	Cadmium	7.6	0.14	0.0097	mg/Kg			1	6020A
7440-47-3	Chromium	420	0.28	0.0084	mg/Kg			1	6020A
7439-92-1	Lead	1200	0.14	0.0053	mg/Kg			1	6020A
7782-49-2	Selenium	17	0.69	0.069	mg/Kg	J		1	6020A
7440-22-4	Silver	1.1	0.14	0.0054	mg/Kg	J		1	6020A
7440-41-7	Beryllium	0.88	0.14	0.010	mg/Kg			1	6020A
7440-28-0	Thallium	0.54	0.14	0.0028	mg/Kg			1	6020A
7440-36-0	Antimony	4.6	0.28	0.0036	mg/Kg	J		1	6020A
7440-02-0	Nickel	36	0.14	0.016	mg/Kg	J		1	6020A
7440-66-6	Zinc	3500	0.69	0.090	mg/Kg			1	6020A
7440-50-8	Copper	300	0.28	0.046	mg/Kg			1	6020A
7439-97-6	Mercury	0.91	0.033	0.011	mg/Kg			1	7471A

NW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

44

Client Sample ID: SD-H03-0607

Lab Sample ID: 180-43699-44

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 12:15

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 45.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	16	0.11	0.019	mg/Kg			1	6020A
7440-43-9	Cadmium	0.73	0.11	0.0075	mg/Kg			1	6020A
7440-47-3	Chromium	68	0.21	0.0065	mg/Kg			1	6020A
7439-92-1	Lead	63	0.11	0.0041	mg/Kg			1	6020A
7782-49-2	Selenium	1.8	0.53	0.054	mg/Kg	J		1	6020A
7440-22-4	Silver	0.15	0.11	0.0042	mg/Kg	J		1	6020A
7440-41-7	Beryllium	1.6	0.11	0.0080	mg/Kg			1	6020A
7440-28-0	Thallium	0.26	0.11	0.0021	mg/Kg			1	6020A
7440-36-0	Antimony	0.29	0.21	0.0028	mg/Kg	J		1	6020A
7440-02-0	Nickel	35	0.11	0.012	mg/Kg	J		1	6020A
7440-66-6	Zinc	250	0.53	0.069	mg/Kg			1	6020A
7440-50-8	Copper	38	0.21	0.035	mg/Kg			1	6020A
7439-97-6	Mercury	0.20	0.028	0.0095	mg/Kg			1	7471A

*mw 7/6/15*

45

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: SD-F06-0002

Lab Sample ID: 180-43699-45

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 13:25

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 22.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	79	0.22	0.040	mg/Kg	J		1	6020A
7440-43-9	Cadmium	27	0.22	0.016	mg/Kg	J		1	6020A
7440-47-3	Chromium	3300	0.44	0.014	mg/Kg	J		1	6020A
7439-92-1	Lead	710	0.22	0.0084	mg/Kg	J		1	6020A
7782-49-2	Selenium	14	1.1	0.11	mg/Kg	J		1	6020A
7440-22-4	Silver	5.5	0.22	0.0087	mg/Kg	J		1	6020A
7440-41-7	Beryllium	1.6	0.22	0.017	mg/Kg	J		1	6020A
7440-28-0	Thallium	0.98	0.22	0.0044	mg/Kg	J		1	6020A
7440-36-0	Antimony	4.6	0.44	0.0058	mg/Kg	J		1	6020A
7440-02-0	Nickel	71	0.22	0.025	mg/Kg	J		1	6020A
7440-66-6	Zinc	4200	1.1	0.14	mg/Kg	J		1	6020A
7440-50-8	Copper	540	0.44	0.073	mg/Kg	J		1	6020A
7439-97-6	Mercury	1.3	0.066	0.023	mg/Kg	J		1	7471A

*mw 7/6/15*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

46

Client Sample ID: SD-F06-0406

Lab Sample ID: 180-43699-46

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 13:35

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 32.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	140	0.15	0.027	mg/Kg			1	6020A
7440-43-9	Cadmium	6.5	0.15	0.011	mg/Kg			1	6020A
7440-47-3	Chromium	560	0.30	0.0092	mg/Kg			1	6020A
7439-92-1	Lead	1200	0.15	0.0057	mg/Kg			1	6020A
7782-49-2	Selenium	21	0.75	0.076	mg/Kg	J		1	6020A
7440-22-4	Silver	1.4	0.15	0.0059	mg/Kg	J		1	6020A
7440-41-7	Beryllium	0.94	0.15	0.011	mg/Kg			1	6020A
7440-28-0	Thallium	0.63	0.15	0.0030	mg/Kg			1	6020A
7440-36-0	Antimony	3.7	0.30	0.0039	mg/Kg	J		1	6020A
7440-02-0	Nickel	34	0.15	0.017	mg/Kg	J		1	6020A
7440-66-6	Zinc	2300	0.75	0.098	mg/Kg			1	6020A
7440-50-8	Copper	300	0.30	0.050	mg/Kg			1	6020A
7439-97-6	Mercury	0.88	0.036	0.012	mg/Kg			1	7471A

MW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

47

Client Sample ID: SD-I01-0001

Lab Sample ID: 180-43699-47

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 14:15

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 53.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	35	0.092	0.017	mg/Kg			1	6020A
7440-43-9	Cadmium	2.9	0.092	0.0064	mg/Kg			1	6020A
7440-47-3	Chromium	190	0.18	0.0056	mg/Kg			1	6020A
7439-92-1	Lead	450	0.092	0.0035	mg/Kg			1	6020A
7782-49-2	Selenium	8.0	0.46	0.046	mg/Kg	J		1	6020A
7440-22-4	Silver	0.51	0.092	0.0036	mg/Kg	J		1	6020A
7440-41-7	Beryllium	0.60	0.092	0.0069	mg/Kg			1	6020A
7440-28-0	Thallium	0.36	0.092	0.0018	mg/Kg			1	6020A
7440-36-0	Antimony	1.1	0.18	0.0024	mg/Kg	J		1	6020A
7440-02-0	Nickel	23	0.092	0.010	mg/Kg	J		1	6020A
7440-66-6	Zinc	990	0.46	0.060	mg/Kg			1	6020A
7440-50-8	Copper	110	0.18	0.030	mg/Kg			1	6020A
7439-97-6	Mercury	0.72	0.028	0.0095	mg/Kg			1	7471A

NW 7/6/15



1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

48

Client Sample ID: SD-I01-0102

Lab Sample ID: 180-43699-48

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 14:20

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 68.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	9.6	0.071	0.013	mg/Kg			1	6020A
7440-43-9	Cadmium	0.26	0.071	0.0050	mg/Kg			1	6020A
7440-47-3	Chromium	22	0.14	0.0043	mg/Kg			1	6020A
7439-92-1	Lead	27	0.071	0.0027	mg/Kg			1	6020A
7782-49-2	Selenium	0.67	0.35	0.036	mg/Kg	J		1	6020A
7440-22-4	Silver	0.057	0.071	0.0028	mg/Kg	J		1	6020A
7440-41-7	Beryllium	0.32	0.071	0.0053	mg/Kg			1	6020A
7440-28-0	Thallium	0.085	0.071	0.0014	mg/Kg			1	6020A
7440-36-0	Antimony	0.13	0.14	0.0018	mg/Kg	J		1	6020A
7440-02-0	Nickel	9.1	0.071	0.0080	mg/Kg	J		1	6020A
7440-66-6	Zinc	71	0.35	0.046	mg/Kg			1	6020A
7440-50-8	Copper	13	0.14	0.023	mg/Kg			1	6020A
7439-97-6	Mercury	0.054	0.019	0.0064	mg/Kg			1	7471A

NW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

49

Client Sample ID: SD-F03-0002

Lab Sample ID: 180-43699-49

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 14:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 62.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	22	0.077	0.014	mg/Kg			1	6020A
7440-43-9	Cadmium	7.5	0.077	0.0054	mg/Kg			1	6020A
7440-47-3	Chromium	1500	0.15	0.0047	mg/Kg			1	6020A
7439-92-1	Lead	290	0.077	0.0029	mg/Kg			1	6020A
7782-49-2	Selenium	1.9	0.39	0.039	mg/Kg	J		1	6020A
7440-22-4	Silver	3.5	0.077	0.0030	mg/Kg	J		1	6020A
7440-41-7	Beryllium	0.20	0.077	0.0058	mg/Kg			1	6020A
7440-28-0	Thallium	0.16	0.077	0.0015	mg/Kg			1	6020A
7440-36-0	Antimony	3.2	0.15	0.0020	mg/Kg	J		1	6020A
7440-02-0	Nickel	49	0.077	0.0088	mg/Kg	J		1	6020A
7440-66-6	Zinc	2200	0.39	0.050	mg/Kg			1	6020A
7440-50-8	Copper	260	0.15	0.026	mg/Kg			1	6020A
7439-97-6	Mercury	0.77	0.022	0.0074	mg/Kg			1	7471A

NW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

50

Client Sample ID: SD-J02-0002

Lab Sample ID: 180-43699-50

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 13:55

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 24.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	27	0.21	0.037	mg/Kg	J		1	6020A
7440-43-9	Cadmium	4.8	0.21	0.014	mg/Kg	—		1	6020A
7440-47-3	Chromium	750	0.41	0.013	mg/Kg	—		1	6020A
7439-92-1	Lead	210	0.21	0.0078	mg/Kg	—		1	6020A
7782-49-2	Selenium	3.7	1.0	0.10	mg/Kg	—		1	6020A
7440-22-4	Silver	1.8	0.21	0.0080	mg/Kg	—		1	6020A
7440-41-7	Beryllium	1.5	0.21	0.015	mg/Kg	—		1	6020A
7440-28-0	Thallium	0.41	0.21	0.0041	mg/Kg	—		1	6020A
7440-36-0	Antimony	2.1	0.41	0.0054	mg/Kg	—		1	6020A
7440-02-0	Nickel	56	0.21	0.023	mg/Kg	—		1	6020A
7440-66-6	Zinc	1200	1.0	0.13	mg/Kg	—		1	6020A
7440-50-8	Copper	200	0.41	0.068	mg/Kg	—		1	6020A
7439-97-6	Mercury	0.57	0.059	0.020	mg/Kg	—		1	7471A

mw 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

51

Client Sample ID: SD-J02-0204

Lab Sample ID: 180-43699-51

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 14:00

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 35.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	40	0.14	0.025	mg/Kg			1	6020A
7440-43-9	Cadmium	3.7	0.14	0.0098	mg/Kg			1	6020A
7440-47-3	Chromium	470	0.28	0.0085	mg/Kg			1	6020A
7439-92-1	Lead	210	0.14	0.0053	mg/Kg			1	6020A
7782-49-2	Selenium	5.3	0.70	0.070	mg/Kg	J		1	6020A
7440-22-4	Silver	0.94	0.14	0.0055	mg/Kg	J		1	6020A
7440-41-7	Beryllium	1.7	0.14	0.011	mg/Kg			1	6020A
7440-28-0	Thallium	0.45	0.14	0.0028	mg/Kg			1	6020A
7440-36-0	Antimony	1.4	0.28	0.0036	mg/Kg	J		1	6020A
7440-02-0	Nickel	40	0.14	0.016	mg/Kg	J		1	6020A
7440-66-6	Zinc	710	0.70	0.091	mg/Kg			1	6020A
7440-50-8	Copper	150	0.28	0.046	mg/Kg			1	6020A
7439-97-6	Mercury	0.90	0.042	0.014	mg/Kg			1	7471A

mw 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

52

Client Sample ID: SD-J02-0406

Lab Sample ID: 180-43699-52

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 14:05

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 42.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	8.1	0.12	0.021	mg/Kg			1	6020A
7440-43-9	Cadmium	0.20	0.12	0.0081	mg/Kg			1	6020A
7440-47-3	Chromium	41	0.23	0.0071	mg/Kg			1	6020A
7439-92-1	Lead	17	0.12	0.0044	mg/Kg			1	6020A
7782-49-2	Selenium	0.78	0.58	0.058	mg/Kg	J		1	6020A
7440-22-4	Silver	0.064	0.12	0.0045	mg/Kg	J		1	6020A
7440-41-7	Beryllium	1.4	0.12	0.0087	mg/Kg			1	6020A
7440-28-0	Thallium	0.16	0.12	0.0023	mg/Kg			1	6020A
7440-36-0	Antimony	0.11	0.23	0.0030	mg/Kg	J		1	6020A
7440-02-0	Nickel	24	0.12	0.013	mg/Kg	J		1	6020A
7440-66-6	Zinc	73	0.58	0.075	mg/Kg			1	6020A
7440-50-8	Copper	17	0.23	0.038	mg/Kg			1	6020A
7439-97-6	Mercury	0.018	0.032	0.011	mg/Kg	J		1	7471A

W 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

53

Client Sample ID: SD-F04-0002

Lab Sample ID: 180-43699-53

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 10:20

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 39.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	27	0.13	0.023	mg/Kg			1	6020A
7440-43-9	Cadmium	4.6	0.13	0.0088	mg/Kg			1	6020A
7440-47-3	Chromium	3100	0.25	0.0077	mg/Kg			1	6020A
7439-92-1	Lead	130	0.13	0.0048	mg/Kg			1	6020A
7782-49-2	Selenium	1.3	0.63	0.063	mg/Kg	J		1	6020A
7440-22-4	Silver	2.3	0.13	0.0049	mg/Kg	J		1	6020A
7440-41-7	Beryllium	0.36	0.13	0.0094	mg/Kg			1	6020A
7440-28-0	Thallium	0.22	0.13	0.0025	mg/Kg			1	6020A
7440-36-0	Antimony	6.3	0.25	0.0033	mg/Kg	J		1	6020A
7440-02-0	Nickel	160	0.13	0.014	mg/Kg	J		1	6020A
7440-66-6	Zinc	2000	0.63	0.081	mg/Kg			1	6020A
7440-50-8	Copper	250	0.25	0.041	mg/Kg			1	6020A
7439-97-6	Mercury	0.40	0.039	0.013	mg/Kg			1	7471A

*mw 7/6/15*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

54

Client Sample ID: SD-F04-0406

Lab Sample ID: 180-43699-54

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 10:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 69.0

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	5.3	0.071	0.013	mg/Kg			1	6020A
7440-43-9	Cadmium	2.7	0.071	0.0050	mg/Kg			1	6020A
7440-47-3	Chromium	340	0.14	0.0044	mg/Kg			1	6020A
7439-92-1	Lead	82	0.071	0.0027	mg/Kg			1	6020A
7782-49-2	Selenium	0.44	0.36	0.036	mg/Kg	J		1	6020A
7440-22-4	Silver	0.79	0.071	0.0028	mg/Kg	J		1	6020A
7440-41-7	Beryllium	0.11	0.071	0.0054	mg/Kg			1	6020A
7440-28-0	Thallium	0.043	0.071	0.0014	mg/Kg	J		1	6020A
7440-36-0	Antimony	1.5	0.14	0.0019	mg/Kg	J		1	6020A
7440-02-0	Nickel	15	0.071	0.0081	mg/Kg	J		1	6020A
7440-66-6	Zinc	650	0.36	0.046	mg/Kg			1	6020A
7440-50-8	Copper	54	0.14	0.024	mg/Kg			1	6020A
7439-97-6	Mercury	0.31	0.017	0.0057	mg/Kg			1	7471A

mw 7/6/15  
Page 6116 of 10523





1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-H05-0002

Lab Sample ID: 180-43699-1

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 10:10

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 30.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	4.9	0.41	0.013	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.044	0.0036	0.00012	umol/g			1	6010B
7440-50-8	Copper SEM	140	2.0	0.18	mg/Kg	J		1	6010B
7440-50-8	Copper SEM	2.2	0.032	0.0029	umol/g	J		1	6010B
7439-92-1	Lead SEM	110	4.1	0.80	mg/Kg			5	6010B
7439-92-1	Lead SEM	0.53	0.020	0.0039	umol/g			5	6010B
7440-02-0	Nickel SEM	83	16	0.47	mg/Kg		B	5	6010B
7440-02-0	Nickel SEM	1.4	0.28	0.0079	umol/g		B	5	6010B
7440-66-6	Zinc SEM	1300	8.1	0.60	mg/Kg	J	B	1	6010B
7440-66-6	Zinc SEM	19	0.12	0.0092	umol/g	J	B	1	6010B

mw 7/6/15  
Page 6014 of 10523

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-H05-0002

Lab Sample ID: 180-43699-1

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 10:10

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.091	J 0.0010	0.0010	NONE			1	SEM

*MW 7/6/15*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

3

Client Sample ID: SD-F07-0002

Lab Sample ID: 180-43699-3

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 10:45

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 20.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	30	0.60	0.020	mg/Kg	J		1	6010B
7440-43-9	Cadmium SEM	0.27	0.0053	0.00018	umol/g	J		1	6010B
7440-50-8	Copper SEM	110	3.0	0.27	mg/Kg	J		1	6010B
7440-50-8	Copper SEM	1.7	0.047	0.0042	umol/g	J		1	6010B
7439-92-1	Lead SEM	650	6.0	1.2	mg/Kg	J		5	6010B
7439-92-1	Lead SEM	3.2	0.029	0.0057	umol/g	J		5	6010B
7440-02-0	Nickel SEM	50	24	0.69	mg/Kg	J	B	5	6010B
7440-02-0	Nickel SEM	0.85	0.41	0.012	umol/g	J	B	5	6010B
7440-66-6	Zinc SEM	5100	60	4.4	mg/Kg	J	B	5	6010B
7440-66-6	Zinc SEM	78	0.92	0.068	umol/g	J	B	5	6010B

MW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

3

Client Sample ID: SD-F07-0002

Lab Sample ID: 180-43699-3

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 10:45

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.15	J 0.0010	0.0010	NONE			1	SEM

NW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

5

Client Sample ID: SD-G03-0002

Lab Sample ID: 180-43699-5

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 11:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 26.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	19	0.47	0.016	mg/Kg	J		1	6010B
7440-43-9	Cadmium SEM	0.17	0.0042	0.00014	umol/g	J		1	6010B
7440-50-8	Copper SEM	190	2.4	0.21	mg/Kg	J		1	6010B
7440-50-8	Copper SEM	3.0	0.037	0.0033	umol/g	J		1	6010B
7439-92-1	Lead SEM	180	4.7	0.94	mg/Kg	J		5	6010B
7439-92-1	Lead SEM	0.89	0.023	0.0045	umol/g	J		5	6010B
7440-02-0	Nickel SEM	100	19	0.54	mg/Kg	J	B	5	6010B
7440-02-0	Nickel SEM	1.8	0.32	0.0093	umol/g	J	B	5	6010B
7440-66-6	Zinc SEM	4400	47	3.5	mg/Kg	J	B	5	6010B
7440-66-6	Zinc SEM	67	0.72	0.054	umol/g	J	B	5	6010B

*mw 7/6/15*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

5

Client Sample ID: SD-G03-0002

Lab Sample ID: 180-43699-5

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 11:30

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.15	J 0.0010	0.0010	NONE			1	SEM

mw 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

7

Client Sample ID: SD-H06-0002

Lab Sample ID: 180-43699-7

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 11:50

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 21.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	4.8	0.58	0.019	mg/Kg	J		1	6010B
7440-43-9	Cadmium SEM	0.043	0.0052	0.00017	umol/g	J		1	6010B
7440-50-8	Copper SEM	120	2.9	0.26	mg/Kg	J		1	6010B
7440-50-8	Copper SEM	1.9	0.046	0.0041	umol/g	J		1	6010B
7439-92-1	Lead SEM	140	5.8	1.2	mg/Kg	J		5	6010B
7439-92-1	Lead SEM	0.67	0.028	0.0056	umol/g	J		5	6010B
7440-02-0	Nickel SEM	51	23	0.67	mg/Kg	J	B	5	6010B
7440-02-0	Nickel SEM	0.87	0.40	0.011	umol/g	J	B	5	6010B
7440-66-6	Zinc SEM	1200	12	0.86	mg/Kg	J	B	1	6010B
7440-66-6	Zinc SEM	19	0.18	0.013	umol/g	J	B	1	6010B

*mw 7/6/15*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

7

Client Sample ID: SD-H06-0002

Lab Sample ID: 180-43699-7

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 11:50

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.038	J 0.0010	0.0010	NONE			1	SEM

lw 7/16/15



1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

8

Client Sample ID: SD-H06-0002-FD

Lab Sample ID: 180-43699-8

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 12:10

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 21.0

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	5.0	0.59	0.019	mg/Kg	J		1	6010B
7440-43-9	Cadmium SEM	0.044	0.0053	0.00017	umol/g	J		1	6010B
7440-50-8	Copper SEM	130	3.0	0.27	mg/Kg	J		1	6010B
7440-50-8	Copper SEM	2.1	0.047	0.0042	umol/g	J		1	6010B
7439-92-1	Lead SEM	150	5.9	1.2	mg/Kg	J		5	6010B
7439-92-1	Lead SEM	0.71	0.029	0.0057	umol/g	J		5	6010B
7440-02-0	Nickel SEM	49	24	0.68	mg/Kg	J	B	5	6010B
7440-02-0	Nickel SEM	0.84	0.40	0.012	umol/g	J	B	5	6010B
7440-66-6	Zinc SEM	1300	12	0.88	mg/Kg	J	B	1	6010B
7440-66-6	Zinc SEM	20	0.18	0.013	umol/g	J	B	1	6010B

MW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

8

Client Sample ID: SD-H06-0002-FD

Lab Sample ID: 180-43699-8

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 12:10

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.047	5 0.0010	0.0010	NONE			1	SEM

Aw 7/6/15

10

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-G02-0002

Lab Sample ID: 180-43699-10

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 13:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 25.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	31	0.49	0.016	mg/Kg	J		1	6010B
7440-43-9	Cadmium SEM	0.27	0.0043	0.00014	umol/g	J		1	6010B
7440-50-8	Copper SEM	250	2.4	0.22	mg/Kg	J		1	6010B
7440-50-8	Copper SEM	4.0	0.038	0.0034	umol/g	J		1	6010B
7439-92-1	Lead SEM	240	4.9	0.96	mg/Kg	J		5	6010B
7439-92-1	Lead SEM	1.2	0.024	0.0047	umol/g	J		5	6010B
7440-02-0	Nickel SEM	140	19	0.56	mg/Kg	J	B	5	6010B
7440-02-0	Nickel SEM	2.3	0.33	0.0095	umol/g	J	B	5	6010B
7440-66-6	Zinc SEM	7700	49	3.6	mg/Kg	J	B	5	6010B
7440-66-6	Zinc SEM	120	0.74	0.055	umol/g	J	B	5	6010B

NW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

10

Client Sample ID: SD-G02-0002

Lab Sample ID: 180-43699-10

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 13:30

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.46	J 0.0010	0.0010	NONE			1	SEM

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

12

Client Sample ID: SD-DE02-0002

Lab Sample ID: 180-43699-12

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 14:00

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 19.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	21	0.65	0.021	mg/Kg	J		1	6010B
7440-43-9	Cadmium SEM	0.19	0.0058	0.00019	umol/g	J		1	6010B
7440-50-8	Copper SEM	150	3.2	0.29	mg/Kg	J		1	6010B
7440-50-8	Copper SEM	2.4	0.051	0.0046	umol/g	J		1	6010B
7439-92-1	Lead SEM	270	2.6	0.51	mg/Kg	J		2	6010B
7439-92-1	Lead SEM	1.3	0.012	0.0025	umol/g	J		2	6010B
7440-02-0	Nickel SEM	49	10	0.30	mg/Kg	J		2	6010B
7440-02-0	Nickel SEM	0.84	0.18	0.0051	umol/g	J		2	6010B
7440-66-6	Zinc SEM	3200	13	0.96	mg/Kg	J		1	6010B
7440-66-6	Zinc SEM	49	0.20	0.015	umol/g	J		1	6010B

NW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

12

Client Sample ID: SD-DE02-0002

Lab Sample ID: 180-43699-12

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 14:00

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.082	J 0.0010	0.0010	NONE			1	SEM

NW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

14

Client Sample ID: SD-H07-0002

Lab Sample ID: 180-43699-14

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 14:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 29.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	8.8	0.42	0.014	mg/Kg	J		1	6010B
7440-43-9	Cadmium SEM	0.078	0.0037	0.00012	umol/g	J		1	6010B
7440-50-8	Copper SEM	170	2.1	0.19	mg/Kg	J		1	6010B
7440-50-8	Copper SEM	2.6	0.033	0.0030	umol/g	J		1	6010B
7439-92-1	Lead SEM	410	1.7	0.33	mg/Kg	J		2	6010B
7439-92-1	Lead SEM	2.0	0.0081	0.0016	umol/g	J		2	6010B
7440-02-0	Nickel SEM	29	6.7	0.19	mg/Kg	J		2	6010B
7440-02-0	Nickel SEM	0.50	0.11	0.0033	umol/g	J		2	6010B
7440-66-6	Zinc SEM	1700	8.4	0.62	mg/Kg	J		1	6010B
7440-66-6	Zinc SEM	26	0.13	0.0095	umol/g	J		1	6010B

NW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

14

Client Sample ID: SD-H07-0002

Lab Sample ID: 180-43699-14

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 14:30

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.12	0.0010	0.0010	NONE			1	SEM

MW 7/6/15



1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

15

Client Sample ID: SD-H07-0002-FD

Lab Sample ID: 180-43699-15

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 14:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 30.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	7.9	0.41	0.013	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.071	0.0036	0.00012	umol/g			1	6010B
7440-50-8	Copper SEM	52	2.0	0.18	mg/Kg	J		1	6010B
7440-50-8	Copper SEM	0.81	0.032	0.0029	umol/g	J		1	6010B
7439-92-1	Lead SEM	420	4.1	0.81	mg/Kg			5	6010B
7439-92-1	Lead SEM	2.0	0.020	0.0039	umol/g			5	6010B
7440-02-0	Nickel SEM	29	16	0.47	mg/Kg		E	5	6010B
7440-02-0	Nickel SEM	0.49	0.28	0.0080	umol/g		E	5	6010B
7440-66-6	Zinc SEM	1500	8.1	0.60	mg/Kg	J	E	1	6010B
7440-66-6	Zinc SEM	24	0.12	0.0092	umol/g	J	E	1	6010B

11/7/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

15

Client Sample ID: SD-H07-0002-FD

Lab Sample ID: 180-43699-15

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 14:30

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.13	J 0.0010	0.0010	NONE			1	SEM

NW 7/6/15

17

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-G06-0002

Lab Sample ID: 180-43699-17

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 15:00

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 33.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	6.4	0.38	0.012	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.057	0.0034	0.00011	umol/g			1	6010B
7440-50-8	Copper SEM	150	1.9	0.17	mg/Kg	J		1	6010B
7440-50-8	Copper SEM	2.4	0.030	0.0027	umol/g	J		1	6010B
7439-92-1	Lead SEM	740	3.8	0.75	mg/Kg			5	6010B
7439-92-1	Lead SEM	3.6	0.018	0.0036	umol/g			5	6010B
7440-02-0	Nickel SEM	20	15	0.43	mg/Kg		B	5	6010B
7440-02-0	Nickel SEM	0.34	0.26	0.0074	umol/g		B	5	6010B
7440-66-6	Zinc SEM	1600	7.6	0.56	mg/Kg	J	B	1	6010B
7440-66-6	Zinc SEM	25	0.12	0.0086	umol/g	J	B	1	6010B

new 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

17

Client Sample ID: SD-G06-0002

Lab Sample ID: 180-43699-17

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 15:00

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.13	J 0.0010	0.0010	NONE			1	SEM

NW 7/6/15

19

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-I03-0002

Lab Sample ID: 180-43699-19

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 15:35

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 33.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	9.0	0.37	0.012	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.080	0.0033	0.00011	umol/g			1	6010B
7440-50-8	Copper SEM	170	1.8	0.17	mg/Kg	J		1	6010B
7440-50-8	Copper SEM	2.7	0.029	0.0026	umol/g	J		1	6010B
7439-92-1	Lead SEM	730	3.7	0.73	mg/Kg			5	6010B
7439-92-1	Lead SEM	3.5	0.018	0.0035	umol/g			5	6010B
7440-02-0	Nickel SEM	30	15	0.42	mg/Kg		B	5	6010B
7440-02-0	Nickel SEM	0.51	0.25	0.0072	umol/g		B	5	6010B
7440-66-6	Zinc SEM	1500	7.4	0.55	mg/Kg	J	B	1	6010B
7440-66-6	Zinc SEM	23	0.11	0.0083	umol/g	J	B	1	6010B

19

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-I03-0002

Lab Sample ID: 180-43699-19

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 15:35

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.18	J 0.0010	0.0010	NONE			1	SEM

MW 7/6/15  
Page 6053 of 10523

22

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-E03-0002

Lab Sample ID: 180-43699-22

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:15

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 20.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	14	0.62	0.020	mg/Kg	J		1	6010B
7440-43-9	Cadmium SEM	0.12	0.0055	0.00018	umol/g	J		1	6010B
7440-50-8	Copper SEM	6.1	3.1	0.28	mg/Kg	J		1	6010B
7440-50-8	Copper SEM	0.095	0.049	0.0044	umol/g	J		1	6010B
7439-92-1	Lead SEM	810	6.2	1.2	mg/Kg			5	6010B
7439-92-1	Lead SEM	3.9	0.030	0.0059	umol/g			5	6010B
7440-02-0	Nickel SEM	45	25	0.71	mg/Kg		B	5	6010B
7440-02-0	Nickel SEM	0.77	0.42	0.012	umol/g	V	B	5	6010B
7440-66-6	Zinc SEM	3700	62	4.6	mg/Kg	J	B	5	6010B
7440-66-6	Zinc SEM	57	0.95	0.070	umol/g	J	B	5	6010B

MW 7/6/15  
Page 6057 of 10523

22

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-E03-0002

Lab Sample ID: 180-43699-22

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:15

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.083	J 0.0010	0.0010	NONE			1	SEM

W 7/6/15



1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

26

Client Sample ID: SD-I02-0002

Lab Sample ID: 180-43699-26

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:45

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 22.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	9.0	0.55	0.018	mg/Kg	J		1	6010B
7440-43-9	Cadmium SEM	0.080	0.0049	0.00016	umol/g	J		1	6010B
7440-50-8	Copper SEM	150	2.8	0.25	mg/Kg	J		1	6010B
7440-50-8	Copper SEM	2.4	0.043	0.0039	umol/g	J		1	6010B
7439-92-1	Lead SEM	240	2.2	0.44	mg/Kg			2	6010B
7439-92-1	Lead SEM	1.2	0.011	0.0021	umol/g			2	6010B
7440-02-0	Nickel SEM	36	8.8	0.25	mg/Kg			2	6010B
7440-02-0	Nickel SEM	0.61	0.15	0.0043	umol/g			2	6010B
7440-66-6	Zinc SEM	1700	11	0.81	mg/Kg	J		1	6010B
7440-66-6	Zinc SEM	25	0.17	0.012	umol/g	J		1	6010B

MW7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

26

Client Sample ID: SD-I02-0002

Lab Sample ID: 180-43699-26

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:45

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.093	J 0.0010	0.0010	NONE			1	SEM

nw 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

29

Client Sample ID: SD-G01-0002

Lab Sample ID: 180-43699-29

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 08:50

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 36.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	3.5	0.35	0.011	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.031	0.0031	0.00010	umol/g			1	6010B
7440-50-8	Copper SEM	130	1.7	0.16	mg/Kg	J		1	6010B
7440-50-8	Copper SEM	2.0	0.027	0.0024	umol/g	J		1	6010B
7439-92-1	Lead SEM	78	3.5	0.68	mg/Kg			5	6010B
7439-92-1	Lead SEM	0.38	0.017	0.0033	umol/g			5	6010B
7440-02-0	Nickel SEM	130	14	0.40	mg/Kg		B	5	6010B
7440-02-0	Nickel SEM	2.2	0.24	0.0068	umol/g		B	5	6010B
7440-66-6	Zinc SEM	1000	35	2.6	mg/Kg	J	B	5	6010B
7440-66-6	Zinc SEM	16	0.53	0.039	umol/g	J	B	5	6010B

NW 7/16/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

29

Client Sample ID: SD-G01-0002

Lab Sample ID: 180-43699-29

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 08:50

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.14	J 0.0010	0.0010	NONE			1	SEM

MW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

31

Client Sample ID: SD-G04-0002

Lab Sample ID: 180-43699-31

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 09:20

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 25.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	42	0.50	0.016	mg/Kg	J		1	6010B
7440-43-9	Cadmium SEM	0.37	0.0044	0.00014	umol/g	J		1	6010B
7440-50-8	Copper SEM	170	2.5	0.22	mg/Kg	J		1	6010B
7440-50-8	Copper SEM	2.6	0.039	0.0035	umol/g	J		1	6010B
7439-92-1	Lead SEM	580	5.0	0.98	mg/Kg			5	6010B
7439-92-1	Lead SEM	2.8	0.024	0.0047	umol/g			5	6010B
7440-02-0	Nickel SEM	89	20	0.57	mg/Kg			5	6010B
7440-02-0	Nickel SEM	1.5	0.34	0.0097	umol/g			5	6010B
7440-66-6	Zinc SEM	8400	50	3.7	mg/Kg	J		5	6010B
7440-66-6	Zinc SEM	130	0.76	0.056	umol/g	J		5	6010B

*mw 7/6/15*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

31

Client Sample ID: SD-G04-0002

Lab Sample ID: 180-43699-31

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 09:20

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.27	J 0.0010	0.0010	NONE			1	SEM

NW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

34

Client Sample ID: SD-G05-0002

Lab Sample ID: 180-43699-34

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 09:50

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 21.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	8.7	1.1	0.037	mg/Kg	J		1	6010B
7440-43-9	Cadmium SEM	0.077	0.010	0.00033	umol/g			1	6010B
7440-50-8	Copper SEM	150	5.7	0.51	mg/Kg		B	1	6010B
7440-50-8	Copper SEM	2.4	0.089	0.0080	umol/g		B	1	6010B
7439-92-1	Lead SEM	180	2.3	0.45	mg/Kg			1	6010B
7439-92-1	Lead SEM	0.86	0.011	0.0022	umol/g			1	6010B
7440-02-0	Nickel SEM	62	9.1	0.26	mg/Kg			1	6010B
7440-02-0	Nickel SEM	1.1	0.15	0.0044	umol/g			1	6010B
7440-66-6	Zinc SEM	2000	23	1.7	mg/Kg		B	1	6010B
7440-66-6	Zinc SEM	31	0.35	0.026	umol/g		B	1	6010B

*NW 7/6/15*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

34

Client Sample ID: SD-G05-0002

Lab Sample ID: 180-43699-34

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 09:50

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.065	J 0.0010	0.0010	NONE			1	SEM

NW 7/6/15



1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

37

Client Sample ID: SD-H01-0002

Lab Sample ID: 180-43699-37

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 11:00

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 31.1

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	3.8	0.80	0.026	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.033	0.0071	0.00023	umol/g			1	6010B
7440-50-8	Copper SEM	130	4.0	0.36	mg/Kg		B	1	6010B
7440-50-8	Copper SEM	2.0	0.063	0.0057	umol/g		B	1	6010B
7439-92-1	Lead SEM	74	8.0	1.6	mg/Kg			5	6010B
7439-92-1	Lead SEM	0.36	0.039	0.0077	umol/g			5	6010B
7440-02-0	Nickel SEM	110	32	0.92	mg/Kg			5	6010B
7440-02-0	Nickel SEM	1.8	0.55	0.016	umol/g			5	6010B
7440-66-6	Zinc SEM	1100	16	1.2	mg/Kg		B	1	6010B
7440-66-6	Zinc SEM	18	0.25	0.018	umol/g		B	1	6010B

NW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

37

Client Sample ID: SD-H01-0002

Lab Sample ID: 180-43699-37

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 11:00

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.083	0.0010	0.0010	NONE			1	SEM

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

39

Client Sample ID: SD-H03-0002

Lab Sample ID: 180-43699-39

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 11:35

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 22.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	120	1.1	0.037	mg/Kg	J		1	6010B
7440-43-9	Cadmium SEM	1.1	0.010	0.00033	umol/g			1	6010B
7440-50-8	Copper SEM	460	5.6	0.51	mg/Kg		B	1	6010B
7440-50-8	Copper SEM	7.3	0.089	0.0080	umol/g		B	1	6010B
7439-92-1	Lead SEM	440	11	2.2	mg/Kg			5	6010B
7439-92-1	Lead SEM	2.1	0.054	0.011	umol/g			5	6010B
7440-02-0	Nickel SEM	190	45	1.3	mg/Kg			5	6010B
7440-02-0	Nickel SEM	3.2	0.77	0.022	umol/g			5	6010B
7440-66-6	Zinc SEM	19000	110	8.3	mg/Kg		B	5	6010B
7440-66-6	Zinc SEM	280	1.7	0.13	umol/g		B	5	6010B

W 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

39

Client Sample ID: SD-H03-0002

Lab Sample ID: 180-43699-39

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 11:35

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	2.6 J	0.0010	0.0010	NONE			1	SEM

NW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

41

Client Sample ID: SD-H04-0002

Lab Sample ID: 180-43699-41

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 12:05

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 24.6

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	18	1.0	0.033	mg/Kg	J		1	6010B
7440-43-9	Cadmium SEM	0.16	0.0090	0.00029	umol/g	J		1	6010B
7440-50-8	Copper SEM	280	5.0	0.45	mg/Kg	J	B	1	6010B
7440-50-8	Copper SEM	4.5	0.079	0.0071	umol/g	J	B	1	6010B
7439-92-1	Lead SEM	220	10	2.0	mg/Kg			5	6010B
7439-92-1	Lead SEM	1.1	0.049	0.0096	umol/g			5	6010B
7440-02-0	Nickel SEM	140	40	1.2	mg/Kg		B	5	6010B
7440-02-0	Nickel SEM	2.4	0.69	0.020	umol/g		B	5	6010B
7440-66-6	Zinc SEM	4500	20	1.5	mg/Kg		B	1	6010B
7440-66-6	Zinc SEM	68	0.31	0.023	umol/g		B	1	6010B

NW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

41

Client Sample ID: SD-H04-0002

Lab Sample ID: 180-43699-41

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 12:05

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.14	J 0.0010	0.0010	NONE			1	SEM

*mw 7/6/15*

42

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

Client Sample ID: SD-H04-0002-FD

Lab Sample ID: 180-43699-42

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 12:05

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 24.6

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	25	1.0	0.033	mg/Kg	J		1	6010B
7440-43-9	Cadmium SEM	0.22	0.0089	0.00029	umol/g	J		1	6010B
7440-50-8	Copper SEM	350	5.0	0.45	mg/Kg	J		1	6010B
7440-50-8	Copper SEM	5.5	0.079	0.0071	umol/g	J		1	6010B
7439-92-1	Lead SEM	350	10	2.0	mg/Kg			5	6010B
7439-92-1	Lead SEM	1.7	0.048	0.0096	umol/g			5	6010B
7440-02-0	Nickel SEM	150	40	1.2	mg/Kg			5	6010B
7440-02-0	Nickel SEM	2.6	0.68	0.020	umol/g			5	6010B
7440-66-6	Zinc SEM	8500	100	7.4	mg/Kg			5	6010B
7440-66-6	Zinc SEM	130	1.5	0.11	umol/g			5	6010B

MW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

42

Client Sample ID: SD-H04-0002-FD

Lab Sample ID: 180-43699-42

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 12:05

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.29	J 0.0010	0.0010	NONE			1	SEM

MW 7/6/15



1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

45

Client Sample ID: SD-F06-0002

Lab Sample ID: 180-43699-45

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 13:25

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 22.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	25	1.1	0.037	mg/Kg	J		1	6010B
7440-43-9	Cadmium SEM	0.22	0.010	0.00033	umol/g	J		1	6010B
7440-50-8	Copper SEM	380	5.6	0.51	mg/Kg	J		1	6010B
7440-50-8	Copper SEM	6.1	0.089	0.0080	umol/g	J		1	6010B
7439-92-1	Lead SEM	520	2.3	0.45	mg/Kg			1	6010B
7439-92-1	Lead SEM	2.5	0.011	0.0022	umol/g			1	6010B
7440-02-0	Nickel SEM	50	9.0	0.26	mg/Kg			1	6010B
7440-02-0	Nickel SEM	0.85	0.15	0.0044	umol/g			1	6010B
7440-66-6	Zinc SEM	3700	23	1.7	mg/Kg			1	6010B
7440-66-6	Zinc SEM	57	0.35	0.026	umol/g			1	6010B

NW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

45

Client Sample ID: SD-F06-0002

Lab Sample ID: 180-43699-45

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 13:25

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.13	J 0.0010	0.0010	NONE			1	SEM

new 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

47

Client Sample ID: SD-I01-0001

Lab Sample ID: 180-43699-47

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 14:15

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 53.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	3.2	0.47	0.015	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.028	0.0041	0.00014	umol/g			1	6010B
7440-50-8	Copper SEM	77	2.3	0.21	mg/Kg	J	B	1	6010B
7440-50-8	Copper SEM	1.2	0.037	0.0033	umol/g	J	B	1	6010B
7439-92-1	Lead SEM	390	0.93	0.18	mg/Kg			1	6010B
7439-92-1	Lead SEM	1.9	0.0045	0.00089	umol/g			1	6010B
7440-02-0	Nickel SEM	12	3.7	0.11	mg/Kg		B	1	6010B
7440-02-0	Nickel SEM	0.20	0.064	0.0018	umol/g		B	1	6010B
7440-66-6	Zinc SEM	870	9.3	0.69	mg/Kg		B	1	6010B
7440-66-6	Zinc SEM	13	0.14	0.011	umol/g		B	1	6010B

MW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

47

Client Sample ID: SD-I01-0001

Lab Sample ID: 180-43699-47

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 14:15

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.28 J	0.0010	0.0010	NONE			1	SEM

05/16/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

49

Client Sample ID: SD-F03-0002

Lab Sample ID: 180-43699-49

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 14:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 62.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	7.3	0.39	0.013	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.065	0.0035	0.00011	umol/g			1	6010B
7440-50-8	Copper SEM	25	2.0	0.18	mg/Kg	J	<del>F2 F1</del> B	1	6010B
7440-50-8	Copper SEM	0.39	0.031	0.0028	umol/g	J	<del>F2 F1</del> B	1	6010B
7439-92-1	Lead SEM	290	1.6	0.31	mg/Kg			2	6010B
7439-92-1	Lead SEM	1.4	0.0076	0.0015	umol/g			2	6010B
7440-02-0	Nickel SEM	34	6.3	0.18	mg/Kg		B	2	6010B
7440-02-0	Nickel SEM	0.58	0.11	0.0031	umol/g		B	2	6010B
7440-66-6	Zinc SEM	2300	16	1.2	mg/Kg		B	2	6010B
7440-66-6	Zinc SEM	35	0.24	0.018	umol/g		B	2	6010B

*mw 7/6/15*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

49

Client Sample ID: SD-F03-0002

Lab Sample ID: 180-43699-49

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 14:30

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.25 J	0.0010	0.0010	NONE			1	SEM

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

50

Client Sample ID: SD-J02-0002

Lab Sample ID: 180-43699-50

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 13:55

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 24.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	8.2	1.0	0.034	mg/Kg	J		1	6010B
7440-43-9	Cadmium SEM	0.073	0.0092	0.00030	umol/g	J		1	6010B
7440-50-8	Copper SEM	190	5.2	0.46	mg/Kg	J	B	1	6010B
7440-50-8	Copper SEM	3.0	0.081	0.0073	umol/g	J	B	1	6010B
7439-92-1	Lead SEM	250	2.1	0.41	mg/Kg			1	6010B
7439-92-1	Lead SEM	1.2	0.010	0.0020	umol/g			1	6010B
7440-02-0	Nickel SEM	39	8.3	0.24	mg/Kg		B	1	6010B
7440-02-0	Nickel SEM	0.66	0.14	0.0040	umol/g		B	1	6010B
7440-66-6	Zinc SEM	1600	21	1.5	mg/Kg		B	1	6010B
7440-66-6	Zinc SEM	24	0.32	0.023	umol/g		B	1	6010B

NW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

50

Client Sample ID: SD-J02-0002

Lab Sample ID: 180-43699-50

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 13:55

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.085	J 0.0010	0.0010	NONE			1	SEM

*MW 7/6/15*



1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

53

Client Sample ID: SD-F04-0002

Lab Sample ID: 180-43699-53

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 10:20

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 39.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium SEM	5.5	0.64	0.021	mg/Kg			1	6010B
7440-43-9	Cadmium SEM	0.049	0.0057	0.00019	umol/g			1	6010B
7440-50-8	Copper SEM	140	3.2	0.29	mg/Kg	J	B	1	6010B
7440-50-8	Copper SEM	2.3	0.050	0.0045	umol/g	J	B	1	6010B
7439-92-1	Lead SEM	130	6.4	1.3	mg/Kg			5	6010B
7439-92-1	Lead SEM	0.62	0.031	0.0061	umol/g			5	6010B
7440-02-0	Nickel SEM	98	25	0.73	mg/Kg		B	5	6010B
7440-02-0	Nickel SEM	1.7	0.43	0.012	umol/g		B	5	6010B
7440-66-6	Zinc SEM	1600	13	0.94	mg/Kg		B	1	6010B
7440-66-6	Zinc SEM	24	0.19	0.014	umol/g		B	1	6010B

NW 7/6/15

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - SEM/AVS

53

Client Sample ID: SD-F04-0002

Lab Sample ID: 180-43699-53

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 10:20

Reporting Basis: WET

Date Received: 05/02/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	SEM/AVS Ratio	0.18	J 0.0010	0.0010	NONE			1	SEM

*mw 7/6/15*



1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-H05-0002

Lab Sample ID: 180-43699-1

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 10:10

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 30.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	3.3	0.82	0.27	mg/Kg			1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>210000</del>	<del>3200</del>	<del>290</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-H05-0002

Lab Sample ID: 180-43699-1

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 10:10

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 30.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	8200	49	9.7	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	260	1.5	0.30	umol/g			1	9034

NW 7/6/15

2

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-H05-0406

Lab Sample ID: 180-43699-2

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 10:20

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 28.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	13	0.88	0.29	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>230000</del>	<del>3500</del>	<del>310</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

3

Client Sample ID: SD-F07-0002

Lab Sample ID: 180-43699-3

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 10:45

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 20.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	15	1.2	0.39	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>180000</del>	<del>4800</del>	<del>430</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

NW 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

3

Client Sample ID: SD-F07-0002

Lab Sample ID: 180-43699-3

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 10:45

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 20.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	18000	72	14	mg/Kg	J		1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	560	2.2	0.45	umol/g	J		1	9034

NW 7/6/15  
Page 8689 of 10523



1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

4

Client Sample ID: SD-F07-0406

Lab Sample ID: 180-43699-4

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 10:55

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 31.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	13	0.79	0.26	mg/Kg			1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>50000</del>	<del>3100</del>	<del>280</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

MW 7/6/15

5

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-G03-0002

Lab Sample ID: 180-43699-5

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 11:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 26.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	4.0	0.95	0.31	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>160000</del>	<del>3800</del>	<del>340</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

*mw 7/6/15*

5

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-G03-0002

Lab Sample ID: 180-43699-5

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 11:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 26.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	16000	57	11	mg/Kg	J		1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	500	1.8	0.35	umol/g	J		1	9034

*mw 7/6/15*

6

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-G03-0406

Lab Sample ID: 180-43699-6

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 11:40

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 30.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	24	0.84	0.27	mg/Kg			1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>120000</del>	<del>3300</del>	<del>290</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

7

Client Sample ID: SD-H06-0002

Lab Sample ID: 180-43699-7

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 11:50

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 21.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	2.5	1.2	0.38	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>150000</del>	<del>4600</del>	<del>410</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

*ew 7/6/15*

7

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-H06-0002

Lab Sample ID: 180-43699-7

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 11:50

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 21.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	19000	70	14	mg/Kg	J		1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	590	2.2	0.44	umol/g	J		1	9034

NW 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

8

Client Sample ID: SD-H06-0002-FD

Lab Sample ID: 180-43699-8

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 12:10

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 21.0

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	6.5	1.2	0.40	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>140000</del>	<del>4800</del>	<del>420</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

*mw 7/6/15*

8

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-H06-0002-FD

Lab Sample ID: 180-43699-8

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 12:10

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 21.0

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	16000	71	14	mg/Kg	J		1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	500	2.2	0.44	umol/g	J		1	9034

*rw 7/6/15*



1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

9

Client Sample ID: SD-H06-0204

Lab Sample ID: 180-43699-9

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 11:55

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 24.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	14	1.0	0.34	mg/Kg	J	FI	1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>150000</del>	<del>4100</del>	<del>360</del>	<del>mg/Kg</del>		<del>FI</del>	<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

new 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

10

Client Sample ID: SD-G02-0002

Lab Sample ID: 180-43699-10

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 13:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 25.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	8.4	0.97	0.32	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>240000</del>	<del>3900</del>	<del>350</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

*7/6/15*

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

10

Client Sample ID: SD-G02-0002

Lab Sample ID: 180-43699-10

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 13:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 25.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	8700	58	12	mg/Kg	J		1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	270	1.8	0.36	umol/g	J		1	9034

aw 7/6/15

11

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-G02-0406

Lab Sample ID: 180-43699-11

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 13:40

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 30.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	15	0.80	0.26	mg/Kg			1	9014
7440-44-0	Total Organic Carbon	270000	3200	290	mg/Kg			1	Lloyd
	- Duplicates								Kahn

*rw 7/6/15*

12

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-DE02-0002

Lab Sample ID: 180-43699-12

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 14:00

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 19.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	4.5	1.3	0.42	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>120000</del>	<del>5200</del>	<del>460</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

*rw 7/6/15*

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

12

Client Sample ID: SD-DE02-0002

Lab Sample ID: 180-43699-12

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 14:00

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 19.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	21000	78	16	mg/Kg	J		1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	650	2.4	0.48	umol/g	J		1	9034

*mw 7/6/15*

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

13

Client Sample ID: SD-DE02-0406

Lab Sample ID: 180-43699-13

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 14:10

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 32.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	8.2	0.76	0.25	mg/Kg			1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>47000</del>	<del>3100</del>	<del>270</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

ju 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

14

Client Sample ID: SD-H07-0002

Lab Sample ID: 180-43699-14

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 14:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 29.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	34	0.83	0.27	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>87000</del>	<del>3400</del>	<del>300</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

2015/6/15



1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

14

Client Sample ID: SD-H07-0002

Lab Sample ID: 180-43699-14

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 14:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 29.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	8500	51	10	mg/Kg	J		1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	270	1.6	0.32	umol/g	J		1	9034

rw 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

15

Client Sample ID: SD-H07-0002-FD

Lab Sample ID: 180-43699-15

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 14:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 30.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	36	0.82	0.27	mg/Kg			1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>79000</del>	<del>3300</del>	<del>290</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

*mw 7/6/15*

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

15

Client Sample ID: SD-H07-0002-FD

Lab Sample ID: 180-43699-15

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 14:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 30.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	6800	49	9.8	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	210	1.5	0.30	umol/g			1	9034

mw 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

16

Client Sample ID: SD-H07-0406

Lab Sample ID: 180-43699-16

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 14:40

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 46.6

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	8.1	0.54	0.18	mg/Kg	J	PI	1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>25000</del>	<del>2100</del>	<del>190</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

lw 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

17

Client Sample ID: SD-G06-0002

Lab Sample ID: 180-43699-17

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 15:00

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 33.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	18	0.74	0.24	mg/Kg			1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>57000</del>	<del>3000</del>	<del>270</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

MW 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

17

Client Sample ID: SD-G06-0002

Lab Sample ID: 180-43699-17

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 15:00

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 33.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	7700	45	9.1	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	240	1.4	0.28	umol/g			1	9034

NW 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

18

Client Sample ID: SD-G06-0406

Lab Sample ID: 180-43699-18

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 15:10

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 45.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	0.20	0.54	0.18	mg/Kg	J		1	9014
7440-44-0	Total Organic Carbon	20000	2200	190	mg/Kg			1	Lloyd
	- Duplicates								Kahn

W 7/6/15

19

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-I03-0002

Lab Sample ID: 180-43699-19

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 15:35

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 33.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	22	0.74	0.24	mg/Kg			1	9014
7440-44-0	Total Organic Carbon	53000	3000	260	mg/Kg			1	Lloyd
	- Duplicates								Kahn

W7/6/15



1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

19

Client Sample ID: SD-I03-0002

Lab Sample ID: 180-43699-19

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 15:35

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 33.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	5400	44	8.9	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	170	1.4	0.28	umol/g			1	9034

MW 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

20

Client Sample ID: SD-I03-0204

Lab Sample ID: 180-43699-20

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 15:40

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 42.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	ND	0.58	0.19	mg/Kg			1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>32000</del>	<del>2300</del>	<del>210</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

*mw 7/6/15*

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

21

Client Sample ID: SD-I03-0406      Lab Sample ID: 180-43699-21

Lab Name: TestAmerica Pittsburgh      Job No.: 180-43699-1

SDG ID.: \_\_\_\_\_

Matrix: Sediment      Date Sampled: 04/30/2015 15:45

Reporting Basis: DRY      Date Received: 05/02/2015 09:30

% Solids: 42.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	0.77	0.60	0.19	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>19000</del>	<del>2400</del>	<del>210</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

m7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

22

Client Sample ID: SD-E03-0002

Lab Sample ID: 180-43699-22

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:15

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 20.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	29	1.3	0.41	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>84000</del>	<del>5000</del>	<del>440</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

*mw 7/6/15*

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

22

Client Sample ID: SD-E03-0002

Lab Sample ID: 180-43699-22

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:15

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 20.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	24000	74	15	mg/Kg	J		1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	750	2.3	0.46	umol/g	J		1	9034

mw 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

23

Client Sample ID: SD-E03-0204 Lab Sample ID: 180-43699-23  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 04/30/2015 16:20  
 Reporting Basis: DRY Date Received: 05/02/2015 09:30  
 % Solids: 32.0

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	27	0.78	0.25	mg/Kg	J		1	9014
7440-44-0	Total Organic Carbon	38000	3100	280	mg/Kg			1	Lloyd
	- Duplicates								Kahn

NW 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

24

Client Sample ID: SD-E03-0204-FD

Lab Sample ID: 180-43699-24

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:20

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 31.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	13	0.80	0.26	mg/Kg	J		1	9014
7440-44-0	Total Organic Carbon	40000	3100	280	mg/Kg			1	Lloyd
	- Duplicates								Kahn

*mw 7/6/15*

25

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-E03-0406

Lab Sample ID: 180-43699-25

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:25

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 48.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	0.26	0.51	0.16	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>22000</del>	<del>2100</del>	<del>180</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn



26

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-I02-0002

Lab Sample ID: 180-43699-26

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:45

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 22.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	13	1.1	0.35	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>78000</del>	<del>4400</del>	<del>390</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

26

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-I02-0002

Lab Sample ID: 180-43699-26

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:45

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 22.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	10000	66	13	mg/Kg	J		1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	320	2.1	0.41	umol/g	J		1	9034

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

27

Client Sample ID: SD-I02-0204

Lab Sample ID: 180-43699-27

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:50

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 31.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	6.5	0.78	0.26	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>75000</del>	<del>3200</del>	<del>280</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

MW 7/6/15

28

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-I02-0406

Lab Sample ID: 180-43699-28

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:55

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 38.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	0.23	0.65	0.21	mg/Kg	<i>JS</i>		1	9014
7440-44-0	Total Organic Carbon	21000	2600	230	mg/Kg			1	Lloyd
	- Duplicates								Kahn

*mw 7/6/15*

29

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-G01-0002

Lab Sample ID: 180-43699-29

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 08:50

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 36.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	17	0.67	0.22	mg/Kg	J		1	9014
7440-44-0	Total Organic Carbon	190000	2800	240	mg/Kg			1	Lloyd
	- Duplicates								Kahn

mw 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

29

Client Sample ID: SD-G01-0002

Lab Sample ID: 180-43699-29

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 08:50

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 36.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	4700	41	8.3	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	150	1.3	0.26	umol/g			1	9034

*Am 7/6/15*

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

30

Client Sample ID: SD-G01-0406 Lab Sample ID: 180-43699-30  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-43699-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment Date Sampled: 05/01/2015 09:00  
 Reporting Basis: DRY Date Received: 05/02/2015 09:30  
 % Solids: 29.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	4.8	0.86	0.28	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>220000</del>	<del>3400</del>	<del>300</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

NW 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-G04-0002

Lab Sample ID: 180-43699-31

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 09:20

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 25.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	8.2	1.0	0.33	mg/Kg	J		1	9014
<del>7440-44-0</del>	Total Organic Carbon	210000	4000	350	mg/Kg			1	Lloyd
	- Duplicates								Kahn

aw 7/6/15



1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

31

Client Sample ID: SD-G04-0002

Lab Sample ID: 180-43699-31

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 09:20

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 25.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	16000	59	12	mg/Kg	J		1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	500	1.9	0.37	umol/g	J		1	9034

new 7/6/15

32

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-G04-0406

Lab Sample ID: 180-43699-32

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 09:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 37.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	7.0	0.67	0.22	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>43000</del>	<del>2700</del>	<del>240</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

*mw 7/6/15*

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

33

Client Sample ID: SD-G04-0406-FD

Lab Sample ID: 180-43699-33

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 09:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 36.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	9.1	0.69	0.22	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>38000</del>	<del>2800</del>	<del>240</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

NW 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

34

Client Sample ID: SD-G05-0002

Lab Sample ID: 180-43699-34

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 09:50

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 21.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	12	1.2	0.38	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>130000</del>	<del>4600</del>	<del>400</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

new 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

34

Client Sample ID: SD-G05-0002

Lab Sample ID: 180-43699-34

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 09:50

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 21.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	18000	140	27	mg/Kg	J		1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	550	4.2	0.85	umol/g	J		1	9034

mw 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

35

Client Sample ID: SD-G05-0406      Lab Sample ID: 180-43699-35  
 Lab Name: TestAmerica Pittsburgh      Job No.: 180-43699-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Sediment      Date Sampled: 05/01/2015 10:00  
 Reporting Basis: DRY      Date Received: 05/02/2015 09:30  
 % Solids: 41.0

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	3.0	0.61	0.20	mg/Kg	J		1	9014
7440-44-0	Total Organic Carbon	45000	2400	220	mg/Kg			1	Lloyd
	- Duplicates								Kahn

*mw 7/6/15*

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

36

Client Sample ID: SD-G05-0607

Lab Sample ID: 180-43699-36

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 10:05

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 47.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	7.4	0.51	0.17	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>26000</del>	<del>2100</del>	<del>190</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

NW 7/6/15

37

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-H01-0002

Lab Sample ID: 180-43699-37

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 11:00

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 31.1

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	ND	0.81	0.27	mg/Kg	AJ		1	9014
7440-44-0	Total Organic Carbon	260000	3200	290	mg/Kg			1	Lloyd
	- Duplicates								Kahn

NW 7/6/15



1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

39

Client Sample ID: SD-H01-0002

Lab Sample ID: 180-43699-37

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 11:00

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 31.1

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	8400	96	19	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	260	3.0	0.60	umol/g			1	9034

mw 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

38

Client Sample ID: SD-H01-0406      Lab Sample ID: 180-43699-38

Lab Name: TestAmerica Pittsburgh      Job No.: 180-43699-1

SDG ID.: \_\_\_\_\_

Matrix: Sediment      Date Sampled: 05/01/2015 11:10

Reporting Basis: DRY      Date Received: 05/02/2015 09:30

% Solids: 27.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	5.2	0.92	0.30	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>220000</del>	<del>3700</del>	<del>330</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

NW 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

39

Client Sample ID: SD-H03-0002

Lab Sample ID: 180-43699-39

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 11:35

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 22.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	16	1.1	0.36	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>250000</del>	<del>4500</del>	<del>400</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

mw 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

39

Client Sample ID: SD-H03-0002

Lab Sample ID: 180-43699-39

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 11:35

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 22.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	3700	140	27	mg/Kg	J		1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	120	4.2	0.84	umol/g	J		1	9034

AW 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

40

Client Sample ID: SD-H03-0406

Lab Sample ID: 180-43699-40

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 11:45

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 33.6

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	6.4	0.74	0.24	mg/Kg			1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>130000</del>	<del>3000</del>	<del>260</del>	<del>mg/Kg</del>		<del>FI</del>	<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

*W 7/6/15*

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

41

Client Sample ID: SD-H04-0002

Lab Sample ID: 180-43699-41

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 12:05

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 24.6

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	7.1	1.0	0.33	mg/Kg	J		1	9014
7440-44-0	Total Organic Carbon	240000	4100	360	mg/Kg			1	Lloyd
	- Duplicates								Kahn

MW 7/6/15

41

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-H04-0002      Lab Sample ID: 180-43699-41  
Lab Name: TestAmerica Pittsburgh      Job No.: 180-43699-1  
SDG ID.:  
Matrix: Sediment      Date Sampled: 05/01/2015 12:05  
Reporting Basis: DRY      Date Received: 05/02/2015 09:30  
% Solids: 24.6

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	17000	120	24	mg/Kg	J		1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	550	3.8	0.75	umol/g	J		1	9034

mw 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

42

Client Sample ID: SD-H04-0002-FD

Lab Sample ID: 180-43699-42

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 12:05

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 24.6

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	9.5	1.0	0.33	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>200000</del>	<del>4100</del>	<del>360</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

2015/6/7



1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

42

Client Sample ID: SD-H04-0002-FD

Lab Sample ID: 180-43699-42

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 12:05

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 24.6

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	16000	120	24	mg/Kg	J		1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	490	3.8	0.75	umol/g	J		1	9034

*mw 7/6/15*

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

43

Client Sample ID: SD-H04-0406

Lab Sample ID: 180-43699-43

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 12:15

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 35.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	7.2	0.70	0.23	mg/Kg	J		1	9014
7440-44-0	Total Organic Carbon	81000	2800	250	mg/Kg			1	Lloyd
	- Duplicates								Kahn

mw 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

44

Client Sample ID: SD-H03-0607

Lab Sample ID: 180-43699-44

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 12:15

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 45.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	7.0	0.55	0.18	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>19000</del>	<del>2200</del>	<del>190</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

aw 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

45

Client Sample ID: SD-F06-0002

Lab Sample ID: 180-43699-45

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 13:25

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 22.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	0.42	1.1	0.37	mg/Kg	✓		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>140000</del>	<del>4500</del>	<del>400</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

*lw 7/6/15*

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

45

Client Sample ID: SD-F06-0002

Lab Sample ID: 180-43699-45

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 13:25

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 22.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	17000	140	27	mg/Kg	J		1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	520	4.2	0.84	umol/g	J		1	9034

MW 7/6/15

46

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-F06-0406

Lab Sample ID: 180-43699-46

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 13:35

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 32.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	26	0.79	0.26	mg/Kg	J		1	9014
7440-44-0	Total Organic Carbon	59000	3100	270	mg/Kg			1	Lloyd
	- Duplicates								Kahn

*mw 7/6/15*

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

47

Client Sample ID: SD-I01-0001

Lab Sample ID: 180-43699-47

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 14:15

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 53.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	9.6	0.46	0.15	mg/Kg	5		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>18000</del>	<del>1900</del>	<del>170</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

mw 7/6/15

47

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-I01-0001

Lab Sample ID: 180-43699-47

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 14:15

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 53.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	1900	56	11	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	60	1.7	0.35	umol/g			1	9034

NW 7/6/15



1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

48

Client Sample ID: SD-I01-0102

Lab Sample ID: 180-43699-48

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 14:20

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 68.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	2.0	0.36	0.12	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>6800</del>	<del>1500</del>	<del>130</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

mw 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

49

Client Sample ID: SD-F03-0002

Lab Sample ID: 180-43699-49

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 14:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 62.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	6.2	0.39	0.13	mg/Kg			1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>34000</del>	<del>1600</del>	<del>140</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

mw 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

49

Client Sample ID: SD-F03-0002

Lab Sample ID: 180-43699-49

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 14:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 62.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	4700	47	9.4	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	150	1.5	0.29	umol/g			1	9034

mw 7/6/15

50

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-J02-0002

Lab Sample ID: 180-43699-50

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 13:55

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 24.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	2.8	1.1	0.35	mg/Kg	J		1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>81000</del>	<del>4100</del>	<del>370</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd-</del>
	- Duplicates								Kahn

50

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-J02-0002

Lab Sample ID: 180-43699-50

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 13:55

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 24.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	11000	120	25	mg/Kg	J		1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	340	3.9	0.77	umol/g	J		1	9034

NW 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

51

Client Sample ID: SD-J02-0204

Lab Sample ID: 180-43699-51

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 14:00

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 35.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	11	0.72	0.24	mg/Kg			1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>62000</del>	<del>2800</del>	<del>250</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

lw 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

52

Client Sample ID: SD-J02-0406

Lab Sample ID: 180-43699-52

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 14:05

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 42.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	ND	0.58	0.19	mg/Kg			1	9014
<del>7440-44-0</del>	<del>Total Organic Carbon</del>	<del>17000</del>	<del>2400</del>	<del>210</del>	<del>mg/Kg</del>			<del>1</del>	<del>Lloyd</del>
	- Duplicates								Kahn

uw 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

53

Client Sample ID: SD-F04-0002

Lab Sample ID: 180-43699-53

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 10:20

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 39.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	4.2	0.63	0.21	mg/Kg			1	9014
7440-44-0	Total Organic Carbon	180000	2500	220	mg/Kg			1	Lloyd
	- Duplicates								Kahn

NW 7/6/15



53

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY - SEM/AVS

Client Sample ID: SD-F04-0002

Lab Sample ID: 180-43699-53

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 10:20

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 39.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
18496-25-8	Acid Volatile Sulfides (AVS)	5100	76	15	mg/Kg			1	9034
18496-25-8	Acid Volatile Sulfides (AVS)	160	2.4	0.48	umol/g			1	9034

*mw 7/6/15*

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

54

Client Sample ID: SD-F04-0406

Lab Sample ID: 180-43699-54

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 10:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 69.0

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	0.63	0.36	0.12	mg/Kg			1	9014
<del>7440-44-0</del>	Total Organic Carbon	44000	1500	130	mg/Kg			1	Lloyd
	- Duplicates								Kahn

mw 7/6/15



1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-H05-0002

Lab Sample ID: 180-43699-1

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 10:10

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 30.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	3300	300	170	mg/Kg			1	9071B

NW 7/6/15

2

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-H05-0406

Lab Sample ID: 180-43699-2

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 10:20

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 28.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	2000	330	190	mg/Kg	J		1	9071B

mw 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-F07-0002      Lab Sample ID: 180-43699-3  
Lab Name: TestAmerica Nashville      Job No.: 180-43699-1  
SDG ID.:  
Matrix: Sediment      Date Sampled: 04/30/2015 10:45  
Reporting Basis: DRY      Date Received: 05/02/2015 09:30  
% Solids: 20.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	4400	470	270	mg/Kg	J		1	9071B

*mw 7/6/15*

4

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-F07-0406

Lab Sample ID: 180-43699-4

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 10:55

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 31.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	470	310	180	mg/Kg			1	9071B

*mw 7/6/15*

5

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-G03-0002

Lab Sample ID: 180-43699-5

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 11:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 26.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	5000	360	210	mg/Kg	J		1	9071B

NW 7/6/15



6

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-G03-0406

Lab Sample ID: 180-43699-6

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 11:40

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 30.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	2000	300	170	mg/Kg			1	9071B

MW 7/6/15

7

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-H06-0002

Lab Sample ID: 180-43699-7

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 11:50

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 21.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	1100	430	250	mg/Kg	J		1	9071B

mu 7/6/15

8

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-H06-0002-FD

Lab Sample ID: 180-43699-8

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 12:10

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 21.0

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	1400	470	270	mg/Kg	J		1	9071B

9

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-H06-0204

Lab Sample ID: 180-43699-9

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 11:55

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 24.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	1900	390	220	mg/Kg	J		1	9071B

ms 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

10

Client Sample ID: SD-G02-0002

Lab Sample ID: 180-43699-10

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 13:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 25.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	2500	370	210	mg/Kg	J		1	9071B

NW 7/6/15

11

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-G02-0406

Lab Sample ID: 180-43699-11

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 13:40

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 30.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	1700	320	180	mg/Kg			1	9071B

*rw 7/6/15*

12

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-DE02-0002 Lab Sample ID: 180-43699-12  
Lab Name: TestAmerica Nashville Job No.: 180-43699-1  
SDG ID.:  
Matrix: Sediment Date Sampled: 04/30/2015 14:00  
Reporting Basis: DRY Date Received: 05/02/2015 09:30  
% Solids: 19.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	1400	480	270	mg/Kg	J		1	9071B

mw 7/6/15

13

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-DE02-0406

Lab Sample ID: 180-43699-13

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 14:10

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 32.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	ND	280	160	mg/Kg			1	9071B

*W 7/6/15*



14

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-H07-0002

Lab Sample ID: 180-43699-14

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 14:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 29.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	470	330	190	mg/Kg	J		1	9071B

15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-H07-0002-FD

Lab Sample ID: 180-43699-15

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 14:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 30.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	420	300	170	mg/Kg			1	9071B

16

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-H07-0406

Lab Sample ID: 180-43699-16

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 14:40

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 46.6

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	250	210	120	mg/Kg			1	9071B

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

17

Client Sample ID: SD-G06-0002

Lab Sample ID: 180-43699-17

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 15:00

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 33.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	ND	290	170	mg/Kg			1	9071B

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

18

Client Sample ID: SD-G06-0406 Lab Sample ID: 180-43699-18  
Lab Name: TestAmerica Nashville Job No.: 180-43699-1  
SDG ID.: \_\_\_\_\_  
Matrix: Sediment Date Sampled: 04/30/2015 15:10  
Reporting Basis: DRY Date Received: 05/02/2015 09:30  
% Solids: 45.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	ND	200	110	mg/Kg			1	9071B

*MW 7/6/15*

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

19

Client Sample ID: SD-I03-0002

Lab Sample ID: 180-43699-19

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 15:35

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 33.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	1600	280	160	mg/Kg			1	9071B

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

20

Client Sample ID: SD-I03-0204

Lab Sample ID: 180-43699-20

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 15:40

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 42.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	220	220	120	mg/Kg			1	9071B

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-I03-0406      Lab Sample ID: 180-43699-21  
 Lab Name: TestAmerica Nashville      Job No.: 180-43699-1  
 SDG ID.:  
 Matrix: Sediment      Date Sampled: 04/30/2015 15:45  
 Reporting Basis: DRY      Date Received: 05/02/2015 09:30  
 % Solids: 42.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	ND	230	130	mg/Kg			1	9071B

W7/6/15



1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-E03-0002

Lab Sample ID: 180-43699-22

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:15

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 20.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	3100	480	270	mg/Kg	J		1	9071B

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

23

Client Sample ID: SD-E03-0204

Lab Sample ID: 180-43699-23

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:20

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 32.0

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	470	310	180	mg/Kg			1	9071B

M 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-E03-0204-FD

Lab Sample ID: 180-43699-24

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:20

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 31.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	ND	310	170	mg/Kg			1	9071B

MW 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

25

Client Sample ID: SD-E03-0406

Lab Sample ID: 180-43699-25

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:25

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 48.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	ND	200	110	mg/Kg			1	9071B

mw 7/6/15

26

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-I02-0002

Lab Sample ID: 180-43699-26

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:45

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 22.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	420	420	240	mg/Kg	J		1	9071B

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

27

Client Sample ID: SD-I02-0204

Lab Sample ID: 180-43699-27

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:50

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 31.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	660	310	180	mg/Kg			1	9071B

mw 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

28

Client Sample ID: SD-I02-0406

Lab Sample ID: 180-43699-28

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 04/30/2015 16:55

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 38.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	ND	240	140	mg/Kg			1	9071B

*mw 7/6/15*

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

29

Client Sample ID: SD-G01-0002

Lab Sample ID: 180-43699-29

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 08:50

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 36.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	11000	270	160	mg/Kg			1	9071B

mw 7/6/15



1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

30

Client Sample ID: SD-G01-0406

Lab Sample ID: 180-43699-30

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 09:00

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 29.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	3500	310	180	mg/Kg	J		1	9071B

*mu 7/6/15*

31

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-G04-0002

Lab Sample ID: 180-43699-31

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 09:20

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 25.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	2900	360	210	mg/Kg	J		1	9071B

NW 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

32

Client Sample ID: SD-G04-0406

Lab Sample ID: 180-43699-32

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 09:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 37.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	260	260	150	mg/Kg			1	9071B

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

33

Client Sample ID: SD-G04-0406-FD

Lab Sample ID: 180-43699-33

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 09:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 36.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	ND	270	160	mg/Kg			1	9071B

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

34

Client Sample ID: SD-G05-0002

Lab Sample ID: 180-43699-34

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 09:50

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 21.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	740	440	250	mg/Kg	J		1	9071B

35

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-G05-0406

Lab Sample ID: 180-43699-35

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 10:00

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 41.0

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	330	230	130	mg/Kg			1	9071B

12/7/15

3p

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-G05-0607

Lab Sample ID: 180-43699-36

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 10:05

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 47.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	ND	190	110	mg/Kg			1	9071B

37

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-H01-0002

Lab Sample ID: 180-43699-37

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 11:00

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 31.1

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	4900	300	170	mg/Kg			1	9071B

MW 7/6/15



38

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-H01-0406

Lab Sample ID: 180-43699-38

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 11:10

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 27.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	5300	340	200	mg/Kg	J		1	9071B

*MS 7/6/15*

39

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-H03-0002 Lab Sample ID: 180-43699-39  
Lab Name: TestAmerica Nashville Job No.: 180-43699-1  
SDG ID.:  
Matrix: Sediment Date Sampled: 05/01/2015 11:35  
Reporting Basis: DRY Date Received: 05/02/2015 09:30  
% Solids: 22.4

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	5700	430	240	mg/Kg	J		1	9071B

MW 7/6/15

40

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-H03-0406

Lab Sample ID: 180-43699-40

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 11:45

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 33.6

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	3000	280	160	mg/Kg			1	9071B

41

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-H04-0002

Lab Sample ID: 180-43699-41

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 12:05

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 24.6

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	4700	400	230	mg/Kg	J		1	9071B

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

42

Client Sample ID: SD-H04-0002-FD

Lab Sample ID: 180-43699-42

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 12:05

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 24.6

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	2300	390	220	mg/Kg	J		1	9071B

MW 7/6/15

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-H04-0406

Lab Sample ID: 180-43699-43

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 12:15

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 35.8

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	1300	270	150	mg/Kg			1	9071B

W 7/6/15

44

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-H03-0607

Lab Sample ID: 180-43699-44

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 12:15

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 45.7

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	ND	210	120	mg/Kg			1	9071B

W 7/6/15

45

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-F06-0002

Lab Sample ID: 180-43699-45

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 13:25

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 22.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	ND	430	250	mg/Kg	J		1	9071B



46

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-F06-0406

Lab Sample ID: 180-43699-46

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 13:35

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 32.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	380	290	170	mg/Kg			1	9071B

47

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-I01-0001

Lab Sample ID: 180-43699-47

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 14:15

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 53.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	ND	170	99	mg/Kg			1	9071B

48

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-I01-0102 Lab Sample ID: 180-43699-48  
Lab Name: TestAmerica Nashville Job No.: 180-43699-1  
SDG ID.:  
Matrix: Sediment Date Sampled: 05/01/2015 14:20  
Reporting Basis: DRY Date Received: 05/02/2015 09:30  
% Solids: 68.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	ND	140	80	mg/Kg			1	9071B

Mr 7/6/15

49

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-F03-0002

Lab Sample ID: 180-43699-49

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 14:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 62.9

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	450	150	83	mg/Kg			1	9071B

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

50

Client Sample ID: SD-J02-0002 Lab Sample ID: 180-43699-50  
Lab Name: TestAmerica Nashville Job No.: 180-43699-1  
SDG ID.:  
Matrix: Sediment Date Sampled: 05/01/2015 13:55  
Reporting Basis: DRY Date Received: 05/02/2015 09:30  
% Solids: 24.2

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	ND	410	230	mg/Kg	J		1	9071B

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-J02-0204

Lab Sample ID: 180-43699-51

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 14:00

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 35.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	500	260	150	mg/Kg			1	9071B

*MW 7/6/15*

52

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-J02-0406

Lab Sample ID: 180-43699-52

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 14:05

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 42.3

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	ND	230	130	mg/Kg			1	9071B

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

53

Client Sample ID: SD-F04-0002

Lab Sample ID: 180-43699-53

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 10:20

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 39.5

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	4400	240	140	mg/Kg			1	9071B

*mw 7/6/15*



54

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: SD-F04-0406

Lab Sample ID: 180-43699-54

Lab Name: TestAmerica Nashville

Job No.: 180-43699-1

SDG ID.:

Matrix: Sediment

Date Sampled: 05/01/2015 10:30

Reporting Basis: DRY

Date Received: 05/02/2015 09:30

% Solids: 69.0

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
	HEM	660	140	77	mg/Kg			1	9071B

**DATA VALIDATION SUMMARY REPORT  
SPARROWS POINT, MARYLAND**

Client: EA Engineering, Science & Technology, Hunt Valley, Maryland  
SDG: J43409  
Laboratory: TestAmerica, Pittsburgh, Pennsylvania  
Site: Sparrows Point Trust Offshore Investigation, Maryland  
Date: July 9, 2015

EDS ID	Client Sample ID	Laboratory Sample ID	Matrix
1	PW-DE01	180-43409-1	Water
2	PW-F05	180-43409-2	Water

A full data validation was performed on the analytical data for two water samples collected on April 23, 2015 by EA Engineering at the Sparrows Point site in Maryland. The samples were analyzed under the Environmental Protection Agency (USEPA) "Test Methods for the Evaluation of Solid Waste, USEPA SW-846, Third Edition, September 1986, with revisions".

Specific method references are as follows:

Analysis

SVOCs  
Metals  
Cyanide

Method References

USEPA SW-846 Method 8270D LL  
USEPA SW-846 Methods 6020A  
USEPA SW-846 Method 9014

The data have been validated according to the protocols and quality control (QC) requirements of the analytical methods, the USEPA National Functional Guidelines for Organic and Inorganic Data Review as follows:

- The USEPA "Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review," June 2008;
- The USEPA "Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review," January 2010;
- and the reviewer's professional judgment.

***Organics***

- Holding times and sample preservation
- Gas Chromatography/Mass Spectroscopy (GC/MS) Tuning
- Initial and continuing calibration summaries
- Method blank and field blank contamination
- Surrogate Spike recoveries
- Matrix Spike/Matrix Spike Duplicate (MS/MSD) recoveries
- Laboratory Control Sample (LCS) recoveries

- Internal standard area and retention time summary forms
- Compound Quantitation
- Tentatively Identified Compounds (TICs)
- Field Duplicate sample precision

### ***Inorganics***

- Holding times and sample preservation
- ICP/MS Tuning
- Initial and continuing calibration verifications
- Method blank and field blank contamination
- ICP Interference Check Sample
- Laboratory Control Sample (LCS) recoveries
- Matrix Spike Analysis
- Duplicate Sample Analysis
- ICP Serial Dilution
- Compound Quantitation
- Field Duplicate sample precision

### **Overall Usability Issues:**

There were no rejections of data.

Overall the data are acceptable for the intended purposes as qualified for the deficiencies detailed in this report.

Please note that any results qualified (U) due to blank contamination may be then qualified (J) due to another action. Therefore, the results may be qualified (UJ) due to the culmination of the blank contaminations and actions from other exceedences of QC criteria.

### **Semivolatile Organic Compounds (SVOCs) (LL)**

#### **Holding Times**

- All samples were extracted within 7 days for water samples and analyzed within 40 days for all samples.

#### **GC/MS Tuning**

- All criteria were met.

### **Initial Calibration**

- The initial calibrations exhibited acceptable %RSD and/or correlation coefficients and mean RRF values.

### **Continuing Calibration**

- The continuing calibrations exhibited acceptable %D and RRF values.

### **Method Blank**

- The method blanks were free of contamination.

### **Field Blank**

- Field QC samples were not collected.

### **Surrogate Spike Recoveries**

- All samples exhibited acceptable surrogate recoveries.

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- A MS/MSD sample was not collected.

### **Laboratory Control Samples**

- The LCS samples exhibited acceptable %R values.

### **Internal Standard (IS) Area Performance**

- All internal standards met response and retention time (RT) criteria.

### **Compound Quantitation**

- EDS Sample ID #1 was reported as non-detect for bis(2-ethyl)hexyl phthalate, however, it was a positive detection. The reviewer added this compound and its result of 0.24 ug/L to the Form I.

### **Tentatively Identified Compounds (TICs)**

- TICs were not reported.

### **Field Duplicate Sample Precision**

- Field duplicate samples were not collected.

## **Metals**

### **Holding Times**

- All samples were prepared and analyzed within 180 days for all metals.

### **ICP/MS Tuning**

- All criteria were met.

### **Initial Calibration Verification**

- All initial calibration criteria were met.

### **Continuing Calibration Verification**

- All continuing calibration criteria were met.

### **Method Blank**

- The method blanks exhibited the following contamination.

Blank ID	Compound	Conc. ug/L	Qualifier	Affected Samples
CCB6	Lead	0.037	U	2
CCB7	Copper	0.519	U	1
	Zinc	0.994	None	ND or >10X

### **Field Blank**

- Field QC samples were not collected.

### **ICP Interference Check Sample**

- The ICP ICS exhibited acceptable recoveries.

### **Laboratory Control Samples**

- The LCS sample exhibited acceptable recoveries.

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- A MS/MSD sample was not collected.

### **ICP Serial Dilution**

- An ICP serial dilution was not analyzed.

### **Compound Quantitation**

- All samples were analyzed at a 10X dilution due to matrix interferences. The reporting limits were adjusted accordingly. No action was required.

### **Field Duplicate Sample Precision**

- Field duplicate samples were not collected.

## Cyanide

### Holding Times

- All samples were analyzed within 14 days for cyanide.

### Initial and Continuing Calibration

- All %R criteria were met.

### Method Blank

- The method blanks were free of contamination.

### Field Blank

- Field QC samples were not collected.

### Laboratory Control Samples

- The LCS samples exhibited acceptable %R values.

### Matrix Spike/Duplicate (MS/DUP) Recoveries

- A MS/MSD sample was not collected.

### Compound Quantitation


- All criteria were met.

### Field Duplicate Sample Precision

- Field duplicate samples were not collected.

Please contact the undersigned at (757) 564-0090 if you have any questions or need further information.

Signed:

  
Nancy Weaver  
Senior Chemist

Dated:

7/9/15



## Data Qualifiers

- U = The analyte was analyzed for, but was not detected at a level greater than or equal to the level of the adjusted Contract Required Quantitation Limit (CRQL) for sample and method.
- UJ = The analyte was not detected at a level greater than or equal to the adjusted CRQL. However, the reported adjusted CRQL is approximate and may be inaccurate or imprecise.
- J = The analyte was positively identified and the associated numerical value is the approximate concentration of the analyte in the sample (due either to the quality of the data generated because certain quality control criteria were not met, or the concentration of the analyte was below the CRQL).
- J+ = The result is an estimated quantity, but the result may be biased high.
- J- = The result is an estimated quantity, but the result may be biased low.
- R = The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte may or may not be present in the sample.
- NJ = The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43409-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: PW-DE01 Lab Sample ID: 180-43409-1  
 Matrix: Water Lab File ID: D0508014.D  
 Analysis Method: 8270D LL Date Collected: 04/23/2015 12:30  
 Extract. Method: 3520C Date Extracted: 04/30/2015 10:29  
 Sample wt/vol: 270 (mL) Date Analyzed: 05/08/2015 13:12  
 Con. Extract Vol.: 0.25 (mL) Dilution Factor: 1  
 Injection Volume: 2 (uL) Level: (low/med) Low  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 140958 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-12-7	Anthracene	ND		0.19	0.018
56-55-3	Benzo[a]anthracene	ND		0.19	0.034
205-99-2	Benzo[b]fluoranthene	ND		0.19	0.045
207-08-9	Benzo[k]fluoranthene	ND		0.19	0.028
191-24-2	Benzo[g,h,i]perylene	ND		0.19	0.027
50-32-8	Benzo[a]pyrene	ND		0.19	0.026
218-01-9	Chrysene	ND		0.19	0.029
53-70-3	Dibenz(a,h)anthracene	ND		0.19	0.025
206-44-0	Fluoranthene	ND		0.19	0.020
86-73-7	Fluorene	ND		0.19	0.022
193-39-5	Indeno[1,2,3-cd]pyrene	ND		0.19	0.040
85-01-8	Phenanthrene	ND		0.19	0.038
129-00-0	Pyrene	ND		0.19	0.021
83-32-9	Acenaphthene	ND		0.19	0.027
208-96-8	Acenaphthylene	ND		0.19	0.020
91-20-3	Naphthalene	0.15	J	0.19	0.021
117-81-7	Bis(2-ethylhexyl) phthalate	0.24 <del>ND</del>	J	1.9	0.41

CAS NO.	SURROGATE	%REC	Q	LIMITS
4165-60-0	Nitrobenzene-d5 (Surr)	42		27-114
321-60-8	2-Fluorobiphenyl	47		28-109
1718-51-0	Terphenyl-d14 (Surr)	41		20-118
367-12-4	2-Fluorophenol (Surr)	41		20-105
118-79-6	2,4,6-Tribromophenol (Surr)	49		30-118
4165-62-2	Phenol-d5 (Surr)	48		25-105

2

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-43409-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: PW-F05 Lab Sample ID: 180-43409-2  
 Matrix: Water Lab File ID: D0508015.D  
 Analysis Method: 8270D LL Date Collected: 04/23/2015 15:00  
 Extract. Method: 3520C Date Extracted: 04/30/2015 10:29  
 Sample wt/vol: 260 (mL) Date Analyzed: 05/08/2015 13:38  
 Con. Extract Vol.: 0.25 (mL) Dilution Factor: 1  
 Injection Volume: 2 (uL) Level: (low/med) Low  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 140958 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-12-7	Anthracene	ND		0.19	0.018
56-55-3	Benzo[a]anthracene	ND		0.19	0.035
205-99-2	Benzo[b]fluoranthene	ND		0.19	0.047
207-08-9	Benzo[k]fluoranthene	ND		0.19	0.029
191-24-2	Benzo[g,h,i]perylene	ND		0.19	0.028
50-32-8	Benzo[a]pyrene	ND		0.19	0.027
218-01-9	Chrysene	ND		0.19	0.030
53-70-3	Dibenz(a,h)anthracene	ND		0.19	0.026
206-44-0	Fluoranthene	ND		0.19	0.020
86-73-7	Fluorene	ND		0.19	0.023
193-39-5	Indeno[1,2,3-cd]pyrene	ND		0.19	0.042
85-01-8	Phenanthrene	ND		0.19	0.040
129-00-0	Pyrene	ND		0.19	0.022
83-32-9	Acenaphthene	ND		0.19	0.028
208-96-8	Acenaphthylene	ND		0.19	0.021
91-20-3	Naphthalene	ND		0.19	0.022
117-81-7	Bis(2-ethylhexyl) phthalate	1.1	J	1.9	0.42

CAS NO.	SURROGATE	%REC	Q	LIMITS
4165-60-0	Nitrobenzene-d5 (Surr)	39		27-114
321-60-8	2-Fluorobiphenyl	45		28-109
1718-51-0	Terphenyl-d14 (Surr)	35		20-118
367-12-4	2-Fluorophenol (Surr)	36		20-105
118-79-6	2,4,6-Tribromophenol (Surr)	56		30-118
4165-62-2	Phenol-d5 (Surr)	45		25-105

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - TOTAL RECOVERABLE

Client Sample ID: PW-DE01

Lab Sample ID: 180-43409-1

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43409-1

SDG ID.:

Matrix: Water

Date Sampled: 04/23/2015 12:30

Reporting Basis: WET

Date Received: 04/24/2015 08:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7439-92-1	Lead	10	10	0.19	ug/L			10	6020A
7440-02-0	Nickel	20	10	1.7	ug/L			10	6020A
7440-66-6	Zinc	160	50	9.6	ug/L			10	6020A
7440-50-8	Copper	11 <i>u</i>	20	2.4	ug/L	<i>/</i>		10	6020A
7440-47-3	Chromium	37	20	5.4	ug/L			10	6020A
7440-43-9	Cadmium	ND	10	1.1	ug/L			10	6020A

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - TOTAL RECOVERABLE

2

Client Sample ID: PW-F05

Lab Sample ID: 180-43409-2

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43409-1

SDG ID.:

Matrix: Water

Date Sampled: 04/23/2015 15:00

Reporting Basis: WET

Date Received: 04/24/2015 08:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7439-92-1	Lead	1.1	u 10	0.19	ug/L	<del>✓</del>		10	6020A
7440-02-0	Nickel	ND	10	1.7	ug/L			10	6020A
7440-66-6	Zinc	ND	50	9.6	ug/L			10	6020A
7440-50-8	Copper	ND	20	2.4	ug/L			10	6020A
7440-47-3	Chromium	ND	20	5.4	ug/L			10	6020A

MW 7/9/15

1

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: PW-DE01

Lab Sample ID: 180-43409-1

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43409-1

SDG ID.:

Matrix: Water

Date Sampled: 04/23/2015 12:30

Reporting Basis: WET

Date Received: 04/24/2015 08:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	2.5	10	2.5	ug/L	J		1	9014
	<del>Hardness as calcium carbonate</del>	<del>1800</del>	<del>50</del>	<del>15</del>	<del>mg/L</del>			<del>1</del>	<del>SM 2340C</del>

*MV 7/9/15*

2

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: PW-F05

Lab Sample ID: 180-43409-2

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43409-1

SDG ID.:

Matrix: Water

Date Sampled: 04/23/2015 15:00

Reporting Basis: WET

Date Received: 04/24/2015 08:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	24	10	2.5	ug/L			1	9014
	Hardness as calcium carbonate	1400	50	15	mg/L			1	SM 2340c

PW 7/9/15

**DATA VALIDATION SUMMARY REPORT  
SPARROWS POINT, MARYLAND**

Client: EA Engineering, Science & Technology, Hunt Valley, Maryland  
SDG: J43220  
Laboratory: TestAmerica, Pittsburgh, Pennsylvania  
Site: Sparrows Point Trust Offshore Investigation, Maryland  
Date: July 9, 2015

EDS ID	Client Sample ID	Laboratory Sample ID	Matrix
1†	PW-E01	180-43220-1	Water
2†	PW-D02	180-43220-2	Water
3*	PW-C02	180-43220-3	Water

\* - Metals and Mercury only      † - Not analyzed for Mercury

A full data validation was performed on the analytical data for three water samples collected on April 16-17, 2015 by EA Engineering at the Sparrows Point site in Maryland. The samples were analyzed under the Environmental Protection Agency (USEPA) "Test Methods for the Evaluation of Solid Waste, USEPA SW-846, Third Edition, September 1986, with revisions".

Specific method references are as follows:

Analysis

SVOCs  
Metals/Hg  
Cyanide

Method References

USEPA SW-846 Method 8270D LL  
USEPA SW-846 Methods 6020A/7470A  
USEPA SW-846 Method 9014

The data have been validated according to the protocols and quality control (QC) requirements of the analytical methods, the USEPA National Functional Guidelines for Organic and Inorganic Data Review as follows:

- The USEPA "Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review," June 2008;
- The USEPA "Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review," January 2010;
- and the reviewer's professional judgment.

***Organics***

- Holding times and sample preservation
- Gas Chromatography/Mass Spectroscopy (GC/MS) Tuning
- Initial and continuing calibration summaries
- Method blank and field blank contamination
- Surrogate Spike recoveries



- Matrix Spike/Matrix Spike Duplicate (MS/MSD) recoveries
- Laboratory Control Sample (LCS) recoveries
- Internal standard area and retention time summary forms
- Compound Quantitation
- Tentatively Identified Compounds (TICs)
- Field Duplicate sample precision

### ***Inorganics***

- Holding times and sample preservation
- ICP/MS Tuning
- Initial and continuing calibration verifications
- Method blank and field blank contamination
- ICP Interference Check Sample
- Laboratory Control Sample (LCS) recoveries
- Matrix Spike Analysis
- Duplicate Sample Analysis
- ICP Serial Dilution
- Compound Quantitation
- Field Duplicate sample precision

### **Overall Usability Issues:**

There were no rejections of data.

Overall the data are acceptable for the intended purposes as qualified for the deficiencies detailed in this report.

Please note that any results qualified (U) due to blank contamination may be then qualified (J) due to another action. Therefore, the results may be qualified (UJ) due to the culmination of the blank contaminations and actions from other exceedences of QC criteria.

### **Semivolatile Organic Compounds (SVOCs) (LL)**

#### **Holding Times**

- All samples were extracted within 7 days for water samples and analyzed within 40 days for all samples.

#### **GC/MS Tuning**

- All criteria were met.

### **Initial Calibration**

- The initial calibrations exhibited acceptable %RSD and/or correlation coefficients and mean RRF values.

### **Continuing Calibration**

- The continuing calibrations exhibited acceptable %D and RRF values.

### **Method Blank**

- The method blanks were free of contamination.

### **Field Blank**

- Field QC samples were not collected.

### **Surrogate Spike Recoveries**

- All samples exhibited acceptable surrogate recoveries.

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- A MS/MSD sample was not collected.

### **Laboratory Control Samples**

- The LCS samples exhibited acceptable %R values.

### **Internal Standard (IS) Area Performance**

- All internal standards met response and retention time (RT) criteria.

### **Compound Quantitation**

- All criteria were met.

### **Tentatively Identified Compounds (TICs)**

- TICs were not reported.

### **Field Duplicate Sample Precision**

- Field duplicate samples were not collected.

## **Metals & Mercury**

### **Holding Times**

- All samples were prepared and analyzed within 28 days for mercury and 180 days for all other metals.

### **ICP/MS Tuning**

- All criteria were met.

### **Initial Calibration Verification**

- All initial calibration criteria were met.

### **Continuing Calibration Verification**

- All continuing calibration criteria were met.

### **Method Blank**

- The method blanks were free of contamination.

### **Field Blank**

- Field QC samples were not collected.

### **ICP Interference Check Sample**

- The ICP ICS exhibited acceptable recoveries.

### **Laboratory Control Samples**

- The LCS sample exhibited acceptable recoveries.

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- A MS/MSD sample was not collected.

### **ICP Serial Dilution**

- An ICP serial dilution was not analyzed.

### **Compound Quantitation**

- All Samples were analyzed at a 10X dilution due to matrix interferences. The reporting limits were adjusted accordingly. No action was required.

### **Field Duplicate Sample Precision**

- Field duplicate samples were not collected.

## Cyanide

### Holding Times

- All samples were analyzed within 14 days for cyanide.

### Initial and Continuing Calibration

- All %R criteria were met.

### Method Blank

- The method blanks were free of contamination.

### Field Blank

- Field QC samples were not collected.

### Laboratory Control Samples

- The LCS samples exhibited acceptable %R values.

### Matrix Spike/Duplicate (MS/DUP) Recoveries

- A MS/MSD sample was not collected.

### Compound Quantitation


- All criteria were met.

### Field Duplicate Sample Precision

- Field duplicate samples were not collected.

Please contact the undersigned at (757) 564-0090 if you have any questions or need further information.

Signed:

  
Nancy Weaver  
Senior Chemist

Dated:

7/9/15

## Data Qualifiers

- U = The analyte was analyzed for, but was not detected at a level greater than or equal to the level of the adjusted Contract Required Quantitation Limit (CRQL) for sample and method.
- UJ = The analyte was not detected at a level greater than or equal to the adjusted CRQL. However, the reported adjusted CRQL is approximate and may be inaccurate or imprecise.
- J = The analyte was positively identified and the associated numerical value is the approximate concentration of the analyte in the sample (due either to the quality of the data generated because certain quality control criteria were not met, or the concentration of the analyte was below the CRQL).
- J+ = The result is an estimated quantity, but the result may be biased high.
- J- = The result is an estimated quantity, but the result may be biased low.
- R = The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte may or may not be present in the sample.
- NJ = The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43220-1

SDG No.: \_\_\_\_\_

Client Sample ID: PW-E01

Lab Sample ID: 180-43220-1

Matrix: Water

Lab File ID: D0429028.D

Analysis Method: 8270D LL

Date Collected: 04/16/2015 14:15

Extract. Method: 3520C

Date Extracted: 04/23/2015 11:13

Sample wt/vol: 270 (mL)

Date Analyzed: 04/29/2015 23:09

Con. Extract Vol.: 0.25 (mL)

Dilution Factor: 1

Injection Volume: 2 (uL)

Level: (low/med) Low

% Moisture: \_\_\_\_\_

GPC Cleanup: (Y/N) N

Analysis Batch No.: 140008

Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-12-7	Anthracene	ND		0.19	0.018
56-55-3	Benzo[a]anthracene	ND		0.19	0.034
205-99-2	Benzo[b]fluoranthene	ND		0.19	0.045
207-08-9	Benzo[k]fluoranthene	ND		0.19	0.028
191-24-2	Benzo[g,h,i]perylene	ND		0.19	0.027
50-32-8	Benzo[a]pyrene	ND		0.19	0.026
218-01-9	Chrysene	ND		0.19	0.029
53-70-3	Dibenz(a,h)anthracene	ND		0.19	0.025
206-44-0	Fluoranthene	ND		0.19	0.020
86-73-7	Fluorene	ND		0.19	0.022
193-39-5	Indeno[1,2,3-cd]pyrene	ND		0.19	0.040
85-01-8	Phenanthrene	ND		0.19	0.038
129-00-0	Pyrene	ND		0.19	0.021
83-32-9	Acenaphthene	ND		0.19	0.027
208-96-8	Acenaphthylene	ND		0.19	0.020
91-20-3	Naphthalene	ND		0.19	0.021
117-81-7	Bis(2-ethylhexyl) phthalate	ND		1.9	0.41

CAS NO.	SURROGATE	%REC	Q	LIMITS
4165-60-0	Nitrobenzene-d5 (Surr)	62		27-114
321-60-8	2-Fluorobiphenyl	64		28-109
1718-51-0	Terphenyl-d14 (Surr)	56		20-118
367-12-4	2-Fluorophenol (Surr)	56		20-105
118-79-6	2,4,6-Tribromophenol (Surr)	73		30-118
4165-62-2	Phenol-d5 (Surr)	61		25-105



2

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica PittsburghJob No.: 180-43220-1

SDG No.: \_\_\_\_\_

Client Sample ID: PW-D02Lab Sample ID: 180-43220-2Matrix: WaterLab File ID: V0424017.DAnalysis Method: 8270D LLDate Collected: 04/17/2015 10:50Extract. Method: 3520CDate Extracted: 04/22/2015 11:36Sample wt/vol: 270 (mL)Date Analyzed: 04/24/2015 14:27Con. Extract Vol.: 0.25 (mL)Dilution Factor: 1Injection Volume: 2 (uL)Level: (low/med) Low

% Moisture: \_\_\_\_\_

GPC Cleanup: (Y/N) NAnalysis Batch No.: 139524Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-12-7	Anthracene	ND		0.19	0.018
56-55-3	Benzo[a]anthracene	ND		0.19	0.034
205-99-2	Benzo[b]fluoranthene	ND		0.19	0.045
207-08-9	Benzo[k]fluoranthene	ND		0.19	0.028
191-24-2	Benzo[g,h,i]perylene	ND		0.19	0.027
50-32-8	Benzo[a]pyrene	ND		0.19	0.026
218-01-9	Chrysene	ND		0.19	0.029
53-70-3	Dibenz(a,h)anthracene	ND		0.19	0.025
206-44-0	Fluoranthene	ND		0.19	0.020
86-73-7	Fluorene	ND		0.19	0.022
193-39-5	Indeno[1,2,3-cd]pyrene	ND		0.19	0.040
85-01-8	Phenanthrene	ND		0.19	0.038
129-00-0	Pyrene	ND		0.19	0.021
83-32-9	Acenaphthene	ND		0.19	0.027
208-96-8	Acenaphthylene	ND		0.19	0.020
91-20-3	Naphthalene	ND		0.19	0.021
117-81-7	Bis(2-ethylhexyl) phthalate	ND		1.9	0.41

CAS NO.	SURROGATE	%REC	Q	LIMITS
4165-60-0	Nitrobenzene-d5 (Surr)	76		27-114
321-60-8	2-Fluorobiphenyl	78		28-109
1718-51-0	Terphenyl-d14 (Surr)	66		20-118
367-12-4	2-Fluorophenol (Surr)	66		20-105
118-79-6	2,4,6-Tribromophenol (Surr)	84		30-118
4165-62-2	Phenol-d5 (Surr)	67		25-105

*mw 7/14/15*

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - TOTAL RECOVERABLE

Client Sample ID: PW-E01

Lab Sample ID: 180-43220-1

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43220-1

SDG ID.:

Matrix: Water

Date Sampled: 04/16/2015 14:15

Reporting Basis: WET

Date Received: 04/18/2015 09:00

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium	ND	10	1.1	ug/L			10	6020A
7439-92-1	Lead	ND	10	0.19	ug/L			10	6020A
7440-02-0	Nickel	ND	10	1.7	ug/L			10	6020A
7440-66-6	Zinc	ND	50	9.6	ug/L			10	6020A
7440-50-8	Copper	ND	20	2.4	ug/L			10	6020A

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - TOTAL RECOVERABLE

2

Client Sample ID: PW-D02 Lab Sample ID: 180-43220-2  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-43220-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Water Date Sampled: 04/17/2015 10:50  
 Reporting Basis: WET Date Received: 04/18/2015 09:00

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium	ND	10	1.1	ug/L			10	6020A
7439-92-1	Lead	0.74	10	0.19	ug/L	J		10	6020A
7440-02-0	Nickel	ND	10	1.7	ug/L			10	6020A
7440-66-6	Zinc	22	50	9.6	ug/L	J		10	6020A
7440-50-8	Copper	2.6	20	2.4	ug/L	J		10	6020A

3

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - TOTAL RECOVERABLE

Client Sample ID: PW-C02

Lab Sample ID: 180-43220-3

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43220-1

SDG ID.:

Matrix: Water

Date Sampled: 04/17/2015 13:15

Reporting Basis: WET

Date Received: 04/18/2015 09:00

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-43-9	Cadmium	1.1	10	1.1	ug/L	J		10	6020A
7439-92-1	Lead	30	10	0.19	ug/L			10	6020A
7440-02-0	Nickel	3.5	10	1.7	ug/L	J		10	6020A
7440-66-6	Zinc	210	50	9.6	ug/L			10	6020A
7440-50-8	Copper	18	20	2.4	ug/L	J		10	6020A

3

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: PW-C02 Lab Sample ID: 180-43220-3  
Lab Name: TestAmerica Pittsburgh Job No.: 180-43220-1  
SDG ID.: \_\_\_\_\_  
Matrix: Water Date Sampled: 04/17/2015 13:15  
Reporting Basis: WET Date Received: 04/18/2015 09:00

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7439-97-6	Mercury	0.095	0.20	0.078	ug/L	J		1	7470A

1

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

Client Sample ID: PW-E01

Lab Sample ID: 180-43220-1

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43220-1

SDG ID.:

Matrix: Water

Date Sampled: 04/16/2015 14:15

Reporting Basis: WET

Date Received: 04/18/2015 09:00

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	3.5	10	2.5	ug/L	J		1	9014
	<del>Hardness as calcium carbonate</del>	<del>1700</del>	<del>50</del>	<del>15</del>	<del>mg/L</del>			<del>1</del>	<del>SM-2540C</del>

1B-IN  
INORGANIC ANALYSIS DATA SHEET  
GENERAL CHEMISTRY

2

Client Sample ID: PW-D02

Lab Sample ID: 180-43220-2

Lab Name: TestAmerica Pittsburgh

Job No.: 180-43220-1

SDG ID.: \_\_\_\_\_

Matrix: Water

Date Sampled: 04/17/2015 10:50

Reporting Basis: WET

Date Received: 04/18/2015 09:00

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
57-12-5	Cyanide, Total	4.4	10	2.5	ug/L	J		1	9014
	<del>Hardness as calcium carbonate</del>	<del>1400</del>	<del>50</del>	<del>15</del>	<del>mg/L</del>			<del>1</del>	<del>SM 2340C</del>

*mw 7/9/15*

**DATA VALIDATION SUMMARY REPORT  
SPARROWS POINT, MARYLAND**

Client: EA Engineering, Science & Technology, Hunt Valley, Maryland  
SDG: J42982  
Laboratory: TestAmerica, Pittsburgh, Pennsylvania  
Site: Sparrows Point Trust Offshore Investigation, Maryland  
Date: July 9, 2015

EDS ID	Client Sample ID	Laboratory Sample ID	Matrix
1	PW-C01	180-42982-1	Water
2*	PW-B01	180-42982-2	Water
3*	PW-A01	180-42982-3	Water

\* - Not analyzed for Mercury

A full data validation was performed on the analytical data for three water samples collected on April 10, 2015 by EA Engineering at the Sparrows Point site in Maryland. The samples were analyzed under the Environmental Protection Agency (USEPA) "Test Methods for the Evaluation of Solid Waste, USEPA SW-846, Third Edition, September 1986, with revisions".

Specific method references are as follows:

Analysis

SVOCs  
Metals/Hg

Method References

USEPA SW-846 Method 8270D LL  
USEPA SW-846 Methods 6020A/7470A

The data have been validated according to the protocols and quality control (QC) requirements of the analytical methods, the USEPA National Functional Guidelines for Organic and Inorganic Data Review as follows:

- The USEPA "Contract Laboratory Program National Functional Guidelines for Superfund Organic Methods Data Review," June 2008;
- The USEPA "Contract Laboratory Program National Functional Guidelines for Inorganic Superfund Data Review," January 2010;
- and the reviewer's professional judgment.

***Organics***

- Holding times and sample preservation
- Gas Chromatography/Mass Spectroscopy (GC/MS) Tuning
- Initial and continuing calibration summaries
- Method blank and field blank contamination
- Surrogate Spike recoveries
- Matrix Spike/Matrix Spike Duplicate (MS/MSD) recoveries



- Laboratory Control Sample (LCS) recoveries
- Internal standard area and retention time summary forms
- Compound Quantitation
- Tentatively Identified Compounds (TICs)
- Field Duplicate sample precision

### ***Inorganics***

- Holding times and sample preservation
- ICP/MS Tuning
- Initial and continuing calibration verifications
- Method blank and field blank contamination
- ICP Interference Check Sample
- Laboratory Control Sample (LCS) recoveries
- Matrix Spike Analysis
- Duplicate Sample Analysis
- ICP Serial Dilution
- Compound Quantitation
- Field Duplicate sample precision

### **Overall Usability Issues:**

There were no rejections of data.

Overall the data are acceptable for the intended purposes as qualified for the deficiencies detailed in this report.

Please note that any results qualified (U) due to blank contamination may be then qualified (J) due to another action. Therefore, the results may be qualified (UJ) due to the culmination of the blank contaminations and actions from other exceedences of QC criteria.

### **Semivolatile Organic Compounds (SVOCs) (LL)**

#### **Holding Times**

- All samples were extracted within 7 days for water samples and analyzed within 40 days for all samples.

#### **GC/MS Tuning**

- All criteria were met.

### **Initial Calibration**

- The initial calibrations exhibited acceptable %RSD and/or correlation coefficients and mean RRF values.

### **Continuing Calibration**

- The continuing calibrations exhibited acceptable %D and RRF values.

### **Method Blank**

- The method blanks were free of contamination.

### **Field Blank**

- Field QC samples were not collected.

### **Surrogate Spike Recoveries**

- All samples exhibited acceptable surrogate recoveries.

### **Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries**

- A MS/MSD sample was not collected.

### **Laboratory Control Samples**

- The LCS samples exhibited acceptable %R values.

### **Internal Standard (IS) Area Performance**

- All internal standards met response and retention time (RT) criteria.

### **Compound Quantitation**

- All criteria were met.

### **Tentatively Identified Compounds (TICs)**

- TICs were not reported.

### **Field Duplicate Sample Precision**

- Field duplicate samples were not collected.

## **Metals & Mercury**

### **Holding Times**

- All samples were prepared and analyzed within 28 days for mercury and 180 days for all other metals.

### **ICP/MS Tuning**

- All criteria were met.

### **Initial Calibration Verification**

- All initial calibration criteria were met.

### **Continuing Calibration Verification**

- All continuing calibration criteria were met.

### **Method Blank**

- The method blanks exhibited the following contamination.

Blank ID	Compound	Conc. ug/L	Qualifier	Affected Samples
CCB4	Antimony	0.042	U	1
	Thallium	0.048	U	1, 2, 3

### **Field Blank**

- Field QC samples were not collected.

### **ICP Interference Check Sample**

- The ICP ICS exhibited acceptable recoveries.

### **Laboratory Control Samples**

- The LCS sample exhibited acceptable recoveries.

### Matrix Spike/Matrix Spike Duplicate (MS/MSD) Recoveries

- A MS/MSD sample was not analyzed.

### ICP Serial Dilution

- ICP serial dilution percent differences (%D) were within acceptance limits.

### Compound Quantitation


- All samples were analyzed at a 10X dilution due to matrix interferences. The reporting limits were adjusted accordingly. No action was required.

### Field Duplicate Sample Precision

- Field duplicate samples were not collected.

Please contact the undersigned at (757) 564-0090 if you have any questions or need further information.

Signed:

  
Nancy Weaver  
Senior Chemist

Dated:

7/9/15

## Data Qualifiers

- U = The analyte was analyzed for, but was not detected at a level greater than or equal to the level of the adjusted Contract Required Quantitation Limit (CRQL) for sample and method.
- UJ = The analyte was not detected at a level greater than or equal to the adjusted CRQL. However, the reported adjusted CRQL is approximate and may be inaccurate or imprecise.
- J = The analyte was positively identified and the associated numerical value is the approximate concentration of the analyte in the sample (due either to the quality of the data generated because certain quality control criteria were not met, or the concentration of the analyte was below the CRQL).
- J+ = The result is an estimated quantity, but the result may be biased high.
- J- = The result is an estimated quantity, but the result may be biased low.
- R = The sample results are unusable due to the quality of the data generated because certain criteria were not met. The analyte may or may not be present in the sample.
- NJ = The analysis indicates the presence of an analyte that has been "tentatively identified" and the associated numerical value represents its approximate concentration.

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-42982-1  
 SDG No.: \_\_\_\_\_  
 Client Sample ID: PW-C01 Lab Sample ID: 180-42982-1  
 Matrix: Water Lab File ID: D0414022.D  
 Analysis Method: 8270D LL Date Collected: 04/10/2015 15:54  
 Extract. Method: 3520C Date Extracted: 04/13/2015 09:07  
 Sample wt/vol: 260 (mL) Date Analyzed: 04/14/2015 18:39  
 Con. Extract Vol.: 0.25 (mL) Dilution Factor: 1  
 Injection Volume: 2 (uL) Level: (low/med) Low  
 % Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
 Analysis Batch No.: 138398 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-12-7	Anthracene	ND		0.19	0.018
56-55-3	Benzo[a]anthracene	ND		0.19	0.035
205-99-2	Benzo[b]fluoranthene	ND		0.19	0.047
207-08-9	Benzo[k]fluoranthene	ND		0.19	0.029
191-24-2	Benzo[g,h,i]perylene	ND		0.19	0.028
50-32-8	Benzo[a]pyrene	ND		0.19	0.027
218-01-9	Chrysene	ND		0.19	0.030
53-70-3	Dibenz(a,h)anthracene	ND		0.19	0.026
206-44-0	Fluoranthene	ND		0.19	0.020
86-73-7	Fluorene	ND		0.19	0.023
193-39-5	Indeno[1,2,3-cd]pyrene	ND		0.19	0.042
85-01-8	Phenanthrene	ND		0.19	0.040
129-00-0	Pyrene	ND		0.19	0.022
83-32-9	Acenaphthene	ND		0.19	0.028
208-96-8	Acenaphthylene	ND		0.19	0.021
91-20-3	Naphthalene	ND		0.19	0.022
117-81-7	Bis(2-ethylhexyl) phthalate	0.73	J	1.9	0.42

CAS NO.	SURROGATE	%REC	Q	LIMITS
4165-60-0	Nitrobenzene-d5 (Surr)	41		27-114
321-60-8	2-Fluorobiphenyl	41		28-109
1718-51-0	Terphenyl-d14 (Surr)	45		20-118
367-12-4	2-Fluorophenol (Surr)	37		20-105
118-79-6	2,4,6-Tribromophenol (Surr)	45		30-118
4165-62-2	Phenol-d5 (Surr)	43		25-105

2

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-42982-1

SDG No.: \_\_\_\_\_

Client Sample ID: PW-B01 Lab Sample ID: 180-42982-2

Matrix: Water Lab File ID: D0414023.D

Analysis Method: 8270D LL Date Collected: 04/10/2015 14:20

Extract. Method: 3520C Date Extracted: 04/13/2015 09:07

Sample wt/vol: 260 (mL) Date Analyzed: 04/14/2015 19:06

Con. Extract Vol.: 0.25 (mL) Dilution Factor: 1

Injection Volume: 2 (uL) Level: (low/med) Low

% Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N

Analysis Batch No.: 138398 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-12-7	Anthracene	ND		0.19	0.018
56-55-3	Benzo[a]anthracene	ND		0.19	0.035
205-99-2	Benzo[b]fluoranthene	ND		0.19	0.047
207-08-9	Benzo[k]fluoranthene	ND		0.19	0.029
191-24-2	Benzo[g,h,i]perylene	ND		0.19	0.028
50-32-8	Benzo[a]pyrene	ND		0.19	0.027
218-01-9	Chrysene	ND		0.19	0.030
53-70-3	Dibenz(a,h)anthracene	ND		0.19	0.026
206-44-0	Fluoranthene	ND		0.19	0.020
86-73-7	Fluorene	ND		0.19	0.023
193-39-5	Indeno[1,2,3-cd]pyrene	ND		0.19	0.042
85-01-8	Phenanthrene	ND		0.19	0.040
129-00-0	Pyrene	ND		0.19	0.022
83-32-9	Acenaphthene	ND		0.19	0.028
208-96-8	Acenaphthylene	ND		0.19	0.021
91-20-3	Naphthalene	ND		0.19	0.022
117-81-7	Bis(2-ethylhexyl) phthalate	ND		1.9	0.42

CAS NO.	SURROGATE	%REC	Q	LIMITS
4165-60-0	Nitrobenzene-d5 (Surr)	40		27-114
321-60-8	2-Fluorobiphenyl	39		28-109
1718-51-0	Terphenyl-d14 (Surr)	41		20-118
367-12-4	2-Fluorophenol (Surr)	37		20-105
118-79-6	2,4,6-Tribromophenol (Surr)	45		30-118
4165-62-2	Phenol-d5 (Surr)	43		25-105



3

FORM I  
GC/MS SEMI VOA ORGANICS ANALYSIS DATA SHEET

Lab Name: TestAmerica Pittsburgh Job No.: 180-42982-1  
SDG No.: \_\_\_\_\_  
Client Sample ID: PW-A01 Lab Sample ID: 180-42982-3  
Matrix: Water Lab File ID: D0414024.D  
Analysis Method: 8270D LL Date Collected: 04/10/2015 12:45  
Extract. Method: 3520C Date Extracted: 04/13/2015 09:07  
Sample wt/vol: 250(mL) Date Analyzed: 04/14/2015 19:33  
Con. Extract Vol.: 0.25(mL) Dilution Factor: 1  
Injection Volume: 2(uL) Level: (low/med) Low  
% Moisture: \_\_\_\_\_ GPC Cleanup: (Y/N) N  
Analysis Batch No.: 138398 Units: ug/L

CAS NO.	COMPOUND NAME	RESULT	Q	RL	MDL
120-12-7	Anthracene	ND		0.20	0.019
56-55-3	Benzo[a]anthracene	ND		0.20	0.037
205-99-2	Benzo[b]fluoranthene	ND		0.20	0.049
207-08-9	Benzo[k]fluoranthene	ND		0.20	0.030
191-24-2	Benzo[g,h,i]perylene	ND		0.20	0.029
50-32-8	Benzo[a]pyrene	ND		0.20	0.028
218-01-9	Chrysene	ND		0.20	0.031
53-70-3	Dibenz(a,h)anthracene	ND		0.20	0.027
206-44-0	Fluoranthene	ND		0.20	0.021
86-73-7	Fluorene	ND		0.20	0.024
193-39-5	Indeno[1,2,3-cd]pyrene	ND		0.20	0.043
85-01-8	Phenanthrene	ND		0.20	0.042
129-00-0	Pyrene	ND		0.20	0.023
83-32-9	Acenaphthene	ND		0.20	0.029
208-96-8	Acenaphthylene	ND		0.20	0.022
91-20-3	Naphthalene	ND		0.20	0.023
117-81-7	Bis(2-ethylhexyl) phthalate	ND		2.0	0.44

CAS NO.	SURROGATE	%REC	Q	LIMITS
4165-60-0	Nitrobenzene-d5 (Surr)	36		27-114
321-60-8	2-Fluorobiphenyl	35		28-109
1718-51-0	Terphenyl-d14 (Surr)	45		20-118
367-12-4	2-Fluorophenol (Surr)	34		20-105
118-79-6	2,4,6-Tribromophenol (Surr)	48		30-118
4165-62-2	Phenol-d5 (Surr)	38		25-105

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - TOTAL RECOVERABLE

Client Sample ID: PW-C01

Lab Sample ID: 180-42982-1

Lab Name: TestAmerica Pittsburgh

Job No.: 180-42982-1

SDG ID.:

Matrix: Water

Date Sampled: 04/10/2015 15:54

Reporting Basis: WET

Date Received: 04/11/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	6.8	10	2.9	ug/L	J		10	6020A
7440-43-9	Cadmium	ND	10	1.1	ug/L			10	6020A
7440-47-3	Chromium	ND	20	5.4	ug/L			10	6020A
7439-92-1	Lead	ND	10	0.19	ug/L			10	6020A
7782-49-2	Selenium	ND	50	4.2	ug/L			10	6020A
7440-22-4	Silver	ND	10	0.36	ug/L			10	6020A
7440-41-7	Beryllium	ND	10	0.37	ug/L			10	6020A
7440-28-0	Thallium	10 <del>0.26</del> U	10	0.15	ug/L	<del>J</del>		10	6020A
7440-36-0	Antimony	20 <del>0.68</del> U	20	0.19	ug/L	<del>J</del>		10	6020A
7440-02-0	Nickel	2.1	10	1.7	ug/L	J		10	6020A
7440-66-6	Zinc	12	50	9.6	ug/L	J		10	6020A
7440-50-8	Copper	ND	20	2.4	ug/L			10	6020A

*rw 7/9/15*

2

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - TOTAL RECOVERABLE

Client Sample ID: PW-B01 Lab Sample ID: 180-42982-2  
 Lab Name: TestAmerica Pittsburgh Job No.: 180-42982-1  
 SDG ID.: \_\_\_\_\_  
 Matrix: Water Date Sampled: 04/10/2015 14:20  
 Reporting Basis: WET Date Received: 04/11/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	7.2	10	2.9	ug/L	J		10	6020A
7440-43-9	Cadmium	ND	10	1.1	ug/L			10	6020A
7440-47-3	Chromium	ND	20	5.4	ug/L			10	6020A
7439-92-1	Lead	ND	10	0.19	ug/L			10	6020A
7782-49-2	Selenium	ND	50	4.2	ug/L			10	6020A
7440-22-4	Silver	ND	10	0.36	ug/L			10	6020A
7440-41-7	Beryllium	ND	10	0.37	ug/L			10	6020A
7440-28-0	Thallium	10 <del>0.15</del> u	10	0.15	ug/L	✓		10	6020A
7440-36-0	Antimony	ND	20	0.19	ug/L			10	6020A
7440-02-0	Nickel	2.0	10	1.7	ug/L	J		10	6020A
7440-66-6	Zinc	ND	50	9.6	ug/L			10	6020A
7440-50-8	Copper	ND	20	2.4	ug/L			10	6020A

mw 7/9/15

3

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS - TOTAL RECOVERABLE

Client Sample ID: PW-A01

Lab Sample ID: 180-42982-3

Lab Name: TestAmerica Pittsburgh

Job No.: 180-42982-1

SDG ID.:

Matrix: Water

Date Sampled: 04/10/2015 12:45

Reporting Basis: WET

Date Received: 04/11/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7440-38-2	Arsenic	3.4	10	2.9	ug/L	J		10	6020A
7440-43-9	Cadmium	ND	10	1.1	ug/L			10	6020A
7440-47-3	Chromium	ND	20	5.4	ug/L			10	6020A
7439-92-1	Lead	0.19	10	0.19	ug/L	J		10	6020A
7782-49-2	Selenium	ND	50	4.2	ug/L			10	6020A
7440-22-4	Silver	ND	10	0.36	ug/L			10	6020A
7440-41-7	Beryllium	ND	10	0.37	ug/L			10	6020A
7440-28-0	Thallium	10 <del>0.17</del> u	10	0.15	ug/L	/		10	6020A
7440-36-0	Antimony	ND	20	0.19	ug/L			10	6020A
7440-02-0	Nickel	2.9	10	1.7	ug/L	J		10	6020A
7440-66-6	Zinc	ND	50	9.6	ug/L			10	6020A
7440-50-8	Copper	ND	20	2.4	ug/L			10	6020A

NW 7/9/15

1

1A-IN  
INORGANIC ANALYSIS DATA SHEET  
METALS

Client Sample ID: PW-C01 Lab Sample ID: 180-42982-1  
Lab Name: TestAmerica Pittsburgh Job No.: 180-42982-1  
SDG ID.: \_\_\_\_\_  
Matrix: Water Date Sampled: 04/10/2015 15:54  
Reporting Basis: WET Date Received: 04/11/2015 09:30

CAS No.	Analyte	Result	RL	MDL	Units	C	Q	DIL	Method
7439-97-6	Mercury	ND	0.20	0.078	ug/L			1	7470A

*This page intentionally left blank.*

**APPENDIX F**  
**PROUCL OUTPUTS**

*This page intentionally left blank.*



General UCL Statistics for Data Sets with Non-Detects			
User Selected Options			
From File	Sheet1.wst		
Full Precision	OFF		
Confidence Coefficient	95%		
Number of Bootstrap Operations	10000		
SD_BIS(2-ETHYLHEXYL) PHTHALATE			
General Statistics			
Number of Valid Data	16	Number of Detected Data	9
Number of Distinct Detected Data	9	Number of Non-Detect Data	7
		Percent Non-Detects	43.75%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.018	Minimum Detected	-4.017
Maximum Detected	1.6	Maximum Detected	0.47
Mean of Detected	0.441	Mean of Detected	-1.866
SD of Detected	0.55	SD of Detected	1.736
Minimum Non-Detect	0.19	Minimum Non-Detect	-1.661
Maximum Non-Detect	3.5	Maximum Non-Detect	1.253
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	16
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	0
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	100.00%

**Warning: There are only 9 Detected Values in this data**  
**Note: It should be noted that even though bootstrap may be performed on this data set the resulting calculations may not be reliable enough to draw conclusions**

It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.

UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.801	Shapiro Wilk Test Statistic	0.887
5% Shapiro Wilk Critical Value	0.829	5% Shapiro Wilk Critical Value	0.829
Data not Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	0.528	Mean	-1.514
SD	0.603	SD	1.546
95% DL/2 (t) UCL	0.792	95% H-Stat (DL/2) UCL	3.096
Maximum Likelihood Estimate(MLE) Method	N/A	Log ROS Method	
MLE method failed to converge properly		Mean in Log Scale	-2.305
		SD in Log Scale	1.396
		Mean in Original Scale	0.275
		SD in Original Scale	0.447
		95% t UCL	0.471
		95% Percentile Bootstrap UCL	0.466
		95% BCA Bootstrap UCL	0.534
		95% H-UCL	0.887
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	0.469	Data appear Gamma Distributed at 5% Significance Level	
Theta Star	0.94		
nu star	8.435		
A-D Test Statistic	0.48	Nonparametric Statistics	
5% A-D Critical Value	0.764	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.764	Mean	0.311
5% K-S Critical Value	0.292	SD	0.461
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.133
Assuming Gamma Distribution		95% KM (t) UCL	0.544
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	0.53
Minimum	0.000001	95% KM (jackknife) UCL	0.541
Maximum	1.6	95% KM (bootstrap t) UCL	0.711
Mean	0.277	95% KM (BCA) UCL	0.545
Median	0.0792	95% KM (Percentile Bootstrap) UCL	0.539
SD	0.448	95% KM (Chebyshev) UCL	0.891
k star	0.238	97.5% KM (Chebyshev) UCL	1.142
Theta star	1.167	99% KM (Chebyshev) UCL	1.635
Nu star	7.604	Potential UCLs to Use	
AppChi2	2.508	95% KM (BCA) UCL	0.545
95% Gamma Approximate UCL (Use when n >= 40)	0.841		
95% Adjusted Gamma UCL (Use when n < 40)	0.964		
Note: DL/2 is not a recommended method.			

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options	
From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_CADMIUM

General Statistics

Number of Valid Observations	5	Number of Distinct Observations	5
------------------------------	---	---------------------------------	---

Raw Statistics

Minimum	0.72
Maximum	4.8
Mean	2.538
Geometric Mean	1.927
Median	1.8
SD	1.93
Std. Error of Mean	0.863
Coefficient of Variation	0.76
Skewness	0.45

Log-transformed Statistics

Minimum of Log Data	-0.329
Maximum of Log Data	1.569
Mean of log Data	0.656
SD of log Data	0.86

Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!

It is suggested to collect at least 8 to 10 observations using these statistical methods!

If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

Warning: There are only 5 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set, the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.841
Shapiro Wilk Critical Value	0.762

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.893
Shapiro Wilk Critical Value	0.762

Data appear Normal at 5% Significance Level

Data appear Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	4.378
---------------------	-------

Assuming Lognormal Distribution

95% H-UCL	17.81
-----------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	4.143
95% Modified-t UCL (Johnson-1978)	4.407

95% Chebyshev (MVUE) UCL	6.715
--------------------------	-------

97.5% Chebyshev (MVUE) UCL	8.515
99% Chebyshev (MVUE) UCL	12.05

Gamma Distribution Test

k star (bias corrected)	0.919
Theta Star	2.761
MLE of Mean	2.538
MLE of Standard Deviation	2.647
nu star	9.192
Approximate Chi Square Value (.05)	3.444
Adjusted Level of Significance	0.0086
Adjusted Chi Square Value	2.095

Data Distribution

Data appear Normal at 5% Significance Level

Anderson-Darling Test Statistic	0.411
Anderson-Darling 5% Critical Value	0.685
Kolmogorov-Smirnov Test Statistic	0.259
Kolmogorov-Smirnov 5% Critical Value	0.361

Data appear Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	6.775
95% Adjusted Gamma UCL (Use when n < 40)	11.13

Nonparametric Statistics

95% CLT UCL	3.957
95% Jackknife UCL	4.378
95% Standard Bootstrap UCL	3.812
95% Bootstrap-t UCL	7.398
95% Hall's Bootstrap UCL	6.17
95% Percentile Bootstrap UCL	3.88
95% BCA Bootstrap UCL	3.96
95% Chebyshev(Mean, Sd) UCL	6.299
97.5% Chebyshev(Mean, Sd) UCL	7.927
99% Chebyshev(Mean, Sd) UCL	11.12

Potential UCL to Use

Use 95% Student's-t UCL 4.378

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_COPPER

General Statistics

Number of Valid Observations	13	Number of Distinct Observations	12
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	5.5
Maximum	160
Mean	50.33
Geometric Mean	26.39
Median	19
SD	55.52
Std. Error of Mean	15.4
Coefficient of Variation	1.103
Skewness	1.137

Log-transformed Statistics

Minimum of Log Data	1.705
Maximum of Log Data	5.075
Mean of log Data	3.273
SD of log Data	1.217

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.783
Shapiro Wilk Critical Value	0.866

Data not Normal at 5% Significance Level

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.883
Shapiro Wilk Critical Value	0.866

Data appear Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	77.78
---------------------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	80.85
95% Modified-t UCL (Johnson-1978)	78.59

Assuming Lognormal Distribution

95% H-UCL	172.6
95% Chebyshev (MVUE) UCL	132.6
97.5% Chebyshev (MVUE) UCL	168
99% Chebyshev (MVUE) UCL	237.6

Gamma Distribution Test

k star (bias corrected)	0.747
Theta Star	67.36
MLE of Mean	50.33
MLE of Standard Deviation	58.22
nu star	19.43
Approximate Chi Square Value (.05)	10.43
Adjusted Level of Significance	0.0301
Adjusted Chi Square Value	9.503

Anderson-Darling Test Statistic	0.803
Anderson-Darling 5% Critical Value	0.762
Kolmogorov-Smirnov Test Statistic	0.243
Kolmogorov-Smirnov 5% Critical Value	0.244

Data follow Appr. Gamma Distribution at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	93.75
95% Adjusted Gamma UCL (Use when n < 40)	102.9

Potential UCL to Use

Data Distribution

Data Follow Appr. Gamma Distribution at 5% Significance Level

Nonparametric Statistics

95% CLT UCL	75.66
95% Jackknife UCL	77.78
95% Standard Bootstrap UCL	74.56
95% Bootstrap-t UCL	87.29
95% Hall's Bootstrap UCL	80.34
95% Percentile Bootstrap UCL	76.38
95% BCA Bootstrap UCL	79.79
95% Chebyshev(Mean, Sd) UCL	117.5
97.5% Chebyshev(Mean, Sd) UCL	146.5
99% Chebyshev(Mean, Sd) UCL	203.6

Use 95% Approximate Gamma UCL 93.75

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_CYANIDE, TOTAL

General Statistics

Number of Valid Data	8	Number of Detected Data	7
Number of Distinct Detected Data	6	Number of Non-Detect Data	1
		Percent Non-Detects	12.50%

Raw Statistics

Minimum Detected	0.18
Maximum Detected	1.6
Mean of Detected	0.573
SD of Detected	0.502
Minimum Non-Detect	0.38
Maximum Non-Detect	0.38

Log-transformed Statistics

Minimum Detected	-1.715
Maximum Detected	0.47
Mean of Detected	-0.838
SD of Detected	0.784
Minimum Non-Detect	-0.968
Maximum Non-Detect	-0.968

Warning: There are only 7 Detected Values in this data

Note: It should be noted that even though bootstrap may be performed on this data set  
the resulting calculations may not be reliable enough to draw conclusions

It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.

UCL Statistics

Normal Distribution Test with Detected Values Only

Shapiro Wilk Test Statistic	0.791
5% Shapiro Wilk Critical Value	0.803

Data not Normal at 5% Significance Level

Lognormal Distribution Test with Detected Values Only

Shapiro Wilk Test Statistic	0.927
5% Shapiro Wilk Critical Value	0.803

Data appear Lognormal at 5% Significance Level

Assuming Normal Distribution

DL/2 Substitution Method	
Mean	0.525
SD	0.484
95% DL/2 (t) UCL	0.85

Assuming Lognormal Distribution

DL/2 Substitution Method	
Mean	-0.941
SD	0.782
95% H-Stat (DL/2) UCL	1.254

Maximum Likelihood Estimate(MLE) Method

Mean	1.056
SD	0.426
95% MLE (t) UCL	1.341
95% MLE (Tiku) UCL	1.51

Log ROS Method

Mean in Log Scale	-0.9
SD in Log Scale	0.747
Mean in Original Scale	0.534
SD in Original Scale	0.478
95% t UCL	0.854
95% Percentile Bootstrap UCL	0.815
95% BCA Bootstrap UCL	0.933
95% H UCL	1.197

Gamma Distribution Test with Detected Values Only

k star (bias corrected)	1.199
Theta Star	0.478
nu star	16.79

Data Distribution Test with Detected Values Only

Data appear Gamma Distributed at 5% Significance Level

A-D Test Statistic	0.418
5% A-D Critical Value	0.716
K-S Test Statistic	0.716
5% K-S Critical Value	0.315

Nonparametric Statistics

Kaplan-Meier (KM) Method	
Mean	0.533
SD	0.448
SE of Mean	0.171
95% KM (t) UCL	0.858
95% KM (z) UCL	0.815
95% KM (jackknife) UCL	0.855
95% KM (bootstrap t) UCL	1.209
95% KM (BCA) UCL	0.825
95% KM (Percentile Bootstrap) UCL	0.821
95% KM (Chebyshev) UCL	1.28
97.5% KM (Chebyshev) UCL	1.603
99% KM (Chebyshev) UCL	2.239

Data appear Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

Gamma ROS Statistics using Extrapolated Data	
Minimum	0.18
Maximum	1.6
Mean	0.535
Median	0.31
SD	0.477
k star	1.332
Theta star	0.402
Nu star	21.31
AppChi2	11.82
95% Gamma Approximate UCL (Use when n >= 40)	0.965
95% Adjusted Gamma UCL (Use when n < 40)	1.131

Potential UCLs to Use

95% KM (BCA) UCL	0.825
------------------	-------

Note: DL/2 is not a recommended method.

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.  
These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).  
For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options		
From File	Sheet1.wst	
Full Precision	OFF	
Confidence Coefficient	95%	
Number of Bootstrap Operations	10000	

SD\_FLUORANTHENE

General Statistics

Number of Valid Observations	8	Number of Distinct Observations	7
------------------------------	---	---------------------------------	---

Raw Statistics

Minimum	0.0072
Maximum	1.4
Mean	0.25
Geometric Mean	0.0484
Median	0.0195
SD	0.488
Std. Error of Mean	0.173
Coefficient of Variation	1.951
Skewness	2.386

Log-transformed Statistics

Minimum of Log Data	-4.934
Maximum of Log Data	0.336
Mean of log Data	-3.028
SD of log Data	1.87

Warning: There are only 8 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set, the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.589
Shapiro Wilk Critical Value	0.818

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.85
Shapiro Wilk Critical Value	0.818

Data not Normal at 5% Significance Level

Data appear Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	0.577
---------------------	-------

Assuming Lognormal Distribution

95% H-UCL	16.36
-----------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	0.69
95% Modified-t UCL (Johnson-1978)	0.602

95% Chebyshev (MVUE) UCL	0.702
--------------------------	-------

97.5% Chebyshev (MVUE) UCL	0.926
99% Chebyshev (MVUE) UCL	1.366

Gamma Distribution Test

k star (bias corrected)	0.334
Theta Star	0.75
MLE of Mean	0.25
MLE of Standard Deviation	0.433
nu star	5.339
Approximate Chi Square Value (.05)	1.312
Adjusted Level of Significance	0.0195
Adjusted Chi Square Value	0.876

Data Distribution

Data appear Lognormal at 5% Significance Level

Data not Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	1.018
95% Adjusted Gamma UCL (Use when n < 40)	1.525

Nonparametric Statistics

95% CLT UCL	0.534
95% Jackknife UCL	0.577
95% Standard Bootstrap UCL	0.517
95% Bootstrap-t UCL	5.296
95% Hall's Bootstrap UCL	5.412
95% Percentile Bootstrap UCL	0.543
95% BCA Bootstrap UCL	0.71
95% Chebyshev(Mean, Sd) UCL	1.003
97.5% Chebyshev(Mean, Sd) UCL	1.328
99% Chebyshev(Mean, Sd) UCL	1.968

Potential UCL to Use

Use 99% Chebyshev (Mean, Sd) UCL	1.968
----------------------------------	-------

Recommended UCL exceeds the maximum observation

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options		
From File	Sheet1.wst	
Full Precision	OFF	
Confidence Coefficient	95%	
Number of Bootstrap Operations	10000	

SD\_HPAHND0

General Statistics

Number of Valid Observations	8	Number of Distinct Observations	8
------------------------------	---	---------------------------------	---

Raw Statistics

Minimum	0.0063
Maximum	3.075
Mean	0.553
Geometric Mean	0.0585
Median	0.036
SD	1.088
Std. Error of Mean	0.385
Coefficient of Variation	1.966
Skewness	2.275

Log-transformed Statistics

Minimum of Log Data	-5.067
Maximum of Log Data	1.123
Mean of log Data	-2.84
SD of log Data	2.415

Warning: There are only 8 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set, the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.603
Shapiro Wilk Critical Value	0.818

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.87
Shapiro Wilk Critical Value	0.818

Data not Normal at 5% Significance Level

Data appear Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	1.282
---------------------	-------

Assuming Lognormal Distribution

95% H-UCL	856.7
-----------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	1.517
95% Modified-t UCL (Johnson-1978)	1.334

95% Chebyshev (MVUE) UCL	2.058
--------------------------	-------

97.5% Chebyshev (MVUE) UCL	2.745
99% Chebyshev (MVUE) UCL	4.094

Gamma Distribution Test

k star (bias corrected)	0.274
Theta Star	2.016
MLE of Mean	0.553
MLE of Standard Deviation	1.056
nu star	4.391
Approximate Chi Square Value (.05)	0.882
Adjusted Level of Significance	0.0195
Adjusted Chi Square Value	0.556

Data Distribution

Data appear Gamma Distributed at 5% Significance Level

Data appear Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	2.755
95% Adjusted Gamma UCL (Use when n < 40)	4.372

Nonparametric Statistics

95% CLT UCL	1.186
95% Jackknife UCL	1.282
95% Standard Bootstrap UCL	1.141
95% Bootstrap-t UCL	12.62
95% Hall's Bootstrap UCL	11.11
95% Percentile Bootstrap UCL	1.197
95% BCA Bootstrap UCL	1.548
95% Chebyshev(Mean, Sd) UCL	2.23
97.5% Chebyshev(Mean, Sd) UCL	2.955
99% Chebyshev(Mean, Sd) UCL	4.38

Potential UCL to Use

Use 95% Adjusted Gamma UCL 4.372

Recommended UCL exceeds the maximum observation

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options	
From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_HPAHND1/2DL

General Statistics

Number of Valid Observations	8	Number of Distinct Observations	8
------------------------------	---	---------------------------------	---

Raw Statistics

Minimum	0.0751
Maximum	3.075
Mean	0.658
Geometric Mean	0.241
Median	0.119
SD	1.07
Std. Error of Mean	0.378
Coefficient of Variation	1.627
Skewness	2.107

Log-transformed Statistics

Minimum of Log Data	-2.589
Maximum of Log Data	1.123
Mean of log Data	-1.422
SD of log Data	1.415

Warning: There are only 8 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set, the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.639
Shapiro Wilk Critical Value	0.818

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.808
Shapiro Wilk Critical Value	0.818

Data not Normal at 5% Significance Level

Data not Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	1.375
---------------------	-------

Assuming Lognormal Distribution

95% H-UCL	7.313
-----------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	1.582
95% Modified-t UCL (Johnson-1978)	1.422

95% Chebyshev (MVUE) UCL	1.729
--------------------------	-------

97.5% Chebyshev (MVUE) UCL	2.244
99% Chebyshev (MVUE) UCL	3.255

Gamma Distribution Test

k star (bias corrected)	0.467
Theta Star	1.409
MLE of Mean	0.658
MLE of Standard Deviation	0.963
nu star	7.472
Approximate Chi Square Value (.05)	2.433
Adjusted Level of Significance	0.0195
Adjusted Chi Square Value	1.77

Data Distribution

Data do not follow a Discernable Distribution (0.05)

Data not Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	2.02
95% Adjusted Gamma UCL (Use when n < 40)	2.777

Nonparametric Statistics

95% CLT UCL	1.28
95% Jackknife UCL	1.375
95% Standard Bootstrap UCL	1.244
95% Bootstrap-t UCL	7.293
95% Hall's Bootstrap UCL	8.259
95% Percentile Bootstrap UCL	1.31
95% BCA Bootstrap UCL	1.589
95% Chebyshev(Mean, Sd) UCL	2.307
97.5% Chebyshev(Mean, Sd) UCL	3.021
99% Chebyshev(Mean, Sd) UCL	4.423

Potential UCL to Use

Use 95% Hall's Bootstrap UCL	8.259
------------------------------	-------

Recommended UCL exceeds the maximum observation

In Case Bootstrap t and/or Hall's Bootstrap yields an unreasonably large UCL value, use 97.5% or 99% Chebyshev (Mean, Sd) UCL

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.

These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options	
From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_HPAHNDDL

General Statistics

Number of Valid Observations	8	Number of Distinct Observations	8
------------------------------	---	---------------------------------	---

Raw Statistics

Minimum	0.143
Maximum	3.075
Mean	0.762
Geometric Mean	0.38
Median	0.208
SD	1.058
Std. Error of Mean	0.374
Coefficient of Variation	1.388
Skewness	1.922

Log-transformed Statistics

Minimum of Log Data	-1.944
Maximum of Log Data	1.123
Mean of log Data	-0.969
SD of log Data	1.177

Warning: There are only 8 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set, the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.674
Shapiro Wilk Critical Value	0.818

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.811
Shapiro Wilk Critical Value	0.818

Data not Normal at 5% Significance Level

Data not Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	1.471
---------------------	-------

Assuming Lognormal Distribution

95% H-UCL	4.247
-----------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	1.65
95% Modified-t UCL (Johnson-1978)	1.514

95% Chebyshev (MVUE) UCL	1.912
--------------------------	-------

97.5% Chebyshev (MVUE) UCL	2.449
99% Chebyshev (MVUE) UCL	3.504

Gamma Distribution Test

k star (bias corrected)	0.611
Theta Star	1.247
MLE of Mean	0.762
MLE of Standard Deviation	0.975
nu star	9.78
Approximate Chi Square Value (.05)	3.805
Adjusted Level of Significance	0.0195
Adjusted Chi Square Value	2.923

Data Distribution

Data do not follow a Discernable Distribution (0.05)

Data not Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	1.96
95% Adjusted Gamma UCL (Use when n < 40)	2.551

Nonparametric Statistics

95% CLT UCL	1.378
95% Jackknife UCL	1.471
95% Standard Bootstrap UCL	1.331
95% Bootstrap-t UCL	5.3
95% Hall's Bootstrap UCL	6.269
95% Percentile Bootstrap UCL	1.432
95% BCA Bootstrap UCL	1.621
95% Chebyshev(Mean, Sd) UCL	2.393
97.5% Chebyshev(Mean, Sd) UCL	3.099
99% Chebyshev(Mean, Sd) UCL	4.485

Potential UCL to Use

Use 95% Hall's Bootstrap UCL	6.269
------------------------------	-------

Recommended UCL exceeds the maximum observation

In Case Bootstrap t and/or Hall's Bootstrap yields an unreasonably large UCL value, use 97.5% or 99% Chebyshev (Mean, Sd) UCL

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.

These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.



General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_LEAD

General Statistics

Number of Valid Observations	8	Number of Distinct Observations	6
------------------------------	---	---------------------------------	---

Raw Statistics

Minimum	15
Maximum	110
Mean	39.88
Geometric Mean	29.56
Median	20.5
SD	35.33
Std. Error of Mean	12.49
Coefficient of Variation	0.886
Skewness	1.42

Log-transformed Statistics

Minimum of Log Data	2.708
Maximum of Log Data	4.7
Mean of log Data	3.386
SD of log Data	0.794

Warning: There are only 8 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set, the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.767
Shapiro Wilk Critical Value	0.818

Data not Normal at 5% Significance Level

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.822
Shapiro Wilk Critical Value	0.818

Data appear Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	63.54
---------------------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	67.13
95% Modified-t UCL (Johnson-1978)	64.59

Assuming Lognormal Distribution

95% H-UCL	97.74
95% Chebyshev (MVUE) UCL	86.74
97.5% Chebyshev (MVUE) UCL	107.6
99% Chebyshev (MVUE) UCL	148.5

Gamma Distribution Test

k star (bias corrected)	1.22
Theta Star	32.67
MLE of Mean	39.88
MLE of Standard Deviation	36.1
nu star	19.53
Approximate Chi Square Value (.05)	10.5
Adjusted Level of Significance	0.0195
Adjusted Chi Square Value	8.878

Anderson-Darling Test Statistic	0.767
Anderson-Darling 5% Critical Value	0.726
Kolmogorov-Smirnov Test Statistic	0.29
Kolmogorov-Smirnov 5% Critical Value	0.298

Data follow Appr. Gamma Distribution at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	74.13
95% Adjusted Gamma UCL (Use when n < 40)	87.7

Potential UCL to Use

Data Distribution

Data Follow Appr. Gamma Distribution at 5% Significance Level

Nonparametric Statistics

95% CLT UCL	60.42
95% Jackknife UCL	63.54
95% Standard Bootstrap UCL	58.87
95% Bootstrap-t UCL	99.86
95% Hall's Bootstrap UCL	92.19
95% Percentile Bootstrap UCL	59.88
95% BCA Bootstrap UCL	66
95% Chebyshev(Mean, Sd) UCL	94.33
97.5% Chebyshev(Mean, Sd) UCL	117.9
99% Chebyshev(Mean, Sd) UCL	164.2

Use 95% Approximate Gamma UCL 74.13

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options		
From File	Sheet1.wst	
Full Precision	OFF	
Confidence Coefficient	95%	
Number of Bootstrap Operations	10000	

SD\_LPAHND0

General Statistics

Number of Valid Observations	8	Number of Distinct Observations	8
------------------------------	---	---------------------------------	---

Raw Statistics

Minimum	0.0072
Maximum	1.646
Mean	0.291
Geometric Mean	0.0592
Median	0.0323
SD	0.57
Std. Error of Mean	0.202
Coefficient of Variation	1.96
Skewness	2.452

Log-transformed Statistics

Minimum of Log Data	-4.934
Maximum of Log Data	0.498
Mean of log Data	-2.827
SD of log Data	1.857

Warning: There are only 8 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set, the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.584
Shapiro Wilk Critical Value	0.818

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.902
Shapiro Wilk Critical Value	0.818

Data not Normal at 5% Significance Level

Data appear Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	0.673
---------------------	-------

Assuming Lognormal Distribution

95% H-UCL	18.52
-----------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	0.809
95% Modified-t UCL (Johnson-1978)	0.702

95% Chebyshev (MVUE) UCL	0.841
--------------------------	-------

97.5% Chebyshev (MVUE) UCL	1.109
99% Chebyshev (MVUE) UCL	1.635

Gamma Distribution Test

k star (bias corrected)	0.34
Theta Star	0.855
MLE of Mean	0.291
MLE of Standard Deviation	0.499
nu star	5.447
Approximate Chi Square Value (.05)	1.364
Adjusted Level of Significance	0.0195
Adjusted Chi Square Value	0.916

Data Distribution

Data Follow Appr. Gamma Distribution at 5% Significance Level

Anderson-Darling Test Statistic

Anderson-Darling 5% Critical Value

Kolmogorov-Smirnov Test Statistic

Kolmogorov-Smirnov 5% Critical Value

Data follow Appr. Gamma Distribution at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	1.162
95% Adjusted Gamma UCL (Use when n < 40)	1.73

Nonparametric Statistics

95% CLT UCL	0.623
95% Jackknife UCL	0.673
95% Standard Bootstrap UCL	0.6
95% Bootstrap-t UCL	5.761
95% Hall's Bootstrap UCL	4.289
95% Percentile Bootstrap UCL	0.641
95% BCA Bootstrap UCL	0.838
95% Chebyshev(Mean, Sd) UCL	1.17
97.5% Chebyshev(Mean, Sd) UCL	1.55
99% Chebyshev(Mean, Sd) UCL	2.298

Potential UCL to Use

Use 95% Adjusted Gamma UCL 1.73

Recommended UCL exceeds the maximum observation

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options	
From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_LPAHND1/2DL

General Statistics

Number of Valid Observations	8	Number of Distinct Observations	8
------------------------------	---	---------------------------------	---

Raw Statistics

Minimum	0.0632
Maximum	1.669
Mean	0.371
Geometric Mean	0.171
Median	0.0958
SD	0.565
Std. Error of Mean	0.2
Coefficient of Variation	1.524
Skewness	2.205

Log-transformed Statistics

Minimum of Log Data	-2.761
Maximum of Log Data	0.512
Mean of log Data	-1.767
SD of log Data	1.216

Warning: There are only 8 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set, the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.635
Shapiro Wilk Critical Value	0.818

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.809
Shapiro Wilk Critical Value	0.818

Data not Normal at 5% Significance Level

Data not Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	0.75
---------------------	------

Assuming Lognormal Distribution

95% H-UCL	2.224
-----------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	0.866
95% Modified-t UCL (Johnson-1978)	0.776

95% Chebyshev (MVUE) UCL	0.911
--------------------------	-------

97.5% Chebyshev (MVUE) UCL	1.17
----------------------------	------

99% Chebyshev (MVUE) UCL	1.679
--------------------------	-------

Gamma Distribution Test

k star (bias corrected)	0.564
Theta Star	0.657
MLE of Mean	0.371
MLE of Standard Deviation	0.494
nu star	9.031
Approximate Chi Square Value (.05)	3.346
Adjusted Level of Significance	0.0195
Adjusted Chi Square Value	2.532

Data Distribution

Data do not follow a Discernable Distribution (0.05)

Data not Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	1.001
95% Adjusted Gamma UCL (Use when n < 40)	1.323

Nonparametric Statistics

95% CLT UCL	0.7
95% Jackknife UCL	0.75
95% Standard Bootstrap UCL	0.678
95% Bootstrap-t UCL	3.561
95% Hall's Bootstrap UCL	3.69
95% Percentile Bootstrap UCL	0.721
95% BCA Bootstrap UCL	0.888
95% Chebyshev(Mean, Sd) UCL	1.242
97.5% Chebyshev(Mean, Sd) UCL	1.619
99% Chebyshev(Mean, Sd) UCL	2.359

Potential UCL to Use

Use 95% Hall's Bootstrap UCL	3.69
------------------------------	------

Recommended UCL exceeds the maximum observation

In Case Bootstrap t and/or Hall's Bootstrap yields an unreasonably large UCL value, use 97.5% or 99% Chebyshev (Mean, Sd) UCL

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.

These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_LPAHNDDL

General Statistics

Number of Valid Observations	8	Number of Distinct Observations	8
------------------------------	---	---------------------------------	---

Raw Statistics

Minimum	0.108
Maximum	1.692
Mean	0.451
Geometric Mean	0.264
Median	0.159
SD	0.566
Std. Error of Mean	0.2
Coefficient of Variation	1.255
Skewness	1.934

Log-transformed Statistics

Minimum of Log Data	-2.224
Maximum of Log Data	0.526
Mean of log Data	-1.332
SD of log Data	1.022

Warning: There are only 8 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set, the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.683
Shapiro Wilk Critical Value	0.818

Data not Normal at 5% Significance Level

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.825
Shapiro Wilk Critical Value	0.818

Data appear Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	0.83
---------------------	------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	0.926
95% Modified-t UCL (Johnson-1978)	0.853

Assuming Lognormal Distribution

95% H-UCL	1.706
95% Chebyshev (MVUE) UCL	1.065
97.5% Chebyshev (MVUE) UCL	1.349
99% Chebyshev (MVUE) UCL	1.907

Gamma Distribution Test

k star (bias corrected)	0.752
Theta Star	0.6
MLE of Mean	0.451
MLE of Standard Deviation	0.52
nu star	12.03
Approximate Chi Square Value (.05)	5.246
Adjusted Level of Significance	0.0195
Adjusted Chi Square Value	4.17

Anderson-Darling Test Statistic	0.895
Anderson-Darling 5% Critical Value	0.735
Kolmogorov-Smirnov Test Statistic	0.322
Kolmogorov-Smirnov 5% Critical Value	0.301

Data not Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	1.034
95% Adjusted Gamma UCL (Use when n < 40)	1.301

Data Distribution

Data appear Lognormal at 5% Significance Level

Nonparametric Statistics

95% CLT UCL	0.78
95% Jackknife UCL	0.83
95% Standard Bootstrap UCL	0.762
95% Bootstrap-t UCL	2.704
95% Hall's Bootstrap UCL	3.033
95% Percentile Bootstrap UCL	0.775
95% BCA Bootstrap UCL	0.923
95% Chebyshev(Mean, Sd) UCL	1.323
97.5% Chebyshev(Mean, Sd) UCL	1.701
99% Chebyshev(Mean, Sd) UCL	2.442

Potential UCL to Use

Use 95% Chebyshev (Mean, Sd) UCL 1.323

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects			
User Selected Options			
From File	Sheet1.wst		
Full Precision	OFF		
Confidence Coefficient	95%		
Number of Bootstrap Operations	10000		
SD_NAPHTHALENE			
General Statistics			
Number of Valid Data	8	Number of Detected Data	5
Number of Distinct Detected Data	5	Number of Non-Detect Data	3
		Percent Non-Detects	37.50%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.0042	Minimum Detected	-5.473
Maximum Detected	0.037	Maximum Detected	-3.297
Mean of Detected	0.0216	Mean of Detected	-4.072
SD of Detected	0.0137	SD of Detected	0.872
Minimum Non-Detect	0.017	Minimum Non-Detect	-4.075
Maximum Non-Detect	0.025	Maximum Non-Detect	-3.689
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	6
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	2
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	75.00%

**Warning: There are only 5 Detected Values in this data**  
**Note: It should be noted that even though bootstrap may be performed on this data set the resulting calculations may not be reliable enough to draw conclusions**

It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.

UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.916	Shapiro Wilk Test Statistic	0.871
5% Shapiro Wilk Critical Value	0.762	5% Shapiro Wilk Critical Value	0.762
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	0.0176	Mean	-4.247
SD	0.0118	SD	0.71
95% DL/2 (t) UCL	0.0255	95% H-Stat (DL/2) UCL	0.0386
Maximum Likelihood Estimate(MLE) Method	N/A	Log ROS Method	
MLE method failed to converge properly		Mean in Log Scale	-4.307
		SD in Log Scale	0.738
		Mean in Original Scale	0.017
		SD in Original Scale	0.0122
		95% t UCL	0.0251
		95% Percentile Bootstrap UCL	0.0238
		95% BCA Bootstrap UCL	0.0251
		95% H-UCL	0.0388
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	1.031	Data appear Normal at 5% Significance Level	
Theta Star	0.021		
nu star	10.31		
A-D Test Statistic	0.364	Nonparametric Statistics	
5% A-D Critical Value	0.684	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.684	Mean	0.0177
5% K-S Critical Value	0.36	SD	0.0115
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.005
Assuming Gamma Distribution		95% KM (t) UCL	0.0272
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	0.026
Minimum	0.0042	95% KM (jackknife) UCL	0.0282
Maximum	0.037	95% KM (bootstrap t) UCL	0.0281
Mean	0.0177	95% KM (BCA) UCL	0.0266
Median	0.0142	95% KM (Percentile Bootstrap) UCL	0.0261
SD	0.0117	95% KM (Chebyshev) UCL	0.0395
k star	1.71	97.5% KM (Chebyshev) UCL	0.0489
Theta star	0.0103	99% KM (Chebyshev) UCL	0.0675
Nu star	27.36	Potential UCLs to Use	
AppChi2	16.43	95% KM (t) UCL	0.0272
95% Gamma Approximate UCL (Use when n >= 40)	0.0294	95% KM (Percentile Bootstrap) UCL	0.0261
95% Adjusted Gamma UCL (Use when n < 40)	0.0337		

Note: DL/2 is not a recommended method.

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_NICKEL

General Statistics

Number of Valid Observations	13	Number of Distinct Observations	12
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	2.2
Maximum	46
Mean	16.09
Geometric Mean	8.858
Median	5.6
SD	18.03
Std. Error of Mean	5.001
Coefficient of Variation	1.12
Skewness	1.058

Log-transformed Statistics

Minimum of Log Data	0.788
Maximum of Log Data	3.829
Mean of log Data	2.181
SD of log Data	1.12

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.702
Shapiro Wilk Critical Value	0.866

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.85
Shapiro Wilk Critical Value	0.866

Data not Normal at 5% Significance Level

Data not Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	25
---------------------	----

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	25.89
95% Modified-t UCL (Johnson-1978)	25.25

Assuming Lognormal Distribution

95% H-UCL	44.59
95% Chebyshev (MVUE) UCL	38.26
97.5% Chebyshev (MVUE) UCL	48.12
99% Chebyshev (MVUE) UCL	67.5

Gamma Distribution Test

k star (bias corrected)	0.798
Theta Star	20.17
MLE of Mean	16.09
MLE of Standard Deviation	18.02
nu star	20.74
Approximate Chi Square Value (.05)	11.4
Adjusted Level of Significance	0.0301
Adjusted Chi Square Value	10.42

Data not Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	29.28
95% Adjusted Gamma UCL (Use when n < 40)	32.02

Data Distribution

Data do not follow a Discernable Distribution (0.05)

Nonparametric Statistics

95% CLT UCL	24.32
95% Jackknife UCL	25
95% Standard Bootstrap UCL	24
95% Bootstrap-t UCL	28.81
95% Hall's Bootstrap UCL	22.37
95% Percentile Bootstrap UCL	24.36
95% BCA Bootstrap UCL	25.34
95% Chebyshev(Mean, Sd) UCL	37.89
97.5% Chebyshev(Mean, Sd) UCL	47.32
99% Chebyshev(Mean, Sd) UCL	65.85

Potential UCL to Use

Use 95% Chebyshev (Mean, Sd) UCL 37.89

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options	
From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_PYRENE

General Statistics

Number of Valid Observations	8	Number of Distinct Observations	8
------------------------------	---	---------------------------------	---

Raw Statistics

Minimum	0.0063
Maximum	0.75
Mean	0.204
Geometric Mean	0.0396
Median	0.017
SD	0.322
Std. Error of Mean	0.114
Coefficient of Variation	1.576
Skewness	1.375

Log-transformed Statistics

Minimum of Log Data	-5.067
Maximum of Log Data	-0.288
Mean of log Data	-3.229
SD of log Data	2.051

Warning: There are only 8 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set, the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.656
Shapiro Wilk Critical Value	0.818

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.813
Shapiro Wilk Critical Value	0.818

Data not Normal at 5% Significance Level

Data not Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	0.42
---------------------	------

Assuming Lognormal Distribution

95% H-UCL	42.29
-----------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	0.451
95% Modified-t UCL (Johnson-1978)	0.429

95% Chebyshev (MVUE) UCL	0.768
--------------------------	-------

97.5% Chebyshev (MVUE) UCL	1.018
99% Chebyshev (MVUE) UCL	1.508

Gamma Distribution Test

k star (bias corrected)	0.334
Theta Star	0.611
MLE of Mean	0.204
MLE of Standard Deviation	0.353
nu star	5.344
Approximate Chi Square Value (.05)	1.314
Adjusted Level of Significance	0.0195
Adjusted Chi Square Value	0.878

Data Distribution

Data do not follow a Discernable Distribution (0.05)

Data not Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	0.83
95% Adjusted Gamma UCL (Use when n < 40)	1.243

Nonparametric Statistics

95% CLT UCL	0.391
95% Jackknife UCL	0.42
95% Standard Bootstrap UCL	0.378
95% Bootstrap-t UCL	1.442
95% Hall's Bootstrap UCL	2.296
95% Percentile Bootstrap UCL	0.382
95% BCA Bootstrap UCL	0.456
95% Chebyshev(Mean, Sd) UCL	0.7
97.5% Chebyshev(Mean, Sd) UCL	0.915
99% Chebyshev(Mean, Sd) UCL	1.337

Potential UCL to Use

Use 95% Hall's Bootstrap UCL	2.296
------------------------------	-------

Recommended UCL exceeds the maximum observation

In Case Bootstrap t and/or Hall's Bootstrap yields an unreasonably large UCL value, use 97.5% or 99% Chebyshev (Mean, Sd) UCL

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.

These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options		
From File	Sheet1.wst	
Full Precision	OFF	
Confidence Coefficient	95%	
Number of Bootstrap Operations	10000	

SD\_SILVER

General Statistics

Number of Valid Observations	5	Number of Distinct Observations	5
------------------------------	---	---------------------------------	---

Raw Statistics

Minimum	0.026
Maximum	1.7
Mean	0.717
Geometric Mean	0.218
Median	0.23
SD	0.856
Std. Error of Mean	0.383
Coefficient of Variation	1.194
Skewness	0.575

Log-transformed Statistics

Minimum of Log Data	-3.65
Maximum of Log Data	0.531
Mean of log Data	-1.525
SD of log Data	2.04

Warning: A sample size of 'n' = 5 may not adequate enough to compute meaningful and reliable test statistics and estimates!

It is suggested to collect at least 8 to 10 observations using these statistical methods!

If possible compute and collect Data Quality Objectives (DQO) based sample size and analytical results.

Warning: There are only 5 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set, the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.758
Shapiro Wilk Critical Value	0.762

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.839
Shapiro Wilk Critical Value	0.762

Data not Normal at 5% Significance Level

Data appear Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	1.534
---------------------	-------

Assuming Lognormal Distribution

95% H-UCL	30287
-----------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	1.452
95% Modified-t UCL (Johnson-1978)	1.55

95% Chebyshev (MVUE) UCL	3.606
--------------------------	-------

97.5% Chebyshev (MVUE) UCL	4.8
----------------------------	-----

99% Chebyshev (MVUE) UCL	7.144
--------------------------	-------

Gamma Distribution Test

k star (bias corrected)	0.345
Theta Star	2.081
MLE of Mean	0.717
MLE of Standard Deviation	1.222
nu star	3.446
Approximate Chi Square Value (.05)	0.516
Adjusted Level of Significance	0.0086
Adjusted Chi Square Value	0.199

Data Distribution

Data appear Gamma Distributed at 5% Significance Level

Anderson-Darling Test Statistic	0.508
Anderson-Darling 5% Critical Value	0.71
Kolmogorov-Smirnov Test Statistic	0.266
Kolmogorov-Smirnov 5% Critical Value	0.371

Data appear Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	4.79
95% Adjusted Gamma UCL (Use when n < 40)	12.43

Nonparametric Statistics

95% CLT UCL	1.347
95% Jackknife UCL	1.534
95% Standard Bootstrap UCL	1.279
95% Bootstrap-t UCL	5.438
95% Hall's Bootstrap UCL	13.3
95% Percentile Bootstrap UCL	1.326
95% BCA Bootstrap UCL	1.346
95% Chebyshev(Mean, Sd) UCL	2.386
97.5% Chebyshev(Mean, Sd) UCL	3.109
99% Chebyshev(Mean, Sd) UCL	4.527

Potential UCL to Use

Use 95% Approximate Gamma UCL	4.79
-------------------------------	------

Recommended UCL exceeds the maximum observation

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.

These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.



General UCL Statistics for Data Sets with Non-Detects

User Selected Options		
From File	Sheet1.wst	
Full Precision	OFF	
Confidence Coefficient	95%	
Number of Bootstrap Operations	10000	

SD\_TOTAL PAH (ND=0)

General Statistics

Number of Valid Observations	8	Number of Distinct Observations	8
------------------------------	---	---------------------------------	---

Raw Statistics

Minimum	0.0137
Maximum	4.721
Mean	0.844
Geometric Mean	0.126
Median	0.0683
SD	1.657
Std. Error of Mean	0.586
Coefficient of Variation	1.963
Skewness	2.338

Log-transformed Statistics

Minimum of Log Data	-4.29
Maximum of Log Data	1.552
Mean of log Data	-2.068
SD of log Data	2.108

Warning: There are only 8 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set, the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.596
Shapiro Wilk Critical Value	0.818

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.892
Shapiro Wilk Critical Value	0.818

Data not Normal at 5% Significance Level

Data appear Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	1.954
---------------------	-------

Assuming Lognormal Distribution

95% H-UCL	197.3
-----------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	2.326
95% Modified-t UCL (Johnson-1978)	2.035

95% Chebyshev (MVUE) UCL	2.686
--------------------------	-------

97.5% Chebyshev (MVUE) UCL	3.563
99% Chebyshev (MVUE) UCL	5.286

Gamma Distribution Test

k star (bias corrected)	0.304
Theta Star	2.775
MLE of Mean	0.844
MLE of Standard Deviation	1.531
nu star	4.868
Approximate Chi Square Value (.05)	1.092
Adjusted Level of Significance	0.0195
Adjusted Chi Square Value	0.71

Data Distribution

Data appear Gamma Distributed at 5% Significance Level

Data appear Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	3.765
95% Adjusted Gamma UCL (Use when n < 40)	5.792

Nonparametric Statistics

95% CLT UCL	1.808
95% Jackknife UCL	1.954
95% Standard Bootstrap UCL	1.757
95% Bootstrap-t UCL	18.77
95% Hall's Bootstrap UCL	17.59
95% Percentile Bootstrap UCL	1.835
95% BCA Bootstrap UCL	2.397
95% Chebyshev(Mean, Sd) UCL	3.398
97.5% Chebyshev(Mean, Sd) UCL	4.503
99% Chebyshev(Mean, Sd) UCL	6.674

Potential UCL to Use

Use 95% Adjusted Gamma UCL	5.792
----------------------------	-------

Recommended UCL exceeds the maximum observation

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options	
From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_TOTAL PAH (ND=1/2DL)

General Statistics

Number of Valid Observations	8	Number of Distinct Observations	8
------------------------------	---	---------------------------------	---

Raw Statistics

Minimum	0.142
Maximum	4.744
Mean	1.029
Geometric Mean	0.414
Median	0.215
SD	1.635
Std. Error of Mean	0.578
Coefficient of Variation	1.589
Skewness	2.141

Log-transformed Statistics

Minimum of Log Data	-1.955
Maximum of Log Data	1.557
Mean of log Data	-0.882
SD of log Data	1.335

Warning: There are only 8 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set, the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.638
Shapiro Wilk Critical Value	0.818

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.804
Shapiro Wilk Critical Value	0.818

Data not Normal at 5% Significance Level

Data not Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	2.124
---------------------	-------

Assuming Lognormal Distribution

95% H-UCL	8.804
-----------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	2.447
95% Modified-t UCL (Johnson-1978)	2.197

95% Chebyshev (MVUE) UCL	2.634
--------------------------	-------

97.5% Chebyshev (MVUE) UCL	3.404
99% Chebyshev (MVUE) UCL	4.917

Gamma Distribution Test

k star (bias corrected)	0.501
Theta Star	2.053
MLE of Mean	1.029
MLE of Standard Deviation	1.454
nu star	8.018
Approximate Chi Square Value (.05)	2.745
Adjusted Level of Significance	0.0195
Adjusted Chi Square Value	2.028

Data Distribution

Data do not follow a Discernable Distribution (0.05)

Data not Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	3.005
95% Adjusted Gamma UCL (Use when n < 40)	4.067

Nonparametric Statistics

95% CLT UCL	1.98
95% Jackknife UCL	2.124
95% Standard Bootstrap UCL	1.922
95% Bootstrap-t UCL	10.79
95% Hall's Bootstrap UCL	12.01
95% Percentile Bootstrap UCL	1.986
95% BCA Bootstrap UCL	2.46
95% Chebyshev(Mean, Sd) UCL	3.549
97.5% Chebyshev(Mean, Sd) UCL	4.639
99% Chebyshev(Mean, Sd) UCL	6.781

Potential UCL to Use

Use 95% Hall's Bootstrap UCL	12.01
------------------------------	-------

Recommended UCL exceeds the maximum observation

In Case Bootstrap t and/or Hall's Bootstrap yields an unreasonably large UCL value, use 97.5% or 99% Chebyshev (Mean, Sd) UCL

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.

These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options	
From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_TOTAL PAH (ND=DL)

General Statistics

Number of Valid Observations	8	Number of Distinct Observations	8
------------------------------	---	---------------------------------	---

Raw Statistics

Minimum	0.259
Maximum	4.767
Mean	1.213
Geometric Mean	0.646
Median	0.362
SD	1.624
Std. Error of Mean	0.574
Coefficient of Variation	1.338
Skewness	1.927

Log-transformed Statistics

Minimum of Log Data	-1.353
Maximum of Log Data	1.562
Mean of log Data	-0.437
SD of log Data	1.113

Warning: There are only 8 Values in this data

Note: It should be noted that even though bootstrap methods may be performed on this data set, the resulting calculations may not be reliable enough to draw conclusions

The literature suggests to use bootstrap methods on data sets having more than 10-15 observations.

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.675
Shapiro Wilk Critical Value	0.818

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.807
Shapiro Wilk Critical Value	0.818

Data not Normal at 5% Significance Level

Data not Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	2.301
---------------------	-------

Assuming Lognormal Distribution

95% H-UCL	5.71
-----------	------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	2.576
95% Modified-t UCL (Johnson-1978)	2.367

95% Chebyshev (MVUE) UCL	2.967
--------------------------	-------

97.5% Chebyshev (MVUE) UCL	3.785
99% Chebyshev (MVUE) UCL	5.39

Gamma Distribution Test

k star (bias corrected)	0.661
Theta Star	1.835
MLE of Mean	1.213
MLE of Standard Deviation	1.492
nu star	10.58
Approximate Chi Square Value (.05)	4.306
Adjusted Level of Significance	0.0195
Adjusted Chi Square Value	3.354

Data Distribution

Data do not follow a Discernable Distribution (0.05)

Data not Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	2.981
95% Adjusted Gamma UCL (Use when n < 40)	3.828

Nonparametric Statistics

95% CLT UCL	2.158
95% Jackknife UCL	2.301
95% Standard Bootstrap UCL	2.101
95% Bootstrap-t UCL	8.032
95% Hall's Bootstrap UCL	9.531
95% Percentile Bootstrap UCL	2.122
95% BCA Bootstrap UCL	2.582
95% Chebyshev(Mean, Sd) UCL	3.716
97.5% Chebyshev(Mean, Sd) UCL	4.8
99% Chebyshev(Mean, Sd) UCL	6.927

Potential UCL to Use

Use 95% Hall's Bootstrap UCL	9.531
------------------------------	-------

Recommended UCL exceeds the maximum observation

In Case Bootstrap t and/or Hall's Bootstrap yields an unreasonably large UCL value, use 97.5% or 99% Chebyshev (Mean, Sd) UCL

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.

These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_ZINC

General Statistics

Number of Valid Observations	13	Number of Distinct Observations	13
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	98
Maximum	1550
Mean	612.8
Geometric Mean	389
Median	380
SD	557.7
Std. Error of Mean	154.7
Coefficient of Variation	0.91
Skewness	0.829

Log-transformed Statistics

Minimum of Log Data	4.585
Maximum of Log Data	7.346
Mean of log Data	5.964
SD of log Data	1.042

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.825
Shapiro Wilk Critical Value	0.866

Data not Normal at 5% Significance Level

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.909
Shapiro Wilk Critical Value	0.866

Data appear Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	888.5
---------------------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	905.3
95% Modified-t UCL (Johnson-1978)	894.4

Assuming Lognormal Distribution

95% H-UCL	1611
95% Chebyshev (MVUE) UCL	1492
97.5% Chebyshev (MVUE) UCL	1864
99% Chebyshev (MVUE) UCL	2596

Gamma Distribution Test

k star (bias corrected)	1.005
Theta Star	609.7
MLE of Mean	612.8
MLE of Standard Deviation	611.3
nu star	26.13
Approximate Chi Square Value (.05)	15.48
Adjusted Level of Significance	0.0301
Adjusted Chi Square Value	14.32

Anderson-Darling Test Statistic	0.489
Anderson-Darling 5% Critical Value	0.754
Kolmogorov-Smirnov Test Statistic	0.148
Kolmogorov-Smirnov 5% Critical Value	0.242

Data appear Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	1034
95% Adjusted Gamma UCL (Use when n < 40)	1118

Data Distribution

Data appear Gamma Distributed at 5% Significance Level

Nonparametric Statistics

95% CLT UCL	867.3
95% Jackknife UCL	888.5
95% Standard Bootstrap UCL	860.7
95% Bootstrap-t UCL	957.2
95% Hall's Bootstrap UCL	841.4
95% Percentile Bootstrap UCL	863.1
95% BCA Bootstrap UCL	895.4
95% Chebyshev(Mean, Sd) UCL	1287
97.5% Chebyshev(Mean, Sd) UCL	1579
99% Chebyshev(Mean, Sd) UCL	2152

Potential UCL to Use

Use 95% Approximate Gamma UCL 1034

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

PW\_NICKEL

General Statistics

Number of Valid Data	6	Number of Detected Data	4
Number of Distinct Detected Data	4	Number of Non-Detect Data	2
		Percent Non-Detects	33.33%

Raw Statistics

Minimum Detected	0.002
Maximum Detected	0.0035
Mean of Detected	0.00263
SD of Detected	0.0007089
Minimum Non-Detect	0.01
Maximum Non-Detect	0.01

Log-transformed Statistics

Minimum Detected	-6.215
Maximum Detected	-5.655
Mean of Detected	-5.97
SD of Detected	0.267
Minimum Non-Detect	-4.605
Maximum Non-Detect	-4.605

Warning: There are only 4 Distinct Detected Values in this data

Note: It should be noted that even though bootstrap may be performed on this data set  
the resulting calculations may not be reliable enough to draw conclusions

It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.

UCL Statistics

Normal Distribution Test with Detected Values Only

Shapiro Wilk Test Statistic	0.9
5% Shapiro Wilk Critical Value	0.748

Data appear Normal at 5% Significance Level

Lognormal Distribution Test with Detected Values Only

Shapiro Wilk Test Statistic	0.901
5% Shapiro Wilk Critical Value	0.748

Data appear Lognormal at 5% Significance Level

Assuming Normal Distribution

DL/2 Substitution Method	
Mean	0.00342
SD	0.00134
95% DL/2 (t) UCL	0.00452

Maximum Likelihood Estimate(MLE) Method N/A

MLE method failed to converge properly

Assuming Lognormal Distribution

DL/2 Substitution Method	
Mean	-5.746
SD	0.404
95% H-Stat (DL/2) UCL	0.00537

Log ROS Method

Mean in Log Scale -5.97

SD in Log Scale 0.228

Mean in Original Scale 0.00261

SD in Original Scale 0.0006037

95% t UCL 0.00311

95% Percentile Bootstrap UCL 0.00299

95% BCA Bootstrap UCL 0.003

95% H-UCL 0.00325

Gamma Distribution Test with Detected Values Only

k star (bias corrected)	4.848
Theta Star	0.0005415
nu star	38.78

A-D Test Statistic 0.37

5% A-D Critical Value 0.657

K-S Test Statistic 0.657

5% K-S Critical Value 0.394

Data appear Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

Gamma ROS Statistics using Extrapolated Data	
Minimum	0.002
Maximum	0.0035
Mean	0.00264
Median	0.00258
SD	0.0006068
k star	11.59
Theta star	0.0002275
Nu star	139.1
AppChi2	112.9
95% Gamma Approximate UCL (Use when n >= 40)	0.00325
95% Adjusted Gamma UCL (Use when n < 40)	N/A

Data Distribution Test with Detected Values Only

Data appear Normal at 5% Significance Level

Nonparametric Statistics

Kaplan-Meier (KM) Method

Mean 0.00263

SD 0.0006139

SE of Mean 0.0003544

95% KM (t) UCL 0.00334

95% KM (z) UCL 0.00321

95% KM (jackknife) UCL 0.00338

95% KM (bootstrap t) UCL 0.00367

95% KM (BCA) UCL 0.0032

95% KM (Percentile Bootstrap) UCL 0.0032

95% KM (Chebyshev) UCL 0.00417

97.5% KM (Chebyshev) UCL 0.00484

99% KM (Chebyshev) UCL 0.00615

Potential UCLs to Use

95% KM (t) UCL 0.00334

95% KM (Percentile Bootstrap) UCL 0.0032

Note: DL/2 is not a recommended method.

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.

These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).

For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects			
User Selected Options			
From File	Sheet1.wst		
Full Precision	OFF		
Confidence Coefficient	95%		
Number of Bootstrap Operations	10000		
SD_1,2-DICHLOROBENZENE			
General Statistics			
Number of Valid Data	28	Number of Detected Data	5
Number of Distinct Detected Data	5	Number of Non-Detect Data	23
		Percent Non-Detects	82.14%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.00425	Minimum Detected	-5.461
Maximum Detected	0.18	Maximum Detected	-1.715
Mean of Detected	0.0602	Mean of Detected	-3.686
SD of Detected	0.076	SD of Detected	1.583
Minimum Non-Detect	0.0073	Minimum Non-Detect	-4.92
Maximum Non-Detect	0.026	Maximum Non-Detect	-3.65
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	26
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	2
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	92.86%

**Warning: There are only 5 Detected Values in this data**  
**Note: It should be noted that even though bootstrap may be performed on this data set the resulting calculations may not be reliable enough to draw conclusions**

It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.

UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.811	Shapiro Wilk Test Statistic	0.932
5% Shapiro Wilk Critical Value	0.762	5% Shapiro Wilk Critical Value	0.762
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	0.0178	Mean	-4.619
SD	0.0356	SD	0.822
95% DL/2 (t) UCL	0.0292	95% H-Stat (DL/2) UCL	0.0197
Maximum Likelihood Estimate(MLE) Method	N/A	Log ROS Method	
MLE method failed to converge properly		Mean in Log Scale	-5.172
		SD in Log Scale	1.006
		Mean in Original Scale	0.0144
		SD in Original Scale	0.0365
		95% t UCL	0.0262
		95% Percentile Bootstrap UCL	0.027
		95% BCA Bootstrap UCL	0.0335
		95% H-UCL	0.0152
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	0.41	Data appear Normal at 5% Significance Level	
Theta Star	0.147		
nu star	4.098		
A-D Test Statistic	0.369	Nonparametric Statistics	
5% A-D Critical Value	0.701	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.701	Mean	0.0154
5% K-S Critical Value	0.368	SD	0.0356
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.00759
Assuming Gamma Distribution		95% KM (t) UCL	0.0283
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	0.0279
Minimum	0.000001	95% KM (jackknife) UCL	0.0259
Maximum	0.18	95% KM (bootstrap t) UCL	0.0637
Mean	0.0118	95% KM (BCA) UCL	0.0983
Median	0.000001	95% KM (Percentile Bootstrap) UCL	0.0367
SD	0.0373	95% KM (Chebyshev) UCL	0.0484
k star	0.14	97.5% KM (Chebyshev) UCL	0.0628
Theta star	0.0845	99% KM (Chebyshev) UCL	0.0909
Nu star	7.836	Potential UCLs to Use	
AppChi2	2.64	95% KM (t) UCL	0.0283
95% Gamma Approximate UCL (Use when n >= 40)	0.0351	95% KM (Percentile Bootstrap) UCL	0.0367
95% Adjusted Gamma UCL (Use when n < 40)	0.0377		
Note: DL/2 is not a recommended method.			

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects			
User Selected Options			
From File	Sheet1.wst		
Full Precision	OFF		
Confidence Coefficient	95%		
Number of Bootstrap Operations	10000		
SD_1,3-DICHLOROBENZENE			
General Statistics			
Number of Valid Data	28	Number of Detected Data	4
Number of Distinct Detected Data	4	Number of Non-Detect Data	24
		Percent Non-Detects	85.71%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.0024	Minimum Detected	-6.032
Maximum Detected	0.013	Maximum Detected	-4.343
Mean of Detected	0.00689	Mean of Detected	-5.148
SD of Detected	0.00446	SD of Detected	0.696
Minimum Non-Detect	0.0073	Minimum Non-Detect	-4.92
Maximum Non-Detect	0.026	Maximum Non-Detect	-3.65
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	28
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	0
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	100.00%

**Warning: There are only 4 Distinct Detected Values in this data**  
**Note: It should be noted that even though bootstrap may be performed on this data set the resulting calculations may not be reliable enough to draw conclusions**

It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.

UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.942	Shapiro Wilk Test Statistic	0.983
5% Shapiro Wilk Critical Value	0.748	5% Shapiro Wilk Critical Value	0.748
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	0.00855	Mean	-4.83
SD	0.00288	SD	0.402
95% DL/2 (t) UCL	0.00948	95% H-Stat (DL/2) UCL	0.01
Maximum Likelihood Estimate(MLE) Method	N/A	Log ROS Method	
MLE method failed to converge properly		Mean in Log Scale	-5.339
		SD in Log Scale	0.318
		Mean in Original Scale	0.00506
		SD in Original Scale	0.00192
		95% t UCL	0.00568
		95% Percentile Bootstrap UCL	0.00569
		95% BCA Bootstrap UCL	0.00591
		95% H-UCL	0.00564
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	0.94	Data appear Normal at 5% Significance Level	
Theta Star	0.00732		
nu star	7.523		
A-D Test Statistic	0.228	Nonparametric Statistics	
5% A-D Critical Value	0.659	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.659	Mean	0.00567
5% K-S Critical Value	0.397	SD	0.00299
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.0014
Assuming Gamma Distribution		95% KM (t) UCL	0.00806
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	0.00797
Minimum	0.0024	95% KM (jackknife) UCL	0.0084
Maximum	0.013	95% KM (bootstrap t) UCL	0.00836
Mean	0.0058	95% KM (BCA) UCL	0.00852
Median	0.00577	95% KM (Percentile Bootstrap) UCL	0.00859
SD	0.00225	95% KM (Chebyshev) UCL	0.0118
k star	6.411	97.5% KM (Chebyshev) UCL	0.0144
Theta star	0.0009043	99% KM (Chebyshev) UCL	0.0196
Nu star	359	Potential UCLs to Use	
AppChi2	316.1	95% KM (t) UCL	0.00806
95% Gamma Approximate UCL (Use when n >= 40)	0.00658	95% KM (Percentile Bootstrap) UCL	0.00859
95% Adjusted Gamma UCL (Use when n < 40)	N/A		
Note: DL/2 is not a recommended method.			

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects			
User Selected Options			
From File	Sheet1.wst		
Full Precision	OFF		
Confidence Coefficient	95%		
Number of Bootstrap Operations	10000		
SD_1,4-DICHLOROBENZENE			
General Statistics			
Number of Valid Data	28	Number of Detected Data	7
Number of Distinct Detected Data	7	Number of Non-Detect Data	21
		Percent Non-Detects	75.00%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.0028	Minimum Detected	-5.878
Maximum Detected	0.028	Maximum Detected	-3.576
Mean of Detected	0.0107	Mean of Detected	-4.86
SD of Detected	0.00944	SD of Detected	0.867
Minimum Non-Detect	0.0073	Minimum Non-Detect	-4.92
Maximum Non-Detect	0.026	Maximum Non-Detect	-3.65
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	27
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	1
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	96.43%

**Warning: There are only 7 Detected Values in this data**  
**Note: It should be noted that even though bootstrap may be performed on this data set the resulting calculations may not be reliable enough to draw conclusions**

It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.

UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.841	Shapiro Wilk Test Statistic	0.943
5% Shapiro Wilk Critical Value	0.803	5% Shapiro Wilk Critical Value	0.803
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	0.00937	Mean	-4.793
SD	0.00509	SD	0.507
95% DL/2 (t) UCL	0.011	95% H-Stat (DL/2) UCL	0.0114
Maximum Likelihood Estimate(MLE) Method	N/A	Log ROS Method	
MLE method failed to converge properly		Mean in Log Scale	-5.219
		SD in Log Scale	0.502
		Mean in Original Scale	0.00638
		SD in Original Scale	0.00522
		95% t UCL	0.00806
		95% Percentile Bootstrap UCL	0.00815
		95% BCA Bootstrap UCL	0.00883
		95% H-UCL	0.00741
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	1.061	Data appear Normal at 5% Significance Level	
Theta Star	0.0101		
nu star	14.85		
A-D Test Statistic	0.328	Nonparametric Statistics	
5% A-D Critical Value	0.719	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.719	Mean	0.00673
5% K-S Critical Value	0.316	SD	0.00571
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.00152
Assuming Gamma Distribution		95% KM (t) UCL	0.00931
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	0.00922
Minimum	0.00275	95% KM (jackknife) UCL	0.00933
Maximum	0.028	95% KM (bootstrap t) UCL	0.01
Mean	0.00762	95% KM (BCA) UCL	0.00963
Median	0.00721	95% KM (Percentile Bootstrap) UCL	0.00956
SD	0.00541	95% KM (Chebyshev) UCL	0.0133
k star	2.567	97.5% KM (Chebyshev) UCL	0.0162
Theta star	0.00297	99% KM (Chebyshev) UCL	0.0218
Nu star	143.8	Potential UCLs to Use	
AppChi2	117	95% KM (t) UCL	0.00931
95% Gamma Approximate UCL (Use when n >= 40)	0.00936	95% KM (Percentile Bootstrap) UCL	0.00956
95% Adjusted Gamma UCL (Use when n < 40)	0.00948		
Note: DL/2 is not a recommended method.			

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006). For additional insight, the user may want to consult a statistician.



General UCL Statistics for Data Sets with Non-Detects			
User Selected Options			
From File	Sheet1.wst		
Full Precision	OFF		
Confidence Coefficient	95%		
Number of Bootstrap Operations	10000		
SD_ACENAPHTHENE			
General Statistics			
Number of Valid Data	29	Number of Detected Data	21
Number of Distinct Detected Data	20	Number of Non-Detect Data	8
		Percent Non-Detects	27.59%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.0071	Minimum Detected	-4.948
Maximum Detected	3.1	Maximum Detected	1.131
Mean of Detected	0.511	Mean of Detected	-1.418
SD of Detected	0.696	SD of Detected	1.384
Minimum Non-Detect	0.66	Minimum Non-Detect	-0.416
Maximum Non-Detect	1.9	Maximum Non-Detect	0.642
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	28
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	1
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	96.55%
UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.663	Shapiro Wilk Test Statistic	0.966
5% Shapiro Wilk Critical Value	0.908	5% Shapiro Wilk Critical Value	0.908
Data not Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	0.522	Mean	-1.207
SD	0.598	SD	1.233
95% DL/2 (t) UCL	0.711	95% H-Stat (DL/2) UCL	1.22
Maximum Likelihood Estimate(MLE) Method	N/A	Log ROS Method	
MLE method failed to converge properly		Mean in Log Scale	-1.512
		SD in Log Scale	1.19
		Mean in Original Scale	0.42
		SD in Original Scale	0.608
		95% t UCL	0.612
		95% Percentile Bootstrap UCL	0.619
		95% BCA Bootstrap UCL	0.702
		95% H-UCL	0.824
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	0.713	Data appear Gamma Distributed at 5% Significance Level	
Theta Star	0.717		
nu star	29.96		
A-D Test Statistic	0.353	Nonparametric Statistics	
5% A-D Critical Value	0.78	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.78	Mean	0.449
5% K-S Critical Value	0.197	SD	0.603
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.118
Assuming Gamma Distribution		95% KM (t) UCL	0.65
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	0.644
Minimum	0.0071	95% KM (jackknife) UCL	0.65
Maximum	3.1	95% KM (bootstrap t) UCL	0.79
Mean	0.454	95% KM (BCA) UCL	0.666
Median	0.267	95% KM (Percentile Bootstrap) UCL	0.653
SD	0.602	95% KM (Chebyshev) UCL	0.965
k star	0.883	97.5% KM (Chebyshev) UCL	1.189
Theta star	0.514	99% KM (Chebyshev) UCL	1.628
Nu star	51.21	Potential UCLs to Use	
AppChi2	35.77	95% KM (Chebyshev) UCL	0.965
95% Gamma Approximate UCL (Use when n >= 40)	0.649		
95% Adjusted Gamma UCL (Use when n < 40)	0.664		
Note: DL/2 is not a recommended method.			
Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.			
These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).			
For additional insight, the user may want to consult a statistician.			

General UCL Statistics for Data Sets with Non-Detects

User Selected Options	
From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_ACENAPHTHYLENE

General Statistics			
Number of Valid Data	29	Number of Detected Data	23
Number of Distinct Detected Data	23	Number of Non-Detect Data	6
		Percent Non-Detects	20.69%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.014	Minimum Detected	-4.269
Maximum Detected	2.7	Maximum Detected	0.993
Mean of Detected	0.783	Mean of Detected	-0.658
SD of Detected	0.707	SD of Detected	1.088
Minimum Non-Detect	0.66	Minimum Non-Detect	-0.416
Maximum Non-Detect	1.9	Maximum Non-Detect	0.642
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	27
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	2
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	93.10%

UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.798	Shapiro Wilk Test Statistic	0.883
5% Shapiro Wilk Critical Value	0.914	5% Shapiro Wilk Critical Value	0.914
Data not Normal at 5% Significance Level		Data not Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	0.739	Mean	-0.649
SD	0.64	SD	0.976
95% DL/2 (t) UCL	0.941	95% H-Stat (DL/2) UCL	1.319
Maximum Likelihood Estimate(MLE) Method	N/A	Log ROS Method	
MLE method failed to converge properly		Mean in Log Scale	-0.729
		SD in Log Scale	0.982
		Mean in Original Scale	0.7
		SD in Original Scale	0.65
		95% t UCL	0.905
		95% Percentile Bootstrap UCL	0.903
		95% BCA Bootstrap UCL	0.953
		95% H-UCL	1.23
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	1.205	Data appear Gamma Distributed at 5% Significance Level	
Theta Star	0.65		
nu star	55.43		
A-D Test Statistic	0.42	Nonparametric Statistics	
5% A-D Critical Value	0.763	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.763	Mean	0.719
5% K-S Critical Value	0.185	SD	0.642
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.125
Assuming Gamma Distribution		95% KM (t) UCL	0.931
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	0.924
Minimum	0.014	95% KM (jackknife) UCL	0.931
Maximum	2.7	95% KM (bootstrap t) UCL	1.007
Mean	0.74	95% KM (BCA) UCL	0.935
Median	0.61	95% KM (Percentile Bootstrap) UCL	0.926
SD	0.639	95% KM (Chebyshev) UCL	1.263
k star	1.444	97.5% KM (Chebyshev) UCL	1.498
Theta star	0.513	99% KM (Chebyshev) UCL	1.959
Nu star	83.73	Potential UCLs to Use	
AppChi2	63.64	95% KM (BCA) UCL	0.935
95% Gamma Approximate UCL (Use when n >= 40)	0.974		
95% Adjusted Gamma UCL (Use when n < 40)	0.99		

Note: DL/2 is not a recommended method.

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.

These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).

For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options	
From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_ANTHRACENE

General Statistics			
Number of Valid Data	29	Number of Detected Data	22
Number of Distinct Detected Data	19	Number of Non-Detect Data	7
		Percent Non-Detects	24.14%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.02	Minimum Detected	-3.912
Maximum Detected	4.1	Maximum Detected	1.411
Mean of Detected	1.176	Mean of Detected	-0.258
SD of Detected	1.057	SD of Detected	1.109
Minimum Non-Detect	0.66	Minimum Non-Detect	-0.416
Maximum Non-Detect	1.9	Maximum Non-Detect	0.642
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	25
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	4
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	86.21%

UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.804	Shapiro Wilk Test Statistic	0.875
5% Shapiro Wilk Critical Value	0.911	5% Shapiro Wilk Critical Value	0.911
Data not Normal at 5% Significance Level		Data not Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	1.022	Mean	-0.359
SD	0.962	SD	0.992
95% DL/2 (t) UCL	1.325	95% H-Stat (DL/2) UCL	1.809
Maximum Likelihood Estimate(MLE) Method	N/A	Log ROS Method	
MLE yields a negative mean		Mean in Log Scale	-0.425
		SD in Log Scale	1.016
		Mean in Original Scale	0.989
		SD in Original Scale	0.978
		95% t UCL	1.298
		95% Percentile Bootstrap UCL	1.306
		95% BCA Bootstrap UCL	1.363
		95% H-UCL	1.766
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	1.182	Data appear Gamma Distributed at 5% Significance Level	
Theta Star	0.994		
nu star	52.02		
A-D Test Statistic	0.432	Nonparametric Statistics	
5% A-D Critical Value	0.763	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.763	Mean	1.016
5% K-S Critical Value	0.189	SD	0.954
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.184
Assuming Gamma Distribution		95% KM (t) UCL	1.328
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	1.318
Minimum	0.02	95% KM (jackknife) UCL	1.327
Maximum	4.1	95% KM (bootstrap t) UCL	1.437
Mean	1.02	95% KM (BCA) UCL	1.332
Median	0.725	95% KM (Percentile Bootstrap) UCL	1.334
SD	0.969	95% KM (Chebyshev) UCL	1.816
k star	1.269	97.5% KM (Chebyshev) UCL	2.163
Theta star	0.804	99% KM (Chebyshev) UCL	2.843
Nu star	73.59	Potential UCLs to Use	
AppChi2	54.84	95% KM (BCA) UCL	1.332
95% Gamma Approximate UCL (Use when n >= 40)	1.368		
95% Adjusted Gamma UCL (Use when n < 40)	1.393		

Note: DL/2 is not a recommended method.

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects			
User Selected Options			
From File	Sheet1.wst		
Full Precision	OFF		
Confidence Coefficient	95%		
Number of Bootstrap Operations	10000		
SD_ANTIMONY			
General Statistics			
Number of Valid Data	29	Number of Detected Data	28
Number of Distinct Detected Data	24	Number of Non-Detect Data	1
		Percent Non-Detects	3.45%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.13	Minimum Detected	-2.04
Maximum Detected	10	Maximum Detected	2.303
Mean of Detected	5.03	Mean of Detected	1.422
SD of Detected	2.327	SD of Detected	0.833
Minimum Non-Detect	0.48	Minimum Non-Detect	-0.734
Maximum Non-Detect	0.48	Maximum Non-Detect	-0.734
UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.964	Shapiro Wilk Test Statistic	0.711
5% Shapiro Wilk Critical Value	0.924	5% Shapiro Wilk Critical Value	0.924
Data appear Normal at 5% Significance Level		Data not Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	4.864	Mean	1.323
SD	2.452	SD	0.974
95% DL/2 (t) UCL	5.639	95% H-Stat (DL/2) UCL	9.448
Maximum Likelihood Estimate(MLE) Method		Log ROS Method	
Mean	4.814	Mean in Log Scale	1.371
SD	2.525	SD in Log Scale	0.862
95% MLE (t) UCL	5.611	Mean in Original Scale	4.889
95% MLE (Tiku) UCL	5.625	SD in Original Scale	2.407
		95% t UCL	5.65
		95% Percentile Bootstrap UCL	5.605
		95% BCA Bootstrap UCL	5.601
		95% H UCL	8.311
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	2.467	Data appear Normal at 5% Significance Level	
Theta Star	2.038		
nu star	138.2		
A-D Test Statistic	1.192	Nonparametric Statistics	
5% A-D Critical Value	0.755	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.755	Mean	4.861
5% K-S Critical Value	0.167	SD	2.417
Data not Gamma Distributed at 5% Significance Level		SE of Mean	0.457
Assuming Gamma Distribution		95% KM (t) UCL	5.638
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	5.612
Minimum	0.000001	95% KM (jackknife) UCL	5.627
Maximum	10	95% KM (bootstrap t) UCL	5.621
Mean	4.856	95% KM (BCA) UCL	5.656
Median	4.6	95% KM (Percentile Bootstrap) UCL	5.603
SD	2.469	95% KM (Chebyshev) UCL	6.853
k star	0.794	97.5% KM (Chebyshev) UCL	7.715
Theta star	6.118	99% KM (Chebyshev) UCL	9.408
Nu star	46.03	Potential UCLs to Use	
AppChi2	31.47	95% KM (t) UCL	5.638
95% Gamma Approximate UCL (Use when n >= 40)	7.104	95% KM (Percentile Bootstrap) UCL	5.603
95% Adjusted Gamma UCL (Use when n < 40)	7.271		
Note: DL/2 is not a recommended method.			
Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.			
These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).			
For additional insight, the user may want to consult a statistician.			

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_ARSENIC

General Statistics

Number of Valid Observations	29	Number of Distinct Observations	21
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	9.6
Maximum	120
Mean	39.14
Geometric Mean	33.24
Median	29
SD	25.83
Std. Error of Mean	4.797
Coefficient of Variation	0.66
Skewness	1.776

Log-transformed Statistics

Minimum of Log Data	2.262
Maximum of Log Data	4.787
Mean of log Data	3.504
SD of log Data	0.558

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.786
Shapiro Wilk Critical Value	0.926

Data not Normal at 5% Significance Level

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.943
Shapiro Wilk Critical Value	0.926

Data appear Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	47.3
---------------------	------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	48.72
95% Modified-t UCL (Johnson-1978)	47.57

Assuming Lognormal Distribution

95% H-UCL	47.94
95% Chebyshev (MVUE) UCL	56.97
97.5% Chebyshev (MVUE) UCL	64.92
99% Chebyshev (MVUE) UCL	80.53

Gamma Distribution Test

k star (bias corrected)	2.909
Theta Star	13.46
MLE of Mean	39.14
MLE of Standard Deviation	22.95
nu star	168.7
Approximate Chi Square Value (.05)	139.7
Adjusted Level of Significance	0.0407
Adjusted Chi Square Value	138.1

Data not Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	47.28
95% Adjusted Gamma UCL (Use when n < 40)	47.82

Data Distribution

Data appear Lognormal at 5% Significance Level

Nonparametric Statistics

95% CLT UCL	47.03
95% Jackknife UCL	47.3
95% Standard Bootstrap UCL	46.93
95% Bootstrap-t UCL	50.41
95% Hall's Bootstrap UCL	49.67
95% Percentile Bootstrap UCL	47.17
95% BCA Bootstrap UCL	48.98
95% Chebyshev(Mean, Sd) UCL	60.05
97.5% Chebyshev(Mean, Sd) UCL	69.1
99% Chebyshev(Mean, Sd) UCL	86.87

Potential UCL to Use

Use 95% H-UCL	47.94
---------------	-------

ProUCL computes and outputs H-statistic based UCLs for historical reasons only.

H-statistic often results in unstable (both high and low) values of UCL95 as shown in examples in the Technical Guide.

It is therefore recommended to avoid the use of H-statistic based 95% UCLs.

Use of nonparametric methods are preferred to compute UCL95 for skewed data sets which do not follow a gamma distribution.

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.

These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects			
User Selected Options			
From File	Sheet1.wst		
Full Precision	OFF		
Confidence Coefficient	95%		
Number of Bootstrap Operations	10000		
SD_BENZENE			
General Statistics			
Number of Valid Data	28	Number of Detected Data	9
Number of Distinct Detected Data	8	Number of Non-Detect Data	19
		Percent Non-Detects	67.86%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.0026	Minimum Detected	-5.952
Maximum Detected	0.012	Maximum Detected	-4.423
Mean of Detected	0.00606	Mean of Detected	-5.239
SD of Detected	0.00328	SD of Detected	0.548
Minimum Non-Detect	0.0073	Minimum Non-Detect	-4.92
Maximum Non-Detect	0.026	Maximum Non-Detect	-3.65
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	28
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	0
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	100.00%

**Warning: There are only 9 Detected Values in this data**  
**Note: It should be noted that even though bootstrap may be performed on this data set the resulting calculations may not be reliable enough to draw conclusions**

It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.

UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.911	Shapiro Wilk Test Statistic	0.942
5% Shapiro Wilk Critical Value	0.829	5% Shapiro Wilk Critical Value	0.829
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	0.00785	Mean	-4.949
SD	0.00329	SD	0.484
95% DL/2 (t) UCL	0.00891	95% H-Stat (DL/2) UCL	0.00954
Maximum Likelihood Estimate(MLE) Method	N/A	Log ROS Method	
MLE method failed to converge properly		Mean in Log Scale	-5.326
		SD in Log Scale	0.327
		Mean in Original Scale	0.00514
		SD in Original Scale	0.00198
		95% t UCL	0.00578
		95% Percentile Bootstrap UCL	0.00578
		95% BCA Bootstrap UCL	0.00592
		95% H-UCL	0.00575
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	2.71	Data appear Normal at 5% Significance Level	
Theta Star	0.00223		
nu star	48.78		
A-D Test Statistic	0.297	Nonparametric Statistics	
5% A-D Critical Value	0.725	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.725	Mean	0.00553
5% K-S Critical Value	0.28	SD	0.00282
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.0008905
Assuming Gamma Distribution		95% KM (t) UCL	0.00705
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	0.007
Minimum	0.0026	95% KM (jackknife) UCL	0.00709
Maximum	0.012	95% KM (bootstrap t) UCL	0.00741
Mean	0.00591	95% KM (BCA) UCL	0.00709
Median	0.00609	95% KM (Percentile Bootstrap) UCL	0.00701
SD	0.00196	95% KM (Chebyshev) UCL	0.00941
k star	8.7	97.5% KM (Chebyshev) UCL	0.0111
Theta star	0.0006791	99% KM (Chebyshev) UCL	0.0144
Nu star	487.2	Potential UCLs to Use	
AppChi2	437	95% KM (t) UCL	0.00705
95% Gamma Approximate UCL (Use when n >= 40)	0.00659	95% KM (Percentile Bootstrap) UCL	0.00701
95% Adjusted Gamma UCL (Use when n < 40)	0.00663		
Note: DL/2 is not a recommended method.			

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects			
User Selected Options			
From File	Sheet1.wst		
Full Precision	OFF		
Confidence Coefficient	95%		
Number of Bootstrap Operations	10000		
SD_BENZO[A]ANTHRACENE			
General Statistics			
Number of Valid Data	29	Number of Detected Data	25
Number of Distinct Detected Data	22	Number of Non-Detect Data	4
		Percent Non-Detects	13.79%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.052	Minimum Detected	-2.957
Maximum Detected	6	Maximum Detected	1.792
Mean of Detected	2.262	Mean of Detected	0.506
SD of Detected	1.527	SD of Detected	0.98
Minimum Non-Detect	0.88	Minimum Non-Detect	-0.128
Maximum Non-Detect	1.9	Maximum Non-Detect	0.642
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	16
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	13
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	55.17%
UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.935	Shapiro Wilk Test Statistic	0.855
5% Shapiro Wilk Critical Value	0.918	5% Shapiro Wilk Critical Value	0.918
Data appear Normal at 5% Significance Level		Data not Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	2.039	Mean	0.371
SD	1.525	SD	0.976
95% DL/2 (t) UCL	2.521	95% H-Stat (DL/2) UCL	3.656
Maximum Likelihood Estimate(MLE) Method		Log ROS Method	
Mean	1.652	Mean in Log Scale	0.362
SD	2.001	SD in Log Scale	0.983
95% MLE (t) UCL	2.284	Mean in Original Scale	2.033
95% MLE (Tiku) UCL	2.481	SD in Original Scale	1.53
		95% t UCL	2.517
		95% Percentile Bootstrap UCL	2.514
		95% BCA Bootstrap UCL	2.546
		95% H UCL	3.666
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	1.573	Data appear Normal at 5% Significance Level	
Theta Star	1.438		
nu star	78.66		
A-D Test Statistic	0.304	Nonparametric Statistics	
5% A-D Critical Value	0.759	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.759	Mean	2.049
5% K-S Critical Value	0.177	SD	1.494
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.285
Assuming Gamma Distribution		95% KM (t) UCL	2.533
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	2.517
Minimum	0.0135	95% KM (jackknife) UCL	2.532
Maximum	6	95% KM (bootstrap t) UCL	2.596
Mean	2.018	95% KM (BCA) UCL	2.518
Median	1.5	95% KM (Percentile Bootstrap) UCL	2.524
SD	1.553	95% KM (Chebyshev) UCL	3.289
k star	1.057	97.5% KM (Chebyshev) UCL	3.826
Theta star	1.909	99% KM (Chebyshev) UCL	4.88
Nu star	61.33	Potential UCLs to Use	
AppChi2	44.32	95% KM (t) UCL	2.533
95% Gamma Approximate UCL (Use when n >= 40)	2.793	95% KM (Percentile Bootstrap) UCL	2.524
95% Adjusted Gamma UCL (Use when n < 40)	2.848		
Note: DL/2 is not a recommended method.			
Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.			
These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).			
For additional insight, the user may want to consult a statistician.			

General UCL Statistics for Data Sets with Non-Detects

User Selected Options	
From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_BENZO[A]PYRENE

General Statistics			
Number of Valid Data	29	Number of Detected Data	22
Number of Distinct Detected Data	20	Number of Non-Detect Data	7
		Percent Non-Detects	24.14%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.056	Minimum Detected	-2.882
Maximum Detected	4.95	Maximum Detected	1.599
Mean of Detected	2.308	Mean of Detected	0.596
SD of Detected	1.242	SD of Detected	0.928
Minimum Non-Detect	0.11	Minimum Non-Detect	-2.207
Maximum Non-Detect	1.9	Maximum Non-Detect	0.642
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	18
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	11
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	62.07%

UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.975	Shapiro Wilk Test Statistic	0.746
5% Shapiro Wilk Critical Value	0.911	5% Shapiro Wilk Critical Value	0.911
Data appear Normal at 5% Significance Level		Data not Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	1.852	Mean	0.151
SD	1.363	SD	1.234
95% DL/2 (t) UCL	2.283	95% H-Stat (DL/2) UCL	4.747
Maximum Likelihood Estimate(MLE) Method		Log ROS Method	
Mean	1.428	Mean in Log Scale	0.252
SD	1.818	SD in Log Scale	1.025
95% MLE (t) UCL	2.002	Mean in Original Scale	1.862
95% MLE (Tiku) UCL	2.261	SD in Original Scale	1.346
		95% t UCL	2.287
		95% Percentile Bootstrap UCL	2.273
		95% BCA Bootstrap UCL	2.295
		95% H UCL	3.531
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	1.954	Data appear Normal at 5% Significance Level	
Theta Star	1.181		
nu star	85.98		
A-D Test Statistic	0.574	Nonparametric Statistics	
5% A-D Critical Value	0.755	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.755	Mean	1.822
5% K-S Critical Value	0.188	SD	1.383
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.266
Assuming Gamma Distribution		95% KM (t) UCL	2.274
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	2.259
Minimum	0.000001	95% KM (jackknife) UCL	2.244
Maximum	4.95	95% KM (bootstrap t) UCL	2.273
Mean	1.798	95% KM (BCA) UCL	2.428
Median	1.7	95% KM (Percentile Bootstrap) UCL	2.322
SD	1.426	95% KM (Chebyshev) UCL	2.98
k star	0.269	97.5% KM (Chebyshev) UCL	3.48
Theta star	6.678	99% KM (Chebyshev) UCL	4.464
Nu star	15.61	Potential UCLs to Use	
AppChi2	7.69	95% KM (t) UCL	2.274
95% Gamma Approximate UCL (Use when n >= 40)	3.65	95% KM (Percentile Bootstrap) UCL	2.322
95% Adjusted Gamma UCL (Use when n < 40)	3.814		

Note: DL/2 is not a recommended method.

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006). For additional insight, the user may want to consult a statistician.



General UCL Statistics for Data Sets with Non-Detects

User Selected Options	
From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_BENZO[B]FLUORANTHENE

General Statistics			
Number of Valid Data	29	Number of Detected Data	23
Number of Distinct Detected Data	21	Number of Non-Detect Data	6
		Percent Non-Detects	20.69%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.074	Minimum Detected	-2.604
Maximum Detected	5.8	Maximum Detected	1.758
Mean of Detected	2.12	Mean of Detected	0.439
SD of Detected	1.537	SD of Detected	0.947
Minimum Non-Detect	0.3	Minimum Non-Detect	-1.204
Maximum Non-Detect	1.9	Maximum Non-Detect	0.642
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	19
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	10
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	65.52%

UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.895	Shapiro Wilk Test Statistic	0.899
5% Shapiro Wilk Critical Value	0.914	5% Shapiro Wilk Critical Value	0.914
Data not Normal at 5% Significance Level		Data not Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	1.787	Mean	0.179
SD	1.519	SD	1.022
95% DL/2 (t) UCL	2.267	95% H-Stat (DL/2) UCL	3.264
Maximum Likelihood Estimate(MLE) Method		Log ROS Method	
Mean	0.933	Mean in Log Scale	0.164
SD	2.368	SD in Log Scale	1.019
95% MLE (t) UCL	1.681	Mean in Original Scale	1.773
95% MLE (Tiku) UCL	2.106	SD in Original Scale	1.529
		95% t UCL	2.257
		95% Percentile Bootstrap UCL	2.245
		95% BCA Bootstrap UCL	2.318
		95% H UCL	3.2
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	1.549	Data appear Gamma Distributed at 5% Significance Level	
Theta Star	1.368		
nu star	71.25		
A-D Test Statistic	0.199	Nonparametric Statistics	
5% A-D Critical Value	0.757	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.757	Mean	1.773
5% K-S Critical Value	0.184	SD	1.514
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.289
Assuming Gamma Distribution		95% KM (t) UCL	2.266
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	2.249
Minimum	0.000001	95% KM (jackknife) UCL	2.25
Maximum	5.8	95% KM (bootstrap t) UCL	2.345
Mean	1.736	95% KM (BCA) UCL	2.297
Median	1.4	95% KM (Percentile Bootstrap) UCL	2.282
SD	1.572	95% KM (Chebyshev) UCL	3.035
k star	0.311	97.5% KM (Chebyshev) UCL	3.581
Theta star	5.587	99% KM (Chebyshev) UCL	4.653
Nu star	18.02	Potential UCLs to Use	
AppChi2	9.403	95% KM (BCA) UCL	2.297
95% Gamma Approximate UCL (Use when n >= 40)	3.326		
95% Adjusted Gamma UCL (Use when n < 40)	3.462		

Note: DL/2 is not a recommended method.

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects			
User Selected Options			
From File	Sheet1.wst		
Full Precision	OFF		
Confidence Coefficient	95%		
Number of Bootstrap Operations	10000		
SD_BENZO[G,H,I]PERYLENE			
General Statistics			
Number of Valid Data	29	Number of Detected Data	22
Number of Distinct Detected Data	19	Number of Non-Detect Data	7
		Percent Non-Detects	24.14%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.047	Minimum Detected	-3.058
Maximum Detected	4.3	Maximum Detected	1.459
Mean of Detected	2.128	Mean of Detected	0.496
SD of Detected	1.181	SD of Detected	0.961
Minimum Non-Detect	0.11	Minimum Non-Detect	-2.207
Maximum Non-Detect	1.9	Maximum Non-Detect	0.642
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	17
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	12
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	58.62%
UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.966	Shapiro Wilk Test Statistic	0.755
5% Shapiro Wilk Critical Value	0.911	5% Shapiro Wilk Critical Value	0.911
Data appear Normal at 5% Significance Level		Data not Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	1.722	Mean	0.107
SD	1.266	SD	1.179
95% DL/2 (t) UCL	2.122	95% H-Stat (DL/2) UCL	4.068
Maximum Likelihood Estimate(MLE) Method		Log ROS Method	
Mean	1.624	Mean in Log Scale	0.154
SD	1.441	SD in Log Scale	1.049
95% MLE (t) UCL	2.079	Mean in Original Scale	1.716
95% MLE (Tiku) UCL	2.25	SD in Original Scale	1.267
		95% t UCL	2.116
		95% Percentile Bootstrap UCL	2.109
		95% BCA Bootstrap UCL	2.117
		95% H UCL	3.337
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	1.827	Data appear Normal at 5% Significance Level	
Theta Star	1.164		
nu star	80.39		
A-D Test Statistic	0.554	Nonparametric Statistics	
5% A-D Critical Value	0.756	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.756	Mean	1.692
5% K-S Critical Value	0.188	SD	1.285
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.247
Assuming Gamma Distribution		95% KM (t) UCL	2.112
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	2.099
Minimum	0.000001	95% KM (jackknife) UCL	2.085
Maximum	4.3	95% KM (bootstrap t) UCL	2.108
Mean	1.664	95% KM (BCA) UCL	2.22
Median	1.5	95% KM (Percentile Bootstrap) UCL	2.15
SD	1.331	95% KM (Chebyshev) UCL	2.769
k star	0.27	97.5% KM (Chebyshev) UCL	3.235
Theta star	6.162	99% KM (Chebyshev) UCL	4.151
Nu star	15.66	Potential UCLs to Use	
AppChi2	7.725	95% KM (t) UCL	2.112
95% Gamma Approximate UCL (Use when n >= 40)	3.374	95% KM (Percentile Bootstrap) UCL	2.15
95% Adjusted Gamma UCL (Use when n < 40)	3.526		
Note: DL/2 is not a recommended method.			
Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.			
These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).			
For additional insight, the user may want to consult a statistician.			

General UCL Statistics for Data Sets with Non-Detects

User Selected Options	
From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_BENZO[KJ]FLUORANTHENE

General Statistics			
Number of Valid Data	29	Number of Detected Data	22
Number of Distinct Detected Data	18	Number of Non-Detect Data	7
		Percent Non-Detects	24.14%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.018	Minimum Detected	-4.017
Maximum Detected	3.3	Maximum Detected	1.194
Mean of Detected	1.067	Mean of Detected	-0.314
SD of Detected	0.849	SD of Detected	1.09
Minimum Non-Detect	0.3	Minimum Non-Detect	-1.204
Maximum Non-Detect	1.9	Maximum Non-Detect	0.642
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	26
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	3
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	89.66%

UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.869	Shapiro Wilk Test Statistic	0.854
5% Shapiro Wilk Critical Value	0.911	5% Shapiro Wilk Critical Value	0.911
Data not Normal at 5% Significance Level		Data not Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	0.934	Mean	-0.428
SD	0.782	SD	1.003
95% DL/2 (t) UCL	1.181	95% H-Stat (DL/2) UCL	1.722
Maximum Likelihood Estimate(MLE) Method	N/A	Log ROS Method	
MLE yields a negative mean		Mean in Log Scale	-0.497
		SD in Log Scale	1.022
		Mean in Original Scale	0.899
		SD in Original Scale	0.798
		95% t UCL	1.151
		95% Percentile Bootstrap UCL	1.149
		95% BCA Bootstrap UCL	1.198
		95% H-UCL	1.66
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	1.294	Data appear Gamma Distributed at 5% Significance Level	
Theta Star	0.824		
nu star	56.94		
A-D Test Statistic	0.322	Nonparametric Statistics	
5% A-D Critical Value	0.76	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.76	Mean	0.925
5% K-S Critical Value	0.189	SD	0.782
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.152
Assuming Gamma Distribution		95% KM (t) UCL	1.182
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	1.174
Minimum	0.000001	95% KM (jackknife) UCL	1.182
Maximum	3.3	95% KM (bootstrap t) UCL	1.244
Mean	0.929	95% KM (BCA) UCL	1.189
Median	0.8	95% KM (Percentile Bootstrap) UCL	1.181
SD	0.793	95% KM (Chebyshev) UCL	1.585
k star	0.709	97.5% KM (Chebyshev) UCL	1.871
Theta star	1.31	99% KM (Chebyshev) UCL	2.432
Nu star	41.12	Potential UCLs to Use	
AppChi2	27.42	95% KM (BCA) UCL	1.189
95% Gamma Approximate UCL (Use when n >= 40)	1.393		
95% Adjusted Gamma UCL (Use when n < 40)	1.428		

Note: DL/2 is not a recommended method.

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_BERYLLIUM

General Statistics

Number of Valid Observations	29	Number of Distinct Observations	21
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	0.17
Maximum	1.6
Mean	0.66
Geometric Mean	0.538
Median	0.5
SD	0.42
Std. Error of Mean	0.0779
Coefficient of Variation	0.636
Skewness	0.734

Log-transformed Statistics

Minimum of Log Data	-1.772
Maximum of Log Data	0.47
Mean of log Data	-0.619
SD of log Data	0.659

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.881
Shapiro Wilk Critical Value	0.926

Data not Normal at 5% Significance Level

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.935
Shapiro Wilk Critical Value	0.926

Data appear Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	0.792
---------------------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	0.799
95% Modified-t UCL (Johnson-1978)	0.794

Assuming Lognormal Distribution

95% H-UCL	0.868
95% Chebyshev (MVUE) UCL	1.042
97.5% Chebyshev (MVUE) UCL	1.206
99% Chebyshev (MVUE) UCL	1.529

Gamma Distribution Test

k star (bias corrected)	2.367
Theta Star	0.279
MLE of Mean	0.66
MLE of Standard Deviation	0.429
nu star	137.3
Approximate Chi Square Value (.05)	111.2
Adjusted Level of Significance	0.0407
Adjusted Chi Square Value	109.8

Data not Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	0.814
95% Adjusted Gamma UCL (Use when n < 40)	0.825

Data Distribution

Data appear Lognormal at 5% Significance Level

Nonparametric Statistics

95% CLT UCL	0.788
95% Jackknife UCL	0.792
95% Standard Bootstrap UCL	0.785
95% Bootstrap-t UCL	0.803
95% Hall's Bootstrap UCL	0.797
95% Percentile Bootstrap UCL	0.79
95% BCA Bootstrap UCL	0.797
95% Chebyshev(Mean, Sd) UCL	0.999
97.5% Chebyshev(Mean, Sd) UCL	1.146
99% Chebyshev(Mean, Sd) UCL	1.435

Potential UCL to Use

Use 95% H-UCL	0.868
---------------	-------

ProUCL computes and outputs H-statistic based UCLs for historical reasons only.

H-statistic often results in unstable (both high and low) values of UCL95 as shown in examples in the Technical Guide.

It is therefore recommended to avoid the use of H-statistic based 95% UCLs.

Use of nonparametric methods are preferred to compute UCL95 for skewed data sets which do not follow a gamma distribution.

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.

These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options	
From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_BIS(2-ETHYLHEXYL) PHTHALATE

General Statistics			
Number of Valid Data		29	
Number of Distinct Detected Data		26	
		Number of Detected Data	26
		Number of Non-Detect Data	3
		Percent Non-Detects	10.34%
Raw Statistics		Log-transformed Statistics	
Minimum Detected		0.18	-1.715
Maximum Detected		51	3.932
Mean of Detected		10.68	1.807
SD of Detected		11.24	1.293
Minimum Non-Detect		0.15	-1.897
Maximum Non-Detect		19	2.944
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	26
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	3
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	89.66%

UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic		0.769	0.894
5% Shapiro Wilk Critical Value		0.92	0.92
Data not Normal at 5% Significance Level		Data not Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean		9.905	1.536
SD		10.96	1.629
95% DL/2 (t) UCL		13.37	48.93
Maximum Likelihood Estimate(MLE) Method		Log ROS Method	
Mean		38.74	1.615
SD		11.59	1.396
95% MLE (t) UCL		42.4	9.748
95% MLE (Tiku) UCL		49.9	10.99
		95% t UCL	13.22
		95% Percentile Bootstrap UCL	13.26
		95% BCA Bootstrap UCL	14.22
		95% H UCL	29.36
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)		0.933	Data appear Gamma Distributed at 5% Significance Level
Theta Star		11.44	
nu star		48.51	
A-D Test Statistic		0.329	
5% A-D Critical Value		0.773	
K-S Test Statistic		0.773	
5% K-S Critical Value		0.176	
Data appear Gamma Distributed at 5% Significance Level		Nonparametric Statistics	
Assuming Gamma Distribution		Kaplan-Meier (KM) Method	
Gamma ROS Statistics using Extrapolated Data		Mean	
Minimum		0.000001	9.819
Maximum		51	10.83
Mean		9.825	2.06
Median		6.6	95% KM (t) UCL
SD		10.98	13.32
k star		0.401	95% KM (z) UCL
Theta star		24.52	13.21
Nu star		23.24	95% KM (jackknife) UCL
AppChi2		13.27	13.32
95% Gamma Approximate UCL (Use when n >= 40)		17.2	95% KM (bootstrap t) UCL
95% Adjusted Gamma UCL (Use when n < 40)		17.81	15.08
			95% KM (BCA) UCL
			13.52
			95% KM (Percentile Bootstrap) UCL
			13.39
			95% KM (Chebyshev) UCL
			18.8
			97.5% KM (Chebyshev) UCL
			22.68
			99% KM (Chebyshev) UCL
			30.31
		Potential UCLs to Use	
		95% KM (Chebyshev) UCL	
		18.8	

Note: DL/2 is not a recommended method.

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.

These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).

For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_CADMIUM

General Statistics

Number of Valid Observations	29	Number of Distinct Observations	27
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	0.26
Maximum	110
Mean	15.56
Geometric Mean	8.407
Median	7.5
SD	21.44
Std. Error of Mean	3.982
Coefficient of Variation	1.378
Skewness	3.338

Log-transformed Statistics

Minimum of Log Data	-1.347
Maximum of Log Data	4.7
Mean of log Data	2.129
SD of log Data	1.173

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.619
Shapiro Wilk Critical Value	0.926

Data not Normal at 5% Significance Level

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.954
Shapiro Wilk Critical Value	0.926

Data appear Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	22.34
---------------------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	24.75
95% Modified-t UCL (Johnson-1978)	22.75

Assuming Lognormal Distribution

95% H-UCL	30.39
95% Chebyshev (MVUE) UCL	34.28
97.5% Chebyshev (MVUE) UCL	42.14
99% Chebyshev (MVUE) UCL	57.58

Gamma Distribution Test

k star (bias corrected)	0.869
Theta Star	17.9
MLE of Mean	15.56
MLE of Standard Deviation	16.69
nu star	50.42
Approximate Chi Square Value (.05)	35.11
Adjusted Level of Significance	0.0407
Adjusted Chi Square Value	34.35

Data not Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	22.35
95% Adjusted Gamma UCL (Use when n < 40)	22.84

Data Distribution

Data appear Lognormal at 5% Significance Level

Nonparametric Statistics

95% CLT UCL	22.11
95% Jackknife UCL	22.34
95% Standard Bootstrap UCL	21.92
95% Bootstrap-t UCL	28.06
95% Hall's Bootstrap UCL	49.62
95% Percentile Bootstrap UCL	22.51
95% BCA Bootstrap UCL	25.45
95% Chebyshev(Mean, Sd) UCL	32.92
97.5% Chebyshev(Mean, Sd) UCL	40.43
99% Chebyshev(Mean, Sd) UCL	55.18

Potential UCL to Use

Use 95% H-UCL	30.39
---------------	-------

ProUCL computes and outputs H-statistic based UCLs for historical reasons only.

H-statistic often results in unstable (both high and low) values of UCL95 as shown in examples in the Technical Guide.

It is therefore recommended to avoid the use of H-statistic based 95% UCLs.

Use of nonparametric methods are preferred to compute UCL95 for skewed data sets which do not follow a gamma distribution.

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.

These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options	
From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_CHLOROBENZENE

General Statistics			
Number of Valid Data	28	Number of Detected Data	12
Number of Distinct Detected Data	12	Number of Non-Detect Data	16
		Percent Non-Detects	57.14%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.0024	Minimum Detected	-6.032
Maximum Detected	0.25	Maximum Detected	-1.386
Mean of Detected	0.049	Mean of Detected	-3.753
SD of Detected	0.0686	SD of Detected	1.318
Minimum Non-Detect	0.0073	Minimum Non-Detect	-4.92
Maximum Non-Detect	0.026	Maximum Non-Detect	-3.65
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	22
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	6
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	78.57%

UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.664	Shapiro Wilk Test Statistic	0.985
5% Shapiro Wilk Critical Value	0.859	5% Shapiro Wilk Critical Value	0.859
Data not Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	0.0262	Mean	-4.329
SD	0.0483	SD	1.022
95% DL/2 (t) UCL	0.0417	95% H-Stat (DL/2) UCL	0.0362
Maximum Likelihood Estimate(MLE) Method	N/A	Log ROS Method	
MLE yields a negative mean		Mean in Log Scale	-4.613
		SD in Log Scale	1.165
		Mean in Original Scale	0.0242
		SD in Original Scale	0.049
		95% t UCL	0.0399
		95% Percentile Bootstrap UCL	0.0411
		95% BCA Bootstrap UCL	0.0494
		95% H-UCL	0.0356
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	0.659	Data appear Gamma Distributed at 5% Significance Level	
Theta Star	0.0744		
nu star	15.82		
A-D Test Statistic	0.308	Nonparametric Statistics	
5% A-D Critical Value	0.764	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.764	Mean	0.0248
5% K-S Critical Value	0.254	SD	0.048
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.00952
Assuming Gamma Distribution		95% KM (t) UCL	0.041
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	0.0404
Minimum	0.000001	95% KM (jackknife) UCL	0.0406
Maximum	0.25	95% KM (bootstrap t) UCL	0.0624
Mean	0.0218	95% KM (BCA) UCL	0.0442
Median	0.0012	95% KM (Percentile Bootstrap) UCL	0.0418
SD	0.05	95% KM (Chebyshev) UCL	0.0663
k star	0.16	97.5% KM (Chebyshev) UCL	0.0842
Theta star	0.136	99% KM (Chebyshev) UCL	0.12
Nu star	8.979	Potential UCLs to Use	
AppChi2	3.314	95% KM (t) UCL	0.041
95% Gamma Approximate UCL (Use when n >= 40)	0.0592		
95% Adjusted Gamma UCL (Use when n < 40)	0.0632		

Note: DL/2 is not a recommended method.

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_CHROMIUM

General Statistics

Number of Valid Observations	29	Number of Distinct Observations	24
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	22
Maximum	4600
Mean	2052
Geometric Mean	1515
Median	1900
SD	1201
Std. Error of Mean	223.1
Coefficient of Variation	0.585
Skewness	0.37

Log-transformed Statistics

Minimum of Log Data	3.091
Maximum of Log Data	8.434
Mean of log Data	7.323
SD of log Data	1.066

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.971
Shapiro Wilk Critical Value	0.926

Data appear Normal at 5% Significance Level

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.763
Shapiro Wilk Critical Value	0.926

Data not Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	2432
---------------------	------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	2436
95% Modified-t UCL (Johnson-1978)	2434

Assuming Lognormal Distribution

95% H-UCL	4471
95% Chebyshev (MVUE) UCL	5203
97.5% Chebyshev (MVUE) UCL	6330
99% Chebyshev (MVUE) UCL	8544

Gamma Distribution Test

k star (bias corrected)	1.631
Theta Star	1258
MLE of Mean	2052
MLE of Standard Deviation	1607
nu star	94.6
Approximate Chi Square Value (.05)	73.17
Adjusted Level of Significance	0.0407
Adjusted Chi Square Value	72.04

Anderson-Darling Test Statistic	0.647
Anderson-Darling 5% Critical Value	0.76
Kolmogorov-Smirnov Test Statistic	0.136
Kolmogorov-Smirnov 5% Critical Value	0.165

Data appear Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	2654
95% Adjusted Gamma UCL (Use when n < 40)	2695

Data Distribution

Data appear Normal at 5% Significance Level

Nonparametric Statistics

95% CLT UCL	2419
95% Jackknife UCL	2432
95% Standard Bootstrap UCL	2413
95% Bootstrap-t UCL	2453
95% Hall's Bootstrap UCL	2437
95% Percentile Bootstrap UCL	2421
95% BCA Bootstrap UCL	2425
95% Chebyshev(Mean, Sd) UCL	3025
97.5% Chebyshev(Mean, Sd) UCL	3445
99% Chebyshev(Mean, Sd) UCL	4272

Potential UCL to Use

Use 95% Student's-t UCL 2432

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.



General UCL Statistics for Data Sets with Non-Detects			
User Selected Options			
From File	Sheet1.wst		
Full Precision	OFF		
Confidence Coefficient	95%		
Number of Bootstrap Operations	10000		
SD_CHRYSENE			
General Statistics			
Number of Valid Data	29	Number of Detected Data	24
Number of Distinct Detected Data	22	Number of Non-Detect Data	5
		Percent Non-Detects	17.24%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.049	Minimum Detected	-3.016
Maximum Detected	5.35	Maximum Detected	1.677
Mean of Detected	2.376	Mean of Detected	0.573
SD of Detected	1.505	SD of Detected	0.983
Minimum Non-Detect	0.88	Minimum Non-Detect	-0.128
Maximum Non-Detect	1.9	Maximum Non-Detect	0.642
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	16
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	13
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	55.17%
UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.941	Shapiro Wilk Test Statistic	0.815
5% Shapiro Wilk Critical Value	0.916	5% Shapiro Wilk Critical Value	0.916
Data appear Normal at 5% Significance Level		Data not Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	2.078	Mean	0.394
SD	1.519	SD	0.982
95% DL/2 (t) UCL	2.558	95% H-Stat (DL/2) UCL	3.777
Maximum Likelihood Estimate(MLE) Method		Log ROS Method	
Mean	1.663	Mean in Log Scale	0.382
SD	2.013	SD in Log Scale	0.991
95% MLE (t) UCL	2.299	Mean in Original Scale	2.07
95% MLE (Tiku) UCL	2.496	SD in Original Scale	1.526
		95% t UCL	2.552
		95% Percentile Bootstrap UCL	2.542
		95% BCA Bootstrap UCL	2.561
		95% H UCL	3.796
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	1.653	Data appear Normal at 5% Significance Level	
Theta Star	1.437		
nu star	79.35		
A-D Test Statistic	0.309	Nonparametric Statistics	
5% A-D Critical Value	0.757	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.757	Mean	2.093
5% K-S Critical Value	0.18	SD	1.486
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.284
Assuming Gamma Distribution		95% KM (t) UCL	2.577
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	2.561
Minimum	0.000001	95% KM (jackknife) UCL	2.577
Maximum	5.35	95% KM (bootstrap t) UCL	2.629
Mean	2.048	95% KM (BCA) UCL	2.57
Median	1.7	95% KM (Percentile Bootstrap) UCL	2.563
SD	1.558	95% KM (Chebyshev) UCL	3.332
k star	0.657	97.5% KM (Chebyshev) UCL	3.868
Theta star	3.114	99% KM (Chebyshev) UCL	4.921
Nu star	38.13	Potential UCLs to Use	
AppChi2	24.99	95% KM (t) UCL	2.577
95% Gamma Approximate UCL (Use when n >= 40)	3.124	95% KM (Percentile Bootstrap) UCL	2.563
95% Adjusted Gamma UCL (Use when n < 40)	3.206		
Note: DL/2 is not a recommended method.			
Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.			
These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).			
For additional insight, the user may want to consult a statistician.			

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_COPPER

General Statistics

Number of Valid Observations	29	Number of Distinct Observations	21
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	13
Maximum	550
Mean	280.4
Geometric Mean	239.5
Median	260
SD	132
Std. Error of Mean	24.51
Coefficient of Variation	0.471
Skewness	0.446

Log-transformed Statistics

Minimum of Log Data	2.565
Maximum of Log Data	6.31
Mean of log Data	5.478
SD of log Data	0.702

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.948
Shapiro Wilk Critical Value	0.926

Data appear Normal at 5% Significance Level

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.768
Shapiro Wilk Critical Value	0.926

Data not Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	322.1
---------------------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	322.9
95% Modified-t UCL (Johnson-1978)	322.5

Assuming Lognormal Distribution

95% H-UCL	406.4
95% Chebyshev (MVUE) UCL	489.3
97.5% Chebyshev (MVUE) UCL	569.9
99% Chebyshev (MVUE) UCL	728.1

Gamma Distribution Test

k star (bias corrected)	3.001
Theta Star	93.47
MLE of Mean	280.4
MLE of Standard Deviation	161.9
nu star	174
Approximate Chi Square Value (.05)	144.5
Adjusted Level of Significance	0.0407
Adjusted Chi Square Value	142.9

Anderson-Darling Test Statistic	0.715
Anderson-Darling 5% Critical Value	0.752
Kolmogorov-Smirnov Test Statistic	0.183
Kolmogorov-Smirnov 5% Critical Value	0.164

Data follow Appr. Gamma Distribution at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	337.7
95% Adjusted Gamma UCL (Use when n < 40)	341.5

Data Distribution

Data appear Normal at 5% Significance Level

Nonparametric Statistics

95% CLT UCL	320.8
95% Jackknife UCL	322.1
95% Standard Bootstrap UCL	320.2
95% Bootstrap-t UCL	324.7
95% Hall's Bootstrap UCL	323.8
95% Percentile Bootstrap UCL	320.8
95% BCA Bootstrap UCL	323.8
95% Chebyshev(Mean, Sd) UCL	387.3
97.5% Chebyshev(Mean, Sd) UCL	433.5
99% Chebyshev(Mean, Sd) UCL	524.3

Potential UCL to Use

Use 95% Student's-t UCL	322.1
-------------------------	-------

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects			
User Selected Options			
From File	Sheet1.wst		
Full Precision	OFF		
Confidence Coefficient	95%		
Number of Bootstrap Operations	10000		
SD_CYANIDE, TOTAL			
General Statistics			
Number of Valid Data	29	Number of Detected Data	28
Number of Distinct Detected Data	25	Number of Non-Detect Data	1
		Percent Non-Detects	3.45%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.37	Minimum Detected	-0.994
Maximum Detected	35	Maximum Detected	3.555
Mean of Detected	10.29	Mean of Detected	1.868
SD of Detected	8.766	SD of Detected	1.147
Minimum Non-Detect	0.81	Minimum Non-Detect	-0.211
Maximum Non-Detect	0.81	Maximum Non-Detect	-0.211
UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.892	Shapiro Wilk Test Statistic	0.928
5% Shapiro Wilk Critical Value	0.924	5% Shapiro Wilk Critical Value	0.924
Data not Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	9.948	Mean	1.773
SD	8.802	SD	1.238
95% DL/2 (t) UCL	12.73	95% H-Stat (DL/2) UCL	24.28
Maximum Likelihood Estimate(MLE) Method		Log ROS Method	
Mean	9.466	Mean in Log Scale	1.796
SD	9.376	SD in Log Scale	1.191
95% MLE (t) UCL	12.43	Mean in Original Scale	9.962
95% MLE (Tiku) UCL	12.37	SD in Original Scale	8.787
		95% t UCL	12.74
		95% Percentile Bootstrap UCL	12.72
		95% BCA Bootstrap UCL	12.97
		95% H UCL	22.58
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	1.114	Data appear Gamma Distributed at 5% Significance Level	
Theta Star	9.24		
nu star	62.36		
A-D Test Statistic	0.151	Nonparametric Statistics	
5% A-D Critical Value	0.769	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.769	Mean	9.948
5% K-S Critical Value	0.169	SD	8.649
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	1.636
Assuming Gamma Distribution		95% KM (t) UCL	12.73
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	12.64
Minimum	0.000001	95% KM (jackknife) UCL	12.73
Maximum	35	95% KM (bootstrap t) UCL	13.35
Mean	9.934	95% KM (BCA) UCL	12.71
Median	8.2	95% KM (Percentile Bootstrap) UCL	12.71
SD	8.818	95% KM (Chebyshev) UCL	17.08
k star	0.591	97.5% KM (Chebyshev) UCL	20.16
Theta star	16.82	99% KM (Chebyshev) UCL	26.22
Nu star	34.25	Potential UCLs to Use	
AppChi2	21.87	95% KM (Chebyshev) UCL	17.08
95% Gamma Approximate UCL (Use when n >= 40)	15.56		
95% Adjusted Gamma UCL (Use when n < 40)	15.99		
Note: DL/2 is not a recommended method.			
Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.			
These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).			
For additional insight, the user may want to consult a statistician.			

General UCL Statistics for Data Sets with Non-Detects			
User Selected Options			
From File	Sheet1.wst		
Full Precision	OFF		
Confidence Coefficient	95%		
Number of Bootstrap Operations	10000		
SD_DIBENZ(A,H)ANTHRACENE			
General Statistics			
Number of Valid Data	29	Number of Detected Data	13
Number of Distinct Detected Data	13	Number of Non-Detect Data	16
		Percent Non-Detects	55.17%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.014	Minimum Detected	-4.269
Maximum Detected	1.1	Maximum Detected	0.0953
Mean of Detected	0.471	Mean of Detected	-1.081
SD of Detected	0.298	SD of Detected	1.103
Minimum Non-Detect	0.11	Minimum Non-Detect	-2.207
Maximum Non-Detect	1.9	Maximum Non-Detect	0.642
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	29
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	0
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	100.00%
UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.959	Shapiro Wilk Test Statistic	0.779
5% Shapiro Wilk Critical Value	0.866	5% Shapiro Wilk Critical Value	0.866
Data appear Normal at 5% Significance Level		Data not Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	0.413	Mean	-1.203
SD	0.278	SD	0.966
95% DL/2 (t) UCL	0.501	95% H-Stat (DL/2) UCL	0.746
Maximum Likelihood Estimate(MLE) Method	N/A	Log ROS Method	
MLE method failed to converge properly		Mean in Log Scale	-1.661
		SD in Log Scale	0.97
		Mean in Original Scale	0.285
		SD in Original Scale	0.264
		95% t UCL	0.368
		95% Percentile Bootstrap UCL	0.365
		95% BCA Bootstrap UCL	0.377
		95% H-UCL	0.475
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	1.337	Data appear Normal at 5% Significance Level	
Theta Star	0.352		
nu star	34.75		
A-D Test Statistic	0.47	Nonparametric Statistics	
5% A-D Critical Value	0.748	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.748	Mean	0.317
5% K-S Critical Value	0.24	SD	0.294
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.0674
Assuming Gamma Distribution		95% KM (t) UCL	0.432
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	0.428
Minimum	0.000001	95% KM (jackknife) UCL	0.426
Maximum	1.1	95% KM (bootstrap t) UCL	0.437
Mean	0.303	95% KM (BCA) UCL	0.483
Median	0.282	95% KM (Percentile Bootstrap) UCL	0.459
SD	0.273	95% KM (Chebyshev) UCL	0.611
k star	0.263	97.5% KM (Chebyshev) UCL	0.738
Theta star	1.155	99% KM (Chebyshev) UCL	0.988
Nu star	15.23	Potential UCLs to Use	
AppChi2	7.422	95% KM (t) UCL	0.432
95% Gamma Approximate UCL (Use when n >= 40)	0.622	95% KM (Percentile Bootstrap) UCL	0.459
95% Adjusted Gamma UCL (Use when n < 40)	0.651		
Note: DL/2 is not a recommended method.			
Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.			
These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).			
For additional insight, the user may want to consult a statistician.			

General UCL Statistics for Data Sets with Non-Detects			
User Selected Options			
From File	Sheet1.wst		
Full Precision	OFF		
Confidence Coefficient	95%		
Number of Bootstrap Operations	10000		
SD_ETHYLBENZENE			
General Statistics			
Number of Valid Data	28	Number of Detected Data	9
Number of Distinct Detected Data	8	Number of Non-Detect Data	19
		Percent Non-Detects	67.86%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.0021	Minimum Detected	-6.166
Maximum Detected	0.089	Maximum Detected	-2.419
Mean of Detected	0.029	Mean of Detected	-4.282
SD of Detected	0.0337	SD of Detected	1.364
Minimum Non-Detect	0.0073	Minimum Non-Detect	-4.92
Maximum Non-Detect	0.026	Maximum Non-Detect	-3.65
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	24
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	4
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	85.71%

**Warning: There are only 9 Detected Values in this data**  
**Note: It should be noted that even though bootstrap may be performed on this data set the resulting calculations may not be reliable enough to draw conclusions**

It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.

UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.772	Shapiro Wilk Test Statistic	0.906
5% Shapiro Wilk Critical Value	0.829	5% Shapiro Wilk Critical Value	0.829
Data not Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	0.0154	Mean	-4.626
SD	0.0208	SD	0.844
95% DL/2 (t) UCL	0.0221	95% H-Stat (DL/2) UCL	0.0202
Maximum Likelihood Estimate(MLE) Method		Log ROS Method	
Mean	0.0663	Mean in Log Scale	-4.972
SD	0.0259	SD in Log Scale	0.924
95% MLE (t) UCL	0.0746	Mean in Original Scale	0.0129
95% MLE (Tiku) UCL	0.0878	SD in Original Scale	0.0216
		95% t UCL	0.0198
		95% Percentile Bootstrap UCL	0.0201
		95% BCA Bootstrap UCL	0.0226
		95% H UCL	0.0162
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	0.608	Data appear Gamma Distributed at 5% Significance Level	
Theta Star	0.0477		
nu star	10.94		
A-D Test Statistic	0.567	Nonparametric Statistics	
5% A-D Critical Value	0.75	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.75	Mean	0.0126
5% K-S Critical Value	0.289	SD	0.0213
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.00432
Assuming Gamma Distribution		95% KM (t) UCL	0.02
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	0.0197
Minimum	0.000001	95% KM (jackknife) UCL	0.0197
Maximum	0.089	95% KM (bootstrap t) UCL	0.0287
Mean	0.0134	95% KM (BCA) UCL	0.0206
Median	0.00521	95% KM (Percentile Bootstrap) UCL	0.0203
SD	0.0219	95% KM (Chebyshev) UCL	0.0315
k star	0.353	97.5% KM (Chebyshev) UCL	0.0396
Theta star	0.038	99% KM (Chebyshev) UCL	0.0556
Nu star	19.79	Potential UCLs to Use	
AppChi2	10.7	95% KM (t) UCL	0.02
95% Gamma Approximate UCL (Use when n >= 40)	0.0248		
95% Adjusted Gamma UCL (Use when n < 40)	0.0258		

Note: DL/2 is not a recommended method.

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_FLUORANTHENE

General Statistics

Number of Valid Observations	29	Number of Distinct Observations	25
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	0.075
Maximum	14
Mean	5.163
Geometric Mean	3.677
Median	4.1
SD	3.662
Std. Error of Mean	0.68
Coefficient of Variation	0.709
Skewness	0.877

Log-transformed Statistics

Minimum of Log Data	-2.59
Maximum of Log Data	2.639
Mean of log Data	1.302
SD of log Data	1.036

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.918
Shapiro Wilk Critical Value	0.926

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.857
Shapiro Wilk Critical Value	0.926

Data not Normal at 5% Significance Level

Data not Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	6.32
---------------------	------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	6.4
95% Modified-t UCL (Johnson-1978)	6.338

Assuming Lognormal Distribution

95% H-UCL	10.29
95% Chebyshev (MVUE) UCL	12.05
97.5% Chebyshev (MVUE) UCL	14.62
99% Chebyshev (MVUE) UCL	19.66

Gamma Distribution Test

k star (bias corrected)	1.476
Theta Star	3.499
MLE of Mean	5.163
MLE of Standard Deviation	4.25
nu star	85.59
Approximate Chi Square Value (.05)	65.26
Adjusted Level of Significance	0.0407
Adjusted Chi Square Value	64.2

Data Distribution

Data appear Gamma Distributed at 5% Significance Level

Anderson-Darling Test Statistic	0.227
Anderson-Darling 5% Critical Value	0.761
Kolmogorov-Smirnov Test Statistic	0.0725
Kolmogorov-Smirnov 5% Critical Value	0.165

Data appear Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	6.771
95% Adjusted Gamma UCL (Use when n < 40)	6.883

Nonparametric Statistics

95% CLT UCL	6.282
95% Jackknife UCL	6.32
95% Standard Bootstrap UCL	6.254
95% Bootstrap-t UCL	6.491
95% Hall's Bootstrap UCL	6.414
95% Percentile Bootstrap UCL	6.273
95% BCA Bootstrap UCL	6.378
95% Chebyshev(Mean, Sd) UCL	8.127
97.5% Chebyshev(Mean, Sd) UCL	9.41
99% Chebyshev(Mean, Sd) UCL	11.93

Potential UCL to Use

Use 95% Approximate Gamma UCL 6.771

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects			
User Selected Options			
From File	Sheet1.wst		
Full Precision	OFF		
Confidence Coefficient	95%		
Number of Bootstrap Operations	10000		
SD_FLUORENE			
General Statistics			
Number of Valid Data	29	Number of Detected Data	23
Number of Distinct Detected Data	19	Number of Non-Detect Data	6
		Percent Non-Detects	20.69%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.012	Minimum Detected	-4.423
Maximum Detected	4.3	Maximum Detected	1.459
Mean of Detected	1.015	Mean of Detected	-0.678
SD of Detected	1.104	SD of Detected	1.396
Minimum Non-Detect	0.66	Minimum Non-Detect	-0.416
Maximum Non-Detect	1.9	Maximum Non-Detect	0.642
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	24
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	5
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	82.76%
UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.813	Shapiro Wilk Test Statistic	0.952
5% Shapiro Wilk Critical Value	0.914	5% Shapiro Wilk Critical Value	0.914
Data not Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	0.919	Mean	-0.676
SD	1.002	SD	1.248
95% DL/2 (t) UCL	1.235	95% H-Stat (DL/2) UCL	2.141
Maximum Likelihood Estimate(MLE) Method		Log ROS Method	
Mean	0.291	Mean in Log Scale	-0.839
SD	1.668	SD in Log Scale	1.286
95% MLE (t) UCL	0.818	Mean in Original Scale	0.856
95% MLE (Tiku) UCL	1.735	SD in Original Scale	1.03
		95% t UCL	1.181
		95% Percentile Bootstrap UCL	1.186
		95% BCA Bootstrap UCL	1.249
		95% H UCL	1.971
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	0.767	Data appear Gamma Distributed at 5% Significance Level	
Theta Star	1.323		
nu star	35.3		
A-D Test Statistic	0.288	Nonparametric Statistics	
5% A-D Critical Value	0.777	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.777	Mean	0.874
5% K-S Critical Value	0.188	SD	1.01
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.194
Assuming Gamma Distribution		95% KM (t) UCL	1.203
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	1.192
Minimum	0.00622	95% KM (jackknife) UCL	1.202
Maximum	4.3	95% KM (bootstrap t) UCL	1.329
Mean	0.869	95% KM (BCA) UCL	1.204
Median	0.38	95% KM (Percentile Bootstrap) UCL	1.194
SD	1.027	95% KM (Chebyshev) UCL	1.718
k star	0.713	97.5% KM (Chebyshev) UCL	2.083
Theta star	1.219	99% KM (Chebyshev) UCL	2.8
Nu star	41.35	Potential UCLs to Use	
AppChi2	27.61	95% KM (Chebyshev) UCL	1.718
95% Gamma Approximate UCL (Use when n >= 40)	1.302		
95% Adjusted Gamma UCL (Use when n < 40)	1.334		
Note: DL/2 is not a recommended method.			
Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.			
These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).			
For additional insight, the user may want to consult a statistician.			

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_HPAHND0

General Statistics

Number of Valid Observations	29	Number of Distinct Observations	29
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	0.422
Maximum	39.1
Mean	14.75
Geometric Mean	9.64
Median	12.78
SD	11.29
Std. Error of Mean	2.096
Coefficient of Variation	0.765
Skewness	0.668

Log-transformed Statistics

Minimum of Log Data	-0.863
Maximum of Log Data	3.666
Mean of log Data	2.266
SD of log Data	1.122

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.915
Shapiro Wilk Critical Value	0.926

Data not Normal at 5% Significance Level

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.909
Shapiro Wilk Critical Value	0.926

Data not Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	18.32
---------------------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	18.48
95% Modified-t UCL (Johnson-1978)	18.36

Assuming Lognormal Distribution

95% H-UCL	31.52
95% Chebyshev (MVUE) UCL	36.14
97.5% Chebyshev (MVUE) UCL	44.21
99% Chebyshev (MVUE) UCL	60.06

Gamma Distribution Test

k star (bias corrected)	1.204
Theta Star	12.25
MLE of Mean	14.75
MLE of Standard Deviation	13.44
nu star	69.82
Approximate Chi Square Value (.05)	51.59
Adjusted Level of Significance	0.0407
Adjusted Chi Square Value	50.65

Data appear Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	19.97
95% Adjusted Gamma UCL (Use when n < 40)	20.34

Potential UCL to Use

Data Distribution

Data appear Gamma Distributed at 5% Significance Level

Nonparametric Statistics

95% CLT UCL	18.2
95% Jackknife UCL	18.32
95% Standard Bootstrap UCL	18.14
95% Bootstrap-t UCL	18.66
95% Hall's Bootstrap UCL	18.49
95% Percentile Bootstrap UCL	18.22
95% BCA Bootstrap UCL	18.52
95% Chebyshev(Mean, Sd) UCL	23.89
97.5% Chebyshev(Mean, Sd) UCL	27.84
99% Chebyshev(Mean, Sd) UCL	35.61

Use 95% Approximate Gamma UCL 19.97

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.



General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_HPAHND1/2DL

General Statistics

Number of Valid Observations	29	Number of Distinct Observations	29
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	0.422
Maximum	39.1
Mean	15.71
Geometric Mean	11.75
Median	12.78
SD	10.7
Std. Error of Mean	1.988
Coefficient of Variation	0.681
Skewness	0.78

Log-transformed Statistics

Minimum of Log Data	-0.863
Maximum of Log Data	3.666
Mean of log Data	2.464
SD of log Data	0.914

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.906
Shapiro Wilk Critical Value	0.926

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.873
Shapiro Wilk Critical Value	0.926

Data not Normal at 5% Significance Level

Data not Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	19.09
---------------------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	19.29
95% Modified-t UCL (Johnson-1978)	19.14

Assuming Lognormal Distribution

95% H-UCL	26.83
95% Chebyshev (MVUE) UCL	32.08
97.5% Chebyshev (MVUE) UCL	38.4
99% Chebyshev (MVUE) UCL	50.79

Gamma Distribution Test

k star (bias corrected)	1.7
Theta Star	9.243
MLE of Mean	15.71
MLE of Standard Deviation	12.05
nu star	98.59
Approximate Chi Square Value (.05)	76.68
Adjusted Level of Significance	0.0407
Adjusted Chi Square Value	75.53

Data Distribution

Data appear Gamma Distributed at 5% Significance Level

Anderson-Darling Test Statistic	0.382
Anderson-Darling 5% Critical Value	0.759
Kolmogorov-Smirnov Test Statistic	0.109
Kolmogorov-Smirnov 5% Critical Value	0.165

Data appear Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	20.2
95% Adjusted Gamma UCL (Use when n < 40)	20.51

Nonparametric Statistics

95% CLT UCL	18.98
95% Jackknife UCL	19.09
95% Standard Bootstrap UCL	18.91
95% Bootstrap-t UCL	19.42
95% Hall's Bootstrap UCL	19.17
95% Percentile Bootstrap UCL	19.03
95% BCA Bootstrap UCL	19.23
95% Chebyshev(Mean, Sd) UCL	24.38
97.5% Chebyshev(Mean, Sd) UCL	28.13
99% Chebyshev(Mean, Sd) UCL	35.49

Potential UCL to Use

Use 95% Approximate Gamma UCL 20.2

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_HPAHNDDL

General Statistics

Number of Valid Observations	29	Number of Distinct Observations	29
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	0.422
Maximum	39.2
Mean	16.67
Geometric Mean	12.92
Median	13.34
SD	10.42
Std. Error of Mean	1.935
Coefficient of Variation	0.625
Skewness	0.748

Log-transformed Statistics

Minimum of Log Data	-0.863
Maximum of Log Data	3.669
Mean of log Data	2.558
SD of log Data	0.881

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.92
Shapiro Wilk Critical Value	0.926

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.834
Shapiro Wilk Critical Value	0.926

Data not Normal at 5% Significance Level

Data not Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	19.96
---------------------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	20.14
95% Modified-t UCL (Johnson-1978)	20.01

Assuming Lognormal Distribution

95% H-UCL	28.05
95% Chebyshev (MVUE) UCL	33.64
97.5% Chebyshev (MVUE) UCL	40.11
99% Chebyshev (MVUE) UCL	52.81

Gamma Distribution Test

k star (bias corrected)	1.915
Theta Star	8.706
MLE of Mean	16.67
MLE of Standard Deviation	12.05
nu star	111.1
Approximate Chi Square Value (.05)	87.75
Adjusted Level of Significance	0.0407
Adjusted Chi Square Value	86.51

Data Distribution

Data appear Gamma Distributed at 5% Significance Level

Anderson-Darling Test Statistic	0.41
Anderson-Darling 5% Critical Value	0.757
Kolmogorov-Smirnov Test Statistic	0.116
Kolmogorov-Smirnov 5% Critical Value	0.165

Data appear Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	21.1
95% Adjusted Gamma UCL (Use when n < 40)	21.41

Nonparametric Statistics

95% CLT UCL	19.86
95% Jackknife UCL	19.96
95% Standard Bootstrap UCL	19.81
95% Bootstrap-t UCL	20.32
95% Hall's Bootstrap UCL	20.14
95% Percentile Bootstrap UCL	19.85
95% BCA Bootstrap UCL	20.03
95% Chebyshev(Mean, Sd) UCL	25.11
97.5% Chebyshev(Mean, Sd) UCL	28.76
99% Chebyshev(Mean, Sd) UCL	35.93

Potential UCL to Use

Use 95% Approximate Gamma UCL 21.1

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options	
From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_INDENO[1,2,3-CD]PYRENE

General Statistics			
Number of Valid Data	29	Number of Detected Data	21
Number of Distinct Detected Data	16	Number of Non-Detect Data	8
		Percent Non-Detects	27.59%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.042	Minimum Detected	-3.17
Maximum Detected	3.45	Maximum Detected	1.238
Mean of Detected	1.605	Mean of Detected	0.209
SD of Detected	0.92	SD of Detected	0.954
Minimum Non-Detect	0.11	Minimum Non-Detect	-2.207
Maximum Non-Detect	1.9	Maximum Non-Detect	0.642
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	22
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	7
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	75.86%

UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.97	Shapiro Wilk Test Statistic	0.783
5% Shapiro Wilk Critical Value	0.908	5% Shapiro Wilk Critical Value	0.908
Data appear Normal at 5% Significance Level		Data not Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	1.283	Mean	-0.152
SD	0.953	SD	1.101
95% DL/2 (t) UCL	1.584	95% H-Stat (DL/2) UCL	2.699
Maximum Likelihood Estimate(MLE) Method		Log ROS Method	
Mean	1.089	Mean in Log Scale	-0.146
SD	1.185	SD in Log Scale	1.015
95% MLE (t) UCL	1.463	Mean in Original Scale	1.263
95% MLE (Tiku) UCL	1.856	SD in Original Scale	0.964
		95% t UCL	1.567
		95% Percentile Bootstrap UCL	1.559
		95% BCA Bootstrap UCL	1.588
		95% H UCL	2.332
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	1.782	Data appear Normal at 5% Significance Level	
Theta Star	0.901		
nu star	74.86		
A-D Test Statistic	0.455	Nonparametric Statistics	
5% A-D Critical Value	0.754	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.754	Mean	1.261
5% K-S Critical Value	0.192	SD	0.969
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.188
Assuming Gamma Distribution		95% KM (t) UCL	1.582
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	1.571
Minimum	0.000001	95% KM (jackknife) UCL	1.564
Maximum	3.45	95% KM (bootstrap t) UCL	1.599
Mean	1.229	95% KM (BCA) UCL	1.628
Median	1.1	95% KM (Percentile Bootstrap) UCL	1.6
SD	1.01	95% KM (Chebyshev) UCL	2.082
k star	0.36	97.5% KM (Chebyshev) UCL	2.438
Theta star	3.418	99% KM (Chebyshev) UCL	3.136
Nu star	20.86	Potential UCLs to Use	
AppChi2	11.49	95% KM (t) UCL	1.582
95% Gamma Approximate UCL (Use when n >= 40)	2.232	95% KM (Percentile Bootstrap) UCL	1.6
95% Adjusted Gamma UCL (Use when n < 40)	2.316		

Note: DL/2 is not a recommended method.

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_LEAD

General Statistics

Number of Valid Observations	29	Number of Distinct Observations	26
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	27
Maximum	1100
Mean	354.8
Geometric Mean	250.4
Median	260
SD	291.3
Std. Error of Mean	54.09
Coefficient of Variation	0.821
Skewness	1.118

Log-transformed Statistics

Minimum of Log Data	3.296
Maximum of Log Data	7.003
Mean of log Data	5.523
SD of log Data	0.899

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.866
Shapiro Wilk Critical Value	0.926

Data not Normal at 5% Significance Level

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.974
Shapiro Wilk Critical Value	0.926

Data appear Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	446.8
---------------------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	455.8
95% Modified-t UCL (Johnson-1978)	448.7

Assuming Lognormal Distribution

95% H-UCL	558.7
95% Chebyshev (MVUE) UCL	669
97.5% Chebyshev (MVUE) UCL	799.3
99% Chebyshev (MVUE) UCL	1055

Gamma Distribution Test

k star (bias corrected)	1.44
Theta Star	246.4
MLE of Mean	354.8
MLE of Standard Deviation	295.7
nu star	83.51
Approximate Chi Square Value (.05)	63.45
Adjusted Level of Significance	0.0407
Adjusted Chi Square Value	62.4

Data appear Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	467
95% Adjusted Gamma UCL (Use when n < 40)	474.8

Potential UCL to Use

Data Distribution

Data appear Gamma Distributed at 5% Significance Level

Nonparametric Statistics

95% CLT UCL	443.8
95% Jackknife UCL	446.8
95% Standard Bootstrap UCL	442.1
95% Bootstrap-t UCL	462.7
95% Hall's Bootstrap UCL	453.7
95% Percentile Bootstrap UCL	444.8
95% BCA Bootstrap UCL	455.8
95% Chebyshev(Mean, Sd) UCL	590.6
97.5% Chebyshev(Mean, Sd) UCL	692.6
99% Chebyshev(Mean, Sd) UCL	893

Use 95% Approximate Gamma UCL 467

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_LPAHND0

General Statistics

Number of Valid Observations	29	Number of Distinct Observations	29
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	0.259
Maximum	44.5
Mean	13.1
Geometric Mean	8.349
Median	9.48
SD	11.47
Std. Error of Mean	2.129
Coefficient of Variation	0.876
Skewness	1.405

Log-transformed Statistics

Minimum of Log Data	-1.351
Maximum of Log Data	3.795
Mean of log Data	2.122
SD of log Data	1.126

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.859
Shapiro Wilk Critical Value	0.926

Data not Normal at 5% Significance Level

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.938
Shapiro Wilk Critical Value	0.926

Data appear Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	16.72
---------------------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	17.19
95% Modified-t UCL (Johnson-1978)	16.81

Assuming Lognormal Distribution

95% H-UCL	27.52
95% Chebyshev (MVUE) UCL	31.51
97.5% Chebyshev (MVUE) UCL	38.56
99% Chebyshev (MVUE) UCL	52.42

Gamma Distribution Test

k star (bias corrected)	1.145
Theta Star	11.44
MLE of Mean	13.1
MLE of Standard Deviation	12.24
nu star	66.4
Approximate Chi Square Value (.05)	48.65
Adjusted Level of Significance	0.0407
Adjusted Chi Square Value	47.74

Data appear Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	17.87
95% Adjusted Gamma UCL (Use when n < 40)	18.21

Potential UCL to Use

Data Distribution

Data appear Gamma Distributed at 5% Significance Level

Nonparametric Statistics

95% CLT UCL	16.6
95% Jackknife UCL	16.72
95% Standard Bootstrap UCL	16.53
95% Bootstrap-t UCL	17.62
95% Hall's Bootstrap UCL	17.5
95% Percentile Bootstrap UCL	16.67
95% BCA Bootstrap UCL	17.16
95% Chebyshev(Mean, Sd) UCL	22.38
97.5% Chebyshev(Mean, Sd) UCL	26.39
99% Chebyshev(Mean, Sd) UCL	34.28

Use 95% Approximate Gamma UCL 17.87

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_LPAHND1/2DL

General Statistics

Number of Valid Observations	29	Number of Distinct Observations	28
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	0.259
Maximum	44.85
Mean	13.69
Geometric Mean	9.555
Median	9.95
SD	11.12
Std. Error of Mean	2.064
Coefficient of Variation	0.812
Skewness	1.491

Log-transformed Statistics

Minimum of Log Data	-1.351
Maximum of Log Data	3.803
Mean of log Data	2.257
SD of log Data	1.011

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.853
Shapiro Wilk Critical Value	0.926

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.9
Shapiro Wilk Critical Value	0.926

Data not Normal at 5% Significance Level

Data not Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	17.2
---------------------	------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	17.7
95% Modified-t UCL (Johnson-1978)	17.3

Assuming Lognormal Distribution

95% H-UCL	25.58
95% Chebyshev (MVUE) UCL	30.13
97.5% Chebyshev (MVUE) UCL	36.45
99% Chebyshev (MVUE) UCL	48.86

Gamma Distribution Test

k star (bias corrected)	1.4
Theta Star	9.781
MLE of Mean	13.69
MLE of Standard Deviation	11.57
nu star	81.19
Approximate Chi Square Value (.05)	61.42
Adjusted Level of Significance	0.0407
Adjusted Chi Square Value	60.4

Data Distribution

Data appear Gamma Distributed at 5% Significance Level

Anderson-Darling Test Statistic	0.212
Anderson-Darling 5% Critical Value	0.762
Kolmogorov-Smirnov Test Statistic	0.0745
Kolmogorov-Smirnov 5% Critical Value	0.165

Data appear Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	18.1
95% Adjusted Gamma UCL (Use when n < 40)	18.4

Nonparametric Statistics

95% CLT UCL	17.09
95% Jackknife UCL	17.2
95% Standard Bootstrap UCL	17.02
95% Bootstrap-t UCL	18.17
95% Hall's Bootstrap UCL	18.06
95% Percentile Bootstrap UCL	17.12
95% BCA Bootstrap UCL	17.77
95% Chebyshev(Mean, Sd) UCL	22.69
97.5% Chebyshev(Mean, Sd) UCL	26.58
99% Chebyshev(Mean, Sd) UCL	34.23

Potential UCL to Use

Use 95% Approximate Gamma UCL 18.1

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_LPAHNDDL

General Statistics

Number of Valid Observations	29	Number of Distinct Observations	29
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	0.259
Maximum	45.2
Mean	14.29
Geometric Mean	10.33
Median	9.95
SD	10.89
Std. Error of Mean	2.022
Coefficient of Variation	0.762
Skewness	1.502

Log-transformed Statistics

Minimum of Log Data	-1.351
Maximum of Log Data	3.811
Mean of log Data	2.335
SD of log Data	0.981

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.856
Shapiro Wilk Critical Value	0.926

Data not Normal at 5% Significance Level

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.864
Shapiro Wilk Critical Value	0.926

Data not Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	17.73
---------------------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	18.22
95% Modified-t UCL (Johnson-1978)	17.82

Assuming Lognormal Distribution

95% H-UCL	26.3
95% Chebyshev (MVUE) UCL	31.14
97.5% Chebyshev (MVUE) UCL	37.55
99% Chebyshev (MVUE) UCL	50.14

Gamma Distribution Test

k star (bias corrected)	1.539
Theta Star	9.283
MLE of Mean	14.29
MLE of Standard Deviation	11.52
nu star	89.26
Approximate Chi Square Value (.05)	68.48
Adjusted Level of Significance	0.0407
Adjusted Chi Square Value	67.39

Data appear Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	18.62
95% Adjusted Gamma UCL (Use when n < 40)	18.92

Potential UCL to Use

Data Distribution

Data appear Gamma Distributed at 5% Significance Level

Nonparametric Statistics

95% CLT UCL	17.61
95% Jackknife UCL	17.73
95% Standard Bootstrap UCL	17.59
95% Bootstrap-t UCL	18.75
95% Hall's Bootstrap UCL	18.82
95% Percentile Bootstrap UCL	17.76
95% BCA Bootstrap UCL	18.22
95% Chebyshev(Mean, Sd) UCL	23.1
97.5% Chebyshev(Mean, Sd) UCL	26.92
99% Chebyshev(Mean, Sd) UCL	34.41

Use 95% Approximate Gamma UCL 18.62

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects			
User Selected Options			
From File	Sheet1.wst		
Full Precision	OFF		
Confidence Coefficient	95%		
Number of Bootstrap Operations	10000		
SD_MERCURY			
General Statistics			
Number of Valid Data	28	Number of Detected Data	27
Number of Distinct Detected Data	24	Number of Non-Detect Data	1
		Percent Non-Detects	3.57%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.054	Minimum Detected	-2.919
Maximum Detected	1.6	Maximum Detected	0.47
Mean of Detected	0.712	Mean of Detected	-0.514
SD of Detected	0.393	SD of Detected	0.681
Minimum Non-Detect	0.053	Minimum Non-Detect	-2.937
Maximum Non-Detect	0.053	Maximum Non-Detect	-2.937
UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.918	Shapiro Wilk Test Statistic	0.884
5% Shapiro Wilk Critical Value	0.923	5% Shapiro Wilk Critical Value	0.923
Data not Normal at 5% Significance Level		Data not Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	0.688	Mean	-0.625
SD	0.407	SD	0.891
95% DL/2 (t) UCL	0.819	95% H-Stat (DL/2) UCL	1.185
Maximum Likelihood Estimate(MLE) Method		Log ROS Method	
Mean	0.682	Mean in Log Scale	-0.57
SD	0.411	SD in Log Scale	0.731
95% MLE (t) UCL	0.815	Mean in Original Scale	0.691
95% MLE (Tiku) UCL	0.813	SD in Original Scale	0.402
		95% t UCL	0.821
		95% Percentile Bootstrap UCL	0.816
		95% BCA Bootstrap UCL	0.829
		95% H UCL	1
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	2.704	Data appear Gamma Distributed at 5% Significance Level	
Theta Star	0.263		
nu star	146		
A-D Test Statistic	0.341	Nonparametric Statistics	
5% A-D Critical Value	0.752	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.752	Mean	0.689
5% K-S Critical Value	0.169	SD	0.398
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.0767
Assuming Gamma Distribution		95% KM (t) UCL	0.819
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	0.815
Minimum	0.000001	95% KM (jackknife) UCL	0.816
Maximum	1.6	95% KM (bootstrap t) UCL	0.839
Mean	0.687	95% KM (BCA) UCL	0.827
Median	0.605	95% KM (Percentile Bootstrap) UCL	0.818
SD	0.409	95% KM (Chebyshev) UCL	1.023
k star	0.869	97.5% KM (Chebyshev) UCL	1.168
Theta star	0.79	99% KM (Chebyshev) UCL	1.452
Nu star	48.67	Potential UCLs to Use	
AppChi2	33.66	95% KM (BCA) UCL	0.827
95% Gamma Approximate UCL (Use when n >= 40)	0.993		
95% Adjusted Gamma UCL (Use when n < 40)	1.017		
Note: DL/2 is not a recommended method.			
Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.			
These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).			
For additional insight, the user may want to consult a statistician.			



General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_NAPHTHALENE

General Statistics

Number of Valid Observations	29	Number of Distinct Observations	29
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	0.089
Maximum	9.1
Mean	2.034
Geometric Mean	1.172
Median	1.2
SD	2.128
Std. Error of Mean	0.395
Coefficient of Variation	1.046
Skewness	1.757

Log-transformed Statistics

Minimum of Log Data	-2.419
Maximum of Log Data	2.208
Mean of log Data	0.159
SD of log Data	1.16

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.808
Shapiro Wilk Critical Value	0.926

Data not Normal at 5% Significance Level

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.974
Shapiro Wilk Critical Value	0.926

Data appear Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	2.706
---------------------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	2.822
95% Modified-t UCL (Johnson-1978)	2.728

Assuming Lognormal Distribution

95% H-UCL	4.129
95% Chebyshev (MVUE) UCL	4.678
97.5% Chebyshev (MVUE) UCL	5.744
99% Chebyshev (MVUE) UCL	7.837

Gamma Distribution Test

k star (bias corrected)	0.958
Theta Star	2.124
MLE of Mean	2.034
MLE of Standard Deviation	2.079
nu star	55.54
Approximate Chi Square Value (.05)	39.41
Adjusted Level of Significance	0.0407
Adjusted Chi Square Value	38.6

Anderson-Darling Test Statistic	0.246
Anderson-Darling 5% Critical Value	0.773
Kolmogorov-Smirnov Test Statistic	0.102
Kolmogorov-Smirnov 5% Critical Value	0.167

Data appear Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	2.866
95% Adjusted Gamma UCL (Use when n < 40)	2.927

Data Distribution

Data appear Gamma Distributed at 5% Significance Level

Nonparametric Statistics

95% CLT UCL	2.684
95% Jackknife UCL	2.706
95% Standard Bootstrap UCL	2.678
95% Bootstrap-t UCL	2.952
95% Hall's Bootstrap UCL	2.929
95% Percentile Bootstrap UCL	2.699
95% BCA Bootstrap UCL	2.832
95% Chebyshev(Mean, Sd) UCL	3.756
97.5% Chebyshev(Mean, Sd) UCL	4.501
99% Chebyshev(Mean, Sd) UCL	5.965

Potential UCL to Use

Use 95% Approximate Gamma UCL 2.866

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_NICKEL

General Statistics

Number of Valid Observations	29	Number of Distinct Observations	25
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	9.1
Maximum	210
Mean	94.23
Geometric Mean	77.65
Median	76
SD	53.85
Std. Error of Mean	10
Coefficient of Variation	0.572
Skewness	0.558

Log-transformed Statistics

Minimum of Log Data	2.208
Maximum of Log Data	5.347
Mean of log Data	4.352
SD of log Data	0.698

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.936
Shapiro Wilk Critical Value	0.926

Data appear Normal at 5% Significance Level

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.931
Shapiro Wilk Critical Value	0.926

Data appear Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	111.2
---------------------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	111.8
95% Modified-t UCL (Johnson-1978)	111.4

Assuming Lognormal Distribution

95% H-UCL	131.1
95% Chebyshev (MVUE) UCL	157.9
97.5% Chebyshev (MVUE) UCL	183.8
99% Chebyshev (MVUE) UCL	234.6

Gamma Distribution Test

k star (bias corrected)	2.479
Theta Star	38.02
MLE of Mean	94.23
MLE of Standard Deviation	59.85
nu star	143.8
Approximate Chi Square Value (.05)	117
Adjusted Level of Significance	0.0407
Adjusted Chi Square Value	115.6

Anderson-Darling Test Statistic	0.309
Anderson-Darling 5% Critical Value	0.754
Kolmogorov-Smirnov Test Statistic	0.0866
Kolmogorov-Smirnov 5% Critical Value	0.164

Data appear Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	115.7
95% Adjusted Gamma UCL (Use when n < 40)	117.2

Potential UCL to Use

Data Distribution

Data appear Normal at 5% Significance Level

Nonparametric Statistics

95% CLT UCL	110.7
95% Jackknife UCL	111.2
95% Standard Bootstrap UCL	110.4
95% Bootstrap-t UCL	112.8
95% Hall's Bootstrap UCL	112.2
95% Percentile Bootstrap UCL	110.5
95% BCA Bootstrap UCL	111.4
95% Chebyshev(Mean, Sd) UCL	137.8
97.5% Chebyshev(Mean, Sd) UCL	156.7
99% Chebyshev(Mean, Sd) UCL	193.7

Use 95% Student's-t UCL 111.2

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_PCB-1248

General Statistics

Number of Valid Observations	28	Number of Distinct Observations	24
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	0.00033
Maximum	9
Mean	1.179
Geometric Mean	0.355
Median	0.395
SD	2.032
Std. Error of Mean	0.384
Coefficient of Variation	1.723
Skewness	2.788

Log-transformed Statistics

Minimum of Log Data	-8.016
Maximum of Log Data	2.197
Mean of log Data	-1.036
SD of log Data	2.022

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.581
Shapiro Wilk Critical Value	0.924

Data not Normal at 5% Significance Level

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.848
Shapiro Wilk Critical Value	0.924

Data not Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	1.833
---------------------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	2.027
95% Modified-t UCL (Johnson-1978)	1.867

Gamma Distribution Test

k star (bias corrected)	0.492
Theta Star	2.395
MLE of Mean	1.179
MLE of Standard Deviation	1.681
nu star	27.57
Approximate Chi Square Value (.05)	16.59
Adjusted Level of Significance	0.0404
Adjusted Chi Square Value	16.07

Anderson-Darling Test Statistic	1.137
Anderson-Darling 5% Critical Value	0.808
Kolmogorov-Smirnov Test Statistic	0.205
Kolmogorov-Smirnov 5% Critical Value	0.175

Data not Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	1.96
95% Adjusted Gamma UCL (Use when n < 40)	2.024

Potential UCL to Use

Assuming Lognormal Distribution

95% H-UCL	12.58
95% Chebyshev (MVUE) UCL	7.283
97.5% Chebyshev (MVUE) UCL	9.453
99% Chebyshev (MVUE) UCL	13.72

Data Distribution

Data do not follow a Discernable Distribution (0.05)

Nonparametric Statistics

95% CLT UCL	1.811
95% Jackknife UCL	1.833
95% Standard Bootstrap UCL	1.795
95% Bootstrap-t UCL	2.424
95% Hall's Bootstrap UCL	2.022
95% Percentile Bootstrap UCL	1.839
95% BCA Bootstrap UCL	2.072
95% Chebyshev(Mean, Sd) UCL	2.853
97.5% Chebyshev(Mean, Sd) UCL	3.578
99% Chebyshev(Mean, Sd) UCL	5

Use 97.5% Chebyshev (Mean, Sd) UCL 3.578

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options	
From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_PCB-1254

General Statistics			
Number of Valid Data	28	Number of Detected Data	20
Number of Distinct Detected Data	19	Number of Non-Detect Data	8
		Percent Non-Detects	28.57%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.00055	Minimum Detected	-7.506
Maximum Detected	3.2	Maximum Detected	1.163
Mean of Detected	0.773	Mean of Detected	-1.212
SD of Detected	0.889	SD of Detected	2.006
Minimum Non-Detect	0.0068	Minimum Non-Detect	-4.991
Maximum Non-Detect	0.032	Maximum Non-Detect	-3.442
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	10
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	18
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	35.71%

UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.795	Shapiro Wilk Test Statistic	0.836
5% Shapiro Wilk Critical Value	0.905	5% Shapiro Wilk Critical Value	0.905
Data not Normal at 5% Significance Level		Data not Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	0.554	Mean	-2.248
SD	0.824	SD	2.383
95% DL/2 (t) UCL	0.82	95% H-Stat (DL/2) UCL	14.19
Maximum Likelihood Estimate(MLE) Method		Log ROS Method	
Mean	0.275	Mean in Log Scale	-2.211
SD	1.115	SD in Log Scale	2.331
95% MLE (t) UCL	0.634	Mean in Original Scale	0.555
95% MLE (Tiku) UCL	0.665	SD in Original Scale	0.824
		95% t UCL	0.82
		95% Percentile Bootstrap UCL	0.825
		95% BCA Bootstrap UCL	0.884
		95% H UCL	11.99
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	0.578	Data appear Gamma Distributed at 5% Significance Level	
Theta Star	1.336		
nu star	23.14		
A-D Test Statistic	0.261	Nonparametric Statistics	
5% A-D Critical Value	0.79	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.79	Mean	0.553
5% K-S Critical Value	0.203	SD	0.81
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.157
Assuming Gamma Distribution		95% KM (t) UCL	0.82
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	0.811
Minimum	0.000001	95% KM (jackknife) UCL	0.817
Maximum	3.2	95% KM (bootstrap t) UCL	0.916
Mean	0.552	95% KM (BCA) UCL	0.853
Median	0.21	95% KM (Percentile Bootstrap) UCL	0.821
SD	0.826	95% KM (Chebyshev) UCL	1.238
k star	0.182	97.5% KM (Chebyshev) UCL	1.534
Theta star	3.026	99% KM (Chebyshev) UCL	2.116
Nu star	10.22	Potential UCLs to Use	
AppChi2	4.077	95% KM (Chebyshev) UCL	1.238
95% Gamma Approximate UCL (Use when n >= 40)	1.383		
95% Adjusted Gamma UCL (Use when n < 40)	1.469		

Note: DL/2 is not a recommended method.

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.

These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).

For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options		
From File	Sheet1.wst	
Full Precision	OFF	
Confidence Coefficient	95%	
Number of Bootstrap Operations	10000	

SD\_PCB-1260

General Statistics			
Number of Valid Data	28	Number of Detected Data	23
Number of Distinct Detected Data	19	Number of Non-Detect Data	5
		Percent Non-Detects	17.86%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.00035	Minimum Detected	-7.958
Maximum Detected	2	Maximum Detected	0.693
Mean of Detected	0.357	Mean of Detected	-2.002
SD of Detected	0.462	SD of Detected	1.886
Minimum Non-Detect	0.011	Minimum Non-Detect	-4.51
Maximum Non-Detect	0.022	Maximum Non-Detect	-3.817
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	7
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	21
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	25.00%

UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.723	Shapiro Wilk Test Statistic	0.883
5% Shapiro Wilk Critical Value	0.914	5% Shapiro Wilk Critical Value	0.914
Data not Normal at 5% Significance Level		Data not Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	0.295	Mean	-2.492
SD	0.438	SD	2.014
95% DL/2 (t) UCL	0.436	95% H-Stat (DL/2) UCL	2.864
Maximum Likelihood Estimate(MLE) Method		Log ROS Method	
Mean	0.208	Mean in Log Scale	-2.573
SD	0.527	SD in Log Scale	2.111
95% MLE (t) UCL	0.378	Mean in Original Scale	0.294
95% MLE (Tiku) UCL	0.381	SD in Original Scale	0.439
		95% t UCL	0.435
		95% Percentile Bootstrap UCL	0.438
		95% BCA Bootstrap UCL	0.488
		95% H UCL	3.685
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	0.578	Data appear Gamma Distributed at 5% Significance Level	
Theta Star	0.616		
nu star	26.61		
A-D Test Statistic	0.242	Nonparametric Statistics	
5% A-D Critical Value	0.793	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.793	Mean	0.293
5% K-S Critical Value	0.19	SD	0.431
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.0833
Assuming Gamma Distribution		95% KM (t) UCL	0.435
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	0.43
Minimum	0.000001	95% KM (jackknife) UCL	0.435
Maximum	2	95% KM (bootstrap t) UCL	0.515
Mean	0.293	95% KM (BCA) UCL	0.454
Median	0.13	95% KM (Percentile Bootstrap) UCL	0.439
SD	0.439	95% KM (Chebyshev) UCL	0.657
k star	0.244	97.5% KM (Chebyshev) UCL	0.814
Theta star	1.199	99% KM (Chebyshev) UCL	1.122
Nu star	13.68	Potential UCLs to Use	
AppChi2	6.35	95% KM (Chebyshev) UCL	0.657
95% Gamma Approximate UCL (Use when n >= 40)	0.631		
95% Adjusted Gamma UCL (Use when n < 40)	0.663		

Note: DL/2 is not a recommended method.

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects			
User Selected Options			
From File	Sheet1.wst		
Full Precision	OFF		
Confidence Coefficient	95%		
Number of Bootstrap Operations	10000		
SD_PHENANTHRENE			
General Statistics			
Number of Valid Data	29	Number of Detected Data	23
Number of Distinct Detected Data	22	Number of Non-Detect Data	6
		Percent Non-Detects	20.69%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.042	Minimum Detected	-3.17
Maximum Detected	15.5	Maximum Detected	2.741
Mean of Detected	4.115	Mean of Detected	0.686
SD of Detected	4.459	SD of Detected	1.445
Minimum Non-Detect	0.66	Minimum Non-Detect	-0.416
Maximum Non-Detect	1.9	Maximum Non-Detect	0.642
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	17
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	12
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	58.62%
UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.818	Shapiro Wilk Test Statistic	0.949
5% Shapiro Wilk Critical Value	0.914	5% Shapiro Wilk Critical Value	0.914
Data not Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	3.377	Mean	0.406
SD	4.218	SD	1.407
95% DL/2 (t) UCL	4.709	95% H-Stat (DL/2) UCL	9.004
Maximum Likelihood Estimate(MLE) Method		Log ROS Method	
Mean	0.319	Mean in Log Scale	0.337
SD	7.271	SD in Log Scale	1.469
95% MLE (t) UCL	2.616	Mean in Original Scale	3.346
95% MLE (Tiku) UCL	3.488	SD in Original Scale	4.239
		95% t UCL	4.685
		95% Percentile Bootstrap UCL	4.68
		95% BCA Bootstrap UCL	4.887
		95% H UCL	9.759
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	0.736	Data appear Gamma Distributed at 5% Significance Level	
Theta Star	5.59		
nu star	33.86		
A-D Test Statistic	0.301	Nonparametric Statistics	
5% A-D Critical Value	0.779	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.779	Mean	3.364
5% K-S Critical Value	0.188	SD	4.155
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.79
Assuming Gamma Distribution		95% KM (t) UCL	4.707
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	4.662
Minimum	0.000001	95% KM (jackknife) UCL	4.701
Maximum	15.5	95% KM (bootstrap t) UCL	5.166
Mean	3.281	95% KM (BCA) UCL	4.717
Median	0.99	95% KM (Percentile Bootstrap) UCL	4.691
SD	4.288	95% KM (Chebyshev) UCL	6.805
k star	0.234	97.5% KM (Chebyshev) UCL	8.295
Theta star	14.03	99% KM (Chebyshev) UCL	11.22
Nu star	13.56	Potential UCLs to Use	
AppChi2	6.274	95% KM (Chebyshev) UCL	6.805
95% Gamma Approximate UCL (Use when n >= 40)	7.093		
95% Adjusted Gamma UCL (Use when n < 40)	7.443		
Note: DL/2 is not a recommended method.			
Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.			
These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).			
For additional insight, the user may want to consult a statistician.			

General UCL Statistics for Data Sets with Non-Detects			
User Selected Options			
From File	Sheet1.wst		
Full Precision	OFF		
Confidence Coefficient	95%		
Number of Bootstrap Operations	10000		
SD_PHENOL			
General Statistics			
Number of Valid Data	28	Number of Detected Data	9
Number of Distinct Detected Data	8	Number of Non-Detect Data	19
		Percent Non-Detects	67.86%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.058	Minimum Detected	-2.847
Maximum Detected	0.39	Maximum Detected	-0.942
Mean of Detected	0.193	Mean of Detected	-1.81
SD of Detected	0.112	SD of Detected	0.633
Minimum Non-Detect	0.015	Minimum Non-Detect	-4.2
Maximum Non-Detect	1.9	Maximum Non-Detect	0.642
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	28
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	0
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	100.00%

Warning: There are only 9 Detected Values in this data

Note: It should be noted that even though bootstrap may be performed on this data set the resulting calculations may not be reliable enough to draw conclusions

It is recommended to have 10-15 or more distinct observations for accurate and meaningful results.

UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.932	Shapiro Wilk Test Statistic	0.96
5% Shapiro Wilk Critical Value	0.829	5% Shapiro Wilk Critical Value	0.829
Data appear Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	0.264	Mean	-1.791
SD	0.238	SD	1.096
95% DL/2 (t) UCL	0.34	95% H-Stat (DL/2) UCL	0.523
Maximum Likelihood Estimate(MLE) Method	N/A	Log ROS Method	
MLE method failed to converge properly		Mean in Log Scale	-2.336
		SD in Log Scale	0.579
		Mean in Original Scale	0.116
		SD in Original Scale	0.0838
		95% t UCL	0.143
		95% Percentile Bootstrap UCL	0.143
		95% BCA Bootstrap UCL	0.149
		95% H-UCL	0.143
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	2.202	Data appear Normal at 5% Significance Level	
Theta Star	0.0876		
nu star	39.64		
A-D Test Statistic	0.217	Nonparametric Statistics	
5% A-D Critical Value	0.726	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.726	Mean	0.134
5% K-S Critical Value	0.281	SD	0.0975
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.0251
Assuming Gamma Distribution		95% KM (t) UCL	0.177
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	0.175
Minimum	0.000001	95% KM (jackknife) UCL	0.173
Maximum	0.39	95% KM (bootstrap t) UCL	0.183
Mean	0.107	95% KM (BCA) UCL	0.202
Median	0.104	95% KM (Percentile Bootstrap) UCL	0.19
SD	0.0954	95% KM (Chebyshev) UCL	0.243
k star	0.362	97.5% KM (Chebyshev) UCL	0.291
Theta star	0.296	99% KM (Chebyshev) UCL	0.384
Nu star	20.28	Potential UCLs to Use	
AppChi2	11.06	95% KM (t) UCL	0.177
95% Gamma Approximate UCL (Use when n >= 40)	0.196	95% KM (Percentile Bootstrap) UCL	0.19
95% Adjusted Gamma UCL (Use when n < 40)	0.204		
Note: DL/2 is not a recommended method.			

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_PYRENE

General Statistics

Number of Valid Observations	29	Number of Distinct Observations	25
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	0.07
Maximum	10.25
Mean	3.661
Geometric Mean	2.725
Median	2.8
SD	2.53
Std. Error of Mean	0.47
Coefficient of Variation	0.691
Skewness	1.154

Log-transformed Statistics

Minimum of Log Data	-2.659
Maximum of Log Data	2.327
Mean of log Data	1.002
SD of log Data	0.952

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.9
Shapiro Wilk Critical Value	0.926

Data not Normal at 5% Significance Level

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.848
Shapiro Wilk Critical Value	0.926

Data not Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	4.46
---------------------	------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	4.541
95% Modified-t UCL (Johnson-1978)	4.477

Assuming Lognormal Distribution

95% H-UCL	6.615
95% Chebyshev (MVUE) UCL	7.869
97.5% Chebyshev (MVUE) UCL	9.459
99% Chebyshev (MVUE) UCL	12.58

Gamma Distribution Test

k star (bias corrected)	1.674
Theta Star	2.186
MLE of Mean	3.661
MLE of Standard Deviation	2.829
nu star	97.12
Approximate Chi Square Value (.05)	75.38
Adjusted Level of Significance	0.0407
Adjusted Chi Square Value	74.24

Data appear Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	4.716
95% Adjusted Gamma UCL (Use when n < 40)	4.789

Potential UCL to Use

Data Distribution

Data appear Gamma Distributed at 5% Significance Level

Nonparametric Statistics

95% CLT UCL	4.434
95% Jackknife UCL	4.46
95% Standard Bootstrap UCL	4.414
95% Bootstrap-t UCL	4.629
95% Hall's Bootstrap UCL	4.61
95% Percentile Bootstrap UCL	4.462
95% BCA Bootstrap UCL	4.509
95% Chebyshev(Mean, Sd) UCL	5.709
97.5% Chebyshev(Mean, Sd) UCL	6.595
99% Chebyshev(Mean, Sd) UCL	8.336

Use 95% Approximate Gamma UCL 4.716

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.



General UCL Statistics for Data Sets with Non-Detects			
User Selected Options			
From File	Sheet1.wst		
Full Precision	OFF		
Confidence Coefficient	95%		
Number of Bootstrap Operations	10000		
SD_SELENIUM			
General Statistics			
Number of Valid Data	29	Number of Detected Data	24
Number of Distinct Detected Data	22	Number of Non-Detect Data	5
		Percent Non-Detects	17.24%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.67	Minimum Detected	-0.4
Maximum Detected	17	Maximum Detected	2.833
Mean of Detected	5.371	Mean of Detected	1.233
SD of Detected	5.177	SD of Detected	0.976
Minimum Non-Detect	4.9	Minimum Non-Detect	1.589
Maximum Non-Detect	8.7	Maximum Non-Detect	2.163
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	23
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	6
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	79.31%
UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.799	Shapiro Wilk Test Statistic	0.938
5% Shapiro Wilk Critical Value	0.916	5% Shapiro Wilk Critical Value	0.916
Data not Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	5.005	Mean	1.219
SD	4.772	SD	0.89
95% DL/2 (t) UCL	6.513	95% H-Stat (DL/2) UCL	7.45
Maximum Likelihood Estimate(MLE) Method		Log ROS Method	
Mean	13.69	Mean in Log Scale	1.159
SD	2.761	SD in Log Scale	0.9
95% MLE (t) UCL	14.57	Mean in Original Scale	4.83
95% MLE (Tiku) UCL	15.58	SD in Original Scale	4.844
		95% t UCL	6.361
		95% Percentile Bootstrap UCL	6.36
		95% BCA Bootstrap UCL	6.633
		95% H UCL	7.122
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	1.128	Data appear Lognormal at 5% Significance Level	
Theta Star	4.762		
nu star	54.13		
A-D Test Statistic	0.94	Nonparametric Statistics	
5% A-D Critical Value	0.767	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.767	Mean	4.837
5% K-S Critical Value	0.182	SD	4.788
Data not Gamma Distributed at 5% Significance Level		SE of Mean	0.916
Assuming Gamma Distribution		95% KM (t) UCL	6.395
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	6.343
Minimum	0.67	95% KM (jackknife) UCL	6.39
Maximum	17	95% KM (bootstrap t) UCL	6.79
Mean	4.979	95% KM (BCA) UCL	6.448
Median	2.923	95% KM (Percentile Bootstrap) UCL	6.366
SD	4.773	95% KM (Chebyshev) UCL	8.828
k star	1.301	97.5% KM (Chebyshev) UCL	10.55
Theta star	3.828	99% KM (Chebyshev) UCL	13.95
Nu star	75.44	Potential UCLs to Use	
AppChi2	56.44	95% KM (Chebyshev) UCL	8.828
95% Gamma Approximate UCL (Use when n >= 40)	6.656		
95% Adjusted Gamma UCL (Use when n < 40)	6.773		
Note: DL/2 is not a recommended method.			
Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.			
These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006).			
For additional insight, the user may want to consult a statistician.			

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_SILVER

General Statistics

Number of Valid Observations	29	Number of Distinct Observations	27
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	0.057
Maximum	8.1
Mean	3.261
Geometric Mean	2.496
Median	2.8
SD	1.933
Std. Error of Mean	0.359
Coefficient of Variation	0.593
Skewness	0.604

Log-transformed Statistics

Minimum of Log Data	-2.865
Maximum of Log Data	2.092
Mean of log Data	0.915
SD of log Data	0.953

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.956
Shapiro Wilk Critical Value	0.926

Data appear Normal at 5% Significance Level

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.794
Shapiro Wilk Critical Value	0.926

Data not Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	3.871
---------------------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	3.894
95% Modified-t UCL (Johnson-1978)	3.878

Assuming Lognormal Distribution

95% H-UCL	6.062
95% Chebyshev (MVUE) UCL	7.211
97.5% Chebyshev (MVUE) UCL	8.668
99% Chebyshev (MVUE) UCL	11.53

Gamma Distribution Test

k star (bias corrected)	1.836
Theta Star	1.776
MLE of Mean	3.261
MLE of Standard Deviation	2.406
nu star	106.5
Approximate Chi Square Value (.05)	83.69
Adjusted Level of Significance	0.0407
Adjusted Chi Square Value	82.48

Anderson-Darling Test Statistic	0.52
Anderson-Darling 5% Critical Value	0.757
Kolmogorov-Smirnov Test Statistic	0.128
Kolmogorov-Smirnov 5% Critical Value	0.165

Data appear Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	4.15
95% Adjusted Gamma UCL (Use when n < 40)	4.21

Data Distribution

Data appear Normal at 5% Significance Level

Nonparametric Statistics

95% CLT UCL	3.851
95% Jackknife UCL	3.871
95% Standard Bootstrap UCL	3.836
95% Bootstrap-t UCL	3.94
95% Hall's Bootstrap UCL	3.9
95% Percentile Bootstrap UCL	3.861
95% BCA Bootstrap UCL	3.883
95% Chebyshev(Mean, Sd) UCL	4.825
97.5% Chebyshev(Mean, Sd) UCL	5.502
99% Chebyshev(Mean, Sd) UCL	6.831

Potential UCL to Use

Use 95% Student's-t UCL	3.871
-------------------------	-------

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_THALLIUM

General Statistics

Number of Valid Observations	29	Number of Distinct Observations	24
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	0.085
Maximum	0.98
Mean	0.445
Geometric Mean	0.377
Median	0.395
SD	0.246
Std. Error of Mean	0.0458
Coefficient of Variation	0.553
Skewness	0.596

Log-transformed Statistics

Minimum of Log Data	-2.465
Maximum of Log Data	-0.0202
Mean of log Data	-0.975
SD of log Data	0.616

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.937
Shapiro Wilk Critical Value	0.926

Data appear Normal at 5% Significance Level

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.968
Shapiro Wilk Critical Value	0.926

Data appear Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	0.523
---------------------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	0.526
95% Modified-t UCL (Johnson-1978)	0.524

Gamma Distribution Test

k star (bias corrected)	2.869
Theta Star	0.155
MLE of Mean	0.445
MLE of Standard Deviation	0.263
nu star	166.4
Approximate Chi Square Value (.05)	137.6
Adjusted Level of Significance	0.0407
Adjusted Chi Square Value	136

Anderson-Darling Test Statistic	0.214
Anderson-Darling 5% Critical Value	0.752
Kolmogorov-Smirnov Test Statistic	0.095
Kolmogorov-Smirnov 5% Critical Value	0.164

Data appear Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	0.539
95% Adjusted Gamma UCL (Use when n < 40)	0.545

Potential UCL to Use

Use 95% Student's-t UCL 0.523

Assuming Lognormal Distribution

95% H-UCL	0.579
95% Chebyshev (MVUE) UCL	0.693
97.5% Chebyshev (MVUE) UCL	0.796
99% Chebyshev (MVUE) UCL	1

Data Distribution

Data appear Normal at 5% Significance Level

Nonparametric Statistics

95% CLT UCL	0.521
95% Jackknife UCL	0.523
95% Standard Bootstrap UCL	0.519
95% Bootstrap-t UCL	0.53
95% Hall's Bootstrap UCL	0.522
95% Percentile Bootstrap UCL	0.52
95% BCA Bootstrap UCL	0.524
95% Chebyshev(Mean, Sd) UCL	0.645
97.5% Chebyshev(Mean, Sd) UCL	0.731
99% Chebyshev(Mean, Sd) UCL	0.901

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options		
From File	Sheet1.wst	
Full Precision	OFF	
Confidence Coefficient	95%	
Number of Bootstrap Operations	10000	

SD\_TOLUENE

General Statistics			
Number of Valid Data	28	Number of Detected Data	13
Number of Distinct Detected Data	13	Number of Non-Detect Data	15
		Percent Non-Detects	53.57%
Raw Statistics		Log-transformed Statistics	
Minimum Detected	0.0013	Minimum Detected	-6.645
Maximum Detected	0.071	Maximum Detected	-2.645
Mean of Detected	0.0211	Mean of Detected	-4.453
SD of Detected	0.0231	SD of Detected	1.219
Minimum Non-Detect	0.0033	Minimum Non-Detect	-5.714
Maximum Non-Detect	0.026	Maximum Non-Detect	-3.65
Note: Data have multiple DLs - Use of KM Method is recommended		Number treated as Non-Detect	25
For all methods (except KM, DL/2, and ROS Methods),		Number treated as Detected	3
Observations < Largest ND are treated as NDs		Single DL Non-Detect Percentage	89.29%

UCL Statistics			
Normal Distribution Test with Detected Values Only		Lognormal Distribution Test with Detected Values Only	
Shapiro Wilk Test Statistic	0.785	Shapiro Wilk Test Statistic	0.975
5% Shapiro Wilk Critical Value	0.866	5% Shapiro Wilk Critical Value	0.866
Data not Normal at 5% Significance Level		Data appear Lognormal at 5% Significance Level	
Assuming Normal Distribution		Assuming Lognormal Distribution	
DL/2 Substitution Method		DL/2 Substitution Method	
Mean	0.0146	Mean	-4.654
SD	0.0168	SD	0.93
95% DL/2 (t) UCL	0.02	95% H-Stat (DL/2) UCL	0.0224
Maximum Likelihood Estimate(MLE) Method		Log ROS Method	
Mean	0.0595	Mean in Log Scale	-4.991
SD	0.0164	SD in Log Scale	0.998
95% MLE (t) UCL	0.0648	Mean in Original Scale	0.0122
95% MLE (Tiku) UCL	0.0755	SD in Original Scale	0.0176
		95% t UCL	0.0179
		95% Percentile Bootstrap UCL	0.0179
		95% BCA Bootstrap UCL	0.0197
		95% H UCL	0.0179
Gamma Distribution Test with Detected Values Only		Data Distribution Test with Detected Values Only	
k star (bias corrected)	0.799	Data appear Gamma Distributed at 5% Significance Level	
Theta Star	0.0264		
nu star	20.77		
A-D Test Statistic	0.241	Nonparametric Statistics	
5% A-D Critical Value	0.759	Kaplan-Meier (KM) Method	
K-S Test Statistic	0.759	Mean	0.0129
5% K-S Critical Value	0.243	SD	0.0173
Data appear Gamma Distributed at 5% Significance Level		SE of Mean	0.00353
Assuming Gamma Distribution		95% KM (t) UCL	0.0189
Gamma ROS Statistics using Extrapolated Data		95% KM (z) UCL	0.0187
Minimum	0.000001	95% KM (jackknife) UCL	0.0188
Maximum	0.071	95% KM (bootstrap t) UCL	0.0227
Mean	0.0124	95% KM (BCA) UCL	0.0193
Median	0.00645	95% KM (Percentile Bootstrap) UCL	0.019
SD	0.0177	95% KM (Chebyshev) UCL	0.0283
k star	0.335	97.5% KM (Chebyshev) UCL	0.0349
Theta star	0.0372	99% KM (Chebyshev) UCL	0.048
Nu star	18.75	Potential UCLs to Use	
AppChi2	9.938	95% KM (t) UCL	0.0189
95% Gamma Approximate UCL (Use when n >= 40)	0.0235		
95% Adjusted Gamma UCL (Use when n < 40)	0.0245		

Note: DL/2 is not a recommended method.

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Maichle, and Lee (2006). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_TOTAL PAH (ND=0)

General Statistics

Number of Valid Observations	29	Number of Distinct Observations	29
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	0.681
Maximum	79.5
Mean	27.85
Geometric Mean	18.69
Median	21.62
SD	21.54
Std. Error of Mean	4.001
Coefficient of Variation	0.774
Skewness	0.949

Log-transformed Statistics

Minimum of Log Data	-0.384
Maximum of Log Data	4.376
Mean of log Data	2.928
SD of log Data	1.083

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.906
Shapiro Wilk Critical Value	0.926

Data not Normal at 5% Significance Level

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.911
Shapiro Wilk Critical Value	0.926

Data not Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	34.65
---------------------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	35.18
95% Modified-t UCL (Johnson-1978)	34.77

Gamma Distribution Test

k star (bias corrected)	1.276
Theta Star	21.82
MLE of Mean	27.85
MLE of Standard Deviation	24.65
nu star	74.03
Approximate Chi Square Value (.05)	55.21
Adjusted Level of Significance	0.0407
Adjusted Chi Square Value	54.24

Data appear Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	37.34
95% Adjusted Gamma UCL (Use when n < 40)	38

Potential UCL to Use

Data Distribution

Data appear Gamma Distributed at 5% Significance Level

Nonparametric Statistics

95% CLT UCL	34.43
95% Jackknife UCL	34.65
95% Standard Bootstrap UCL	34.37
95% Bootstrap-t UCL	35.55
95% Hall's Bootstrap UCL	35.33
95% Percentile Bootstrap UCL	34.28
95% BCA Bootstrap UCL	34.96
95% Chebyshev(Mean, Sd) UCL	45.29
97.5% Chebyshev(Mean, Sd) UCL	52.83
99% Chebyshev(Mean, Sd) UCL	67.65

Use 95% Approximate Gamma UCL 37.34

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_TOTAL PAH (ND=1/2DL)

General Statistics

Number of Valid Observations	29	Number of Distinct Observations	29
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	0.681
Maximum	80.6
Mean	29.4
Geometric Mean	21.95
Median	22.88
SD	20.64
Std. Error of Mean	3.832
Coefficient of Variation	0.702
Skewness	1.076

Log-transformed Statistics

Minimum of Log Data	-0.384
Maximum of Log Data	4.389
Mean of log Data	3.089
SD of log Data	0.924

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.893
Shapiro Wilk Critical Value	0.926

Data not Normal at 5% Significance Level

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.864
Shapiro Wilk Critical Value	0.926

Data not Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	35.92
---------------------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	36.52
95% Modified-t UCL (Johnson-1978)	36.05

Assuming Lognormal Distribution

95% H-UCL	50.94
95% Chebyshev (MVUE) UCL	60.82
97.5% Chebyshev (MVUE) UCL	72.88
99% Chebyshev (MVUE) UCL	96.55

Gamma Distribution Test

k star (bias corrected)	1.69
Theta Star	17.4
MLE of Mean	29.4
MLE of Standard Deviation	22.62
nu star	98.01
Approximate Chi Square Value (.05)	76.17
Adjusted Level of Significance	0.0407
Adjusted Chi Square Value	75.02

Anderson-Darling Test Statistic	0.34
Anderson-Darling 5% Critical Value	0.759
Kolmogorov-Smirnov Test Statistic	0.11
Kolmogorov-Smirnov 5% Critical Value	0.165

Data appear Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	37.83
95% Adjusted Gamma UCL (Use when n < 40)	38.41

Data Distribution

Data appear Gamma Distributed at 5% Significance Level

Nonparametric Statistics

95% CLT UCL	35.71
95% Jackknife UCL	35.92
95% Standard Bootstrap UCL	35.53
95% Bootstrap-t UCL	37.28
95% Hall's Bootstrap UCL	36.65
95% Percentile Bootstrap UCL	35.92
95% BCA Bootstrap UCL	36.56
95% Chebyshev(Mean, Sd) UCL	46.11
97.5% Chebyshev(Mean, Sd) UCL	53.33
99% Chebyshev(Mean, Sd) UCL	67.53

Potential UCL to Use

Use 95% Approximate Gamma UCL 37.83

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_TOTAL PAH (ND=DL)

General Statistics

Number of Valid Observations	29	Number of Distinct Observations	29
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	0.681
Maximum	81.7
Mean	30.96
Geometric Mean	23.87
Median	23.29
SD	20.15
Std. Error of Mean	3.742
Coefficient of Variation	0.651
Skewness	1.084

Log-transformed Statistics

Minimum of Log Data	-0.384
Maximum of Log Data	4.403
Mean of log Data	3.173
SD of log Data	0.894

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.899
Shapiro Wilk Critical Value	0.926

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.821
Shapiro Wilk Critical Value	0.926

Data not Normal at 5% Significance Level

Data not Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	37.32
---------------------	-------

Assuming Lognormal Distribution

95% H-UCL	52.88
-----------	-------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	37.92
95% Modified-t UCL (Johnson-1978)	37.45

95% Chebyshev (MVUE) UCL	63.36
--------------------------	-------

97.5% Chebyshev (MVUE) UCL	75.64
99% Chebyshev (MVUE) UCL	99.78

Gamma Distribution Test

k star (bias corrected)	1.884
Theta Star	16.43
MLE of Mean	30.96
MLE of Standard Deviation	22.56
nu star	109.3
Approximate Chi Square Value (.05)	86.14
Adjusted Level of Significance	0.0407
Adjusted Chi Square Value	84.91

Data Distribution

Data appear Gamma Distributed at 5% Significance Level

Anderson-Darling Test Statistic	0.464
Anderson-Darling 5% Critical Value	0.757
Kolmogorov-Smirnov Test Statistic	0.108
Kolmogorov-Smirnov 5% Critical Value	0.165

Data appear Gamma Distributed at 5% Significance Level

Nonparametric Statistics

95% CLT UCL	37.11
95% Jackknife UCL	37.32
95% Standard Bootstrap UCL	37.01
95% Bootstrap-t UCL	38.25
95% Hall's Bootstrap UCL	38.1
95% Percentile Bootstrap UCL	37.35
95% BCA Bootstrap UCL	37.85
95% Chebyshev(Mean, Sd) UCL	47.27
97.5% Chebyshev(Mean, Sd) UCL	54.33
99% Chebyshev(Mean, Sd) UCL	68.19

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	39.27
95% Adjusted Gamma UCL (Use when n < 40)	39.84

Potential UCL to Use

Use 95% Approximate Gamma UCL 39.27

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.

General UCL Statistics for Data Sets with Non-Detects

User Selected Options

From File	Sheet1.wst
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

SD\_ZINC

General Statistics

Number of Valid Observations	29	Number of Distinct Observations	22
------------------------------	----	---------------------------------	----

Raw Statistics

Minimum	71
Maximum	17000
Mean	3612
Geometric Mean	2331
Median	1900
SD	3786
Std. Error of Mean	703.1
Coefficient of Variation	1.048
Skewness	2.156

Log-transformed Statistics

Minimum of Log Data	4.263
Maximum of Log Data	9.741
Mean of log Data	7.754
SD of log Data	1.026

Relevant UCL Statistics

Normal Distribution Test

Shapiro Wilk Test Statistic	0.723
Shapiro Wilk Critical Value	0.926

Lognormal Distribution Test

Shapiro Wilk Test Statistic	0.897
Shapiro Wilk Critical Value	0.926

Data not Normal at 5% Significance Level

Data not Lognormal at 5% Significance Level

Assuming Normal Distribution

95% Student's-t UCL	4808
---------------------	------

95% UCLs (Adjusted for Skewness)

95% Adjusted-CLT UCL (Chen-1995)	5069
95% Modified-t UCL (Johnson-1978)	4855

Assuming Lognormal Distribution

95% H-UCL	6412
95% Chebyshev (MVUE) UCL	7528
97.5% Chebyshev (MVUE) UCL	9121
99% Chebyshev (MVUE) UCL	12252

Gamma Distribution Test

k star (bias corrected)	1.174
Theta Star	3078
MLE of Mean	3612
MLE of Standard Deviation	3334
nu star	68.07
Approximate Chi Square Value (.05)	50.08
Adjusted Level of Significance	0.0407
Adjusted Chi Square Value	49.15

Anderson-Darling Test Statistic	1.179
Anderson-Darling 5% Critical Value	0.768
Kolmogorov-Smirnov Test Statistic	0.204
Kolmogorov-Smirnov 5% Critical Value	0.166

Data not Gamma Distributed at 5% Significance Level

Assuming Gamma Distribution

95% Approximate Gamma UCL (Use when n >= 40)	4909
95% Adjusted Gamma UCL (Use when n < 40)	5001

Data Distribution

Data do not follow a Discernable Distribution (0.05)

Nonparametric Statistics

95% CLT UCL	4768
95% Jackknife UCL	4808
95% Standard Bootstrap UCL	4745
95% Bootstrap-t UCL	5376
95% Hall's Bootstrap UCL	5247
95% Percentile Bootstrap UCL	4820
95% BCA Bootstrap UCL	5172
95% Chebyshev(Mean, Sd) UCL	6676
97.5% Chebyshev(Mean, Sd) UCL	8003
99% Chebyshev(Mean, Sd) UCL	10607

Potential UCL to Use

Use 95% Chebyshev (Mean, Sd) UCL 6676

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL. These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002) and Singh and Singh (2003). For additional insight, the user may want to consult a statistician.



UCL Statistics for Data Sets with Non-Detects

User Selected Options	
Date/Time of Computation	9/1/2015 11:26:44 AM
From File	Total PCB Aroclor Inputs.xls
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

TOT PCB AROCLOR (ND=0)

General Statistics			
Total Number of Observations	28	Number of Distinct Observations	28
		Number of Missing Observations	0
Minimum	0.00123	Mean	2.024
Maximum	13.2	Median	0.725
SD	3.062	Std. Error of Mean	0.579
Coefficient of Variation	1.513	Skewness	2.378
Normal GOF Test			
Shapiro Wilk Test Statistic	0.66	Shapiro Wilk GOF Test	
5% Shapiro Wilk Critical Value	0.924	Data Not Normal at 5% Significance Level	
Lilliefors Test Statistic	0.301	Lilliefors GOF Test	
5% Lilliefors Critical Value	0.167	Data Not Normal at 5% Significance Level	
Data Not Normal at 5% Significance Level			
Assuming Normal Distribution			
95% Normal UCL		95% UCLs (Adjusted for Skewness)	
95% Student's-t UCL	3.01	95% Adjusted-CLT UCL (Chen-1995)	3.254
		95% Modified-t UCL (Johnson-1978)	3.053
Gamma GOF Test			
A-D Test Statistic	0.622	Anderson-Darling Gamma GOF Test	
5% A-D Critical Value	0.804	Detected data appear Gamma Distributed at 5% Significance Level	
K-S Test Statistic	0.15	Kolmogrov-Smirnoff Gamma GOF Test	
5% K-S Critical Value	0.174	Detected data appear Gamma Distributed at 5% Significance Level	
Detected data appear Gamma Distributed at 5% Significance Level			
Gamma Statistics			
k hat (MLE)	0.566	k star (bias corrected MLE)	0.529
Theta hat (MLE)	3.576	Theta star (bias corrected MLE)	3.825
nu hat (MLE)	31.7	nu star (bias corrected)	29.64
MLE Mean (bias corrected)	2.024	MLE Sd (bias corrected)	2.783
		Approximate Chi Square Value (0.05)	18.21
Adjusted Level of Significance	0.0404	Adjusted Chi Square Value	17.65
Assuming Gamma Distribution			
95% Approximate Gamma UCL (use when n>=50)	3.295	95% Adjusted Gamma UCL (use when n<50)	3.398
Lognormal GOF Test			
Shapiro Wilk Test Statistic	0.902	Shapiro Wilk Lognormal GOF Test	
5% Shapiro Wilk Critical Value	0.924	Data Not Lognormal at 5% Significance Level	
Lilliefors Test Statistic	0.142	Lilliefors Lognormal GOF Test	
5% Lilliefors Critical Value	0.167	Data appear Lognormal at 5% Significance Level	
Data appear Approximate Lognormal at 5% Significance Level			
Lognormal Statistics			
Minimum of Logged Data	-6.701	Mean of logged Data	-0.396
Maximum of Logged Data	2.58	SD of logged Data	1.888
Assuming Lognormal Distribution			
95% H-UCL	15.42	90% Chebyshev (MVUE) UCL	8.261
95% Chebyshev (MVUE) UCL	10.45	97.5% Chebyshev (MVUE) UCL	13.48
99% Chebyshev (MVUE) UCL	19.44		
Nonparametric Distribution Free UCL Statistics			
Data appear to follow a Discernible Distribution at 5% Significance Level			
Nonparametric Distribution Free UCLs			
95% CLT UCL	2.976	95% Jackknife UCL	3.01
95% Standard Bootstrap UCL	2.95	95% Bootstrap-t UCL	3.582
95% Hall's Bootstrap UCL	3.355	95% Percentile Bootstrap UCL	3.006
95% BCA Bootstrap UCL	3.313		
90% Chebyshev(Mean, Sd) UCL	3.76	95% Chebyshev(Mean, Sd) UCL	4.547
97.5% Chebyshev(Mean, Sd) UCL	5.639	99% Chebyshev(Mean, Sd) UCL	7.783
Suggested UCL to Use			
95% Adjusted Gamma UCL	3.398		

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.  
These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002)  
and Singh and Singh (2003). However, simulations results will not cover all Real World data sets.  
For additional insight the user may want to consult a statistician.

UCL Statistics for Data Sets with Non-Detects

User Selected Options	
Date/Time of Computation	9/1/2015 11:27:31 AM
From File	Total PCB Aroclor Inputs.xls
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

TOT PCB AROCLOR (ND=1/2DL)

General Statistics			
Total Number of Observations	28	Number of Distinct Observations	28
		Number of Missing Observations	0
Minimum	0.00243	Mean	2.085
Maximum	13.54	Median	0.768
SD	3.136	Std. Error of Mean	0.593
Coefficient of Variation	1.504	Skewness	2.394
Normal GOF Test			
Shapiro Wilk Test Statistic	0.659	Shapiro Wilk GOF Test	
5% Shapiro Wilk Critical Value	0.924	Data Not Normal at 5% Significance Level	
Lilliefors Test Statistic	0.298	Lilliefors GOF Test	
5% Lilliefors Critical Value	0.167	Data Not Normal at 5% Significance Level	
Data Not Normal at 5% Significance Level			
Assuming Normal Distribution			
95% Normal UCL		95% UCLs (Adjusted for Skewness)	
95% Student's-t UCL	3.095	95% Adjusted-CLT UCL (Chen-1995)	3.347
		95% Modified-t UCL (Johnson-1978)	3.14
Gamma GOF Test			
A-D Test Statistic	0.675	Anderson-Darling Gamma GOF Test	
5% A-D Critical Value	0.801	Detected data appear Gamma Distributed at 5% Significance Level	
K-S Test Statistic	0.148	Kolmogrov-Smirnoff Gamma GOF Test	
5% K-S Critical Value	0.174	Detected data appear Gamma Distributed at 5% Significance Level	
Detected data appear Gamma Distributed at 5% Significance Level			
Gamma Statistics			
k hat (MLE)	0.592	k star (bias corrected MLE)	0.552
Theta hat (MLE)	3.525	Theta star (bias corrected MLE)	3.777
nu hat (MLE)	33.14	nu star (bias corrected)	30.92
MLE Mean (bias corrected)	2.085	MLE Sd (bias corrected)	2.807
		Approximate Chi Square Value (0.05)	19.22
Adjusted Level of Significance	0.0404	Adjusted Chi Square Value	18.65
Assuming Gamma Distribution			
95% Approximate Gamma UCL (use when n>=50)	3.355	95% Adjusted Gamma UCL (use when n<50)	3.458
Lognormal GOF Test			
Shapiro Wilk Test Statistic	0.914	Shapiro Wilk Lognormal GOF Test	
5% Shapiro Wilk Critical Value	0.924	Data Not Lognormal at 5% Significance Level	
Lilliefors Test Statistic	0.153	Lilliefors Lognormal GOF Test	
5% Lilliefors Critical Value	0.167	Data appear Lognormal at 5% Significance Level	
Data appear Approximate Lognormal at 5% Significance Level			
Lognormal Statistics			
Minimum of Logged Data	-6.02	Mean of logged Data	-0.311
Maximum of Logged Data	2.606	SD of logged Data	1.788
Assuming Lognormal Distribution			
95% H-UCL	12.32	90% Chebyshev (MVUE) UCL	7.372
95% Chebyshev (MVUE) UCL	9.27	97.5% Chebyshev (MVUE) UCL	11.9
99% Chebyshev (MVUE) UCL	17.08		
Nonparametric Distribution Free UCL Statistics			
Data appear to follow a Discernible Distribution at 5% Significance Level			
Nonparametric Distribution Free UCLs			
95% CLT UCL	3.06	95% Jackknife UCL	3.095
95% Standard Bootstrap UCL	3.041	95% Bootstrap-t UCL	3.703
95% Hall's Bootstrap UCL	3.434	95% Percentile Bootstrap UCL	3.121
95% BCA Bootstrap UCL	3.392		
90% Chebyshev(Mean, Sd) UCL	3.863	95% Chebyshev(Mean, Sd) UCL	4.669
97.5% Chebyshev(Mean, Sd) UCL	5.787	99% Chebyshev(Mean, Sd) UCL	7.982
Suggested UCL to Use			
95% Adjusted Gamma UCL	3.458		

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.  
These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002)  
and Singh and Singh (2003). However, simulations results will not cover all Real World data sets.  
For additional insight the user may want to consult a statistician.

UCL Statistics for Data Sets with Non-Detects

User Selected Options	
Date/Time of Computation	9/1/2015 11:28:04 AM
From File	Total PCB Aroclor Inputs.xls
Full Precision	OFF
Confidence Coefficient	95%
Number of Bootstrap Operations	10000

TOT PCB AROCLOR (ND=DL)

General Statistics			
Total Number of Observations	28	Number of Distinct Observations	28
		Number of Missing Observations	0
Minimum	0.00363	Mean	2.147
Maximum	13.88	Median	0.806
SD	3.21	Std. Error of Mean	0.607
Coefficient of Variation	1.496	Skewness	2.41
Normal GOF Test			
Shapiro Wilk Test Statistic	0.658	Shapiro Wilk GOF Test	
5% Shapiro Wilk Critical Value	0.924	Data Not Normal at 5% Significance Level	
Lilliefors Test Statistic	0.295	Lilliefors GOF Test	
5% Lilliefors Critical Value	0.167	Data Not Normal at 5% Significance Level	
Data Not Normal at 5% Significance Level			
Assuming Normal Distribution			
95% Normal UCL		95% UCLs (Adjusted for Skewness)	
95% Student's-t UCL	3.18	95% Adjusted-CLT UCL (Chen-1995)	3.44
		95% Modified-t UCL (Johnson-1978)	3.226
Gamma GOF Test			
A-D Test Statistic	0.715	Anderson-Darling Gamma GOF Test	
5% A-D Critical Value	0.799	Detected data appear Gamma Distributed at 5% Significance Level	
K-S Test Statistic	0.144	Kolmogrov-Smirnoff Gamma GOF Test	
5% K-S Critical Value	0.174	Detected data appear Gamma Distributed at 5% Significance Level	
Detected data appear Gamma Distributed at 5% Significance Level			
Gamma Statistics			
k hat (MLE)	0.612	k star (bias corrected MLE)	0.57
Theta hat (MLE)	3.508	Theta star (bias corrected MLE)	3.765
nu hat (MLE)	34.27	nu star (bias corrected)	31.93
MLE Mean (bias corrected)	2.147	MLE Sd (bias corrected)	2.843
		Approximate Chi Square Value (0.05)	20.02
Adjusted Level of Significance	0.0404	Adjusted Chi Square Value	19.43
Assuming Gamma Distribution			
95% Approximate Gamma UCL (use when n>=50)	3.424	95% Adjusted Gamma UCL (use when n<50)	3.527
Lognormal GOF Test			
Shapiro Wilk Test Statistic	0.918	Shapiro Wilk Lognormal GOF Test	
5% Shapiro Wilk Critical Value	0.924	Data Not Lognormal at 5% Significance Level	
Lilliefors Test Statistic	0.145	Lilliefors Lognormal GOF Test	
5% Lilliefors Critical Value	0.167	Data appear Lognormal at 5% Significance Level	
Data appear Approximate Lognormal at 5% Significance Level			
Lognormal Statistics			
Minimum of Logged Data	-5.619	Mean of logged Data	-0.243
Maximum of Logged Data	2.63	SD of logged Data	1.726
Assuming Lognormal Distribution			
95% H-UCL	11	90% Chebyshev (MVUE) UCL	7.007
95% Chebyshev (MVUE) UCL	8.778	97.5% Chebyshev (MVUE) UCL	11.24
99% Chebyshev (MVUE) UCL	16.07		
Nonparametric Distribution Free UCL Statistics			
Data appear to follow a Discernible Distribution at 5% Significance Level			
Nonparametric Distribution Free UCLs			
95% CLT UCL	3.145	95% Jackknife UCL	3.18
95% Standard Bootstrap UCL	3.124	95% Bootstrap-t UCL	3.799
95% Hall's Bootstrap UCL	3.561	95% Percentile Bootstrap UCL	3.194
95% BCA Bootstrap UCL	3.5		
90% Chebyshev(Mean, Sd) UCL	3.967	95% Chebyshev(Mean, Sd) UCL	4.791
97.5% Chebyshev(Mean, Sd) UCL	5.936	99% Chebyshev(Mean, Sd) UCL	8.183
Suggested UCL to Use			
95% Adjusted Gamma UCL	3.527		

Note: Suggestions regarding the selection of a 95% UCL are provided to help the user to select the most appropriate 95% UCL.  
These recommendations are based upon the results of the simulation studies summarized in Singh, Singh, and Iaci (2002)  
and Singh and Singh (2003). However, simulations results will not cover all Real World data sets.  
For additional insight the user may want to consult a statistician.

*This page intentionally left blank.*

**APPENDIX G**  
**WILDLIFE EXPOSURE MODEL CALCULATIONS**

*This page intentionally left blank.*

**Table G-1**  
**Wildlife Exposure Modeling of Screening Level Doses to Piscivorous Birds based on Tissue Concentrations from Crabs, Sediment, and Water**  
**Sparrows Point Northeast/Near-Shore**

**Exposure Parameters (Great Blue Heron)**

Sediment Ingestion Rate (kg dry wt./kg bw-day)	9.00E-04	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	4.50E-02	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	4.50E-02	L/kg-day

Chemical	Sediment Screening Level EPC (mg/kg)	Surface Water Screening Level (Maximum) EPC- Typical Conditions (mg/L)	Maximum Crab Tissue Concentration (mg/kg dry wt.)	Screening Level Scenario Doses (Great Blue Heron)			
				Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics							
Cadmium	4.80E+00	0.00E+00	1.58E-01	4.32E-03	7.12E-03	0.00E+00	1.14E-02
Chromium	7.50E+02	6.71E-04	2.39E-01	6.75E-01	1.08E-02	3.02E-05	6.86E-01
Copper	1.60E+02	6.41E-04	1.25E+01	1.44E-01	5.62E-01	2.89E-05	7.06E-01
Lead	1.10E+02	4.40E-04	1.71E-01	9.90E-02	7.70E-03	1.98E-05	1.07E-01
Mercury	4.20E-01	6.63E-04	2.10E-02	3.78E-04	9.44E-04	2.98E-05	1.35E-03
Nickel	4.60E+01	3.77E-03	1.95E-01	4.14E-02	8.77E-03	1.70E-04	5.03E-02
Silver	1.70E+00	0.00E+00	3.61E-01	1.53E-03	1.63E-02	0.00E+00	1.78E-02
Zinc	1.55E+03	1.25E-02	4.59E+01	1.40E+00	2.07E+00	5.63E-04	3.46E+00
PAHs							
Total LMW PAH (ND=RL)	1.69E+00	3.12E-04	2.59E-01	1.52E-03	1.16E-02	1.40E-05	1.32E-02
Total HMW PAH (ND=RL)	3.08E+00	5.10E-05	2.27E-01	2.77E-03	1.02E-02	2.30E-06	1.30E-02
Total PAH (ND=RL)	4.77E+00	3.63E-04	5.44E-01	4.29E-03	2.45E-02	1.63E-05	2.88E-02

BAF= Bioaccumulation Factor  
EPC= Exposure Point Concentration  
LMW= Low Molecular Weight  
HMW= High Molecular Weight  
mg/kg= milligrams per kilogram  
PAH= Polyaromatic Hydrocarbon  
SVOC= Semi-Volatile Organic Compound

Table G-2

**Wildlife Exposure Modeling of Reasonable Maximum Scenario Doses to Piscivorous Birds based on Tissue Concentrations from Crabs, Sediment, and Water  
Sparrows Point Northeast/Near-Shore**

**Exposure Parameters (Great Blue Heron)**

Sediment Ingestion Rate (kg dry wt./kg bw-day)	9.00E-04	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	4.50E-02	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	4.50E-02	L/kg-day

Chemical	Sediment Reasonable Maximum (95% UCLM) EPC (mg/kg)	Surface Water Reasonable Maximum (95% UCLM) EPC- Typical Conditions (mg/L)	Maximum Crab Tissue Concentration (mg/kg dry wt.)	Reasonable Maximum Case Scenario Doses (Great Blue Heron)			
				Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics							
Cadmium	4.80E+00	0.00E+00	1.58E-01	4.32E-03	7.12E-03	0.00E+00	1.14E-02
Chromium	7.50E+02	2.16E-04	2.39E-01	6.75E-01	1.08E-02	9.73E-06	6.86E-01
Copper	9.38E+01	2.48E-04	1.25E+01	8.44E-02	5.62E-01	1.12E-05	6.46E-01
Lead	7.41E+01	9.80E-05	1.71E-01	6.67E-02	7.70E-03	4.41E-06	7.44E-02
Mercury	4.20E-01	1.54E-04	2.10E-02	3.78E-04	9.44E-04	6.92E-06	1.33E-03
Nickel	3.79E+01	1.34E-03	1.95E-01	3.41E-02	8.77E-03	6.04E-05	4.29E-02
Silver	1.70E+00	0.00E+00	3.61E-01	1.53E-03	1.63E-02	0.00E+00	1.78E-02
Zinc	1.03E+03	4.41E-03	4.59E+01	9.31E-01	2.07E+00	1.99E-04	3.00E+00
PAHs							
Total LMW PAH (ND=RL)	1.32E+00	1.23E-04	2.59E-01	1.19E-03	1.16E-02	5.53E-06	1.28E-02
Total HMW PAH (ND=RL)	3.08E+00	1.15E-05	2.27E-01	2.77E-03	1.02E-02	5.18E-07	1.30E-02
Total PAH (ND=RL)	4.77E+00	1.34E-04	5.44E-01	4.29E-03	2.45E-02	6.05E-06	2.88E-02

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

UCLM= Upper Confidence Limit of the Mean



Table G-3

**Wildlife Exposure Modeling of Screening Level Doses to Piscivorous Birds based on Tissue Concentrations from Fish, Sediment, and Water  
Sparrows Point Northeast/Near-Shore**

**Exposure Parameters (Great Blue Heron)**

Sediment Ingestion Rate (kg dry wt./kg bw-day)	9.00E-04	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	4.50E-02	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	4.50E-02	L/kg-day

Chemical	Sediment Screening Level EPC (mg/kg)	Surface Water Screening Level (Maximum) EPC- Typical Conditions (mg/L)	Maximum Fish Tissue Concentration (mg/kg dry wt.)	Screening Level Scenario Doses (Great Blue Heron)			
				Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics							
Chromium	7.50E+02	6.71E-04	3.60E-01	6.75E-01	1.62E-02	3.02E-05	6.91E-01
Copper	1.60E+02	6.41E-04	3.41E+01	1.44E-01	1.53E+00	2.89E-05	1.68E+00
Lead	1.10E+02	4.40E-04	7.80E-01	9.90E-02	3.51E-02	1.98E-05	1.34E-01
Mercury	4.20E-01	6.63E-04	3.40E-02	3.78E-04	1.53E-03	2.98E-05	1.94E-03
Nickel	4.60E+01	3.77E-03	1.50E-01	4.14E-02	6.75E-03	1.70E-04	4.83E-02
Silver	1.70E+00	0.00E+00	4.90E-01	1.53E-03	2.21E-02	0.00E+00	2.36E-02
Zinc	1.55E+03	1.25E-02	3.21E+01	1.40E+00	1.44E+00	5.63E-04	2.84E+00
PAHs							
Total LMW PAH (ND=RL)	1.69E+00	3.12E-04	1.78E-01	1.52E-03	8.01E-03	1.40E-05	9.55E-03
Total HMW PAH (ND=RL)	3.08E+00	5.10E-05	1.33E-01	2.77E-03	6.00E-03	2.30E-06	8.77E-03
Total PAH (ND=RL)	4.77E+00	3.63E-04	3.11E-01	4.29E-03	1.40E-02	1.63E-05	1.83E-02

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

SWBAF= Surface Water Bioaccumulation Factor

**Table G-4**  
**Wildlife Exposure Modeling of Reasonable Maximum Scenario Doses to Piscivorous Birds from Fish, Sediment, and Water**  
**Sparrows Point Northeast/Near-Shore**

**Exposure Parameters (Great Blue Heron)**

Sediment Ingestion Rate (kg dry wt./kg bw-day):	9.00E-04	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	4.50E-02	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	4.50E-02	L/kg-day

Chemical	Sediment Reasonable Maximum (95% UCLM) EPC (mg/kg)	Surface Water Reasonable Maximum (95% UCLM) EPC-Typical Conditions (mg/L)	Maximum Fish Tissue Concentration (mg/kg dry wt.)	Reasonable Maximum Case Scenario Doses (Great Blue Heron)			
				Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics							
Chromium	7.50E+02	2.16E-04	3.60E-01	6.75E-01	1.62E-02	9.73E-06	6.91E-01
Copper	9.38E+01	2.48E-04	3.41E+01	8.44E-02	1.53E+00	1.12E-05	1.62E+00
Lead	7.41E+01	9.80E-05	7.80E-01	6.67E-02	3.51E-02	4.41E-06	1.02E-01
Mercury	4.20E-01	1.54E-04	3.40E-02	3.78E-04	1.53E-03	6.92E-06	1.91E-03
Nickel	3.79E+01	1.34E-03	1.50E-01	3.41E-02	6.75E-03	6.04E-05	4.09E-02
Silver	1.70E+00	0.00E+00	4.90E-01	1.53E-03	2.21E-02	0.00E+00	2.36E-02
Zinc	1.03E+03	4.41E-03	3.21E+01	9.31E-01	1.44E+00	1.99E-04	2.38E+00
PAHs							
Total LMW PAH (ND=RL)	1.32E+00	1.23E-04	1.78E-01	1.19E-03	8.01E-03	5.53E-06	9.21E-03
Total HMW PAH (ND=RL)	3.08E+00	1.15E-05	1.33E-01	2.77E-03	6.00E-03	5.18E-07	8.77E-03
Total PAH (ND=RL)	4.77E+00	1.34E-04	3.11E-01	4.29E-03	1.40E-02	6.05E-06	1.83E-02

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

UCLM= Upper Confidence Limit of the Mean

SWBAF= Surface Water Bioaccumulation Factor

Table G-5

**Wildlife Exposure Modeling of Screening Level Doses to Piscivorous Mammals based on Tissue Concentrations from Crabs, Sediment, and Water  
Sparrows Point Northeast/Near-Shore**

**Exposure Parameters (Raccoon)**

Sediment Ingestion Rate (kg dry wt./kg bw-day):	3.40E-03	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	1.70E-01	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	8.30E-02	g/g-day

Chemical	Sediment Screening Level EPC (mg/kg)	Surface Water Screening Level (Maximum) EPC-Typical Conditions (mg/L)	Maximum Crab Tissue Concentration (mg/kg dry wt.)	Screening Level Scenario Doses (Raccoon)			
				Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics							
Cadmium	4.80E+00	0.00E+00	1.58E-01	1.63E-02	2.69E-02	0.00E+00	4.32E-02
Chromium	7.50E+02	6.71E-04	2.39E-01	2.55E+00	4.07E-02	5.57E-05	2.59E+00
Copper	1.60E+02	6.41E-04	1.25E+01	5.44E-01	2.12E+00	5.32E-05	2.67E+00
Lead	1.10E+02	4.40E-04	1.71E-01	3.74E-01	2.91E-02	3.65E-05	4.03E-01
Mercury	4.20E-01	6.63E-04	2.10E-02	1.43E-03	3.57E-03	5.50E-05	5.05E-03
Nickel	4.60E+01	3.77E-03	1.95E-01	1.56E-01	3.31E-02	3.13E-04	1.90E-01
Silver	1.70E+00	0.00E+00	3.61E-01	5.78E-03	6.14E-02	0.00E+00	6.72E-02
Zinc	1.55E+03	1.25E-02	4.59E+01	5.27E+00	7.80E+00	1.04E-03	1.31E+01
PAHs							
Total LMW PAH (ND=RL)	1.69E+00	3.12E-04	2.59E-01	5.75E-03	4.40E-02	2.59E-05	4.98E-02
Total HMW PAH (ND=RL)	3.08E+00	5.10E-05	2.27E-01	1.05E-02	3.86E-02	4.23E-06	4.91E-02
Total PAH (ND=RL)	4.77E+00	3.63E-04	5.44E-01	1.62E-02	9.24E-02	3.01E-05	1.09E-01

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

Table G-6

**Wildlife Exposure Modeling of Reasonable Maximum Scenario Doses to Piscivorous Mammals based on Tissue Concentrations from Crabs, Sediment, and Sparrows Point Northeast/Near-Shore**

**Exposure Parameters (Raccoon)**

Sediment Ingestion Rate (kg dry wt./kg bw-day):	3.40E-03	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	1.70E-01	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	8.30E-02	g/g-day

Chemical	Sediment Reasonable Maximum (95% UCLM) EPC (mg/kg)	Surface Water Reasonable Maximum (95% UCLM) EPC-Typical Conditions (mg/L)	Maximum Crab Tissue Concentration (mg/kg dry wt.)	Reasonable Maximum Case Scenario Doses (Raccoon)			
				Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics							
Cadmium	4.80E+00	0.00E+00	1.58E-01	1.63E-02	2.69E-02	0.00E+00	4.32E-02
Chromium	7.50E+02	2.16E-04	2.39E-01	2.55E+00	4.07E-02	1.80E-05	2.59E+00
Copper	9.38E+01	2.48E-04	1.25E+01	3.19E-01	2.12E+00	2.06E-05	2.44E+00
Lead	7.41E+01	9.80E-05	1.71E-01	2.52E-01	2.91E-02	8.13E-06	2.81E-01
Mercury	4.20E-01	1.54E-04	2.10E-02	1.43E-03	3.57E-03	1.28E-05	5.01E-03
Nickel	3.79E+01	1.34E-03	1.95E-01	1.29E-01	3.31E-02	1.11E-04	1.62E-01
Silver	1.70E+00	0.00E+00	3.61E-01	5.78E-03	6.14E-02	0.00E+00	6.72E-02
Zinc	1.03E+03	4.41E-03	4.59E+01	3.52E+00	7.80E+00	3.66E-04	1.13E+01
PAHs							
Total LMW PAH (ND=RL)	1.32E+00	1.23E-04	2.59E-01	4.50E-03	4.40E-02	1.02E-05	4.85E-02
Total HMW PAH (ND=RL)	3.08E+00	1.15E-05	2.27E-01	1.05E-02	3.86E-02	9.55E-07	4.91E-02
Total PAH (ND=RL)	4.77E+00	1.34E-04	5.44E-01	1.62E-02	9.24E-02	1.12E-05	1.09E-01

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

UCLM= Upper Confidence Limit of the Mean

Table G-7

**Wildlife Exposure Modeling of Screening Level Doses to Piscivorous Mammals based on Tissue Concentrations from Fish, Sediment, and Water  
Sparrows Point Northeast/Near-Shore**

**Exposure Parameters (Raccoon)**

Sediment Ingestion Rate (kg dry wt./kg bw-day)	3.40E-03	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	1.70E-01	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	8.30E-02	g/g-day

Chemical	Sediment Screening Level EPC (mg/kg)	Surface Water Screening Level (Maximum) EPC-Typical Conditions (mg/L)	Maximum Fish Tissue Concentration (mg/kg dry wt.)	Screening Level Scenario Doses (Raccoon)			
				Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics							
Chromium	7.50E+02	6.71E-04	3.60E-01	2.55E+00	6.12E-02	5.57E-05	2.61E+00
Copper	1.60E+02	6.41E-04	3.41E+01	5.44E-01	5.80E+00	5.32E-05	6.34E+00
Lead	1.10E+02	4.40E-04	7.80E-01	3.74E-01	1.33E-01	3.65E-05	5.07E-01
Mercury	4.20E-01	6.63E-04	3.40E-02	1.43E-03	5.78E-03	5.50E-05	7.26E-03
Nickel	4.60E+01	3.77E-03	1.50E-01	1.56E-01	2.55E-02	3.13E-04	1.82E-01
Silver	1.70E+00	0.00E+00	4.90E-01	5.78E-03	8.33E-02	0.00E+00	8.91E-02
Zinc	1.55E+03	1.25E-02	3.21E+01	5.27E+00	5.46E+00	1.04E-03	1.07E+01
PAHs							
Total LMW PAH (ND=RL)	1.69E+00	3.12E-04	1.78E-01	5.75E-03	3.03E-02	2.59E-05	3.60E-02
Total HMW PAH (ND=RL)	3.08E+00	5.10E-05	1.33E-01	1.05E-02	2.27E-02	4.23E-06	3.31E-02
Total PAH (ND=RL)	4.77E+00	3.63E-04	3.11E-01	1.62E-02	5.29E-02	3.01E-05	6.92E-02

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

SWBAF= Surface Water Bioaccumulation Factor

Table G-8

**Wildlife Exposure Modeling of Reasonable Maximum Scenario Doses to Piscivorous Mammals based on Tissue Concentrations from Fish, Sediment, and Sparrows Point Northeast/Near-Shore**

**Exposure Parameters (Raccoon)**

Sediment Ingestion Rate (kg dry wt./kg bw-day):	3.40E-03	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	1.70E-01	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	8.30E-02	L/kg-day

Chemical	Sediment Reasonable Maximum (95% UCLM) EPC (mg/kg)	Surface Water Reasonable Maximum (95% UCLM) EPC-Typical Conditions (mg/L)	Maximum Fish Tissue Concentration (mg/kg dry wt.)	Reasonable Maximum Case Scenario Doses (Raccoon)			
				Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics							
Chromium	7.50E+02	2.16E-04	3.60E-01	2.55E+00	6.12E-02	1.80E-05	2.61E+00
Copper	9.38E+01	2.48E-04	3.41E+01	3.19E-01	5.80E+00	2.06E-05	6.12E+00
Lead	7.41E+01	9.80E-05	7.80E-01	2.52E-01	1.33E-01	8.13E-06	3.85E-01
Mercury	4.20E-01	1.54E-04	3.40E-02	1.43E-03	5.78E-03	1.28E-05	7.22E-03
Nickel	3.79E+01	1.34E-03	1.50E-01	1.29E-01	2.55E-02	1.11E-04	1.54E-01
Silver	1.70E+00	0.00E+00	4.90E-01	5.78E-03	8.33E-02	0.00E+00	8.91E-02
Zinc	1.03E+03	4.41E-03	3.21E+01	3.52E+00	5.46E+00	3.66E-04	8.97E+00
PAHs							
Total LMW PAH (ND=RL)	1.32E+00	1.23E-04	1.78E-01	4.50E-03	3.03E-02	1.02E-05	3.48E-02
Total HMW PAH (ND=RL)	3.08E+00	1.15E-05	1.33E-01	1.05E-02	2.27E-02	9.55E-07	3.31E-02
Total PAH (ND=RL)	4.77E+00	1.34E-04	3.11E-01	1.62E-02	5.29E-02	1.12E-05	6.92E-02

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

UCLM= Upper Confidence Limit of the Mean

SWBAF= Surface Water Bioaccumulation Factor

**Table G-9**  
**Wildlife Exposure Modeling of Screening Level Doses to Piscivorous Birds based on Uptake Factors from Crabs, Sediment, and Water**  
**Sparrows Point Northeast/Near-Shore**

**Exposure Parameters (Great Blue Heron)**

Soil Ingestion Rate (kg dry wt./kg bw-day):	9.00E-04	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	4.50E-02	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	4.50E-02	L/kg-day

Chemical	Sediment Screening Level EPC (mg/kg)	Surface Water Screening Level (Maximum) EPC Typical Conditions	Food Item (Crab) Uptake			Screening Level Scenario Doses			
			BAF/Equation (mg/L dry wt. to mg/kg dry wt.)	Source	Maximum Food Item Tissue Concentration (mg/kg dry wt.)	Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics									
Aluminum	0.00E+00	0.00E+00	1.60E-02	SedBAF	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Antimony	NO COPC	NO COPC	NO COPC	NO COPC	NO COPC	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Arsenic	NO COPC	NO COPC	NO COPC	NO COPC	NO COPC	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Beryllium	0.00E+00	0.00E+00	4.00E+00	SedBAF	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Cadmium	4.80E+00	0.00E+00	3.10E-02	SedBAF	1.49E-01	4.32E-03	6.70E-03	0.00E+00	1.10E-02
Chromium	7.50E+02	6.71E-04	1.87E-02	SedBAF	1.40E+01	6.75E-01	6.32E-01	3.02E-05	1.31E+00
Copper	1.60E+02	6.41E-04	3.10E-02	SedBAF	4.96E+00	1.44E-01	2.23E-01	2.89E-05	3.67E-01
Cyanide (Total)	1.60E+00	2.52E-03	4.00E+00	SedBAF	6.40E+00	1.44E-03	2.88E-01	1.14E-04	2.90E-01
Iron	0.00E+00	0.00E+00	1.85E-02	SedBAF	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Lead	1.10E+02	4.40E-04	1.45E-02	SedBAF	1.59E+00	9.90E-02	7.18E-02	1.98E-05	1.71E-01
Magnesium	0.00E+00	0.00E+00	4.00E+00	SedBAF	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Mercury	4.20E-01	6.63E-04	5.73E-02	SedBAF	2.41E-02	3.78E-04	1.08E-03	2.98E-05	1.49E-03
Nickel	4.60E+01	3.77E-03	4.55E-02	SedBAF	2.09E+00	4.14E-02	9.42E-02	1.70E-04	1.36E-01
Selenium	NO COPC	NO COPC	NO COPC	NO COPC	NO COPC	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Silver	1.70E+00	0.00E+00	8.09E-02	SedBAF	1.38E-01	1.53E-03	6.19E-03	0.00E+00	7.72E-03
Thallium	0.00E+00	0.00E+00	5.56E-02	SedBAF	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00
Zinc	1.55E+03	1.25E-02	9.78E-02	SedBAF	1.52E+02	1.40E+00	6.82E+00	5.63E-04	8.22E+00
PAHs									
Total LMW PAH (ND=1/2DL)	1.67E+00	0.00E+00	4.53E-01	SedBAF	7.56E-01	1.50E-03	3.40E-02	0.00E+00	3.55E-02
Total LMW PAH (ND=RL)	1.69E+00	3.12E-04	4.62E-01	SedBAF	7.81E-01	1.52E-03	3.51E-02	1.40E-05	3.67E-02
Total HMW PAH (ND=1/2DL)	3.08E+00	0.00E+00	4.44E-01	SedBAF	1.37E+00	2.77E-03	6.14E-02	0.00E+00	6.42E-02
Total HMW PAH (ND=RL)	3.08E+00	5.10E-05	4.48E-01	SedBAF	1.38E+00	2.77E-03	6.20E-02	2.30E-06	6.48E-02
Total PAH (ND=RL)	4.77E+00	3.63E-04	4.43E-01	SedBAF	2.11E+00	4.29E-03	9.49E-02	1.63E-05	9.92E-02
SVOCs									
Bis(2-ethylhexyl)phthalate	1.60E+00	1.00E-04	4.00E+00	SedBAF	6.40E+00	1.44E-03	2.88E-01	4.50E-06	2.89E-01
VOCs									
Chlorobenzene	0.00E+00	0.00E+00	4.00E+00	SedBAF	0.00E+00	0.00E+00	0.00E+00	0.00E+00	0.00E+00

BAF= Bioaccumulation Factor  
EPC= Exposure Point Concentration  
LMW= Low Molecular Weight  
HMW= High Molecular Weight  
mg/kg= milligrams per kilogram  
PAH= Polyaromatic Hydrocarbon  
SVOC= Semi-Volatile Organic Compound

**Table G-10**  
**Wildlife Exposure Modeling of Reasonable Maximum Scenario Doses to Piscivorous Birds based on Uptake Factors from Crabs, Sediment, and Water**  
**Sparrows Point Northeast/Near-Shore**

**Exposure Parameters (Great Blue Heron)**

Sediment Ingestion Rate (kg dry wt./kg bw-day): 9.00E-04 kg/kg-day  
Food Ingestion Rate (kg dry wt./kg bw-day): 4.50E-02 kg/kg-day  
Water Ingestion Rate (L/kg bw-day): 4.50E-02 L/kg-day

Chemical	Sediment Reasonable Maximum (95% UCLM) EPC (mg/kg)	Surface Water Reasonable Maximum (95% UCLM) EPC-Typical Conditions (mg/L)	Food Item (Crab) Uptake			Reasonable Maximum Case Scenario Doses (Great Blue Heron)			
			BAF/Equation (mg/L dry wt. to mg/kg dry wt.)	Source	95UCLM Food Item Tissue Concentration (mg/kg dry wt.)	Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics									
Cadmium	4.80E+00	0.00E+00	3.10E-02	SedBAF	1.49E-01	4.32E-03	6.70E-03	0.00E+00	1.10E-02
Chromium	7.50E+02	2.16E-04	1.87E-02	SedBAF	1.40E+01	6.75E-01	6.32E-01	9.73E-06	1.31E+00
Copper	9.38E+01	2.48E-04	3.10E-02	SedBAF	2.91E+00	8.44E-02	1.31E-01	1.12E-05	2.15E-01
Cyanide (Total)	8.25E-01	9.30E-04	4.00E+00	SedBAF	3.30E+00	7.43E-04	1.49E-01	4.19E-05	1.49E-01
Lead	7.41E+01	9.80E-05	1.45E-02	SedBAF	1.07E+00	6.67E-02	4.84E-02	4.41E-06	1.15E-01
Mercury	4.20E-01	1.54E-04	5.73E-02	SedBAF	2.41E-02	3.78E-04	1.08E-03	6.92E-06	1.47E-03
Nickel	3.79E+01	1.34E-03	4.55E-02	SedBAF	1.72E+00	3.41E-02	7.76E-02	6.04E-05	1.12E-01
Silver	1.70E+00	0.00E+00	8.09E-02	SedBAF	1.38E-01	1.53E-03	6.19E-03	0.00E+00	7.72E-03
Zinc	1.03E+03	4.41E-03	9.78E-02	SedBAF	1.01E+02	9.31E-01	4.55E+00	1.99E-04	5.48E+00
PAHs									
Total LMW PAH (ND=RL)	1.32E+00	1.23E-04	4.62E-01	SedBAF	6.11E-01	1.19E-03	2.75E-02	5.53E-06	2.87E-02
Total HMW PAH (ND=RL)	3.08E+00	1.15E-05	4.48E-01	SedBAF	1.38E+00	2.77E-03	6.20E-02	5.18E-07	6.48E-02
Total PAH (ND=RL)	4.77E+00	1.34E-04	4.43E-01	SedBAF	2.11E+00	4.29E-03	9.49E-02	6.05E-06	9.92E-02
SVOCs									
Bis(2-ethylhexyl)phthalate	5.45E-01	3.17E-05	4.00E+00	SedBAF	2.18E+00	4.91E-04	9.81E-02	1.43E-06	9.86E-02

BAF= Bioaccumulation Factor  
EPC= Exposure Point Concentration  
LMW= Low Molecular Weight  
HMW= High Molecular Weight  
mg/kg= milligrams per kilogram  
PAH= Polyaromatic Hydrocarbon  
SVOC= Semi-Volatile Organic Compound  
UCLM= Upper Confidence Limit of the Mean



**Table G-11**  
**Wildlife Exposure Modeling of Screening Level Doses to Piscivorous Birds based on Uptake Factors from Fish, Sediment, and Water**  
**Sparrows Point Northeast/Near-Shore**

**Exposure Parameters (Great Blue Heron)**

Sediment Ingestion Rate (kg dry wt./kg bw-day):	9.00E-04	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	4.50E-02	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	4.50E-02	L/kg-day

Chemical	Sediment Screening Level EPC (mg/kg)	Surface Water Screening Level (Maximum) EPC- Typical Conditions (mg/L)	Food Item (Fish) Uptake			Screening Level Scenario Doses (Great Blue Heron)			
			BAF/Equation (mg/L dry wt. to mg/kg dry wt.)	Source	Maximum Food Item Tissue Concentration (mg/kg dry wt.)	Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics									
Cadmium	4.80E+00	0.00E+00	2.36E+02	SWBAF	0.00E+00	4.32E-03	0.00E+00	0.00E+00	4.32E-03
Chromium	7.50E+02	6.71E-04	8.00E+02	SWBAF	5.37E-01	6.75E-01	2.42E-02	3.02E-05	6.99E-01
Copper	1.60E+02	6.41E-04	1.86E+03	SWBAF	1.19E+00	1.44E-01	5.36E-02	2.89E-05	1.98E-01
Cyanide (Total)	1.60E+00	2.52E-03	4.00E+00	SWBAF	1.01E-02	1.44E-03	4.54E-04	1.14E-04	2.01E-03
Lead	1.10E+02	4.40E-04	4.50E+01	SWBAF	1.98E-02	9.90E-02	8.90E-04	1.98E-05	9.99E-02
Mercury	4.20E-01	6.63E-04	7.20E+03	SWBAF	4.78E+00	3.78E-04	2.15E-01	2.98E-05	2.15E-01
Nickel	4.60E+01	3.77E-03	9.60E+01	SWBAF	3.62E-01	4.14E-02	1.63E-02	1.70E-04	5.79E-02
Silver	1.70E+00	0.00E+00	3.51E+02	SWBAF	0.00E+00	1.53E-03	0.00E+00	0.00E+00	1.53E-03
Zinc	1.55E+03	1.25E-02	2.52E+02	SWBAF	3.15E+00	1.40E+00	1.42E-01	5.63E-04	1.54E+00
PAHs									
Total LMW PAH (ND=RL)	1.69E+00	3.12E-04	1.28E+04	SWBAF	3.98E+00	1.52E-03	1.79E-01	1.40E-05	1.81E-01
Total HMW PAH (ND=RL)	3.08E+00	5.10E-05	1.28E+04	SWBAF	6.51E-01	2.77E-03	2.93E-02	2.30E-06	3.21E-02
Total PAH (ND=RL)	4.77E+00	3.63E-04	1.28E+04	SWBAF	4.63E+00	4.29E-03	2.08E-01	1.63E-05	2.13E-01
SVOCs									
Bis(2-ethylhexyl)phthalate	1.60E+00	1.00E-04	6.85E+03	SWBAF	6.85E-01	1.44E-03	3.08E-02	4.50E-06	3.23E-02

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

SWBAF= Surface Water Bioaccumulation Factor

**Table G-12**  
**Wildlife Exposure Modeling of Reasonable Maximum Scenario Doses to Piscivorous Birds based on Uptake Factors from Fish, Sediment, and Water**  
**Sparrows Point Northeast/Near-Shore**

**Exposure Parameters (Great Blue Heron)**

Sediment Ingestion Rate (kg dry wt./kg bw-day): 9.00E-04 kg/kg-day  
Food Ingestion Rate (kg dry wt./kg bw-day): 4.50E-02 kg/kg-day  
Water Ingestion Rate (L/kg bw-day): 4.50E-02 L/kg-day

Chemical	Sediment Reasonable Maximum (95% UCLM) EPC (mg/kg)	Surface Water Reasonable Maximum (95% UCLM) EPC-Typical Conditions (mg/L)	Food Item (Fish) Uptake			Reasonable Maximum Case Scenario Doses (Great Blue Heron)			
			BAF/Equation (mg/L dry wt. to mg/kg dry wt.)	Source	95UCLM Food Item Tissue Concentration (mg/kg dry wt.)	Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics									
Cadmium	4.80E+00	0.00E+00	2.36E+02	SWBAF	0.00E+00	4.32E-03	0.00E+00	0.00E+00	4.32E-03
Chromium	7.50E+02	2.16E-04	8.00E+02	SWBAF	1.73E-01	6.75E-01	7.79E-03	9.73E-06	6.83E-01
Copper	9.38E+01	2.48E-04	1.86E+03	SWBAF	4.60E-01	8.44E-02	2.07E-02	1.12E-05	1.05E-01
Cyanide (Total)	8.25E-01	9.30E-04	4.00E+00	SWBAF	3.72E-03	7.43E-04	1.67E-04	4.19E-05	9.52E-04
Lead	7.41E+01	9.80E-05	4.50E+01	SWBAF	4.41E-03	6.67E-02	1.98E-04	4.41E-06	6.69E-02
Mercury	4.20E-01	1.54E-04	7.20E+03	SWBAF	1.11E+00	3.78E-04	4.98E-02	6.92E-06	5.02E-02
Nickel	3.79E+01	1.34E-03	9.60E+01	SWBAF	1.29E-01	3.41E-02	5.80E-03	6.04E-05	4.00E-02
Silver	1.70E+00	0.00E+00	3.51E+02	SWBAF	0.00E+00	1.53E-03	0.00E+00	0.00E+00	1.53E-03
Zinc	1.03E+03	4.41E-03	2.52E+02	SWBAF	1.11E+00	9.31E-01	5.00E-02	1.99E-04	9.81E-01
PAHs									
Total LMW PAH (ND=RL)	1.32E+00	1.23E-04	1.28E+04	SWBAF	1.57E+00	1.19E-03	7.06E-02	5.53E-06	7.18E-02
Total HMW PAH (ND=RL)	3.08E+00	1.15E-05	1.28E+04	SWBAF	1.47E-01	2.77E-03	6.60E-03	5.18E-07	9.37E-03
Total PAH (ND=RL)	4.77E+00	1.34E-04	1.28E+04	SWBAF	1.72E+00	4.29E-03	7.72E-02	6.05E-06	8.15E-02
SVOCs									
Bis(2-ethylhexyl)phthalate	5.45E-01	3.17E-05	6.85E+03	SWBAF	2.17E-01	4.91E-04	9.77E-03	1.43E-06	1.03E-02

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

SWBAF= Surface Water Bioaccumulation Factor

UCLM= Upper Confidence Limit of the Mean

**Table G-13**  
**Wildlife Exposure Modeling of Screening Level Doses to Piscivorous Mammals based on Uptake Factors from Crabs, Sediment, and Water**  
**Sparrows Point Northeast/Near-Shore**

**Exposure Parameters (Raccoon)**

Sediment Ingestion Rate (kg dry wt./kg bw-day): 3.40E-03 kg/kg-day  
Food Ingestion Rate (kg dry wt./kg bw-day): 1.70E-01 kg/kg-day  
Water Ingestion Rate (L/kg bw-day): 8.30E-02 g/g-day

Chemical	Sediment Screening Level EPC (mg/kg)	Surface Water Screening Level (Maximum) EPC-Typical Conditions (mg/L)	Food Item (Benthos) Uptake			Screening Level Scenario Doses (Raccoon)			
			BAF/Equation (mg/L dry wt. to mg/kg dry wt.)	Source	Maximum Food Item Tissue Concentration (mg/kg dry wt.)	Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics									
Cadmium	4.80E+00	0.00E+00	3.10E-02	SedBAF	1.49E-01	1.63E-02	2.53E-02	0.00E+00	4.16E-02
Chromium	7.50E+02	6.71E-04	1.87E-02	SedBAF	1.40E+01	2.55E+00	2.39E+00	5.57E-05	4.94E+00
Copper	1.60E+02	6.41E-04	3.10E-02	SedBAF	4.96E+00	5.44E-01	8.43E-01	5.32E-05	1.39E+00
Cyanide (Total)	1.60E+00	2.52E-03	4.00E+00	SedBAF	6.40E+00	5.44E-03	1.09E+00	2.09E-04	1.09E+00
Lead	1.10E+02	4.40E-04	1.45E-02	SedBAF	1.59E+00	3.74E-01	2.71E-01	3.65E-05	6.45E-01
Mercury	4.20E-01	6.63E-04	5.73E-02	SedBAF	2.41E-02	1.43E-03	4.09E-03	5.50E-05	5.57E-03
Nickel	4.60E+01	3.77E-03	4.55E-02	SedBAF	2.09E+00	1.56E-01	3.56E-01	3.13E-04	5.13E-01
Silver	1.70E+00	0.00E+00	8.09E-02	SedBAF	1.38E-01	5.78E-03	2.34E-02	0.00E+00	2.92E-02
Zinc	1.55E+03	1.25E-02	9.78E-02	SedBAF	1.52E+02	5.27E+00	2.58E+01	1.04E-03	3.11E+01
PAHs									
Total LMW PAH (ND=RL)	1.69E+00	3.12E-04	4.62E-01	SedBAF	7.81E-01	5.75E-03	1.33E-01	2.59E-05	1.39E-01
Total HMW PAH (ND=RL)	3.08E+00	5.10E-05	4.48E-01	SedBAF	1.38E+00	1.05E-02	2.34E-01	4.23E-06	2.45E-01
Total PAH (ND=RL)	4.77E+00	3.63E-04	4.43E-01	SedBAF	2.11E+00	1.62E-02	3.59E-01	3.01E-05	3.75E-01
SVOCs									
Bis(2-ethylhexyl)phthalate	1.60E+00	1.00E-04	4.00E+00	SedBAF	6.40E+00	5.44E-03	1.09E+00	8.30E-06	1.09E+00

BAF= Bioaccumulation Factor  
EPC= Exposure Point Concentration  
LMW= Low Molecular Weight  
HMW= High Molecular Weight  
mg/kg= milligrams per kilogram  
PAH= Polyaromatic Hydrocarbon  
SVOC= Semi-Volatile Organic Compound

**Table G-14**  
**Wildlife Exposure Modeling of Reasonable Maximum Scenario Doses to Piscivorous Mammals based on Uptake Factors from Crabs, Sediment, and Water**  
**Sparrows Point Northeast/Near-Shore**

**Exposure Parameters (Raccoon)**

Sediment Ingestion Rate (kg dry wt./kg bw-day): 3.40E-03 kg/kg-day  
Food Ingestion Rate (kg dry wt./kg bw-day): 1.70E-01 kg/kg-day  
Water Ingestion Rate (L/kg bw-day): 8.30E-02 g/g-day

Chemical	Sediment Reasonable Maximum (95% UCLM) EPC (mg/kg)	Surface Water Reasonable Maximum (95% UCLM) EPC-Typical Conditions (mg/L)	Food Item (Benthos) Uptake			Reasonable Maximum Case Scenario Doses (Raccoon)			
			BAF/Equation (mg/L dry wt. to mg/kg dry wt.)	Source	95UCLM Food Item Tissue Concentration (mg/kg dry wt.)	Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics									
Cadmium	4.80E+00	0.00E+00	3.10E-02	SedBAF	1.49E-01	1.63E-02	2.53E-02	0.00E+00	4.16E-02
Chromium	7.50E+02	2.16E-04	1.87E-02	SedBAF	1.40E+01	2.55E+00	2.39E+00	1.80E-05	4.94E+00
Copper	9.38E+01	2.48E-04	3.10E-02	SedBAF	2.91E+00	3.19E-01	4.94E-01	2.06E-05	8.13E-01
Cyanide (Total)	8.25E-01	9.30E-04	4.00E+00	SedBAF	3.30E+00	2.81E-03	5.61E-01	7.72E-05	5.64E-01
Lead	7.41E+01	9.80E-05	1.45E-02	SedBAF	1.07E+00	2.52E-01	1.83E-01	8.13E-06	4.35E-01
Mercury	4.20E-01	1.54E-04	5.73E-02	SedBAF	2.41E-02	1.43E-03	4.09E-03	1.28E-05	5.53E-03
Nickel	3.79E+01	1.34E-03	4.55E-02	SedBAF	1.72E+00	1.29E-01	2.93E-01	1.11E-04	4.22E-01
Silver	1.70E+00	0.00E+00	8.09E-02	SedBAF	1.38E-01	5.78E-03	2.34E-02	0.00E+00	2.92E-02
Zinc	1.03E+03	4.41E-03	9.78E-02	SedBAF	1.01E+02	3.52E+00	1.72E+01	3.66E-04	2.07E+01
PAHs									
Total LMW PAH (ND=RL)	1.32E+00	1.23E-04	4.62E-01	SedBAF	6.11E-01	4.50E-03	1.04E-01	1.02E-05	1.08E-01
Total HMW PAH (ND=RL)	3.08E+00	1.15E-05	4.48E-01	SedBAF	1.38E+00	1.05E-02	2.34E-01	9.55E-07	2.45E-01
Total PAH (ND=RL)	4.77E+00	1.34E-04	4.43E-01	SedBAF	2.11E+00	1.62E-02	3.59E-01	1.12E-05	3.75E-01
SVOCs									
Bis(2-ethylhexyl)phthalate	5.45E-01	3.17E-05	4.00E+00	SedBAF	2.18E+00	1.85E-03	3.71E-01	2.63E-06	3.72E-01

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

UCLM= Upper Confidence Limit of the Mean

**Table G-15**  
**Wildlife Exposure Modeling of Screening Level Doses to Piscivorous Mammals based on Uptake Factors from Fish, Sediment, and Water**  
**Sparrows Point Northeast/Near-Shore**

**Exposure Parameters (Raccoon)**

Sediment Ingestion Rate (kg dry wt./kg bw-day):	3.40E-03	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	1.70E-01	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	8.30E-02	g/g-day

Chemical	Sediment Screening Level EPC (mg/kg)	Surface Water Screening Level (Maximum) EPC-Typical Conditions (mg/L)	Food Item (Benthos) Uptake			Screening Level Scenario Doses (Raccoon)			
			BAF/Equation (mg/L dry wt. to mg/kg dry wt.)	Source	Maximum Food Item Tissue Concentration (mg/kg dry wt.)	Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics									
Cadmium	4.80E+00	0.00E+00	2.36E+02	SWBAF	0.00E+00	1.63E-02	0.00E+00	0.00E+00	1.63E-02
Chromium	7.50E+02	6.71E-04	8.00E+02	SWBAF	5.37E-01	2.55E+00	9.13E-02	5.57E-05	2.64E+00
Copper	1.60E+02	6.41E-04	1.86E+03	SWBAF	1.19E+00	5.44E-01	2.02E-01	5.32E-05	7.46E-01
Cyanide (Total)	1.60E+00	2.52E-03	4.00E+00	SWBAF	1.01E-02	5.44E-03	1.72E-03	2.09E-04	7.37E-03
Lead	1.10E+02	4.40E-04	4.50E+01	SWBAF	1.98E-02	3.74E-01	3.36E-03	3.65E-05	3.77E-01
Mercury	4.20E-01	6.63E-04	7.20E+03	SWBAF	4.78E+00	1.43E-03	8.12E-01	5.50E-05	8.13E-01
Nickel	4.60E+01	3.77E-03	9.60E+01	SWBAF	3.62E-01	1.56E-01	6.16E-02	3.13E-04	2.18E-01
Silver	1.70E+00	0.00E+00	3.51E+02	SWBAF	0.00E+00	5.78E-03	0.00E+00	0.00E+00	5.78E-03
Zinc	1.55E+03	1.25E-02	2.52E+02	SWBAF	3.15E+00	5.27E+00	5.36E-01	1.04E-03	5.81E+00
PAHs									
Total LMW PAH (ND=RL)	1.69E+00	3.12E-04	1.28E+04	SWBAF	3.98E+00	5.75E-03	6.77E-01	2.59E-05	6.82E-01
Total HMW PAH (ND=RL)	3.08E+00	5.10E-05	1.28E+04	SWBAF	6.51E-01	1.05E-02	1.11E-01	4.23E-06	1.21E-01
Total PAH (ND=RL)	4.77E+00	3.63E-04	1.28E+04	SWBAF	4.63E+00	1.62E-02	7.87E-01	3.01E-05	8.03E-01
SVOCs									
Bis(2-ethylhexyl)phthalate	1.60E+00	1.00E-04	6.85E+03	SWBAF	6.85E-01	5.44E-03	1.16E-01	8.30E-06	1.22E-01

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

SWBAF= Surface Water Bioaccumulation Factor

**Table G-16**  
**Wildlife Exposure Modeling of Reasonable Maximum Scenario Doses to Piscivorous Mammals based on Uptake Factors from Fish, Sediment, and Water**  
**Sparrows Point Northeast/Near-Shore**

**Exposure Parameters (Raccoon)**

Sediment Ingestion Rate (kg dry wt./kg bw-day): 3.40E-03 kg/kg-day  
Food Ingestion Rate (kg dry wt./kg bw-day): 1.70E-01 kg/kg-day  
Water Ingestion Rate (L/kg bw-day): 8.30E-02 L/kg-day

Chemical	Sediment Reasonable Maximum (95% UCLM) EPC (mg/kg)	Surface Water Reasonable Maximum (95% UCLM) EPC-Typical Conditions (mg/L)	Food Item (Benthos) Uptake			Reasonable Maximum Case Scenario Doses (Raccoon)			
			BAF/Equation (mg/L dry wt. to mg/kg dry wt.)	Source	95UCLM Food Item Tissue Concentration (mg/kg dry wt.)	Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics									
Cadmium	4.80E+00	0.00E+00	2.36E+02	SWBAF	0.00E+00	1.63E-02	0.00E+00	0.00E+00	1.63E-02
Chromium	7.50E+02	2.16E-04	8.00E+02	SWBAF	1.73E-01	2.55E+00	2.94E-02	1.80E-05	2.58E+00
Copper	9.38E+01	2.48E-04	1.86E+03	SWBAF	4.60E-01	3.19E-01	7.83E-02	2.06E-05	3.97E-01
Cyanide (Total)	8.25E-01	9.30E-04	4.00E+00	SWBAF	3.72E-03	2.81E-03	6.32E-04	7.72E-05	3.51E-03
Lead	7.41E+01	9.80E-05	4.50E+01	SWBAF	4.41E-03	2.52E-01	7.50E-04	8.13E-06	2.53E-01
Mercury	4.20E-01	1.54E-04	7.20E+03	SWBAF	1.11E+00	1.43E-03	1.88E-01	1.28E-05	1.90E-01
Nickel	3.79E+01	1.34E-03	9.60E+01	SWBAF	1.29E-01	1.29E-01	2.19E-02	1.11E-04	1.51E-01
Silver	1.70E+00	0.00E+00	3.51E+02	SWBAF	0.00E+00	5.78E-03	0.00E+00	0.00E+00	5.78E-03
Zinc	1.03E+03	4.41E-03	2.52E+02	SWBAF	1.11E+00	3.52E+00	1.89E-01	3.66E-04	3.70E+00
PAHs									
Total LMW PAH (ND=RL)	1.32E+00	1.23E-04	1.28E+04	SWBAF	1.57E+00	4.50E-03	2.67E-01	1.02E-05	2.71E-01
Total HMW PAH (ND=RL)	3.08E+00	1.15E-05	1.28E+04	SWBAF	1.47E-01	1.05E-02	2.49E-02	9.55E-07	3.54E-02
Total PAH (ND=RL)	4.77E+00	1.34E-04	1.28E+04	SWBAF	1.72E+00	1.62E-02	2.92E-01	1.12E-05	3.08E-01
SVOCs									
Bis(2-ethylhexyl)phthalate	5.45E-01	3.17E-05	6.85E+03	SWBAF	2.17E-01	1.85E-03	3.69E-02	2.63E-06	3.88E-02

BAF= Bioaccumulation Factor  
EPC= Exposure Point Concentration  
LMW= Low Molecular Weight  
HMW= High Molecular Weight  
mg/kg= milligrams per kilogram  
PAH= Polyaromatic Hydrocarbon  
SWBAF= Surface Water Bioaccumulation Factor  
SVOC= Semi-Volatile Organic Compound  
UCLM= Upper Confidence Limit of the Mean

**Table G-17**  
**Wildlife Exposure Modeling of Screening Level Scenario Doses to Piscivorous Birds based on Tissue Concentrations from Crabs, Sediment, and Water**  
**Sparrows Point Southwest/Tin Mill Canal Effluent**

**Exposure Parameters (Great Blue Heron)**

Sediment Ingestion Rate (kg dry wt./kg bw-day)	9.00E-04	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	4.50E-02	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	4.50E-02	L/kg-day

Chemical	Sediment Screening Level EPC (mg/kg)	Surface Water Screening Level (Maximum) EPC-Typical Conditions (mg/L)	Maximum Crab Tissue Concentration (mg/kg dry wt.)	Screening Level Scenario Doses (Great Blue Heron)			
				Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics							
Antimony	1.00E+01	3.29E-04	3.91E-02	9.00E-03	1.76E-03	1.48E-05	1.08E-02
Arsenic	1.20E+02	9.60E-04	1.24E+00	1.08E-01	5.59E-02	4.32E-05	1.64E-01
Cadmium	1.10E+02	0.00E+00	1.58E-01	9.90E-02	7.12E-03	0.00E+00	1.06E-01
Chromium	4.60E+03	9.63E-04	2.39E-01	4.14E+00	1.08E-02	4.33E-05	4.15E+00
Copper	5.50E+02	9.69E-04	1.25E+01	4.95E-01	5.62E-01	4.36E-05	1.06E+00
Lead	1.10E+03	5.37E-04	1.71E-01	9.90E-01	7.70E-03	2.42E-05	9.98E-01
Mercury	1.60E+00	3.25E-04	2.10E-02	1.44E-03	9.44E-04	1.46E-05	2.40E-03
Nickel	2.10E+02	5.80E-03	1.95E-01	1.89E-01	8.77E-03	2.61E-04	1.98E-01
Selenium	1.70E+01	0.00E+00	1.07E+00	1.53E-02	4.84E-02	0.00E+00	6.37E-02
Silver	8.10E+00	0.00E+00	3.61E-01	7.29E-03	1.63E-02	0.00E+00	2.36E-02
Thallium	9.80E-01	0.00E+00	4.69E-02	8.82E-04	2.11E-03	0.00E+00	2.99E-03
Zinc	1.70E+04	1.93E-02	4.59E+01	1.53E+01	2.07E+00	8.69E-04	1.74E+01
PAHs							
Total LMW PAH (ND=RL)	4.52E+01	4.72E-04	2.59E-01	4.07E-02	1.16E-02	2.12E-05	5.23E-02
Total HMW PAH (ND=RL)	3.92E+01	2.32E-05	2.27E-01	3.53E-02	1.02E-02	1.04E-06	4.55E-02
Total PAH (ND=RL)	8.17E+01	4.95E-04	5.44E-01	7.35E-02	2.45E-02	2.23E-05	9.80E-02
PCBs							
Aroclor-1248	9.00E+00	0.00E+00	1.27E+02	8.10E-03	5.71E+00	0.00E+00	no tissue
Aroclor-1254	3.20E+00	0.00E+00	4.51E+01	2.88E-03	2.03E+00	0.00E+00	no tissue
Aroclor-1260	2.00E+00	0.00E+00	2.82E+01	1.80E-03	1.27E+00	0.00E+00	no tissue
Total PCBs (ND=0)	1.32E+01	0.00E+00	1.44E-01	1.19E-02	6.50E-03	0.00E+00	1.84E-02
Total PCBs (ND=RL)	1.39E+01	0.00E+00	2.10E-01	1.25E-02	9.43E-03	0.00E+00	2.19E-02

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

VOC= Volatile Organic Compound

**Table G-18**  
**Wildlife Exposure Modeling of Reasonable Maximum Scenario Doses to Piscivorous Birds based on Tissue Concentrations from Crabs, Sediment, and Sparrows Point Southwest/Tin Mill Canal Effluent**

**Exposure Parameters (Great Blue Heron)**

Sediment Ingestion Rate (kg dry wt./kg bw-day)	9.00E-04	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	4.50E-02	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	4.50E-02	L/kg-day

Chemical	Sediment Reasonable Maximum (95% UCLM) EPC (mg/kg)	Surface Water Reasonable Maximum (95% UCLM) EPC- Typical Conditions (mg/L)	Maximum Crab Tissue Concentration (mg/kg dry wt.)	Reasonable Maximum Case Scenario Doses (Great Blue Heron)			
				Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics							
Antimony	5.64E+00	1.20E-04	3.91E-02	5.07E-03	1.76E-03	5.40E-06	6.84E-03
Arsenic	4.79E+01	5.13E-04	1.24E+00	4.31E-02	5.59E-02	2.31E-05	9.91E-02
Cadmium	3.04E+01	0.00E+00	1.58E-01	2.74E-02	7.12E-03	0.00E+00	3.45E-02
Chromium	2.43E+03	2.57E-04	2.39E-01	2.19E+00	1.08E-02	1.15E-05	2.20E+00
Copper	3.22E+02	2.99E-04	1.25E+01	2.90E-01	5.62E-01	1.35E-05	8.52E-01
Lead	4.67E+02	7.99E-05	1.71E-01	4.20E-01	7.70E-03	3.60E-06	4.28E-01
Mercury	8.27E-01	1.14E-04	2.10E-02	7.44E-04	9.44E-04	5.12E-06	1.69E-03
Nickel	1.11E+02	1.68E-03	1.95E-01	1.00E-01	8.77E-03	7.55E-05	1.09E-01
Selenium	8.83E+00	0.00E+00	1.07E+00	7.95E-03	4.84E-02	0.00E+00	5.63E-02
Silver	3.87E+00	0.00E+00	3.61E-01	3.48E-03	1.63E-02	0.00E+00	1.97E-02
Thallium	5.23E-01	0.00E+00	4.69E-02	4.71E-04	2.11E-03	0.00E+00	2.58E-03
Zinc	6.68E+03	5.56E-03	4.59E+01	6.01E+00	2.07E+00	2.50E-04	8.07E+00
PAHs							
Total LMW PAH (ND=RL)	1.86E+01	1.30E-04	2.59E-01	1.68E-02	1.16E-02	5.85E-06	2.84E-02
Total HMW PAH (ND=RL)	2.11E+01	8.43E-06	2.27E-01	1.90E-02	1.02E-02	3.79E-07	2.92E-02
Total PAH (ND=RL)	3.93E+01	1.38E-04	5.44E-01	3.53E-02	2.45E-02	6.23E-06	5.98E-02
PCBs							
Aroclor-1248	3.58E+00	0.00E+00	5.04E+01	3.22E-03	2.27E+00	0.00E+00	no tissue
Aroclor-1254	1.24E+00	0.00E+00	1.75E+01	1.11E-03	7.86E-01	0.00E+00	no tissue
Aroclor-1260	6.57E-01	0.00E+00	9.26E+00	5.91E-04	4.17E-01	0.00E+00	no tissue
Total PCBs (ND=0)	3.40E+00	0.00E+00	1.44E-01	3.06E-03	6.50E-03	0.00E+00	9.55E-03
Total PCBs (ND=RL)	3.53E+00	0.00E+00	2.10E-01	3.17E-03	9.43E-03	0.00E+00	1.26E-02

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

UCLM= Upper Confidence Limit of the Mean

VOC= Volatile Organic Compound



Table G-19

**Wildlife Exposure Modeling of Screening Level Scenario Doses to Piscivorous Birds based on Tissue Concentrations from Fish, Sediment, and Water  
Sparrows Point Southwest/Tin Mill Canal Effluent**

**Exposure Parameters (Great Blue Heron)**

Sediment Ingestion Rate (kg dry wt./kg bw-day)	9.00E-04	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	4.50E-02	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	4.50E-02	L/kg-day

Chemical	Sediment Screening Level EPC (mg/kg)	Surface Water Screening Level (Maximum) EPC Typical Conditions (mg/L)	Maximum Fish Tissue Concentration (mg/kg dry wt.)	Screening Level Scenario Doses (Great Blue Heron)			
				Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics							
Antimony	1.00E+01	3.29E-04	8.30E-02	9.00E-03	3.74E-03	1.48E-05	1.27E-02
Arsenic	1.20E+02	9.60E-04	7.00E-01	1.08E-01	3.15E-02	4.32E-05	1.40E-01
Chromium	4.60E+03	9.63E-04	3.60E-01	4.14E+00	1.62E-02	4.33E-05	4.16E+00
Copper	5.50E+02	9.69E-04	3.41E+01	4.95E-01	1.53E+00	4.36E-05	2.03E+00
Lead	1.10E+03	5.37E-04	7.80E-01	9.90E-01	3.51E-02	2.42E-05	1.03E+00
Mercury	1.60E+00	3.25E-04	3.40E-02	1.44E-03	1.53E-03	1.46E-05	2.98E-03
Nickel	2.10E+02	5.80E-03	1.50E-01	1.89E-01	6.75E-03	2.61E-04	1.96E-01
Selenium	1.70E+01	0.00E+00	1.80E+00	1.53E-02	8.10E-02	0.00E+00	9.63E-02
Silver	8.10E+00	0.00E+00	4.90E-01	7.29E-03	2.21E-02	0.00E+00	2.93E-02
Thallium	9.80E-01	0.00E+00	4.40E-02	8.82E-04	1.98E-03	0.00E+00	2.86E-03
Zinc	1.70E+04	1.93E-02	3.21E+01	1.53E+01	1.44E+00	8.69E-04	1.67E+01
PAHs							
Total LMW PAH (ND=RL)	4.52E+01	4.72E-04	1.78E-01	4.07E-02	8.01E-03	2.12E-05	4.87E-02
Total HMW PAH (ND=RL)	3.92E+01	2.32E-05	1.33E-01	3.53E-02	6.00E-03	1.04E-06	4.13E-02
Total PAH (ND=RL)	8.17E+01	4.95E-04	3.11E-01	7.35E-02	1.40E-02	2.23E-05	8.76E-02
PCBs							
Total PCBs (ND=0)	1.32E+01	0.00E+00	5.37E-01	1.19E-02	2.42E-02	0.00E+00	3.60E-02
Total PCBs (ND=RL)	1.39E+01	0.00E+00	5.57E-01	1.25E-02	2.51E-02	0.00E+00	3.75E-02

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

SWBAF= Surface Water Bioaccumulation Factor

VOC= Volatile Organic Compound

**Table G-20**  
**Wildlife Exposure Modeling of Reasonable Maximum Scenario Doses to Piscivorous Birds from Fish, Sediment, and Water**  
**Sparrows Point Southwest/Tin Mill Canal Effluent**

**Exposure Parameters (Great Blue Heron)**

Sediment Ingestion Rate (kg dry wt./kg bw-day):	9.00E-04	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	4.50E-02	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	4.50E-02	L/kg-day

Chemical	Sediment Reasonable Maximum (95% UCLM) EPC (mg/kg)	Surface Water Reasonable Maximum (95% UCLM) EPC-Typical Conditions (mg/L)	Maximum Fish Tissue Concentration (mg/kg dry wt.)	Reasonable Maximum Case Scenario Doses (Great Blue Heron)			
				Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics							
Antimony	5.64E+00	1.20E-04	8.30E-02	5.07E-03	3.74E-03	5.40E-06	8.81E-03
Arsenic	4.79E+01	5.13E-04	7.00E-01	4.31E-02	3.15E-02	2.31E-05	7.47E-02
Chromium	2.43E+03	2.57E-04	3.60E-01	2.19E+00	1.62E-02	1.15E-05	2.21E+00
Copper	3.22E+02	2.99E-04	3.41E+01	2.90E-01	1.53E+00	1.35E-05	1.82E+00
Lead	4.67E+02	7.99E-05	7.80E-01	4.20E-01	3.51E-02	3.60E-06	4.55E-01
Mercury	8.27E-01	1.14E-04	3.40E-02	7.44E-04	1.53E-03	5.12E-06	2.28E-03
Nickel	1.11E+02	1.68E-03	1.50E-01	1.00E-01	6.75E-03	7.55E-05	1.07E-01
Selenium	8.83E+00	0.00E+00	1.80E+00	7.95E-03	8.10E-02	0.00E+00	8.89E-02
Silver	3.87E+00	0.00E+00	4.90E-01	3.48E-03	2.21E-02	0.00E+00	2.55E-02
Thallium	5.23E-01	0.00E+00	4.40E-02	4.71E-04	1.98E-03	0.00E+00	2.45E-03
Zinc	6.68E+03	5.56E-03	3.21E+01	6.01E+00	1.44E+00	2.50E-04	7.45E+00
PAHs							
Total LMW PAH (ND=RL)	1.86E+01	1.30E-04	1.78E-01	1.68E-02	8.01E-03	5.85E-06	2.48E-02
Total HMW PAH (ND=RL)	2.11E+01	8.43E-06	1.33E-01	1.90E-02	6.00E-03	3.79E-07	2.50E-02
Total PAH (ND=RL)	3.93E+01	1.38E-04	3.11E-01	3.53E-02	1.40E-02	6.23E-06	4.94E-02
PCBs							
Total PCBs (ND=0)	3.40E+00	0.00E+00	5.37E-01	3.06E-03	2.42E-02	0.00E+00	2.72E-02
Total PCBs (ND=RL)	3.53E+00	0.00E+00	5.57E-01	3.17E-03	2.51E-02	0.00E+00	2.82E-02

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

UCLM= Upper Confidence Limit of the Mean

SWBAF= Surface Water Bioaccumulation Factor

VOC= Volatile Organic Compound

Table G-21

**Wildlife Exposure Modeling of Screening Level Scenario Doses to Piscivorous Mammals based on Tissue Concentrations from Crabs, Sediment, and Water  
Sparrows Point Southwest/Tin Mill Canal Effluent**

**Exposure Parameters (Raccoon)**

Sediment Ingestion Rate (kg dry wt./kg bw-day):	3.40E-03	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	1.70E-01	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	8.30E-02	g/g-day

Chemical	Sediment Screening Level EPC (mg/kg)	Surface Water Screening Level (Maximum) EPC-Typical Conditions (mg/L)	Maximum Crab Tissue Concentration (mg/kg dry wt.)	Screening LevelScenario Doses (Raccoon)			
				Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics							
Antimony	1.00E+01	3.29E-04	3.91E-02	3.40E-02	6.65E-03	2.73E-05	4.07E-02
Arsenic	1.20E+02	9.60E-04	1.24E+00	4.08E-01	2.11E-01	7.97E-05	6.19E-01
Cadmium	1.10E+02	0.00E+00	1.58E-01	3.74E-01	2.69E-02	0.00E+00	4.01E-01
Chromium	4.60E+03	9.63E-04	2.39E-01	1.56E+01	4.07E-02	7.99E-05	1.57E+01
Copper	5.50E+02	9.69E-04	1.25E+01	1.87E+00	2.12E+00	8.04E-05	3.99E+00
Lead	1.10E+03	5.37E-04	1.71E-01	3.74E+00	2.91E-02	4.46E-05	3.77E+00
Mercury	1.60E+00	3.25E-04	2.10E-02	5.44E-03	3.57E-03	2.70E-05	9.03E-03
Nickel	2.10E+02	5.80E-03	1.95E-01	7.14E-01	3.31E-02	4.81E-04	7.48E-01
Selenium	1.70E+01	0.00E+00	1.07E+00	5.78E-02	1.83E-01	0.00E+00	2.40E-01
Silver	8.10E+00	0.00E+00	3.61E-01	2.75E-02	6.14E-02	0.00E+00	8.90E-02
Thallium	9.80E-01	0.00E+00	4.69E-02	3.33E-03	7.97E-03	0.00E+00	1.13E-02
Zinc	1.70E+04	1.93E-02	4.59E+01	5.78E+01	7.80E+00	1.60E-03	6.56E+01
PAHs							
Total LMW PAH (ND=RL)	4.52E+01	4.72E-04	2.59E-01	1.54E-01	4.40E-02	3.92E-05	1.98E-01
Total HMW PAH (ND=RL)	3.92E+01	2.32E-05	2.27E-01	1.33E-01	3.86E-02	1.93E-06	1.72E-01
Total PAH (ND=RL)	8.17E+01	4.95E-04	5.44E-01	2.78E-01	9.24E-02	4.11E-05	3.70E-01
PCBs							
Total PCBs (ND=0)	1.32E+01	0.00E+00	1.44E-01	4.49E-02	2.45E-02	0.00E+00	6.94E-02
Total PCBs (ND=RL)	1.39E+01	0.00E+00	2.10E-01	4.72E-02	3.56E-02	0.00E+00	8.28E-02

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

VOC= Volatile Organic Compound

Table G-22

**Wildlife Exposure Modeling of Reasonable Maximum Scenario Doses to Piscivorous Mammals based on Tissue Concentrations from Crabs, Sediment, Sparrows Point Southwest/Tin Mill Canal Effluent**

**Exposure Parameters (Raccoon)**

Sediment Ingestion Rate (kg dry wt./kg bw-day):	3.40E-03	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	1.70E-01	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	8.30E-02	g/g-day

Chemical	Sediment Reasonable Maximum (95% UCLM) EPC (mg/kg)	Surface Water Reasonable Maximum (95% UCLM) EPC-Typical Conditions (mg/L)	Maximum Crab Tissue Concentration (mg/kg dry wt.)	Reasonable Maximum Case Scenario Doses (Raccoon)			
				Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics							
Antimony	5.64E+00	1.20E-04	3.91E-02	1.92E-02	6.65E-03	9.97E-06	2.58E-02
Arsenic	4.79E+01	5.13E-04	1.24E+00	1.63E-01	2.11E-01	4.26E-05	3.74E-01
Cadmium	3.04E+01	0.00E+00	1.58E-01	1.03E-01	2.69E-02	0.00E+00	1.30E-01
Chromium	2.43E+03	2.57E-04	2.39E-01	8.27E+00	4.07E-02	2.13E-05	8.31E+00
Copper	3.22E+02	2.99E-04	1.25E+01	1.10E+00	2.12E+00	2.48E-05	3.22E+00
Lead	4.67E+02	7.99E-05	1.71E-01	1.59E+00	2.91E-02	6.63E-06	1.62E+00
Mercury	8.27E-01	1.14E-04	2.10E-02	2.81E-03	3.57E-03	9.44E-06	6.39E-03
Nickel	1.11E+02	1.68E-03	1.95E-01	3.78E-01	3.31E-02	1.39E-04	4.11E-01
Selenium	8.83E+00	0.00E+00	1.07E+00	3.00E-02	1.83E-01	0.00E+00	2.13E-01
Silver	3.87E+00	0.00E+00	3.61E-01	1.32E-02	6.14E-02	0.00E+00	7.46E-02
Thallium	5.23E-01	0.00E+00	4.69E-02	1.78E-03	7.97E-03	0.00E+00	9.75E-03
Zinc	6.68E+03	5.56E-03	4.59E+01	2.27E+01	7.80E+00	4.61E-04	3.05E+01
PAHs							
Total LMW PAH (ND=RL)	1.86E+01	1.30E-04	2.59E-01	6.33E-02	4.40E-02	1.08E-05	1.07E-01
Total HMW PAH (ND=RL)	2.11E+01	8.43E-06	2.27E-01	7.17E-02	3.86E-02	7.00E-07	1.10E-01
Total PAH (ND=RL)	3.93E+01	1.38E-04	5.44E-01	1.34E-01	9.24E-02	1.15E-05	2.26E-01
PCBs							
Total PCBs (ND=0)	3.40E+00	0.00E+00	1.44E-01	1.16E-02	2.45E-02	0.00E+00	3.61E-02
Total PCBs (ND=RL)	3.53E+00	0.00E+00	2.10E-01	1.20E-02	3.56E-02	0.00E+00	4.76E-02

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

UCLM= Upper Confidence Limit of the Mean

VOC= Volatile Organic Compound

**Table G-23**  
**Wildlife Exposure Modeling of Screening Level Scenario Doses to Piscivorous Mammals based on Tissue Concentrations from Fish, Sediment, and Water**  
**Sparrows Point Southwest/Tin Mill Canal Effluent**

**Exposure Parameters (Raccoon)**

Sediment Ingestion Rate (kg dry wt./kg bw-day): 3.40E-03 kg/kg-day  
Food Ingestion Rate (kg dry wt./kg bw-day): 1.70E-01 kg/kg-day  
Water Ingestion Rate (L/kg bw-day): 8.30E-02 g/g-day

Chemical	Sediment Screening Level EPC (mg/kg)	Surface Water Screening Level (Maximum) EPC-Typical Conditions (mg/L)	Maximum Fish Tissue Concentration (mg/kg dry wt.)	Screening Level Scenario Doses (Raccoon)			
				Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics							
Antimony	1.00E+01	3.29E-04	8.30E-02	3.40E-02	1.41E-02	2.73E-05	4.81E-02
Arsenic	1.20E+02	9.60E-04	7.00E-01	4.08E-01	1.19E-01	7.97E-05	5.27E-01
Chromium	4.60E+03	9.63E-04	3.60E-01	1.56E+01	6.12E-02	7.99E-05	1.57E+01
Copper	5.50E+02	9.69E-04	3.41E+01	1.87E+00	5.80E+00	8.04E-05	7.67E+00
Lead	1.10E+03	5.37E-04	7.80E-01	3.74E+00	1.33E-01	4.46E-05	3.87E+00
Mercury	1.60E+00	3.25E-04	3.40E-02	5.44E-03	5.78E-03	2.70E-05	1.12E-02
Nickel	2.10E+02	5.80E-03	1.50E-01	7.14E-01	2.55E-02	4.81E-04	7.40E-01
Selenium	1.70E+01	0.00E+00	1.80E+00	5.78E-02	3.06E-01	0.00E+00	3.64E-01
Silver	8.10E+00	0.00E+00	4.90E-01	2.75E-02	8.33E-02	0.00E+00	1.11E-01
Thallium	9.80E-01	0.00E+00	4.40E-02	3.33E-03	7.48E-03	0.00E+00	1.08E-02
Zinc	1.70E+04	1.93E-02	3.21E+01	5.78E+01	5.46E+00	1.60E-03	6.33E+01
PAHs							
Total LMW PAH (ND=RL)	4.52E+01	4.72E-04	1.78E-01	1.54E-01	3.03E-02	3.92E-05	1.84E-01
Total HMW PAH (ND=RL)	3.92E+01	2.32E-05	1.33E-01	1.33E-01	2.27E-02	1.93E-06	1.56E-01
Total PAH (ND=RL)	8.17E+01	4.95E-04	3.11E-01	2.78E-01	5.29E-02	4.11E-05	3.31E-01
PCBs							
Total PCBs (ND=0)	1.32E+01	0.00E+00	5.37E-01	4.49E-02	9.13E-02	0.00E+00	1.36E-01
Total PCBs (ND=RL)	1.39E+01	0.00E+00	5.57E-01	4.72E-02	9.47E-02	0.00E+00	1.42E-01

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

SWBAF= Surface Water Bioaccumulation Factor

VOC= Volatile Organic Compound

Table G-24

**Wildlife Exposure Modeling of Reasonable Maximum Case Scenario Doses to Piscivorous Mammals based on Tissue Concentrations from Fish, Sediment, and Sparrows Point Southwest/Tin Mill Canal Effluent**

**Exposure Parameters (Raccoon)**

Sediment Ingestion Rate (kg dry wt./kg bw-day):	3.40E-03	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	1.70E-01	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	8.30E-02	L/kg-day

Chemical	Sediment Reasonable Maximum (95% UCLM) EPC (mg/kg)	Surface Water Reasonable Maximum (95% UCLM) EPC-Typical Conditions (mg/L)	Maximum Fish Tissue Concentration (mg/kg dry wt.)	Reasonable Maximum Case Scenario Doses (Raccoon)			
				Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics							
Antimony	5.64E+00	1.20E-04	8.30E-02	1.92E-02	1.41E-02	9.97E-06	3.33E-02
Arsenic	4.79E+01	5.13E-04	7.00E-01	1.63E-01	1.19E-01	4.26E-05	2.82E-01
Chromium	2.43E+03	2.57E-04	3.60E-01	8.27E+00	6.12E-02	2.13E-05	8.33E+00
Copper	3.22E+02	2.99E-04	3.41E+01	1.10E+00	5.80E+00	2.48E-05	6.89E+00
Lead	4.67E+02	7.99E-05	7.80E-01	1.59E+00	1.33E-01	6.63E-06	1.72E+00
Mercury	8.27E-01	1.14E-04	3.40E-02	2.81E-03	5.78E-03	9.44E-06	8.60E-03
Nickel	1.11E+02	1.68E-03	1.50E-01	3.78E-01	2.55E-02	1.39E-04	4.04E-01
Selenium	8.83E+00	0.00E+00	1.80E+00	3.00E-02	3.06E-01	0.00E+00	3.36E-01
Silver	3.87E+00	0.00E+00	4.90E-01	1.32E-02	8.33E-02	0.00E+00	9.65E-02
Thallium	5.23E-01	0.00E+00	4.40E-02	1.78E-03	7.48E-03	0.00E+00	9.26E-03
Zinc	6.68E+03	5.56E-03	3.21E+01	2.27E+01	5.46E+00	4.61E-04	2.82E+01
PAHs							
Total LMW PAH (ND=RL)	1.86E+01	1.30E-04	1.78E-01	6.33E-02	3.03E-02	1.08E-05	9.36E-02
Total HMW PAH (ND=RL)	2.11E+01	8.43E-06	1.33E-01	7.17E-02	2.27E-02	7.00E-07	9.44E-02
Total PAH (ND=RL)	3.93E+01	1.38E-04	3.11E-01	1.34E-01	5.29E-02	1.15E-05	1.86E-01
PCBs							
Total PCBs (ND=0)	3.40E+00	0.00E+00	5.37E-01	1.16E-02	9.13E-02	0.00E+00	1.03E-01
Total PCBs (ND=RL)	3.53E+00	0.00E+00	5.57E-01	1.20E-02	9.47E-02	0.00E+00	1.07E-01

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

UCLM= Upper Confidence Limit of the Mean

SWBAF= Surface Water Bioaccumulation Factor

VOC= Volatile Organic Compound

**Table G-25**  
**Wildlife Exposure Modeling of Screening Level Scenario Doses to Piscivorous Birds based on Uptake Factors from Crabs, Sediment, and Water**  
**Sparrows Point Southwest/Tin Mill Canal Effluent**

**Exposure Parameters(Great Blue Heron)**

Sediment Ingestion Rate (kg dry wt./kg bw-day):	9.00E-04	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	4.50E-02	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	4.50E-02	L/kg-day

Chemical	Sediment Screening Level EPC (mg/kg)	Surface Water Screening Level (Maximum) EPC Typical Conditions (mg/L)	Food Item (Crab) Uptake			Screening Level Scenario Doses (Great Blue Heron)			
			BAF/Equation (mg/L dry wt. to mg/kg dry wt.)	Source	Maximum Food Item Tissue Concentration (mg/kg dry wt.)	Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics									
Antimony	1.00E+01	3.29E-04	1.26E-01	SedBAF	1.26E+00	9.00E-03	5.66E-02	1.48E-05	6.56E-02
Arsenic	1.20E+02	9.60E-04	2.16E-01	SedBAF	2.60E+01	1.08E-01	1.17E+00	4.32E-05	1.28E+00
Beryllium	1.60E+00	0.00E+00	4.00E+00	SedBAF	6.40E+00	1.44E-03	2.88E-01	0.00E+00	2.89E-01
Cadmium	1.10E+02	0.00E+00	3.10E-02	SedBAF	3.41E+00	9.90E-02	1.54E-01	0.00E+00	2.53E-01
Chromium	4.60E+03	9.63E-04	1.87E-02	SedBAF	8.61E+01	4.14E+00	3.87E+00	4.33E-05	8.01E+00
Copper	5.50E+02	9.69E-04	3.10E-02	SedBAF	1.70E+01	4.95E-01	7.67E-01	4.36E-05	1.26E+00
Cyanide (Total)	3.50E+01	3.87E-03	4.00E+00	SedBAF	1.40E+02	3.15E-02	6.30E+00	1.74E-04	6.33E+00
Lead	1.10E+03	5.37E-04	1.45E-02	SedBAF	1.59E+01	9.90E-01	7.18E-01	2.42E-05	1.71E+00
Mercury	1.60E+00	3.25E-04	5.73E-02	SedBAF	9.17E-02	1.44E-03	4.13E-03	1.46E-05	5.58E-03
Nickel	2.10E+02	5.80E-03	4.55E-02	SedBAF	9.56E+00	1.89E-01	4.30E-01	2.61E-04	6.19E-01
Selenium	1.70E+01	0.00E+00	2.10E-01	SedBAF	3.57E+00	1.53E-02	1.60E-01	0.00E+00	1.76E-01
Silver	8.10E+00	0.00E+00	8.09E-02	SedBAF	6.56E-01	7.29E-03	2.95E-02	0.00E+00	3.68E-02
Thallium	9.80E-01	0.00E+00	5.56E-02	SedBAF	5.45E-02	8.82E-04	2.45E-03	0.00E+00	3.33E-03
Zinc	1.70E+04	1.93E-02	9.78E-02	SedBAF	1.66E+03	1.53E+01	7.49E+01	8.69E-04	9.02E+01
PAHs									
Total LMW PAH (ND=RL)	4.52E+01	4.72E-04	4.62E-01	SedBAF	2.09E+01	4.07E-02	9.39E-01	2.12E-05	9.80E-01
Total HMW PAH (ND=RL)	3.92E+01	2.32E-05	4.48E-01	SedBAF	1.76E+01	3.53E-02	7.91E-01	1.04E-06	8.26E-01
Total PAH (ND=RL)	8.17E+01	4.95E-04	4.43E-01	SedBAF	3.62E+01	7.35E-02	1.63E+00	2.23E-05	1.70E+00
PCBs									
Aroclor-1248	9.00E+00	0.00E+00	1.41E+01	SedBAF	1.27E+02	8.10E-03	5.71E+00	0.00E+00	5.72E+00
Aroclor-1254	3.20E+00	0.00E+00	1.41E+01	SedBAF	4.51E+01	2.88E-03	2.03E+00	0.00E+00	2.03E+00
Aroclor-1260	2.00E+00	0.00E+00	1.41E+01	SedBAF	2.82E+01	1.80E-03	1.27E+00	0.00E+00	1.27E+00
Total PCBs (ND=0)	1.32E+01	0.00E+00	2.54E+01	SedBAF	3.35E+02	1.19E-02	1.51E+01	0.00E+00	1.51E+01
Total PCBs (ND=RL)	1.39E+01	0.00E+00	2.76E+01	SedBAF	3.83E+02	1.25E-02	1.72E+01	0.00E+00	1.73E+01
SVOCs									
2,4-Dimethylphenol	5.90E-02	0.00E+00	4.00E+00	SedBAF	2.36E-01	5.31E-05	1.06E-02	0.00E+00	1.07E-02
4-Nitrophenol	3.60E+00	0.00E+00	4.00E+00	SedBAF	1.44E+01	3.24E-03	6.48E-01	0.00E+00	6.51E-01
Benzoic Acid	1.40E+00	0.00E+00	4.00E+00	SedBAF	5.60E+00	1.26E-03	2.52E-01	0.00E+00	2.53E-01
Bis(2-ethylhexyl)phthalate	5.10E+01	7.33E-05	4.00E+00	SedBAF	2.04E+02	4.59E-02	9.18E+00	3.30E-06	9.23E+00
VOCs									
Chlorobenzene	2.50E-01	0.00E+00	4.00E+00	SedBAF	1.00E+00	2.25E-04	4.50E-02	0.00E+00	4.52E-02

BAF= Bioaccumulation Factor  
EPC= Exposure Point Concentration  
LMW= Low Molecular Weight  
HMW= High Molecular Weight  
mg/kg= milligrams per kilogram  
PAH= Polyaromatic Hydrocarbon  
SVOC= Semi-Volatile Organic Compound  
VOC= Volatile Organic Compound

**Table G-26**  
**Wildlife Exposure Modeling of Reasonable Maximum Scenario Doses to Piscivorous Birds based on Uptake Factors from Crabs, Sediment, and Water**  
**Sparrows Point Southwest/Tin Mill Canal Effluent**

**Exposure Parameters (Great Blue Heron)**

Sediment Ingestion Rate (kg dry wt./kg bw-day):	9.00E-04	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	4.50E-02	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	4.50E-02	L/kg-day

Chemical	Sediment Reasonable Maximum (95% UCLM) EPC (mg/kg)	Surface Water Reasonable Maximum (95% UCLM) EPC-Typical Conditions (mg/L)	Food Item (Crab) Uptake			Reasonable Maximum Case Scenario Doses (Great Blue Heron)			
			BAF/Equation (mg/L dry wt. to mg/kg dry wt.)	Source	95UCLM Food Item Tissue Concentration (mg/kg dry wt.)	Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics									
Antimony	5.64E+00	1.20E-04	1.26E-01	SedBAF	7.09E-01	5.07E-03	3.19E-02	5.40E-06	3.70E-02
Arsenic	4.79E+01	5.13E-04	2.16E-01	SedBAF	1.04E+01	4.31E-02	4.67E-01	2.31E-05	5.10E-01
Beryllium	8.68E-01	0.00E+00	4.00E+00	SedBAF	3.47E+00	7.81E-04	1.56E-01	0.00E+00	1.57E-01
Cadmium	3.04E+01	0.00E+00	3.10E-02	SedBAF	9.43E-01	2.74E-02	4.24E-02	0.00E+00	6.98E-02
Chromium	2.43E+03	2.57E-04	1.87E-02	SedBAF	4.55E+01	2.19E+00	2.05E+00	1.15E-05	4.24E+00
Copper	3.22E+02	2.99E-04	3.10E-02	SedBAF	9.98E+00	2.90E-01	4.49E-01	1.35E-05	7.39E-01
Cyanide (Total)	1.71E+01	1.15E-03	4.00E+00	SedBAF	6.83E+01	1.54E-02	3.07E+00	5.15E-05	3.09E+00
Lead	4.67E+02	7.99E-05	1.45E-02	SedBAF	6.77E+00	4.20E-01	3.05E-01	3.60E-06	7.25E-01
Mercury	8.27E-01	1.14E-04	5.73E-02	SedBAF	4.74E-02	7.44E-04	2.13E-03	5.12E-06	2.88E-03
Nickel	1.11E+02	1.68E-03	4.55E-02	SedBAF	5.06E+00	1.00E-01	2.28E-01	7.55E-05	3.28E-01
Selenium	8.83E+00	0.00E+00	2.10E-01	SedBAF	1.85E+00	7.95E-03	8.33E-02	0.00E+00	9.13E-02
Silver	3.87E+00	0.00E+00	8.09E-02	SedBAF	3.13E-01	3.48E-03	1.41E-02	0.00E+00	1.76E-02
Thallium	5.23E-01	0.00E+00	5.56E-02	SedBAF	2.91E-02	4.71E-04	1.31E-03	0.00E+00	1.78E-03
Zinc	6.68E+03	5.56E-03	9.78E-02	SedBAF	6.53E+02	6.01E+00	2.94E+01	2.50E-04	3.54E+01
PAHs									
Total LMW PAH (ND=RL)	1.86E+01	1.30E-04	4.62E-01	SedBAF	8.59E+00	1.68E-02	3.87E-01	5.85E-06	4.04E-01
Total HMW PAH (ND=RL)	2.11E+01	8.43E-06	4.48E-01	SedBAF	9.46E+00	1.90E-02	4.26E-01	3.79E-07	4.45E-01
Total PAH (ND=RL)	3.93E+01	1.38E-04	4.43E-01	SedBAF	1.74E+01	3.53E-02	7.82E-01	6.23E-06	8.17E-01
PCBs									
Aroclor-1248	3.58E+00	0.00E+00	1.41E+01	SedBAF	5.04E+01	3.22E-03	2.27E+00	0.00E+00	2.27E+00
Aroclor-1254	1.24E+00	0.00E+00	1.41E+01	SedBAF	1.75E+01	1.11E-03	7.86E-01	0.00E+00	7.87E-01
Aroclor-1260	6.57E-01	0.00E+00	1.41E+01	SedBAF	9.26E+00	5.91E-04	4.17E-01	0.00E+00	4.17E-01
Total PCBs (ND=0)	3.40E+00	0.00E+00	2.54E+01	SedBAF	8.63E+01	3.06E-03	3.88E+00	0.00E+00	3.89E+00
Total PCBs (ND=RL)	3.53E+00	0.00E+00	2.76E+01	SedBAF	9.74E+01	3.17E-03	4.38E+00	0.00E+00	4.39E+00
SVOCs									
2,4-Dimethylphenol	5.90E-02	0.00E+00	4.00E+00	SedBAF	2.36E-01	5.31E-05	1.06E-02	0.00E+00	1.07E-02
4-Nitrophenol	3.60E+00	0.00E+00	4.00E+00	SedBAF	1.44E+01	3.24E-03	6.48E-01	0.00E+00	6.51E-01
Benzoic Acid	1.40E+00	0.00E+00	4.00E+00	SedBAF	5.60E+00	1.26E-03	2.52E-01	0.00E+00	2.53E-01
Bis(2-ethylhexyl)phthalate	1.88E+01	2.57E-05	4.00E+00	SedBAF	7.52E+01	1.69E-02	3.38E+00	1.16E-06	3.40E+00
VOCs									
Chlorobenzene	4.10E-02	0.00E+00	4.00E+00	SedBAF	1.64E-01	3.69E-05	7.38E-03	0.00E+00	7.42E-03

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polycyclic Aromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

UCLM= Upper Confidence Limit of the Mean

VOC= Volatile Organic Compound



**Table G-27**  
**Wildlife Exposure Modeling of Screening Level Scenario Doses to Piscivorous Birds based on Uptake Factors from Fish, Sediment, and Water**  
**Sparrows Point Southwest/Tin Mill Canal Effluent**

**Exposure Parameters(Great Blue Heron)**

Sediment Ingestion Rate (kg dry wt./kg bw-day):	9.00E-04	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	4.50E-02	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	4.50E-02	L/kg-day

Chemical	Sediment Screening Level EPC (mg/kg)	Surface Water Screening Level (Maximum) EPC Typical Conditions (mg/L)	Food Item (Fish) Uptake			Screening Level Scenario Doses (Great Blue Heron)			
			BAF/Equation (mg/L dry wt. to mg/kg dry wt.)	Source	Maximum Food Item Tissue Concentration (mg/kg dry wt.)	Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics									
Antimony	1.00E+01	3.29E-04	4.00E+00	SWBAF	1.32E-03	9.00E-03	5.92E-05	1.48E-05	9.07E-03
Arsenic	1.20E+02	9.60E-04	1.60E+01	SWBAF	1.54E-02	1.08E-01	6.91E-04	4.32E-05	1.09E-01
Beryllium	1.60E+00	0.00E+00	2.48E+02	SWBAF	0.00E+00	1.44E-03	0.00E+00	0.00E+00	1.44E-03
Cadmium	1.10E+02	0.00E+00	2.36E+02	SWBAF	0.00E+00	9.90E-02	0.00E+00	0.00E+00	9.90E-02
Chromium	4.60E+03	9.63E-04	8.00E+02	SWBAF	7.70E-01	4.14E+00	3.47E-02	4.33E-05	4.17E+00
Copper	5.50E+02	9.69E-04	1.86E+03	SWBAF	1.80E+00	4.95E-01	8.09E-02	4.36E-05	5.76E-01
Cyanide (Total)	3.50E+01	3.87E-03	4.00E+00	SWBAF	1.55E-02	3.15E-02	6.97E-04	1.74E-04	3.24E-02
Lead	1.10E+03	5.37E-04	4.50E+01	SWBAF	2.42E-02	9.90E-01	1.09E-03	2.42E-05	9.91E-01
Mercury	1.60E+00	3.25E-04	7.20E+03	SWBAF	2.34E+00	1.44E-03	1.05E-01	1.46E-05	1.07E-01
Nickel	2.10E+02	5.80E-03	9.60E+01	SWBAF	5.57E-01	1.89E-01	2.51E-02	2.61E-04	2.14E-01
Selenium	1.70E+01	0.00E+00	9.70E+02	SWBAF	0.00E+00	1.53E-02	0.00E+00	0.00E+00	1.53E-02
Silver	8.10E+00	0.00E+00	3.51E+02	SWBAF	0.00E+00	7.29E-03	0.00E+00	0.00E+00	7.29E-03
Thallium	9.80E-01	0.00E+00	4.00E+04	SWBAF	0.00E+00	8.82E-04	0.00E+00	0.00E+00	8.82E-04
Zinc	1.70E+04	1.93E-02	2.52E+02	SWBAF	4.86E+00	1.53E+01	2.19E-01	8.69E-04	1.55E+01
PAHs									
Total LMW PAH (ND=RL)	4.52E+01	4.72E-04	1.28E+04	SWBAF	6.02E+00	4.07E-02	2.71E-01	2.12E-05	3.12E-01
Total HMW PAH (ND=RL)	3.92E+01	2.32E-05	1.28E+04	SWBAF	2.96E-01	3.53E-02	1.33E-02	1.04E-06	4.86E-02
Total PAH (ND=RL)	8.17E+01	4.95E-04	1.28E+04	SWBAF	6.32E+00	7.35E-02	2.84E-01	2.23E-05	3.58E-01
PCBs									
Aroclor-1248	9.00E+00	0.00E+00	8.83E+04	SWBAF	0.00E+00	8.10E-03	0.00E+00	0.00E+00	8.10E-03
Aroclor-1254	3.20E+00	0.00E+00	2.16E+05	SWBAF	0.00E+00	2.88E-03	0.00E+00	0.00E+00	2.88E-03
Aroclor-1260	2.00E+00	0.00E+00	1.10E+05	SWBAF	0.00E+00	1.80E-03	0.00E+00	0.00E+00	1.80E-03
Total PCBs (ND=0)	1.32E+01	0.00E+00	1.01E+05	SWBAF	0.00E+00	1.19E-02	0.00E+00	0.00E+00	1.19E-02
Total PCBs (ND=RL)	1.39E+01	0.00E+00	1.01E+05	SWBAF	0.00E+00	1.25E-02	0.00E+00	0.00E+00	1.25E-02
SVOCs									
2,4-Dimethylphenol	5.90E-02	0.00E+00	6.12E+01	SWBAF	0.00E+00	5.31E-05	0.00E+00	0.00E+00	5.31E-05
4-Nitrophenol	3.60E+00	0.00E+00	3.38E+01	SWBAF	0.00E+00	3.24E-03	0.00E+00	0.00E+00	3.24E-03
Benzoic Acid	1.40E+00	0.00E+00	1.26E+01	SWBAF	0.00E+00	1.26E-03	0.00E+00	0.00E+00	1.26E-03
Bis(2-ethylhexyl)phthalate	5.10E+01	7.33E-05	6.85E+03	SWBAF	5.02E-01	4.59E-02	2.26E-02	3.30E-06	6.85E-02
VOCs									
Chlorobenzene	2.50E-01	0.00E+00	8.68E+00	SWBAF	0.00E+00	2.25E-04	0.00E+00	0.00E+00	2.25E-04

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

SWBAF= Surface Water Bioaccumulation Factor

VOC= Volatile Organic Compound

**Table G-28**  
**Wildlife Exposure Modeling of Reasonable Maximum Scenario Doses to Piscivorous Birds based on Uptake Factors from Fish, Sediment, and Water**  
**Sparrows Point Southwest/Tin Mill Canal Effluent**

**Exposure Parameters (Great Blue Heron)**

Sediment Ingestion Rate (kg dry wt./kg bw-day):	9.00E-04	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	4.50E-02	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	4.50E-02	L/kg-day

Chemical	Sediment Reasonable Maximum (95% UCLM) EPC (mg/kg)	Surface Water Reasonable Maximum (95% UCLM) EPC-Typical Conditions (mg/L)	Food Item (Fish) Uptake			Reasonable Maximum Case Scenario Doses (Great Blue Heron)			
			BAF/Equation (mg/L dry wt. to mg/kg dry wt.)	Source	95UCLM Food Item Tissue Concentration (mg/kg dry wt.)	Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics									
Antimony	5.64E+00	1.20E-04	4.00E+00	SWBAF	4.80E-04	5.07E-03	2.16E-05	5.40E-06	5.10E-03
Arsenic	4.79E+01	5.13E-04	1.60E+01	SWBAF	8.21E-03	4.31E-02	3.70E-04	2.31E-05	4.35E-02
Beryllium	8.68E-01	0.00E+00	2.48E+02	SWBAF	0.00E+00	7.81E-04	0.00E+00	0.00E+00	7.81E-04
Cadmium	3.04E+01	0.00E+00	2.36E+02	SWBAF	0.00E+00	2.74E-02	0.00E+00	0.00E+00	2.74E-02
Chromium	2.43E+03	2.57E-04	8.00E+02	SWBAF	2.05E-01	2.19E+00	9.24E-03	1.15E-05	2.20E+00
Copper	3.22E+02	2.99E-04	1.86E+03	SWBAF	5.55E-01	2.90E-01	2.50E-02	1.35E-05	3.15E-01
Cyanide (Total)	1.71E+01	1.15E-03	4.00E+00	SWBAF	4.58E-03	1.54E-02	2.06E-04	5.15E-05	1.56E-02
Lead	4.67E+02	7.99E-05	4.50E+01	SWBAF	3.60E-03	4.20E-01	1.62E-04	3.60E-06	4.20E-01
Mercury	8.27E-01	1.14E-04	7.20E+03	SWBAF	8.19E-01	7.44E-04	3.69E-02	5.12E-06	3.76E-02
Nickel	1.11E+02	1.68E-03	9.60E+01	SWBAF	1.61E-01	1.00E-01	7.25E-03	7.55E-05	1.07E-01
Selenium	8.83E+00	0.00E+00	9.70E+02	SWBAF	0.00E+00	7.95E-03	0.00E+00	0.00E+00	7.95E-03
Silver	3.87E+00	0.00E+00	3.51E+02	SWBAF	0.00E+00	3.48E-03	0.00E+00	0.00E+00	3.48E-03
Thallium	5.23E-01	0.00E+00	4.00E+04	SWBAF	0.00E+00	4.71E-04	0.00E+00	0.00E+00	4.71E-04
Zinc	6.68E+03	5.56E-03	2.52E+02	SWBAF	1.40E+00	6.01E+00	6.30E-02	2.50E-04	6.07E+00
PAHs									
Total LMW PAH (ND=RL)	1.86E+01	1.30E-04	1.28E+04	SWBAF	1.66E+00	1.68E-02	7.47E-02	5.85E-06	9.14E-02
Total HMW PAH (ND=RL)	2.11E+01	8.43E-06	1.28E+04	SWBAF	1.08E-01	1.90E-02	4.84E-03	3.79E-07	2.38E-02
Total PAH (ND=RL)	3.93E+01	1.38E-04	1.28E+04	SWBAF	1.77E+00	3.53E-02	7.95E-02	6.23E-06	1.15E-01
PCBs									
Aroclor-1248	3.58E+00	0.00E+00	8.83E+04	SWBAF	0.00E+00	3.22E-03	0.00E+00	0.00E+00	3.22E-03
Aroclor-1254	1.24E+00	0.00E+00	2.16E+05	SWBAF	0.00E+00	1.11E-03	0.00E+00	0.00E+00	1.11E-03
Aroclor-1260	6.57E-01	0.00E+00	1.10E+05	SWBAF	0.00E+00	5.91E-04	0.00E+00	0.00E+00	5.91E-04
Total PCBs (ND=0)	3.40E+00	0.00E+00	1.01E+05	SWBAF	0.00E+00	3.06E-03	0.00E+00	0.00E+00	3.06E-03
Total PCBs (ND=RL)	3.53E+00	0.00E+00	1.01E+05	SWBAF	0.00E+00	3.17E-03	0.00E+00	0.00E+00	3.17E-03
SVOCs									
2,4-Dimethylphenol	5.90E-02	0.00E+00	6.12E+01	SWBAF	0.00E+00	5.31E-05	0.00E+00	0.00E+00	5.31E-05
4-Nitrophenol	3.60E+00	0.00E+00	3.38E+01	SWBAF	0.00E+00	3.24E-03	0.00E+00	0.00E+00	3.24E-03
Benzoic Acid	1.40E+00	0.00E+00	1.26E+01	SWBAF	0.00E+00	1.26E-03	0.00E+00	0.00E+00	1.26E-03
Bis(2-ethylhexyl)phthalate	1.88E+01	2.57E-05	6.85E+03	SWBAF	1.76E-01	1.69E-02	7.92E-03	1.16E-06	2.48E-02
VOCs									
Chlorobenzene	4.10E-02	0.00E+00	8.68E+00	SWBAF	0.00E+00	3.69E-05	0.00E+00	0.00E+00	3.69E-05

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

UCLM= Upper Confidence Limit of the Mean

SWBAF= Surface Water Bioaccumulation Factor

VOC= Volatile Organic Compound

**Table G-29**  
**Wildlife Exposure Modeling of Screening Level Scenario Doses to Piscivorous Mammals based on Uptake Factors from Crabs, Sediment, and Water**  
**Sparrows Point Southwest/Tin Mill Canal Effluent**

**Exposure Parameters (Raccoon)**

Sediment Ingestion Rate (kg dry wt./kg bw-day): 3.40E-03 kg/kg-day  
 Food Ingestion Rate (kg dry wt./kg bw-day): 1.70E-01 kg/kg-day  
 Water Ingestion Rate (L/kg bw-day): 8.30E-02 g/g-day

Chemical	Sediment Screening Level EPC (mg/kg)	Surface Water Screening Level (Maximum) EPC-Typical Conditions (mg/L)	Food Item (Benthos) Uptake			Screening Level Scenario Doses (Raccoon)			
			BAF/Equation (mg/L dry wt. to mg/kg dry wt.)	Source	Maximum Food Item Tissue Concentration (mg/kg dry wt.)	Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics									
Antimony	1.00E+01	3.29E-04	1.26E-01	SedBAF	1.26E+00	3.40E-02	2.14E-01	2.73E-05	2.48E-01
Arsenic	1.20E+02	9.60E-04	2.16E-01	SedBAF	2.60E+01	4.08E-01	4.41E+00	7.97E-05	4.82E+00
Beryllium	1.60E+00	0.00E+00	4.00E+00	SedBAF	6.40E+00	5.44E-03	1.09E+00	0.00E+00	1.09E+00
Cadmium	1.10E+02	0.00E+00	3.10E-02	SedBAF	3.41E+00	3.74E-01	5.80E-01	0.00E+00	9.54E-01
Chromium	4.60E+03	9.63E-04	1.87E-02	SedBAF	8.61E+01	1.56E+01	1.46E+01	7.99E-05	3.03E+01
Copper	5.50E+02	9.69E-04	3.10E-02	SedBAF	1.70E+01	1.87E+00	2.90E+00	8.04E-05	4.77E+00
Cyanide (Total)	3.50E+01	3.87E-03	4.00E+00	SedBAF	1.40E+02	1.19E-01	2.38E+01	3.21E-04	2.39E+01
Lead	1.10E+03	5.37E-04	1.45E-02	SedBAF	1.59E+01	3.74E+00	2.71E+00	4.46E-05	6.45E+00
Mercury	1.60E+00	3.25E-04	5.73E-02	SedBAF	9.17E-02	5.44E-03	1.56E-02	2.70E-05	2.11E-02
Nickel	2.10E+02	5.80E-03	4.55E-02	SedBAF	9.56E+00	7.14E-01	1.63E+00	4.81E-04	2.34E+00
Selenium	1.70E+01	0.00E+00	2.10E-01	SedBAF	3.57E+00	5.78E-02	6.06E-01	0.00E+00	6.64E-01
Silver	8.10E+00	0.00E+00	8.09E-02	SedBAF	6.56E-01	2.75E-02	1.11E-01	0.00E+00	1.39E-01
Thallium	9.80E-01	0.00E+00	5.56E-02	SedBAF	5.45E-02	3.33E-03	9.26E-03	0.00E+00	1.26E-02
Zinc	1.70E+04	1.93E-02	9.78E-02	SedBAF	1.66E+03	5.78E+01	2.83E+02	1.60E-03	3.41E+02
PAHs									
Total LMW PAH (ND=RL)	4.52E+01	4.72E-04	4.62E-01	SedBAF	2.09E+01	1.54E-01	3.55E+00	3.92E-05	3.70E+00
Total HMW PAH (ND=RL)	3.92E+01	2.32E-05	4.48E-01	SedBAF	1.76E+01	1.33E-01	2.99E+00	1.93E-06	3.12E+00
Total PAH (ND=RL)	8.17E+01	4.95E-04	4.43E-01	SedBAF	3.62E+01	2.78E-01	6.15E+00	4.11E-05	6.42E+00
PCBs									
Aroclor-1248	9.00E+00	0.00E+00	1.41E+01	SedBAF	1.27E+02	3.06E-02	2.16E+01	0.00E+00	2.16E+01
Aroclor-1254	3.20E+00	0.00E+00	1.41E+01	SedBAF	4.51E+01	1.09E-02	7.67E+00	0.00E+00	7.68E+00
Aroclor-1260	2.00E+00	0.00E+00	1.41E+01	SedBAF	2.82E+01	6.80E-03	4.79E+00	0.00E+00	4.80E+00
Total PCBs (ND=0)	1.32E+01	0.00E+00	2.54E+01	SedBAF	3.35E+02	4.49E-02	5.70E+01	0.00E+00	5.70E+01
Total PCBs (ND=RL)	1.39E+01	0.00E+00	2.76E+01	SedBAF	3.83E+02	4.72E-02	6.52E+01	0.00E+00	6.52E+01
SVOCs									
2,4-Dimethylphenol	5.90E-02	0.00E+00	4.00E+00	SedBAF	2.36E-01	2.01E-04	4.01E-02	0.00E+00	4.03E-02
4-Nitrophenol	3.60E+00	0.00E+00	4.00E+00	SedBAF	1.44E+01	1.22E-02	2.45E+00	0.00E+00	2.46E+00
Benzoic Acid	1.40E+00	0.00E+00	4.00E+00	SedBAF	5.60E+00	4.76E-03	9.52E-01	0.00E+00	9.57E-01
Bis(2-ethylhexyl)phthalate	5.10E+01	7.33E-05	4.00E+00	SedBAF	2.04E+02	1.73E-01	3.47E+01	6.08E-06	3.49E+01
VOCs									
Chlorobenzene	2.50E-01	0.00E+00	4.00E+00	SedBAF	1.00E+00	8.50E-04	1.70E-01	0.00E+00	1.71E-01

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

VOC= Volatile Organic Compound

**Table G-30**  
**Wildlife Exposure Modeling of Reasonable Maximum Scenario Doses to Piscivorous Mammals based on Uptake Factors from Crabs, Sediment, and Water**  
**Sparrows Point Southwest/Tin Mill Canal Effluent**

**Exposure Parameters (Raccoon)**

Sediment Ingestion Rate (kg dry wt./kg bw-day):	3.40E-03	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	1.70E-01	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	8.30E-02	g/g-day

Chemical	Sediment Reasonable Maximum (95% UCLM) EPC (mg/kg)	Surface Water Reasonable Maximum (95% UCLM) EPC-Typical Conditions (mg/L)	Food Item (Benthos) Uptake			Reasonable Maximum Case Scenario Doses (Raccoon)			
			BAF/Equation (mg/L dry wt. to mg/kg dry wt.)	Source	95UCLM Food Item Tissue Concentration (mg/kg dry wt.)	Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics									
Antimony	5.64E+00	1.20E-04	1.26E-01	SedBAF	7.09E-01	1.92E-02	1.21E-01	9.97E-06	1.40E-01
Arsenic	4.79E+01	5.13E-04	2.16E-01	SedBAF	1.04E+01	1.63E-01	1.76E+00	4.26E-05	1.93E+00
Beryllium	8.68E-01	0.00E+00	4.00E+00	SedBAF	3.47E+00	2.95E-03	5.90E-01	0.00E+00	5.93E-01
Cadmium	3.04E+01	0.00E+00	3.10E-02	SedBAF	9.43E-01	1.03E-01	1.60E-01	0.00E+00	2.64E-01
Chromium	2.43E+03	2.57E-04	1.87E-02	SedBAF	4.55E+01	8.27E+00	7.74E+00	2.13E-05	1.60E+01
Copper	3.22E+02	2.99E-04	3.10E-02	SedBAF	9.98E+00	1.10E+00	1.70E+00	2.48E-05	2.79E+00
Cyanide (Total)	1.71E+01	1.15E-03	4.00E+00	SedBAF	6.83E+01	5.81E-02	1.16E+01	9.51E-05	1.17E+01
Lead	4.67E+02	7.99E-05	1.45E-02	SedBAF	6.77E+00	1.59E+00	1.15E+00	6.63E-06	2.74E+00
Mercury	8.27E-01	1.14E-04	5.73E-02	SedBAF	4.74E-02	2.81E-03	8.06E-03	9.44E-06	1.09E-02
Nickel	1.11E+02	1.68E-03	4.55E-02	SedBAF	5.06E+00	3.78E-01	8.61E-01	1.39E-04	1.24E+00
Selenium	8.83E+00	0.00E+00	2.10E-01	SedBAF	1.85E+00	3.00E-02	3.15E-01	0.00E+00	3.45E-01
Silver	3.87E+00	0.00E+00	8.09E-02	SedBAF	3.13E-01	1.32E-02	5.33E-02	0.00E+00	6.64E-02
Thallium	5.23E-01	0.00E+00	5.56E-02	SedBAF	2.91E-02	1.78E-03	4.94E-03	0.00E+00	6.72E-03
Zinc	6.68E+03	5.56E-03	9.78E-02	SedBAF	6.53E+02	2.27E+01	1.11E+02	4.61E-04	1.34E+02
PAHs									
Total LMW PAH (ND=RL)	1.86E+01	1.30E-04	4.62E-01	SedBAF	8.59E+00	6.33E-02	1.46E+00	1.08E-05	1.52E+00
Total HMW PAH (ND=RL)	2.11E+01	8.43E-06	4.48E-01	SedBAF	9.46E+00	7.17E-02	1.61E+00	7.00E-07	1.68E+00
Total PAH (ND=RL)	3.93E+01	1.38E-04	4.43E-01	SedBAF	1.74E+01	1.34E-01	2.95E+00	1.15E-05	3.09E+00
PCBs									
Aroclor-1248	3.58E+00	0.00E+00	1.41E+01	SedBAF	5.04E+01	1.22E-02	8.58E+00	0.00E+00	8.59E+00
Aroclor-1254	1.24E+00	0.00E+00	1.41E+01	SedBAF	1.75E+01	4.21E-03	2.97E+00	0.00E+00	2.97E+00
Aroclor-1260	6.57E-01	0.00E+00	1.41E+01	SedBAF	9.26E+00	2.23E-03	1.57E+00	0.00E+00	1.58E+00
Total PCBs (ND=0)	3.40E+00	0.00E+00	2.54E+01	SedBAF	8.63E+01	1.16E-02	1.47E+01	0.00E+00	1.47E+01
Total PCBs (ND=RL)	3.53E+00	0.00E+00	2.76E+01	SedBAF	9.74E+01	1.20E-02	1.66E+01	0.00E+00	1.66E+01
SVOCs									
2,4-Dimethylphenol	5.90E-02	0.00E+00	4.00E+00	SedBAF	2.36E-01	2.01E-04	4.01E-02	0.00E+00	4.03E-02
4-Nitrophenol	3.60E+00	0.00E+00	4.00E+00	SedBAF	1.44E+01	1.22E-02	2.45E+00	0.00E+00	2.46E+00
Benzoic Acid	1.40E+00	0.00E+00	4.00E+00	SedBAF	5.60E+00	4.76E-03	9.52E-01	0.00E+00	9.57E-01
Bis(2-ethylhexyl)phthalate	1.88E+01	2.57E-05	4.00E+00	SedBAF	7.52E+01	6.39E-02	1.28E+01	2.13E-06	1.28E+01
VOCs									
Chlorobenzene	4.10E-02	0.00E+00	4.00E+00	SedBAF	1.64E-01	1.39E-04	2.79E-02	0.00E+00	2.80E-02

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

UCLM= Upper Confidence Limit of the Mean

VOC= Volatile Organic Compound

**Table G-31**  
**Wildlife Exposure Modeling of Screening Level Scenario Doses to Piscivorous Mammals based on Uptake Factors from Fish, Sediment, and Water**  
**Sparrows Point Southwest/Tin Mill Canal Effluent**

**Exposure Parameters (Raccoon)**

Sediment Ingestion Rate (kg dry wt./kg bw-day): 3.40E-03 kg/kg-day  
Food Ingestion Rate (kg dry wt./kg bw-day): 1.70E-01 kg/kg-day  
Water Ingestion Rate (L/kg bw-day): 8.30E-02 g/g-day

Chemical	Sediment Screening Level EPC (mg/kg)	Surface Water Screening Level (Maximum) EPC-Typical Conditions (mg/L)	Food Item (Benthos) Uptake			Screening Level Scenario Doses (Raccoon)			
			BAF/Equation (mg/L dry wt. to mg/kg dry wt.)	Source	Maximum Food Item Tissue Concentration (mg/kg dry wt.)	Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics									
Antimony	1.00E+01	3.29E-04	4.00E+00	SWBAF	1.32E-03	3.40E-02	2.24E-04	2.73E-05	3.43E-02
Arsenic	1.20E+02	9.60E-04	1.60E+01	SWBAF	1.54E-02	4.08E-01	2.61E-03	7.97E-05	4.11E-01
Beryllium	1.60E+00	0.00E+00	2.48E+02	SWBAF	0.00E+00	5.44E-03	0.00E+00	0.00E+00	5.44E-03
Cadmium	1.10E+02	0.00E+00	2.36E+02	SWBAF	0.00E+00	3.74E-01	0.00E+00	0.00E+00	3.74E-01
Chromium	4.60E+03	9.63E-04	8.00E+02	SWBAF	7.70E-01	1.56E+01	1.31E-01	7.99E-05	1.58E+01
Copper	5.50E+02	9.69E-04	1.86E+03	SWBAF	1.80E+00	1.87E+00	3.06E-01	8.04E-05	2.18E+00
Cyanide (Total)	3.50E+01	3.87E-03	4.00E+00	SWBAF	1.55E-02	1.19E-01	2.63E-03	3.21E-04	1.22E-01
Lead	1.10E+03	5.37E-04	4.50E+01	SWBAF	2.42E-02	3.74E+00	4.11E-03	4.46E-05	3.74E+00
Mercury	1.60E+00	3.25E-04	7.20E+03	SWBAF	2.34E+00	5.44E-03	3.98E-01	2.70E-05	4.03E-01
Nickel	2.10E+02	5.80E-03	9.60E+01	SWBAF	5.57E-01	7.14E-01	9.47E-02	4.81E-04	8.09E-01
Selenium	1.70E+01	0.00E+00	9.70E+02	SWBAF	0.00E+00	5.78E-02	0.00E+00	0.00E+00	5.78E-02
Silver	8.10E+00	0.00E+00	3.51E+02	SWBAF	0.00E+00	2.75E-02	0.00E+00	0.00E+00	2.75E-02
Thallium	9.80E-01	0.00E+00	4.00E+04	SWBAF	0.00E+00	3.33E-03	0.00E+00	0.00E+00	3.33E-03
Zinc	1.70E+04	1.93E-02	2.52E+02	SWBAF	4.86E+00	5.78E+01	8.27E-01	1.60E-03	5.86E+01
PAHs									
Total LMW PAH (ND=RL)	4.52E+01	4.72E-04	1.28E+04	SWBAF	6.02E+00	1.54E-01	1.02E+00	3.92E-05	1.18E+00
Total HMW PAH (ND=RL)	3.92E+01	2.32E-05	1.28E+04	SWBAF	2.96E-01	1.33E-01	5.03E-02	1.93E-06	1.84E-01
Total PAH (ND=RL)	8.17E+01	4.95E-04	1.28E+04	SWBAF	6.32E+00	2.78E-01	1.07E+00	4.11E-05	1.35E+00
PCBs									
Aroclor-1248	9.00E+00	0.00E+00	8.83E+04	SWBAF	0.00E+00	3.06E-02	0.00E+00	0.00E+00	3.06E-02
Aroclor-1254	3.20E+00	0.00E+00	2.16E+05	SWBAF	0.00E+00	1.09E-02	0.00E+00	0.00E+00	1.09E-02
Aroclor-1260	2.00E+00	0.00E+00	1.10E+05	SWBAF	0.00E+00	6.80E-03	0.00E+00	0.00E+00	6.80E-03
Total PCBs (ND=0)	1.32E+01	0.00E+00	1.01E+05	SWBAF	0.00E+00	4.49E-02	0.00E+00	0.00E+00	4.49E-02
Total PCBs (ND=RL)	1.39E+01	0.00E+00	1.01E+05	SWBAF	0.00E+00	4.72E-02	0.00E+00	0.00E+00	4.72E-02
SVOCs									
2,4-Dimethylphenol	5.90E-02	0.00E+00	6.12E+01	SWBAF	0.00E+00	2.01E-04	0.00E+00	0.00E+00	2.01E-04
4-Nitrophenol	3.60E+00	0.00E+00	3.38E+01	SWBAF	0.00E+00	1.22E-02	0.00E+00	0.00E+00	1.22E-02
Benzoic Acid	1.40E+00	0.00E+00	1.26E+01	SWBAF	0.00E+00	4.76E-03	0.00E+00	0.00E+00	4.76E-03
Bis(2-ethylhexyl)phthalate	5.10E+01	7.33E-05	6.85E+03	SWBAF	5.02E-01	1.73E-01	8.53E-02	6.08E-06	2.59E-01
VOCs									
Chlorobenzene	2.50E-01	0.00E+00	8.68E+00	SWBAF	0.00E+00	8.50E-04	0.00E+00	0.00E+00	8.50E-04

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

SWBAF= Surface Water Bioaccumulation Factor

VOC= Volatile Organic Compound

**Table G-32**  
**Wildlife Exposure Modeling of Reasonable Maximum Case Doses to Piscivorous Mammals based on Uptake Factors from Fish, Sediment, and Water**  
**Sparrows Point Southwest/Tin Mill Canal Effluent**

**Exposure Parameters (Raccoon)**

Sediment Ingestion Rate (kg dry wt./kg bw-day):	3.40E-03	kg/kg-day
Food Ingestion Rate (kg dry wt./kg bw-day):	1.70E-01	kg/kg-day
Water Ingestion Rate (L/kg bw-day):	8.30E-02	L/kg-day

Chemical	Sediment Reasonable Maximum (95% UCLM) EPC (mg/kg)	Surface Water Reasonable Maximum (95% UCLM) EPC-Typical Conditions (mg/L)	Food Item (Benthos) Uptake			Reasonable Maximum Case Scenario Doses (Raccoon)			
			BAF/Equation (mg/L dry wt. to mg/kg dry wt.)	Source	95UCLM Food Item Tissue Concentration (mg/kg dry wt.)	Dose from Sediment (mg/kg bw-day)	Dose from Food (mg/kg bw-day)	Dose from Water (mg/kg bw-day)	Total Dose (mg/kg bw-day)
Inorganics									
Antimony	5.64E+00	1.20E-04	4.00E+00	SWBAF	4.80E-04	1.92E-02	8.17E-05	9.97E-06	1.93E-02
Arsenic	4.79E+01	5.13E-04	1.60E+01	SWBAF	8.21E-03	1.63E-01	1.40E-03	4.26E-05	1.64E-01
Beryllium	8.68E-01	0.00E+00	2.48E+02	SWBAF	0.00E+00	2.95E-03	0.00E+00	0.00E+00	2.95E-03
Cadmium	3.04E+01	0.00E+00	2.36E+02	SWBAF	0.00E+00	1.03E-01	0.00E+00	0.00E+00	1.03E-01
Chromium	2.43E+03	2.57E-04	8.00E+02	SWBAF	2.05E-01	8.27E+00	3.49E-02	2.13E-05	8.30E+00
Copper	3.22E+02	2.99E-04	1.86E+03	SWBAF	5.55E-01	1.10E+00	9.43E-02	2.48E-05	1.19E+00
Cyanide (Total)	1.71E+01	1.15E-03	4.00E+00	SWBAF	4.58E-03	5.81E-02	7.79E-04	9.51E-05	5.89E-02
Lead	4.67E+02	7.99E-05	4.50E+01	SWBAF	3.60E-03	1.59E+00	6.11E-04	6.63E-06	1.59E+00
Mercury	8.27E-01	1.14E-04	7.20E+03	SWBAF	8.19E-01	2.81E-03	1.39E-01	9.44E-06	1.42E-01
Nickel	1.11E+02	1.68E-03	9.60E+01	SWBAF	1.61E-01	3.78E-01	2.74E-02	1.39E-04	4.06E-01
Selenium	8.83E+00	0.00E+00	9.70E+02	SWBAF	0.00E+00	3.00E-02	0.00E+00	0.00E+00	3.00E-02
Silver	3.87E+00	0.00E+00	3.51E+02	SWBAF	0.00E+00	1.32E-02	0.00E+00	0.00E+00	1.32E-02
Thallium	5.23E-01	0.00E+00	4.00E+04	SWBAF	0.00E+00	1.78E-03	0.00E+00	0.00E+00	1.78E-03
Zinc	6.68E+03	5.56E-03	2.52E+02	SWBAF	1.40E+00	2.27E+01	2.38E-01	4.61E-04	2.29E+01
PAHs									
Total LMW PAH (ND=RL)	1.86E+01	1.30E-04	1.28E+04	SWBAF	1.66E+00	6.33E-02	2.82E-01	1.08E-05	3.45E-01
Total HMW PAH (ND=RL)	2.11E+01	8.43E-06	1.28E+04	SWBAF	1.08E-01	7.17E-02	1.83E-02	7.00E-07	9.00E-02
Total PAH (ND=RL)	3.93E+01	1.38E-04	1.28E+04	SWBAF	1.77E+00	1.34E-01	3.00E-01	1.15E-05	4.34E-01
PCBs									
Aroclor-1248	3.58E+00	0.00E+00	8.83E+04	SWBAF	0.00E+00	1.22E-02	0.00E+00	0.00E+00	1.22E-02
Aroclor-1254	1.24E+00	0.00E+00	2.16E+05	SWBAF	0.00E+00	4.21E-03	0.00E+00	0.00E+00	4.21E-03
Aroclor-1260	6.57E-01	0.00E+00	1.10E+05	SWBAF	0.00E+00	2.23E-03	0.00E+00	0.00E+00	2.23E-03
Total PCBs (ND=0)	3.40E+00	0.00E+00	1.01E+05	SWBAF	0.00E+00	1.16E-02	0.00E+00	0.00E+00	1.16E-02
Total PCBs (ND=RL)	3.53E+00	0.00E+00	1.01E+05	SWBAF	0.00E+00	1.20E-02	0.00E+00	0.00E+00	1.20E-02
SVOCs									
2,4-Dimethylphenol	5.90E-02	0.00E+00	6.12E+01	SWBAF	0.00E+00	2.01E-04	0.00E+00	0.00E+00	2.01E-04
4-Nitrophenol	3.60E+00	0.00E+00	3.38E+01	SWBAF	0.00E+00	1.22E-02	0.00E+00	0.00E+00	1.22E-02
Benzoic Acid	1.40E+00	0.00E+00	1.26E+01	SWBAF	0.00E+00	4.76E-03	0.00E+00	0.00E+00	4.76E-03
Bis(2-ethylhexyl)phthalate	1.88E+01	2.57E-05	6.85E+03	SWBAF	1.76E-01	6.39E-02	2.99E-02	2.13E-06	9.38E-02
VOCs									
Chlorobenzene	4.10E-02	0.00E+00	8.68E+00	SWBAF	0.00E+00	1.39E-04	0.00E+00	0.00E+00	1.39E-04

BAF= Bioaccumulation Factor

EPC= Exposure Point Concentration

LMW= Low Molecular Weight

HMW= High Molecular Weight

mg/kg= milligrams per kilogram

PAH= Polyaromatic Hydrocarbon

SVOC= Semi-Volatile Organic Compound

UCLM= Upper Confidence Limit of the Mean

SWBAF= Surface Water Bioaccumulation Factor

VOC= Volatile Organic Compound

**APPENDIX H**  
**HUMAN HEALTH RISK-BASED SCREENING VALUES**

*This page intentionally left blank.*



**TABLE H-1**  
**CALCULATED SITE-SPECIFIC HHRA SCREENING LEVELS FOR SEDIMENT**  
**PHASE I AREA, SPARROWS POINT TRUST**

Constituent <sup>(1)</sup>	CAS No.	Adult Calculated Concentration		Adolescent Calculated Concentration		Watermen Calculated Concentration		Selected Screening Level <sup>(1)</sup>  (mg/kg)
		Cancer (mg/kg)	Non-Cancer (mg/kg)	Cancer (mg/kg)	Non-Cancer (mg/kg)	Cancer (mg/kg)	Non-Cancer (mg/kg)	
<b>Metals</b>								
ANTIMONY	7440-36-0	NA	1.91E+03	NA	4.10E+02	NA	8.88E+02	4.10E+02
ARSENIC	7440-38-2	2.48E+02	3.19E+03	1.06E+02	6.83E+02	9.21E+01	1.48E+03	9.21E+01
BERYLLIUM	7440-41-7	NA	4.46E+02	NA	9.56E+01	NA	2.07E+02	9.56E+01
CADMIUM	7440-43-9	NA	7.97E+03	NA	1.71E+03	NA	3.70E+03	1.71E+03
CHROMIUM	7440-47-3	NA	6.22E+05	NA	1.33E+05	NA	2.89E+05	1.33E+05
COPPER	7440-50-8	NA	1.27E+06	NA	2.73E+05	NA	5.92E+05	2.73E+05
CYANIDE	57-12-5	NA	1.91E+04	NA	4.10E+03	NA	8.88E+03	4.10E+03
LEAD	7439-92-1	NA	NA	NA	NA	NA	NA	0.00E+00
MERCURY	7439-97-6	NA	2.23E+02	NA	4.78E+01	NA	1.04E+02	4.78E+01
NICKEL	7440-02-0	NA	6.37E+05	NA	1.37E+05	NA	2.96E+05	1.37E+05
SELENIUM	7782-49-2	NA	1.59E+05	NA	3.41E+04	NA	7.40E+04	3.41E+04
SILVER	7440-22-4	NA	6.37E+03	NA	1.37E+03	NA	2.96E+03	1.37E+03
THALLIUM	7440-28-0	NA	3.19E+02	NA	6.83E+01	NA	1.48E+02	6.83E+01
ZINC	7440-66-6	NA	9.56E+06	NA	2.05E+06	NA	4.44E+06	2.05E+06
<b>Polycyclic Aromatic Hydrocarbons (PAHs)</b>								
2-METHYLNAPHTHALENE	91-57-6	NA	9.81E+03	NA	2.10E+03	NA	4.55E+03	2.10E+03
ACENAPHTHENE	83-32-9	NA	1.47E+05	NA	3.15E+04	NA	6.83E+04	3.15E+04
ACENAPHTHYLENE	208-96-8	NA	1.47E+05	NA	3.15E+04	NA	6.83E+04	3.15E+04
ANTHRACENE	120-12-7	NA	7.36E+05	NA	1.58E+05	NA	3.41E+05	1.58E+05
BENZO(A)ANTHRACENE	56-55-3	1.18E+02	NA	1.68E+01	NA	4.37E+01	NA	1.68E+01
BENZO(A)PYRENE	50-32-8	1.18E+01	NA	1.68E+00	NA	4.37E+00	NA	1.68E+00
BENZO(B)FLUORANTHENE	205-99-2	1.18E+02	NA	1.68E+01	NA	4.37E+01	NA	1.68E+01
BENZO(K)FLUORANTHENE	207-08-9	1.18E+03	NA	1.68E+02	NA	4.37E+02	NA	1.68E+02
CHRYSENE	218-01-9	1.18E+04	NA	1.68E+03	NA	4.37E+03	NA	1.68E+03
DIBENZO(A,H)ANTHRACENE	53-70-3	1.18E+01	NA	1.68E+00	NA	4.37E+00	NA	1.68E+00
FLUORANTHENE	206-44-0	NA	9.81E+04	NA	2.10E+04	NA	4.55E+04	2.10E+04
FLUORENE	86-73-7	NA	9.81E+04	NA	2.10E+04	NA	4.55E+04	2.10E+04
INDENO(1,2,3-CD)PYRENE	193-39-5	1.18E+02	NA	1.68E+01	NA	4.37E+01	NA	1.68E+01
NAPHTHALENE	91-20-3	NA	4.90E+04	NA	1.05E+04	NA	2.28E+04	1.05E+04
PHENANTHRENE	85-01-8	NA	7.36E+04	NA	1.58E+04	NA	3.41E+04	1.58E+04
PYRENE	129-00-0	NA	7.36E+04	NA	1.58E+04	NA	3.41E+04	1.58E+04
<b>Semi-Volatile Organic Compounds</b>								
2,4-DIMETHYLPHENOL	105-67-9	NA	6.37E+04	NA	1.37E+04	NA	2.96E+04	1.37E+04
4-NITROPHENOL	100-02-7	NA	NA	NA	NA	NA	NA	NA
BENZOIC ACID	65-85-0	NA	1.27E+07	NA	2.73E+06	NA	5.92E+06	2.73E+06
BIS(2-ETHYLHEXYL)PHTHALATE	117-81-7	7.97E+03	6.37E+04	3.41E+03	1.37E+04	2.96E+03	2.96E+04	2.96E+03
DI-N-BUTYL PHTHALATE	84-74-2	NA	3.19E+05	NA	6.83E+04	NA	1.48E+05	6.83E+04
PHENOL	108-95-2	NA	9.56E+05	NA	2.05E+05	NA	4.44E+05	2.05E+05
<b>Volatile Organic Compounds<sup>2</sup></b>								
1,2-DICHLOROBENZENE	95-50-1	NA	2.87E+05	NA	6.14E+04	NA	1.33E+05	6.14E+04
1,3-DICHLOROBENZENE	541-73-1	NA	2.87E+05	NA	6.14E+04	NA	1.33E+05	6.14E+04
1,4-DICHLOROBENZENE	106-46-7	2.07E+04	2.23E+05	8.85E+03	4.78E+04	7.67E+03	1.04E+05	7.67E+03
BENZENE	71-43-2	4.06E+05	2.55E+06	1.74E+05	5.46E+05	1.51E+05	1.18E+06	1.51E+05
CHLOROBENZENE	108-90-7	NA	6.37E+04	NA	1.37E+04	NA	2.96E+04	1.37E+04
ETHYLBENZENE	100-41-4	3.38E+04	1.06E+06	1.45E+04	2.28E+05	1.26E+04	4.93E+05	1.26E+04
TOLUENE	108-88-3	NA	8.50E+05	NA	1.82E+05	NA	3.95E+05	1.82E+05
<b>PCBs</b>								
AROCOR 1016	12674-11-2	1.14E+03	1.59E+02	4.88E+02	3.41E+01	4.23E+02	7.40E+01	3.41E+01
AROCOR 1221	11104-28-2	3.98E+01	NA	1.71E+01	NA	1.48E+01	NA	1.48E+01
AROCOR 1232	11141-16-5	3.98E+01	NA	1.71E+01	NA	1.48E+01	NA	1.48E+01
AROCOR 1248	12672-29-6	3.98E+01	NA	1.71E+01	NA	1.48E+01	NA	1.48E+01
AROCOR 1254	11097-69-1	3.98E+01	4.55E+01	1.71E+01	9.75E+00	1.48E+01	2.11E+01	9.75E+00
AROCOR 1260	11096-82-5	3.98E+01	NA	1.71E+01	NA	1.48E+01	NA	1.48E+01

Notes:

(1) Selected Screening Level for inorganics is "NA" due to calculated values are greater than equilibrium (i.e. 1E+06 mg/kg).

**TABLE H-2**  
**CALCULATED SITE-SPECIFIC HHRA SCREENING LEVELS FOR SURFACE WATER**  
**PHASE I AREA, SPARROWS POINT TRUST**

Constituent	CAS No.	Adult Calculated Concentration		Adolescent Calculated Concentration		Watermen Calculated Concentration		Selected Screening Level  (ug/L)
		Cancer (ug/L)	Non-Cancer (ug/L)	Cancer (ug/L)	Non-Cancer (ug/L)	Cancer (ug/L)	Non-Cancer (ug/L)	
<i><b>Metals</b></i>								
ANTIMONY	7440-36-0	NA	1.31E+02	NA	1.15E+02	NA	2.22E+02	1.15E+02
ARSENIC	7440-38-2	5.09E+01	6.55E+02	8.97E+01	5.77E+02	6.91E+01	1.11E+03	5.09E+01
BERYLLIUM	7440-41-7	NA	3.06E+01	NA	2.69E+01	NA	5.18E+01	2.69E+01
CADMIUM	7440-43-9	NA	5.46E+01	NA	4.81E+01	NA	9.25E+01	4.81E+01
CHROMIUM	7440-47-3	NA	2.13E+04	NA	1.87E+04	NA	3.61E+04	1.87E+04
COPPER	7440-50-8	NA	8.73E+04	NA	7.69E+04	NA	1.48E+05	7.69E+04
CYANIDE	57-12-5	NA	1.31E+03	NA	1.15E+03	NA	2.22E+03	1.15E+03
LEAD	7439-92-1	NA	NA	NA	NA	NA	NA	15 <sup>a</sup>
MERCURY	7439-97-6	NA	2.18E+02	NA	1.92E+02	NA	3.70E+02	1.92E+02
NICKEL	7440-02-0	NA	8.73E+03	NA	7.69E+03	NA	1.48E+04	7.69E+03
SELENIUM	7782-49-2	NA	1.09E+04	NA	9.61E+03	NA	1.85E+04	9.61E+03
SILVER	7440-22-4	NA	7.28E+02	NA	6.41E+02	NA	1.23E+03	6.41E+02
THALLIUM	7440-28-0	NA	2.18E+01	NA	1.92E+01	NA	3.70E+01	NA
ZINC	7440-66-6	NA	1.09E+06	NA	9.61E+05	NA	1.85E+06	9.61E+05
<i><b>Polycyclic Aromatic Hydrocarbons (PAHs)</b></i>								
BENZO(A)PYRENE	50-32-8	NA	NA	NA	NA	NA	NA	0.00E+00
PYRENE	129-00-0	NA	3.26E+02	NA	2.87E+02	NA	5.52E+02	2.87E+02
<i><b>Semi-Volatile Organic Compounds</b></i>								
BIS(2-ETHYLHEXYL)PHTHALATE	117-81-7	2.00E+03	6.52E+04	3.52E+03	5.74E+04	2.71E+03	1.10E+05	2.00E+03

Notes:

a) The selected screening level for lead in surface water is equal to the Maximum Contaminant Level (MCL)

**TABLE H-3**  
**EXPOSURE PARAMETERS USED IN SITE-SPECIFIC SCREENING LEVEL CALCULATIONS**  
**PHASE I AREA, SPARROWS POINT TRUST**

<i>Exposure Parameters</i>	<i>Units</i>	<i>Adult</i>	<i>Youth (6-16)</i>	<i>Watermen</i>	<i>References</i>
<b><i>Dermal - Sediment</i></b>					
SA (Skin Surface Area) <sup>1</sup>	<i>cm<sup>2</sup></i>	4,090	3,760	2,530	USEPA 2011, 2014
EF (Exposure Frequency)	<i>d/year</i>	32	32	39	BPJ
ED (Exposure Duration)	<i>years</i>	20	10	25	USEPA 2011, 2014
CF (Conversion Factor)	<i>kg/mg</i>	0.000001	0.000001	0.000001	USEPA 1989
AF (Adherence Factor)	<i>mg/cm<sup>2</sup> -event</i>	0.07	0.2	0.2	USEPA 2004
ABS (Absorption Fraction)	<i>unitless</i>	<i>chemical specific</i>	<i>chemical specific</i>	<i>chemical specific</i>	USEPA 2004
BW (Body Weight)	<i>kg</i>	80	45	80	USEPA 2011, 2014
ATc (Averaging Time-Cancer)	<i>d/yr</i>	25,550	25,550	25,550	USEPA 1989
ATnc (Averaging Time-NonCancer)	<i>d/yr</i>	7,300	3,650	9,125	USEPA 1989
<b><i>Dermal - Surface Water</i></b>					
SA (Skin Surface Area) <sup>2</sup>	<i>cm<sup>2</sup></i>	20,900	13,350	2,530	USEPA 2011, 2014
ET (Exposure Time)	<i>hours/day</i>	2	2	8	BPJ
EF (Exposure Frequency)	<i>d/year</i>	32	32	39	BPJ
ED (Exposure Duration)	<i>years</i>	20	10	25	USEPA 2011, 2014
CF (Conversion Factor)	<i>L/cm<sup>3</sup></i>	0.001	0.001	0.001	USEPA 1989
PC (Permeability Constant)	<i>cm/hr</i>	<i>chemical specific</i>	<i>chemical specific</i>	<i>chemical specific</i>	
ATc (Averaging Time-Cancer)	<i>d/yr</i>	25,550	25,550	25,550	USEPA 1989
ATnc (Averaging Time-NonCancer)	<i>d/yr</i>	7,300	3,650	9,125	USEPA 1989
BW (Body Weight)	<i>kg</i>	80	45	80	USEPA 2011, 2014

**Notes:**

BPJ = Best Professional Judgement

(1) Skin surface area for the recreational user exposure to sediment assumes contact with lower legs and feet only. For the watermen, contact is with the hands and forearms only. The surface area selected is the 50th percentile.

(2) Skin surface area for recreational user exposure to surface water assumes full body exposure. For the watermen, contact is with the hands and forearms only. The surface area selected is the 50th percentile.

**References:**

USEPA, 1989. *Risk Assessment Guidance for Superfund, Volume I: Human Health Evaluation Manual (Part A)*. Office of Emergency and Remedial Response, EPA/540/1-89/002. December.

USEPA, 2004. *Risk Assessment Guidance for Superfund, Volume I: Human Health Evaluation Manual (Part E: Supplemental Guidance for Dermal Risk Assessment). Final*. Office of Superfund Remediation and Technology Innovation, EPA/540/R-99/005. July.

USEPA, 2011. *Exposure Factors Handbook: 2011 Edition*. Office of Research and Development, EPA/600/R-090/052F. September.

USEPA, 2014. *Human Health Evaluation Manual, Supplemental Guidance: Update of Standard Default Exposure Factors*. Office of Solid Waste and Emergency Response, OSWER Directive 9200.1-120. February 6.

**TABLE H-4**  
**CALCULATIONS FOR SITE-SPECIFIC SEDIMENT HHRA SCREENING LEVELS**  
**PHASE I AREA, SPARROWS POINT TRUST**

Receptor	CANCER			NON-CANCER		
	Ingestion intake variable	Dermal intake variable	Inhalation intake variable	Ingestion intake variable	Dermal intake variable	Inhalation intake variable
Adult	NA	8.96E-08	NA	NA	3.14E-07	NA
Adolescent	NA	2.09E-07	NA	NA	1.47E-06	NA
Watermen	NA	2.41E-07	NA	NA	6.76E-07	NA

Acceptable risk = 1.00E-06  
Acceptable HI = 0.1

**For Non-Cancer**  
Screening Level (mg/kg) = 
$$\frac{[\text{Target HI} \times \text{AT}_{nc} \times \text{BW}]}{[\text{EF} \times \text{ED} \times (1/\text{RfD}_o \times \text{GIABS}) \times \text{SA} \times \text{AF} \times \text{ABS} \times \text{CF}]}$$

**For Cancer**  
Screening Level (mg/kg) = 
$$\frac{[\text{Target Risk} \times \text{AT}_c \times \text{BW}]}{[\text{EF} \times \text{ED} \times (\text{CSF}_o/\text{GIABS}) \times \text{SA} \times \text{AF} \times \text{ABS} \times \text{CF}]}$$

Constituent		CAS No.	Oral		GI ABS <sup>(1)</sup>	Dermal		ABS <sup>(1)</sup>	Mutagen	Cancer			Non-Cancer		
			CSF <sub>o</sub> (mg/kg-day) <sup>-1</sup>	RfD <sub>o</sub> (mg/kg-day)		CSF <sub>d</sub> (mg/kg-day) <sup>-1</sup>	RfD <sub>d</sub> (mg/kg-day)			Dermal			Dermal		
										Adult (mg/kg)	Adolescent (mg/kg)	Watermen (mg/kg)	Adult (mg/kg)	Adolescent (mg/kg)	Watermen (mg/kg)
<b>Metals</b>															
ANTIMONY	7440-36-0	NA	4.00E-04	0.15	NA	6.00E-05	0.01			NA	NA	NA	1.91E+03	4.10E+02	8.88E+02
ARSENIC	7440-38-2	1.50E+00	3.00E-04	1	1.50E+00	3.00E-04	0.03			2.48E+02	1.06E+02	9.21E+01	3.19E+03	6.83E+02	1.48E+03
BERYLLIUM	7440-41-7	NA	2.00E-03	0.007	NA	1.40E-05	0.01			NA	NA	NA	4.46E+02	9.56E+01	2.07E+02
CADMIUM	7440-43-9	NA	1.00E-03	0.025	NA	2.50E-05	0.001			NA	NA	NA	7.97E+03	1.71E+03	3.70E+03
CHROMIUM	7440-47-3	NA	1.50E+00	0.013	NA	1.95E-02	0.01			NA	NA	NA	6.22E+05	1.33E+05	2.89E+05
COPPER	7440-50-8	NA	4.00E-02	1	NA	4.00E-02	0.01			NA	NA	NA	1.27E+06	2.73E+05	5.92E+05
CYANIDE	57-12-5	NA	6.00E-04	1	NA	6.00E-04	0.01			NA	NA	NA	1.91E+04	4.10E+03	8.88E+03
LEAD	7439-92-1	NA	NA	1	NA	NA	0.01			NA	NA	NA	NA	NA	NA
MERCURY	7439-97-6	NA	1.00E-04	0.07	NA	7.00E-06	0.01			NA	NA	NA	2.23E+02	4.78E+01	1.04E+02
NICKEL	7440-02-0	NA	2.00E-02	1	NA	2.00E-02	0.01			NA	NA	NA	6.37E+05	1.37E+05	2.96E+05
SELENIUM	7782-49-2	NA	5.00E-03	1	NA	5.00E-03	0.01			NA	NA	NA	1.59E+05	3.41E+04	7.40E+04
SILVER	7440-22-4	NA	5.00E-03	0.04	NA	2.00E-04	0.01			NA	NA	NA	6.37E+03	1.37E+03	2.96E+03
THALLIUM	7440-28-0	NA	1.00E-05	1	NA	1.00E-05	0.01			NA	NA	NA	3.19E+02	6.83E+01	1.48E+02
ZINC	7440-66-6	NA	3.00E-01	1	NA	3.00E-01	0.01			NA	NA	NA	9.56E+06	2.05E+06	4.44E+06
<b>Polycyclic Aromatic Hydrocarbons (PAHs)</b>															
2-METHYLNAPHTHALENE	91-57-6	NA	4.00E-03	1	NA	4.00E-03	0.13			NA	NA	NA	9.81E+03	2.10E+03	4.55E+03
ACENAPHTHENE	83-32-9	NA	6.00E-02	1	NA	6.00E-02	0.13			NA	NA	NA	1.47E+05	3.15E+04	6.83E+04
ACENAPHTHYLENE	208-96-8	NA	6.00E-02	1	NA	6.00E-02	0.13			NA	NA	NA	1.47E+05	3.15E+04	6.83E+04
ANTHRACENE	120-12-7	NA	3.00E-01	1	NA	3.00E-01	0.13			NA	NA	NA	7.36E+05	1.58E+05	3.41E+05
BENZO(A)ANTHRACENE	56-55-3	7.30E-01	NA	1	7.30E-01	NA	0.13	M		1.18E+02	1.68E+01	4.37E+01	NA	NA	NA
BENZO(A)PYRENE	50-32-8	7.30E+00	NA	1	7.30E+00	NA	0.13	M		1.18E+01	1.68E+00	4.37E+00	NA	NA	NA
BENZO(B)FLUORANTHENE	205-99-2	7.30E-01	NA	1	7.30E-01	NA	0.13	M		1.18E+02	1.68E+01	4.37E+01	NA	NA	NA
BENZO(K)FLUORANTHENE	207-08-9	7.30E-02	NA	1	7.30E-02	NA	0.13	M		1.18E+03	1.68E+02	4.37E+02	NA	NA	NA
CHRYSENE	218-01-9	7.30E-03	NA	1	7.30E-03	NA	0.13	M		1.18E+04	1.68E+03	4.37E+03	NA	NA	NA
DIBENZO(A,H)ANTHRACENE	53-70-3	7.30E+00	NA	1	7.30E+00	NA	0.13	M		1.18E+01	1.68E+00	4.37E+00	NA	NA	NA
FLUORANTHENE	206-44-0	NA	4.00E-02	1	NA	4.00E-02	0.13			NA	NA	NA	9.81E+04	2.10E+04	4.55E+04
FLUORENE	86-73-7	NA	4.00E-02	1	NA	4.00E-02	0.13			NA	NA	NA	9.81E+04	2.10E+04	4.55E+04
INDENO(1,2,3-CD)PYRENE	193-39-5	7.30E-01	NA	1	7.30E-01	NA	0.13	M		1.18E+02	1.68E+01	4.37E+01	NA	NA	NA
NAPHTHALENE	91-20-3	NA	2.00E-02	1	NA	2.00E-02	0.13			NA	NA	NA	4.90E+04	1.05E+04	2.28E+04
PHENANTHRENE	85-01-8	NA	3.00E-02	1	NA	3.00E-02	0.13			NA	NA	NA	7.36E+04	1.58E+04	3.41E+04
PYRENE	129-00-0	NA	3.00E-02	1	NA	3.00E-02	0.13			NA	NA	NA	7.36E+04	1.58E+04	3.41E+04
<b>Semi-Volatile Organic Compounds</b>															
2,4-DIMETHYLPHENOL	105-67-9	NA	2.00E-02	1	NA	2.00E-02	0.1			NA	NA	NA	6.37E+04	1.37E+04	2.96E+04
4-NITROPHENOL	100-02-7	NA	NA	1	NA	NA	0.1			NA	NA	NA	NA	NA	NA
BENZOIC ACID	65-85-0	NA	4.00E+00	1	NA	4.00E+00	0.1			NA	NA	NA	1.27E+07	2.73E+06	5.92E+06
BIS(2-ETHYLHEXYL)PHTHALATE	117-81-7	1.40E-02	2.00E-02	1	1.40E-02	2.00E-02	0.1			7.97E+03	3.41E+03	2.96E+03	6.37E+04	1.37E+04	2.96E+04
DI-N-BUTYL PHTHALATE	84-74-2	NA	1.00E-01	1	NA	1.00E-01	0.1			NA	NA	NA	3.19E+05	6.83E+04	1.48E+05
PHENOL	108-95-2	NA	3.00E-01	1	NA	3.00E-01	0.1			NA	NA	NA	9.56E+05	2.05E+05	4.44E+05
<b>Volatile Organic Compounds<sup>2</sup></b>															
1,2-DICHLOROBENZENE	95-50-1	NA	9.00E-02	1	NA	9.00E-02	0.1			NA	NA	NA	2.87E+05	6.14E+04	1.33E+05
1,3-DICHLOROBENZENE	541-73-1	NA	9.00E-02	1	NA	9.00E-02	0.1			NA	NA	NA	2.87E+05	6.14E+04	1.33E+05

**TABLE H-4**  
**CALCULATIONS FOR SITE-SPECIFIC SEDIMENT HHRA SCREENING LEVELS**  
**PHASE I AREA, SPARROWS POINT TRUST**

Receptor	CANCER			NON-CANCER		
	Ingestion intake variable	Dermal intake variable	Inhalation intake variable	Ingestion intake variable	Dermal intake variable	Inhalation intake variable
Adult	NA	8.96E-08	NA	NA	3.14E-07	NA
Adolescent	NA	2.09E-07	NA	NA	1.47E-06	NA
Watermen	NA	2.41E-07	NA	NA	6.76E-07	NA

Acceptable risk = 1.00E-06  
Acceptable HI = 0.1

**For Non-Cancer**  
Screening Level (mg/kg) = 
$$\frac{[\text{Target HI} \times \text{AT}_{\text{nc}} \times \text{BW}]}{[\text{EF} \times \text{ED} \times (1/\text{RfD}_o \times \text{GIABS}) \times \text{SA} \times \text{AF} \times \text{ABS} \times \text{CF}]}$$

**For Cancer**  
Screening Level (mg/kg) = 
$$\frac{[\text{Target Risk} \times \text{AT}_c \times \text{BW}]}{[\text{EF} \times \text{ED} \times (\text{CSF}_o/\text{GIABS}) \times \text{SA} \times \text{AF} \times \text{ABS} \times \text{CF}]}$$

Constituent	CAS No.	Oral		GI ABS <sup>(1)</sup>	Dermal		ABS <sup>(1)</sup>	Mutagen	Cancer			Non-Cancer		
		CSF <sub>o</sub>	RfD <sub>o</sub>		CSF <sub>d</sub>	RfD <sub>d</sub>			Adult	Dermal		Adult	Dermal	
		(mg/kg-day) <sup>-1</sup>	(mg/kg-day)		(mg/kg-day) <sup>-1</sup>	(mg/kg-day)				(mg/kg)	(mg/kg)		(mg/kg)	(mg/kg)
1,4-DICHLOROBENZENE	106-46-7	5.40E-03	7.00E-02	1	5.40E-03	7.00E-02	0.1		2.07E+04	8.85E+03	7.67E+03	2.23E+05	4.78E+04	1.04E+05
BENZENE	71-43-2	5.50E-02	4.00E-03	1	5.50E-02	4.00E-03	0.0005		4.06E+05	1.74E+05	1.51E+05	2.55E+06	5.46E+05	1.18E+06
CHLOROBENZENE	108-90-7	NA	2.00E-02	1	NA	2.00E-02	0.1		NA	NA	NA	6.37E+04	1.37E+04	2.96E+04
ETHYLBENZENE	100-41-4	1.10E-02	1.00E-01	1	1.10E-02	1.00E-01	0.03		3.38E+04	1.45E+04	1.26E+04	1.06E+06	2.28E+05	4.93E+05
TOLUENE	108-88-3	NA	8.00E-02	1	NA	8.00E-02	0.03		NA	NA	NA	8.50E+05	1.82E+05	3.95E+05
<b>PCBs</b>														
AROCLOR 1016	12674-11-2	7.00E-02	7.00E-05	1	7.00E-02	7.00E-05	0.14		1.14E+03	4.88E+02	4.23E+02	1.59E+02	3.41E+01	7.40E+01
AROCLOR 1221	11104-28-2	2.00E+00	NA	1	2.00E+00	NA	0.14		3.98E+01	1.71E+01	1.48E+01	NA	NA	NA
AROCLOR 1232	11141-16-5	2.00E+00	NA	1	2.00E+00	NA	0.14		3.98E+01	1.71E+01	1.48E+01	NA	NA	NA
AROCLOR 1248	12672-29-6	2.00E+00	NA	1	2.00E+00	NA	0.14		3.98E+01	1.71E+01	1.48E+01	NA	NA	NA
AROCLOR 1254	11097-69-1	2.00E+00	2.00E-05	1	2.00E+00	2.00E-05	0.14		3.98E+01	1.71E+01	1.48E+01	4.55E+01	9.75E+00	2.11E+01
AROCLOR 1260	11096-82-5	2.00E+00	NA	1	2.00E+00	NA	0.14		3.98E+01	1.71E+01	1.48E+01	NA	NA	NA

- (1) Taken from U.S. EPA 2004, *Risk Assessment guidance for Superfund, Volume I: Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment)* , Final. OSWER 9285.7-02EP and U.S. EPA 2003, Region 3, *Updated Dermal Exposure Assessment: Principles and Methods*.  
(2) ABS values for some metals and all volatile organic compounds taken from EPA Region 3 *Technical Guidance Manual, Assessing Dermal Exposure From Soil* . Office of Superfund Programs. December 1995.

**TABLE H-5**  
**CALCULATIONS FOR SITE-SPECIFIC SURFACE WATER SCREENING LEVELS**  
**PHASE I AREA, SPARROWS POINT TRUST**

Receptor	CANCER			NON-CANCER		
	Ingestion intake variable	Dermal intake variable	Inhalation intake variable	Ingestion intake variable	Dermal intake variable	Inhalation intake variable
Adult	NA	7.64E+04	NA	NA	2.18E+04	NA
Adolescent	NA	1.35E+05	NA	NA	1.92E+04	NA
Watermen	NA	1.04E+05	NA	NA	3.70E+04	NA

Acceptable risk = 1.00E-06

Acceptable HI = 0.1

**For Non-Cancer**

$$\text{Screening Level (mg/kg)} = \frac{[\text{Target HI} \times \text{AT}_{\text{nc}} \times \text{BW}]}{[\text{EF} \times \text{ED} \times (1/\text{RfD}_0 \times \text{GIABS}) \times \text{SA} \times \text{PC} \times \text{ET} \times \text{CF}]}$$

**For Cancer**

$$\text{Screening Level (mg/kg)} = \frac{[\text{Target Risk} \times \text{AT}_c \times \text{BW}]}{[\text{EF} \times \text{ED} \times (\text{CSF}_D/\text{GIABS}) \times \text{SA} \times \text{PC} \times \text{ET} \times \text{CF}]}$$

Constituent		CAS No.	Oral		GI ABS <sup>(1)</sup>	Dermal		PC <sup>(1)</sup> (cm/hr)	Mutagen	Cancer			Non-Cancer		
			Slope Factor (mg/kg-day) <sup>-1</sup>	RfD (mg/kg-day)		Slope Factor (mg/kg-day) <sup>-1</sup>	RfD (mg/kg-day)			Dermal			Dermal		
										Adult (ug/L)	Adolescent (ug/L)	Watermen (ug/L)	Adult (ug/L)	Adolescent (ug/L)	Watermen (ug/L)
<b>Metals</b>															
ANTIMONY	7440-36-0	NA	4.00E-04	0.15	NA	6.00E-05	1.00E-03			NA	NA	NA	1.31E+02	1.15E+02	2.22E+02
ARSENIC	7440-38-2	1.50E+00	3.00E-04	1	1.50E+00	3.00E-04	1.00E-03			5.09E+01	8.97E+01	6.91E+01	6.55E+02	5.77E+02	1.11E+03
BERYLLIUM	7440-41-7	NA	2.00E-03	0.007	NA	1.40E-05	1.00E-03			NA	NA	NA	3.06E+01	2.69E+01	5.18E+01
CADMIUM	7440-43-9	NA	1.00E-03	0.025	NA	2.50E-05	1.00E-03			NA	NA	NA	5.46E+01	4.81E+01	9.25E+01
CHROMIUM	7440-47-3	NA	1.50E+00	0.013	NA	1.95E-02	2.00E-03			NA	NA	NA	2.13E+04	1.87E+04	3.61E+04
COPPER	7440-50-8	NA	4.00E-02	1	NA	4.00E-02	1.00E-03			NA	NA	NA	8.73E+04	7.69E+04	1.48E+05
CYANIDE	57-12-5	NA	6.00E-04	1	NA	6.00E-04	1.00E-03			NA	NA	NA	1.31E+03	1.15E+03	2.22E+03
LEAD	7439-92-1	NA	NA	1	NA	NA	1.00E-03			NA	NA	NA	NA	NA	NA
MERCURY	7439-97-6	NA	1.00E-04	1	NA	1.00E-04	1.00E-03			NA	NA	NA	2.18E+02	1.92E+02	3.70E+02
NICKEL	7440-02-0	NA	2.00E-02	0.04	NA	8.00E-04	2.00E-04			NA	NA	NA	8.73E+03	7.69E+03	1.48E+04
SELENIUM	7782-49-2	NA	5.00E-03	1	NA	5.00E-03	1.00E-03			NA	NA	NA	1.09E+04	9.61E+03	1.85E+04
SILVER	7440-22-4	NA	5.00E-03	0.04	NA	2.00E-04	6.00E-04			NA	NA	NA	7.28E+02	6.41E+02	1.23E+03
THALLIUM	7440-28-0	NA	1.00E-05	1	NA	1.00E-05	1.00E-03			NA	NA	NA	2.18E+01	1.92E+01	3.70E+01
ZINC	7440-66-6	NA	3.00E-01	1	NA	3.00E-01	6.00E-04			NA	NA	NA	1.09E+06	9.61E+05	1.85E+06
<b>Polycyclic Aromatic Hydrocarbons (PAHs)</b>															
BENZO(A)PYRENE	50-32-8	7.30E+00	NA	1	7.30E+00	NA	NA	M		NA	NA	NA	NA	NA	NA
PYRENE	129-00-0	NA	3.00E-02	1	NA	3.00E-02	2.01E-01			NA	NA	NA	3.26E+02	2.87E+02	5.52E+02
<b>Semi-Volatile Organic Compounds</b>															
2,4-DIMETHYLPHENOL	105-67-9	NA	2.00E-02	1	NA	2.00E-02	1.10E-02			NA	NA	NA	3.97E+03	3.50E+03	6.73E+03
BIS(2-ETHYLHEXYL)PHTHALATE	117-81-7	1.40E-02	2.00E-02	1	1.40E-02	2.00E-02	1.10E+00			4.96E+00	8.74E+00	6.73E+00	3.97E+01	3.50E+01	6.73E+01

(1) For metals, taken from U.S. EPA 2004, *Risk Assessment guidance for Superfund, Volume I: Human Health Evaluation Manual (Part E, Supplemental Guidance for Dermal Risk Assessment)* , Final. OSWER 9285.7-02EP.

For PAHs and semi-volatile organic compounds, taken from U.S. EPA 2015, *Regional Screening Levels (RSLs) Chemical-Specific Parameters Screening Table* . June.