Water Quality Reports

Allegany County Government itself does not own any source of water. The County purchases all potable water from regional suppliers: the Cities of Cumberland and Frostburg and the Town of Westernport in Allegany County, and the City of Keyser in West Virginia. This water is subsequently distributed and sold to individual customers by the County.

The <u>City of Cumberland water supply (PDF)</u> is used for the Barton Business Park Industrial Area, Bowman's Addition, Bowling Green, Corriganville, Cresaptown, Ellerslie, Mexico Farms, Oldtown Road, and Shades Lane. **Known as the Allegany Eastern Water District.**

The <u>City of Frostburg water supply (PDF)</u> is used for Borden, Carlos, Consol, Eckhart, Grahamtown, Hoffman, Klondike, Morantown, Route 36, Shaft, Vale Summit, Woodland, and Zihlman. **Known as the Allegany Western Water District**

The <u>Town of Westernport water supply (PDF)</u> is used for Grand View Apartments and Moran Manor. **Known** as the Brophytown Water District.

The <u>City of Keyser water supply (PDF)</u> is used for McCoole. Water Quality Report. Known as the Allegany Southern Water District.

Quick Links

- · Lead and Copper Rule
- EPA Lead in Your Drinking Water
- DrinkTap.org

View All

What You Should Know About Your Drinking Water Supply

Published by the City of Cumberland - Utilities Division

2018 Water Quality Report

Maryland Public Water Service Identification Number – 0010008 Pennsylvania Public Water Service Identification Number - 4050028 In Accordance with the U.S. Environmental Protection Agency National Primary Drinking Water Regulation 40 CFR 141

Introduction: The City of Cumberland is pleased to present to you this year's Annual Water Quality Report detailing all contaminant information collected between January 1 and December 31, 2017. The report is designed to inform you about the quality water services delivered to you every day. Our goal is to provide you with a safe and dependable drinking water supply. We want you to be aware of the efforts we make to continually improve the water treatment process and to protect our water resources. The City of Cumberland analyzes its drinking water for all parameters outlined in the National Primary Drinking Water Regulation: Consumer Confidence Report 40 CFR 141 unless a waiver has been granted by Maryland Department of the Environment and/or Pennsylvania Department of Environmental Protection. The City also analyzes for many unregulated chemical compounds. Parameters and compounds that were detected in treated water over the calendar year are displayed in the 2017 Water Quality Data Chart.

Where Does Your Drinking Water Originate: The water for the City of Cumberland is surface water originating from the Lake Koon and Gordon reservoirs located in the Cumberland Valley Township, Bedford County, Pennsylvania. The primary tributaries supplying water to the reservoirs are Evitts Creek, Growden Run, Oster Run as well as several unnamed tributaries.

Water Treatment: Surface water treatment facilities like Cumberland's are designed and operated to take a raw water source of variable quality and produce consistent high quality drinking water. Multiple treatment processes are provided in series and each process represents a barrier to prevent the passage of particulate matter, cysts and other microbial contaminants. Our Water Treatment Facility utilizes barriers which include clarification, filtration, and disinfection.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases, radioactive material, and can pickup substances resulting from the presence of animals or from human activity. Contaminants that may be present in source water include:

- Microbial contaminants such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
- Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.
- Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, and residential uses.
- Organic chemical contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial
 processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.
- Radioactive contaminants, which can be naturally occurring or be the result of oil and gas production and mining activities.

In accordance with the Drinking Water Act Amendments, Maryland Department of the Environment and Pennsylvania Department of Environmental Protection has prepared a **Source Water Assessment Plan** for the Evitts Creek Watershed. The Plan evaluates the existing land use and water quality conditions, describes potential contamination threats as well as providing background to support ongoing efforts to protect the watershed through the Evitts Creek Steering Committee (ECSC). The ECSC meets on a quarterly basis. Contact the Cumberland Engineering Division at 301-759-6604 for meeting times and more information.

Water Conservation: Our water resources are not unlimited – they are affected everyday by precipitation, population growth, economic development and pollution. The most cost-effective way to protect your water resources is through conservation. For more information on water usage and conservation practices, please contact the Cumberland Engineering Division at 301-759-6604. Visit http://www.epa.gov/watersense/ for water conservation tips, facts, information, and online activities for you and your family.

Regulated Parameters	Units	Cumberland Water Filtration Plant	Ideal Goals (EPA's MCLG)	Highest Level Allowed (EPA's MCL)	Typical Sources of Contaminant
Turbidity (max. monthly avg.)	NTU	0.04	N/A	П	Soil run-off. Turbidity is a measurement of cloudiness of
Turbidity (max. reported)	NTU	0.06	N/A	1.0	the water caused by suspended particles and is monitored as an indicator of water quality and effectiveness of filtration.
Total Coliform Bacteria	P/A	А	0	*	Naturally present in the environment
Barium	ppm	0.0425	2	2	Discharge of drilling wastes; Discharge from metal refineries; Erosion of natural deposits
Nitrate	ppm	0.41	10	10	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Gross Alpha (2015)	pCi/L	2.96	0	15	Erosion of natural deposits
Total Organic Carbon	N/A	met TT **	N/A	TT	Naturally occurring in the environment
Chloramines (avg)	ppm	2.1	MRDL 4	MRDL 4	
Chloramines (avg)	ppm	2.1 1.6-2.5	MRDL 4 MRDL 4		Water additive used to control microbes
Fluoride	ppm	0.9	4	4.0	Erosion of natural deposits; Water additive which promotes strong teeth; Discharge from fertilizer and aluminum factories
Copper (2017)*	ppm	0.171	1.3	1.3 (AL)	Erosion of natural deposits; Leaching from wood preservatives; Corrosion of household plumbing systems
Lead (2017)*	ppb	0.9	0	15 (AL)	Corrosion of household plumbing systems
Total Trihalomethanes (LRAA)	ppb	45	N/A	80	D
Total Trihalomethanes (range)	ppb	27 - 60	IN/A	80	By-product of drinking water disinfection
1 0 /					
Haloacetic Acids (LRAA)	ppb	38	N/A	60	Ryproduct of drinking water disinfection
	ppb ppb	38 16 - 42	N/A	60	By-product of drinking water disinfection
Haloacetic Acids (range)	1	16 - 42	N/A nsylvania Distri		
Haloacetic Acids (range) Chloramines (avg)	1	16 - 42			
Haloacetic Acids (range) Chloramines (avg) Chloramines (range)	ppb	2.5 2.3-2.7	nsylvania Distri MRDL 4 MRDL 4	MRDL 4	
Chloramines (avg) Chloramines (range) Fluoride (average)	ppb	2.5 2.3-2.7 0.59	nsylvania Distri MRDL 4 MRDL 4	MRDL 4 MRDL 4 4.0	Water additive used to control microbes Erosion of natural deposits; Water additive which promotes strong
Haloacetic Acids (range) Chloramines (avg)	ppb ppm ppm	2.5 2.3-2.7	nsylvania Distri MRDL 4 MRDL 4	MRDL 4	Water additive used to control microbes

		Pe	ennsylvania Dis	tribution Syste	em
Chloramines (avg)	ppm	2.5	MRDL 4	MRDL 4	Make a Little and the second s
Chloramines (range)	ppm	2.3-2.7	MRDL 4	MRDL 4	Water additive used to control microbes
Fluoride (average)	ppm	0,59	4	4.0	Erosion of natural deposits; Water additive which promotes strong
Fluoride (max reported)	ppm	0.90	4	4.0	teeth; Discharge from fertilizer and aluminum factories
Copper (2016)	ppm	0.0879	1.3	1.3 (AL)	Erosion of natural deposits; Leaching from wood preservatives;
Lead (2016)	ppb	0.00283	0	15 (AL)	Corrosion of household plumbing systems
Total Trihalomethanes (avg)	ppb	57	N/A	80	D. L. Clili
Haloacetic Acids (avg)	ppb	34	N/A	60	By-product of drinking water disinfection
		Unregulated	d Parameters - I	Maryland & Pe	nnsylvania

7.1 ppm N/A N/A *No monitoring or water quality violations occurred during 2017; however, a reporting violation was issued for the Lead and Copper Rule (LCR).

Violation Violation Explanation

Follow-up or Routine Tap M/R (LCR)

A violation was issued due to reporting results that were due 10/10/2017 were received by the State Agency on 11/1/2017. All required 2017 testing and analysis for the LCR were performed and all results were below EPA's Action Level.

DEFINITIONS

Maximum Contaminant Level (MCL) - The highest level of a contaminant that is allows in drinking water. MCL's are set as close to the MCLG's as feasible using best available treatment technology

Maximum Contaminant Level Goal (MCLG) - The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLG's allow for a margin of safety

Maximum Residual Disinfectant Level (MRDL) - Set by the USEPA -The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants

Action Level (AL) - The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow

Treatment Technique (TT) - A required process intended to reduce the level of a contaminant in drinking water

Waiver, Variance, or Exception - State or EPA permission not to meet an MCL or a treatment technique under certain conditions

NTU - Nephelometric Turbidity

pCi/L - Picocuries per liter (a measure of radioactivity)

ppb - Parts per billion

ppm - Parts per million

P/A - Presence/Absence

S.U. – Standard Units

LRAA - Locational running annual average

NA - Not Applicable

*Not more than one (1) positive sample if less than 40 samples

General Drinking Water Information: Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPAs Safe Drinking Water Hotline at (800) 426-4791.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control (CDC) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health. See the **2017 Water Quality Data Chart** that summarizes water testing results for the **2017** calendar year.

Additional Information Regarding Lead: In 1992 EPA created new standards for acceptable levels of lead and copper in drinking water. Elevated levels of lead can cause

serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing.

The City of Cumberland – Utilities Division is responsible for providing high quality drinking water, but cannot control the variety of materials used in home plumbing components. If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

FOR MORE INFORMATION OR QUESTIONS: Please contact the City of Cumberland's Environmental Specialist at 301.759.6604 for additional information regarding this report. This information is also available at the City of Cumberland's web site at www.ci.cumberland.us.

Other water distribution systems in your area include: LaVale Sanitary Commission at 301-729-1638 Allegany County Sanitary District at 301-777-5942

This Water Quality Report is also available at anytime via the web-link: http://tinyurl.com/cpshwod

Annual Drinking Water Quality Report

EASTERN REGION ALLEGANY DISTRIBUTION CENTER

MD001-0005 Eastern Region (Cumberland)

Annual Water Quality Report for the period of January 1 to December 31, 2017

This report is intended to provide you with important information about your drinking water and the efforts made by the water system to provide safe drinking water.

The source of the drinking water used by EASTERN REGION ALLEGANY DISTRIBUTION SYSTEM is purchased Surface Water.

For more information regarding this report contact:

Mark Yoder 301-777-5933 ext. 209

Source of Drinking Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and, in some cases, radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Contaminants that may be present in source water include:

Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.

Inorganic contaminants, such as salts and metals, which can be naturally-occurring or result from urban storm water runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming.

Pesticides and herbicides, which may come from a variety of sources such as agriculture, urban storm water runoff, residential uses.

Organic chemical contaminants, including synthetic and volatile organic chemicals, which are byproducts of industrial processes and petroleum production, and can also come from gas stations, urban storm water runoff, and septic systems.

Radioactive contaminants which can be naturally occurring or be the result of oil and gas production and mining activities.

Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of contaminants does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the EPA'S Safe Drinking Water Hotline at (800)-426-4791.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain contaminants in water provided by public water systems. FDA regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Some people may be more vulnerable to contaminants in drinking water than the general population.

Immuno-compromised persons such as persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDs or other immune system disorders, some elderly and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791).

If present, elevated levels of lead can cause serious health problems, especially for pregnant woman and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about the lead in your water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the Safe Drinking Water Hotline or at http://www.epa.gov/safewater/lead.

Source Water Information

Source Water Name
Type of Water Report Status Location

CC-MD0010008-TPO1
PURCHASED-MD0010008 SW SW N

Also see City of Cumberland Water Quality Report

2017 Regulated Contaminants Detected

Water C	uality	Test	Resul	ts

goal or MRDLG:

Maximum Contaminant Level Goal or MCLG: The level of a contaminant in drinking water below which there is no known

or expected risk to health. MCLGs allow for a margin of safety.

Maximum Contaminant Level or MCL: The highest level of contaminant that is allowed in drinking water. MCLs are

set as close to the MCLGs as feasible using the best available treatment technology.

Maximum residual disinfectant level The level of a drinking water disinfectant below which there is no known or expected

risk to health, MRDLGs do not reflect the benefits fo the use of disinfectants for control

of microbial contaminants.

Maximum residual disinfectant level

The highest level of a disinfectant allowed in drinking water. There is convincing evidence

or MRDL: that addition of a disinfectant is necessary for control of microbial contaminants.

Avg.: Regulatory compliance with some MCLs are based on running annual average of

monthly samples.

ppm: milligrams per liter or parts per million - or one ounce in 7,350 gallons of water.

ppb: micrograms per liter or parts per billion - or one ounce in 7,350,000 gallons of water.

na: not applicable

Definitions: The following tables contain scientific terms and measures, some of which may

require explanation.

Regulated Contaminants

Disinfectants and	Collection	Highest Level	Range of Levels					Likely Source of
Disinfection By-Products	<u>Date</u>	Detected	Detected	MCLG	MCL	<u>Units</u>	<u>Violation</u>	Contamination
Chlorine		0.01	0-0.1	MRDLG=4	MRDL=4	ppm	N	Water additive
								used to control
								microbes.

Not all sample results may have been used for calculating the Highest Level Detected because some results may be part of an evaluation to determine where compliance sampling should occur in the future.

Haloacetic Acids

(HAA5)* See below for details No goal for ppb N By-product of drinking water the total disinfection

Not all sample results may have been used for calculating the Highest Level Detected because some results may be part of an evaluation

to determine where compliance sampling should occur in the future.

Total Trihalomethanes See below for details No goal for 80 ppb By-product of drinking water (TTHM)

the total disinfection

Not all sample results may have been used for calculating the Highest Level Detected because some results may be part of an evaluation to determine where compliance sampling should occur in the future.

Rawlings H2O Tank - Eastern Region (Cumberland)

Date Sampled	HAA5*	TTHM
1/4/2017	25.5	5 19
4/25/2017	21.7	28.2
7/19/2017	9.16	54.8
10/18/2017	<0.00200	49.2

Mexico Farms Road - Eastern Region (Cumberland)

Date Sampled	HAA5*	TTHM	
1/4/2017	31.	1	26.3
4/25/2017	27.	9	30.6
7/19/2017	45.	7	<0.500
10/18/2017	0.0056	2	40.7

	מ	
	Igh	
-		
1	č	
7	j	
4	מ	
į	1	
á	Ų	

By-product of drinking water disinfection No goal for the Haloacetic Acids

Water additive used to control microbes.

z

MRDL = 4 ppm

MRDLG = 4

0.1-0.1

0.1

Not all sample results may have been used for calculating the Highest Level Detected because some results may be part of an evaluation to determine where compliance sampling should occur in the future

Haloacetic Acids	24	1.42 - 45.7	No goal for the	09	qđđ	N By-product of drinking water disinfaction
(HAA5)						

Not all sample results may have been used for calculating the Highest Level Detected because some results may be part of an evaluation to determine where compliance sampling should occur in the future

	N By-product of drinking water	disiniection:
	qdd	
	for the)
7 37 - 75 7	7.CF - 75.T	
2.4	F 7	
Haloacetic Acids		(HAA5) *

Not all sample results may have been used for calculating the Highest Level Detected because some results may be part of an evaluation to determine where compliance sampling should occur in the future

Total Trihalomethanes	40 0 - 54.77	No goal	80	qdd	N By-product	By-product of drinking water
(TIHM)					disinfection	τ
Not all sample results may have been used for calculating	culating the Highest Level Detected because some results may be part of an evaluation to determine	because some r	esults	may be part of an evaluation	n to determine	
where compliance sampling should occur in the future						

By-product of drinking water Not all sample results may have been used for calculating the Highest Level Detected because some results may be part of an evaluation to determine where compliance disinfection. No goal for the Inorganic Contaminants

80

Total Trihalomethanes (TTHM)

Violation Likely Source of Contamination			
OHILES			
LOLI			
DIOLI			
יייייי אר הריייי	Detected		
10.00	Detected		
200000000000000000000000000000000000000			

Nitrate [measured asNitrogen]	0.43	0.42 - 0.43	10	10 ppm	mdd	z	Runoff from fertilizer use; Leaching from septic tanks, sewage; Brosion of natural deposits.
Nitrite [measured asNitrogen]	0.01	0.01 - 0.01	1	ы	wdd	z	Runoff from fertilizer use; Leaching from septic tanks, sewage; Erosion of natural deposits.