

Town of Myersville 2017 Drinking Water Quality Report



PWSID: 010-0020

Important Information About Your Drinking Water

We're pleased to present to you the Annual Water Quality Report for 2017. This report is designed to inform you about the water quality and services we deliver to you every day. Maryland Environmental Service (MES), an Agency of the State of Maryland, operates the water treatment facility and prepared this report on behalf of the Town of Myersville.

The Environmental Protection Agency (EPA) regulates Public Water Systems and the contaminants found in water through the implementation of the Safe Drinking Water Act (SDWA). The SDWA sets regulations and guidelines for how public water systems operate and identifies several hundred drinking water contaminants, establishes monitoring frequencies and limitations. The Maryland Department of the Environment (MDE) is responsible for the enforcement of the SDWA and routinely complete Sanitary Surveys as part of their ongoing inspection and monitoring program. MES provides safe dependable operations of the water system and is dedicated to consistently providing high quality drinking water that meets or exceeds the SDWA standards.

If you have any questions about this report or have questions concerning your water utility, please contact **Jay Janney at 410-729-8350**, e-mail **jjann@menv.com**. Copies of this report will not be mailed to consumers but are available upon request.

For More Information:

For the opportunity to ask more questions or participate in decisions that may affect your drinking water quality, the town council meets the second Tuesday of each month at 7:00 PM at Town Hall.

т	_	. 1		П1	•	T		
ı	ns	10	e 7	l h	119		SII	6.

Definitions	2
Special Points of Interest	2
Information on TTHM	2
Water Quality Report	3
Sources of Drinking Water	4
Water Security	4
Lead Prevention	4

The Town of Myersville water works consists of ten (10) wells in the Catoctin metabasalt formation, seven springs and surface water from Little Catoctin Creek. The Ashley, Meadow and Deer Wood wells are treated at the wells sites and pumped directly into the distribution system. The other wells are combined with the spring and Catoctin creek water and treated at the Myersville Surface Water Treatment plant. The combined water is filtered and disinfectant added to protect against microbial contaminates. The Maryland Department of the Environment has performed an assessment of the source water. A copy of the results is available. Call Maryland Environmental Service at 410-729-8350

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Town of Myersville Treated Water Quality Report 2017

Definitions:

- ♦ Maximum Contaminant Level Goal (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- ♦ Maximum Contaminant Level (MCL) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- ♦ Action Level (AL)- The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow
- ◆ Treatment Technique (TT) A required process intended to reduce the level of a contaminant in drinking water
- ◆ **Turbidity** Relates to a condition where suspended particles are present in the water. Turbidity measurements are a way to describe the level of "cloudiness" of the water.
- ◆ pCi/I Picocuries per liter. A measure of radiation.
- ppb parts per billion or micrograms per liter
- ◆ ppm parts per million or milligrams per liter

Special points of interest:

The water at the Town of Myersville is tested for over 120 different compounds.

The Town of Myersville Drinking Water met all of the State and Federal requirements.

Drinking Water, including bottled water, may reasonably be expected to contain at least small amounts of some compounds. The presence of these compounds does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA's) Safe Drinking Water Act Hotline (1-800-426-4791).



Important Information on Disinfection Byproducts TTHMs (Total Trihalomethanes)

Disinfection byproducts form when disinfectants added to drinking water to kill germs react with naturally occurring organic matter in water. Many water suppliers add disinfectant to drinking water to kill germs such as Giardia and e-coli. Your water system may add more disinfectant to guarantee that these germs are killed especially after heavy rainstorms. Some people who drink water containing Total Trihalomethanes in excess of the EPA standard over many years may experience, problems with their liver, kidneys, or central nervous system and have an increased risk of getting cancer. The TTHM results listed on the next page are a running annual average and are below the MCL the EPA has set at 80ppb.

The table on page 3 lists all the drinking water contaminants that were detected during the 2017 calendar year. The presence of these compounds in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in the table is from testing done January 1 – December 31, 2017.

The State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year.

Town of Myersville PWSID: 010-0020 Page 2

Town of Myersville Treated Water Quality Report 2017

Contaminant	Highest Level Allowed (EPA's MCL)	Highest Level Detected	Ideal Goal (EPA's MCLG)
Regulated at the Treatment Plant			
Nitrate	10 ppm	3.2 ppm	10 ppm
Typical Source of Contamination: Runoff from fert	ilizer use and/or erosion	(Range 1.48 ppm - 3.2 pp	om)
Barium (2017 Testing)	2000 ppb	27.9 ppb	2000 ppb
Typical Source of Contamination: Erosion of natura	al deposits	(Range 0.0 ppb- 27.9 pp	b)
Atrazine (2017 Testing)	3 ppb	0.1 ppb	3 ppb
Typical Source of Contamination: Runoff from her	bacide used on crops	(Range 0.0 ppb- 0.1 ppb	o)
Regulated in the Distribution System			
Chlorine	4 ppm	0.87 ppm *	4 ppm
Water additive used to control microbes * Average of results		Range (0.47 - 1.29 ppm))
Total Trihalomethanes (TTHMs)	80 ppb	51.1 ppb *	n/a
*M aximum Locational Rolling Average		(Range: 42.3 ppb - 51.	.1 ppb)
Typical Source of Contaminants: By-product of drinking	water disinfection.		
Haloacetic Acids (HAA5)	60 ppb	19.5 ppb *	n/a
*Maximum Locational Rolling Average Typical Source of Contaminants: By-product of drinking	water disinfection.	(Range: 2.6 ppb - 19.5	ppb)
Regulated in the Distribution System	Action Level	90th percentile	Ideal Goal
Copper (2017 Testing)	1300 ppb (AL)	145 ppb	1300 ppb
Typical Source of Contamination: Corrosion of hou	sehold plumbing fixtures an	d systems	
Lead (2017 Testing)	15 ppb (AL)	2.4 ppb	0 ppb
Typical Source of Contamination: Corrosion of hou	sehold plumbing fixtures an	d systems	
Tes	ted at the Treatment Pla	nnt	
Turbidity	TT=filtration	0.09 NTU	n/a
Turbidity cannot exceed 1.0 NTU and must be < or = to	0.3 NTU in at least 95% of the	measurements taken each mo	nth.
The water plant met the turbidity limits 100% of the time	. Turbity monthly maximum Ra	anged from (0.04 NTU to 0.09	NTU)
TOC	35% removal required*	(Range 14% - 2	23%) Average 18%
Typical Source of Contaminant: Naturally present i	n the environment		
*The TOC removal requirement is not effective for l	Myersville due to the raw wa	ater meeting alternative com	pliance criteria.

Sources of Drinking Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain compounds in water provided by public water systems. We treat our water according to EPA's regulations. Food and Drug Administration regulations establish limits for contaminants in bottled water which must provide the same protection for public health.



Lead Prevention

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Town of Myersville is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your drinking water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from the EPA Safe Drinking Water Hotline at 1-800-426-4791 or at http://www.epa.gov/safewater/lead.

Water Security is Everyone's Responsibility

Water system security continues to be an enormously important issue. If you notice suspicious activities in or around local water utilities, such as persons cutting or climbing facility fencing, loitering, tampering with equipment or other similar activities, please contact your local law enforcement agency immediately by dialing 911.

If you have any questions about this report or your drinking water, please call Jay Janney at 410-729-8350 or email your request to <u>jjann@menv.com</u>.



TOXI OF MYCISVIES PWSID: 010-0020

2017 Drinking Water Quality Report

sed to present to you the Annual Water Quality Report for 2017. The Maryland Environmental Services (MES), an Agency of the State This report is designed to inform you about the water quality and services we deliver to you te of Maryland, operates the water treatment facility and prepared this report on behalf of the

The Environmental Protection Agency (EPA) regulates Public Water Systems and the contaminants found in water through the implementation of the Safe Drinking Water Act (SDWA). The SDWA sets regulations and guidelines for how public water systems operate and identifies several hundred drinking water contaminants, establishes monitoring frequencies and limitations. The Maryland Department of the Environment (MDE) is responsible for the enforcement of the SDWA and routinely complete Sanitary Surveys as part of their ongoing inspection and monitoring program. MES provides safe dependable operations of the water system and is dedicated to consistently providing high quality drinking water that meets or exceeds the SDWA standards.

If you have any questions about this report or have questions concerning your water utility, please contact Jay Janney at 410-729-8350, e-mail jjann@menv.com. Copies of this report will not be mailed to consumers but are available upon request.

The Town of Myersville water works consists of ten (10) wells in the Catoctin matabasalt formation, seven springs and surface water from Little Catoctin Creek. The Ashley, Meadow and Deer Wood wells are treated at the wells sites and pumped directly into the distribution system. The other wells are combine with the spring and Catoctin Creek water and treated at the Myersville Surface Water Treatment plant. The combined water is filtered and disinfectant added to protect against microbial contaminates. The Maryland Department of the Environment has performed an assessment of the source water. A copy of the results is available. Call Maryland Environmental service at A10-720-8250.

410-729-8350 Immuno-compromised persons such as persons with cancer undergo-imune system disorders, some elderly and infants can be particularly at widers. EPA/CDC guidelines on appropriate means to lessen the risk o

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as per ing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly and in risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (800-426-4791). Definitions:

Contaminant Level Goal or MCLG - the level of a contaminant in drinking water below, which there is no known or expected risk to health. MCLGs allow for a MCLGs as feasible using the

Maximum Contaminant Level or MCL - The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible us best available treatment technology.

Action Level (AL) - The concentration of a contaminant, which, if exceeded, triggers treatment or other requirements which a water system must follow.

Treatment Technique (TT) - A required process intended to reduce the level of a contaminant in drinking water.

Turbidity - Relates to a condition where suspended particles are present in the water. Turbidity measurements are a way to described the level of "cloudiness" of the

A measure of radiation icrograms per liter.

Picocuries per liter.

heavy rainstorms. Some people wno cliling water content increased risk of getting cancer. The Litria results in the presence of these compounds in the water does not are below the MCL the EPA has set at 80ppb.

The table on this page lists all the drinking water contaminants that were detected during the 2017 calendar year. The presence of these compounds in the water does not the table is from testing done January 1 to December 31, 2017.

The State requires us to monitor for certain contaminants less than once the concentrations of these contaminants are not expected.

Although Breat Level (EPA's MCLG) ed to vary significantly from year to year. ppb - parts per billion or micrograms per liter.

ppm - parts per million or micrograms per liter.

Special points of interest:

The water at the Town of Myersville is tested for over 120 different compounds.

The Town of Myersville Drinking Water met all of the State and Federal requirements.

The Town of Myersville Drinking Water met all of the State and Federal requirements.

The Town of Myersville Drinking Water met all of the State and Federal requirements.

The Town of Myersville Drinking Water met all of the State and Federal requirements.

Drinking Water, including bottled water, may reasonably be expected to contain at least small amounts of some compounds. The presence of these compounds does not necessarily including bottled water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's (EPA's) Safe Drinking Water Act Hotline (1-800-426-4791).

Important Information on Disinfection Byproducts TTHMs (Total Trihalomethanes)

Disinfection byproducts form when disinfectants added to drinking water to kill germs react with naturally occurring organic matter in water. Many water suppliers add disinfectant to drinking water to kill germs such as Glardia and e-coli. Your water system may add more disinfectant to guarantee that these germs are killed especially after heavy rainstorms. Some people who drink water containing Total Trihalomethanes in excess of the EPA standard over many years may experience problems with their liver, kidneys or central nervous system and have increased risk of getting cancer. The TTHM results listed on the table on this page are a running annual average and

prings and wells. As water travels over the surface of the land or through ne ground, it dissolves naturally-occurring minerals and, in some cases adioactive material, and can pick up substances resulting from the presnce of animals or from human activity.

1 order to ensure that tap water is safe to drink, EPA prescribes required on swhich limit the amount of the surface of the n order to ensure that tap water is safe to drink, EPA prescribes regula-ons which limit the amount of certain compounds in water provided by sublic water systems. We treat our water according to EPA's regulations. Tood and Drug Administration regulations establish limits for contaminants obottled water, which must provide the same protection for public health. ources of drinking water - The sources of drinking water (both tap ater and bottled water) include rivers, lakes, streams, ponds, reserve

health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Town of Myersville is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your drinking water, you may wish to have your water tested. Information on lead in drinking water, testing methods and steps you can take to minimize exposure is available from the EPA Safe Drinking Water Hotline at 1-800-426-4791 or

Water Security is Everyone's Responsibility - Water system security continues to be an enormously important issue. If you notice suspicious activities in or around local water utilities, such as persons cutting or climbing facility fencing, loitering, tampering with equipment or other similar activities, please contact your local law enforcement agency immediately by dialing 911. For the opportunity to ask more questions or participate in decisions that may affect your drinking water quality, the town council meets the second Tuesday of each month at 7:00pm at Town Hall.

Typical Source

*The TOC removal requirement is

effective for Myersville due to the raw Lin the

meeting alternative compliance or teris

The state of the s	Living t avail	Higher Level	land Cont
Contaminant	Allowed (EPA's MCL)	Detected	(EPA'S MOLO)
Regulated at the Treatment Plant		menin di tenanchi menjari dan mentana dan ana dan dan dan dan dan dan dan	
Nitrate	10 ppm	3.2 ppm	10 ppin
Typical Source of Contamination: Runoff from fertilizer use and/or erosion	lizer use and/or erosion	(Range 1.48 ppm - 3.2 ppm)	nn)
Barium (2017 Testing)	2000 ppb	27.9 ppb	2000 ppb
Typical Source of Contamination: Erosion of natural deposits	l deposits	(Range 0.0 ppb- 27.9 ppb)	5)
Atrazine (2017 Testing)	3 ppb	0.1 ppb	3 ppb
Typical Source of Contamination: Runoff from horbacide used on crops	acide used on crops	(Range 0.0 ppb- 0.1 ppb)	
Regulated in the Distribution System			
Chlerine	d ppin	0,87 ppm *	4 ppm
Water additive used to control microbes		Range (0,47 - 1,29 ppm)	
* Average of results			
Total Tribalomethunes (TTHMs)	90 ppb	51.1 ppb *	n/a
Naximum Locational Rolling Average		(Range: 42.3 ppb - 51.1 ppb)	.l ppb)
Typical Source of Contaminants: By-product of drinking water distribution.	water distribution.		
Habacetic Acids (HAAS)	60 ppb	19.5 pph *	n/a
*Maximum Locational Rolling Average		(Range: 2.6 ppb = 19.5 ppb)	ppb)
Typical Source of Contaminants: By sproduct of drinking water this in feeting	water disinfection.	The second secon	
Regulated in the Distribution System	Action Level	90th percentile	Ideal Goal
Copper (2017 Testing)	1300 ppb (AL)	145 ppb -	1300 ppb
Typical Source of Contamination: Corrosion of household plumbing fixtures and systems	sehold plumbing fixtures at	id systems	
Lead (2017 Testing)	15 ppb (AL)	2.4 ppb	ddd 0
Typical Source of Contamination: Corrosion of household plumbing fixtures and systems	sehold plumbing fixtures as	id systems	
Tes	lested at the Treatment Plant	ant	
Turbidity	TTaillration	0.09 NTU	n/a
Turbidity cannot exceed 1.0 NTU and most be < or = to 0.3 NTU in at least 93% of the measurements taken each month.).3 NTU in at least 95% of the	nicasarénents taken cach mo	aith.
The water plant met the turbiday limits 100% of the time. Turbity mouthly maximum Ranged from (0.04 NTU to 0.19 NTU)	Turbity monthly maximum R	enged from (0.04 NTU to 0.09	NTU)
100	35% removal required*	" (Range 14% - 23%)	23%) Average 18%