

APPENDIX E-2

Baltimore Area MOBILE Source Emissions Technical Support Document

An Explanation of Methodology



Prepared for:

Maryland Department of the Environment
1800 Washington Boulevard
Baltimore, MD 21230

Prepared by:

Michael Baker International
1306 Concourse Drive, Suite 500
Linthicum, MD 21090

May 2026

Baltimore Area: Mobile Source Emissions
Technical Support Document
May 2026

TABLE OF CONTENTS

OVERVIEW	1
BACKGROUND:	1
HIGHWAY EMISSIONS:	1
ANALYSIS METHODOLOGY:	2
DESCRIPTION OF INPUT DATA	4
ROADWAY DATA:	5
TRAFFIC VOLUMES GROWTH RATES:	6
OTHER SUPPORTING TRAFFIC DATA:	6
VEHICLE CLASS DATA:	6
VEHICLE AGES:	7
VEHICLE POPULATION DATA:	8
ENVIRONMENTAL AND FUEL DATA:	8
OTHER VEHICLE TECHNOLOGY AND CONTROL STRATEGY DATA:	9
ANALYSIS METHODOLOGY	11
VMT PREPARATION:	11
SPEED ESTIMATION:	13
DEVELOPING THE MOVES TRAFFIC INPUT FILES:	13
MOVES RUNS:	14
RESOURCES	15
HIGHWAY VEHICLE INVENTORY GLOSSARY	16

List of Exhibits

EXHIBIT 1: SUMMARY OF APPENDICES	1
EXHIBIT 2: SUMMARY OF HIGHWAY EMISSIONS INVENTORY (BALTIMORE AREA)	1
EXHIBIT 3: LOCAL DATA INPUTS USED FOR EMISSIONS INVENTORY	2
EXHIBIT 4: EMISSION CALCULATION PROCESS	3
EXHIBIT 5: EXAMPLES OF KEY MOVES INPUT DATA	4
EXHIBIT 6: MDOT URBAN/RURAL AND FUNCTIONAL CLASS CODES	5
EXHIBIT 7: MOVES SOURCE TYPES AND HPMS VEHICLE GROUPS	7
EXHIBIT 8: PPSUITE SPEED/EMISSION ESTIMATION PROCEDURE	12

Appendices

APPENDIX E-3: MOVES INPUT PARAMETER SUMMARY	A
APPENDIX E-4: SAMPLE MOVES INPUT FILES	B
APPENDIX E-5: VMT AND EMISSIONS SUMMARIES	C

OVERVIEW

The purpose of this technical document is to explain how Maryland estimates emissions from highway vehicles using EPA’s Motor Vehicle Emission Simulator (MOVES) model for inclusion in its emission inventories and State Implementation Plans (SIP). The document includes a summary of the methodology and data assumptions used for the analysis. As shown in Exhibit 1, appendices have been provided with additional detail regarding the MOVES input parameters, sample input files, vehicle miles of travel (VMT) and emission results for the nonattainment area.

Exhibit 1: Summary of Appendices

Appendix	Title	Description
E-3	MOVES Input Parameter Summary	Provides a summary of input parameters related to traffic data sources, fuel, weather, I/M, and other MOVES related input data.
E-4	MOVES Sample Input Files	Provides example of the MOVES input run specification files.
E-5	Ozone (VOC, NOx) Emission Results	Provides emission exhibits by county, road type, and source type categories for a July weekday in 2023, 2032 and 2038.

Background:

The operation of highway vehicles has proven to be a significant contributor to air pollution, particularly to ground-level ozone, as they emit both VOCs and NOx during operation. Ground-level ozone is not created directly; rather, it is formed through a chemical reaction between VOCs and NOx in the presence of sunlight. Given that both VOCs and NOx are emitted from the operation of highway vehicles, Maryland’s ozone-related emission inventory efforts have been focused on these pollutants.

In order to estimate both the rate at which emissions are being generated and to calculate vehicle miles traveled (activity level), Maryland examines its road network and fleet to estimate vehicle activity. For ozone-related inventories, this is done for a typical summer weekday. For CO and PM emission inventories, this may be done for a typical winter weekday or annual conditions.

This inventory was developed using the MOVES5 model, EPA’s latest official version of Motor Vehicle Emission Simulator (MOVES) for estimating emissions from highway vehicles. MOVES5, released in November 2024, incorporates the latest data on vehicle populations, travel activity and emission rates as well as updated fuel data at the county level.

Highway Emissions:

Exhibit 2 summarizes the highway emissions inventory for the Baltimore nonattainment area. Both VOC and NOx emission estimates have been developed using the MOVES5 emission model and latest planning assumptions. Emissions have been estimated for the 2023, 2032 and 2038 analysis years.

Exhibit 2: Summary of Highway Emissions Inventory (Baltimore Area)

Area	Year	Emissions (Short Tons/Day)	
		VOC	NOx
Baltimore Area Total	2023	16.38	24.42
	2032	10.78	9.71
	2038	7.69	5.77


Analysis Methodology:

Guidance documents from EPA were used to develop the highway emissions inventory. They include:

- *MOVES5 Policy Guidance: Use of MOVES for State Implementation Plan Development, Transportation Conformity, General Conformity, and Other Purposes*, US EPA Office of Transportation and Air Quality, EPA-420-B-24-038, November 2024.
- *MOVES5 Technical Guidance: Using MOVES to Prepare Emission Inventories for State Implementation Plans and Transportation Conformity*, US EPA Office of Transportation and Air Quality, EPA-420-B-24-043, November 2024. U.S.

The methodologies used to produce the emission data conform to the recommendations provided in EPA’s technical guidance. A mix of local data and national default (internal to MOVES5) data has been used for this submission. As illustrated in Exhibit 3, local data has been used for the primary data items that have a significant impact on emissions. Local data inputs to the analysis process reflect the latest available planning assumptions using data obtained from the Maryland Department of Environment (MDE), Motor Vehicle Administration (MVA), Maryland State Highway Administration (SHA), Baltimore Metropolitan Council (BMC) and other local/national sources.

Exhibit 3: Local Data Inputs Used for Emissions Inventory




The analysis methodology is consistent with past statewide inventory efforts including the 2023 National Emissions Inventory (NEI) submission. This includes the use of statewide traffic roadway data and custom post-processing software (PPSUITE) to calculate hourly speeds and prepare key traffic input files to the MOVES5 emission model. PPSUITE consists of a set of programs that perform the following functions:

- Analyzes highway operating conditions.
- Calculates highway speeds.
- Compiles vehicle miles of travel (VMT) and vehicle type mix data.
- Prepares MOVES runs and processes MOVES outputs.

PPSUITE is a widely used and accepted tool for estimating speeds and processing emissions rates. It has been used for past SIP highway inventories in Maryland, Pennsylvania, and New Jersey. The software is based upon accepted transportation engineering methodologies. For example, PPSUITE utilizes speed and delay estimation procedures based on planning methods provided in the Highway Capacity Manual, a report prepared by the Transportation Research Board (TRB) summarizing current knowledge and analysis techniques for capacity and level-of-service analyses of the transportation system.

The PPSUITE process is integral to producing key input files to the MOVES emission model. Exhibit 4 summarizes the key functions of PPSUITE and the traffic-related input files prepared for MOVES.


Exhibit 4: Emission Calculation Process



DESCRIPTION OF INPUT DATA

A large number of inputs to MOVES are needed to fully account for the numerous vehicle and environmental parameters that affect emissions. These include traffic flow characteristics, vehicle descriptions, fuel parameters, inspection/maintenance program parameters, and environmental variables as shown in Exhibit 5.

Exhibit 5: Examples of Key MOVES Input Data



MOVES includes a default national database of meteorology, vehicle fleet, vehicle activity, fuel, and emission control program data for every county; but EPA cannot certify that the default data is the most current or best available information for any specific area. As a result, local data is recommended for use for analyses SIPs.

A mix of local and default data is used for this inventory. Local data sources are used for all inputs that have a significant impact on calculated emission rates. These data items are discussed in the following sections.

Roadway Data:

The roadway data input to emissions calculations for this inventory is based on information from the “universal” highway database maintained by the Maryland SHA. SHA obtains this information from periodic visual and electronic traffic counts. The SHA data is dynamic, since it is continually reviewed and updated from new traffic counts.

On a triennial basis, a current “snapshot” of the SHA database is taken and downloaded to provide an up-to-date record of the state’s highway system for estimating emissions. This emissions inventory is based on 2023 data which is the most current “snapshot” of the SHA data. The following information is extracted from the database for emission calculations:

- lanes
- distances
- volumes representing Average Annual Daily Traffic (AADT)
- truck percentages
- urban/rural classifications
- functional class codes

The volumes and distances are used in calculating highway VMT totals for each county. As discussed in the next section, adjustments are needed to convert the volumes to an average summer weekday and to forecast to future years. The lane values, area type, and functional class are important inputs for determining the congestion and speeds for individual highway segments. Truck percentages are used in the speed determination process and are used to split volumes to individual vehicle types used by the MOVES software.

Maryland classifies its road segments by function, as well as whether it is located in an urban or rural area, as indicated below in Exhibit 6. The urban/rural (UR) and functional classes (FC) are important indicators of the type and function of each roadway segment. These values are also used to determine the MOVES Road Type classification that has an important impact on the emission factors for each roadway segment. Equivalencies between the SHA and MOVES indices are discussed in later sections.

Exhibit 6: MDOT Urban/Rural and Functional Class Codes

Urban/Rural Code	1=Rural 2=Small Urban 3=Urban
Functional Class	Functional Classes Used -----
-----	1=Interstate 2=Principal Arterial Other Freeways and Expressways 3=Principal Arterial Other 4=Minor Arterial 5=Major Collector 6=Minor Collector 7=Local

The PPSUITE processing software allows for many additional variables other than those available in the SHA database. Using these variables improves the calculation of congested speeds. Such variables include

information regarding free-flow speeds and capacities and other physical roadway features (e.g. traffic signals) that can affect a roadway's calculated congested speed. This data can be determined from lookup tables based on a roadway segment's urban/rural code and functional class. Much of the lookup table data was developed from information contained in the Highway Capacity Manual.

Traffic Volumes Growth Rates:

Traffic volume projections are needed to support the forecast emission inventories. Growth factors are applied to the base year traffic volumes in the SHA database. These growth factors are determined through an assessment of:

- Historic VMT growth from the Highway Performance Monitoring System (HPMS)
- Travel model forecasts obtained from the BMC regional travel demand model
- Assessment of other factors affecting regional growth not represented in the above sources

The development and selection of growth rates has included consultation between MDOT, BMC and MDE. Forecasted traffic volumes are used within the post-processing methodologies to estimate future year congested speeds.

Other Supporting Traffic Data:

Other traffic data is used to adjust and disaggregate traffic volumes. Key sources used in these processes include the following:

HPMS VMT: According to EPA guidance, baseline inventory VMT computed from the SHA highway segment volumes must be adjusted to be consistent with HPMS VMT totals. Although it has some limitations, the HPMS system is currently in use in all 50 states and is being improved under FHWA direction. Adjustment factors are calculated which adjust the base year 2023 SHA download VMT to be consistent with the reported 2023 HPMS totals for that year. These factors are applied to all county, urban/rural code, and facility group combinations within the region. These adjustments are important for accounting for missing local roadway VMT that is not contained within or represented by the state-owned roadway system.

Seasonal Factors: The SHA contains AADT volumes that are an average of all days in the year, including weekends and holidays. An ozone emission analysis, however, is based on a typical July or summer weekday. Therefore, the SHA volumes must be seasonally adjusted. The seasonal factors were developed based on the 2023 report *Factors to Convert Volume to AADT* from the SHA Traffic Monitoring System website. These factors are utilized to convert the SHA AADT to produce July weekday volumes. The same factors are also used to develop the MOVES daily and monthly VMT fraction files.

Hourly Patterns: Speeds and emissions vary considerably depending on the time of day. Therefore, it is important to estimate the pattern by which roadway volume varies by hour of the day. Pattern data is in the form of a percentage of the daily volumes for each hour. Distributions are provided for all the counties within the region and by each facility type grouping. This data was developed from SHA 2023 24-hour count data. The same factors are also used to develop the MOVES hourly fraction file.

Vehicle Class Data:

Emission rates within MOVES vary significantly by the type of vehicle. The MOVES model produces emissions and rates by thirteen MOVES vehicle source types. However, VMT is input to MOVES by five HPMS vehicle groups. Exhibit 7 summarizes the distinction between each classification scheme.

Exhibit 7: MOVES Source Types and HPMS Vehicle Groups

SOURCE TYPES	HPMS Class Groups
11 Motorcycle	10 Motorcycle
21 Passenger Car	25 Light Duty Vehicles
31 Passenger Truck	40 Buses
32 Light Commercial Truck	50 Single Unit Trucks
41 Other Buses	60 Combination Trucks
42 Transit Bus	
43 School bus	
51 Refuse Truck	
52 Single Unit Short-haul Truck	
53 Single Unit Long-haul Truck	
54 Motor Home	
61 Combination Short-haul Truck	
62 Combination Long-haul Truck	

For this regional inventory, vehicle type pattern data was developed for each county and functional class combination based on SHA classification counts and internal MOVES defaults. As the first step, SHA count data was used to develop percentage splits to the following four vehicle groups:

- Autos
- Heavy trucks
- Motorcycles
- Buses

From these groups, MOVES default Maryland county VMT distributions by source type are used to divide the four groups into MOVES 13 source types.

The vehicle type percentages are also provided to the capacity analysis section of PPSUITE to adjust the speeds in response to trucks. That is, a given number of larger trucks take up more roadway space than a given number of cars, and this is accounted for in the speed estimation process by adjusting capacity using information from the Highway Capacity Manual.

Vehicle Ages:

Vehicle age distributions are input to MOVES for each county by the thirteen source types. The distributions reflect the percentage of vehicles in the fleet up to 40 years old (for MOVES5 modeling). The vehicle age distributions were prepared by MDE based on information obtained from 2023 MVA registration data.

The development process of the age distribution inputs includes removal of duplicate, expired, and non-emitting vehicles such as truck trailers and the farm tractors. The data was subjected to VIN decoding to obtain vehicle information at a finer resolution and then transformed into vehicle age mixes following the EPA's guidance. Mapping of vehicle classes from the registration data to the MOVES vehicle types was based on the EPA's MOVES5 technical guidance using the existing MVA data fields and fine-tuned data obtained via VIN decoding.

The age distributions for single unit short-haul trucks, combination long-haul and short-haul trucks (source types 53, 61 and 62) were developed using MOVES5 default data as it is difficult to distinguish short-haul and long-haul trucks in the MVA data.

Vehicle Population Data:

The information on the vehicle fleet including the number and age of vehicles impacts forecasted start and evaporative emissions within MOVES. The MOVES model requires the population of vehicles by the thirteen source type categories. The 2023 baseline data was prepared and provided by MDE utilizing VIN-decoding. Maryland county vehicle registration data was used to estimate vehicle population for light-duty, buses, refuse trucks and motor homes for all counties in the region. The vehicle population for heavy-duty trucks (source types 52, 53, 61 and 62) was estimated using county VMT and MOVES5 default VMT/population ratios for those source types.

For the analysis years 2032 and 2038, the vehicle population was forecasted based on projected household and population growth obtained from state and MPO sources. The growth rate methodology included:

- Choosing the highest growth factors developed from Woods & Poole forecast data (e.g. population, households, or employment) and VMT growth.
- Default VMT/Population ratio for trucks, i.e., truck population growth based on Truck VMT.

Environmental and Fuel Data:

Information on environmental, fuel, vehicle technology and other control strategy assumptions was determined based on a review of MOVES5 default information by MDE.

Fuel Data: MDE obtains monthly fuel data reports regularly from the Maryland Fuel Laboratory, which is under the jurisdiction of Maryland Fuel Tax Division of the Office of the Comptroller of Maryland. The 2023 fuel data was compiled and fuel data parameters were developed separately for all 14 counties required by EPA which use only reformulated gasoline and the remaining counties dispensing conventional gasoline.

Three out of four sets of fuel data inputs (Fuel Formulation, Fuel Supply, and AVFT tables) required by the MOVES model were developed by MDE for every county in MD. The fuel parameters changed from the MOVES5 defaults are as follows:

fuelFormulationID	Unique ID used for easy recognition
fuelSubtypeID	Selected per guidance based on ethanol content of gasoline
sulfurLevel	Computed from the local fuel data
ETOHVolume	Computed from the local fuel data
aromaticContent	Computed from the local fuel data
olefinContent	Computed from the local fuel data
benzeneContent	Computed from the local fuel data
E200	Computed from the local fuel data
E300	Computed from the local fuel data

The Alternate Vehicle and Fuel Technology (AVFT) tables include vital information such as vehicle type, model year, fuel type, engine technology, and fuel engine fractions. The AVFT input tables were developed for the following three groups of MD jurisdictions from the 2023 MVA data:

- Greater Baltimore Area:
Anne Arundel, Baltimore County, Carroll, Harford, Howard, Baltimore City, and Queen Anne's County
- (COG) Washington Area:
Charles, Calvert, Frederick, Montgomery, Prince George's, and Washington County

- Rural Counties:
Allegany, Caroline, Dorchester, Garrett, St. Mary's, Somerset, Talbot, Wicomico, Worcester, Cecil, and Kent County

For the 'Fuel Usage Fractions' fuel input table, MOVES5 defaults were used.

Meteorological Data: Evaporative emissions are influenced significantly by the temperatures of the surrounding air. Meteorological data for MOVES inputs, including hourly average temperature and relative humidity, are compiled on a triennial basis for every county in MD. The data used for this analysis was prepared using the 2023 month by month raw hourly-data sets from the National Climate Data Center of NOAA based on weather data collected at the airport situated closest to the county modeled. Hourly average temperatures and humidity computations were developed from the 24-hourly values for every day in each month. Since the data source for the six jurisdictions in the Baltimore Area is the Baltimore/Washington International Thurgood Marshall (BWI) Airport, the same set of meteorological data was used for all these constituent city/counties of the Baltimore Area.

Other Vehicle Technology and Control Strategy Data:

The MOVES default I/M data was reviewed and updated by MDE for all the I/M counties in the state. The current I/M program known as Vehicle Emission Inspection Program (VEIP) assumed for these analysis runs is described below.

MD Vehicle Emission Inspection Program: This program tests gasoline powered vehicles weighing up to 26,000 lb. The following vehicles receive the OBD test: (1) MY 1996 and newer light duty vehicles (up to 8,500 lbs) and (2) 2008 and newer vehicles (between 8,501 and 14,000 lbs).

The following vehicles receive the Idle test: (1) MY 1977-2007 vehicles (between 8,501-14,000 lbs) and (2) 1977 and newer vehicles (between 14,001 and 26,000 lbs). The idle test includes a gas cap pressure test and a visual check for the presence of a catalytic converter. The VEIP test is done biennially, and on change of ownership.

New vehicles and qualified hybrids are exempted from emissions testing for the first three years (36 months), after titling and registration.

The compliance factors reflect the observed failure and waiver rates observed in the program, combined with an assumed 96% compliance rate for vehicles showing up for testing. Heavy duty vehicles have an additional factor, reflecting the fraction of vehicles in the weight range covered by the program. This was derived from documentation comparing the MOVES and MOBILE vehicle classes. The significantly higher compliance rate for the gas cap check reflects the much higher retest pass rate for this check.

Federal Programs: Current federal vehicle emissions control and fuel programs are incorporated into the MOVES5 software. MOVES5 accounts for the following new federal emission standard rules that were not in previous versions of MOVES:

- *Multi-Pollutant Rule for Model Year 2027 and Later Light-Duty and Medium-Duty Vehicles (LMDV), March 2024 (Model Years 2027-2032):* This rule incorporates higher projected electric vehicle (EV) fractions and more stringent standards for CO₂, particulate matter (PM), non-methane organic gases (NMOG), and NO_x.
- *Greenhouse Gas Emissions Standards for Heavy-Duty Vehicles – Phase 3 (HDP3), March 2024 (Model Years 2027-2032):* This rule includes higher projected EV fractions and updated energy consumption for heavy-duty EVs.

MOVES5 also includes the following recent onroad control programs that were already incorporated in MOVES4 or earlier versions:

- *Control of Air Pollution from New Motor Vehicles: Heavy-Duty Engine and Vehicle Standards*, January 2023 (Model Year 2027 and Later).
- *Revised 2023 and Later Model Year Light-Duty Vehicle Greenhouse Gas Emissions Standards*, December 2021 (Model Years 2023-2026).
- *Safer Affordable Fuel Efficient (SAFE) Vehicles Rule*, March 2020 (Model Years 2021-2026).
- *Greenhouse Gas Emissions and Fuel Efficiency Standards for Medium-and Heavy-Duty Engines and Vehicles—Phase 2*, October 2016 (Model Years 2019-2027).
- *Tier-3 Vehicle Emissions and Fuel Standards Program*, March 2014 (Model Years 2017-2025).
- *2017 and Later Model Year Light-Duty Vehicle Greenhouse Gas Emissions and Corporate Average Fuel Economy Standards*, October 2012 (Model Years 2017-2025).
- *Greenhouse Gas Emissions Standards and Fuel Efficiency Standards for Medium-and Heavy-Duty Engines and Vehicles*, September 2011 (Model Years 2014-2018).
- *Regulation of Fuels and Fuel Additives: Modifications to Renewable Fuel Standard Program (RFS2)*, December 2010.

Earlier foundational federal programs such as the Tier 2 Vehicle Emissions Standards (finalized in 2000) and the 2007 Heavy-Duty Engine Rule (which introduced ultra-low sulfur diesel fuel and advanced emission controls for heavy-duty trucks) are also inherently reflected in MOVES5 default emission rates. Modifications of default emission rates are required to reflect the early implementation of the National Low Emission Vehicle (NLEV) program in Maryland. To reflect these impacts, EPA has released instructions to develop input files that can be used to model these impacts. The NLEV input database was created for Maryland per EPA's instructions and was used for this inventory.

State Vehicle Technology Programs:

MD Clean Car Program: Maryland Clean Car Program: Maryland adopted California's Advanced Clean Car Programs (formerly the CAL-LEV II and CAL-LEV III programs) in 2007 and 2012, respectively. The Advanced Clean Car Program (CAL-LEV II) became effective in model year 2011 and was made more stringent (CAL-LEV III) effective with the model year 2015-2025 vehicles. The Advanced Clean Car Program includes a Zero Emissions Vehicle (ZEV) mandate. These programs were included in the modeling process following the guidelines provided in the MOVES5 Technical Guidance. A LEV input database was created to reflect a 2011 beginning model year for the State of Maryland.

ANALYSIS METHODOLOGY


The previous sections have summarized the input data used for computing speeds and emission rates for this highway emissions inventory. This section explains how PPSUITE and MOVES use that input data to produce emission estimates. Exhibit 8 provides a more detailed overview of the PPSUITE analysis procedure using the available traffic data information described in the previous section.

VMT Preparation:

Producing an emissions inventory with PPSUITE requires a process of disaggregation and aggregation. Data is available and used on a very small scale -- individual ½ mile roadway segments for each of the 24 hours of the day. This data needs to be processed individually to determine the distribution of vehicle hours of travel (VHT) by speed and then aggregated by vehicle class to determine the input VMT to the MOVES emission model. Key steps in the preparation of VMT include:

- *Apply Growth Factors* - The SHA database contains the base year volumes. However, to conduct a future year analysis, these volumes must be factored to the year being analyzed. Growth factors have been prepared for each county and functional class grouping. These growth factors are applied to the base year SHA volumes to obtain future year estimates that can be utilized by PPSUITE.
- *Apply Seasonal Adjustments* - PPSUITE takes the input daily volumes from SHA (which represents AADT traffic) and seasonally adjusts the volumes to an average weekday in July. This adjustment utilizes factors developed for each functional class and urban/rural code. VMT can then be calculated for each link using the adjusted weekday volumes.
- *Disaggregate to Hours* - After seasonally adjusting the link volume, the volume is split to each hour of the day. This allows for more accurate speed calculations (effects of congested hours) and allows PPSUITE to prepare the hourly VMT and speeds for input to the MOVES model.
- *Peak Spreading* - After dividing the daily volumes to each hour of the day, PPSUITE identifies hours that are unreasonably congested. For those hours, PPSUITE then spreads a portion of the volume to other hours within the same peak period, thereby approximating the “peak spreading” that normally occurs in such over-capacity conditions.
- *Disaggregation to Vehicle Types* - EPA requires VMT estimates to be prepared by source type, reflecting specific local characteristics. As a result, for Maryland’s emission inventory runs, the hourly volumes are disaggregated to the five HPMS MOVES vehicle grouping based on count data assembled by SHA in combination with MOVES defaults as described in the previous section.
- *Apply HPMS VMT Adjustments* - Volumes must also be adjusted to account for differences with the HPMS VMT totals, as described previously. VMT adjustment factors are provided as input to PPSUITE, and are applied to each of the roadway segment volumes. These factors were developed from the latest HPMS download (conducted triennially); however, they are also applied to any future year runs. The VMT added or subtracted to the SHA database assumes the speeds calculated using the original volumes for each roadway segment for each hour of the day.

Exhibit 8: PPSUITE Speed/Emission Estimation Procedure



Speed Estimation:

Emissions for many pollutants (including both VOC and NO_x) vary significantly with travel speed. While VOCs generally decrease as speed increases, NO_x decreases at the low speed range and increases at higher speeds.

EPA recognizes that the estimation of vehicle speeds is a difficult and complex process. Because emissions are so sensitive to speeds, it recommends special attention be given to developing reasonable and consistent speed estimates; it also recommends that VMT be disaggregated into subsets that have roughly equal speed, with separate emission factors for each subset. At a minimum, speeds should be estimated separately by road type.

The computational framework used for this analysis meets and exceeds that recommendation. Speeds are individually calculated for each roadway segment and hour and include the estimated delays encountered at signals. Rather than accumulating the roadway segments into a particular road type and calculating an average speed, each individual link hourly speed is represented in the MOVES vehicle hours of travel (VHT) by speed bin file. This MOVES input file allows the specification of a distribution of hourly speeds. For example, if 5% of a county's arterial VHT operates at 5 mph during the AM peak hour and the remaining 95% operates at 65 mph, this can be represented in the MOVES speed input file. For the highway emissions inventory, distributions of speeds are input to MOVES by road type and source type by each hour of the day.

To calculate speeds, PPSUITE first obtains initial capacities (how much volume the roadway can serve before heavy congestion) and free-flow speeds (speeds assuming no congestion) from the speed/capacity lookup data. As described in previous sections, this data contains default roadway information indexed by the urban/rural code and functional class. For areas with known characteristics, values can be directly coded to the SHA database and the speed/capacity data can be overridden. However, for most areas where known information is not available, the speed/capacity lookups provide valuable default information regarding speeds, capacities, signal characteristics, and other capacity adjustment information used for calculating congested delays and speeds. The result of this process is an estimated average travel time for each hour of the day for each highway segment. The average time multiplied by the volume produces vehicle hours of travel (VHT).

Developing the MOVES Traffic Input Files:

The PPSUITE software is responsible for producing the following MOVES input files during any analysis run:

- VMT by HPMS vehicle class
- VHT by speed bin
- Road type distributions

These files are text formatted files with a *.csv extension. The files are provided as inputs within the MOVES county data importer.

VMT Input File: VMT is the primary traffic input that affects emission results. The roadway segment distances and traffic volumes are used to prepare estimates of VMT. PPSUITE performs these calculations and outputs the MOVES annual VMT input file to the County Data Manager (CDM).

VHT by Speed Bin File: As described in the previous section, the PPSUITE software prepares the MOVES VHT by speed bin file which summarizes the distribution of speeds across all links into each of 16 MOVES speed bins for each hour of the day by road type. This robust process ensures that MOVES emission rates

are used to the fullest extent and is consistent with the methods and recommendations provided in EPA's technical guidance.

Road Type Distributions: In MOVES, typical drive cycles and associated operating conditions vary by the type of roadway. MOVES defines five different road types as follows:

- 1 Off-Network
- 2 Rural Restricted Access
- 3 Rural Unrestricted Access
- 4 Urban Restricted Access
- 5 Urban Unrestricted Access

For this inventory, the MOVES road type distribution file is automatically generated by PPSUITE using defined equivalencies. The off-network road type includes emissions from vehicle starts, extended idle activity, and evaporative emissions. Off-network activity in MOVES is primarily determined by the Source Type Population input. The remaining distribution among road types is determined by equating the functional class with each MOVES road type as follows:

- MOVES Road Type (2) = SHA Rural Functional Class (1,2)
- MOVES Road Type (3) = SHA Rural Functional Class (3,4,5,6,7)
- MOVES Road Type (4) = SHA Urban Functional Class (1,2)
- MOVES Road Type (5) = SHA Urban Functional Class (3,4,5,6,7)

MOVES Runs:

After computing speeds and aggregating VMT and VHT, PPSUITE prepares traffic-related inputs needed to run EPA's MOVES software. Additional required MOVES inputs are prepared external to the processing software and include temperatures, I/M program parameters, fuel characteristics, vehicle fleet age distributions and source type population.

The MOVES county importer is run in batch mode. This program converts all data files into the MariaDB formats used by the MOVES model. At that point a MOVES run specification file (*.mrs) is created which specifies options and key data locations for the run. MOVES is then executed in batch mode.

MOVES can be executed using either the *inventory* or *rate-based* approaches. For this highway emissions inventory, MOVES is applied using the *inventory-based* approach. Under this method, actual VMT and population are provided as inputs to the model; MOVES is responsible for producing the total emissions for the region.

RESOURCES

MOVES model

Modeling Page within EPA's Office of Mobile Sources Website (<https://www.epa.gov/moves>) contains a downloadable model, MOVES users guide and other information.

MOVES5 Policy Guidance: Use of MOVES for State Implementation Plan Development, Transportation Conformity, General Conformity, and Other Purposes, US EPA Office of Transportation and Air Quality, EPA-420-B-24-038, November 2024.

MOVES5 Technical Guidance: Using MOVES to Prepare Emission Inventories for State Implementation Plans and Transportation Conformity, US EPA Office of Transportation and Air Quality, EPA-420-B-24-043, November 2024.

Traffic Engineering

Highway Capacity Manual, Transportation Research Board, presents current knowledge and techniques for analyzing the transportation system.

Traffic Monitoring System, 2023 Data, State Highway Administration

Highway Vehicle Inventory Glossary

AADT: Average Annual Daily Traffic, average of ALL days.

AWDT: Average Weekday Daily Traffic.

County Data Manager (CDM): User interface developed to simplify importing specific local data for a single county or a user-defined custom domain without requiring direct interaction with the underlying MySQL database.

Emission rate or factor: Expresses the amount of pollution emitted per unit of activity. For highway vehicles, usually in grams of pollutant emitted per mile driven.

FC: Functional code, applied in data management to road segments to identify their type (freeway, local, etc.).

Growth factor: Factor used to convert volumes to future years.

HPMS: Highway Performance Monitoring System, MDOT's official source of highway information and a subset of SHA.

I/M: Vehicle emissions inspection/maintenance programs ensure that vehicle emission controls are in good working order throughout the life of the vehicle. The programs require vehicles to be tested for emissions. Most vehicles that do not pass must be repaired.

MOVES: The latest model EPA has developed with which Maryland uses to estimate emissions from highway vehicles.

Pattern data: Extrapolations of traffic patterns (such as how traffic volume on road segment types varies by time of day, or what kinds of vehicles tend to use a road segment type) from segments with observed data to similar segments.

PPSUITE: Post-Processor for Air Quality, a set of programs that estimate speeds and processes MOBILE emission rates.

Road Type: Functional code, applied in data management to road segments to identify their type (rural/urban highways, rural/urban arterials, etc.)

Source Type: One of thirteen vehicle types used in MOVES modeling.

UR: Urban/rural code, applied in data management to identify whether a road segment is urban, small urban or rural.

VHT: Vehicle hours traveled.

VMT: Vehicle miles traveled. In modeling terms, it is the simulated traffic volumes times link length.

APPENDIX E-3

Baltimore Area MOVES5 Input Parameter Summary

MOVES5 Input Parameter Summary

Data Item	Inputs Assumptions
MOVES RunSpec	
Emission Model	MOVES5 (default database: MOVESDB20241112)
Scale/Calulation Type	County Scale Inventory Run
Analysis Years	2023, 2032 and 2038
Analysis Season	July Weekday
Pollutants	VOC, NOx
Fuel Types	Gasoline, Diesel, CNG, Electricity, E-85
Traffic Data	
Highway Network	2023 SHA Universal Highway Database
Seasonal/Daily Adjustments	2023 SHA Traffic Trends Report
County HPMS VMT Adjustments	2023 HPMS Adjustments
Mapfile	Use MOVES5 national defaults VMT distributions for Maryland to disaggregate light duty vehicles/buses/trucks to MOVES13 source types
Hourly Patterns	Developed based on BMC hourly distributions
Vehicle Mixes	1. 2023 Vehicle Classification by Functional Class 2. 2023 TMS & hourly distribution from SHA traffic count data 3. Truck percentage assumption consistent with BMC travel modeling
VMT Growth Forecast	2000-2023 HPMS trend growth, applying to 2023 HPMS Base Year
Vehicle Population Growth Forecast	1. Source Type 11, 21, 31, 32, 41, 42, 43 & 54: max of population, household and VMT growth 2. Source Type 51: max of population, household, employment and VMT growth 3. Trucks (source type 52, 53 ,61 & 62): Estimated by using MD VMT and MOVES5 national default VMT and population ratios
MOVES Inputs	
Month VMT Fractions	Calculated based on 2023 seasonal adjustment factors
Day VMT Fractions	Calculated based on 2023 seasonal adjustment factors
Hourly VMT Fractions	Calculated by PPSUITE
Average Speed Distribution	Calculated by PPSUITE
Source Type Population	1. Source Type 11, 21, 31, 32, 41, 42, 43, 51 & 54: Apply VPOP growth to 2023 base year inputs (2023 base year inputs provided by MDE) 2. Trucks (source type 52, 53 ,61 & 62): Estimated by using MD VMT and MOVES5 national default VMT and population ratios
Vehicle Age Distribution	Provided by MDE (Consistent with 2023 NEI): 1) 2023 Jul 01 MVA vehicle registration database, VIN-decoded by ESP. 2) Source types 53, 61 & 62: Use MOVES5 national default age distribution inputs
Fuel Supply	MOVES5 inputs provided by MDE
Fuel Formulation	MOVES5 inputs provided by MDE
Fuel Usage Fraction	Use MOVES5 defaults
Temperatures/Humidity	2023 inputs provided by MDE
I/M Parameters	VEIP Reinvention Program provided by MDE
Early NLEV / CALLEV	Early NLEV and CALLEV program databases developed with MOVES5 per EPA guidance.
AVFT	Provided by MDE for MOVES5
Federal Fuel & Emissions Standards	Controlled Measures included in MOVES5

APPENDIX E-4

Baltimore Area MOVES Sample Input Files

July Weekday MOVES Run Specification File Settings

Sample xml file format

```
<moves>
  <importer mode="county" >
    <filters>
      <geographicselections>
        <geographicselection type="COUNTY" key="24003" description="MARYLAND - Anne Arundel County"/>
      </geographicselections>
    </importer>
  </moves>
  <timespan>
    <year key="2023"/>
    <month id="07"/>
    <day id="2"/>
    <day id="5"/>
    <beginhour id="11"/>
    <endhour id="24"/>
    <aggregateBy key="Hour"/>
  </timespan>
  <onroadvehicleselections>
    <onroadvehicleselection fueltypeid="3" fueltypedesc="Compressed Natural Gas (CNG)" sourcetypeid="62" sourcetyname="Combination Long-haul Truck"/>
    <onroadvehicleselection fueltypeid="2" fueltypedesc="Diesel Fuel" sourcetypeid="62" sourcetyname="Combination Long-haul Truck"/>
    <onroadvehicleselection fueltypeid="9" fueltypedesc="Electricity" sourcetypeid="62" sourcetyname="Combination Long-haul Truck"/>
    <onroadvehicleselection fueltypeid="3" fueltypedesc="Compressed Natural Gas (CNG)" sourcetypeid="61" sourcetyname="Combination Short-haul Truck"/>
    <onroadvehicleselection fueltypeid="2" fueltypedesc="Diesel Fuel" sourcetypeid="61" sourcetyname="Combination Short-haul Truck"/>
    <onroadvehicleselection fueltypeid="9" fueltypedesc="Electricity" sourcetypeid="61" sourcetyname="Combination Short-haul Truck"/>
    <onroadvehicleselection fueltypeid="1" fueltypedesc="Gasoline" sourcetypeid="61" sourcetyname="Combination Short-haul Truck"/>
    <onroadvehicleselection fueltypeid="2" fueltypedesc="Diesel Fuel" sourcetypeid="32" sourcetyname="Light Commercial Truck"/>
    <onroadvehicleselection fueltypeid="9" fueltypedesc="Electricity" sourcetypeid="32" sourcetyname="Light Commercial Truck"/>
    <onroadvehicleselection fueltypeid="5" fueltypedesc="Ethanol (E-85)" sourcetypeid="32" sourcetyname="Light Commercial Truck"/>
    <onroadvehicleselection fueltypeid="1" fueltypedesc="Gasoline" sourcetypeid="32" sourcetyname="Light Commercial Truck"/>
    <onroadvehicleselection fueltypeid="3" fueltypedesc="Compressed Natural Gas (CNG)" sourcetypeid="54" sourcetyname="Motor Home"/>
    <onroadvehicleselection fueltypeid="2" fueltypedesc="Diesel Fuel" sourcetypeid="54" sourcetyname="Motor Home"/>
    <onroadvehicleselection fueltypeid="9" fueltypedesc="Electricity" sourcetypeid="54" sourcetyname="Motor Home"/>
    <onroadvehicleselection fueltypeid="1" fueltypedesc="Gasoline" sourcetypeid="54" sourcetyname="Motor Home"/>
    <onroadvehicleselection fueltypeid="1" fueltypedesc="Gasoline" sourcetypeid="11" sourcetyname="Motorcycle"/>
    <onroadvehicleselection fueltypeid="3" fueltypedesc="Compressed Natural Gas (CNG)" sourcetypeid="41" sourcetyname="Other Buses"/>
    <onroadvehicleselection fueltypeid="2" fueltypedesc="Diesel Fuel" sourcetypeid="41" sourcetyname="Other Buses"/>
    <onroadvehicleselection fueltypeid="9" fueltypedesc="Electricity" sourcetypeid="41" sourcetyname="Other Buses"/>
    <onroadvehicleselection fueltypeid="1" fueltypedesc="Gasoline" sourcetypeid="41" sourcetyname="Other Buses"/>
    <onroadvehicleselection fueltypeid="2" fueltypedesc="Diesel Fuel" sourcetypeid="21" sourcetyname="Passenger Car"/>
    <onroadvehicleselection fueltypeid="9" fueltypedesc="Electricity" sourcetypeid="21" sourcetyname="Passenger Car"/>
    <onroadvehicleselection fueltypeid="5" fueltypedesc="Ethanol (E-85)" sourcetypeid="21" sourcetyname="Passenger Car"/>
    <onroadvehicleselection fueltypeid="1" fueltypedesc="Gasoline" sourcetypeid="21" sourcetyname="Passenger Car"/>
    <onroadvehicleselection fueltypeid="2" fueltypedesc="Diesel Fuel" sourcetypeid="31" sourcetyname="Passenger Truck"/>
    <onroadvehicleselection fueltypeid="9" fueltypedesc="Electricity" sourcetypeid="31" sourcetyname="Passenger Truck"/>
    <onroadvehicleselection fueltypeid="5" fueltypedesc="Ethanol (E-85)" sourcetypeid="31" sourcetyname="Passenger Truck"/>
    <onroadvehicleselection fueltypeid="1" fueltypedesc="Gasoline" sourcetypeid="31" sourcetyname="Passenger Truck"/>
    <onroadvehicleselection fueltypeid="3" fueltypedesc="Compressed Natural Gas (CNG)" sourcetypeid="51" sourcetyname="Refuse Truck"/>
    <onroadvehicleselection fueltypeid="2" fueltypedesc="Diesel Fuel" sourcetypeid="51" sourcetyname="Refuse Truck"/>
    <onroadvehicleselection fueltypeid="9" fueltypedesc="Electricity" sourcetypeid="51" sourcetyname="Refuse Truck"/>
    <onroadvehicleselection fueltypeid="1" fueltypedesc="Gasoline" sourcetypeid="51" sourcetyname="Refuse Truck"/>
    <onroadvehicleselection fueltypeid="3" fueltypedesc="Compressed Natural Gas (CNG)" sourcetypeid="43" sourcetyname="School Bus"/>
    <onroadvehicleselection fueltypeid="2" fueltypedesc="Diesel Fuel" sourcetypeid="43" sourcetyname="School Bus"/>
    <onroadvehicleselection fueltypeid="9" fueltypedesc="Electricity" sourcetypeid="43" sourcetyname="School Bus"/>
    <onroadvehicleselection fueltypeid="1" fueltypedesc="Gasoline" sourcetypeid="43" sourcetyname="School Bus"/>
    <onroadvehicleselection fueltypeid="3" fueltypedesc="Compressed Natural Gas (CNG)" sourcetypeid="53" sourcetyname="Single Unit Long-haul Truck"/>
    <onroadvehicleselection fueltypeid="2" fueltypedesc="Diesel Fuel" sourcetypeid="53" sourcetyname="Single Unit Long-haul Truck"/>
    <onroadvehicleselection fueltypeid="9" fueltypedesc="Electricity" sourcetypeid="53" sourcetyname="Single Unit Long-haul Truck"/>
    <onroadvehicleselection fueltypeid="1" fueltypedesc="Gasoline" sourcetypeid="53" sourcetyname="Single Unit Long-haul Truck"/>
    <onroadvehicleselection fueltypeid="3" fueltypedesc="Compressed Natural Gas (CNG)" sourcetypeid="52" sourcetyname="Single Unit Short-haul Truck"/>
    <onroadvehicleselection fueltypeid="2" fueltypedesc="Diesel Fuel" sourcetypeid="52" sourcetyname="Single Unit Short-haul Truck"/>
  </onroadvehicleselections>

```

```

<onroadvehicselection fueltypeid="9" fueltypedesc="Electricity" sourcetypeid="52" sourcetyname="Single Unit Short-haul Truck"/>
<onroadvehicselection fueltypeid="1" fueltypedesc="Gasoline" sourcetypeid="52" sourcetyname="Single Unit Short-haul Truck"/>
<onroadvehicselection fueltypeid="3" fueltypedesc="Compressed Natural Gas (CNG)" sourcetypeid="42" sourcetyname="Transit Bus"/>
<onroadvehicselection fueltypeid="2" fueltypedesc="Diesel Fuel" sourcetypeid="42" sourcetyname="Transit Bus"/>
<onroadvehicselection fueltypeid="9" fueltypedesc="Electricity" sourcetypeid="42" sourcetyname="Transit Bus"/>
<onroadvehicselection fueltypeid="1" fueltypedesc="Gasoline" sourcetypeid="42" sourcetyname="Transit Bus"/>
</onroadvehicselections>
<offroadvehicselections>
</offroadvehicselections>
<offroadvehiclesccs>
</offroadvehiclesccs>
<roadtypes>
<roadtype roadtypeid="1" roadtyname="Off-Network" modelCombination="M1"/>
<roadtype roadtypeid="2" roadtyname="Rural Restricted Access" modelCombination="M1"/>
<roadtype roadtypeid="3" roadtyname="Rural Unrestricted Access" modelCombination="M1"/>
<roadtype roadtypeid="4" roadtyname="Urban Restricted Access" modelCombination="M1"/>
<roadtype roadtypeid="5" roadtyname="Urban Unrestricted Access" modelCombination="M1"/>
</roadtypes>
</filters>
<databaseselection servername="localhost" databasename="24003_2023_07_05_OZ_SIP_M5_mi"/>
<agedistribution>
<description><![CDATA[]]></description>
<parts>
<sourceTypeAgeDistribution>
<filename>C:\MDMOVES5_23\MOVESInputs\AgeDist\MOVES5_2023\2023_Vmix\24003_2023_SourceTypeAgeDistribution.csv</filename>
</sourceTypeAgeDistribution>
</parts>
</agedistribution>
<avgspeeddistribution>
<description><![CDATA[]]></description>
<parts>
<avgSpeedDistribution>
<filename>C:\MDMOVES5_23\Out\2023_OZ_BMC_SIP_M5\24003_2023_07_05_OZ_SIP_M5\CDM\avgSpeedDistribution.csv</filename>
</avgSpeedDistribution>
</parts>
</avgspeeddistribution>
<imcoverage>
<description><![CDATA[]]></description>
<parts>
<imcoverage>
<filename>C:\MDMOVES5_23\MOVESInputs\IM\MOVES5_2023\24000_2023_IMCoverage.csv</filename>
</imcoverage>
</parts>
</imcoverage>
<fuel>
<description><![CDATA[]]></description>
<parts>
<FuelSupply>
<filename>C:\MDMOVES5_23\MOVESInputs\Fuel\MOVES5_2023\FuelSupply\2023\G2_RFG\24003_2023_FuelSupply.csv</filename>
</FuelSupply>
<FuelFormulation>
<filename>C:\MDMOVES5_23\MOVESInputs\Fuel\MOVES5_2023\24000_FuelFormulation_moves5.csv</filename>
</FuelFormulation>
<FuelUsageFraction>
<filename>C:\MDMOVES5_23\MOVESInputs\Fuel\MOVES5_2023\MOVESDefaults\24000_FuelUsageFraction_M5_Default.csv</filename>
</FuelUsageFraction>
<AVFT>
<filename>C:\MDMOVES5_23\MOVESInputs\Fuel\MOVES5_2023\AVFT\2023\2023_AVFT_MOVES5_G1_Grt_Balto_Area.csv</filename>
</AVFT>
</parts>
</fuel>
<zonemonthhour>
<description><![CDATA[]]></description>
<parts>
<zoneMonthHour>
<filename>C:\MDMOVES5_23\MOVESInputs\Meteorology\2023\24003_2023_met.csv</filename>
</zoneMonthHour>
</parts>

```

```

</zonemonthhour>
<roadtypedistribution>
  <description><![CDATA[]]></description>
  <parts>
    <roadTypeDistribution>
      <filename>C:\MDMOVES5_23\Out\2023_OZ_BMC_SIP_M5\24003_2023_07_05_OZ_SIP_M5\CDM\roadTypeDistribution.csv</filename>
    </roadTypeDistribution>
  </parts>
</roadtypedistribution>
<sourcetypepopulation>
  <description><![CDATA[]]></description>
  <parts>
    <sourceTypeYear>
      <filename>C:\MDMOVES5_23\Out\2023_OZ_BMC_SIP_M5\24003_2023_07_05_OZ_SIP_M5\CDM\SourceTypePopulation.csv</filename>
    </sourceTypeYear>
  </parts>
</sourcetypepopulation>
<vehicletypevmt>
  <description><![CDATA[]]></description>
  <parts>
    <hpmsVTypeYear>
      <filename>C:\MDMOVES5_23\Out\2023_OZ_BMC_SIP_M5\24003_2023_07_05_OZ_SIP_M5\CDM\hpmsVTypeYear.csv</filename>
    </hpmsVTypeYear>
    <monthvmtfraction>
      <filename>C:\MDMOVES5_23\MOVESInputs\MonthDayHourFractions\M2010ab\2023_MonthFraction\24003_2023_MonthVMTFraction_NonLeap.csv</filename>
    </monthvmtfraction>
    <dayvmtfraction>
      <filename>C:\MDMOVES5_23\MOVESInputs\MonthDayHourFractions\M2010ab\2023_DayFraction\24003_2023_dayvmtfraction.csv</filename>
    </dayvmtfraction>
    <hourvmtfraction>
      <filename>C:\MDMOVES5_23\Out\2023_OZ_BMC_SIP_M5\24003_2023_07_05_OZ_SIP_M5\CDM\hourvmtfraction.csv</filename>
    </hourvmtfraction>
  </parts>
</vehicletypevmt>
<starts>
  <description><![CDATA[]]></description>
  <parts>
    <startsPerDay>
      <filename></filename>
    </startsPerDay>
    <startsHourFraction>
      <filename></filename>
    </startsHourFraction>
    <startsSourceTypeFraction>
      <filename></filename>
    </startsSourceTypeFraction>
    <startsMonthAdjust>
      <filename></filename>
    </startsMonthAdjust>
    <importStartsOpModeDistribution>
      <filename></filename>
    </importStartsOpModeDistribution>
    <Starts>
      <filename></filename>
    </Starts>
  </parts>
</starts>
<hotelling>
  <description><![CDATA[]]></description>
  <parts>
    <hotellingActivityDistribution>
      <filename></filename>
    </hotellingActivityDistribution>
    <hotellingHours>
      <filename></filename>
    </hotellingHours>
  </parts>
</hotelling>

```

```

<idle>
  <description><![CDATA[]]></description>
  <parts>
    <totalIdleFraction>
      <filename></filename>
    </totalIdleFraction>
    <idleModelYearGrouping>
      <filename></filename>
    </idleModelYearGrouping>
    <idleMonthAdjust>
      <filename></filename>
    </idleMonthAdjust>
    <idleDayAdjust>
      <filename></filename>
    </idleDayAdjust>
  </parts>
</idle>
<onroadretrofit>
  <description><![CDATA[]]></description>
  <parts>
    <onRoadRetrofit>
      <filename></filename>
    </onRoadRetrofit>
  </parts>
</onroadretrofit>
<generic>
  <description><![CDATA[]]></description>
  <parts>
    <anytable>
      <tablename>regioncounty</tablename>
      <filename>C:\MDMOVES5_23\MOVESInputs\Fuel\MOVES5_2023\MOVESDefaults\24000_RegionCounty_MOVES5Default.csv</filename>
    </anytable>
  </parts>
</generic>
</importer>
</moves>

```

Sample mrs file format

```

<runspec version="MOVES5.0.0">
<description><![CDATA[MOVES5 RunSpec Created by CENTRAL4 Scenario: Anne 2023 JULWKD OZ_SIP_M5 Emission Inventory with user's data]]></description>
  <models>
    <model value="ONROAD"/>
  </models>
<modelscale value="Inv"/>
<modeldomain value="SINGLE"/>
<geographicselections>
  <geographicselection type="COUNTY" key="24003" description="Anne Arundel County, MARYLAND (24003)"/>
</geographicselections>
<timespan>
  <year key="2023"/>
<month id="07"/>
<day id="5"/>
  <beginhour id="1"/>
  <endhour id="24"/>
</timespan>
<aggregateBy key="Hour"/>
</timespan>
<onroadvehicselections>
<onroadvehicseleselection fueltypeid="2" fueltypedesc="Diesel Fuel" sourcetypeid="21" sourcetyname="Passenger Car"/>
<onroadvehicseleselection fueltypeid="2" fueltypedesc="Diesel Fuel" sourcetypeid="31" sourcetyname="Passenger Truck"/>
<onroadvehicseleselection fueltypeid="2" fueltypedesc="Diesel Fuel" sourcetypeid="32" sourcetyname="Light Commercial Truck"/>
<onroadvehicseleselection fueltypeid="1" fueltypedesc="Gasoline" sourcetypeid="11" sourcetyname="Motorcycle"/>
<onroadvehicseleselection fueltypeid="1" fueltypedesc="Gasoline" sourcetypeid="21" sourcetyname="Passenger Car"/>

```



```

<pollutantprocessassociation pollutantkey="79" pollutantname="Non-Methane Hydrocarbons" processkey="17" processname="Crankcase Extended Idle Exhaust"/>
<pollutantprocessassociation pollutantkey="79" pollutantname="Non-Methane Hydrocarbons" processkey="91" processname="Auxiliary Power Exhaust"/>
<pollutantprocessassociation pollutantkey="79" pollutantname="Non-Methane Hydrocarbons" processkey="11" processname="Evap Permeation"/>
<pollutantprocessassociation pollutantkey="79" pollutantname="Non-Methane Hydrocarbons" processkey="12" processname="Evap Fuel Vapor Venting"/>
<pollutantprocessassociation pollutantkey="79" pollutantname="Non-Methane Hydrocarbons" processkey="13" processname="Evap Fuel Leaks"/>
<pollutantprocessassociation pollutantkey="1" pollutantname="Total Gaseous Hydrocarbons" processkey="1" processname="Running Exhaust"/>
<pollutantprocessassociation pollutantkey="1" pollutantname="Total Gaseous Hydrocarbons" processkey="15" processname="Crankcase Running Exhaust"/>
<pollutantprocessassociation pollutantkey="1" pollutantname="Total Gaseous Hydrocarbons" processkey="2" processname="Start Exhaust"/>
<pollutantprocessassociation pollutantkey="1" pollutantname="Total Gaseous Hydrocarbons" processkey="16" processname="Crankcase Start Exhaust"/>
<pollutantprocessassociation pollutantkey="1" pollutantname="Total Gaseous Hydrocarbons" processkey="90" processname="Extended Idle Exhaust"/>
<pollutantprocessassociation pollutantkey="1" pollutantname="Total Gaseous Hydrocarbons" processkey="17" processname="Crankcase Extended Idle Exhaust"/>
<pollutantprocessassociation pollutantkey="1" pollutantname="Total Gaseous Hydrocarbons" processkey="91" processname="Auxiliary Power Exhaust"/>
<pollutantprocessassociation pollutantkey="1" pollutantname="Total Gaseous Hydrocarbons" processkey="11" processname="Evap Permeation"/>
<pollutantprocessassociation pollutantkey="1" pollutantname="Total Gaseous Hydrocarbons" processkey="12" processname="Evap Fuel Vapor Venting"/>
<pollutantprocessassociation pollutantkey="1" pollutantname="Total Gaseous Hydrocarbons" processkey="13" processname="Evap Fuel Leaks"/>
<pollutantprocessassociation pollutantkey="87" pollutantname="Volatile Organic Compounds" processkey="1" processname="Running Exhaust"/>
<pollutantprocessassociation pollutantkey="87" pollutantname="Volatile Organic Compounds" processkey="2" processname="Start Exhaust"/>
<pollutantprocessassociation pollutantkey="87" pollutantname="Volatile Organic Compounds" processkey="12" processname="Evap Fuel Vapor Venting"/>
<pollutantprocessassociation pollutantkey="87" pollutantname="Volatile Organic Compounds" processkey="13" processname="Evap Fuel Leaks"/>
<pollutantprocessassociation pollutantkey="87" pollutantname="Volatile Organic Compounds" processkey="15" processname="Crankcase Running Exhaust"/>
<pollutantprocessassociation pollutantkey="87" pollutantname="Volatile Organic Compounds" processkey="16" processname="Crankcase Start Exhaust"/>
<pollutantprocessassociation pollutantkey="87" pollutantname="Volatile Organic Compounds" processkey="17" processname="Crankcase Extended Idle Exhaust"/>
<pollutantprocessassociation pollutantkey="87" pollutantname="Volatile Organic Compounds" processkey="90" processname="Extended Idle Exhaust"/>
<pollutantprocessassociation pollutantkey="79" pollutantname="Non-Methane Hydrocarbons" processkey="91" processname="Auxiliary Power Exhaust"/>
<pollutantprocessassociation pollutantkey="1" pollutantname="Total Gaseous Hydrocarbons" processkey="91" processname="Auxiliary Power Exhaust"/>
<pollutantprocessassociation pollutantkey="87" pollutantname="Volatile Organic Compounds" processkey="91" processname="Auxiliary Power Exhaust"/>
<pollutantprocessassociation pollutantkey="1" pollutantname="Total Gaseous Hydrocarbons" processkey="11" processname="Evap Permeation"/>
<pollutantprocessassociation pollutantkey="87" pollutantname="Volatile Organic Compounds" processkey="11" processname="Evap Permeation"/>
</pollutantprocessassociations>
<databaseselections>
<databaseselection servername="localhost" databasename="MOVES5_early_NLEV" description=""/>
<databaseselection servername="localhost" databasename="MOVES5_caleviii2011" description=""/>
<databaseselection servername="localhost" databasename="moves5_md_stageii" description=""/>
</databaseselections>
<internalcontrolstrategies>
</internalcontrolstrategies>
<inputdatabase servername="" databasename="" description=""/>
<uncertaintyparameters uncertaintymodeenabled="false" numberofruns="0" numberofsimulations="0"/>
<geographicoutputdetail description="COUNTY"/>
<outputemissionsbreakdownselection>
<modelyear selected="false"/>
<fueltype selected="false"/>
<fuelsubtype selected="false"/>
<emissionprocess selected="true"/>
<onroadoffroad selected="false"/>
<roadtype selected="true"/>
<sourceusetype selected="true"/>
<movesvehicletype selected="false"/>
<onroadsc selected="false"/>
<estimateuncertainty selected="false" numberOfIterations="2" keepSampledData="false" keepIterations="false"/>
<sector selected="false"/>
<engtechid selected="false"/>
<hpclass selected="false"/>
<regclassid selected="false"/>
</outputemissionsbreakdownselection>
<outputdatabase servername="localhost" databasename="24003_2023_07_05_OZ_SIP_M5_mo" description=""/>
<outputtimestep value="Hour"/>
<outputvmtdata value="true"/>
<outputsho value="true"/>
<outputsh value="true"/>
<outputshp value="true"/>
<outputshidling value="true"/>
<outputstarts value="true"/>
<outputpopulation value="true"/>
<scaleinputdatabase servername="localhost" databasename="24003_2023_07_05_OZ_SIP_M5_mi" description=""/>
<pmsize value="0"/>
<outputfactors>

```

```
<timefactors selected="true" units="Hours"/>
<distancefactors selected="true" units="Miles"/>
<massfactors selected="false" units="Grams" energyunits="Million BTU"/>
  </outputfactors>
  <savedata>
  </savedata>
  <donotexecute>
  </donotexecute>
  <generatordatabase shouldsave="false" servername="" databasename="" description=""/>
  <donotperformfinalaggregation selected="false"/>
  <lookuptableflags scenarioid="" truncateoutput="true" truncateactivity="true" truncatebaserates="true"/>
  <skipdomaindatabasevalidation selected="false"/>
</runspec>
```