



Advanced Environmental Concepts, Inc.

1751 Pulaski Hwy Havre de Grace, MD 21078 (410) 939-5550

Q2 2025 Monitoring Well Sampling Report

Site Location:

High's 98
13522 Long Green Pike
Baldwin, MD 21013

Facility I.D. No. 11022

Prepared For:

Herb Meade
Environmental Director
Carroll Motor Fuels
18 Loveton Circle
Sparks MD 21152

June 23, 2025

SIGNATURE SHEET

Prepared by:

Name: Gregory Beal

Company: Advanced Environmental Concepts, Inc.

Address: 1751 Pulaski Hwy

City/State/Zip: Havre de Grace, Maryland 21078

Telephone: (410) 939-5550

Table of Contents

1.0 Introduction	2
1.1 Purpose.....	2
2.0 Groundwater Sampling & Methods	2
2.1 Monitoring Well Sampling	2
2.2 Domestic Supply Well Sampling	2
3.0 Results of Water Sampling	2
3.1 Groundwater Elevation	2
3.2 Monitoring Well Sampling Results	2
3.3 Domestic Well Sampling Results	3
4.0 Future Activities	3
5.0 Limitations.....	3
6.0 Appendices	3
Appendix A	4
Site Maps	4
Appendix B	5
Groundwater Gauging & Analytical Tables	5
Appendix C	6
Report of Analysis & Chain of Custody Record	6

1.0 Introduction

1.1 Purpose

This monitoring well (MW) sampling report has been prepared to satisfy the requirements set forth by the Maryland Department of the Environment (MDE) for the High's of Baltimore Store number 98 which is located at 13522 Long Green Pike Baldwin, MD 21013 referred to herein as the "site".

2.0 Groundwater Sampling & Methods

2.1 Monitoring Well Sampling

On 05/12/2025 AEC personnel arrived on site to gauge and sample site monitoring wells (MWs). On 5/12/2025 MW-2 was inaccessible therefore a return trip was made to sample MW-2 on 06/04/2025.

Prior to sampling, each well was gauged for presence/absence of liquid phase hydrocarbons (LPH) as well as depth to groundwater with an electronic oil/water interface meter. LPH was not present in any of the site MWs or TFs. After gauging, each well was purged a total of three well volumes of water. Purged groundwater was treated with activated carbon prior to being discharged to the ground. After purging, groundwater was allowed to recover to a minimum of 90% pre purge levels prior to sample collection. Groundwater samples were collected using pre-packaged, single use, disposable bailers and placed in laboratory supplied VOAs and then placed in a cooler with ice and chain of custody record for delivery to the laboratory.

Groundwater samples collected were delivered to AEC's Laboratory. All samples were analyzed for volatile organic compounds (VOCs) by EPA Method 8260 and for total petroleum hydrocarbons - diesel and gasoline range organics (TPH-DRO/GRO) by EPA Method 8015.

2.2 Domestic Supply Well Sampling

On 05/12/2025 samples were collected from the site's domestic supply well (DSW). The samples were collected using standard sampling procedure by an MDE certified drinking water sampler.

DSW samples collected during this sampling event were delivered to AEC's laboratory to be analyzed for VOCs by EPA Method 524.2.

3.0 Results of Water Sampling

3.1 Groundwater Elevation

Groundwater elevation observed during the 05/12/2025 sampling event ranged from 466.29 feet in MW-2 (Lowest) to 466.80 in MW-3 (Highest). Based on this data, groundwater flow on site is to the west. A groundwater elevation contour map can be found in Appendix A.

3.2 Monitoring Well Sampling Results

Method detectable concentrations of VOCs were observed in the groundwater samples collected on 05/12/2025 from MW-3.

Analytical results from the monitoring well sampling events are summarized in a monitoring well analytical table which can be found in Appendix B. A full Report of Analysis and Chain of Custody Record can be found in Appendix C.

3.3 Domestic Well Sampling Results

Method detectable concentrations were not observed in the domestic supply well sample collected and submitted for analysis on 05/12/2025. Results from the domestic supply well sampling event are summarized in a table format and can be found in Appendix B. A full Report of Analysis and Chain of Custody Record can be found in Appendix C.

4.0 Future Activities

AEC will complete the Q3 quarterly sampling of site's groundwater at the Highs # 98 store location per MDE requirements.

5.0 Limitations

The scope of work is limited to the activities and results contained in this report. Industry standard hydro-geologic investigative procedures and protocol were used in order to complete the scope of work. No other warranty expressed or implied is made.

6.0 Appendices

Appendix A


Site Maps

Groundwater Elevations

MW-1= 466.80

MW-2= 466.29

MW-3= 466.77



Appendix B
Groundwater Gauging & Analytical Tables

Historical Well Gauging Table
 Highs Store 98
 13522 Long Green Pike, Baldwin
 Facility 11022
 MDE Case No. 17-0166BA

MW ID	Date	Depth to Product (ft)	Depth to Groundwater (ft)	Product Thickness (ft)	Groundwater Elevation (ft)
MW-1	2/2/2017	ND	7.76	ND	464.86
	3/29/2017	ND	7.76	ND	464.86
TOC Elevation = 472.62	4/7/2017	ND	5.85	ND	466.77
	5/12/2017	ND	6.53	ND	466.09
	6/9/2017	ND	7.07	ND	465.55
	7/20/2017	ND	8.03	ND	464.59
	8/8/2017	ND	6.79	ND	465.83
	9/21/2017	ND	7.72	ND	464.90
	10/2/2017	ND	8.20	ND	464.42
	10/5/2017	ND	8.24	ND	464.38
	10/13/2017	ND	8.44	ND	464.18
	10/18/2017	ND	8.23	ND	464.39
	10/31/2017	ND	8.18	ND	464.44
	11/7/2017	ND	8.16	ND	464.46
	11/28/2017	ND	8.20	ND	464.42
	2/28/2018	ND	6.13	ND	466.49
	5/29/2018	ND	5.20	ND	467.42
	7/23/2018	ND	5.60	ND	467.02
	8/16/2018	ND	5.62	ND	467.00
	9/24/2018	ND	4.90	ND	467.72
	10/15/2018	ND	5.75	ND	466.87
	11/12/2018	ND	5.31	ND	467.31
	12/7/2018	ND	5.26	ND	467.36
	2/22/2019	ND	6.01	ND	466.61
	1/30/2020	ND	6.02	ND	466.60
	1/6/2021	ND	5.48	ND	467.14
	1/10/2022	ND	5.53	ND	467.09
	1/10/2023	ND	6.47	ND	466.15
472.62	6/23/2023	ND	7.81	ND	464.81
	9/28/2023	ND	7.08	ND	465.54
	12/20/2023	ND	5.83	ND	466.79
	6/3/2024	ND	7.03	ND	465.59
	12/3/2024	ND	7.87	ND	464.75
	2/5/2024	ND	8.7	ND	463.92
	5/12/2025	ND	5.82	ND	466.80

Historical Well Gauging Table
 Highs Store 98
 13522 Long Green Pike, Baldwin
 Facility 11022
 MDE Case No. 17-0166BA

MW ID	Date	Depth to Product (ft)	Depth to Groundwater (ft)	Product Thickness (ft)	Groundwater Elevation (ft)
MW-2	2/2/2017	ND	6.33	ND	464.80
	3/29/2017	ND	6.33	ND	464.80
TOC Elevation =	4/7/2017	ND	4.50	ND	466.63
471.13	5/12/2017	ND	5.11	ND	466.02
	6/9/2017	ND	5.59	ND	465.54
	7/20/2017	ND	6.76	ND	464.37
	8/8/2017	ND	5.32	ND	465.81
	9/21/2017	ND	6.32	ND	464.81
	10/2/2017	ND	6.82	ND	464.31
	10/5/2017	ND	6.92	ND	464.21
	10/13/2017	ND	7.03	ND	464.10
	10/18/2017	ND	6.85	ND	464.28
	10/31/2017	ND	6.82	ND	464.31
	11/7/2017	ND	6.80	ND	464.33
	11/28/2017	ND	6.86	ND	464.27
	5/29/2018	ND	4.82	ND	466.31
	5/29/2018	ND	3.91	ND	467.22
	7/23/2018	ND	4.40	ND	466.73
	8/16/2018	ND	4.15	ND	466.98
	9/24/2018	ND	3.45	ND	467.68
	10/15/2018	ND	4.4	ND	466.73
	11/12/2018	ND	3.72	ND	467.41
	12/7/2018	ND	4.12	ND	467.01
	2/22/2019	ND	3.67	ND	467.46
	1/30/2020	ND	4.69	ND	466.44
	1/6/2021	ND	4.11	ND	467.02
	1/10/2022	ND	4.17	ND	466.96
	1/10/2023	ND	5.14	ND	465.99
471.63	6/23/2023	ND	6.61	ND	465.02
	9/28/2023	ND	6.83	ND	464.80
	12/20/2023	ND	4.52	ND	467.11
	6/3/2024	ND	6.37	ND	465.26
	12/3/2024	ND	6.92	ND	464.71
	2/5/2025	ND	7.39	ND	464.24
	6/4/2025	ND	5.34	ND	466.29

Historical Well Gauging Table
 Highs Store 98
 13522 Long Green Pike, Baldwin
 Facility 11022
 MDE Case No. 17-0166BA

MW ID	Date	Depth to Product (ft)	Depth to Groundwater (ft)	Product Thickness (ft)	Groundwater Elevation (ft)
MW-3	2/2/2017	ND	5.64	ND	465.69
	3/29/2017	ND	5.64	ND	465.69
TOC Elevation =	4/7/2017	ND	3.95	ND	467.38
471.33	5/12/2017	ND	3.88	ND	467.45
	6/9/2017	ND	4.15	ND	467.18
	7/20/2017	ND	5.22	ND	466.11
	8/8/2017	ND	3.88	ND	467.45
	9/21/2017	ND	5.65	ND	465.68
	10/2/2017	ND	6.09	ND	465.24
	10/5/2017	ND	6.12	ND	465.21
	10/13/2017	ND	5.87	ND	465.46
	10/18/2017	ND	6.12	ND	465.21
	10/31/2017	ND	6.09	ND	465.24
	11/7/2017	ND	6.07	ND	465.26
	11/28/2017	ND	6.15	ND	465.18
	2/28/2018	ND	4.34	ND	466.99
	5/29/2018	ND	3.19	ND	468.14
	7/23/2018	ND	3.70	ND	467.63
	8/16/2018	ND	4.32	ND	467.01
	9/24/2018	ND	3.93	ND	467.40
	10/15/2018	ND	5.20	ND	466.13
	11/12/2018	ND	3.15	ND	468.18
	12/7/2018	ND	3.66	ND	467.67
	2/22/2019	ND	3.31	ND	468.02
	1/30/2020	ND	4.16	ND	467.17
	1/6/2021	ND	3.56	ND	467.77
	1/10/2022	ND	4.02	ND	467.31
New Elevation	1/10/2023	ND	4.32	ND	467.01
471.65	3/3/2003	ND	4.83	ND	466.82
	3/31/2023	ND	4.75	ND	466.90
	6/23/2023	ND	5.89	ND	465.76
	9/28/2023	ND	5.13	ND	466.52
	12/20/2023	ND	4.43	ND	467.22
	6/3/2024	ND	5.95	ND	465.70
	12/3/2024	ND	6.35	ND	465.30
	2/5/2025	ND	6.9	ND	464.75
	5/12/2025	ND	4.88	ND	466.77

Historical Well Gauging Table
 Highs Store 98
 13522 Long Green Pike, Baldwin
 Facility 11022
 MDE Case No. 17-0166BA

MW ID	Date	Depth to Product (ft)	Depth to Groundwater (ft)	Product Thickness (ft)	Groundwater Elevation (ft)
MW-4 TOC Elevation = 472.00	1/18/2013	ND	5.06	ND	467.56
	10/22/2013	ND	6.62	ND	466.00
		Abandoned			
TF-1	7/18/2007	ND	NA	ND	NA
	2/29/2008	ND	NA	ND	NA
	8/24/2008	ND	NA	ND	NA
	2/26/2009	ND	NA	ND	NA
	5/31/2011	ND	5.23	ND	NA
	1/18/2013	ND	4.84	ND	NA
	9/10/2015	ND	7.66	ND	NA
	10/15/2015	ND	7.35	ND	NA
	11/16/2015	ND	7.47	ND	NA
	9/15/2016	8.50	8.55	0.05	NA
	9/16/2016	7.42	7.59	0.17	NA
	9/22/2016	ND	7.55	ND	NA
	9/29/2016	ND	7.02	ND	NA
	10/6/2016	ND	6.55	ND	NA
	10/13/2016	ND	7.50	ND	NA
TF-1	10/21/2016	ND	7.57	ND	NA
	10/26/2016	ND	7.74	ND	NA
	12/1/2016	8.59	8.61	0.02	NA
	2/2/2017	6.60	6.65	0.05	NA
	3/29/2017	6.60	6.65	0.05	NA
	4/7/2017	4.71	4.76	0.05	NA
	5/12/2017	5.81	5.89	0.08	NA
	6/9/2017	5.81	5.85	0.04	NA
	7/20/2017	6.47	6.50	0.03	NA
	8/8/2017	5.65	5.99	0.34	NA
	9/21/2017	6.55	6.97	0.42	NA
	10/2/2017	7.00	7.42	0.42	NA
	10/5/2017	7.14	7.22	0.08	NA
	10/13/2017	7.16	7.24	0.08	NA
	10/18/2017	8.25	8.26	0.01	NA
	10/31/2017	6.32	6.42	0.10	NA
	11/7/2017	ND	6.80	ND	NA
	11/28/2017	ND	7.01	ND	NA
	2/28/2018	ND	5.04	ND	NA
	5/29/2018	ND	4.09	ND	NA
	7/23/2018	ND	4.55	ND	NA
	8/16/2018	ND	5.72	ND	NA
	9/24/2018	ND	4.20	ND	NA
	10/15/2018	ND	4.60	ND	NA
	11/12/2018	ND	4.08	ND	NA
	12/7/2018	ND	4.01	ND	NA
	2/22/2019	ND	3.90	ND	NA
	1/30/2020	ND	4.84	ND	NA
	1/6/2021	ND	4.29	ND	NA
	1/10/2023	ND	4.87	ND	NA
	6/23/2023	ND	6.76	ND	NA
	9/28/2023	ND	7.04	ND	NA
	12/20/2023	ND	5.22	ND	NA
	6/3/2024	ND	6.97	ND	NA
	12/3/2024	ND	4.89	ND	NA

Historical Well Gauging Table
Highs Store 98
13522 Long Green Pike, Baldwin
Facility 11022
MDE Case No. 17-0166BA

MW ID	Date	Depth to Product (ft)	Depth to Groundwater (ft)	Product Thickness (ft)	Groundwater Elevation (ft)
	2/5/2025	ND	7.27	ND	NA
	5/12/2025	ND	5.63	ND	NA

Historical Well Gauging Table
 Highs Store 98
 13522 Long Green Pike, Baldwin
 Facility 11022
 MDE Case No. 17-0166BA

MW ID	Date	Depth to Product (ft)	Depth to Groundwater (ft)	Product Thickness (ft)	Groundwater Elevation (ft)
TF-2	7/18/2007	ND	NA	ND	NA
	2/29/2008	ND	6.76	ND	NA
	8/24/2008	ND	NA	ND	NA
	2/26/2009	ND	NA	ND	NA
	5/31/2011	ND	6.84	ND	NA
	1/18/2013	ND	5.94	ND	NA
	10/22/2013	ND	7.74	ND	NA
	9/10/2015	Sheen	7.38	ND	NA
	10/15/2015	ND	7.06	ND	NA
	11/16/2015	ND	7.74	ND	NA
	9/15/2016	8.47	8.59	0.12	NA
	9/16/2016	8.53	8.70	0.17	NA
	9/22/2016	ND	8.68	ND	NA
	9/29/2016	ND	8.13	ND	NA
	10/6/2016	ND	7.33	ND	NA
	10/13/2016	ND	8.61	ND	NA
	10/21/2016	ND	8.43	ND	NA
	10/26/2016	ND	8.90	ND	NA
	12/1/2016	7.48	7.50	0.02	NA
	2/2/2017	7.70	7.79	0.09	NA
	3/29/2017	7.70	7.79	0.09	NA
	4/7/2017	5.84	5.89	0.05	NA
	5/12/2017	6.92	6.96	0.04	NA
	6/9/2017	6.92	6.94	0.02	NA
	7/20/2017	7.70	7.71	0.01	NA
	8/8/2017	6.77	7.10	0.33	NA
	9/21/2017	7.66	8.03	0.37	NA
	10/2/2017	8.11	8.55	0.44	NA
	10/5/2017	8.26	8.34	0.08	NA
	10/13/2017	7.85	7.91	0.06	NA
	10/18/2017	7.12	7.17	0.05	NA
	10/31/2017	6.74	6.95	0.21	NA
TF-2	11/7/2017	ND	7.91	ND	NA
	11/28/2017	ND	8.24	ND	NA
	2/28/2018	ND	6.16	ND	NA
	5/29/2018	ND	4.15	ND	NA
	7/23/2018	ND	5.8	ND	NA
	8/16/2018	ND	4.51	ND	NA
	9/24/2018	ND	4.85	ND	NA
	10/15/2018	ND	5.70	ND	NA
	11/12/2018	ND	5.10	ND	NA
	12/7/2018	ND	5.23	ND	NA
	2/22/2019	ND	4.98	ND	NA
	1/30/2020	ND	5.97	ND	NA
	1/6/2021	ND	5.39	ND	NA
	1/10/2023	ND	5.48	ND	NA
	6/23/2023	ND	7.86	ND	NA
	9/28/2023	ND	7.97	ND	NA
	12/20/2023	ND	5.64	ND	NA
	6/3/2024	ND	6.33	ND	NA
	12/3/2024	ND	5.33	ND	NA
	2/5/2024	ND	8.64	ND	NA
	5/12/2025	ND	5.55	ND	NA

High's of Baltimore Store 98
13522 Long Green Pike Baldwin MD
Historical Monitoring Well Sampling Data

MW ID	Date	Benzene	Toluene	Ethylbenzene	Xylenes (Total)	Total BTEX	MTBE	TAA	TBA	TPH GRO	TPH DRO
MDE GNCS	NA	5	1,000	700	10,000	NA	20	NA	NA		
MW-1	7/18/2007	ND	ND	ND	ND	ND	ND	NA	NA		
TOC Elevation = 472.62	2/29/2008	2	ND	ND	ND	2	ND	NA	NA		
	8/24/2008	ND	ND	ND	ND	ND	ND	NA	NA		
	2/26/2009	ND	ND	ND	ND	ND	ND	NA	NA		
	2/25/2010	ND	2	ND	3	5	ND	NA	NA		
	5/31/2011	ND	ND	ND	ND	ND	ND	NA	NA		
	1/18/2013	ND	ND	ND	ND	ND	ND	NA	NA		
	10/22/2013	ND	ND	ND	ND	ND	ND	ND	ND		
	9/29/2014	ND	ND	ND	ND	ND	ND	ND	ND		
	9/10/2015	ND	ND	ND	ND	ND	ND	ND	ND		
	10/15/2015	NS	NS	NS	NS	NS	NS	NS	NS		
	11/16/2015	NS	NS	NS	NS	NS	NS	NS	NS		
	9/15/2016	95.4	6.57	ND	24.1	126	ND	60.4	ND		
	4/7/2017	ND	ND	ND	ND	ND	ND	ND	ND		
	7/20/2017	120	ND	ND	ND	ND	ND	ND	ND		
	10/2/2017	10.7	7.77	ND	ND	18.5	ND	ND	ND		
	2/28/2018	ND	ND	ND	ND	ND	ND	ND	ND		
	5/29/2018	ND	ND	ND	ND	ND	ND	ND	ND		
	8/16/2018	ND	ND	7.55	ND	ND	ND	ND	ND		
	11/12/2018	ND	ND	ND	ND	ND	ND	ND	ND		
	2/22/2019	ND	ND	ND	ND	ND	ND	ND	ND	< 40	< 40
	1/30/2020	< 5	< 5	< 5	< 5	< 5	< 5	< 50	< 50	< 40	< 40
	1/6/2021	< 5	< 5	< 5	< 5	< 5	< 5	< 50	< 50	< 40	< 40
	1/10/2022	< 1	< 1	< 1	< 1	< 1	< 1	< 25	< 25	< 40	< 40
	1/10/2023	< 1	< 1	< 1	< 3	< 6	< 1	< 25	< 25	< 40	< 40
	6/23/2023	< 1	< 1	< 1	< 3	< 6	< 1	< 25	< 25	< 40	< 40
	9/28/2023	< 1	< 1	< 1	< 3	< 6	< 1	< 25	< 25	< 40	< 40
	12/20/2023	< 1	< 1	< 1	< 3	< 6	< 1	< 25	< 25	< 40	< 40
	6/3/2024	< 1	< 1	< 1	< 3	< 6	< 1	< 25	< 25	< 40	< 40
	12/3/2024	< 1	< 1	< 1	< 3	< 6	< 1	< 25	< 25	< 40	< 40
	2/5/2025	< 1	< 1	< 1	< 3	< 6	< 1	< 25	< 25	< 40	< 40
	5/12/2025	< 1	< 1	< 1	< 3	< 6	< 1	< 25	< 25	NA	NA

High's of Baltimore Store 98
13522 Long Green Pike Baldwin MD
Historical Monitoring Well Sampling Data

MW ID	Date	Benzene	Toluene	Ethylbenzene	Xylenes (Total)	Total BTEX	MTBE	TAA	TBA	TPH GRO	TPH DRO
MDE GNCS	NA	5	1,000	700	10,000	NA	20	NA	NA		
MW-2	7/18/2007	ND	ND	ND	ND	ND	ND	NA	NA		
TOC Elevation = 471.13	2/29/2008	ND	1	ND	ND	1	ND	NA	NA		
	8/24/2008	ND	ND	ND	ND	ND	ND	NA	NA		
	2/26/2009	ND	ND	ND	ND	ND	ND	NA	NA		
	2/25/2010	ND	ND	ND	ND	ND	ND	NA	NA		
	5/31/2011	ND	ND	ND	ND	ND	ND	NA	NA		
	1/18/2013	ND	ND	ND	ND	ND	ND	NA	NA		
	10/22/2013	ND	ND	ND	ND	ND	ND	ND	ND		
	9/29/2014	ND	ND	ND	ND	ND	ND	ND	ND		
	9/10/2015	ND	ND	ND	ND	ND	ND	ND	ND		
	10/15/2015	NS	NS	NS	NS	NS	NS	NS	NS		
	11/16/2015	NS	NS	NS	NS	NS	NS	NS	NS		
	9/15/2016	ND	ND	ND	ND	ND	ND	ND	ND		
	4/7/2017	ND	ND	ND	ND	ND	ND	ND	ND		
	7/20/2017	ND	ND	ND	ND	ND	ND	ND	ND		
	10/2/2017	ND	ND	ND	ND	ND	ND	ND	ND		
	2/28/2018	ND	ND	ND	ND	ND	ND	ND	ND		
	5/29/2018	ND	ND	ND	ND	ND	ND	ND	ND		
	8/16/2018	ND	ND	ND	ND	ND	ND	ND	ND		
	11/12/2018	ND	ND	ND	ND	ND	ND	ND	ND		
	2/22/2019	ND	39.6	ND	ND	ND	ND	ND	ND	< 40	< 40
	1/30/2020	< 5	< 5	< 5	< 5	< 5	< 5	< 50	< 50	< 40	< 40
	1/6/2021	< 5	< 5	< 5	< 5	< 5	< 5	< 50	< 50	< 40	< 40
	1/10/2022	< 1	< 1	< 1	< 1	< 1	< 1	< 25	< 25	< 40	< 40
	1/10/2023	< 1	< 1	< 1	< 3	< 6	< 1	< 25	< 25	< 40	< 40
	6/23/2023	< 1	< 1	< 1	< 3	< 6	< 1	< 25	< 25	< 40	< 40
	9/28/2023	< 1	< 1	< 1	< 3	< 6	< 1	< 25	< 25	< 40	< 40
	12/20/2023	< 1	< 1	< 1	< 3	< 6	< 1	< 25	< 25	< 40	< 40
	6/3/2024	< 1	< 1	< 1	< 3	< 6	< 1	< 25	< 25	< 40	< 40
	12/3/2024	< 1	< 1	< 1	< 3	< 6	< 1	< 25	< 25	< 40	< 40
	2/5/2025	< 1	< 1	< 1	< 3	< 6	< 1	< 25	< 25	< 40	< 40
	6/4/2025	< 1	< 1	< 1	< 3	< 6	< 1	< 25	< 25	< 40	< 40

High's of Baltimore Store 98
13522 Long Green Pike Baldwin MD
Historical Monitoring Well Sampling Data

MW ID	Date	Benzene	Toluene	Ethylbenzene	Xylenes (Total)	Total BTEX	MTBE	TAA	TBA	TPH GRO	TPH DRO
MDE GNCS	NA	5	1,000	700	10,000	NA	20	NA	NA		
MW-3	10/2/2017	ND	ND	ND	ND	ND	ND	ND	ND		
TOC Elevation = 471.33	7/18/2007	ND	ND	ND	ND	ND	4	NA	NA		
	2/29/2008	13	1	ND	1	16	ND	NA	NA		
	8/24/2008	ND	ND	ND	ND	ND	ND	NA	NA		
	2/26/2009	11	ND	ND	ND	11	ND	NA	NA		
	2/25/2010	1	ND	ND	ND	1	ND	NA	NA		
	5/31/2011	15	ND	3	ND	18	ND	NA	NA		
	1/18/2013	ND	ND	ND	ND	ND	ND	NA	NA		
	10/22/2013	ND	ND	ND	ND	ND	ND	85.9	507		
	9/29/2014	ND	ND	ND	ND	ND	ND	ND	150		
	9/10/2015	ND	ND	ND	ND	ND	ND	ND	ND		
	10/15/2015	NS	NS	NS	NS	NS	NS	NS	NS		
	11/16/2015	NS	NS	NS	NS	NS	NS	NS	NS		
	9/15/2016	ND	ND	ND	ND	ND	ND	ND	ND		
	4/7/2017	ND	ND	ND	ND	ND	ND	ND	ND		
	7/20/2017	ND	ND	ND	ND	ND	ND	ND	ND		
	10/2/2017	ND	ND	ND	ND	ND	ND	ND	ND		
	2/28/2018	ND	ND	ND	ND	ND	ND	ND	ND		
MW-3	5/29/2018	ND	ND	ND	ND	ND	ND	ND	ND		
	8/16/2018	ND	ND	ND	ND	ND	ND	ND	ND		
	11/12/2018	ND	ND	ND	ND	ND	ND	ND	ND		
	2/22/2019	ND	42.8	ND	ND	ND	ND	ND	89.5	174	< 40
	1/30/2020	< 5	< 5	< 5	< 5	< 5	< 5	< 50	< 50	< 40	< 40
	1/6/2021	< 5	< 5	< 5	< 5	< 5	< 5	< 50	< 50	< 40	< 40
Well Repair	1/10/2022	< 1	< 1	< 1	< 1	< 1	< 1	< 25	< 25	< 40	< 40
New Elevation	1/10/2023	2.68	2.24	3.68	2.92	11.5	< 1	< 25	< 25	336	< 40
471.65	3/3/2023	7.15	9.21	38.8	11.4	66.6	< 1	< 25	< 25	760	< 40
	3/31/2023	9.51	10.6	60.9	17.64	98.7	< 1	< 25	< 25	1820	< 40
	6/23/2023	4.16	2.33	< 1	6.7	13.2	< 1	< 25	< 25	345	< 40
	9/28/2023	1.45	31.5	11.1	60.8	104.9	< 1	< 25	< 25	230	< 40
	12/20/2023	< 1	3.33	1.3	6.89	11.5	< 1	< 25	< 25	214	< 40
	6/3/2024	< 1	< 1	< 1	< 3	< 5	< 1	< 25	< 25	< 40	< 40
	12/3/2024	< 1	< 1	< 1	< 3	< 5	< 1	< 25	< 25	65.4	< 40
	2/5/2025	< 1	< 1	< 1	< 3	< 6	< 1	< 25	< 25	67.5	< 40
	5/12/2025	4.64	< 1	< 1	< 3	< 6	< 1	< 25	< 25	NA	NA

MW ID	Date	Benzene	Toluene	Ethylbenzene	Xylenes (Total)	Total BTEX	MTBE	TAA	TBA	TPH GRO	TPH DRO
MDE GNCS	NA	5	1,000	700	10,000	NA	20	NA	NA		
MW-4	1/18/2013	510	7.26	31.2	29.9	578	392	NA	NA		
TOC Elevation = 472	10/22/2013	171	16.6	51.9	53.5	293	793	620	8980		
472.00			Abandoned								

**High's of Baltimore Store 98
13522 Long Green Pike Baldwin MD
Historical Monitoring Well Sampling Data**

MW ID	Date	Benzene	Toluene	Ethylbenzene	Xylenes (Total)	Total BTEX	MTBE	TAA	TBA	TPH GRO	TPH DRO
MDE GNCS	NA	5	1,000	700	10,000	NA	20	NA	NA		
High's #98 DSW	10/22/2013	ND	ND	ND	ND	ND	ND	ND	ND		
	9/29/2014	ND	ND	ND	ND	ND	ND	ND	ND		
	9/10/2015	ND	ND	ND	ND	ND	ND	ND	ND		
	9/15/2016	ND	ND	ND	ND	ND	ND	ND	ND		
	10/2/2017	ND	ND	ND	ND	ND	ND	ND	ND		
	2/28/2018	ND	ND	ND	ND	ND	ND	ND	ND		
	5/29/2018	ND	ND	ND	ND	ND	ND	ND	ND		
	8/16/2018	ND	ND	ND	ND	ND	ND	ND	ND		
	11/12/2018	ND	ND	ND	ND	ND	ND	ND	ND		
	2/22/2019	ND	ND	ND	ND	ND	ND	ND	ND		
	1/30/2020	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10	< 10		
	1/6/2021	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10	< 10		
	1/10/2022	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10	< 10		
	2/9/2023	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10	< 10		
	9/28/2023	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10	< 10		
	12/20/2023	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10	< 10		
	6/3/2024	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10	< 10		
	12/3/2024	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10	< 10		
	2/5/2025	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10	< 10		
	5/12/2025	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 0.5	< 10	< 10		
Post Office DSW	12/21/2016	ND	ND	ND	ND	ND	ND	ND	ND		
	10/2/2017	ND	ND	ND	ND	ND	ND	ND	ND		
ND = Not Detected		NS = Not sampled									
NG = No Guideline		at of the Environment Generic Numeric Cleanup Standards, February 2003									

Appendix C
Report of Analysis & Chain of Custody Record

ADVANCED ENVIRONMENTAL CONCEPTS, INC.

Laboratory Services 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

Certificate of Analysis

Sample Identification: MATRIX: Sample Date: Date Received: Extraction Date: Analysis Date:	MW-1 water 5/12/2025 5/12/2025 na 5/15/2025	Project Identification: Client Identification: Client Telephone: Client Fax: Analyst: Lab File:	HIGHS 98 CARROLL FUEL MM 51525A010
---	--	--	---

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
Dichlorodifluoromethane	1	ug/L	ND	EPA 8260
Chloromethane	1	ug/L	ND	EPA 8260
Vinyl Chloride	1	ug/L	ND	EPA 8260
Bromomethane	1	ug/L	ND	EPA 8260
Chloroethane	1	ug/L	ND	EPA 8260
Trichlorofluoromethane	1	ug/L	ND	EPA 8260
1,1-Dichloroethene	1	ug/L	ND	EPA 8260
tert-Butyl Alcohol (TBA)	25	ug/L	ND	EPA 8260
Methylene Chloride	1	ug/L	ND	EPA 8260
trans-1,2-Dichloroethene	1	ug/L	ND	EPA 8260
Methyl tert-Butyl Ether (MtBE)	1	ug/L	ND	EPA 8260
1,1-Dichloroethane	1	ug/L	ND	EPA 8260
Diisopropyl Ether (DIPE)	1	ug/L	ND	EPA 8260
cis-1,2-Dichloroethene	1	ug/L	ND	EPA 8260
Bromochloromethane	1	ug/L	ND	EPA 8260
Chloroform	1	ug/L	ND	EPA 8260
2,2-Dichloropropane	1	ug/L	ND	EPA 8260
Ethyl tert-Butyl Ether (EtBE)	1	ug/L	ND	EPA 8260
1,2-Dichloroethane	1	ug/L	ND	EPA 8260
tert-Amyl Alcohol (TAA)	25	ug/L	ND	EPA 8260
1,1,1-Trichloroethane	1	ug/L	ND	EPA 8260
1,1-Dichloropropene	1	ug/L	ND	EPA 8260
Carbon tetrachloride	1	ug/L	ND	EPA 8260
Benzene	1	ug/L	ND	EPA 8260
tert-Amyl Methyl Ether (TAME)	1	ug/L	ND	EPA 8260
Dibromomethane	1	ug/L	ND	EPA 8260
1,2-Dichloropropane	1	ug/L	ND	EPA 8260
Trichloroethene	1	ug/L	ND	EPA 8260
Bromodichloromethane	1	ug/L	ND	EPA 8260
tert-Amyl Ethyl Ether (TAEE)	1	ug/L	ND	EPA 8260
cis-1,3-Dichloropropene	1	ug/L	ND	EPA 8260
trans-1,3-Dichloropropene	1	ug/L	ND	EPA 8260
1,1,2-Trichloroethane	1	ug/L	ND	EPA 8260
Toluene	1	ug/L	ND	EPA 8260
1,3-Dichloropropane	1	ug/L	ND	EPA 8260
Dibromochloromethane	1	ug/L	ND	EPA 8260
1,2-Dibromoethane	1	ug/L	ND	EPA 8260
Tetrachloroethene	1	ug/L	ND	EPA 8260
1,1,1,2-Tetrachloroethene	1	ug/L	ND	EPA 8260
Chlorobenzene	1	ug/L	ND	EPA 8260
Ethylbenzene	1	ug/L	ND	EPA 8260

ADVANCED ENVIRONMENTAL CONCEPTS, INC.

Laboratory Services 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

Certificate of Analysis

Sample Identification:	MW-1	Project Identification:	HIGHS 98
MATRIX:	water	Client Identification:	CARROLL FUEL
Sample Date:	5/12/2025	Client Telephone:	
Date Received:	5/12/2025	Client Fax:	
Extraction Date:	na	Analyst:	MM
Analysis Date:	5/15/2025	Lab File:	51525A010

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
m&p-Xylene	2	ug/L	ND	EPA 8260
Bromoform	1	ug/L	ND	EPA 8260
Styrene	1	ug/L	ND	EPA 8260
o-Xylene	1	ug/L	ND	EPA 8260
1,1,2,2-Tetrachloroethane	1	ug/L	ND	EPA 8260
1,2,3-Trichloropropane	1	ug/L	ND	EPA 8260
Isopropylbenzene	1	ug/L	ND	EPA 8260
Bromobenzene	1	ug/L	ND	EPA 8260
n-Propylbenzene	1	ug/L	ND	EPA 8260
2-Chlorotoluene	1	ug/L	ND	EPA 8260
4-Chlorotoluene	1	ug/L	ND	EPA 8260
1,3,5-Trimethylbenzene	1	ug/L	ND	EPA 8260
tert-Butylbenzene	1	ug/L	ND	EPA 8260
1,2,4-Trimethylbenzene	1	ug/L	ND	EPA 8260
sec-Butylbenzene	1	ug/L	ND	EPA 8260
1,3-Dichlorobenzene	1	ug/L	ND	EPA 8260
1,4-Dichlorobenzene	1	ug/L	ND	EPA 8260
1,2-Dichlorobenzene	1	ug/L	ND	EPA 8260
p-iso-Propyltoluene	1	ug/L	ND	EPA 8260
n-Butylbenzene	1	ug/L	ND	EPA 8260
1,2-Dibromo-3-chloropropane	1	ug/L	ND	EPA 8260
1,2,4-Trichlorobenzene	1	ug/L	ND	EPA 8260
Naphthalene	1	ug/L	ND	EPA 8260
Hexachlorobutadiene	1	ug/L	ND	EPA 8260
1,2,3-Trichlorobenzene	1	ug/L	ND	EPA 8260

SURROGATE SPIKE

1,2-Dichloroethane-d4	%	106	EPA 8260
Dibromofluoromethane	%	103	EPA 8260
Toluene-d8	%	92	EPA 8260
Bromofluorobenzene	%	103	EPA 8260

ADVANCED ENVIRONMENTAL CONCEPTS, INC.

Laboratory Services 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

Certificate of Analysis

Sample Identification: MATRIX: Sample Date: Date Received: Extraction Date: Analysis Date:	MW-3 water 5/12/2025 5/12/2025 na 5/15/2025	Project Identification: Client Identification: Client Telephone: Client Fax: Analyst: Lab File:	HIGHS 98 CARROLL FUEL MM 51525A011
---	--	--	---

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
Dichlorodifluoromethane	1	ug/L	ND	EPA 8260
Chloromethane	1	ug/L	ND	EPA 8260
Vinyl Chloride	1	ug/L	ND	EPA 8260
Bromomethane	1	ug/L	ND	EPA 8260
Chloroethane	1	ug/L	ND	EPA 8260
Trichlorofluoromethane	1	ug/L	ND	EPA 8260
1,1-Dichloroethene	1	ug/L	ND	EPA 8260
tert-Butyl Alcohol (TBA)	25	ug/L	ND	EPA 8260
Methylene Chloride	1	ug/L	ND	EPA 8260
trans-1,2-Dichloroethene	1	ug/L	ND	EPA 8260
Methyl tert-Butyl Ether (MtBE)	1	ug/L	ND	EPA 8260
1,1-Dichloroethane	1	ug/L	ND	EPA 8260
Diisopropyl Ether (DIPE)	1	ug/L	ND	EPA 8260
cis-1,2-Dichloroethene	1	ug/L	ND	EPA 8260
Bromochloromethane	1	ug/L	ND	EPA 8260
Chloroform	1	ug/L	ND	EPA 8260
2,2-Dichloropropane	1	ug/L	ND	EPA 8260
Ethyl tert-Butyl Ether (EtBE)	1	ug/L	ND	EPA 8260
1,2-Dichloroethane	1	ug/L	ND	EPA 8260
tert-Amyl Alcohol (TAA)	25	ug/L	ND	EPA 8260
1,1,1-Trichloroethane	1	ug/L	ND	EPA 8260
1,1-Dichloropropene	1	ug/L	ND	EPA 8260
Carbon tetrachloride	1	ug/L	ND	EPA 8260
Benzene	1	ug/L	4.64	EPA 8260
tert-Amyl Methyl Ether (TAME)	1	ug/L	ND	EPA 8260
Dibromomethane	1	ug/L	ND	EPA 8260
1,2-Dichloropropane	1	ug/L	ND	EPA 8260
Trichloroethene	1	ug/L	ND	EPA 8260
Bromodichloromethane	1	ug/L	ND	EPA 8260
tert-Amyl Ethyl Ether (TAEE)	1	ug/L	ND	EPA 8260
cis-1,3-Dichloropropene	1	ug/L	ND	EPA 8260
trans-1,3-Dichloropropene	1	ug/L	ND	EPA 8260
1,1,2-Trichloroethane	1	ug/L	ND	EPA 8260
Toluene	1	ug/L	ND	EPA 8260
1,3-Dichloropropane	1	ug/L	ND	EPA 8260
Dibromochloromethane	1	ug/L	ND	EPA 8260
1,2-Dibromoethane	1	ug/L	ND	EPA 8260
Tetrachloroethene	1	ug/L	ND	EPA 8260
1,1,1,2-Tetrachloroethene	1	ug/L	ND	EPA 8260
Chlorobenzene	1	ug/L	ND	EPA 8260
Ethylbenzene	1	ug/L	ND	EPA 8260

ADVANCED ENVIRONMENTAL CONCEPTS, INC.

Laboratory Services 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

Certificate of Analysis

Sample Identification: MATRIX: Sample Date: Date Received: Extraction Date: Analysis Date:	MW-3 water 5/12/2025 5/12/2025 na 5/15/2025	Project Identification: Client Identification: Client Telephone: Client Fax: Analyst: Lab File:	HIGHS 98 CARROLL FUEL MM 51525A011
---	--	--	---

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
m&p-Xylene	2	ug/L	ND	EPA 8260
Bromoform	1	ug/L	ND	EPA 8260
Styrene	1	ug/L	ND	EPA 8260
o-Xylene	1	ug/L	ND	EPA 8260
1,1,2,2-Tetrachloroethane	1	ug/L	ND	EPA 8260
1,2,3-Trichloropropane	1	ug/L	ND	EPA 8260
Isopropylbenzene	1	ug/L	ND	EPA 8260
Bromobenzene	1	ug/L	ND	EPA 8260
n-Propylbenzene	1	ug/L	ND	EPA 8260
2-Chlorotoluene	1	ug/L	ND	EPA 8260
4-Chlorotoluene	1	ug/L	ND	EPA 8260
1,3,5-Trimethylbenzene	1	ug/L	ND	EPA 8260
tert-Butylbenzene	1	ug/L	ND	EPA 8260
1,2,4-Trimethylbenzene	1	ug/L	ND	EPA 8260
sec-Butylbenzene	1	ug/L	ND	EPA 8260
1,3-Dichlorobenzene	1	ug/L	ND	EPA 8260
1,4-Dichlorobenzene	1	ug/L	ND	EPA 8260
1,2-Dichlorobenzene	1	ug/L	ND	EPA 8260
p-iso-Propyltoluene	1	ug/L	ND	EPA 8260
n-Butylbenzene	1	ug/L	ND	EPA 8260
1,2-Dibromo-3-chloropropane	1	ug/L	ND	EPA 8260
1,2,4-Trichlorobenzene	1	ug/L	ND	EPA 8260
Naphthalene	1	ug/L	ND	EPA 8260
Hexachlorobutadiene	1	ug/L	ND	EPA 8260
1,2,3-Trichlorobenzene	1	ug/L	ND	EPA 8260

SURROGATE SPIKE

1,2-Dichloroethane-d4	%	103	EPA 8260
Dibromofluoromethane	%	100	EPA 8260
Toluene-d8	%	91	EPA 8260
Bromofluorobenzene	%	102	EPA 8260

ADVANCED ENVIRONMENTAL CONCEPTS, INC.

Laboratory Services 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

Certificate of Analysis

Sample Identification: MATRIX: Sample Date: Date Received: Extraction Date: Analysis Date:	DSW water 5/12/2025 5/12/2025 na 5/20/2025	Project Identification: Client Identification: Client Telephone: Client Fax: Analyst: Lab File:	HIGHS 98 13522 Long Green CARROLL FUEL MM 52025A009
---	---	--	--

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
Dichlorodifluoromethane	0.5	ug/L	ND	EPA 524.2
Chloromethane	0.5	ug/L	ND	EPA 524.2
Vinyl Chloride	0.5	ug/L	ND	EPA 524.2
Bromomethane	0.5	ug/L	ND	EPA 524.2
Chloroethane	0.5	ug/L	ND	EPA 524.2
Trichlorofluoromethane	0.5	ug/L	ND	EPA 524.2
1,1-Dichloroethene	0.5	ug/L	ND	EPA 524.2
tert-Butyl Alcohol (TBA)	10	ug/L	ND	EPA 524.2
Methylene Chloride	0.5	ug/L	ND	EPA 524.2
trans-1,2-Dichloroethene	0.5	ug/L	ND	EPA 524.2
Methyl tert-Butyl Ether (MtBE)	0.5	ug/L	ND	EPA 524.2
1,1-Dichloroethane	0.5	ug/L	ND	EPA 524.2
Diisopropyl Ether (DIPE)	0.5	ug/L	ND	EPA 524.2
cis-1,2-Dichloroethene	0.5	ug/L	ND	EPA 524.2
Bromochloromethane	0.5	ug/L	ND	EPA 524.2
Chloroform	0.5	ug/L	ND	EPA 524.2
2,2-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Ethyl tert-Butyl Ether (EtBE)	0.5	ug/L	ND	EPA 524.2
1,2-Dichloroethane	0.5	ug/L	ND	EPA 524.2
tert-Amyl Alcohol (TAA)	10	ug/L	ND	EPA 524.2
1,1,1-Trichloroethane	0.5	ug/L	ND	EPA 524.2
1,1-Dichloropropene	0.5	ug/L	ND	EPA 524.2
Carbon tetrachloride	0.5	ug/L	ND	EPA 524.2
Benzene	0.5	ug/L	ND	EPA 524.2
tert-Amyl Methyl Ether (TAME)	0.5	ug/L	ND	EPA 524.2
Dibromomethane	0.5	ug/L	ND	EPA 524.2
1,2-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Trichloroethene	0.5	ug/L	ND	EPA 524.2
Bromodichloromethane	0.5	ug/L	ND	EPA 524.2
tert-Amyl Ethyl Ether (TAEE)	0.5	ug/L	ND	EPA 524.2
cis-1,3-Dichloropropene	0.5	ug/L	ND	EPA 524.2
trans-1,3-Dichloropropene	0.5	ug/L	ND	EPA 524.2
1,1,2-Trichloroethane	0.5	ug/L	ND	EPA 524.2
Toluene	0.5	ug/L	ND	EPA 524.2
1,3-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Dibromochloromethane	0.5	ug/L	ND	EPA 524.2
1,2-Dibromoethane	0.5	ug/L	ND	EPA 524.2
Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
1,1,1,2-Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
Chlorobenzene	0.5	ug/L	ND	EPA 524.2
Ethylbenzene	0.5	ug/L	ND	EPA 524.2

ADVANCED ENVIRONMENTAL CONCEPTS, INC.

Laboratory Services 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

Certificate of Analysis

Sample Identification: MATRIX: Sample Date: Date Received: Extraction Date: Analysis Date:	DSW water 5/12/2025 5/12/2025 na 5/20/2025	Project Identification: Client Identification: Client Telephone: Client Fax: Analyst: Lab File:	HIGHS 98 13522 Long Green CARROLL FUEL MM 52025A009
---	---	--	--

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
m&p-Xylene	0.5	ug/L	ND	EPA 524.2
Bromoform	0.5	ug/L	ND	EPA 524.2
Styrene	0.5	ug/L	ND	EPA 524.2
o-Xylene	0.5	ug/L	ND	EPA 524.2
1,1,2,2-Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
1,2,3-Trichloropropane	0.5	ug/L	ND	EPA 524.2
Isopropylbenzene	0.5	ug/L	ND	EPA 524.2
Bromobenzene	0.5	ug/L	ND	EPA 524.2
n-Propylbenzene	0.5	ug/L	ND	EPA 524.2
2-Chlorotoluene	0.5	ug/L	ND	EPA 524.2
4-Chlorotoluene	0.5	ug/L	ND	EPA 524.2
1,3,5-Trimethylbenzene	0.5	ug/L	ND	EPA 524.2
tert-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,2,4-Trimethylbenzene	0.5	ug/L	ND	EPA 524.2
sec-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,3-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
1,4-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
1,2-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
p-iso-Propyltoluene	0.5	ug/L	ND	EPA 524.2
n-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,2-Dibromo-3-chloropropane	0.5	ug/L	ND	EPA 524.2
1,2,4-Trichlorobenzene	0.5	ug/L	ND	EPA 524.2
Naphthalene	0.5	ug/L	ND	EPA 524.2
Hexachlorobutadiene	0.5	ug/L	ND	EPA 524.2
1,2,3-Trichlorobenzene	0.5	ug/L	ND	EPA 524.2

SURROGATE SPIKE

1,2-Dichloroethane-d4	%	119	EPA 524.2
Dibromofluoromethane	%	109	EPA 524.2
Toluene-d8	%	87	EPA 524.2
Bromofluorobenzene	%	102	EPA 524.2

MDE Drinking Water Supply Laboratory Certification #333

ADVANCED ENVIRONMENTAL CONCEPTS, INC.

Laboratory Services 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

Certificate of Analysis

Sample Identification: MATRIX: Sample Date: Date Received: Extraction Date: Analysis Date:	TRIP BLANK water 5/12/2025 5/12/2025 na 5/20/2025	Project Identification: Client Identification: Client Telephone: Client Fax: Analyst: Lab File:	HIGHS 98 13522 Long Green CARROLL FUEL MM 52025A008
---	--	--	--

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
Dichlorodifluoromethane	0.5	ug/L	ND	EPA 524.2
Chloromethane	0.5	ug/L	ND	EPA 524.2
Vinyl Chloride	0.5	ug/L	ND	EPA 524.2
Bromomethane	0.5	ug/L	ND	EPA 524.2
Chloroethane	0.5	ug/L	ND	EPA 524.2
Trichlorofluoromethane	0.5	ug/L	ND	EPA 524.2
1,1-Dichloroethene	0.5	ug/L	ND	EPA 524.2
tert-Butyl Alcohol (TBA)	10	ug/L	ND	EPA 524.2
Methylene Chloride	0.5	ug/L	ND	EPA 524.2
trans-1,2-Dichloroethene	0.5	ug/L	ND	EPA 524.2
Methyl tert-Butyl Ether (MtBE)	0.5	ug/L	ND	EPA 524.2
1,1-Dichloroethane	0.5	ug/L	ND	EPA 524.2
Diisopropyl Ether (DIPE)	0.5	ug/L	ND	EPA 524.2
cis-1,2-Dichloroethene	0.5	ug/L	ND	EPA 524.2
Bromochloromethane	0.5	ug/L	ND	EPA 524.2
Chloroform	0.5	ug/L	ND	EPA 524.2
2,2-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Ethyl tert-Butyl Ether (EtBE)	0.5	ug/L	ND	EPA 524.2
1,2-Dichloroethane	0.5	ug/L	ND	EPA 524.2
tert-Amyl Alcohol (TAA)	10	ug/L	ND	EPA 524.2
1,1,1-Trichloroethane	0.5	ug/L	ND	EPA 524.2
1,1-Dichloropropene	0.5	ug/L	ND	EPA 524.2
Carbon tetrachloride	0.5	ug/L	ND	EPA 524.2
Benzene	0.5	ug/L	ND	EPA 524.2
tert-Amyl Methyl Ether (TAME)	0.5	ug/L	ND	EPA 524.2
Dibromomethane	0.5	ug/L	ND	EPA 524.2
1,2-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Trichloroethene	0.5	ug/L	ND	EPA 524.2
Bromodichloromethane	0.5	ug/L	ND	EPA 524.2
tert-Amyl Ethyl Ether (TAEE)	0.5	ug/L	ND	EPA 524.2
cis-1,3-Dichloropropene	0.5	ug/L	ND	EPA 524.2
trans-1,3-Dichloropropene	0.5	ug/L	ND	EPA 524.2
1,1,2-Trichloroethane	0.5	ug/L	ND	EPA 524.2
Toluene	0.5	ug/L	ND	EPA 524.2
1,3-Dichloropropane	0.5	ug/L	ND	EPA 524.2
Dibromochloromethane	0.5	ug/L	ND	EPA 524.2
1,2-Dibromoethane	0.5	ug/L	ND	EPA 524.2
Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
1,1,1,2-Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
Chlorobenzene	0.5	ug/L	ND	EPA 524.2
Ethylbenzene	0.5	ug/L	ND	EPA 524.2

ADVANCED ENVIRONMENTAL CONCEPTS, INC.

Laboratory Services 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

Certificate of Analysis

Sample Identification: MATRIX: Sample Date: Date Received: Extraction Date: Analysis Date:	TRIP BLANK water 5/12/2025 5/12/2025 na 5/20/2025	Project Identification: Client Identification: Client Telephone: Client Fax: Analyst: Lab File:	HIGHS 98 13522 Long Green CARROLL FUEL MM 52025A008
---	--	--	--

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
m&p-Xylene	0.5	ug/L	ND	EPA 524.2
Bromoform	0.5	ug/L	ND	EPA 524.2
Styrene	0.5	ug/L	ND	EPA 524.2
o-Xylene	0.5	ug/L	ND	EPA 524.2
1,1,2,2-Tetrachloroethene	0.5	ug/L	ND	EPA 524.2
1,2,3-Trichloropropane	0.5	ug/L	ND	EPA 524.2
Isopropylbenzene	0.5	ug/L	ND	EPA 524.2
Bromobenzene	0.5	ug/L	ND	EPA 524.2
n-Propylbenzene	0.5	ug/L	ND	EPA 524.2
2-Chlorotoluene	0.5	ug/L	ND	EPA 524.2
4-Chlorotoluene	0.5	ug/L	ND	EPA 524.2
1,3,5-Trimethylbenzene	0.5	ug/L	ND	EPA 524.2
tert-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,2,4-Trimethylbenzene	0.5	ug/L	ND	EPA 524.2
sec-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,3-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
1,4-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
1,2-Dichlorobenzene	0.5	ug/L	ND	EPA 524.2
p-iso-Propyltoluene	0.5	ug/L	ND	EPA 524.2
n-Butylbenzene	0.5	ug/L	ND	EPA 524.2
1,2-Dibromo-3-chloropropane	0.5	ug/L	ND	EPA 524.2
1,2,4-Trichlorobenzene	0.5	ug/L	ND	EPA 524.2
Naphthalene	0.5	ug/L	ND	EPA 524.2
Hexachlorobutadiene	0.5	ug/L	ND	EPA 524.2
1,2,3-Trichlorobenzene	0.5	ug/L	ND	EPA 524.2

SURROGATE SPIKE

1,2-Dichloroethane-d4	%	116	EPA 524.2
Dibromofluoromethane	%	108	EPA 524.2
Toluene-d8	%	87	EPA 524.2
Bromofluorobenzene	%	103	EPA 524.2

MDE Drinking Water Supply Laboratory Certification #333

ADVANCED ENVIRONMENTAL CONCEPTS, INC.

1751-1 Pulaski Hwy., Havre de Grace, MD 21078-2207

Phone: 410-939-5550 Fax: 410-939-5552

www.AECEnviro.com

Chain of Custody Record

Page ____ of ____

Client: CIFCO			Project Name: Highs #98			SDG#						
Address: 18 Loveton Circle Sparks, MD			Project Location: 13522 Long Green Pike			Preservatives						Observation
			Phone: Fax:			Requested Analysis						
Contact: Herb Meade			Email: Herb.Meade@carrollfuel.net			VOCs 8260	VOC's 524.2					
Sample By: JE			Receive Completed Report Via (Circle One) U.S. Mail Email Fax									
	Sample #	Sample ID	Date	Time	Matrix	pH						
1	2	MW-1	5/12/25		GW		X					NO CHLORINE
2	2	MW-2			GW		X					
3	2	MW-3			GW		X					
4	2	DSW			DW	<2		X				
5	2	TRIP BLANK			DW	<2		X				
6												
7												
8												
9												
10												
Relinquished/Received By Signature			Date	Time	Delivery Method		Lab Use Only					
Relinquished By: <i>[Signature]</i>			5/12/25				Temp of Cooler 24°C					
Received By:							Ice Present (Y/N)					
Relinquished By: <i>[Signature]</i>			5/12/25				Custody Seal (Y/N)					
Received By:							Date of Extraction 5/14					
Matrix Codes: SO = Soil, GW = Ground Water, WW = Waste Water, VP = Vapor, SL = Sludge, DW = Drinking Water, O = Other												
Special Instructions / Comments / QC Requirements: MW-2 OBSTRUCTED												
Turn Around Time: <u>STD</u> 1 Day 2 Day 3 Day Other												

ADVANCED ENVIRONMENTAL CONCEPTS, INC.

Laboratory Services 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

Certificate of Analysis

Sample Identification:	MW-2	Project Identification:	HIGHS 98
MATRIX:	water	Client Identification:	CARROLL FUEL
Sample Date:	6/4/2025	Client Telephone:	
Date Received:	6/6/2025	Client Fax:	
Extraction Date:	6/7/2025	Analyst:	MM
Analysis Date:	6/10/2025	Lab File:	61025A042

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
Dichlorodifluoromethane	1	ug/L	ND	EPA 8260
Chloromethane	1	ug/L	ND	EPA 8260
Vinyl Chloride	1	ug/L	ND	EPA 8260
Bromomethane	1	ug/L	ND	EPA 8260
Chloroethane	1	ug/L	ND	EPA 8260
Trichlorofluoromethane	1	ug/L	ND	EPA 8260
1,1-Dichloroethene	1	ug/L	ND	EPA 8260
tert-Butyl Alcohol (TBA)	25	ug/L	ND	EPA 8260
Methylene Chloride	1	ug/L	ND	EPA 8260
trans-1,2-Dichloroethene	1	ug/L	ND	EPA 8260
Methyl tert-Butyl Ether (MtBE)	1	ug/L	ND	EPA 8260
1,1-Dichloroethane	1	ug/L	ND	EPA 8260
Diisopropyl Ether (DIPE)	1	ug/L	ND	EPA 8260
cis-1,2-Dichloroethene	1	ug/L	ND	EPA 8260
Bromochloromethane	1	ug/L	ND	EPA 8260
Chloroform	1	ug/L	ND	EPA 8260
2,2-Dichloropropane	1	ug/L	ND	EPA 8260
Ethyl tert-Butyl Ether (EtBE)	1	ug/L	ND	EPA 8260
1,2-Dichloroethane	1	ug/L	ND	EPA 8260
tert-Amyl Alcohol (TAA)	25	ug/L	ND	EPA 8260
1,1,1-Trichloroethane	1	ug/L	ND	EPA 8260
1,1-Dichloropropene	1	ug/L	ND	EPA 8260
Carbon tetrachloride	1	ug/L	ND	EPA 8260
Benzene	1	ug/L	ND	EPA 8260
tert-Amyl Methyl Ether (TAME)	1	ug/L	ND	EPA 8260
Dibromomethane	1	ug/L	ND	EPA 8260
1,2-Dichloropropane	1	ug/L	ND	EPA 8260
Trichloroethene	1	ug/L	ND	EPA 8260
Bromodichloromethane	1	ug/L	ND	EPA 8260
tert-Amyl Ethyl Ether (TAEE)	1	ug/L	ND	EPA 8260
cis-1,3-Dichloropropene	1	ug/L	ND	EPA 8260
trans-1,3-Dichloropropene	1	ug/L	ND	EPA 8260
1,1,2-Trichloroethane	1	ug/L	ND	EPA 8260
Toluene	1	ug/L	ND	EPA 8260
1,3-Dichloropropane	1	ug/L	ND	EPA 8260
Dibromochloromethane	1	ug/L	ND	EPA 8260
1,2-Dibromoethane	1	ug/L	ND	EPA 8260
Tetrachloroethene	1	ug/L	ND	EPA 8260
1,1,1,2-Tetrachloroethene	1	ug/L	ND	EPA 8260
Chlorobenzene	1	ug/L	ND	EPA 8260
Ethylbenzene	1	ug/L	ND	EPA 8260

ADVANCED ENVIRONMENTAL CONCEPTS, INC.

Laboratory Services 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

Certificate of Analysis

Sample Identification: MATRIX: Sample Date: Date Received: Extraction Date: Analysis Date:	MW-2 water 6/4/2025 6/6/2025 6/7/2025 6/10/2025	Project Identification: Client Identification: Client Telephone: Client Fax: Analyst: Lab File:	HIGHS 98 CARROLL FUEL MM 61025A042
---	--	--	---

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
m&p-Xylene	2	ug/L	ND	EPA 8260
Bromoform	1	ug/L	ND	EPA 8260
Styrene	1	ug/L	ND	EPA 8260
o-Xylene	1	ug/L	ND	EPA 8260
1,1,2,2-Tetrachloroethane	1	ug/L	ND	EPA 8260
1,2,3-Trichloropropane	1	ug/L	ND	EPA 8260
Isopropylbenzene	1	ug/L	ND	EPA 8260
Bromobenzene	1	ug/L	ND	EPA 8260
n-Propylbenzene	1	ug/L	ND	EPA 8260
2-Chlorotoluene	1	ug/L	ND	EPA 8260
4-Chlorotoluene	1	ug/L	ND	EPA 8260
1,3,5-Trimethylbenzene	1	ug/L	ND	EPA 8260
tert-Butylbenzene	1	ug/L	ND	EPA 8260
1,2,4-Trimethylbenzene	1	ug/L	ND	EPA 8260
sec-Butylbenzene	1	ug/L	ND	EPA 8260
1,3-Dichlorobenzene	1	ug/L	ND	EPA 8260
1,4-Dichlorobenzene	1	ug/L	ND	EPA 8260
1,2-Dichlorobenzene	1	ug/L	ND	EPA 8260
p-iso-Propyltoluene	1	ug/L	ND	EPA 8260
n-Butylbenzene	1	ug/L	ND	EPA 8260
1,2-Dibromo-3-chloropropane	1	ug/L	ND	EPA 8260
1,2,4-Trichlorobenzene	1	ug/L	ND	EPA 8260
Naphthalene	1	ug/L	ND	EPA 8260
Hexachlorobutadiene	1	ug/L	ND	EPA 8260
1,2,3-Trichlorobenzene	1	ug/L	ND	EPA 8260
TPH GRO	40	ug/L	ND	EPA 8015B
TPH DRO	40	ug/L	ND	EPA 8015B

SURROGATE SPIKE

1,2-Dichloroethane-d4	%	111	EPA 8260
Dibromofluoromethane	%	105	EPA 8260
TFT	%	108	EPA 8015B
Toluene-d8	%	105	EPA 8260
Bromofluorobenzene	%	92	EPA 8260

ADVANCED ENVIRONMENTAL CONCEPTS, INC.

1751-1 Pulaski Hwy., Havre de Grace, MD 21078-2207

Phone: 410-939-5550 Fax: 410-939-5552

www.AECEnviro.com

Chain of Custody Record

Page ____ of ____

Client: CIFCO			Project Name: Highs #98				SDG#						
Address: 18 Loveton Circle Sparks, MD			Project Location: 13522 Long Green Pike				Preservatives						Observation
Contact: Herb Meade			Email: Herb.Meade@carrollfuel.net				Requested Analysis						
Sample By: JE			Receive Completed Report Via (Circle One) U.S. Mail Email Fax				VOCs 8260 X TPH-DRO 8015 X TPH-GRO 8015 X						
Sample #	Sample ID	Date	Time	Matrix	pH								
1	2	MW-2	6/4/25		GW								
2													
3													
4													
5													
6													
7													
8													
9													
10													
Relinquished/Received By Signature			Date	Time	Delivery Method		Lab Use Only						
Relinquished By: <i>Brian Berhardt</i>							Temp of Cooler						
Received By:							4°C						
Relinquished By:							Ice Present (Y/N)						
Received By: <i>[Signature]</i>			6/6/25										
Relinquished By:							Custody Seal (Y/N)						
Received By:							Date of Extraction 6/7/25						
Matrix Codes: SO = Soil, GW = Ground Water, WW = Waste Water, VP = Vapor, SL = Sludge, DW = Drinking Water, O = Other													
Special Instructions / Comments / QC Requirements:											Turn Around Time: STD 1 Day 2 Day 3 Day Other		