



**VIA EMAIL  
HAND DELIVERED**

August 15, 2025  
Kleinfelder Project No.: 20193011.001A

**Mr. Christopher Ralston**  
**Maryland Department of the Environment**  
Remediation Division, Oil Control Program  
1800 Washington Blvd., Suite 620  
Baltimore, MD 21230-1719

**SUBJECT: SECOND QUARTER 2025 GROUNDWATER MONITORING REPORT**  
**Inactive Exxon Facility #28077**  
**14258 Jarrettsville Pike, Phoenix, Maryland**  
**Case Number 2006-0303-BA2**  
**Facility I.D. No. 12342**

Dear Mr. Ralston:

Enclosed please find the Second Quarter 2025 Groundwater Monitoring Report for the above referenced site. Three hard copies and one electronic copy of the report are included in this submittal. The related Second Quarter 2025 laboratory analytical reports are provided on CD only.

Please feel free to contact us at 410.850.0404 if you have questions or require additional information.

Sincerely,

**KLEINFELDER**

Joseph Frascarella  
Project Scientist

Leslie D. Steele, P.E.  
Project Manager

cc: Mr. John Lee - ExxonMobil Environmental & Property Solutions Company (file)  
Ms. Ellen Jackson - Maryland Department of the Environment  
Ms. Susan Bull - Maryland Department of the Environment  
Julie Kuspa - Office of the Attorney General  
Carlos Bollar, Esq. - Archer & Greiner, P.C.



## SECOND QUARTER 2025 GROUNDWATER MONITORING REPORT

Inactive Exxon Facility #28077  
14258 Jarrettsville Pike  
Phoenix, Maryland  
Case Number 2006-0303-BA2  
Facility I.D. No. 12342

### INTRODUCTION

Kleinfelder has prepared this Groundwater Monitoring Report for ExxonMobil Environmental & Property Solutions Company (ExxonMobil) in accordance with the September 11, 2008 *Consent Decree*.<sup>1</sup> This report summarizes post remediation groundwater monitoring, supply well sampling, and Point of Entry Treatment (POET) system sampling completed in the second quarter 2025. The groundwater remediation system was shut down on December 21, 2023 as approved by the Maryland Department of the Environment (MDE) in their December 19, 2023 *Post Remediation Monitoring Plan Approval and Select Monitoring Well Abandonment Approval* letter.<sup>2</sup>

### GENERAL SITE INFORMATION

Site setting, physical description, and investigation activities have been detailed in previous submittals to the MDE<sup>3,4</sup>. Monitoring well construction details are provided as **Table 1**. A site plan depicting the site, surrounding properties, and monitoring well network is included as **Figure 1**.

### GROUNDWATER MONITORING ACTIVITIES COMPLETED THIS PERIOD

#### *Monitoring Well Sampling*

Groundwater sampling activities were conducted in the second quarter 2025 in accordance with MDE approval<sup>2</sup> and are detailed on **Table 2**, which includes discrete depth sampling intervals and monthly sampling responses to trigger value exceedances. Groundwater concentrations from the second quarter 2025 are depicted on **Figure 2**. Monitoring well groundwater analytical data from 2020 through the second quarter 2025 is provided in **Table 3**. The MDE-approved sampling frequency is presented on **Figure 3**. Groundwater sampling completed in the second quarter of 2025 included:

- Monthly Sampling (trigger value exceedance) (five [5] wells) completed in April, May and June 2025;
- Quarterly sampling (34 wells) completed in April and May 2025;
- HydraSleeve™ samples were collected via discrete-depth samplers as listed in **Table 2**.

<sup>1</sup> MDE, September 11, 2008, *Consent Decree between the State of Maryland and Exxon Mobil Corporation*, Civil Action No. C-06-004455.

<sup>2</sup> MDE, December 19, 2023, *Post Remediation Monitoring Plan Approval and Select Monitoring Well Abandonment Approval*, Case No. 2006-0303-BA

<sup>3</sup> Kleinfelder, July 2006, *Preliminary Hydrogeologic and Contaminant Assessment Report*, Exxon RAS #2-8077, 14258 Jarrettsville Pike, Phoenix, Maryland, MDE Case Number 2006-0303BA2.

<sup>4</sup> Kleinfelder, August 15, 2011. *Near Northeast Area Supplemental Investigation and Remedial Measures Report*, Inactive Exxon Facility #28077, 14258 Jarrettsville Pike, Phoenix, Maryland, Case Number 2006-0303-BA2, Facility I.D. No. 12342.

Groundwater samples collected in the second quarter 2025 were submitted to Eurofins Lancaster Laboratories of Lancaster, Pennsylvania for analysis of select volatile organic compounds (VOCs) and fuel oxygenates using Environmental Protection Agency (EPA) Method 8260D. Monitoring well analytical data are summarized in **Table 2 and Table 3** and depicted on **Figure 2**. Laboratory analytical reports are included as Attachment 1.

### *Groundwater Gauging*

The depth to groundwater in monitoring wells was gauged with an electronic interface probe (EIP) prior to sample collection; an annual synoptic monitoring well gauging event is completed in the third quarter. Groundwater gauging data is presented in **Table 4**. Liquid phase hydrocarbon was not detected in any monitoring well during the second quarter of 2025.

### *Private Supply Well Sampling*

Per MDE's February 18, 2025 *Response to Potable Supply Well Sampling Reduction Work Plan* letter<sup>5</sup>, 14 of 28 private supply wells are no longer sampled after the first quarter 2025. For the 14 wells approved for discontinuation, a final round of sampling was conducted in the first quarter 2025. Of the remaining 14 wells which will continue to be sampled, one (1) is sampled monthly, three (3) are sampled quarterly, and 10 are sampled semi-annually. Semi-annual sampling was predominantly conducted in the first quarter 2025, and quarterly sampling was conducted during the second quarter 2025.

The methyl tertiary butyl ether (MtBE) concentrations in private supply wells from the last five quarters are provided on **Figure 4** and presented in **Table 5**. The private supply wells with MtBE concentrations above 0.5 micrograms per liter (µg/L) during this reporting period are listed in **Table 6a**, and benzene concentrations above 0.5 µg/L are listed in **Table 6b**. All properties were sampled as part of the continued quarterly sampling plan according to the MDE's February 18, 2025 letter<sup>5</sup>, as well as one semi-annual property which was not sampled during the first quarter 2025. One semi-annual well was not sampled during the first or second quarter 2025 due to multiple no-answer door knocks and phone calls to schedule appointments. The following sampling was conducted during this reporting period:

- Monthly Private Supply Well Sampling – April, May, June 2025
  - One (1) private supply well was sampled during each monthly event
- Quarterly Private Supply Well Sampling<sup>6</sup> – June 2025
  - Three (3) supply wells were sampled during the second quarter as noted in **Table 5**
- Semi-Annual Private Supply Well Sampling<sup>7</sup> – June 2025
  - One (1) well was sampled during the second quarter as noted in **Table 5**

No gasoline constituents were detected above MDE standards in groundwater samples from private supply wells during this reporting period.

During the second quarter 2025, no residential properties were sampled for the first time.

---

<sup>5</sup> MDE, February 18, 2025, *Response to Potable Supply Well Sampling Reduction Work Plan*, Case No. 2006-0303-BA

<sup>6</sup> At 14307 Jarrettsville Pike, samples were collected monthly from Well A. Due to a mechanical pump failure, Well B has not been sampled since December 2010.

<sup>7</sup> At 14307 Jarrettsville Pike, samples were collected monthly from Well A. Due to a mechanical pump failure, Well B has not been sampled since December 2010.

## ACTIVITIES TO BE COMPLETED NEXT PERIOD (THIRD QUARTER 2025)

Activities planned for the third quarter 2025 include:

- Post remediation sampling of monitoring wells at the frequency directed by MDE in their December 19, 2023 *Post Remediation Monitoring Plan Approval and Select Monitoring Well Abandonment Approval* letter<sup>2</sup>.
- Private supply well sampling as directed by the MDE in their February 18, 2025 letter *Response to Potable Supply Well Sampling Reduction Work Plan*<sup>5</sup>; sampling of 14 supply wells ( one [1] monthly, three [3] quarterly, 10 semi-annually).
- Additional HydraSleeve™ sampling of select quarterly sampled monitoring wells as discussed with the MDE and communicated in an email dated November 2, 2024.
- Pending MDE response to the June 4, 2025 *HydraSleeve™ and Sampling Reduction Workplan*, monitoring well sampling may be modified in accordance with the MDE's response.

## TABLES

- 1 Well Construction and Remediation Well Summary
- 2 Post Remediation Monitoring Results, Second Quarter 2025
- 3 Summary of Historic Groundwater Analytical Results (*January 2020 – June 2025*)
- 4 Monitoring Well Gauging Data Summary (*June 2023 – June 2025*)
- 5 Private Supply Well Analytical Table – Five Quarters (*April 2024 – June 2025*)
- 6a Maximum MtBE Concentrations >0.5 µg/L for Properties Sampled During the Second Quarter 2025
- 6b Maximum Benzene Concentrations >0.5 µg/L for Properties Sampled During the Second Quarter 2025

## FIGURES

- 1 Site Plan
- 2 Groundwater Concentration Map
- 3 MDE Approved Monitoring Point Sampling Frequency Map
- 4 Private Supply Well MTBE Results Map

## ATTACHMENT

- 1 Laboratory Reports (On CD)

## TABLES

---

**Table 1**  
Well Construction and Remediation Well Summary  
Inactive Exxon Facility # 28077  
14258 Jarrettsville Pike  
Phoenix, MD  
First Quarter 2025

| Well ID | Total Borehole Depth (feet) | Screen Interval (feet below TOC) | TOC Elevation | Pump Type | Pump Depths | Comment                                   |
|---------|-----------------------------|----------------------------------|---------------|-----------|-------------|-------------------------------------------|
| MW-1    | 45                          | 20-45                            | 586.80        |           |             |                                           |
| MW-1A*  | 55                          | 35-55                            | 586.09        |           |             | Well Abandoned on 4/5/2024                |
| MW-2*   | 50                          | 20-50                            | 588.28        |           |             | Well Abandoned on 4/5/2024                |
| MW-2A   | 55                          | 35-55                            | 587.56        |           |             | Recovery activities ceased 7/30/2019      |
| MW-3    | 50                          | 20-50                            | 590.83        |           |             | Recovery activities ceased 3/11/2022      |
| MW-3P*  | 50                          | 30-50                            | 590.09        |           |             | Well abandoned 6/4/2019                   |
| MW-4*   | 50                          | 15-50                            | 592.13        |           |             | Well Abandoned on 4/5/2024                |
| MW-4A*  | 55                          | 35-55                            | 589.08        |           |             | Well Abandoned on 4/5/2024                |
| MW-5*   | 45                          | 20-45                            | 589.74        |           |             |                                           |
| MW-6    | 50                          | 20-50                            | 589.01        |           |             | DPE activities ceased 6/10/2019           |
| MW-6P*  | 50                          | 30-50                            | 590.47        |           |             | Well abandoned 6/3/2019                   |
| MW-7*   | 55                          | 20-55                            | 591.79        |           |             | Well Abandoned on 4/5/2024                |
| MW-8*   | 45                          | 25-45                            | 590.75        |           |             | Well Abandoned on 4/5/2024                |
| MW-9*   | 50                          | 25-50                            | 588.99        |           |             | Well Abandoned on 4/8/2024                |
| MW-10*  | 34.5                        | ~                                | ~             |           |             | Borehole abandoned (well never installed) |
| MW-11*  | 150                         | ~                                | ~             |           |             | Borehole abandoned (well never installed) |
| MW-12   | 35                          | 20-35                            | 587.90        |           |             |                                           |
| MW-13*  | 35                          | 25-35                            | 589.30        |           |             | Well Abandoned on 4/5/2024                |
| MW-13P* | 50                          | 30-50                            | 591.54        |           |             |                                           |
| MW-14*  | 45                          | 20-45                            | 592.13        |           |             |                                           |
| MW-15   | 35                          | 15-35                            | 584.29        |           |             |                                           |
| MW-16*  | 38                          | 20-38                            | 591.99        |           |             | Well Abandoned on 4/5/2024                |
| MW-16R  | 60                          | 45-60                            | 591.89        |           |             | Recovery activities ceased 3/11/2022      |
| MW-17   | 50                          | 25-50                            | 588.19        |           |             | Recovery activities ceased 9/11/2018      |
| MW-18*  | 46                          | ~                                | ~             |           |             | Borehole abandoned (well never installed) |
| MW-19   | 45                          | 20-45                            | 587.43        |           |             | Recovery activities ceased on 10/1/2019   |
| MW-20*  | 40                          | 20-40                            | 592.80        |           |             | Well Abandoned on 4/8/2024                |
| MW-21*  | 45                          | 20-45                            | 586.81        |           |             | Well Abandoned on 4/5/2024                |
| MW-22   | 45                          | 20-45                            | 587.01        |           |             | Recovery activities ceased 7/8/2019       |
| MW-23   | 45                          | 20-45                            | 585.66        |           |             | Recovery activities ceased 10/1/2019      |
| MW-24*  | 35                          | 20-35                            | 580.33        |           |             | Well Abandoned on 4/8/2024                |
| MW-25*  | 55                          | 25-55                            | 592.34        |           |             | Well Abandoned on 4/5/2024                |
| MW-26*  | 45                          | 25-45                            | 578.25        |           |             | Well Abandoned on 4/8/2024                |
| MW-27   | 43                          | 27-43                            | 591.78        |           |             | Recovery activities ceased 6/28/2021      |
| MW-27B  | 125                         | 60-125                           | 591.87        |           |             |                                           |
| MW-27P* | 55                          | 35-55                            | 592.96        |           |             | Well abandoned 6/4/2019                   |
| MW-27R  | 60                          | 30-60                            | 592.07        |           |             | Recovery activities ceased 7/1/2020       |
| MW-28*  | 46                          | 20-45                            | 579.26        |           |             | Well abandoned 7/21/2020                  |
| MW-29*  | 30                          | 10-30                            | 564.28        |           |             | Well Abandoned on 4/8/2024                |
| MW-30*  | 35                          | 10-35                            | 564.05        |           |             | Well Abandoned on 4/8/2024                |
| MW-30P* | 30                          | 15-30                            | 564.35        |           |             | Well abandoned 7/21/2020                  |
| MW-31*  | 30                          | 10-30                            | 564.31        |           |             | Well abandoned 5/22/2019                  |

**Table 1**  
Well Construction and Remediation Well Summary  
Inactive Exxon Facility # 28077  
14258 Jarrettsville Pike  
Phoenix, MD  
First Quarter 2025

| Well ID | Total Borehole Depth (feet) | Screen Interval (feet below TOC) | TOC Elevation | Pump Type | Pump Depths | Comment                                 |
|---------|-----------------------------|----------------------------------|---------------|-----------|-------------|-----------------------------------------|
| MW-32*  | 50                          | 30-50                            | 593.09        |           |             | Well Abandoned on 5/2/2024              |
| MW-33*  | 30                          | 10-30                            | 563.26        |           |             | Well abandoned 2/20/2018                |
| MW-33P* | 40                          | 15-40                            | 563.65        |           |             | Well abandoned 5/22/2019                |
| MW-34*  | 30                          | 10-30                            | 564.82        |           |             | Well abandoned 2/20/2018                |
| MW-34P* | 38                          | 18-38                            | 565.06        |           |             | Well abandoned 7/21/2020                |
| MW-35*  | 30                          | 10-30                            | 564.37        |           |             | Well abandoned 2/20/2018                |
| MW-36*  | 50.5                        | 15-45                            | 590.05        |           |             | Well Abandoned on 4/30/2024             |
| MW-36C* | 424                         | 125-424                          | NSVD          |           |             | Well Abandoned on 4/30/2024             |
| MW-36P* | 45                          | 15-45                            | 589.65        |           |             | Well abandoned 7/23/2020                |
| MW-36R  | 80                          | 30-80                            | 589.54        |           |             | Recovery activities ceased 10/8/2018    |
| MW-37*  | 100                         | 40-96                            | 591.26        |           |             | Well Abandoned on 4/30/2024             |
| MW-37P* | 98                          | 36-96                            | 590.81        |           |             | Well abandoned 7/23/2020                |
| MW-38   | 70                          | 23-63                            | 594.61        |           |             | Recovery activities ceased 7/31/2019    |
| MW-38B  | 125                         | 68-125                           | 596.00        |           |             |                                         |
| MW-38C  | 300                         | 125-300                          | 595.49        |           |             | Recovery activities ceased 12/21/23     |
| MW-38P* | 63                          | 23-63                            | 595.94        |           |             | Well abandoned 7/23/2020                |
| MW-39*  | 35                          | 15-35                            | 574.80        |           |             | Well abandoned 2/20/2018                |
| MW-40   | 30                          | 5-30                             | 558.89        |           |             | Recovery activities ceased 8/31/2015    |
| MW-41A* | 35                          | 15-35                            | 549.12        |           |             | Well Abandoned on 4/17/2024             |
| MW-41B* | 58                          | 48-58                            | 549.55        |           |             | Well Abandoned on 4/17/2024             |
| MW-41C* | 350                         | 60-350                           | 549.33        |           |             | Well Abandoned on 6/3/2024              |
| MW-42A* | 35                          | 15-35                            | 579.72        |           |             | Well Abandoned on 4/17/2024             |
| MW-42B* | 55                          | 45-55                            | 580.00        |           |             | Well Abandoned on 4/17/2024             |
| MW-42C* | 350                         | 60-350                           | 579.43        |           |             | Well Abandoned on 4/17/2024             |
| MW-43A  | 40                          | 20-40                            | 575.95        |           |             | Recovery activities ceased on 1/31/2013 |
| MW-43B  | 55                          | 45-55                            | 576.94        |           |             |                                         |
| MW-44*  | 40                          | 20-40                            | 577.62        |           |             | Well Abandoned on 4/18/2024             |
| MW-45   | 75                          | 53-73                            | 593.71        |           |             | Recovery activities ceased 3/11/2022    |
| MW-45P* | 72.5                        | 52.5-72.5                        | 593.30        |           |             | Well abandoned 7/23/2020                |
| MW-45R  | 90                          | 70-90                            | 593.80        |           |             | Recovery activities ceased 3/11/2022    |
| MW-46*  | 60                          | 35-60                            | 587.70        |           |             | Well Abandoned on 4/18/2024             |
| MW-47A* | 40                          | 20-40                            | 583.91        |           |             | Well Abandoned on 4/19/2024             |
| MW-47B* | 55                          | 45-55                            | 583.85        |           |             | Well abandoned 5/30/2019                |
| MW-47BB | 125                         | 55-125                           | 587.45        |           |             |                                         |
| MW-47C  | 300                         | 125-300                          | 587.18        |           |             |                                         |
| MW-48A* | 40                          | 20-40                            | 569.69        |           |             | Well Abandoned on 4/4/2024              |
| MW-48B* | 55                          | 45-55                            | 569.60        |           |             | Well Abandoned on 4/4/2024              |
| MW-48D* | 403                         | 55-403                           | 569.34        |           |             | Well Abandoned on 4/4/2024              |
| MW-49*  | 45                          | 20-45                            | 567.40        |           |             | Well abandoned 7/21/2020                |
| MW-50   | 40                          | 20-40                            | 581.85        |           |             |                                         |
| MW-50B  | 55                          | 45-55                            | 581.93        |           |             |                                         |
| MW-50C  | 300                         | 60-300                           | 581.69        |           |             |                                         |

**Table 1**  
Well Construction and Remediation Well Summary  
Inactive Exxon Facility # 28077  
14258 Jarrettsville Pike  
Phoenix, MD  
First Quarter 2025

| Well ID | Total Borehole Depth (feet) | Screen Interval (feet below TOC) | TOC Elevation | Pump Type | Pump Depths | Comment                                 |
|---------|-----------------------------|----------------------------------|---------------|-----------|-------------|-----------------------------------------|
| MW-51*  | 45                          | 20-45                            | 565.61        |           |             | Well abandoned 2/20/2018                |
| MW-52*  | 70                          | 20-70                            | 582.08        |           |             | Well Abandoned on 4/18/2024             |
| MW-53A* | 35                          | 15-35                            | 539.98        |           |             | Well Abandoned on 4/17/2024             |
| MW-53B* | 55                          | 45-55                            | 539.64        |           |             | Well Abandoned on 4/17/2024             |
| MW-53C* | 350                         | 60-350                           | 538.57        |           |             | Well Abandoned on 6/3/2024              |
| MW-54   | 56                          | 16-56                            | 597.93        |           |             |                                         |
| MW-54B  | 125                         | 57-125                           | 597.55        |           |             | Recovery activities ceased 12/21/23     |
| MW-54C  | 300                         | 125-300                          | 596.53        |           |             |                                         |
| MW-55*  | 40                          | 10-40                            | 551.65        |           |             | Well abandoned 2/21/2018                |
| MW-56A  | 35                          | 15-35                            | 540.23        |           |             |                                         |
| MW-56B  | 55                          | 45-55                            | 540.28        |           |             |                                         |
| MW-56C  | 350                         | 60-350                           | 540.30        |           |             |                                         |
| MW-57   | 65                          | 25-65                            | 582.34        |           |             | Recovery activities ceased 8/13/2018    |
| MW-57P* | 70                          | 20-70                            | 582.16        |           |             | Well abandoned 7/22/2020                |
| MW-58   | 65                          | 35-65                            | 581.17        |           |             | Recovery activities ceased on 3/28/2018 |
| MW-58P* | 70                          | 20-70                            | 582.57        |           |             | Well abandoned 7/22/2020                |
| MW-58R* | 80                          | 35-80                            | 581.95        |           |             | Well abandoned 7/22/2020                |
| MW-59A* | 40                          | 20-40                            | 570.75        |           |             | Well Abandoned on 4/19/2024             |
| MW-59B* | 55                          | 45-55                            | 571.07        |           |             | Well Abandoned on 4/19/2024             |
| MW-59D* | 50                          | 23-48                            | 570.54        |           |             | Well Abandoned on 4/19/2024             |
| MW-60*  | 40                          | 10-40                            | 548.92        |           |             | Well Abandoned on 4/8/2024              |
| MW-61A* | 35                          | 15-35                            | 563.92        |           |             | Well Abandoned on 4/19/2024             |
| MW-61B* | 55                          | 45-55                            | 563.53        |           |             | Well Abandoned on 4/19/2024             |
| MW-62A* | 45                          | 25-45                            | 578.24        |           |             | Well abandoned 5/30/2019                |
| MW-62B* | 55                          | 45-55                            | 577.89        |           |             | Well abandoned 5/30/2019                |
| MW-63*  | 40                          | 16-36                            | 546.62        |           |             | Well abandoned 7/21/2020                |
| MW-64*  | 30                          | 5-30                             | 540.47        |           |             | Well abandoned 8/8/2012                 |
| MW-65*  | 30                          | 5-30                             | 536.39        |           |             | Well abandoned 6/3/2019                 |
| MW-66*  | 30                          | 5-30                             | 535.53        |           |             | Well Abandoned on 4/18/2024             |
| MW-67   | 40                          | 10-40                            | 542.78        |           |             |                                         |
| MW-68*  | 30                          | 5-30                             | 526.39        |           |             | Well Abandoned on 4/18/2024             |
| MW-69*  | 30                          | 5-30                             | 533.06        |           |             |                                         |
| MW-70*  | 50                          | 25-50                            | NSVD          |           |             | Well abandoned 6/3/2019                 |
| MW-71*  | 40                          | 10-40                            | 550.22        |           |             | Well abandoned 7/21/2020                |
| MW-72   | 40                          | 10-40                            | 555.80        |           |             | Recovery activities ceased 8/31/2015    |
| MW-73*  | 65                          | 25-65                            | 600.37        |           |             | Well Abandoned on 4/30/2024             |
| MW-73C  | 300                         | 125-300                          | NSVD          |           |             | Recovery activities ceased 3/11/2022    |
| MW-74*  | 50                          | 20-50                            | 576.85        |           |             | Well abandoned 3/16/2020                |
| MW-75*  | 50                          | 25-50                            | 573.54        |           |             | Well Abandoned on 4/24/2024             |
| MW-76*  | 56                          | 20-56                            | 559.26        |           |             | Well Abandoned on 4/23/2024             |
| MW-76P* | 50                          | 20-50                            | 560.29        |           |             | Well abandoned 7/23/2020                |
| MW-77A* | 25                          | 10-25                            | 548.96        |           |             | Well Abandoned on 4/23/2024             |

**Table 1**  
Well Construction and Remediation Well Summary  
Inactive Exxon Facility # 28077  
14258 Jarrettsville Pike  
Phoenix, MD  
First Quarter 2025

| Well ID | Total Borehole Depth (feet) | Screen Interval (feet below TOC) | TOC Elevation | Pump Type | Pump Depths | Comment                              |
|---------|-----------------------------|----------------------------------|---------------|-----------|-------------|--------------------------------------|
| MW-77B* | 43                          | 33-43                            | 548.69        |           |             | Well Abandoned on 4/23/2024          |
| MW-77R* | 50                          | 15-45                            | 549.58        |           |             | Recovery activities ceased 10/8/2018 |
| MW-78A* | 22                          | 2-20                             | 530.77        |           |             | Well Abandoned on 4/25/2024          |
| MW-78B* | 45                          | 35-45                            | 530.42        |           |             | Well abandoned 6/5/2019              |
| MW-78C* | 300                         | 60-300                           | 531.42        |           |             | Well Abandoned on 4/25/2024          |
| MW-78R* | 75                          | 20-70                            | 530.60        |           |             | Well abandoned 6/5/2019              |
| MW-79*  | 10                          | 2-10                             | 521.42        |           |             | Well abandoned 6/5/2019              |
| MW-80A* | 35                          | 5-30                             | 542.42        |           |             | Well Abandoned on 4/25/2024          |
| MW-80B* | 48.5                        | 38.5-48.5                        | 542.57        |           |             | Well Abandoned on 4/25/2024          |
| MW-81*  | 25                          | 5-25                             | 540.77        |           |             | Well Abandoned on 4/25/2024          |
| MW-82*  | 25                          | 5-25                             | 546.28        |           |             | Well Abandoned on 4/23/2024          |
| MW-82B  | 125                         | 50-125                           | 546.68        |           |             | Recovery activities ceased 8/3/2020  |
| MW-82D  | 380                         | 125-380                          | 547.12        |           |             | Recovery activitied ceased 6/30/2021 |
| MW-82R* | 46                          | 3-38                             | 546.80        |           |             | Well Abandoned on 4/23/2024          |
| MW-83*  | 25                          | 10-25                            | 553.96        |           |             | Well Abandoned on 4/23/2024          |
| MW-83R* | 50                          | 20-50                            | 554.78        |           |             | Well Abandoned on 4/23/2024          |
| MW-84*  | 60                          | 40-60                            | 592.95        |           |             | Well Abandoned on 5/2/2024           |
| MW-84P* | 60                          | 40-60                            | 593.13        |           |             | Well abandoned 7/27/2020             |
| MW-85   | 60                          | 40-60                            | 591.65        |           |             | Recovery activities ceased 9/12/18   |
| MW-85P* | 60                          | 35-60                            | 591.17        |           |             | Well abandoned 7/23/2020             |
| MW-86*  | 60                          | 40-60                            | 591.05        |           |             | Well abandoned 7/27/2020             |
| MW-86P* | 60                          | 35-60                            | 590.86        |           |             | Well abandoned 5/31/2019             |
| MW-87*  | 60                          | 40-60                            | 590.96        |           |             | Well Abandoned on 5/2/2024           |
| MW-87P* | 60                          | 35-60                            | 590.62        |           |             | Well abandoned 7/27/2020             |
| MW-88*  | 60                          | 37.5-57.5                        | 592.43        |           |             | Well Abandoned on 5/2/2024           |
| MW-88P* | 60                          | 40-60                            | 592.71        |           |             | Well abandoned 5/31/2019             |
| MW-89*  | 40                          | 10-40                            | 562.36        |           |             | Well Abandoned on 4/23/2024          |
| MW-90*  | 50                          | 20-50                            | 578.37        |           |             | Well abandoned 3/16/2020             |
| MW-91*  | 75                          | 42-72                            | 585.95        |           |             | Well Abandoned on 4/29/2024          |
| MW-91C  | 297.4                       | 80-297.4                         | 586.25        |           |             | Recovery activities ceased 6/12/2019 |
| MW-91D* | 420                         | 400-420                          | 586.66        |           |             | Well Abandoned on 4/29/2024          |
| MW-92*  | 109                         | 69-109                           | 557.70        |           |             | Well abandoned 5/30/2019             |
| MW-92A* | 40                          | 20-40                            | 558.49        |           |             | Well Abandoned on 4/19/2024          |
| MW-92C* | 400                         | 60-400                           | 558.10        |           |             | Well abandoned 5/30/2019             |
| MW-93*  | 45                          | 27-42                            | 578.49        |           |             | Well abandoned 5/31/2019             |
| MW-93B* | 80                          | 55-75                            | 578.32        |           |             | Well abandoned 5/31/2019             |
| MW-93C* | 300                         | 80-300                           | 579.02        |           |             | Well abandoned 5/31/2019             |
| MW-94*  | 37                          | 17-32                            | 558.28        |           |             | Well Abandoned on 4/19/2024          |
| MW-95*  | 21                          | 2-20                             | 528.49        |           |             | Well Abandoned on 4/25/2024          |
| MW-95B* | 75                          | 50-60                            | 529.01        |           |             | Well abandoned 6/5/2019              |
| MW-96A* | 25                          | 4-24                             | 539.78        |           |             | Well Abandoned on 4/18/2024          |
| MW-96B* | 55                          | 38-53                            | 539.26        |           |             | Well abandoned 6/3/2019              |

**Table 1**  
Well Construction and Remediation Well Summary  
Inactive Exxon Facility # 28077  
14258 Jarrettsville Pike  
Phoenix, MD  
First Quarter 2025

| Well ID  | Total Borehole Depth (feet) | Screen Interval (feet below TOC) | TOC Elevation | Pump Type | Pump Depths | Comment                                   |
|----------|-----------------------------|----------------------------------|---------------|-----------|-------------|-------------------------------------------|
| MW-97*   | 24                          | 4-24                             | 541.31        |           |             | Well Abandoned on 4/18/2024               |
| MW-98A*  | 41                          | 25-41                            | 547.07        |           |             | Well abandoned 12/14/2016                 |
| MW-98B*  | 65                          | 48-58                            | 547.14        |           |             | Well abandoned 12/14/2016                 |
| MW-99A*  | 15                          | 3-15                             | 535.44        |           |             | Well Abandoned on 4/25/2024               |
| MW-99B*  | 42                          | 28-38                            | 534.40        |           |             | Well abandoned 6/5/2019                   |
| MW-100A* | 15                          | 3-15                             | 534.89        |           |             | Well abandoned 6/5/2019                   |
| MW-100B* | 45                          | 31-41                            | 534.17        |           |             | Well Abandoned on 4/25/2024               |
| MW-101A* | 15                          | 3-15                             | 537.64        |           |             | Well Abandoned on 4/25/2024               |
| MW-101B* | 50                          | 24-34                            | 536.85        |           |             | Well abandoned 6/5/2019                   |
| MW-102*  | 25                          | 2-25                             | 552.49        |           |             | Well abandoned 2/21/2018                  |
| MW-103*  | 53                          | 33-53                            | 592.40        |           |             | Well abandoned 7/22/2020                  |
| MW-104*  | 50                          | 30-50                            | 592.45        |           |             | Well abandoned 7/27/2020                  |
| MW-105*  | 50                          | 25-47                            | 592.53        |           |             | Well Abandoned on 4/5/2024                |
| MW-106*  | 30                          | 8.5-28.5                         | 547.68        |           |             | Well Abandoned on 4/23/2024               |
| MW-107*  | 45                          | 15-45                            | 584.93        |           |             | Well Abandoned on 5/1/2024                |
| MW-108*  | 55                          | 35-55                            | 601.07        |           |             | Well Abandoned on 4/30/2024               |
| MW-109*  | 70                          | 30-70                            | 588.10        |           |             | Well Abandoned on 4/5/2024                |
| MW-110*  | 60                          | 25-60                            | 584.93        |           |             | Well Abandoned on 4/30/2024               |
| MW-111*  | 50                          | 20-48                            | 553.40        |           |             | Well abandoned 2/21/2018                  |
| MW-112*  | 50                          | 15-48                            | 553.28        |           |             | Well abandoned 2/21/2018                  |
| MW-113*  | 50                          | 15-50                            | 547.97        |           |             | Well abandoned 2/21/2018                  |
| MW-114*  | 40                          | 25-40                            | 586.86        |           |             | Well abandoned 5/30/2019                  |
| MW-115*  | 48.5                        | ~                                | ~             |           |             | Borehole abandoned (well never installed) |
| MW-116*  | 65                          | 12-65                            | 548.44        |           |             | Well abandoned 2/21/2018                  |
| MW-117*  | 67                          | 10-60                            | 554.05        |           |             | Well abandoned 2/21/2018                  |
| MW-118*  | 40                          | 20-40                            | 562.46        |           |             | Well abandoned 5/22/2019                  |
| MW-119*  | 40                          | 15-40                            | 552.22        |           |             | Well abandoned 7/21/2020                  |
| MW-120*  | 40                          | 15-40                            | 554.00        |           |             | Well abandoned 5/22/2019                  |
| MW-121*  | 60                          | 35-60                            | 593.80        |           |             | Well Abandoned on 5/2/2024                |
| MW-122*  | 50                          | 20-50                            | 560.45        |           |             | Well abandoned 7/21/2020                  |
| MW-123*  | 50                          | 15-50                            | 550.86        |           |             | Well abandoned 2/21/2018                  |
| MW-124*  | 38                          | 13-36                            | 551.13        |           |             | Well abandoned 2/21/2018                  |
| MW-125*  | 55                          | 32-55                            | 574.08        |           |             | Well Abandoned on 4/8/2024                |
| MW-126*  | 41                          | 24-39                            | 568.50        |           |             | Well abandoned 2/21/2018                  |
| MW-127*  | 53                          | 28-53                            | 570.77        |           |             | Well abandoned 2/20/2018                  |
| MW-128A* | 58                          | 38-58                            | 561.55        |           |             | Well abandoned 12/14/2016                 |
| MW-128B* | 83                          | 68-78                            | 561.18        |           |             | Well abandoned 12/14/2016                 |
| MW-128C* | 200                         | 40-200                           | 563.87        |           |             |                                           |
| MW-129A* | 45                          | 25-45                            | 566.56        |           |             | Well abandoned 12/14/2016                 |
| MW-129B* | 68                          | 51-61                            | 565.62        |           |             | Well abandoned 12/14/2016                 |
| MW-130*  | 50                          | 25-50                            | 577.35        |           |             | Well abandoned 7/22/2020                  |
| MW-131A* | 25                          | 5-20                             | 526.33        |           |             | Well Abandoned on 4/4/2024                |

**Table 1**  
Well Construction and Remediation Well Summary  
Inactive Exxon Facility # 28077  
14258 Jarrettsville Pike  
Phoenix, MD  
First Quarter 2025

| Well ID   | Total Borehole Depth (feet) | Screen Interval (feet below TOC) | TOC Elevation | Pump Type | Pump Depths | Comment                              |
|-----------|-----------------------------|----------------------------------|---------------|-----------|-------------|--------------------------------------|
| MW-131B*  | 35                          | 30-35                            | 526.31        |           |             | Well Abandoned on 4/4/2024           |
| MW-131C*  | 359                         | 60-359                           | 525.70        |           |             | Well Abandoned on 4/4/2024           |
| MW-132A*  | 17                          | 2-17                             | 524.71        |           |             | Well abandoned 7/22/2020             |
| MW-132B*  | 30                          | 25-30                            | 524.45        |           |             | Well abandoned 6/5/2019              |
| MW-133A*  | 30                          | 15-30                            | 549.05        |           |             | Well Abandoned on 4/25/2024          |
| MW-133B*  | 50                          | 40-50                            | 549.22        |           |             | Well Abandoned on 4/25/2024          |
| MW-133C*  | 200                         | 60-200                           | 550.87        |           |             | Well Abandoned on 4/25/2024          |
| MW-134A*  | 55                          | 28-53                            | 544.04        |           |             | Well abandoned 7/23/2020             |
| MW-134B*  | 75                          | 65-75                            | 544.29        |           |             | Well abandoned 7/23/2020             |
| MW-135A*  | 40                          | 20-40                            | 560.67        |           |             | Well Abandoned on 4/24/2024          |
| MW-135B*  | 60                          | 50-60                            | 560.44        |           |             | Well Abandoned on 4/24/2024          |
| MW-135C*  | 397                         | 60-397                           | 562.28        |           |             | Well Abandoned on 4/24/2024          |
| MW-136*   | 50                          | 25-50                            | 547.48        |           |             | Well abandoned 7/23/2020             |
| MW-137*   | 45                          | 15-45                            | 563.37        |           |             | Well Abandoned on 4/23/2024          |
| MW-138*   | 45                          | 14-44                            | 570.60        |           |             | Well Abandoned on 4/24/2024          |
| MW-138D   | 404                         | 60-404                           | 572.71        |           |             | Recovery activities ceased 3/11/2022 |
| MW-139    | 80                          | 60-80                            | 592.43        |           |             | Recovery activities ceased 6/23/2017 |
| MW-140A*  | 30                          | 10-30                            | 548.02        |           |             | Well Abandoned on 4/8/2024           |
| MW-140B*  | 55                          | 40-55                            | 547.49        |           |             | Well Abandoned on 4/8/2024           |
| MW-141A*  | 50                          | 30-50                            | 586.34        |           |             | Well abandoned 5/29/2019             |
| MW-141B*  | 70                          | 60-70                            | 586.42        |           |             | Well abandoned 5/30/2019             |
| MW-141C*  | 300                         | 70-300                           | 586.31        |           |             | Well abandoned 5/29/2019             |
| MW-142*   | 65                          | 30-65                            | 583.87        |           |             | Well abandoned 7/22/2020             |
| MW-143*   | 65                          | 30-65                            | 584.39        |           |             | Well Abandoned on 4/18/2024          |
| MW-144*   | 62.5                        | 25-60                            | 590.89        |           |             | Well Abandoned on 6/3/2024           |
| MW-145P*  | 40                          | 15-40                            | 564.11        |           |             | Well abandoned 7/21/2020             |
| MW-146    | 60                          | 35-60                            | 601.84        |           |             |                                      |
| MW-146B   | 126.5                       | 60-126.5                         | 601.23        |           |             |                                      |
| MW-146C   | 300                         | 125-300                          | 601.55        |           |             |                                      |
| MW-147*   | 80                          | ~                                | 534.62        |           |             | Well abandoned 6/5/2019              |
| MW-147PA* | 80                          | 8-80                             | 534.52        |           |             | Well abandoned 6/5/2019              |
| MW-147PB* | 80                          | 8-80                             | 534.43        |           |             | Well abandoned 6/5/2019              |
| MW-147PC* | 80                          | 8-80                             | 534.52        |           |             | Well abandoned 6/5/2019              |
| MW-148A*  | 63                          | 30-63                            | 609.96        |           |             | Well abandoned 5/30/2019             |
| MW-148B*  | 83                          | 73-83                            | 608.97        |           |             | Well abandoned 5/30/2019             |
| MW-149*   | 50                          | 19-49                            | 573.79        |           |             | Well abandoned 2/22/2018             |
| MW-150A*  | 14                          | 2-14                             | 521.66        |           |             | Well abandoned 7/22/2020             |
| MW-150B*  | 34                          | 24-34                            | 520.83        |           |             | Well abandoned 6/5/2019              |
| MW-151*   | 60                          | 35-60                            | 594.74        |           |             | Well Abandoned on 4/5/2024           |
| MW-152*   | 60                          | 35-60                            | 591.94        |           |             | Well Abandoned on 4/5/2024           |
| MW-153A*  | 25                          | 5-25                             | 548.58        |           |             | Well abandoned 2/22/2018             |
| MW-153B*  | 45                          | 35-45                            | 548.46        |           |             | Well abandoned 2/22/2018             |

**Table 1**  
Well Construction and Remediation Well Summary  
Inactive Exxon Facility # 28077  
14258 Jarrettsville Pike  
Phoenix, MD  
First Quarter 2025

| Well ID   | Total Borehole Depth (feet) | Screen Interval (feet below TOC) | TOC Elevation | Pump Type | Pump Depths | Comment                               |
|-----------|-----------------------------|----------------------------------|---------------|-----------|-------------|---------------------------------------|
| MW-154*   | 60                          | 20-60                            | 563.03        |           |             | Well Abandoned on 4/8/2024            |
| MW-155*   | 50                          | 5-50                             | 557.88        |           |             | Well abandoned 5/22/2019              |
| MW-156*   | 70                          | 20-70                            | 555.98        |           |             | Well abandoned 7/21/2020              |
| MW-157P*  | 60                          | 10-60                            | 552.64        |           |             | Well abandoned 7/21/2020              |
| MW-158P*  | 60                          | 20-60                            | 553.77        |           |             | Well abandoned 2/21/2018              |
| MW-159*   | 70                          | 30-70                            | 550.58        |           |             | Well Abandoned on 4/8/2024            |
| MW-160*   | 70                          | 20-70                            | 567.97        |           |             | Well Abandoned on 4/8/2024            |
| MW-161*   | 60                          | 20-60                            | 570.79        |           |             | Well abandoned 2/22/2018              |
| MW-162A*  | 45                          | 35-45                            | 547.93        |           |             | Well Abandoned on 4/26/2024           |
| MW-162B*  | 65                          | 55-65                            | 547.33        |           |             | Well Abandoned on 4/26/2024           |
| MW-162C*  | 300                         | 60-300                           | 546.27        |           |             | Well Abandoned on 4/26/2024           |
| MW-163B*  | 55                          | 45-55                            | 531.50        |           |             | Well abandoned 2/22/2018              |
| MW-164B*  | 75                          | 60-75                            | 592.56        |           |             | Well abandoned 5/30/2019              |
| MW-165C*  | 450                         | 60-450                           | 587.64        |           |             | Well abandoned 5/30/2019              |
| MW-166A*  | 60                          | 40-60                            | 590.15        |           |             | Well Abandoned on 4/18/2024           |
| MW-166B*  | 70                          | 50-70                            | 589.43        |           |             | Well abandoned 5/30/2019              |
| MW-166C   | 615                         | 60-615                           | 597.68        |           |             |                                       |
| MW-167*   | 60                          | 30-60                            | 581.17        |           |             | Well Abandoned on 4/19/2024           |
| MW-168    | 250                         | 65-250                           | 581.78        |           |             | Pump active 4/18/2018 to 9/27/2018    |
| MW-169*   | 150                         | 39-150                           | 581.61        |           |             | Well Abandoned on 4/19/2024           |
| MW-170*   | 150                         | 35-150                           | 581.56        |           |             | Well Abandoned on 4/18/2024           |
| MW-171    | 130                         | 36-130                           | 581.77        |           |             |                                       |
| MW-171C*  | 415                         | 125-415                          | 583.36        |           |             | Well Abandoned on 4/19/2024           |
| MW-172C*  | 200                         | 180-200                          | 564.40        |           |             | Well abandoned 2/20/2018              |
| MW-173B*  | 80                          | 65-80                            | 589.80        |           |             | Well abandoned 5/29/2019              |
| MW-173C*  | 500                         | 80-500                           | 590.06        |           |             | Well abandoned 5/29/2019              |
| MW-174B*  | 60                          | 40-60                            | 570.08        |           |             | Well abandoned 6/4/2019               |
| MW-174C*  | 300                         | 60-300                           | 570.02        |           |             | Well abandoned 6/4/2019               |
| MW-175C*  | 400                         | 60-400                           | 589.88        |           |             | Well abandoned 6/4/2019               |
| MW-176    | 250.1                       | 125-250.1                        | 582.88        |           |             | Recovery activities ceased 8/5/2020   |
| MW-176CC* | 300                         | 250-300                          | 583.81        |           |             | Well Abandoned on 4/19/2024           |
| MW-177    | 250.5                       | 125-250.5                        | 581.48        |           |             |                                       |
| MW-178A*  | 73                          | 43-73                            | 592.78        |           |             | Well Abandoned on 5/1/2024            |
| MW-178B   | 125                         | 75-125                           | 592.42        |           |             |                                       |
| MW-178C   | 300                         | 125-300                          | 592.58        |           |             | Recovery activities ceased 1/27/2023  |
| MW-179A*  | 80                          | 40-80                            | 587.66        |           |             | Well Abandoned on 4/29/2024           |
| MW-179C   | 250                         | 80-250                           | 587.04        |           |             |                                       |
| MW-180A*  | 75                          | 35-75                            | 589.63        |           |             | Well Abandoned on 5/1/2024            |
| MW-180C*  | 300                         | 125-300                          | 589.18        |           |             | Well Abandoned on 4/19/2024           |
| MW-181A   | 60                          | 30-60                            | 594.45        |           |             | Recovery activities ceased 6/30/2021  |
| MW-181B   | 125                         | 60-125                           | 594.19        |           |             | Recovery activities ceased 10/23/2017 |
| MW-181C   | 300                         | 125-300                          | 594.48        |           |             |                                       |

**Table 1**  
Well Construction and Remediation Well Summary  
Inactive Exxon Facility # 28077  
14258 Jarrettsville Pike  
Phoenix, MD  
First Quarter 2025

| Well ID  | Total Borehole Depth (feet) | Screen Interval (feet below TOC) | TOC Elevation | Pump Type | Pump Depths | Comment                                |
|----------|-----------------------------|----------------------------------|---------------|-----------|-------------|----------------------------------------|
| MW-182   | 300                         | 100-300                          | 590.84        |           |             |                                        |
| MW-183   | 300                         | 100-300                          | 590.47        |           |             | Recovery activities ceased 3/11/2022   |
| MW-184   | 300                         | 100-300                          | 588.44        |           |             | Recovery activities ceased 8/5/2020    |
| MW-185*  | 300                         | 100-300                          | 584.64        |           |             | Well Abandoned on 4/25/2024            |
| MW-186D* | 428                         | 70-428                           | NSVD          |           |             | Well Abandoned on 4/29/2024            |
| MW-187A  | 60                          | 25-60                            | NSVD          |           |             | Recovery activities ceased 12/21/23    |
| MW-187B  | 125                         | 60-125                           | 597.05        |           |             | Recovery activities ceased 3/11/2022   |
| MW-187C  | 300                         | 125-300                          | 595.53        |           |             | Recovery activities ceased 12/21/23    |
| MW-188D  | 436                         | 125-436                          | 604.20        |           |             |                                        |
| MW-189D  | 384                         | 35-384                           | NSVD          |           |             |                                        |
| PW-3501  | 425                         | 27-425                           | 593.05        |           |             | Well deepened 7/19/2013                |
| PW-14311 | 300                         | 20-300                           | 604.08        |           |             |                                        |
| SVE-001  | 69                          | 24-69                            | 592.05        |           |             | Recovery activities ceased 3/11/2022   |
| SVE-002  | 70.75                       | 25-70.75                         | 588.75        |           |             | Recovery activities ceased on 8/4/2020 |
| SVE-003  | 69                          | 24-69                            | 589.28        |           |             | Recovery activities ceased 3/11/2022   |

TOC = Top of Casing

BTOC = Below Top of Casing

DPE = Dual

Phase

SVE = Soil Vapor Extraction

NSVD = Not Surveyed to Vertical Datum

\* = Well Abandoned

fbg = feet below grade

NE = Not Encountered

FLUTe liners were installed into the following wells:

- MW-41C (sample ports at 75-80 fbg, 95-97 fbg, 120-130 fbg, 190-195 fbg) FLUTe liner was removed on May 7, 2024
- MW-53C (sample ports at 215-220 fbg and 225-235 fbg) FLUTe liner was removed on May 8, 2024
- MW-56C (sample ports at 100-110 fbg, 310-315 fbg, 320-325 fbg) FLUTe liner was removed on March 26, 2024
- MW-78C (sample port at 60-70 fbg). FLUTe liner was removed on September 21, 2015
- MW-138D (sample port at 77-82 fbg, 95-100 fbg, 120-125 fbg, 151-156 fbg, 190-200 fbg, 217-222 fbg, 250-255 fbg, 288-293 fbg, 332-337 fbg, 379-384 fbg).

Table 2

Post Remediation Monitoring Sampling Results  
Inactive Exxon Facility #28077  
14258 Jarrettsville Pike  
Phoenix, MD

April 22 - June 20, 2025

| Well ID | Address                 | Screen Interval (feet below top of casing) | Sampling Method | Depth Specific Sampling Interval (feet below top of casing) | Date GW Recovery Activities Ceased | Last Sampling Date | Trigger Level for Action MTBE (µg/L) | Trigger Level for Action Benzene (µg/L) | MDE Approved Monitoring December 2023 | 2Q25 MTBE Result (µg/L) | 2Q25 Benzene Result (µg/L) |
|---------|-------------------------|--------------------------------------------|-----------------|-------------------------------------------------------------|------------------------------------|--------------------|--------------------------------------|-----------------------------------------|---------------------------------------|-------------------------|----------------------------|
| MW- 1   | Station                 | 20-45                                      | P/G             |                                                             |                                    | 4/28/2025          | 100.00                               | 25.00                                   | Quarterly                             | 0.48 J                  | 0.34 J                     |
| MW- 2A  | Station                 | 35-55                                      | P/G             |                                                             | 7/30/2019                          | 4/23/2025          | 100.00                               | 25.00                                   | Quarterly                             | ND(1.0)                 | ND(1.0)                    |
| MW- 3   | Station                 | 20-50                                      | P/G             |                                                             | 3/11/2022                          | 4/28/2025          | 100.00                               | 25.00                                   | Quarterly                             | 2.00                    | ND(1.0)                    |
| MW- 6   | Station                 | 20-50                                      | P/G             |                                                             | 6/10/2019                          | 4/28/2025          | 100.00                               | 25.00                                   | Quarterly                             | 26.00                   | ND(1.0)                    |
| MW- 12  | Station                 | 20-35                                      | P/G             |                                                             |                                    | 2/3/2025           | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 15  | Station                 | 15-35                                      | P/G             |                                                             |                                    | 2/3/2025           | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 16R | Station                 | 45-60                                      | P/G             |                                                             | 3/11/2022                          | 4/23/2025          | 100.00                               | 25.00                                   | Quarterly                             | 37.00                   | ND(1.0)                    |
| MW- 17  | Station                 | 25-50                                      | P/G             |                                                             | 9/11/2018                          | 2/3/2025           | 100.00                               | 25.00                                   | Semi-annual                           | NS                      | NS                         |
| MW- 19  | Station                 | 20-45                                      | P/G             |                                                             | 10/1/2019                          | 4/28/2025          | 100.00                               | 25.00                                   | Quarterly                             | ND(1.0)                 | ND(1.0)                    |
| MW- 22  | Station                 | 20-45                                      | P/G             |                                                             | 7/8/2019                           | 4/28/2025          | 100.00                               | 25.00                                   | Quarterly                             | ND(1.0)                 | ND(1.0)                    |
| MW- 23  | Station                 | 20-45                                      | P/G             |                                                             | 10/1/2019                          | 2/3/2025           | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 27  | Station                 | 27-43                                      | P/G             |                                                             | 6/28/2021                          | 4/29/2025          | 100.00                               | 25.00                                   | Quarterly                             | 0.5 J                   | ND(1.0)                    |
| MW- 27B | Station                 | 60-125                                     | H/S             | Shallow                                                     |                                    | 4/28/2025          | 100.00                               | 25.00                                   | Quarterly                             | 56.00                   | 1.90                       |
| MW- 27B | Station                 | 60-125                                     | H/S             | Deep                                                        |                                    | 4/28/2025          | 100.00                               | 25.00                                   | Quarterly                             | 54.00                   | 2.20                       |
| MW- 27R | Station                 | 30-60                                      | P/G             |                                                             | 7/1/2020                           | 4/29/2025          | 100.00                               | 25.00                                   | Quarterly                             | 0.6 J                   | ND(1.0)                    |
| MW- 36R | 14307 Jarrettsville Pk. | 30-80                                      | P/G             |                                                             | 10/8/2018                          | 5/6/2025           | 100.00                               | 25.00                                   | Quarterly                             | 1.20                    | ND(1.0)                    |
| MW- 38  | 14311 Jarrettsville Pk. | 23-63                                      | P/G             |                                                             | 7/31/2019                          | 5/2/2025           | 100.00                               | 25.00                                   | Quarterly                             | ND(1.0)                 | ND(1.0)                    |
| MW- 38B | 14311 Jarrettsville Pk. | 68-125                                     | P/G             |                                                             |                                    | 5/6/2025           | 100.00                               | 25.00                                   | Quarterly                             | 0.25 J                  | ND(1.0)                    |
| MW- 38C | 14311 Jarrettsville Pk. | 125-300                                    | H/S             | 210                                                         | 12/15/2023                         | 5/2/2025           | 137.50                               | 25.00                                   | Quarterly                             | 31.00                   | 2.10                       |
| MW- 38C | 14311 Jarrettsville Pk. | 125-300                                    | H/S             | 263                                                         | 12/15/2023                         | 5/2/2025           | 137.50                               | 25.00                                   | Quarterly                             | 30.00                   | 1.70                       |

Table 2

Post Remediation Monitoring Sampling Results  
Inactive Exxon Facility #28077  
14258 Jarrettsville Pike  
Phoenix, MD

April 22 - June 20, 2025

| Well ID  | Address                 | Screen Interval (feet below top of casing) | Sampling Method | Depth Specific Sampling Interval (feet below top of casing) | Date GW Recovery Activities Ceased | Last Sampling Date              | Trigger Level for Action MTBE (µg/L) | Trigger Level for Action Benzene (µg/L) | MDE Approved Monitoring December 2023 | 2Q25 MTBE Result (µg/L) | 2Q25 Benzene Result (µg/L) |
|----------|-------------------------|--------------------------------------------|-----------------|-------------------------------------------------------------|------------------------------------|---------------------------------|--------------------------------------|-----------------------------------------|---------------------------------------|-------------------------|----------------------------|
| MW- 38C  | 14311 Jarrettsville Pk. | 125-300                                    | H/S             | 298                                                         | 12/15/2023                         | 5/2/2025                        | 137.50                               | 25.00                                   | Quarterly                             | 28.00                   | 1.40                       |
| MW- 40   | 14223 Robcaste Road     | 5-30                                       | P/G             |                                                             | 8/31/2015                          | 4/22/2025<br>5/20/25<br>6/10/25 | 100.00                               | 25.00                                   | Quarterly                             | 25<br>35<br>0.92 J      | 51<br>83<br>0.95 J         |
| MW- 43A  | Hampshire Glen Ct.      | 20-40                                      | P/G             |                                                             | 1/31/2013                          | 8/27/2024                       | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 43B  | Hampshire Glen Ct.      | 45-55                                      | P/G             |                                                             |                                    | 2/4/2025                        | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 45   | 14307 Jarrettsville Pk. | 53-73                                      | P/G             |                                                             | 3/11/2022                          | 5/6/2025<br>6/10/25             | 100.00                               | 25.00                                   | Quarterly                             | 110<br>140              | 0.51 J<br>1.2              |
| MW- 45R  | 14307 Jarrettsville Pk. | 70-90                                      | P/G             |                                                             | 3/11/2022                          | 5/7/2025                        | 105.00                               | 25.00                                   | Quarterly                             | 31.00                   | ND(1.0)                    |
| MW- 47BB | 3501 Hampshire Glen Ct. | 55-125                                     | P/G             |                                                             |                                    | 2/4/2025                        | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 47C  | 3501 Hampshire Glen Ct. | 125-300                                    | H/S             | 126                                                         |                                    | 2/4/2025                        | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 47C  | 3501 Hampshire Glen Ct. | 125-300                                    | H/S             | 138.5                                                       |                                    | 2/4/2025                        | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 47C  | 3501 Hampshire Glen Ct. | 125-300                                    | H/S             | 190                                                         |                                    | 2/4/2025                        | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 47C  | 3501 Hampshire Glen Ct. | 125-300                                    | H/S             | 212.5                                                       |                                    | 2/4/2025                        | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 47C  | 3501 Hampshire Glen Ct. | 125-300                                    | H/S             | 287                                                         |                                    | 2/4/2025                        | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 50   | 3313 Paper Mill Road    | 20-40                                      | P/G             |                                                             |                                    | 2/6/2025                        | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 50B  | 3313 Paper Mill Road    | 45-55                                      | P/G             |                                                             |                                    | 2/6/2025                        | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 50C  | 3313 Paper Mill Road    | 60-300                                     | H/S             | 179                                                         |                                    | 2/25/2025                       | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 50C  | 3313 Paper Mill Road    | 60-300                                     | H/S             | 240                                                         |                                    | 2/25/2025                       | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 50C  | 3313 Paper Mill Road    | 60-300                                     | H/S             | 277                                                         |                                    | 2/25/2025                       | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 54   | 14307 Jarrettsville Pk. | 16-56                                      | P/G             |                                                             |                                    | 4/22/2025                       | 100.00                               | 25.00                                   | Quarterly                             | 10.00                   | 0.88 J                     |
| MW- 54B  | 14307 Jarrettsville Pk. | 57-125                                     | P/G             |                                                             | 12/15/2023                         | 4/22/2025                       | 662.50                               | 91.25                                   | Quarterly                             | 200                     | 12                         |
| MW- 54C  | 14307 Jarrettsville Pk. | 125-300                                    | H/S             | 210                                                         |                                    | 4/22/2025                       | 150.00                               | 50.00                                   | Quarterly                             | 7.50                    | 5.20                       |

Table 2

**Post Remediation Monitoring Sampling Results**  
**Inactive Exxon Facility #28077**  
**14258 Jarrettsville Pike**  
**Phoenix, MD**

April 22 - June 20, 2025

| Well ID | Address                 | Screen Interval (feet below top of casing) | Sampling Method | Depth Specific Sampling Interval (feet below top of casing) | Date GW Recovery Activities Ceased | Last Sampling Date  | Trigger Level for Action MTBE (µg/L) | Trigger Level for Action Benzene (µg/L) | MDE Approved Monitoring December 2023 | 2Q25 MTBE Result (µg/L) | 2Q25 Benzene Result (µg/L) |
|---------|-------------------------|--------------------------------------------|-----------------|-------------------------------------------------------------|------------------------------------|---------------------|--------------------------------------|-----------------------------------------|---------------------------------------|-------------------------|----------------------------|
| MW- 54C | 14307 Jarrettsville Pk. | 125-300                                    | H/S             | 295-298                                                     |                                    | 4/22/2025           | 150.00                               | 50.00                                   | Quarterly                             | 13.00                   | 23.00                      |
| MW- 56A | Robcaste Road           | 15-35                                      | P/G             |                                                             |                                    | 1/29/2025           | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 56B | Robcaste Road           | 45-55                                      | P/G             |                                                             |                                    | 1/29/2025           | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 56C | Robcaste Road           | 60-350                                     | H/S             | 100-110                                                     |                                    | 1/29/2025           | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 56C | Robcaste Road           | 60-350                                     | H/S             | 310-315                                                     |                                    | 1/29/2025           | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 56C | Robcaste Road           | 60-350                                     | H/S             | 320-325                                                     |                                    | 1/29/2025           | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 57  | 3501 Hampshire Glen Ct. | 25-65                                      | P/G             |                                                             | 8/13/2018                          | 2/4/2025            | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 58  | 3501 Hampshire Glen Ct. | 35-65                                      | P/G             |                                                             | 3/28/2018                          | 2/4/2025            | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 67  | 14221 Robcaste Road     | 10-40                                      | P/G             |                                                             |                                    | 1/29/2025           | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 72  | 14223 Robcaste Road     | 10-40                                      | P/G             |                                                             | 8/31/2015                          | 1/29/2025           | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 73C | 14315 Jarrettsville Pk. | 125-300                                    | H/S             | 210                                                         | 3/11/2022                          | 4/30/2025           | 100.00                               | 25.00                                   | Quarterly                             | 12.00                   | 0.58 J                     |
| MW- 73C | 14315 Jarrettsville Pk. | 125-300                                    | H/S             | 259.5                                                       | 3/11/2022                          | 4/30/2025           | 100.00                               | 25.00                                   | Quarterly                             | 13.00                   | 0.57 J                     |
| MW- 73C | 14315 Jarrettsville Pk. | 125-300                                    | H/S             | 298                                                         | 3/11/2022                          | 4/30/2025           | 100.00                               | 25.00                                   | Quarterly                             | 11 F1                   | 0.69 J                     |
| MW- 82B | 3508 Hampshire Glen Ct. | 50-125                                     | H/S             | Shallow                                                     | 8/30/2020                          | 5/1/2025<br>6/10/25 | 100.00                               | 25.00                                   | Quarterly                             | 85<br>67                | 0.63 J<br>0.44 J           |
| MW- 82B | 3508 Hampshire Glen Ct. | 50-125                                     | H/S             | Deep                                                        | 8/30/2020                          | 5/1/2025<br>6/10/25 | 100.00                               | 25.00                                   | Quarterly                             | 140<br>82               | 0.63 J<br>0.51 J           |
| MW- 82D | 3508 Hampshire Glen Ct. | 125-380                                    | H/S             | 250                                                         | 6/30/2021                          | 5/1/2025            | 100.00                               | 25.00                                   | Quarterly                             | 35.00                   | ND(1.0)                    |
| MW- 82D | 3508 Hampshire Glen Ct. | 125-380                                    | H/S             | 317                                                         | 6/30/2021                          | 5/1/2025            | 100.00                               | 25.00                                   | Quarterly                             | 21.00                   | ND(1.0)                    |
| MW- 82D | 3508 Hampshire Glen Ct. | 125-380                                    | H/S             | 378                                                         | 6/30/2021                          | 5/1/2025            | 100.00                               | 25.00                                   | Quarterly                             | 13.00                   | ND(1.0)                    |
| MW- 85  | 14301 Jarrettsville Pk. | 40-60                                      | P/G             |                                                             | 9/12/2018                          | 5/7/2025            | 100.00                               | 25.00                                   | Quarterly                             | ND(1.0)                 | ND(1.0)                    |
| MW- 91C | 3501 Hampshire Glen Ct. | 80-297.4                                   | H/S             | 92-102                                                      | 6/12/2019                          | 4/30/2025           | 100.00                               | 25.00                                   | Quarterly                             | 5.00                    | ND(1.0)                    |

Table 2

**Post Remediation Monitoring Sampling Results**  
**Inactive Exxon Facility #28077**  
**14258 Jarrettsville Pike**  
**Phoenix, MD**

April 22 - June 20, 2025

| Well ID  | Address                 | Screen Interval (feet below top of casing) | Sampling Method | Depth Specific Sampling Interval (feet below top of casing) | Date GW Recovery Activities Ceased | Last Sampling Date | Trigger Level for Action MTBE (µg/L) | Trigger Level for Action Benzene (µg/L) | MDE Approved Monitoring December 2023 | 2Q25 MTBE Result (µg/L) | 2Q25 Benzene Result (µg/L) |
|----------|-------------------------|--------------------------------------------|-----------------|-------------------------------------------------------------|------------------------------------|--------------------|--------------------------------------|-----------------------------------------|---------------------------------------|-------------------------|----------------------------|
| MW- 91C  | 3501 Hampshire Glen Ct. | 80-297.4                                   | H/S             | 261-271                                                     | 6/12/2019                          | 4/30/2025          | 100.00                               | 25.00                                   | Quarterly                             | 2.30                    | ND(1.0)                    |
| MW- 138D | 3506 Hampshire Glen     | 60-404                                     | H/S             | 95-100                                                      | 3/11/2022                          | 5/1/2025           | 100.00                               | 25.00                                   | Quarterly                             | ND(1.0)                 | ND(1.0)                    |
| MW- 138D | 3506 Hampshire Glen     | 60-404                                     | H/S             | 115-120                                                     | 3/11/2022                          | 5/1/2025           | 100.00                               | 25.00                                   | Quarterly                             | ND(1.0)                 | ND(1.0)                    |
| MW- 138D | 3506 Hampshire Glen     | 60-404                                     | H/S             | 151-156                                                     | 3/11/2022                          | 5/1/2025           | 100.00                               | 25.00                                   | Quarterly                             | ND(1.0)                 | ND(1.0)                    |
| MW- 138D | 3506 Hampshire Glen     | 60-404                                     | H/S             | 230-235                                                     | 3/11/2022                          | 5/1/2025           | 100.00                               | 25.00                                   | Quarterly                             | 0.45 J                  | ND(1.0)                    |
| MW- 139  | Station                 | 60-80                                      | P/G             |                                                             | 6/23/2017                          | 4/28/2025          | 100.00                               | 25.00                                   | Quarterly                             | 34.00                   | ND(1.0)                    |
| MW- 146  | 3320 Paper Mill Road    | 35-60                                      | P/G             |                                                             |                                    | 2/6/2025           | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 146B | 3320 Paper Mill Road    | 60-126.5                                   | P/G             |                                                             |                                    | 2/24/2025          | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 146C | 3320 Paper Mill Road    | 125-300                                    | H/S             | Shallow                                                     |                                    | 2/6/2025           | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 146C | 3320 Paper Mill Road    | 125-300                                    | H/S             | Deep                                                        |                                    | 2/6/2025           | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 166C | 3418 Sweet Air          | 60-615                                     | H/S             | Shallow                                                     |                                    | 1/28/2025          | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 166C | 3418 Sweet Air          | 60-615                                     | H/S             | Deep                                                        |                                    | 1/28/2025          | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 168  | 3501 Hampshire Glen     | 65-250                                     | H/S             | 67                                                          | 9/27/2018                          | 4/30/2025          | 100.00                               | 25.00                                   | Quarterly                             | ND(1.0)                 | ND(1.0)                    |
| MW- 168  | 3501 Hampshire Glen     | 65-250                                     | H/S             | 75                                                          | 9/27/2018                          | 4/30/2025          | 100.00                               | 25.00                                   | Quarterly                             | 0.24 J                  | ND(1.0)                    |
| MW- 168  | 3501 Hampshire Glen     | 65-250                                     | H/S             | 87                                                          | 9/27/2018                          | 4/30/2025          | 100.00                               | 25.00                                   | Quarterly                             | 0.23 J                  | ND(1.0)                    |
| MW- 168  | 3501 Hampshire Glen     | 65-250                                     | H/S             | 115                                                         | 9/27/2018                          | 4/30/2025          | 100.00                               | 25.00                                   | Quarterly                             | ND(1.0)                 | ND(1.0)                    |
| MW- 168  | 3501 Hampshire Glen     | 65-250                                     | H/S             | 235                                                         | 9/27/2018                          | 4/30/2025          | 100.00                               | 25.00                                   | Quarterly                             | ND(1.0)                 | ND(1.0)                    |
| MW- 171  | 3501 Hampshire Glen     | 36-130                                     | P/G             |                                                             |                                    | 2/4/2025           | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 176  | 3501 Hampshire Glen     | 125-250.1                                  | H/S             | 182-192                                                     | 8/5/2020                           | 2/7/2025           | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| MW- 176  | 3501 Hampshire Glen     | 125-250.1                                  | H/S             | 233-243                                                     | 8/5/2020                           | 2/7/2025           | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |

Table 2

Post Remediation Monitoring Sampling Results  
Inactive Exxon Facility #28077  
14258 Jarrettsville Pike  
Phoenix, MD

April 22 - June 20, 2025

| Well ID  | Address                 | Screen Interval (feet below top of casing) | Sampling Method | Depth Specific Sampling Interval (feet below top of casing) | Date GW Recovery Activities Ceased | Last Sampling Date              | Trigger Level for Action MTBE (µg/L) | Trigger Level for Action Benzene (µg/L) | MDE Approved Monitoring December 2023 | 2Q25 MTBE Result (µg/L)                | 2Q25 Benzene Result (µg/L)             |
|----------|-------------------------|--------------------------------------------|-----------------|-------------------------------------------------------------|------------------------------------|---------------------------------|--------------------------------------|-----------------------------------------|---------------------------------------|----------------------------------------|----------------------------------------|
| MW- 177  | 3501 Hampshire Glen     | 125-250.5                                  | H/S             | 187.75                                                      |                                    | 2/7/2025                        | 100.00                               | 25.00                                   | Semi-Annual                           | NS                                     | NS                                     |
| MW- 177  | 3501 Hampshire Glen     | 125-250.5                                  | H/S             | 215-225                                                     |                                    | 2/7/2025                        | 100.00                               | 25.00                                   | Semi-Annual                           | NS                                     | NS                                     |
| MW- 178B | 3501 Hampshire Glen     | 75-125                                     | P/G             |                                                             |                                    | 2/4/2025                        | 100.00                               | 25.00                                   | Semi-Annual                           | NS                                     | NS                                     |
| MW- 178C | 3501 Hampshire Glen     | 125-300                                    | H/S             | 146                                                         | 1/27/2023                          | 4/30/2025                       | 137.50                               | 25.00                                   | Quarterly                             | 5.10                                   | 1.00                                   |
| MW- 178C | 3501 Hampshire Glen     | 125-300                                    | H/S             | 168                                                         | 1/27/2023                          | 4/30/2025                       | 137.50                               | 25.00                                   | Quarterly                             | 7.00                                   | 0.87 J                                 |
| MW- 178C | 3501 Hampshire Glen     | 125-300                                    | H/S             | 212                                                         | 1/27/2023                          | 4/30/2025                       | 137.50                               | 25.00                                   | Quarterly                             | 5.80                                   | 0.54 J                                 |
| MW- 178C | 3501 Hampshire Glen     | 125-300                                    | H/S             | 300                                                         | 1/27/2023                          | 4/30/2025                       | 137.50                               | 25.00                                   | Quarterly                             | 5.60                                   | 1.00                                   |
| MW- 179C | 3501 Hampshire Glen     | 80-250                                     | H/S             | 250                                                         |                                    | 4/30/2025                       | 100.00                               | 25.00                                   | Semi-Annual                           | NS                                     | NS                                     |
| MW- 181A | 14301 Jarrettsville Pk. | 30-60                                      | P/G             |                                                             | 6/30/2021                          | 5/7/2025                        | 100.00                               | 25.00                                   | Quarterly                             | 10.00                                  | ND(1.0)                                |
| MW- 181B | 14301 Jarrettsville Pk. | 60-125                                     | P/G             |                                                             | 10/23/2017                         | 2/25/2025                       | 100.00                               | 25.00                                   | Semi-Annual                           | NS                                     | NS                                     |
| MW- 181C | 14301 Jarrettsville Pk. | 125-300                                    | H/S             | 215.5                                                       |                                    | 4/23/2025                       | 100.00                               | 25.00                                   | Semi-Annual                           | 17.00                                  | ND(1.0)                                |
| MW- 182  | 3501 Hampshire Glen     | 100-300                                    | H/S             | 200                                                         |                                    | 2/4/2025                        | 100.00                               | 25.00                                   | Semi-Annual                           | NS                                     | NS                                     |
| MW- 182  | 3501 Hampshire Glen     | 100-300                                    | H/S             | 226.5                                                       |                                    | 2/4/2025                        | 100.00                               | 25.00                                   | Semi-Annual                           | NS                                     | NS                                     |
| MW- 183  | 3501 Hampshire Glen     | 100-300                                    | P/G             |                                                             | 3/11/2022                          | 5/1/2025                        | 100.00                               | 25.00                                   | Quarterly                             | 0.37 J                                 | ND(1.0)                                |
| MW- 184  | 3501 Hampshire Glen     | 100-300                                    | H/S             | 187                                                         | 8/5/2020                           | 2/4/2025                        | 100.00                               | 25.00                                   | Semi-Annual                           | NS                                     | NS                                     |
| MW- 184  | 3501 Hampshire Glen     | 100-300                                    | H/S             | 285                                                         | 8/5/2020                           | 2/4/2025                        | 100.00                               | 25.00                                   | Semi-Annual                           | NS                                     | NS                                     |
| MW- 187A | Intersection            | 25-60                                      | P/G             |                                                             | 12/15/2023                         | 4/22/2025<br>5/20/25<br>6/12/25 | 100.00                               | 337.50                                  | Quarterly                             | 64<br>73<br>46                         | <b>500</b><br><b>690</b><br><b>510</b> |
| MW- 187B | Intersection            | 60-125                                     | P/G             |                                                             | 3/11/2022                          | 4/23/2025<br>5/20/25<br>6/12/25 | 100.00                               | 27.50                                   | Quarterly                             | <b>190</b><br><b>180</b><br><b>140</b> | <b>130</b><br><b>94</b><br><b>110</b>  |
| MW- 187C | Intersection            | 125-300                                    | H/S             | 210                                                         | 12/15/2023                         | 4/23/2025                       | 525.00                               | 25.00                                   | Quarterly                             | 110.00                                 | 1.50                                   |
| MW- 187C | Intersection            | 125-300                                    | H/S             | 298                                                         | 12/15/2023                         | 4/22/2025                       | 525.00                               | 25.00                                   | Quarterly                             | 170.00                                 | 2.10                                   |

Table 2

**Post Remediation Monitoring Sampling Results**  
**Inactive Exxon Facility #28077**  
**14258 Jarrettsville Pike**  
**Phoenix, MD**

April 22 - June 20, 2025

| Well ID   | Address                 | Screen Interval (feet below top of casing) | Sampling Method | Depth Specific Sampling Interval (feet below top of casing) | Date GW Recovery Activities Ceased | Last Sampling Date | Trigger Level for Action MTBE (µg/L) | Trigger Level for Action Benzene (µg/L) | MDE Approved Monitoring December 2023 | 2Q25 MTBE Result (µg/L) | 2Q25 Benzene Result (µg/L) |
|-----------|-------------------------|--------------------------------------------|-----------------|-------------------------------------------------------------|------------------------------------|--------------------|--------------------------------------|-----------------------------------------|---------------------------------------|-------------------------|----------------------------|
| MW- 188D  | 14311 Jarrettsville Pk. | 125-436                                    | H/S             | 280.5                                                       |                                    | 4/23/2025          | 100.00                               | 25.00                                   | Quarterly                             | 3.50                    | ND(1.0)                    |
| MW- 188D  | 14311 Jarrettsville Pk. | 125-436                                    | H/S             | 378                                                         |                                    | 4/23/2025          | 100.00                               | 25.00                                   | Quarterly                             | 3.70                    | ND(1.0)                    |
| MW- 189D  | 3605A Southside Ave     | 35-384                                     | H/S             | 79                                                          |                                    | 5/1/2025           | 425.00                               | 25.00                                   | Quarterly                             | 84.00                   | ND(1.0)                    |
| MW- 189D  | 3605A Southside Ave     | 35-384                                     | H/S             | 122                                                         |                                    | 5/1/2025           | 425.00                               | 25.00                                   | Quarterly                             | 36.00                   | ND(1.0)                    |
| MW- 189D  | 3605A Southside Ave     | 35-384                                     | H/S             | 161                                                         |                                    | 5/1/2025           | 425.00                               | 25.00                                   | Quarterly                             | 71.00                   | ND(1.0)                    |
| MW- 189D  | 3605A Southside Ave     | 35-384                                     | H/S             | 216                                                         |                                    | 5/1/2025           | 425.00                               | 25.00                                   | Quarterly                             | 56.00                   | ND(1.0)                    |
| MW- 189D  | 3605A Southside Ave     | 35-384                                     | H/S             | 278                                                         |                                    | 5/1/2025           | 425.00                               | 25.00                                   | Quarterly                             | 52.00                   | ND(1.0)                    |
| MW- 189D  | 3605A Southside Ave     | 35-384                                     | H/S             | 315                                                         |                                    | 5/1/2025           | 425.00                               | 25.00                                   | Quarterly                             | 33.00                   | ND(1.0)                    |
| MW- 189D  | 3605A Southside Ave     | 35-384                                     | H/S             | 374                                                         |                                    | 5/1/2025           | 425.00                               | 25.00                                   | Quarterly                             | 52.00                   | ND(1.0) cn                 |
| PW- 14311 | 14311 Jarrettsville Pk. | 20-300                                     | H/S             | Shallow                                                     |                                    | 4/23/2025          | 100.00                               | 25.00                                   | Semi-Annual                           | ND(1.0)                 | ND(1.0)                    |
| PW- 14311 | 14311 Jarrettsville Pk. | 20-300                                     | H/S             | Deep                                                        |                                    | 4/23/2025          | 100.00                               | 25.00                                   | Semi-Annual                           | ND(1.0)                 | ND(1.0)                    |
| PW- 3501  | 3501 Hampshire Glen     | 27-425                                     | H/S             | Shallow                                                     |                                    | 1/28/2025          | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| PW- 3501  | 3501 Hampshire Glen     | 27-425                                     | H/S             | Deep                                                        |                                    | 1/28/2025          | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| SVE- 1    | Station                 | 24-69                                      | P/G             |                                                             | 3/11/2022                          | 4/29/2025          | 225.00                               | 25.00                                   | Quarterly                             | 43.00                   | 17.00                      |
| SVE- 2    | Station                 | 25-70.75                                   | P/G             |                                                             | 8/4/2020                           | 2/3/2025           | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |
| SVE- 3    | Station                 | 24-69                                      | P/G             |                                                             | 3/11/2022                          | 2/3/2025           | 100.00                               | 25.00                                   | Semi-Annual                           | NS                      | NS                         |

\* Monthly sampling for three months following system shutdown in December 2023, reverts to quarterly thereafter.

B = Compound was found in the blank and sample

**Bold** result indicates trigger level exceedance.

cn = Refer to case narrative for further detail

F1 = MS and/or MSD recovery exceeds control limits

F2 = MS/MSD RPD exceeds control limits

H/S = HydraSleeve® discrete depth sampler

J = Result is less than the RL but greater than or equal to the MDL and the concentration is an approximate value

ND(1.0) = Not detected at or above the laboratory reporting limit, laboratory reporting limit included

NS = Not Sampled

P/G = Purge and grab sample

TABLE 3

**Summary of Groundwater Analytical Results**  
**Inactive Exxon Facility #28077**  
**14528 Jarrettsville Pike**  
**Phoenix, Maryland**

January 2, 2020 through June 12, 2025

| Sample ID | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-1      | 03/30/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 02/10/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/06/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/22/22 | ND(1.0)           | 24                | 45                          | 170                        | 239                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/06/22 | ND(1.0)           | 2.2               | 2.9                         | 12                         | 17                      | ND(1.0)        | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|           | 11/02/22 | ND(1.0)           | 17                | 21                          | 97                         | 135                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 06/13/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/21/23 | ND(1.0)           | 25                | 52                          | 220                        | 297                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/08/24 | ND(1.0)           | 40                | 39                          | 160                        | 239                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/11/24 | ND(1.0)           | 24 F2 F1          | 49 F2 F1                    | 220 F2 F1                  | 293 F2 F1               | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/26/24 | ND(1.0)           | 36 B              | 41                          | 150                        | 227 B                   | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 10/25/24 | ND(1)             | 8.0               | 4.9                         | 18                         | 30.9                    | 0.64 J         | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|           | 01/29/25 | ND(1.0)           | 1.8               | 2.4                         | 6.1                        | 10.3                    | 0.53 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/28/25 | 0.34 J            | 41                | 0.52 J                      | 110                        | 152 J                   | 0.48 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-2A     | 02/05/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 07/15/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/04/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/06/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50) F1     |          |
|           | 02/22/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/06/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|           | 11/02/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/26/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 10/25/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 0.85 J         | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|           | 02/03/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/23/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           |          |                   |                   |                             |                            |                         |                |                |                |                |               |          |
| MW-3      | 03/02/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 2              | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 06/23/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.83 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/11/20 | 0.38 J            | 0.25 J            | ND(1.0)                     | ND(6.0)                    | 0.63 J                  | 1.2            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/05/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 01/14/21 | 1.4               | 2.2               | 3.5                         | 6.1                        | 13.2                    | 69             | 0.94 J         | 1.8            | 5.9            | 95            |          |
|           | 04/16/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/23/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/08/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.43 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-3      | 02/02/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.2            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.93 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/26/22 | 0.52 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.52 J                  | 16             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 05/23/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 06/06/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.2            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 06/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.58 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 07/18/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|           | 08/25/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.0            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/19/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.1            | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|           | 10/19/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.62 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/07/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.2            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 06/13/23 | 0.32 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.32                    | 4.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 3.9            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/21/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.8            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 01/30/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.86 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/11/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.8            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/04/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 0.78 J         | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|           | 02/03/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 2.8            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/28/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 2.0            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-6      | 03/02/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 12             | ND(1)          | ND(1)          | 0.4 J          | ND(25)        |          |
|           | 06/23/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 9.8            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/11/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/05/20 | 0.58 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.58 J                  | 1.6            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 01/19/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.41 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/16/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/23/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/08/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.6            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/02/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.2            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 06/10/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.28 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/01/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 10/17/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-6      | 03/21/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 06/13/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.5            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.40 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/09/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/11/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 2.5            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/04/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 3.6            | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|           | 02/03/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 14             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/28/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 26             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-12     | 02/08/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/03/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/02/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/06/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|           | 11/10/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/09/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/26/24 | ND(1.0)           | 0.77 J B          | ND(1.0)                     | ND(1.0)                    | 0.77 J B                | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/03/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-15     | 02/08/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/03/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/02/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/06/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|           | 11/10/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/09/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/26/24 | ND(1.0)           | 0.33 J B          | ND(1.0)                     | ND(1.0)                    | 0.33 J B                | 0.28 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/03/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-16R    | 03/02/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 9              | 0.6 J          | 1              | 0.4 J          | ND(25)        |          |
|           | 06/23/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 38             | 0.71 J         | 1.1            | 1.6 J          | ND(50)        |          |
|           | 08/11/20 | 1.4               | ND(1.0)           | 0.46 J                      | ND(6.0)                    | 1.9 J                   | 73             | 1.2            | 2.1            | 5.5            | 82            |          |
|           | 11/06/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 01/14/21 | ND(1.0)           | ND(1.0)           | ND(1.0) F1                  | ND(6.0)                    | BRL F1                  | 2.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/16/21 | 0.42 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.42 J                  | 42             | 0.98 J         | 1.4            | ND(5.0)        | 20 J          |          |
|           | 09/23/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.63 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/07/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.4            | ND(1.0)        | 0.29 J         | ND(5.0)        | ND(50)        |          |
|           | 02/02/22 | 0.66 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.66 J                  | 3.2            | 0.25 J         | 0.37 J         | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-16R    | 03/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 6.7            | 0.38 J         | 0.60 J         | ND(5.0)        | ND(50)        |          |
|           | 04/26/22 | 0.63 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.63 J                  | 12             | 0.28 J         | ND(1.0)        | ND(5.0)        | 46 J          |          |
|           | 05/23/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 4.9            | 0.22 J         | ND(1.0)        | ND(5.0)        | 27 J          |          |
|           | 06/07/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 13             | 0.59 J         | 1.1            | ND(5.0)        | 67            |          |
|           | 06/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 6.3            | 0.35 J         | 0.54 J         | ND(5.0)        | ND(50)        |          |
|           | 07/18/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|           | 08/25/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.22 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/19/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 16             | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|           | 10/19/22 | 0.35 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.35 J                  | 35             | ND(1.0)        | ND(1.0)        | 1.2 J          | ND(50)        |          |
|           | 11/16/22 | 0.46 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.46 J                  | 6.5            | 0.22 J         | ND(1.0)        | ND(5.0)        | 27 J          |          |
|           | 12/05/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 8.7            | ND(1.0)        | ND(1.0)        | ND(5.0)        | 23 J          |          |
|           | 03/30/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 15             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 06/13/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 15             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 25             | 0.39 J         | 0.47 J         | 0.95 J         | ND(50)        |          |
|           | 11/21/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 20             | 0.32 J         | ND(1.0)        | ND(5.0)        | 16 J          |          |
|           | 03/22/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.7            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/11/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/27/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 10/25/24 | 0.36 J            | ND(1)             | ND(1)                       | ND(1)                      | 0.36 J                  | 9.9            | ND(1)          | ND(1)          | ND(5)          | 32 J          |          |
|           | 02/03/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 5.6            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/23/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 37             | 1.1            | 0.79 J         | 1.5 J          | 37 J          |          |
| MW-17     | 02/05/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 04/07/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 09/11/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 10/29/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 01/19/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/07/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 07/06/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/08/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/11/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.32 J         | NA             | NA             | NA             | NA            |          |
|           | 06/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.9            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/08/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 10/18/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-17     | 03/21/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 06/13/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/21/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/09/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/26/24 | ND(1.0)           | 0.30 J B          | ND(1.0)                     | ND(1.0)                    | 0.30 J B                | 1.5            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/03/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 2.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-19     | 02/06/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 9              | ND(1)          | ND(1)          | 0.5 J          | ND(25)        |          |
|           | 04/07/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 04/14/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 09/11/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/06/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 01/22/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/07/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 07/06/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/08/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 01/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 06/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/01/22 | ND(1.0)           | 0.84 J            | 13                          | 2.6 J                      | 16 J                    | 0.20 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 10/18/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/06/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 01/30/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/26/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/04/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|           | 01/29/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/28/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-22     | 02/06/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 04/07/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 04/14/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 09/11/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/06/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 01/22/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results**  
**Inactive Exxon Facility #28077**  
**14528 Jarrettsville Pike**  
**Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-22     | 04/07/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 07/06/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/08/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | NA             | NA             | NA             | NA            |          |
|           | 06/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/01/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 10/18/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/06/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 01/30/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/26/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/04/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|           | 01/29/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/28/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-23     | 03/02/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 2              | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 02/10/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/06/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/22/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/06/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|           | 11/02/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.30 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/09/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 2.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/26/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.33 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/03/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-27     | 03/02/20 | ND(5)             | 28                | 36                          | 130                        | 194                     | 10             | ND(5)          | ND(5)          | ND(5)          | ND(130)       |          |
|           | 06/22/20 | ND(1.0)           | 27                | 25                          | 84                         | 136                     | 0.58 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/11/20 | ND(1.0)           | 22                | 27                          | 88                         | 137                     | 0.28 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/05/20 | ND(5.0)           | ND(5.0)           | ND(5.0)                     | ND(30)                     | BRL                     | ND(5.0)        | ND(5.0)        | ND(5.0)        | ND(25)         | ND(250)       |          |
|           | 01/14/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/16/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.0            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 07/14/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/19/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.3            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/27/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/08/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID     | Date      | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|---------------|-----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-27         | 02/09/22  | ND(1.0)           | ND(1.0)           | 0.70 J                      | ND(6.0)                    | 0.70 J                  | ND(1.0)        | NA             | NA             | NA             | NA            |          |
|               | 06/09/22  | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 08/01/22  | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 10/19/22  | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 03/30/23  | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 09/19/23  | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 01/10/24  | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 04/04/24  | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 8/26/2024 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.25 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 10/25/24  | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 0.58 J         | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|               | 02/03/25  | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.70 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 04/29/25  | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.50 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-27B        | 03/31/20  | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 5              | ND(1)          | ND(1)          | 0.3 J          | ND(25)        |          |
|               | 04/07/20  | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 6              | ND(1)          | 0.2 J          | 0.4 J          | ND(25)        |          |
|               | 09/08/20  | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 11/05/20  | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 01/19/21  | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.32 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 04/16/21  | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.86 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 07/14/21  | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 08/19/21  | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.77 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 09/27/21  | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 12/08/21  | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.73 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 02/09/22  | 1.2               | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 1.2                     | 3.3            | NA             | NA             | NA             | NA            |          |
|               | 06/09/22  | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 08/01/22  | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.3            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 10/19/22  | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.90 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 03/22/23  | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.89 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 09/19/23  | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.97 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 02/08/24  | 0.31 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.31 J                  | 1.3            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 04/11/24  | 0.41 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.41 J                  | 2.3            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 08/26/24  | 1.1               | 0.44 J B          | ND(1.0)                     | ND(1.0)                    | 1.5 J B                 | 7.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-27B (HS-S) | 11/26/24  | 4.2               | ND(1)             | ND(1)                       | ND(1)                      | 4.2                     | 30             | 0.40 J         | 0.70 J cn      | 2.0 J          | 13 J          |          |
|               | 02/03/25  | 2.9               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 2.9                     | 36             | ND(1.0)        | 0.93 J         | 2.8 J          | 14 J          |          |
|               | 04/28/25  | 1.9               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.9                     | 56             | 0.63 J         | 1.2            | 3.4 J          | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results**  
**Inactive Exxon Facility #28077**  
**14528 Jarrettsville Pike**  
**Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID     | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|---------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-27B (HS-D) | 11/26/24 | 3.8               | ND(1)             | ND(1)                       | ND(1)                      | 3.8                     | 30             | 0.35 J         | 0.63 J cn      | 1.9 J          | ND(50)        |          |
|               | 02/03/25 | 3.6               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 3.6                     | 46             | 0.66 J         | 1.3            | 3.9 J          | ND(50)        |          |
|               | 04/28/25 | 2.2               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 2.2                     | 54             | 0.65 J         | 1.2            | 3.3 J          | ND(50)        |          |
| MW-27R        | 03/02/20 | 51                | 140               | 51                          | 250                        | 492                     | 480            | 3              | 7              | 42             | 610           |          |
|               | 06/22/20 | ND(1.0)           | 27                | 25                          | 84                         | 136                     | 0.58 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 06/23/20 | 18                | 44 F1             | 19                          | 45                         | 126 F1                  | 330            | 2.6            | 4.9            | 28             | 280           |          |
|               | 07/24/20 | 14                | 3.9               | 2.7                         | 140                        | 161                     | 570            | 5.4            | 9.7            | 59             | 500           |          |
|               | 08/19/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.81 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 09/08/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 09/18/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 14             | ND(1.0)        | ND(1.0)        | 1.0 J          | 51            |          |
|               | 10/20/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 01/19/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 04/16/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 07/08/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 12/08/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 02/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.7            | NA             | NA             | NA             | NA            |          |
|               | 06/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.98 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 08/01/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 10/19/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 03/30/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 09/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 01/10/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 04/04/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 08/26/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 10/25/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 3.4            | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|               | 02/03/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.56 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 04/29/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.60 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-36R        | 01/23/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 5              | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|               | 02/19/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 5              | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|               | 09/08/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 02/12/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.5            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 12/01/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.3            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 03/16/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 05/27/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.9            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 08/25/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.7            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results**  
**Inactive Exxon Facility #28077**  
**14528 Jarrettsville Pike**  
**Phoenix, Maryland**

January 2, 2020 through June 12, 2025

| Sample ID | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-36R    | 03/25/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 3.9            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/29/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.7            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/28/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 2.8            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/05/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 0.92 J         | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|           | 01/28/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.83 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 05/06/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.2            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-38     | 02/19/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 06/23/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/09/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/03/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 01/25/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/14/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/22/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/14/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/24/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 06/23/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/08/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 10/27/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/28/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/26/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/22/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/29/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/28/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/06/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|           | 01/28/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 05/02/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-38B    | 02/19/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 09/08/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/12/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 07/14/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/19/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/27/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-38B    | 02/24/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/07/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|           | 10/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/22/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/29/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/28/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/06/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|           | 01/28/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 05/06/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.25 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-38C    | 02/19/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 0.5 J          | ND(1)          | 0.6 J          | ND(1)          | ND(25)        |          |
|           | 06/23/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 44             | 0.44 J         | 2.0            | 2.0 J          | 67            |          |
|           | 08/12/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 110            | 0.74 J         | 3.0            | 5.4            | 79            |          |
|           | 11/03/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 59             | 0.53 J         | 2.3            | 2.7 J          | ND(50)        |          |
|           | 01/15/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 88             | 0.90 J         | 3.3            | 4.1 J          | ND(50)        |          |
|           | 04/14/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 52             | 0.61 J         | 2.5            | 1.8 J          | ND(50)        |          |
|           | 09/22/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/30/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 5.1            | ND(1.0)        | 0.31 J         | ND(5.0)        | ND(50)        |          |
|           | 02/24/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.4            | 0.24 J         | 1.2            | ND(5.0)        | ND(50)        |          |
|           | 03/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 8.5            | 0.97 J         | 3.6            | ND(5.0)        | ND(50)        |          |
|           | 06/07/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 16             | ND(1.0)        | 0.49 J         | ND(5.0)        | 170           |          |
|           | 10/27/22 | 1.3               | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 1.3                     | 91             | 1.2            | 4.7            | 5.1            | 110           |          |
|           | 11/17/22 | 0.95 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.95 J                  | 96             | 1.2            | 4.9            | 5.1            | 80            |          |
|           | 12/06/22 | 0.82 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.82 J                  | 89             | 1.4            | 4.6            | 4.3 J          | 92            |          |
|           | 01/10/23 | 1.1               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.1                     | 110            | 1.4            | 5.5            | 5.6            | 100           |          |
|           | 02/20/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 21             | ND(1.0)        | 0.65 J         | ND(5.0)        | 33 J          |          |
|           | 03/20/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 16             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/24/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 16             | ND(1.0)        | 0.35 J         | ND(5.0)        | ND(50)        |          |
|           | 05/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 11             | ND(1.0)        | 0.51 J         | ND(5.0)        | ND(50)        |          |
|           | 06/14/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 5.0            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/26/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 3.2            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/21/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.7            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID   | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-38C(210) | 04/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 5.1            | 0.25 J         | 0.89 J         | ND(5.0)        | ND(50)        |          |
|             | 05/24/22 | 1.8               | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 1.8                     | 39             | 1.2            | 4.1            | 2.0 J          | 110           |          |
|             | 06/22/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 41             | 0.53 J         | 2.0            | 2.2 J          | 59            |          |
|             | 07/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 87             | 1.4            | NA             | 4.1 J          | 100           |          |
|             | 08/26/22 | 0.88 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.88 J                  | 51             | 0.69 J         | 2.5            | ND(5.0)        | 85            |          |
|             | 09/21/22 | 0.40 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.40 J                  | 19             | 0.22 J         | NA             | ND(5.0)        | 14 J          |          |
|             | 01/29/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 25             | 1.9            | 5.8            | 0.92 J         | 30 J          |          |
|             | 02/19/24 | 0.41 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.41 J                  | 37             | 0.55 J         | 2.0            | 1.9 J          | 24 J          |          |
|             | 03/11/24 | 0.44 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.44 J                  | 29             | 0.42 J         | 1.5            | 1.6 J          | 20 J          |          |
|             | 06/11/24 | 2.1               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 2.1                     | 48             | 0.93 J         | 3.6            | 2.2 J          | 140           |          |
|             | 08/28/24 | 1.3               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.3                     | 22             | 0.46 J         | 1.3            | 1.2 J          | 61            |          |
|             | 11/06/24 | 2.2               | ND(1)             | ND(1)                       | ND(1)                      | 2.2                     | 38             | 1.6            | 5.4            | 2.1 J          | 97            |          |
|             | 01/28/25 | 1.3               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.3                     | 23             | 0.47 J         | 1.6            | 1.2 J          | 57            |          |
|             | 05/02/25 | 2.1               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 2.1                     | 31             | 0.74 J         | 2.6            | 1.7 J          | 120           |          |
| MW-38C(263) | 11/06/24 | 2.3               | ND(1)             | ND(1)                       | ND(1)                      | 2.3                     | 33             | 1.1            | 3.4            | 1.8 J          | 110           |          |
|             | 01/28/25 | 1.5               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.5                     | 25             | 0.46 J         | 1.6            | 1.2 J          | 68            |          |
|             | 05/02/25 | 1.7               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.7                     | 30             | 0.73 J         | 2.7            | 1.6 J          | 110           |          |
| MW-38C(298) | 04/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 4.3            | ND(1.0)        | 0.39 J         | ND(5.0)        | ND(50)        |          |
|             | 05/24/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 8.3            | ND(1.0)        | 0.60 J         | ND(5.0)        | ND(50)        |          |
|             | 06/22/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 25             | 0.31 J         | 1.1            | 1.3 J          | 30 J          |          |
|             | 07/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 79             | 1.2            | NA             | 4.1 J          | 95            |          |
|             | 08/26/22 | 0.39 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.39 J                  | 36             | 0.47 J         | 1.7            | ND(5.0)        | 46 J          |          |
|             | 09/21/22 | 0.56 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.56 J                  | 87             | 1.3            | NA             | 4.8 J          | 98            |          |
|             | 01/10/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 10             | 0.69 J         | 2.0            | ND(5.0)        | ND(50)        |          |
|             | 01/29/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 14             | 0.45 J         | 1.3            | ND(5.0)        | ND(50)        |          |
|             | 02/19/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 14             | 0.61 J         | 2.1            | 0.85 J         | ND(50)        |          |
|             | 03/11/24 | 0.31 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.31 J                  | 16             | 0.45 J         | 1.6            | 0.91 J         | 13 J          |          |
|             | 06/11/24 | 0.99 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.99 J                  | 26             | 0.42 J         | 1.4            | 1.2 J          | 56            |          |
|             | 09/25/24 | 2.1               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 2.1                     | 36             | 1.5            | 5.0            | 1.6 J          | 120           |          |
|             | 11/06/24 | 2.8               | ND(1)             | ND(1)                       | ND(1)                      | 2.8                     | 40             | 1.3            | 4.4            | 2.3 J          | 150           |          |
|             | 01/28/25 | 1.8               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.8                     | 31             | 0.85 J         | 2.9            | 1.3 J          | 99            |          |
|             | 05/02/25 | 1.4               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.4                     | 28             | 0.72 J         | 2.6            | 1.4 J          | 98            |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-40     | 02/06/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 09/11/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.7            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/30/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/08/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/30/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/14/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/23/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.21 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 06/24/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.54 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/08/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.44 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/29/22 | 12                | 42                | 110                         | 230                        | 394                     | 14             | ND(1.0)        | 2.2            | 6.5            | 24 J          |          |
|           | 12/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/03/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.55 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 06/15/23 | 17                | 51                | 130                         | 300                        | 498                     | 14             | ND(1.0)        | 2.5            | 5.9            | 37 J          |          |
|           | 09/19/23 | 7.3               | 19                | 49                          | 97                         | 172                     | 8.4            | ND(1.0)        | ND(1.0)        | 3.1 J          | 16 J          |          |
|           | 12/18/23 | 35                | 82                | 210                         | 400                        | 727                     | 32             | ND(1.0)        | 5.1            | 12             | 100           |          |
|           | 03/26/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/30/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.62 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/30/24 | 0.61 J            | 0.43 J            | 0.67 J                      | ND(1.0)                    | 1.71 J                  | 1.0            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/06/24 | 51                | 63                | 260                         | 370                        | 744                     | 18             | ND(1)          | 6.2            | 11             | 72            |          |
|           | 12/13/24 | 41                | 66                | 170                         | 260                        | 537                     | 23             | 2.4            | 5.6            | 13             | 62            |          |
|           | 01/27/25 | 140               | 240               | 490                         | 970                        | 1840                    | 71             | ND(1.0)        | 17             | 41             | 150           |          |
|           | 02/25/25 | 24                | 46                | 93                          | 150                        | 313                     | 15             | ND(10)         | ND(10)         | ND(50)         | ND(500)       |          |
|           | 04/03/25 | 6.7               | 8.6               | 17                          | 45                         | 77                      | 12             | ND(1.0)        | 2.2            | 5.4            | 19 J          |          |
|           | 04/22/25 | 51                | 260               | 570                         | 1400                       | 2281                    | 25             | ND(1.0)        | 6.2            | 16             | ND(50)        |          |
|           | 05/20/25 | 83                | 460               | 880                         | 2400                       | 3823                    | 35             | ND(1.0)        | 8.7            | 31             | 12 J          |          |
|           | 06/10/25 | 0.95 J            | 7.7               | 12                          | 32                         | 53 J                    | 0.92 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-43A    | 03/03/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 06/13/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/07/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/28/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.35 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-43B    | 06/13/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/07/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/28/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.31 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/04/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-45     | 01/27/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 160            | 1              | 4              | 5              | ND(25)        |          |
|           | 03/10/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 30             | 0.7 J          | 2              | 2              | ND(25)        |          |
|           | 04/15/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 17             | 0.6 J          | 2              | 1 J            | ND(25)        |          |
|           | 09/09/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.48 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/16/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 37             | 0.52 J         | 1.7            | 1.1 J          | ND(50)        |          |
|           | 01/15/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 49 F1          | 0.80 J         | 2.5            | 1.4 J          | ND(50)        |          |
|           | 04/22/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 39             | 0.83 J         | 2.0            | ND(5.0)        | ND(50)        |          |
|           | 09/22/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 5.0            | ND(1.0)        | 0.44 J         | ND(5.0)        | ND(50)        |          |
|           | 12/30/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 25             | 0.71 J         | 2.0            | ND(5.0)        | ND(50)        |          |
|           | 03/11/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 26             | 0.76 J         | 2.2            | ND(5.0)        | ND(50)        |          |
|           | 03/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.9            | 0.40 J         | 0.90 J         | ND(5.0)        | ND(50)        |          |
|           | 04/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.6            | 0.83 J         | 2.1            | ND(5.0)        | ND(50)        |          |
|           | 05/24/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.1            | 0.48 J         | 1.4            | ND(5.0)        | ND(50)        |          |
|           | 06/08/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 18             | 0.64 J         | 1.8            | ND(5.0)        | 18 J          |          |
|           | 06/21/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.94 J         | 0.52 J         | 1.4            | ND(5.0)        | ND(50)        |          |
|           | 07/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.43 J         | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|           | 08/25/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | 0.37 J         | 1.0            | ND(5.0)        | ND(50)        |          |
|           | 09/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.0            | 0.89 J         | NA             | ND(5.0)        | ND(50)        |          |
|           | 12/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 8.2            | ND(1.0)        | 0.77 J         | ND(5.0)        | ND(50)        |          |
|           | 03/03/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 10             | ND(1.0)        | 0.62 J         | ND(5.0)        | ND(50)        |          |
|           | 06/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.61 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 38             | 0.92 J         | 2.6            | 2.2 J          | 170           |          |
|           | 03/25/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 34             | 0.65 J         | 1.9            | 1.9 J          | 110           |          |
|           | 04/29/24 | 0.87 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.87 J                  | 69             | 1.5            | 4.0            | 3.9 J          | 180           |          |
|           | 08/28/24 | 0.37 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.37 J                  | 36             | 0.74 J         | 1.8            | 1.9 J          | 110           |          |
|           | 11/05/24 | 0.72 J            | ND(1)             | ND(1)                       | ND(1)                      | 0.72 J                  | 81             | 1.7            | 4.7            | 5.5            | 160           |          |
|           | 01/28/25 | 0.30 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.30 J                  | 82             | 2.4            | 7.1            | 4.2 J          | 180           |          |
|           | 05/06/25 | 0.51 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.51 J                  | 110            | 3.2            | 8.8            | 5.7            | 580           |          |
|           | 06/10/25 | 1.2               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.2                     | 140            | 4.4            | 13             | 9.7            | 620           |          |
| MW-45R    | 03/10/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 28             | 0.6 J          | 2              | 2              | ND(25)        |          |
|           | 06/23/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.5            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/09/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 86             | 1.0            | 3.2            | 2.5 J          | ND(50)        |          |
|           | 11/16/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 01/15/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 48             | 0.86 J         | 2.4            | 1.5 J          | ND(50)        |          |
|           | 04/22/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 44             | 0.85 J         | 2.4            | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-45R    | 09/22/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 7.3            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/30/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 5.3            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/14/22 | 0.38 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.38 J                  | 84             | 0.51 J         | 0.75 J         | 5.2            | ND(50)        |          |
|           | 03/30/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 27             | ND(1.0)        | 0.26 J         | 0.86 J         | ND(50)        |          |
|           | 04/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 05/24/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.24 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 06/08/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.37 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 06/21/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 11             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 07/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.1            | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|           | 08/25/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/21/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.1            | 0.25 J         | NA             | ND(5.0)        | ND(50)        |          |
|           | 12/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/03/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 25             | 0.45 J         | 1.6            | 0.97 J         | ND(50)        |          |
|           | 11/22/23 | 1.3               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.3                     | 73             | 0.50 J         | 0.85 J         | 6.0            | ND(50)        |          |
|           | 03/28/24 | 0.40 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.40 J                  | 8.1            | ND(1.0)        | 0.40 J         | ND(5.0)        | ND(50)        |          |
|           | 04/29/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 2.9            | ND(1.0)        | 0.47 J         | ND(5.0)        | ND(50)        |          |
|           | 08/28/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 2.5            | ND(1.0)        | 0.36 J         | ND(5.0)        | ND(50)        |          |
|           | 11/05/24 | 6.1               | ND(1)             | ND(1)                       | ND(1)                      | 6.1                     | 190            | 1.5            | 2.3            | 18             | 76            |          |
|           | 12/17/24 | 1.6 B             | ND(1)             | ND(1)                       | ND(1)                      | 1.6 B                   | 200            | 1.4            | 2.3            | 14             | 46 J          |          |
|           | 01/29/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 2.2            | 0.66 J         | 1.1            | ND(5.0)        | ND(50)        |          |
|           | 02/25/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 4.2            | 1.1            | 2.4            | ND(5.0)        | ND(50)        |          |
|           | 04/03/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 13             | 0.74 J         | 1.6            | ND(5.0)        | ND(50)        |          |
|           | 05/07/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 31             | 1.1            | 2.5            | 0.91 J         | ND(50)        |          |
| MW-47BB   | 03/03/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 10/05/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.21 J         | 0.22 J         | 0.32 J         | ND(5.0)        | ND(50)        |          |
|           | 02/15/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | 0.20 J         | ND(5.0)        | ND(50)        |          |
|           | 11/30/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/03/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/08/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|           | 10/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/28/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/04/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID     | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|---------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-47C        | 01/10/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 1              | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|               | 01/29/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 11/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 8.6            | ND(1.0)        | 0.38 J         | ND(5.0)        | ND(50)        |          |
|               | 06/29/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 3.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-47C(126)   | 05/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 08/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 02/09/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 6.5            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 09/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 6.8            | ND(1.0)        | ND(1.0) *-     | ND(5.0)        | ND(50)        |          |
|               | 11/06/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 10             | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|               | 02/04/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 13             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               |          |                   |                   |                             |                            |                         |                |                |                |                |               |          |
| MW-47C(138.5) | 05/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 4.0            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 08/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.9            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 02/09/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 11             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 09/12/24 | 0.55 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.55 J                  | 26             | ND(1.0)        | 0.45 J *-      | 1.4 J          | ND(50)        |          |
|               | 11/06/24 | 0.51 J            | ND(1)             | ND(1)                       | ND(1)                      | 0.51 J                  | 25             | ND(1)          | 0.60 J         | 1.7 J          | ND(50)        |          |
|               | 02/04/25 | 0.31 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.31 J                  | 21             | ND(1.0)        | ND(1.0)        | 1.3 J          | ND(50)        |          |
| MW-47C(190)   | 05/26/22 | 0.36 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.36 J                  | 15             | 0.26 J         | 0.57 J         | ND(5.0)        | ND(50)        |          |
|               | 08/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 7.2            | ND(1.0)        | 0.32 J         | ND(5.0)        | ND(50)        |          |
|               | 02/09/24 | 0.32 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.32 J                  | 13             | ND(1.0)        | ND(1.0)        | 0.84 J         | ND(50)        |          |
|               | 09/12/24 | 0.33 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.33 J                  | 16             | ND(1.0)        | 0.30 J *-      | 0.82 J         | ND(50)        |          |
|               | 11/06/24 | 0.53 J            | ND(1)             | ND(1)                       | ND(1)                      | 0.53 J                  | 24             | ND(1)          | 0.54 J         | 1.5 J          | ND(50)        |          |
|               | 02/04/25 | 0.56 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.56 J                  | 29             | ND(1.0)        | 0.54 J         | 1.7 J          | ND(50)        |          |
| MW-47C(212.5) | 02/14/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 1              | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|               | 03/11/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 1              | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|               | 04/16/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 1              | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|               | 04/21/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 1              | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|               | 04/22/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 1              | ND(1)          | 0.2 J          | ND(1)          | ND(25)        |          |
|               | 04/23/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 1              | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|               | 04/24/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 1              | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|               | 04/27/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 1              | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|               | 10/05/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.9            | 0.22 J         | 0.35 J         | ND(5.0)        | ND(50)        |          |
|               | 11/30/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 9.2            | ND(1.0)        | 0.43 J         | ND(5.0)        | ND(50)        |          |
|               | 03/03/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 9.6            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 05/26/22 | 0.34 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.34 J                  | 14             | 0.27 J         | 0.47 J         | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID     | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|---------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-47C(212.5) | 08/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 5.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 11/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 8.6            | ND(1.0)        | 0.38 J         | ND(5.0)        | ND(50)        |          |
|               | 02/09/24 | 0.59 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.59 J                  | 27             | ND(1.0)        | 0.60 J         | 1.7 J          | ND(50)        |          |
|               | 09/12/24 | 0.54 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.54 J                  | 24             | ND(1.0)        | 0.43 J *-      | 1.2 J          | ND(50)        |          |
|               | 11/06/24 | 0.57 J            | ND(1)             | ND(1)                       | ND(1)                      | 0.57 J                  | 28             | ND(1)          | 0.63 J         | 1.8 J          | ND(50)        |          |
|               | 02/04/25 | 0.72 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.72 J                  | 46             | ND(1.0)        | 0.99 J         | 2.9 J          | ND(50)        |          |
| MW-47C(287)   | 05/26/22 | 0.34 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.34 J                  | 13             | 0.27 J         | 0.50 J         | ND(5.0)        | ND(50)        |          |
|               | 08/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 6.0            | ND(1.0)        | 0.26 J         | ND(5.0)        | ND(50)        |          |
|               | 02/09/24 | 0.63 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.63 J                  | 31             | 0.33 J         | 0.63 J         | 1.9 J          | ND(50)        |          |
|               | 09/12/24 | 0.74 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.74 J                  | 36             | ND(1.0)        | 0.63 J         | 2.0 J          | ND(50)        |          |
|               | 11/06/24 | 0.68 J            | ND(1)             | ND(1)                       | 0.42 J                     | 1.1                     | 35             | 0.35 J         | 0.79 J         | 2.3 J          | ND(50)        |          |
|               | 02/04/25 | 0.86 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.86 J                  | 46             | 0.44 J         | 0.94 J         | 2.9 J          | ND(50)        |          |
| MW-50         | 08/02/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 03/22/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 09/11/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0) *- F1  | ND(5.0) F1     | ND(50)        |          |
|               | 02/06/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-50B        | 08/02/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 03/22/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 09/11/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0) *-     | ND(5.0)        | ND(50)        |          |
|               | 2/6/2025 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-50C(179)   | 08/02/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 03/22/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 09/11/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 11/06/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|               | 02/25/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-50C(240)   | 08/02/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 03/22/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 09/11/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 11/06/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|               | 02/25/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-50C(275)   | 08/02/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 03/22/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 09/11/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 11/06/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|               | 02/25/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-54     | 03/09/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 06/23/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/09/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/30/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 01/25/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/14/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/22/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/14/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/11/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 06/23/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/08/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 10/27/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/28/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 06/14/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/26/23 | ND(1.0) H         | ND(1.0) H         | ND(1.0) H                   | ND(1.0) H                  | BRL H                   | 0.47 J H       | ND(1.0) H      | ND(1.0) H      | ND(5.0) H      | ND(50) H      |          |
|           | 03/25/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/29/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/28/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | 33 J          |          |
|           | 11/05/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 1.6            | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|           | 01/28/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/22/25 | 0.88 J            | ND(1.0)           | ND(1.0)                     | 0.78 J                     | 1.66 J                  | 10             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-54B    | 03/09/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 3              | 0.4 J          | 2              | ND(1)          | ND(25)        |          |
|           | 06/23/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.43 J         | ND(1.0)        | 0.37 J         | ND(5.0)        | ND(50)        |          |
|           | 09/09/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.6            | 1.8            | 5.3            | ND(5.0)        | ND(50)        |          |
|           | 11/16/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.2            | ND(1.0)        | 0.97 J         | ND(5.0)        | ND(50)        |          |
|           | 01/15/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.8            | 1.2            | 3.0            | ND(5.0)        | ND(50)        |          |
|           | 04/14/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.1            | 1.2            | 3.2            | ND(5.0)        | ND(50)        |          |
|           | 07/14/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 4.3            | 1.3            | 3.5            | ND(5.0)        | ND(50)        |          |
|           | 08/19/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/27/21 | 0.75 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.75 J                  | 2.4            | 0.95 J         | 2.4            | ND(5.0)        | ND(50)        |          |
|           | 12/30/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/11/22 | 1.4               | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 1.4                     | 17             | 0.83 J         | 1.9            | 1.6 J          | 19 J          |          |
|           | 06/23/22 | 73                | 3.6               | 1.9                         | 27                         | 106                     | 530            | 7.1            | 18             | 67             | 510           |          |
|           | 08/08/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/29/22 | 16                | 0.68 J            | ND(1.0)                     | 5.1 J                      | 22 J                    | 160            | 2.5            | NA             | 19             | 130           |          |

TABLE 3

**Summary of Groundwater Analytical Results**  
**Inactive Exxon Facility #28077**  
**14528 Jarrettsville Pike**  
**Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID   | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-54B      | 10/27/22 | 27                | 1.3               | 0.71 J                      | 8.8                        | 38 J                    | 270            | 3.1            | 8.2            | 30             | 220           |          |
|             | 11/17/22 | 52                | 2.0               | 1.6                         | 13                         | 69                      | 410            | 5.2            | 14             | 45             | 380           |          |
|             | 12/06/22 | 31                | 1.2               | 1.1                         | 4.9                        | 38                      | 290            | 5.0            | 12             | 35             | 340           |          |
|             | 01/09/23 | 7.3               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 7.3                     | 300            | 2.1            | 7.1            | 20             | 850           |          |
|             | 02/20/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 150            | 2.8            | 11             | 13             | 1000          |          |
|             | 03/20/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 120            | 2.3            | 8.4            | 8.6            | 650           |          |
|             | 04/24/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 73             | 1.1            | 5.5            | 4.9 J          | 420           |          |
|             | 05/22/23 | 1.1               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.1                     | 130            | 4.0            | 12             | 12             | 580           |          |
|             | 06/14/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 109            | 1.8            | 6.2            | 5.1            | 67            |          |
|             | 09/28/23 | 0.42 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.42 J                  | 94             | 1.6            | 5.9            | 6.9            | 320           |          |
|             | 11/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 5.0            | 2.3            | 8.4            | ND(5.0)        | ND(50)        |          |
|             | 01/30/24 | 4.5               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 4.5                     | 35             | 1.5            | 4.6            | 4.0 J          | 98            |          |
|             | 02/19/24 | 35                | 1.1               | ND(1.0)                     | 3.3                        | 39                      | 280            | 6.2            | 18             | 33             | 820           |          |
|             | 03/11/24 | 39                | 1.2               | ND(1.0)                     | 3.1                        | 43                      | 230            | 4.6            | 13             | 26             | 880           |          |
|             | 06/18/24 | 26                | 0.72 J            | ND(1.0)                     | 1.9                        | 29 J                    | 210            | 4.0            | 11             | 22 F1          | 820           |          |
|             | 08/28/24 | 24                | 0.53 J            | ND(1.0)                     | 4.0                        | 29 J                    | 270            | 7.4            | 19             | 61             | 920           |          |
|             | 10/29/24 | 14                | 0.36 J            | ND(1)                       | 2.1                        | 16.46                   | 210            | 6.6            | 17             | 42             | 980           |          |
|             | 11/25/24 | 20                | 0.52 J            | ND(1)                       | 2.0                        | 22.52                   | 180            | 6.3            | 14 cn          | 22 cn          | 1100          |          |
|             | 01/28/25 | 26                | 0.43 J            | ND(1.0)                     | 1.8                        | 28 J                    | 230            | 8.1            | 21             | 32             | 1200          |          |
|             | 04/22/25 | 12                | 0.40 J            | ND(1.0)                     | 0.77 J                     | 13 J                    | 200            | 7.9            | 19             | 27             | 1400          |          |
| MW-54C      | 03/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.32 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 11/17/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 12/06/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 09/26/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 11/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-54C(210) | 03/09/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|             | 09/09/20 | 23                | 2.4               | 3.9                         | 3.0 J                      | 32 J                    | 5.3            | 32             | 130            | ND(5.0)        | 7800          |          |
|             | 02/12/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 12/07/21 | 26                | 1.3               | 4.1                         | 4.9                        | 36                      | 75             | 30             | 110            | 10             | 7500          |          |
|             | 03/17/22 | 23                | 0.52 J            | 2.5                         | 3.3 J                      | 29 J                    | 89             | 37             | 140            | 7.7            | 9000          |          |
|             | 04/28/22 | 26                | 1.6               | 3.1                         | 3.7 J                      | 34 J                    | 75             | 36             | 140            | 6.3            | 7700          |          |
|             | 05/26/22 | 23                | 1.0               | 3.2                         | 2.9 J                      | 30 J                    | 75             | 32             | 120            | 6.3            | 7600          |          |
|             | 06/07/22 | 21                | ND(5.0)           | 2.5 J                       | ND(30)                     | 24 J                    | 63             | 29             | 110            | ND(25)         | 8400          |          |
|             | 06/21/22 | 14                | ND(5.0)           | ND(5.0)                     | ND(30)                     | 14                      | 42             | 19             | 72             | 4.0 J          | 4200          |          |
|             | 07/20/22 | 12                | 0.96 J            | 1.6                         | 1.6 J                      | 16 J                    | 37             | 16             | NA             | ND(5.0)        | 4700          |          |

TABLE 3

**Summary of Groundwater Analytical Results**  
**Inactive Exxon Facility #28077**  
**14528 Jarrettsville Pike**  
**Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID       | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-54C(210)     | 08/29/22 | 8.3               | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 8.3                     | 17             | 7.3            | NA             | 1.5 J          | 7100          |          |
|                 | 09/19/22 | 15                | 0.60 J            | 1.4                         | 1.7 J                      | 19 J                    | 32             | 22             | NA             | 3.0 J          | 5700          |          |
|                 | 12/21/22 | 25                | 0.46 J            | 1.7                         | 2.1                        | 29 J                    | 65             | 37             | 150            | 7.1            | 7900          |          |
|                 | 02/20/23 | 22                | 0.37 J            | 1.1                         | ND(1.0)                    | 23 J                    | 52             | 28             | 120            | 6.2            | 8000          |          |
|                 | 03/20/23 | 23                | ND(5.0)           | ND(5.0)                     | ND(5.0)                    | 23                      | 59             | 29             | 120            | 8.3 J          | 9000          |          |
|                 | 04/24/23 | 26                | ND(5.0)           | ND(5.0)                     | ND(5.0)                    | 26                      | 59             | 36             | 130            | 6.3 J          | 8600          |          |
|                 | 05/22/23 | 18                | ND(5.0)           | ND(5.0)                     | ND(5.0)                    | 18                      | 40             | 25             | 94             | 5.1 J          | 6300          |          |
|                 | 06/14/23 | 32                | 0.33 J            | 0.43 J                      | 2.0                        | 34.76                   | 58             | 40             | 150            | 8.5            | 6500          |          |
|                 | 12/04/23 | 17                | ND(5.0)           | ND(5.0)                     | ND(5.0)                    | 17                      | 32             | 20             | 83             | 4.8 J          | 6000          |          |
|                 | 01/08/24 | 26                | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 26                      | 53             | 40             | 150            | 7.4            | 10000         |          |
|                 | 02/19/24 | 1.1               | 0.50 J            | ND(1.0)                     | ND(1.0)                    | 1.6 J                   | 2.1            | 0.35 J         | 1.3            | ND(5.0)        | 55            |          |
|                 | 03/11/24 | 22                | ND(10)            | ND(10)                      | ND(10)                     | 22                      | 35             | 26             | 110            | ND(50)         | 10000         |          |
|                 | 04/12/24 | 22                | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 22                      | 35             | 31             | 130            | 4.3 J          | 8800 H        |          |
|                 | 08/28/24 | 12                | ND(10)            | ND(10)                      | ND(10)                     | 12                      | 23             | 22             | 90             | ND(50)         | 4000          |          |
|                 | 11/05/24 | 1.5               | 0.83 J            | ND(1)                       | ND(1)                      | 2.33                    | 4.8            | 1.2            | 4.9            | ND(5)          | 1000          |          |
|                 | 01/28/25 | 4.2 J             | ND(10)            | ND(10)                      | ND(10)                     | 4.2 J                   | 6.0 J          | 6.4 J          | 23             | ND(50)         | 660           |          |
|                 | 04/22/25 | 5.2               | 0.30 J            | ND(1.0)                     | ND(1.0)                    | 5.5 J                   | 7.5            | 8.1            | 31             | 1.3 J          | 4100          |          |
| MW-54C(295-298) | 04/28/22 | 40                | ND(1.0)           | ND(1.0)                     | 2.2 J                      | 42 J                    | 120            | 34             | 130            | 11             | 7800          |          |
|                 | 05/26/22 | 29                | ND(1.0)           | ND(1.0)                     | 1.6 J                      | 31 J                    | 86             | 24             | 93             | 7.1            | 6300          |          |
|                 | 06/07/22 | 5.2               | ND(5.0)           | ND(5.0)                     | ND(30)                     | 5.2                     | 9.3            | 3.0 J          | 11             | ND(25)         | 720           |          |
|                 | 06/21/22 | 26                | ND(5.0)           | ND(5.0)                     | ND(30)                     | 26                      | 77             | 23             | 91             | 7.1 J          | 6900          |          |
|                 | 07/20/22 | 5.3               | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 5.3                     | 12             | 4.7            | NA             | ND(5.0)        | 1300          |          |
|                 | 08/29/22 | 7.9               | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 7.9                     | 17             | 6.9            | NA             | ND(5.0)        | 7200          |          |
|                 | 09/19/22 | 17                | 0.47 J            | 1.6                         | 1.7 J                      | 21 J                    | 22             | 21             | NA             | 2.8 J          | 2800          |          |
|                 | 12/21/22 | 27                | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 27                      | 58             | 23             | 95             | 6.0            | 6500          |          |
|                 | 02/20/23 | 24                | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 24                      | 40             | 18             | 72             | 4.8 J          | 2700          |          |
|                 | 03/20/23 | 31                | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 31                      | 72             | 24             | 100            | 8.1            | 4600          |          |
|                 | 04/24/23 | 31                | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 31                      | 66             | 26             | 100            | 6.5            | 8600          |          |
|                 | 05/22/23 | 21                | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 21                      | 39             | 17             | 65             | 5.9            | 4800          |          |
|                 | 06/14/23 | 28                | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 28                      | 52             | 22             | 85             | 6.2            | 5400          |          |
|                 | 12/04/23 | 14                | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 14                      | 21             | 11             | 47             | 3.4 J          | 9100          |          |
|                 | 01/08/24 | 20                | ND(2.0)           | ND(2.0)                     | ND(2.0)                    | 20                      | 35             | 19             | 79             | 5.5 J          | 6900          |          |
|                 | 02/19/24 | 8.6               | 0.50 J            | ND(1.0)                     | ND(1.0)                    | 9.1 J                   | 14             | 8.8            | 35             | 2.2 J          | 510           |          |
|                 | 03/11/24 | 37                | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 37                      | 46             | 27             | 110            | 7.2            | 5300          |          |
|                 | 04/12/24 | 18                | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 18                      | 21             | 14             | 58             | 2.6 J          | 5000 H        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID       | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-54C(295-298) | 08/28/24 | 18                | ND(10)            | ND(10)                      | ND(10)                     | 18                      | 18             | 17             | 68             | ND(50)         | 3500          |          |
|                 | 11/05/24 | 22                | ND(1)             | ND(1)                       | ND(1)                      | 22                      | 22             | 20             | 81             | ND(5)          | 7400          |          |
|                 | 01/28/25 | 26                | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 26                      | 15             | 18             | 78             | 3.0 J          | 3800          |          |
|                 | 04/22/25 | 23                | ND(2.0)           | ND(2.0)                     | ND(2.0)                    | 23                      | 13             | 21             | 78             | 3.2 J          | 5900          |          |
| MW-56A          | 03/27/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 08/30/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 01/29/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-56B          | 03/27/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.44 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 08/30/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 01/29/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.25 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-56C(100-110) | 03/30/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|                 | 10/27/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 03/27/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 5.0            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 09/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 9.0            | ND(1.0)        | ND(1.0) *-     | ND(5.0)        | ND(50)        |          |
|                 | 11/06/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 6.2            | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|                 | 01/29/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 6.2            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-56C(310-315) | 03/30/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|                 | 10/27/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 03/27/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 5.7            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 09/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 5.5            | ND(1.0)        | ND(1.0) *-     | ND(5.0)        | ND(50)        |          |
|                 | 11/06/24 | 0.31 J F1         | ND(1) F1          | ND(1) F1                    | ND(1) F1                   | 0.31 J F1               | 6.2            | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|                 | 01/29/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 6.3            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-56C(320-325) | 03/30/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|                 | 10/27/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 03/27/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 5.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 09/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 5.1            | ND(1.0)        | ND(1.0) *-     | ND(5.0)        | ND(50)        |          |
|                 | 11/06/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 4.3            | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|                 | 01/29/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 6.5            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-57           | 01/03/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|                 | 07/17/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 02/15/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 11/30/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 03/03/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 09/08/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|                 | 10/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-57     | 02/13/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0) *-     | ND(5.0)        | ND(50)        |          |
|           | 02/04/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.38 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-58     | 01/03/20 | ND(1)             | ND(1)             | ND(1)                       | 16                         | 16                      | 0.9 J          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 07/17/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.26 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/15/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.50 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/30/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.39 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/03/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.56 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/08/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|           | 10/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.35 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/13/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.41 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/04/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-67     | 03/15/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/08/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/30/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/14/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/23/22 | ND(1.0)           | 1.6               | ND(1.0)                     | ND(6.0)                    | 1.6                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/26/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/27/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 01/29/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-72     | 02/20/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 10/23/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/08/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/30/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/23/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|           | 11/02/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 06/15/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.23 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/18/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/26/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/30/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 01/29/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID     | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|---------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-73C        | 03/30/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 110            | 3              | 12             | 7              | 600           |          |
|               | 06/16/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 52             | 3.2            | 12             | 1.6 J          | ND(50)        |          |
|               | 06/22/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 28             | 3.1            | 12             | ND(5.0)        | ND(50)        |          |
|               | 09/10/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.80 J         | 2.2            | 7.9            | ND(5.0)        | ND(50)        |          |
|               | 11/03/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.7            | ND(1.0)        | 0.60 J         | ND(5.0)        | 13 J          |          |
|               | 11/16/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | 0.39 J         | ND(5.0)        | ND(50)        |          |
|               | 04/22/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.7            | 0.33 J         | 1.4            | ND(5.0)        | ND(50)        |          |
|               | 07/29/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 12/30/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 02/11/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.7            | NA             | NA             | NA             | NA            |          |
|               | 03/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.7            | ND(1.0)        | 0.38 J         | ND(5.0)        | 15 J          |          |
|               | 06/06/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.7            | ND(1.0)        | 0.80 J         | ND(5.0)        | 85            |          |
|               | 03/03/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 4.5            | ND(1.0)        | 0.84 J         | ND(5.0)        | 18 J          |          |
|               | 09/22/23 | 0.32 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.32 J                  | 3.9            | ND(1.0)        | 0.70 J         | ND(5.0)        | 19 J          |          |
|               | 11/22/23 | 0.31 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.31 J                  | 3.5            | ND(1.0)        | 0.64 J         | ND(5.0)        | 20 J          |          |
| MW-73C(210)   | 01/27/20 | 4                 | ND(1)             | 0.4 J                       | ND(3)                      | 4 J                     | 270            | 4              | 16             | 15             | 700           |          |
|               | 02/20/20 | 3                 | ND(1)             | 0.3 J                       | ND(3)                      | 3 J                     | 200            | 3              | 12             | 12             | 630           |          |
|               | 01/25/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 18             | 1.1            | 3.8            | ND(5.0)        | ND(50)        |          |
|               | 04/28/22 | 0.31 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.31 J                  | 14             | 0.65 J         | 1.9            | ND(5.0)        | 75            |          |
|               | 05/24/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 6.2            | 0.30 J         | 0.66 J         | ND(5.0)        | 28 J          |          |
|               | 06/22/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 5.7            | 0.34 J         | 1.0            | ND(5.0)        | ND(50)        |          |
|               | 07/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 6.3            | 0.42 J         | NA             | ND(5.0)        | 38 J          |          |
|               | 08/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 6.6            | 0.41 J         | 1.3            | ND(5.0)        | 40 J          |          |
|               | 09/21/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 8.5            | 0.58 J         | NA             | ND(5.0)        | 43 J          |          |
|               | 10/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 4.5            | 0.24 J         | 0.89 J         | ND(5.0)        | 19 J          |          |
|               | 12/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 5.1            | 0.30 J         | 0.95 J         | ND(5.0)        | 21 J          |          |
|               | 03/25/24 | 0.63 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.63 J                  | 16             | 0.98 J         | 3.3            | 1.3 J          | 140           |          |
|               | 04/11/24 | 0.90 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.90 J                  | 22             | 1.4            | 4.3            | 1.5 J          | 310           |          |
|               | 09/12/24 | 0.74 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.74 J                  | 18             | 0.97 J         | 3.0 *-         | 1.2 J          | 250           |          |
|               | 11/26/24 | 0.79 J F2 F1      | ND(1) F2 F1       | ND(1) F2 F1                 | ND(1) F2 F1                | 0.79 J F2 F1            | 18 F2 F1       | 1.1 F2 F1      | 3.1 F2 F1 cn   | 1.1 J F2 F1    | 250 F2 F1     |          |
|               | 01/29/25 | 0.91 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.91 J                  | 24             | 1.3            | 4.3            | 1.5 J          | 370           |          |
|               | 04/30/25 | 0.58 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.58 J                  | 12             | 0.75 J         | 2.3            | 0.85 J         | 180           |          |
| MW-73C(259.5) | 11/26/24 | 0.63 J            | ND(1)             | ND(1)                       | ND(1)                      | 0.63 J                  | 13             | 0.93 J         | 2.8 cn         | 0.82 J         | 160           |          |
|               | 01/29/25 | 0.65 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.65 J                  | 14             | 0.85 J         | 2.7            | 0.83 J         | 200           |          |
|               | 04/30/25 | 0.57 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.57 J                  | 13             | 0.84 J         | 2.7            | ND(5.0)        | 200           |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID   | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-73C(298) | 04/28/22 | 0.30 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.30 J                  | 15             | 0.66 J         | 2.0            | ND(5.0)        | 79            |          |
|             | 05/24/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 8.5            | 0.35 J         | 1.0            | ND(5.0)        | 37 J          |          |
|             | 06/22/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 5.7            | 0.36 J         | 1.0            | ND(5.0)        | ND(50)        |          |
|             | 07/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 5.4            | 0.37 J         | NA             | ND(5.0)        | 29 J          |          |
|             | 08/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 6.9            | 0.50 J         | 1.4            | ND(5.0)        | 44 J          |          |
|             | 09/21/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 8.1            | 0.57 J         | NA             | ND(5.0)        | 43 J          |          |
|             | 12/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 6.1            | 0.34 J         | 1.1            | ND(5.0)        | 27 J          |          |
|             | 03/25/24 | 0.55 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.55 J                  | 13             | 0.83 J         | 2.5            | 0.86 J         | 160           |          |
|             | 04/11/24 | 0.46 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.46 J                  | 6.4            | 0.36 J         | 1.1            | ND(5.0)        | 57            |          |
|             | 09/12/24 | 0.51 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.51 J                  | 10             | 0.61 J         | 1.9 *-         | ND(5.0)        | 80            |          |
|             | 11/26/24 | 0.54 J            | ND(1)             | ND(1)                       | ND(1)                      | 0.54 J                  | 6.8            | 0.47 J         | 1.1 cn         | ND(5) cn       | 71 cn         |          |
|             | 01/29/25 | 0.72 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.72 J                  | 11             | 0.88 J         | 2.5            | 0.87 J         | 150           |          |
|             | 04/30/25 | 0.69 J            | 0.35 J            | ND(1.0)                     | ND(1.0)                    | 1.04 J                  | 11 F1          | 0.64 J         | 2.1            | ND(5.0)        | 100 F1        |          |
| MW-82B      | 01/14/20 | 0.7 J             | ND(1)             | ND(1)                       | ND(3)                      | 0.7 J                   | 0.7 J          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|             | 04/17/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 14             | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|             | 10/19/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.7            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 04/15/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.3            | ND(1.0)        | 0.20 J         | ND(5.0)        | ND(50)        |          |
|             | 07/14/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 08/19/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 09/27/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 12/15/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 02/21/22 | 0.46 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.46 J                  | 27             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 06/10/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.8            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 08/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 11/01/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.2            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 03/03/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 2.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 06/20/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 4.0            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 09/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 4.7            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 12/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 2.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 03/07/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.54 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 04/30/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 08/27/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 2.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID    | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|--------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-82B(HS-S) | 08/27/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.1            | ND(1.0)        | 0.27 J         | ND(5.0)        | ND(50)        |          |
|              | 09/22/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 4.9            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 11/26/24 | 0.51 J            | ND(1)             | ND(1)                       | ND(1)                      | 0.51 J                  | 43             | ND(1)          | 0.51 J cn      | 3.5 J cn       | ND(50) cn     |          |
|              | 02/07/25 | 0.43 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.43 J                  | 38 F1          | ND(1.0)        | 0.37 J         | 2.9 J          | ND(50)        |          |
|              | 05/01/25 | 0.63 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.63 J                  | 85             | ND(1.0)        | 0.92 J         | 5.9            | ND(50)        |          |
|              | 06/10/25 | 0.44 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.44 J                  | 67             | ND(1.0)        | 0.82 J         | 5.4            | ND(50)        |          |
| MW-82B(HS-D) | 08/27/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 09/22/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.8            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 11/26/24 | 0.41 J            | ND(1)             | ND(1)                       | ND(1)                      | 0.41 J                  | 35             | ND(1)          | 0.36 J cn      | 2.4 J cn       | ND(50) cn     |          |
|              | 02/07/25 | 0.71 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.71 J                  | 97             | 0.32 J         | 1.1            | 7.3            | ND(50)        |          |
|              | 05/01/25 | 0.93 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.93 J                  | 140            | 0.66 J         | 1.7            | 10             | ND(50)        |          |
|              | 06/10/25 | 0.51 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.51 J                  | 82             | 0.32 J         | 0.97 J         | 6.6            | ND(50)        |          |
| MW-82B(74)   | 08/27/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.5            | ND(1.0)        | 0.25 J         | ND(5.0)        | ND(50)        |          |
|              | 09/22/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.9            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-82D       | 01/14/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 10             | ND(1)          | 0.4 J          | ND(1)          | ND(25)        |          |
|              | 04/17/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 17             | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|              | 08/12/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.0            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 11/04/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.0            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 01/18/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.98 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 04/15/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.85 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 08/19/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 09/27/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 12/15/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 02/21/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 03/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 11/01/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 11/16/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 12/06/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 03/03/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-82D(250)  | 07/14/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 04/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 05/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.32 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 06/07/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.6            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 06/21/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 8.3            | ND(1.0)        | 0.35 J         | ND(5.0)        | ND(50)        |          |
|              | 07/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.5            | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID   | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-82D(250) | 08/30/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 5.6            | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|             | 09/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 14             | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|             | 06/20/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 27             | ND(1.0)        | 0.56 J         | 1.5 J          | ND(50)        |          |
|             | 09/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 5.9            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 12/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 2.0            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 03/07/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 49             | ND(1.0)        | 0.40 J         | 2.3 J          | ND(50)        |          |
|             | 04/30/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 33             | ND(1.0)        | 0.39 J         | 1.8 J          | ND(50)        |          |
|             | 08/27/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 9.3            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 11/07/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 7.2            | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|             | 02/07/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 11             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 05/01/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 35             | ND(1.0)        | 0.50 J         | 1.8 J          | ND(50)        |          |
| MW-82D(317) | 07/14/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 11/07/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 12             | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|             | 02/07/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 7.9            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 05/01/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 21             | ND(1.0)        | 0.38 J         | 1.0 J          | ND(50)        |          |
| MW-82D(378) | 07/14/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 04/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.5            | ND(1.0)        | 0.30 J         | ND(5.0)        | ND(50)        |          |
|             | 05/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 4.0            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 06/07/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.7            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 06/21/22 | ND(1.0)           | ND(1.0)           | ND(1.0) F1                  | ND(6.0) F1                 | BRL F1                  | 3.6            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 07/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.8            | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|             | 08/30/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.8            | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|             | 09/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 4.4            | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|             | 06/20/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 10             | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|             | 09/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 7.9            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 12/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 4.7            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 03/07/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 11             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 04/30/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 5.9            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 08/27/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 15             | ND(1.0)        | 0.30 J         | 0.85 J         | ND(50)        |          |
|             | 11/07/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 10             | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|             | 02/07/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 11             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 05/01/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 13             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-85     | 03/09/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 09/09/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/11/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/01/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/24/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 05/27/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/25/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/26/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/30/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/30/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0) F1     | ND(1.0)        | ND(1.0) F1     | ND(5.0) F1     | ND(50)        |          |
|           | 11/05/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|           | 02/26/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 05/07/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-91C    | 03/30/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 04/21/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 04/22/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 04/23/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 04/24/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 04/27/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 07/30/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/24/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 10/15/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.33 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/15/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/08/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 07/29/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/13/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | 0.40 J         | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/11/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.27 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.25 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 05/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.48 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 06/06/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.52 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 06/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.43 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 07/19/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.47 J         | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|           | 08/25/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.40 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.53 J         | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID       | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-91C          | 10/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.46 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 11/16/22 | ND(1.0) F1        | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL F1                  | 0.47 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 12/06/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.52 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 03/27/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 06/14/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 09/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.40 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 02/13/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 04/04/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 09/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0) *-     | ND(5.0)        | ND(50)        |          |
| MW-91C(92-102)  | 11/12/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 3.1            | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|                 | 02/04/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.3            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 04/30/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 5.0            | ND(1.0)        | ND(1.0)        | ND(5.0)        | 14 J          |          |
| MW-91C(261-271) | 11/12/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 3.3            | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|                 | 02/04/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 2.0            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 04/30/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 2.3            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-138D         | 01/03/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 290            | 1              | 4              | 15             | ND(25)        |          |
|                 | 01/10/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 250            | 1              | 4              | 13             | ND(25)        |          |
|                 | 02/14/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 240            | 1              | 4              | 9              | ND(25)        |          |
|                 | 03/11/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 170            | 1              | 3              | 5              | ND(25)        |          |
|                 | 04/15/20 | 0.7 J             | ND(1)             | ND(1)                       | ND(3)                      | 0.7 J                   | 3              | 0.4 J          | 1              | 0.4 J          | ND(25)        |          |
|                 | 04/21/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 190            | 1              | 3              | ND(1)          | ND(25)        |          |
|                 | 04/22/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 170            | 1              | 3              | 4              | ND(25)        |          |
|                 | 04/23/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 190            | 1              | 3              | 4              | ND(25)        |          |
|                 | 04/24/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 170            | 1              | 3              | 3              | ND(25)        |          |
|                 | 04/27/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 150            | 1              | 3              | 2              | ND(25)        |          |
|                 | 08/12/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 120            | 1.2            | 3.5            | 1.5 J          | ND(50)        |          |
|                 | 11/04/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 41             | 0.73 J         | 2.6            | ND(5.0)        | ND(50)        |          |
|                 | 11/16/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 76             | 0.79 J         | 2.5            | ND(5.0)        | ND(50)        |          |
|                 | 01/18/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 43             | 0.91 J         | 2.9            | ND(5.0)        | ND(50)        |          |
|                 | 04/22/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 38             | 0.93 J         | 2.6            | ND(5.0)        | ND(50)        |          |
|                 | 09/23/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.63 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 10/25/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 17             | 0.63 J         | 2.4            | 1.1 J          | ND(50)        |          |
|                 | 12/30/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 69             | 0.87 J         | 2.7            | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID         | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-------------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-138D           | 03/10/22 | ND(1.0)           | ND(1.0)           | ND(1.0) F1                  | ND(6.0)                    | BRL F1                  | 1.3            | 0.63 J         | 2.1            | ND(5.0)        | ND(50)        |          |
|                   | 03/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.5            | 0.21 J         | 0.34 J         | ND(5.0)        | ND(50)        |          |
|                   | 06/07/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 9.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-138D (77-82)   | 04/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.1            | ND(1.0)        | 0.38 J         | ND(5.0)        | ND(50)        |          |
|                   | 05/25/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.61 J         | ND(1.0)        | 0.29 J         | ND(5.0)        | ND(50)        |          |
|                   | 06/23/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.3            | ND(1.0)        | 0.36 J         | ND(5.0)        | ND(50)        |          |
|                   | 07/20/22 | ND(1.0)           | 0.67 J            | ND(1.0)                     | ND(6.0)                    | 0.67 J                  | 0.66 J         | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|                   | 08/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0) F1                  | ND(6.0) F1                 | BRL F1                  | 0.66 J         | 0.21 J         | NA             | ND(5.0)        | ND(50)        |          |
|                   | 09/21/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.52 J         | 0.21 J         | NA             | ND(5.0)        | ND(50)        |          |
|                   | 12/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.49 J         | ND(1.0)        | 0.44 J         | ND(5.0)        | ND(50)        |          |
|                   | 09/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.36 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                   |          |                   |                   |                             |                            |                         |                |                |                |                |               |          |
| MW-138D (95-100)  | 04/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.29 J         | 0.29 J         | 0.70 J         | ND(5.0)        | ND(50)        |          |
|                   | 05/25/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.57 J         | ND(1.0)        | 0.35 J         | ND(5.0)        | ND(50)        |          |
|                   | 06/23/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.5            | 0.21 J         | 0.40 J         | ND(5.0)        | ND(50)        |          |
|                   | 07/20/22 | ND(1.0)           | 0.63 J            | ND(1.0)                     | ND(6.0)                    | 0.63 J                  | 0.61 J         | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|                   | 08/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.64 J         | 0.26 J         | NA             | ND(5.0)        | ND(50)        |          |
|                   | 09/21/22 | ND(1.0) F1        | ND(1.0)           | ND(1.0) F1                  | ND(6.0) F1                 | BRL F1                  | 0.89 J         | 0.26 J F1      | NA             | ND(5.0)        | ND(50)        |          |
|                   | 12/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.47 J         | ND(1.0)        | 0.41 J         | ND(5.0)        | ND(50)        |          |
|                   | 03/28/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                   | 09/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.59 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                   | 11/26/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | ND(1)          | ND(1)          | ND(1) cn       | ND(5) cn       | ND(50) cn     |          |
|                   | 02/07/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                   | 05/01/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                   |          |                   |                   |                             |                            |                         |                |                |                |                |               |          |
| MW-138D (115-120) | 12/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.30 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                   | 03/28/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.23 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                   | 06/19/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.23 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                   | 09/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0) *-     | ND(5.0)        | ND(50)        |          |
|                   | 11/26/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | ND(1)          | ND(1)          | ND(1) cn       | ND(5) cn       | ND(50) cn     |          |
|                   | 02/07/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                   | 05/01/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | 17 J          |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID         | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-------------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-138D (120-125) | 04/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | 0.24 J         | 0.73 J         | ND(5.0)        | ND(50)        |          |
|                   | 05/25/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.75 J         | ND(1.0)        | 0.31 J         | ND(5.0)        | ND(50)        |          |
|                   | 06/23/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.5            | ND(1.0)        | 0.37 J         | ND(5.0)        | ND(50)        |          |
|                   | 07/20/22 | ND(1.0)           | 0.30 J            | ND(1.0)                     | ND(6.0)                    | 0.30 J                  | 0.67 J         | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|                   | 08/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.66 J         | 0.20 J         | NA             | ND(5.0)        | ND(50)        |          |
|                   | 09/21/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.96 J         | 0.23 J         | NA             | ND(5.0)        | ND(50)        |          |
|                   | 12/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.62 J         | ND(1.0)        | 0.37 J         | ND(5.0)        | ND(50)        |          |
|                   | 09/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.56 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-138D (151-156) | 05/25/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.23 J         | 0.27 J         | 0.55 J         | ND(5.0)        | ND(50)        |          |
|                   | 06/23/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.3            | 0.20 J         | 0.37 J         | ND(5.0)        | ND(50)        |          |
|                   | 07/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.60 J         | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|                   | 08/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.46 J         | 0.31 J         | NA             | ND(5.0)        | ND(50)        |          |
|                   | 09/21/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.47 J         | 0.28 J         | NA             | ND(5.0)        | ND(50)        |          |
|                   | 09/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.51 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                   | 11/26/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 0.29 J         | ND(1)          | ND(1) cn       | ND(5) cn       | ND(50) cn     |          |
|                   | 02/07/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                   | 05/01/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-138D (190-200) | 04/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | 0.57 J         | ND(5.0)        | ND(50)        |          |
|                   | 05/25/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.37 J         | 0.22 J         | 0.51 J         | ND(5.0)        | ND(50)        |          |
|                   | 06/23/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.77 J         | 0.29 J         | 0.82 J         | ND(5.0)        | ND(50)        |          |
|                   | 07/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.60 J         | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|                   | 08/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.67 J         | 0.21 J         | NA             | ND(5.0)        | ND(50)        |          |
|                   | 09/21/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.58 J         | 0.24 J         | NA             | ND(5.0)        | ND(50)        |          |
|                   | 12/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.37 J         | ND(1.0)        | 0.47 J         | ND(5.0)        | ND(50)        |          |
|                   | 09/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.44 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-138D (217-222) | 04/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | 0.55 J         | ND(5.0)        | ND(50)        |          |
|                   | 05/25/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | 0.42 J         | ND(5.0)        | ND(50)        |          |
|                   | 06/23/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.59 J         | 0.37 J         | 0.97 J         | ND(5.0)        | ND(50)        |          |
|                   | 07/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.62 J         | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|                   | 08/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.62 J         | 0.22 J         | NA             | ND(5.0)        | ND(50)        |          |
|                   | 09/21/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.54 J         | 0.21 J         | NA             | ND(5.0)        | ND(50)        |          |
|                   | 12/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.68 J         | ND(1.0)        | 0.50 J         | ND(5.0)        | ND(50)        |          |
|                   | 09/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.63 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID         | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-------------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-138D (230-235) | 12/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                   | 03/28/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.27 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                   | 06/19/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | 0.34 J         | ND(5.0)        | ND(50)        |          |
|                   | 09/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.25 J         | ND(1.0)        | 0.30 J *-      | ND(5.0)        | ND(50)        |          |
|                   | 11/26/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 0.30 J         | ND(1)          | 0.32 J cn      | ND(5) cn       | ND(50) cn     |          |
|                   | 02/07/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.27 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                   | 05/01/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.45 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-138D (250-255) | 04/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.20 J         | ND(1.0)        | 0.48 J         | ND(5.0)        | ND(50)        |          |
|                   | 05/25/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | 0.36 J         | ND(5.0)        | ND(50)        |          |
|                   | 06/23/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.81 J         | 0.34 J         | 0.95 J         | ND(5.0)        | ND(50)        |          |
|                   | 07/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.61 J         | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|                   | 08/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.47 J         | 0.21 J         | NA             | ND(5.0)        | ND(50)        |          |
|                   | 09/21/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.34 J         | 0.21 J         | NA             | ND(5.0)        | ND(50)        |          |
|                   | 12/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.64 J         | ND(1.0)        | 0.45 J         | ND(5.0)        | ND(50)        |          |
|                   | 03/28/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.44 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                   | 09/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.39 J         | ND(1.0)        | 0.31 J         | ND(5.0)        | ND(50)        |          |
| MW-138D (288-293) | 04/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | 0.56 J         | ND(5.0)        | ND(50)        |          |
|                   | 05/25/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.49 J         | ND(1.0)        | 0.34 J         | ND(5.0)        | ND(50)        |          |
|                   | 06/23/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.81 J         | 0.34 J         | 0.95 J         | ND(5.0)        | ND(50)        |          |
|                   | 07/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.64 J         | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|                   | 08/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.51 J         | 0.22 J         | NA             | ND(5.0)        | ND(50)        |          |
|                   | 09/21/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.63 J         | 0.22 J         | NA             | ND(5.0)        | ND(50)        |          |
|                   | 12/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.39 J         | ND(1.0)        | 0.53 J         | ND(5.0)        | ND(50)        |          |
|                   | 09/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.34 J         | ND(1.0)        | 0.32 J         | ND(5.0)        | ND(50)        |          |
| MW-138D (332-337) | 04/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.94 J         | 0.21 J         | 0.47 J         | ND(5.0)        | ND(50)        |          |
|                   | 05/25/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.54 J         | ND(1.0)        | 0.32 J         | ND(5.0)        | ND(50)        |          |
|                   | 06/23/22 | ND(1.0)           | ND(1.0)           | ND(1.0) F1                  | ND(6.0)                    | BRL F1                  | 1.3            | 0.26 J         | 0.59 J         | ND(5.0)        | ND(50)        |          |
|                   | 07/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.62 J         | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|                   | 08/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.39 J         | 0.29 J         | NA             | ND(5.0)        | ND(50)        |          |
|                   | 09/21/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.37 J         | 0.20 J         | NA             | ND(5.0)        | ND(50)        |          |
|                   | 12/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.29 J         | ND(1.0)        | 0.50 J         | ND(5.0)        | ND(50)        |          |
|                   | 03/28/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.36 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                   | 06/29/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.69 J         | ND(1.0)        | 0.40 J         | ND(5.0)        | ND(50)        |          |
|                   | 09/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.25 J         | ND(1.0)        | 0.36 J         | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID         | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-------------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-138D (350-355) | 12/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | 0.32 J         | ND(5.0)        | ND(50)        |          |
|                   | 03/28/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.34 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                   | 06/19/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.28 J         | ND(1.0)        | 0.30 J         | ND(5.0)        | ND(50)        |          |
|                   | 09/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.24 J         | ND(1.0)        | ND(1.0) *-     | ND(5.0)        | ND(50)        |          |
| MW-138D (379-384) | 04/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | 0.49 J         | ND(5.0)        | ND(50)        |          |
|                   | 05/25/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.36 J         | ND(1.0)        | 0.33 J         | ND(5.0)        | ND(50)        |          |
|                   | 06/23/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.93 J         | 0.32 J         | 0.87 J         | ND(5.0)        | ND(50)        |          |
|                   | 07/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.63 J         | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|                   | 08/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.28 J         | 0.20 J         | NA             | ND(5.0)        | ND(50)        |          |
|                   | 09/21/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.56 J         | 0.23 J         | NA             | ND(5.0)        | ND(50)        |          |
|                   | 12/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.22 J         | ND(1.0)        | 0.51 J         | ND(5.0)        | ND(50)        |          |
|                   | 03/28/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.38 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                   | 06/29/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.1            | ND(1.0)        | 0.30 J         | ND(5.0)        | ND(50)        |          |
|                   | 09/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.46 J         | ND(1.0)        | 0.33 J         | ND(5.0)        | ND(50)        |          |
| MW-139            | 03/10/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 0.3 J          | ND(1)          | 0.3 J          | ND(1)          | ND(25)        |          |
|                   | 04/07/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 0.3 J          | ND(1)          | 0.2 J          | ND(1)          | ND(25)        |          |
|                   | 09/15/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 7.2            | ND(1.0)        | 0.21 J         | ND(5.0)        | ND(50)        |          |
|                   | 11/06/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 37             | ND(1.0)        | 0.62 J         | ND(5.0)        | ND(50)        |          |
|                   | 01/22/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 25             | 2.4            | 6.4            | 1.1 J          | 86            |          |
|                   | 04/16/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.6            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                   | 07/06/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 4.5            | 0.39 J         | 1.0            | ND(5.0)        | ND(50)        |          |
|                   | 12/08/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 4.9            | 0.46 J         | 1.0            | ND(5.0)        | ND(50)        |          |
|                   | 02/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 19             | NA             | NA             | NA             | NA            |          |
|                   | 06/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 14             | 0.36 J         | 0.94 J         | ND(5.0)        | ND(50)        |          |
|                   | 08/08/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 14             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                   | 10/18/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 23             | 0.52 J         | 1.4            | 1.1 J          | ND(50)        |          |
|                   | 11/15/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 26             | 0.48 J         | 1.3            | 1.3 J          | ND(50)        |          |
|                   | 12/05/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 31             | 0.60 J         | 1.4            | 1.3 J          | 12 J          |          |
|                   | 02/07/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 28             | 0.50 J         | 1.3            | 1.2 J          | ND(50)        |          |
|                   | 03/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 26             | 0.86 J         | 1.8            | 1.1 J          | 28 J          |          |
|                   | 06/15/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 22             | 1              | 2.5            | 0.99 J         | 32 J          |          |
|                   | 09/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 5.7            | 0.98 J         | 2.3            | ND(5.0)        | ND(50)        |          |
|                   | 11/21/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 15             | 1.1            | 2.6            | ND(5.0)        | 20 J          |          |
|                   | 02/08/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 25             | 1.8            | 4.5            | 1.5 J          | 98            |          |
|                   | 04/11/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 18             | 1.7            | 4.2            | 0.93 J         | 49 J          |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID     | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|---------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-139        | 08/27/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 23             | 2.4            | 5.7            | 1.4 J          | 61            |          |
|               | 10/25/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 22             | 1.7            | 4.3            | 1.4 J          | 57            |          |
|               | 02/03/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 16             | 1.4            | 3.1            | 1.0 J          | 57            |          |
|               | 04/28/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 34             | 2.0            | 5.0            | 1.2 J          | 91            |          |
| MW-146        | 08/09/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 03/22/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 09/11/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 02/06/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-146B       | 08/09/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 03/22/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 09/11/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 02/24/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-146C(HS-S) | 08/09/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 03/26/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 09/11/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 11/06/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|               | 02/06/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-146C(HS-D) | 08/09/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 03/26/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 09/11/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 11/06/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|               | 02/06/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-166C       | 06/14/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 03/26/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 09/11/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 01/28/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-166C(HS-D) | 11/26/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | ND(1)          | ND(1)          | ND(1) cn       | ND(5) cn       | ND(50) cn     |          |
|               | 01/28/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-168        | 01/10/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|               | 11/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-168(67)    | 05/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 08/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 02/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 06/11/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 09/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0) *-     | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID   | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-168(67)  | 11/05/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|             | 02/07/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 04/30/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-168(75)  | 05/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 08/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 02/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 06/11/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 09/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 11/05/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|             | 02/07/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 04/30/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.24 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-168(87)  | 05/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 08/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 06/14/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 02/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 06/11/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 09/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 11/05/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|             | 02/07/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-168(115) | 04/30/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.23 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 05/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 08/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 02/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 06/11/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 09/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 11/05/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|             | 02/07/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-168(235) | 04/30/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|             | 02/14/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|             | 03/11/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|             | 04/16/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|             | 04/21/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|             | 04/22/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|             | 04/23/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|             | 04/24/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID       | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-168(235)     | 04/27/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|                 | 07/30/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 08/24/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 09/17/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 10/15/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 02/15/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 11/29/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 03/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 05/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 08/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 06/14/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 02/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 06/11/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 09/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.22 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 11/05/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|                 | 02/07/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 04/30/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-171          | 03/03/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|                 | 07/17/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 02/15/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 11/29/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 03/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.8            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 05/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 08/25/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 02/13/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 09/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.6            | ND(1.0)        | ND(1.0) *-     | ND(5.0)        | ND(50)        |          |
|                 | 02/04/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-176(125-135) | 08/27/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 11             | ND(1.0)        | 0.36 J         | ND(5.0)        | ND(50)        |          |
|                 | 09/17/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 7.8            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-176(150-160) | 08/27/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 6.1            | ND(1.0)        | 0.28 J         | ND(5.0)        | ND(50)        |          |
|                 | 09/17/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-176(164-174) | 08/27/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.6            | ND(1.0)        | 0.24 J         | ND(5.0)        | ND(50)        |          |
|                 | 09/17/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 9.5            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID       | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-176(182-192) | 08/27/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.3            | ND(1.0)        | 0.23 J         | ND(5.0)        | ND(50)        |          |
|                 | 09/17/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 11             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 11/12/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 3.4            | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|                 | 02/07/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 4.5            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-176(209-219) | 08/27/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 6.2            | ND(1.0)        | 0.21 J         | ND(5.0)        | ND(50)        |          |
|                 | 09/17/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.7            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-176(233-243) | 08/27/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 09/17/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.3            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 11/12/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 3.2            | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|                 | 02/07/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 4.2            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-176          | 01/10/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 0.6 J          | ND(1)          | 0.4 J          | ND(1)          | ND(25)        |          |
|                 | 02/14/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 2              | 0.4 J          | 1              | ND(1)          | ND(25)        |          |
|                 | 03/11/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 0.8 J          | 0.3 J          | 1 J            | ND(1)          | ND(25)        |          |
|                 | 04/16/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 10             | ND(1)          | 0.6 J          | ND(1)          | ND(25)        |          |
|                 | 04/21/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 0.8 J          | ND(1)          | 0.4 J          | ND(1)          | ND(25)        |          |
|                 | 04/22/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 0.8 J          | ND(1)          | 0.4 J          | ND(1)          | ND(25)        |          |
|                 | 04/23/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 0.8 J          | ND(1)          | 0.4 J          | ND(1)          | ND(25)        |          |
|                 | 04/24/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 0.8 J          | ND(1)          | 0.4 J          | ND(1)          | ND(25)        |          |
|                 | 04/27/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 0.7 J          | ND(1)          | 0.4 J          | ND(1)          | ND(25)        |          |
|                 | 10/15/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 15             | ND(1.0)        | 0.57 J         | ND(5.0)        | ND(50)        |          |
|                 | 11/02/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 6.2            | ND(1.0)        | 0.37 J         | ND(5.0)        | ND(50)        |          |
|                 | 01/20/21 | 0.28 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.28 J                  | 16             | ND(1.0)        | 0.62 J         | ND(5.0)        | ND(50)        |          |
|                 | 04/08/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 11             | ND(1.0)        | 0.39 J         | ND(5.0)        | ND(50)        |          |
|                 | 09/21/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 3.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 11/30/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 14             | ND(1.0)        | 0.38 J         | ND(5.0)        | ND(50)        |          |
|                 | 02/01/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 7.6            | ND(1.0)        | 0.20 J         | ND(5.0)        | ND(50)        |          |
|                 | 08/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 10/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 9.9            | ND(1.0)        | 0.29 J         | ND(5.0)        | ND(50)        |          |
|                 | 03/27/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 9.5            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 09/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 8.3            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 03/25/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 6.8            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 09/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 4.0            | ND(1.0)        | ND(1.0) *-     | ND(5.0)        | ND(50)        |          |
| MW-177          | 01/10/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 5              | ND(1)          | 0.3 J          | ND(1)          | ND(25)        |          |
|                 | 11/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.3            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 09/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.86 J         | ND(1.0)        | ND(1.0) *-     | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID       | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-177(187.75)  | 02/14/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 4              | ND(1)          | 0.2 J          | ND(1)          | ND(25)        |          |
|                 | 03/11/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 4              | ND(1)          | 0.2 J          | ND(1)          | ND(25)        |          |
|                 | 04/16/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 3              | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|                 | 04/21/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 4              | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|                 | 04/22/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 3              | ND(1)          | 0.2 J          | ND(1)          | ND(25)        |          |
|                 | 04/23/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 4              | ND(1)          | 0.2 J          | ND(1)          | ND(25)        |          |
|                 | 04/24/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 3              | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|                 | 04/27/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 3              | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|                 | 08/12/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.0            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 02/15/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.8            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 11/29/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.7            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 03/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.87 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 09/08/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.31 J         | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|                 | 02/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.50 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 11/07/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 0.73 J         | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|                 | 02/07/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.89 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-177(215-225) | 11/07/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 0.84 J         | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|                 | 02/07/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.88 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-178B         | 01/02/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 20             | ND(1)          | 0.3 J          | 0.7 J          | ND(25)        |          |
|                 | 04/16/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 15             | ND(1)          | 0.2 J          | 0.5 J          | ND(25)        |          |
|                 | 09/08/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 14             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 11/03/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 11             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 01/25/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 4.3            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 04/08/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.7            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 09/21/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 3.0            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 11/30/21 | ND(1.0)           | ND(1.0)           | ND(1.0) F1                  | ND(6.0)                    | BRL F1                  | 2.8            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 02/01/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.6            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 06/08/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.6            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 07/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 10/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 03/27/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.2            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 09/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.92 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 03/25/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.66 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 08/28/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.57 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 02/04/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.42 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-178C   | 01/02/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 130            | 2              | 8              | 7              | 490           |          |
|           | 04/15/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 120            | 4              | 14             | 7              | 560           |          |
|           | 08/12/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 20             | 0.29 J         | 1.1            | ND(5.0)        | ND(50)        |          |
|           | 11/03/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 56             | 2.3            | 9.6            | 3.1 J          | 460           |          |
|           | 01/18/21 | 0.24 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.24 J                  | 56             | 2.5            | 10             | 2.8 J          | 440           |          |
|           | 04/08/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 32             | 1.3            | 5.0            | 1.7 J          | 300           |          |
|           | 09/21/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.6            | ND(1.0)        | 0.75 J         | ND(5.0)        | ND(50)        |          |
|           | 10/25/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 110            | 0.58 J         | 1.7            | 3.4 J          | ND(50)        |          |
|           | 12/30/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/01/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 35             | 1.3            | 5.5            | 1.8 J          | 190           |          |
|           | 03/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 30             | 0.76 J         | 2.5            | ND(5.0)        | ND(50)        |          |
|           | 04/27/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 27             | 0.65 J         | 2.1            | ND(5.0)        | ND(50)        |          |
|           | 05/24/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 31             | 0.76 J         | 2.4            | ND(5.0)        | ND(50)        |          |
|           | 06/06/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.9            | ND(1.0)        | 0.50 J         | ND(5.0)        | 16 J          |          |
|           | 06/24/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.3            | 0.57 J         | 1.2            | ND(5.0)        | ND(50)        |          |
|           | 07/19/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.3            | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|           | 08/30/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 39             | 0.66 J         | NA             | ND(5.0)        | 22 J          |          |
|           | 09/19/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 30             | 0.57 J         | NA             | 1.6 J          | 16 J          |          |
|           | 10/20/22 | 1.4               | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 1.4                     | 15             | 3.2            | 11             | ND(5.0)        | 360           |          |
|           | 11/17/22 | 1.3               | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 1.3                     | 40             | 2.4            | 10             | 3.3 J          | 670           |          |
|           | 12/05/22 | 0.77 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.77 J                  | 59             | 4.5            | 16             | 4.7 J          | 770           |          |
|           | 01/09/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 61             | 2.4            | 10             | 5.1            | 750           |          |
|           | 02/20/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 62             | 0.85 J         | 2.7            | 4.2 J          | 78            |          |
|           | 03/20/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 50             | 0.75 J         | 2.2            | 2.8 J          | 83            |          |
|           | 04/24/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 54             | 0.97 J         | 2.6            | 3.6 J          | 86            |          |
|           | 05/22/23 | ND(1.0) F1        | ND(1.0) F1        | ND(1.0) F1                  | ND(1.0) F1                 | BRL F1                  | 34 F1          | 0.58 J F1      | 1.6 F1         | 2.2 J F1       | 51            |          |
|           | 06/14/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 55             | 1.1 cn         | 2.9            | 3.7 J          | 89            |          |
|           | 09/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 65             | 1.0            | 3.7            | 3.9 J          | 140           |          |
|           | 11/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 48             | 0.79 J         | 2.6            | 3.1 J          | 90            |          |
|           | 01/29/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 67             | 1.5            | 4.7            | 4.3 J          | 250           |          |
|           | 02/19/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 71             | 2.0            | 7.4            | 5.5            | 270           |          |
|           | 03/08/24 | 1.7               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.7                     | 10             | 4.3            | 15             | ND(5.0)        | 1300          |          |
|           | 05/29/24 | 0.69 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.69 J                  | 48             | 2.7            | 10             | 3.8 J          | 520           |          |
|           | 08/28/24 | 1.5               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.5                     | 18             | 4.5            | 15             | 1.3 J          | 1100          |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID    | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|--------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-178C(146) | 11/26/24 | 1.4               | ND(1)             | ND(1)                       | ND(1)                      | 1.4                     | 6.3            | 5.9            | 18 cn          | ND(5) cn       | 1700          |          |
|              | 02/07/25 | 1.1               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.1                     | 4.4            | 8.6            | 32             | 0.88 J         | 2000          |          |
|              | 04/30/25 | 1.0               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.0                     | 5.1            | 6.3            | 25             | 0.95 J         | 1700 H        |          |
| MW-178C(168) | 11/26/24 | 1.1               | ND(1)             | ND(1)                       | ND(1)                      | 1.1                     | 7.8            | 6.6            | 21 cn          | 0.92 J cn      | 1700          |          |
|              | 02/07/25 | 1.1               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.1                     | 7.8            | 6.4            | 23             | 1.1 J          | 1500          |          |
|              | 04/30/25 | 0.87 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.87 J                  | 7.0            | 5.9            | 23             | 1.5 J          | 1700 H        |          |
| MW-178C(212) | 11/26/24 | 1.2               | ND(1)             | ND(1)                       | ND(1)                      | 1.2                     | 10             | 4.5            | 14 cn          | 0.83 J cn      | 1100 cn       |          |
|              | 02/07/25 | 1.1               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.1                     | 7.5            | 6.8            | 25             | 1.3 J          | 1700          |          |
|              | 04/30/25 | 0.54 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.54 J                  | 5.8            | 6.9            | 27             | 1.1 J          | 1600 H        |          |
| MW-178C(300) | 11/26/24 | 1.3               | ND(1)             | ND(1)                       | ND(1)                      | 1.3                     | 7.2            | 5.9            | 18 cn          | ND(5) cn       | 1500 cn       |          |
|              | 02/07/25 | 1.3               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.3                     | 6.6            | 7.1            | 26             | 1.2 J          | 1500          |          |
|              | 04/30/25 | 1.0               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.0                     | 5.6            | 6.6            | 27             | 1.5 J          | 1800 H        |          |
| MW-179C      | 11/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 8.5            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-179C(250) | 01/02/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 1              | ND(1)          | 0.3 J          | ND(1)          | ND(25)        |          |
|              | 08/12/20 | ND(1.0) F1        | ND(1.0) F1        | ND(1.0) F1                  | ND(6.0) F1                 | BRL F1                  | 5.5            | ND(1.0)        | 1.1            | ND(5.0)        | ND(50)        |          |
|              | 02/15/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.45 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 11/29/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 4.3            | ND(1.0)        | 0.86 J         | ND(5.0)        | ND(50)        |          |
|              | 03/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.7            | ND(1.0)        | 0.70 J         | ND(5.0)        | ND(50)        |          |
|              | 09/08/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 4.2            | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|              | 11/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 8.5            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 02/13/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 5.4            | ND(1.0)        | 0.72 J         | ND(5.0)        | ND(50)        |          |
|              | 08/28/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 10             | ND(1.0)        | 1.4            | ND(5.0)        | ND(50)        |          |
|              | 11/05/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 7.9            | ND(1)          | 1.0            | ND(5)          | ND(50)        |          |
|              | 02/04/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 7.9            | ND(1.0)        | 1.0            | ND(5.0)        | ND(50)        |          |
| MW-181A      | 03/09/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 0.5 J          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|              | 06/25/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.0            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 08/27/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.92 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 09/22/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.28 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 10/22/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.23 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 01/15/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.2            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 04/14/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 07/14/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 6.9            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 08/19/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.2            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|              | 09/27/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 9.2            | ND(1.0)        | 0.41 J         | ND(5.0)        | ND(50)        |          |
|              | 12/30/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 56             | 0.36 J         | 0.54 J         | 4.4 J          | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results**  
**Inactive Exxon Facility #28077**  
**14528 Jarrettsville Pike**  
**Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID      | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|----------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-181A        | 02/21/22 | 0.60 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.60 J                  | 59             | 0.34 J         | 0.56 J         | 4.2 J          | ND(50)        |          |
|                | 06/24/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 10             | 0.37 J         | 0.64 J         | ND(5.0)        | ND(50)        |          |
|                | 08/08/22 | ND(1.0)           | ND(1.0)           | ND(1.0) F1                  | ND(6.0) F1                 | BRL F1                  | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 11/01/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 14             | 0.28 J         | 0.73 J         | ND(5.0)        | ND(50)        |          |
|                | 03/30/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.98 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 06/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.57 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 09/26/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.75 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 12/18/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.9            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 03/26/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 11             | 0.31 J         | 0.45 J         | ND(5.0)        | ND(50)        |          |
|                | 04/30/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 17             | 0.38 J         | 0.61 J         | ND(5.0)        | ND(50)        |          |
|                | 08/28/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.94 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 11/05/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 13 F1          | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|                | 02/25/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 18             | ND(1.0)        | ND(1.0)        | 0.86 J         | ND(50)        |          |
|                | 05/07/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 10             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-181B        | 03/09/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 2              | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|                | 06/23/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.6            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 09/09/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.6            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 02/11/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 12/01/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 3.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 02/24/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.2            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 05/27/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.3            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 08/25/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 06/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.5            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 12/18/23 | 0.37 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.37 J                  | 2.7            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 03/26/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.76 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 08/28/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.34 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 02/25/25 | 0.39 J            | 0.33 J            | ND(1.0)                     | ND(1.0)                    | 0.72 J                  | 1.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-181C        | 02/21/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 9.8            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-181C(215.5) | 03/09/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 11             | ND(1)          | 0.3 J          | 0.3 J          | ND(25)        |          |
|                | 06/23/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 15             | ND(1.0)        | 0.33 J         | ND(5.0)        | ND(50)        |          |
|                | 09/09/20 | ND(1.0) F1        | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL F1                  | 15             | ND(1.0)        | 0.33 J         | ND(5.0)        | ND(50)        |          |
|                | 11/03/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 11             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 01/25/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 13             | ND(1.0)        | 0.25 J         | ND(5.0)        | ND(50)        |          |
|                | 04/14/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 13             | ND(1.0)        | 0.24 J         | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID      | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|----------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-181C(215.5) | 09/22/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 13             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 12/30/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 12             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 06/24/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 16             | ND(1.0)        | 0.27 J         | ND(5.0)        | ND(50)        |          |
|                | 08/08/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 12/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 19             | ND(1.0)        | 0.42 J         | ND(5.0)        | ND(50)        |          |
|                | 03/30/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 17             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 09/26/23 | 0.31 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.31 J                  | 26             | ND(1.0)        | 0.39 J         | 1.1 J          | ND(50)        |          |
|                | 03/26/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 14             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 08/28/24 | 0.30 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.30 J                  | 24             | ND(1.0)        | 0.43 J         | 1.1 J          | ND(50)        |          |
|                | 11/05/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 26             | ND(1)          | 0.45 J         | 1.3 J          | ND(50)        |          |
|                | 02/25/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 20             | ND(1.0)        | 0.35 J         | 0.81 J         | ND(50)        |          |
|                | 04/23/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 17             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-182         | 10/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 17             | 0.21 J         | 0.91 J         | ND(5.0)        | 19 J          |          |
|                | 09/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 13             | ND(1.0)        | 0.66 J         | ND(5.0)        | 17 J          |          |
| MW-182(200)    | 01/06/20 | 0.4 J             | ND(1)             | ND(1)                       | ND(3)                      | 0.4 J                   | 98             | 0.7 J          | 2              | 5              | 20 J          |          |
|                | 04/16/20 | 0.3 J             | ND(1)             | ND(1)                       | ND(3)                      | 0.3 J                   | 86             | 0.6 J          | 2              | 4              | 37            |          |
|                | 06/22/20 | 0.26 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.26 J                  | 65             | ND(1.0)        | 1.8            | 3.1 J          | 67            |          |
|                | 07/17/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.6            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 11/02/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 4.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 01/25/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 38             | 0.46 J         | 1.7            | 1.1 J          | 26 J          |          |
|                | 04/08/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 48             | 0.66 J         | 2.2            | ND(5.0)        | 35 J          |          |
|                | 09/21/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 3.9            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 12/30/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 2.9            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 02/01/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 7.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 06/24/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.56 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 07/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 17             | ND(1.0)        | ND(1.0)        | ND(5.0)        | 25 J          |          |
|                | 10/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 17             | 0.21 J         | 0.91 J         | ND(5.0)        | 19 J          |          |
|                | 03/27/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.21 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 09/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 13             | ND(1.0)        | 0.66 J         | ND(5.0)        | 17 J          |          |
|                | 02/13/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 4.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 08/28/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.61 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 11/07/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 3.0            | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|                | 02/04/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 5.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results**  
**Inactive Exxon Facility #28077**  
**14528 Jarrettsville Pike**  
**Phoenix, Maryland**

January 2, 2020 through June 12, 2025

| Sample ID     | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|---------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-182(226.5) | 11/07/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 1.7            | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|               | 02/04/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 8.0            | ND(1.0)        | 0.39 J         | ND(5.0)        | ND(50)        |          |
| MW-183        | 02/18/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 1              | 0.6 J          | 2              | ND(1)          | ND(25)        |          |
|               | 04/16/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 66             | 2              | 8              | 2              | 290           |          |
|               | 06/22/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.87 J         | ND(1.0)        | 0.24 J         | ND(5.0)        | ND(50)        |          |
|               | 08/12/20 | 2.5               | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 2.5                     | 61             | 3.8            | 16             | 5.8            | 1000          |          |
|               | 11/02/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 49             | 1.7            | 8.0            | 4.5 J          | 620           |          |
|               | 01/18/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 50             | 2.4            | 11             | 2.0 J          | 360           |          |
|               | 04/08/21 | ND(1.0) F1        | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL F1                  | 79             | 2.6            | 11             | 4.9 J          | 750           |          |
|               | 09/21/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 3.0            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 10/25/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 6.8            | 0.67 J         | 2.1            | ND(5.0)        | ND(50)        |          |
|               | 12/30/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 3.8            | ND(1.0)        | 0.50 J         | ND(5.0)        | 240           |          |
|               | 02/11/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 14             | NA             | NA             | NA             | NA            |          |
|               | 03/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | 0.42 J         | ND(5.0)        | ND(50)        |          |
|               | 04/27/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | 0.33 J         | ND(5.0)        | ND(50)        |          |
|               | 05/24/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | 0.29 J         | ND(5.0)        | ND(50)        |          |
|               | 06/06/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 33             | 1.2            | 5.9            | 2.0 J          | 680           |          |
|               | 06/24/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 34             | 1.6            | 6.7            | 1.8 J          | 420           |          |
|               | 07/19/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.66 J         | 0.33 J         | NA             | ND(5.0)        | ND(50)        |          |
|               | 08/30/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.2            | ND(1.0)        | NA             | ND(5.0)        | 20 J          |          |
|               | 09/19/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.9            | ND(1.0)        | NA             | ND(5.0)        | 22 J          |          |
|               | 12/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 5.9            | ND(1.0)        | 0.90 J         | ND(5.0)        | 21 J          |          |
|               | 03/06/23 | 0.60 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.60 J                  | 14             | 1.4            | 4.6            | 1.2 J          | 230           |          |
|               | 11/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.57 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 03/25/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 04/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 08/28/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.20 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 11/26/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 0.25 J F1      | ND(1)          | ND(1) F1       | ND(5) F1       | ND(50)        |          |
|               | 02/04/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.28 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 05/01/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.37 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-184        | 02/18/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 1              | 0.5 J          | 2              | ND(1)          | ND(25)        |          |
|               | 04/16/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 24             | 0.3 J          | 1              | 0.4 J          | ND(25)        |          |
|               | 10/15/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.78 J         | ND(1.0)        | 0.29 J         | ND(5.0)        | ND(50)        |          |
|               | 01/20/21 | 1.4               | 0.43 J            | ND(1.0)                     | ND(6.0)                    | 1.8 J                   | 13             | 1.7            | 4.3            | ND(5.0)        | 140           |          |
|               | 04/08/21 | 1.9               | 0.41 J            | ND(1.0)                     | ND(6.0)                    | 2.3 J                   | 17             | 2.1            | 5.6            | ND(5.0)        | 170           |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID       | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-184          | 09/21/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 3.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 12/30/21 | 0.48 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.48 J                  | 5.3            | 0.57 J         | 1.6            | 0.82 J         | 100           |          |
|                 | 02/11/22 | 0.58 J            | 0.32 J            | ND(1.0)                     | ND(6.0)                    | 0.90 J                  | 3.1            | NA             | NA             | NA             | NA            |          |
|                 | 06/08/22 | 1.6               | 0.70 J            | ND(1.0)                     | ND(6.0)                    | 2.3 J                   | 10             | 1.7            | 4.5            | ND(5.0)        | 210           |          |
|                 | 07/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 10/20/22 | 0.85 J            | 0.46 J            | ND(1.0)                     | ND(6.0)                    | 1.31 J                  | 5.2            | 0.82 J         | 2.4            | ND(5.0)        | 90            |          |
|                 | 03/27/23 | 0.90 J            | 0.45 J            | ND(1.0)                     | ND(1.0)                    | 1.35 J                  | 5.4            | 0.81 J         | 2.1            | ND(5.0)        | 120           |          |
|                 | 09/22/23 | 0.45 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.45 J                  | 3.3            | 0.53 J         | 1.3            | ND(5.0)        | 37 J          |          |
|                 | 03/25/24 | 0.92 J            | 0.45 J            | ND(1.0)                     | ND(1.0)                    | 1.37 J                  | 5.7            | 0.79 J         | 2.3            | 0.85 J         | 120           |          |
|                 | 08/28/24 | 1.2               | 0.47 J            | ND(1.0)                     | ND(1.0)                    | 1.7 J                   | 7.0            | 1.1            | 2.7            | 1.0 J          | 170           |          |
| MW-184(116-117) | 08/27/20 | 0.34 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.34 J                  | 13             | 0.57 J         | 1.4            | ND(5.0)        | 21 J          |          |
|                 | 09/17/20 | 0.48 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.48 J                  | 7.2            | 0.79 J         | 2.0            | ND(5.0)        | 56            |          |
| MW-184(143-147) | 08/27/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 4.8            | 0.40 J         | 0.91 J         | ND(5.0)        | 19 J          |          |
|                 | 09/17/20 | 0.50 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.50 J                  | 7.5            | 0.86 J         | 2.1            | ND(5.0)        | 57            |          |
| MW-184(187)     | 08/27/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.9            | 0.22 J         | 0.51 J         | ND(5.0)        | ND(50)        |          |
|                 | 09/17/20 | 0.49 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.49 J                  | 11             | 0.95 J         | 2.3            | ND(5.0)        | 51            |          |
|                 | 11/12/24 | 0.64 J            | ND(1)             | ND(1)                       | ND(1)                      | 0.64 J                  | 6.0            | 0.86 J         | 2.1            | ND(5)          | 140           |          |
|                 | 02/04/25 | 0.91 J            | 0.38 J            | ND(1.0)                     | ND(1.0)                    | 1.29 J                  | 8.9            | 1.3            | 3.3            | 1.2 J          | 210           |          |
| MW-184(240)     | 08/27/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.8            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 09/17/20 | 0.53 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.53 J                  | 11             | 0.92 J         | 2.3            | ND(5.0)        | 40 J          |          |
| MW-184(275)     | 08/27/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.2            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                 | 09/17/20 | 0.21 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.21 J                  | 5.3            | 0.51 J         | ND(1.0)        | ND(5.0)        | 21 J          |          |
| MW-184(285)     | 11/12/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 2.4            | ND(1)          | 0.43 J         | ND(5)          | 21 J          |          |
|                 | 02/04/25 | 0.47 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.47 J                  | 5.3            | 0.66 J         | 1.7            | ND(5.0)        | 100           |          |
| MW-184(300)     | 08/27/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.3            | ND(1.0)        | 0.23 J         | ND(5.0)        | ND(50)        |          |
|                 | 09/17/20 | 0.83 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.83 J                  | 12             | 1.2            | 3.3            | ND(5.0)        | 95            |          |
| MW-187A         | 01/09/20 | 0.3 J             | 2                 | ND(1)                       | 20                         | 22 J                    | 43             | 0.8 J          | 0.9 J          | 13             | 13 J          |          |
|                 | 06/16/20 | 180               | 1800              | ND(1.0)                     | 1400                       | 3380                    | ND(1.0)        | 1.2            | 1.8            | 22             | 34 J          |          |
|                 | 07/16/20 | 210               | 2000              | 180                         | 1500                       | 3890                    | 88             | 1.1 J          | 1.7 J          | 20 J           | ND(250)       |          |
|                 | 07/30/20 | 230               | ND(2.0)           | 190                         | 1500                       | 1920                    | 85             | ND(2.0)        | 1.4 J          | 18             | ND(100)       |          |
|                 | 08/26/20 | 210               | 1700              | 170                         | 1400                       | 3480                    | 85             | 1.0 J          | 1.7 J          | 18             | 42 J          |          |
|                 | 09/18/20 | 180               | 1900              | 170                         | 1400                       | 3650                    | 70             | ND(5.0)        | ND(5.0)        | ND(25)         | ND(250)       |          |
|                 | 10/20/20 | 13                | 120               | 7.1                         | 97                         | 237                     | 54             | ND(5.0)        | ND(5.0)        | 12 J           | 82 J          |          |
|                 | 01/14/21 | 1.3               | 25                | 1.1                         | 48                         | 75                      | 64             | 0.63 J         | 1.2            | 10             | 31 J          |          |
|                 | 04/05/21 | 160               | 870               | 65                          | 860                        | 1955                    | 64             | ND(5.0)        | ND(5.0)        | ND(25)         | ND(250)       |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-187A   | 09/30/21 | 2.8               | 16                | 0.76 J                      | 34                         | 54 J                    | 9.8            | ND(1.0)        | ND(1.0)        | 1.6 J          | 24 J          |          |
|           | 10/25/21 | 110               | 490               | 71                          | 610                        | 1281                    | 53             | 0.77 J         | ND(1.0)        | 8.1            | 43 J          |          |
|           | 02/02/22 | 55                | 270               | 14                          | 370                        | 709                     | 47             | 0.46 J         | 0.78 J         | 6.6            | 31 J          |          |
|           | 03/29/22 | ND(5.0)           | ND(5.0)           | ND(5.0)                     | ND(30)                     | BRL                     | ND(5.0)        | ND(5.0)        | ND(5.0)        | ND(25)         | ND(250)       |          |
|           | 04/27/22 | 190               | 1500              | 260                         | 1200                       | 3150                    | 42             | ND(5.0)        | ND(5.0)        | ND(25)         | ND(250)       |          |
|           | 05/23/22 | 220               | 1500              | 280                         | 1300                       | 3300                    | 47             | ND(5.0)        | ND(5.0)        | ND(25)         | ND(250)       |          |
|           | 06/06/22 | 74                | 600               | 80                          | 840                        | 1594                    | 32             | ND(5.0)        | ND(5.0)        | ND(25)         | ND(250)       |          |
|           | 06/24/22 | 6.9               | 36                | 5.6                         | 33                         | 82                      | 9.0            | ND(5.0)        | ND(5.0)        | ND(25)         | ND(250)       |          |
|           | 07/20/22 | 1200              | 7600              | 1600                        | 5300                       | 15700                   | 190            | ND(5.0)        | NA             | ND(25)         | ND(250)       |          |
|           | 08/10/22 | 4.4 J             | 9.7               | 2.0 J                       | ND(30)                     | 16.1 J                  | 1.5 J          | ND(5.0)        | ND(5.0)        | ND(25)         | ND(250)       |          |
|           | 08/25/22 | 25                | 83                | 12                          | 81                         | 201                     | 5.6            | ND(5.0)        | ND(5.0)        | ND(25)         | ND(250)       |          |
|           | 09/20/22 | 15                | 33                | 5.1                         | 21                         | 74                      | 4.2            | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|           | 10/19/22 | 270               | 910               | 190                         | 900                        | 2270                    | 56             | 0.44 J         | 0.69 J         | 8.4            | 19 J          |          |
|           | 11/17/22 | 76                | 190               | 22                          | 480                        | 768                     | 56             | ND(5.0)        | ND(5.0)        | 7.2 J          | ND(250)       |          |
|           | 12/05/22 | 140               | 360               | 54                          | 1000                       | 1554                    | 62             | ND(5.0)        | ND(5.0)        | 8.1 J          | ND(250)       |          |
|           | 01/09/23 | 0.99 J            | 0.98 J            | ND(1.0)                     | 26                         | 28 J                    | 25             | ND(1.0)        | 0.35 J         | 3.6 J          | 13 J          |          |
|           | 02/20/23 | 120               | 300               | 70                          | 570                        | 1060                    | 44             | 0.33 J         | 0.59 J         | 6.3            | 21 J          |          |
|           | 03/20/23 | 250               | 930               | 240                         | 1200                       | 2620                    | 79             | 0.54 J         | 0.99 J         | 11             | 29 J          |          |
|           | 04/24/23 | 7.0               | 19                | 3.0                         | 40                         | 69                      | 29             | ND(1.0)        | 0.44 J         | 3.6 J          | 19 J          |          |
|           | 05/22/23 | 85                | 250               | 31                          | 400                        | 766                     | 74             | 0.47 J         | 1.1            | 8.7            | 24 J          |          |
|           | 06/14/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 40             | ND(1.0)        | 0.75 J         | 2.4 J          | 27 J cn       |          |
|           | 09/19/23 | 25                | 54                | 18                          | 78                         | 175                     | 23             | ND(1.0)        | 0.35 J         | 3.0 J          | ND(50)        |          |
|           | 12/04/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 22             | 0.71 J         | 2.3            | ND(5.0)        | ND(50)        |          |
|           | 01/29/24 | 210               | 150               | 220                         | 1300                       | 1880                    | 39             | ND(1.0)        | 0.42 J         | 4.9 J          | ND(50)        |          |
|           | 02/19/24 | 170               | 180               | 280                         | 1300                       | 1930                    | 25             | ND(1.0)        | ND(1.0)        | 4.1 J          | ND(50)        |          |
|           | 03/08/24 | 63                | 38                | 68                          | 450                        | 619                     | 11             | ND(1.0)        | ND(1.0)        | 1.4 J          | ND(50)        |          |
|           | 04/26/24 | 210               | 85                | 250                         | 500                        | 1045                    | 37             | ND(1.0)        | 0.44 J         | 4.5 J          | ND(50) F1     |          |
|           | 07/24/24 | 310               | 61                | 270                         | 820                        | 1461                    | 63             | ND(1.0)        | 0.65 J         | 8.2            | 20 J          |          |
|           | 10/29/24 | 420               | 34                | 320                         | 930                        | 1704                    | 94             | ND(1)          | ND(1)          | 20             | 42 J          |          |
|           | 11/25/24 | 290               | 23                | 250                         | 680                        | 1243                    | 74             | ND(1)          | ND(1)          | 9.2            | 19 J          |          |
|           | 12/17/24 | 420               | 32                | 380                         | 1000                       | 1832                    | 81             | ND(1)          | ND(1)          | 9.4            | ND(50)        |          |
|           | 01/27/25 | 380               | 24                | 360                         | 990                        | 1754                    | 55             | ND(1.0)        | ND(1.0)        | 7.6            | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-187A   | 02/26/25 | 320               | 18                | 220                         | 730                        | 1288                    | 65             | ND(1.0)        | ND(1.0)        | 8.6            | ND(50)        |          |
|           | 04/22/25 | 500               | 20                | 240                         | 750                        | 1510                    | 64             | ND(1.0)        | 0.63 J         | 11             | ND(50)        |          |
|           | 05/20/25 | 690               | 15                | 200                         | 700                        | 1605                    | 73             | 0.48 J         | 0.98 J         | 14             | 12 J          |          |
|           | 06/12/25 | 510 H             | 9.0               | 100                         | 460                        | 1079 H                  | 46             | ND(1.0)        | 0.59 J         | 7.4            | ND(50)        |          |
| MW-187B   | 01/09/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 37             | 0.2 J          | 1 J            | 2              | 59            |          |
|           | 06/16/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 17             | ND(1.0)        | 0.52 J         | 0.84 J         | 15 J          |          |
|           | 08/26/20 | ND(1.0)           | 0.29 J            | ND(1.0)                     | ND(6.0)                    | 0.29 J                  | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/16/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.71 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 01/14/21 | 0.69 J            | 1.4               | 0.60 J                      | 6.1                        | 8.8 J                   | 63             | 0.84 J         | 2.7            | 4.1 J          | 170           |          |
|           | 04/05/21 | ND(1.0)           | 0.57 J            | ND(1.0)                     | ND(6.0)                    | 0.57 J                  | 4.6            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/30/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 10/25/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.23 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/11/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 11             | 0.49 J         | 1.4            | ND(5.0)        | 59            |          |
|           | 03/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 35             | 0.52 J         | 1.5            | 1.3 J          | 90            |          |
|           | 04/27/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 29             | 0.54 J         | 1.7            | ND(5.0)        | 110           |          |
|           | 05/23/22 | 0.51 J            | 1.5               | 0.42 J                      | 2.0 J                      | 4.4 J                   | 30             | 0.57 J         | 1.6            | 1.3 J          | 110           |          |
|           | 06/06/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 06/24/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 11             | 0.64 J         | 1.7            | ND(5.0)        | 66            |          |
|           | 07/20/22 | 0.32 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.32 J                  | 9.3            | ND(1.0)        | NA             | ND(5.0)        | 110           |          |
|           | 08/25/22 | 0.33 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.33 J                  | 8.6            | 0.56 J         | 1.5            | ND(5.0)        | 100           |          |
|           | 09/20/22 | 0.35 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.35 J                  | 18             | 0.93 J         | NA             | ND(5.0)        | 120           |          |
|           | 10/19/22 | ND(1.0)           | 0.76 J            | ND(1.0)                     | ND(6.0)                    | 0.76 J                  | 2.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | 12 J          |          |
|           | 12/05/22 | 2.0               | 5.4               | 1.1                         | 7.9                        | 16.4                    | 9.3            | ND(1.0)        | 0.56 J         | ND(5.0)        | 15 J          |          |
|           | 01/09/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | 0.78 J                     | 0.78 J                  | 13             | ND(1.0)        | 0.40 J         | ND(5.0)        | ND(50)        |          |
|           | 02/20/23 | 22                | 63                | 12                          | 99                         | 196                     | 7.3            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/20/23 | ND(1.0)           | 0.24 J            | ND(1.0)                     | 0.43 J                     | 0.67 J                  | 15             | ND(1.0)        | 0.46 J         | ND(5.0)        | ND(50)        |          |
|           | 04/24/23 | ND(1.0)           | 1.0               | ND(1.0)                     | ND(1.0)                    | 1.0                     | 0.92 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | 13 J          |          |
|           | 05/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 2.2            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 06/14/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 2.5            | ND(1.0)        | 0.34 J         | ND(5.0)        | ND(50)        |          |
|           | 12/04/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 8.7            | ND(1.0)        | 0.51 J         | ND(5.0)        | ND(50)        |          |
|           | 01/29/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 46             | 0.56 J         | 1.1            | 2.4 J          | 33 J          |          |
|           | 02/19/24 | 0.47 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.47 J                  | 87             | 1.0            | 2.2            | 5.5            | 41 J          |          |
|           | 03/08/24 | 35                | 27                | 53                          | 260                        | 375                     | 80             | 0.92 J         | 2.0            | 5.4            | 78            |          |
|           | 03/29/24 | 11                | 7.4               | 13                          | 60                         | 91                      | 85             | 1.2            | 2.6            | 5.1            | 65            |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-187B   | 04/26/24 | 3.4               | 1.6               | 2.1                         | 12                         | 19                      | 99             | 1.7            | 3.9            | 6.8            | 140           |          |
|           | 05/29/24 | 8.2               | 1.1               | 0.93 J                      | 5.9                        | 16.1                    | 120            | 2.0            | 4.7            | 9.8            | 210           |          |
|           | 06/28/24 | 20                | 0.91 J            | 0.43 J                      | 1.8                        | 23.1                    | 160            | 2.4            | 5.1            | 13             | 210           |          |
|           | 07/24/24 | 44                | 1.2               | 0.44 J                      | 4.9                        | 51 J                    | 160            | 2.5            | 5.6            | 18             | 250           |          |
|           | 08/28/24 | 50                | 1.1               | ND(1.0)                     | 1.9                        | 53                      | 150            | 2.4            | 4.8            | 16             | 310           |          |
|           | 09/23/24 | 55                | 1.1               | ND(1.0)                     | 1.8                        | 58                      | 170            | 2.4            | 4.9            | 19             | 350           |          |
|           | 10/29/24 | 58                | 1.0               | ND(1)                       | 1.8                        | 60.8                    | 190            | 2.6            | 5.7            | 24             | 290           |          |
|           | 11/25/24 | 62 F1             | 0.98 J            | ND(1)                       | 3.4                        | 66.38                   | 180            | 2.2            | 5.1            | 22             | 280           |          |
|           | 12/17/24 | 94                | 1.4               | ND(1)                       | 6.5                        | 102.9                   | 170            | 2.1            | 4.5            | 19             | 300           |          |
|           | 12/18/24 | 160               | 2.1               | 0.46 J                      | 11                         | 173.56                  | 120            | 2.2            | 3.8 cn         | 15 cn          | 430           |          |
|           | 01/27/25 | 110               | 1.5               | 0.46 J                      | 6.9                        | 119 J                   | 190            | 3.0            | 6.1            | 30             | 320           |          |
|           | 02/26/25 | 130               | 1.7               | 0.43 J                      | 11                         | 143 J                   | 200            | 2.9            | 6.2            | 26             | 320           |          |
|           | 04/02/25 | 110               | 1.6               | 0.42 J                      | 13                         | 125 J                   | 150            | 2.0            | 4.5 F1         | 21 F1          | 260 F1        |          |
|           | 04/23/25 | 130               | 1.9               | ND(1.0)                     | 13                         | 145                     | 190            | 2.4            | 5.7            | 25             | 420           |          |
|           | 05/20/25 | 94                | 1.2               | ND(1.0)                     | 9.5                        | 105                     | 180            | 2.7            | 6.3            | 28             | 370           |          |
|           | 06/12/25 | 110               | 1.4               | ND(1.0)                     | 12                         | 123                     | 140            | 1.8            | 4.5            | 17             | 400           |          |
| MW-187C   | 01/09/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 280            | 4              | 14             | 2              | ND(25)        |          |
|           | 06/16/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 77             | 0.20 J         | 11             | 1.2 J          | ND(50)        |          |
|           | 08/26/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 26             | 2.4            | 9.6            | ND(5.0)        | ND(50)        |          |
|           | 11/16/20 | 24                | 150               | 13                          | 100                        | 287                     | 21             | ND(1.0)        | 0.43 J         | 3.2 J          | 13 J          |          |
|           | 02/09/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.84 J         | ND(1.0)        | 0.78 J         | ND(5.0)        | ND(50)        |          |
|           | 04/05/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 280            | 2.2            | 8.8            | 3.3 J          | ND(50)        |          |
|           | 09/30/21 | ND(10)            | ND(10)            | ND(10)                      | ND(10)                     | BRL                     | 3.4 J          | ND(10)         | ND(10)         | ND(50)         | ND(500)       |          |
|           | 10/25/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 200            | 2.1            | 6.8            | 3.3 J          | ND(50)        |          |
|           | 03/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 280            | 2.1            | 7.3            | 8.1            | 18 J          |          |
|           | 05/23/22 | ND(1.0)           | 1.4               | ND(1.0)                     | ND(6.0)                    | 1.4                     | 170            | 1.4            | 5.0            | 5.1            | 13 J          |          |
|           | 06/07/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 8.9            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 06/24/22 | ND(1.0) F1        | ND(1.0) F1        | ND(1.0) F1                  | ND(6.0) F1                 | BRL F1                  | 370            | 2.0            | 7.0            | 14             | 15 J          |          |
|           | 10/19/22 | 4.2               | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 4.2                     | 420            | 2.2            | 8.9            | 18             | 110           |          |
|           | 11/17/22 | 0.47 J            | 0.65 J            | ND(1.0)                     | ND(6.0)                    | 1.12 J                  | 89             | 0.25 J         | 1.3            | 4.2 J          | ND(50)        |          |
|           | 12/06/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 260            | 0.81 J         | 3.6            | 7.6            | ND(50)        |          |
|           | 01/09/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 260            | 0.98 J         | 4.9            | 6.1            | ND(50)        |          |
|           | 02/20/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 320            | 1.9            | 7.4            | 13             | ND(50)        |          |
|           | 03/20/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 240            | 1.7            | 6.2            | 6.8            | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID      | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|----------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-187C        | 04/24/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 360            | 2.0            | 7.4            | 14             | ND(50)        |          |
|                | 05/22/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 270            | 1.2            | 4.9            | 9.1            | ND(50)        |          |
|                | 06/14/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 220            | 1.0            | 4.0            | 4.9 J          | ND(50)        |          |
|                | 09/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 180            | 0.70 J         | 3.5            | 3.9 J          | ND(50)        |          |
|                | 12/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 120            | 0.81 J         | 4.1            | 2.1 J          | ND(50)        |          |
| MW-187C(210)   | 04/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 100            | 0.81 J         | 3.0            | 2.6 J          | ND(50)        |          |
|                | 05/25/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 150            | 1.9            | 6.0            | 4.5 J          | 16 J          |          |
|                | 07/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 75             | 0.77 J         | NA             | 2.4 J          | ND(50)        |          |
|                | 08/29/22 | ND(5.0)           | ND(5.0)           | ND(5.0)                     | ND(30)                     | BRL                     | 41             | ND(5.0)        | NA             | ND(25)         | ND(250)       |          |
|                | 09/20/22 | 0.76 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.76 J                  | 160            | 1.1            | NA             | 6.5            | 39 J          |          |
|                | 01/10/24 | 0.36 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.36 J                  | 370            | 2.9            | 9.9            | 16             | 24 J          |          |
|                | 02/19/24 | 3.1               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 3.1                     | 290            | 1.9            | 7.3            | 16             | 86            |          |
|                | 03/08/24 | 2.0               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 2.0                     | 140            | 1.0            | 3.2            | 5.9            | 45 J          |          |
|                | 04/26/24 | 1.1               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.1                     | 89             | 0.61 J         | 2.3            | 4.5 J          | 35 J          |          |
|                | 08/28/24 | 1.8               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.8                     | 170            | 1.3            | 4.6            | 8.9            | 110           |          |
|                | 11/25/24 | 2.3               | ND(1)             | ND(1)                       | ND(1)                      | 2.3                     | 220            | 1.4            | 6.1            | 9.5            | 48 J          |          |
|                | 01/27/25 | 3.8               | 0.35 J            | ND(1.0)                     | ND(1.0)                    | 4.2 J                   | 250            | 2.3            | 8.2            | 13             | 180           |          |
|                | 04/22/25 | 1.5               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.5                     | 110            | 2.1            | 7.8            | 5.3            | 380           |          |
|                |          |                   |                   |                             |                            |                         |                |                |                |                |               |          |
| MW-187C(298)   | 04/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 41             | 0.32 J         | 1.3            | 1.3 J          | ND(50)        |          |
|                | 05/25/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 190            | 0.75 J         | 4.2            | 4.3 J          | 46 J          |          |
|                | 07/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 100            | 0.80 J         | NA             | ND(5.0)        | 14 J          |          |
|                | 08/29/22 | 2.1 J             | ND(5.0)           | ND(5.0)                     | ND(30)                     | 2.1 J                   | 200            | 1.4 J          | NA             | 7.7 J          | ND(250)       |          |
|                | 09/20/22 | 0.54 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.54 J                  | 100            | 0.71 J         | NA             | 4.2 J          | 24 J          |          |
|                | 01/10/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 24             | ND(1.0)        | 0.60 J         | 1.0 J          | ND(50)        |          |
|                | 02/19/24 | 1.1               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.1                     | 110            | 0.73 J         | 2.9            | 5.4            | 29 J          |          |
|                | 03/08/24 | 2.2               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 2.2                     | 130            | 0.94 J         | 2.9            | 5.7            | 59            |          |
|                | 04/26/24 | 1.6               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.6                     | 110            | 0.80 J         | 2.9            | 5.9            | 43 J          |          |
|                | 08/28/24 | 0.67 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.67 J                  | 71             | 0.57 J         | 2.1            | 3.9 J          | 40 J          |          |
|                | 11/25/24 | 6.0               | 0.56 J            | 0.60 J                      | ND(1)                      | 7.16                    | 310            | 3.0            | 11             | 20             | 190           |          |
|                | 01/27/25 | 1.6               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 1.6                     | 110            | 1.0            | 3.6            | 5.4            | 74            |          |
|                | 04/22/25 | 2.1               | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 2.1                     | 170            | 1.4            | 4.5            | 6.9            | 99            |          |
|                |          |                   |                   |                             |                            |                         |                |                |                |                |               |          |
| MW-188D        | 08/29/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.20 J         | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
| MW-188D(141.5) | 02/21/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 0.5 J          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
| MW-188D(201)   | 02/21/20 | 0.2 J             | ND(1)             | ND(1)                       | ND(3)                      | 0.2 J                   | 0.5 J          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
| MW-188D(212.5) | 02/21/20 | 0.2 J             | ND(1)             | ND(1)                       | ND(3)                      | 0.2 J                   | 0.4 J          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID      | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|----------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-188D(221)   | 02/21/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 0.5 J          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
| MW-188D(228.5) | 02/21/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 0.4 J          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
| MW-188D(239)   | 02/21/20 | 0.2 J             | ND(1)             | ND(1)                       | ND(3)                      | 0.2 J                   | 0.5 J          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
| MW-188D(280.5) | 02/21/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 0.4 J          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|                | 06/23/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.40 J         | 0.69 J         | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 09/09/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.38 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 11/03/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.25 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 01/25/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.24 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 04/14/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.31 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 09/21/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 3.0            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 02/24/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.23 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 06/24/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.30 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 08/08/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 12/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 3.9            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 03/28/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 6.2            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 03/25/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.36 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 04/29/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 2.2            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 08/28/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 3.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 11/05/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 3.1            | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|                | 01/29/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 5.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 04/23/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 3.5            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-188D(306.5) | 02/21/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 0.4 J          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
| MW-188D(344)   | 02/21/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 0.4 J          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
| MW-188D(378)   | 02/21/20 | 0.2 J             | ND(1)             | ND(1)                       | ND(3)                      | 0.2 J                   | 0.4 J          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|                | 03/27/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 3.6            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 04/29/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 3.3            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 08/28/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 3.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 11/05/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 5.1            | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|                | 01/29/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 3.9            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 04/23/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 3.7            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-188D(396)   | 02/21/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 0.3 J          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
| MW-189D        | 03/03/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 33             | ND(1.0)        | 0.55 J         | 2.7 J          | ND(50)        |          |
|                | 09/18/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 200            | 1.1            | 3.3            | 15             | 38 J          |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID        | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|------------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-189D(79)      | 02/24/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 4              | 0.4 J          | 0.9 J          | ND(1)          | ND(25)        |          |
|                  | 04/09/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 8              | 0.6 J          | 1              | ND(1)          | ND(25)        |          |
|                  | 06/25/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 13             | 0.43 J         | 0.97 J         | ND(5.0)        | ND(50)        |          |
|                  | 08/17/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.95 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                  | 11/30/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                  | 01/28/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                  | 04/15/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.21 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                  | 09/22/21 | 0.62 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.62 J                  | 190            | 1.6            | 4.3            | 13             | ND(50)        |          |
|                  | 11/04/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 140            | 1.8            | 4.0            | 14             | ND(50)        |          |
|                  | 12/03/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 100            | 0.84 J         | 2.2            | 7.3            | ND(50)        |          |
|                  | 01/06/22 | ND(1.0)           | ND(1.0)           | ND(1.0) F1                  | ND(6.0)                    | BRL F1                  | 39             | 0.36 J         | 0.81 J         | 2.7 J          | ND(50)        |          |
|                  | 02/08/22 | 0.33 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.33 J                  | 98             | NA             | NA             | NA             | NA            |          |
|                  | 02/22/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 44             | 0.40 J         | 0.95 J         | 3.0 J          | ND(50)        |          |
|                  | 03/30/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 110            | 1.1            | 2.5            | 7.4            | ND(50)        |          |
|                  | 06/23/22 | 0.98 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.98 J                  | 210            | 1.6            | 4.2            | 18             | ND(50)        |          |
|                  | 08/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                  | 08/29/22 | 1.2               | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 1.2                     | 260            | 1.7            | NA             | 22             | 16 J          |          |
|                  | 12/21/22 | 0.52 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.52 J                  | 340            | 1.8            | 5.5            | 29             | ND(50)        |          |
|                  | 06/14/23 | 0.52 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.52 J                  | 280            | 1.7 cn         | 4.5            | 23             | 30 J          |          |
|                  | 11/22/23 | 0.32 J            | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | 0.32 J                  | 260            | 1.7            | 4.8            | 21             | 62            |          |
|                  | 03/07/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 34             | ND(1.0)        | 0.73 J         | 2.3 J          | 20 J          |          |
|                  | 04/30/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 120            | 1.1            | 3.3            | 9.9            | 120           |          |
|                  | 08/27/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 120            | 1.7            | 4.8            | 12             | 170           |          |
|                  | 11/26/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 90             | 1.6            | 3.9 cn         | 7.9 cn         | 240 cn        |          |
|                  | 02/24/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 100            | 1.9            | 6.0            | 9.9            | 250           |          |
|                  | 05/01/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 84             | 2.2            | 6.4            | 8.3            | 280           |          |
| MW-189D(91.5)    | 02/24/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 4              | 0.4 J          | 0.9 J          | ND(1)          | ND(25)        |          |
|                  | 04/09/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 9              | 0.6 J          | 1              | ND(1)          | ND(25)        |          |
|                  | 08/17/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.8            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-189D(117-119) | 02/24/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 6              | 0.7 J          | 1              | ND(1)          | ND(25)        |          |
|                  | 04/09/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 9              | 0.6 J          | 1              | ND(1)          | ND(25)        |          |
|                  | 08/17/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.35 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID        | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|------------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-189D(122)     | 02/24/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 5              | 0.5 J          | 1              | ND(1)          | ND(25)        |          |
|                  | 04/09/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 8              | 0.5 J          | 1              | ND(1)          | ND(25)        |          |
|                  | 08/17/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.35 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                  | 11/26/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 56             | 0.92 J         | 2.4 cn         | 4.8 J cn       | 130 cn        |          |
|                  | 02/24/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 99             | 1.9            | 5.7            | 9.4            | 240           |          |
|                  | 05/01/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 36             | 0.96 J         | 2.4            | 3.5 J          | 120           |          |
| MW-189D(138-140) | 02/24/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 4              | 0.5 J          | 1 J            | ND(1)          | ND(25)        |          |
|                  | 04/09/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 11             | 0.7 J          | 2              | ND(1)          | ND(25)        |          |
|                  | 08/17/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.0            | ND(1.0)        | 0.22 J         | ND(5.0)        | ND(50)        |          |
| MW-189D(161)     | 02/24/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 3              | 0.4 J          | 0.8 J          | ND(1)          | ND(25)        |          |
|                  | 04/09/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 9              | 0.6 J          | 1              | ND(1)          | ND(25)        |          |
|                  | 08/17/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.9            | ND(1.0)        | 0.28 J         | ND(5.0)        | ND(50)        |          |
|                  | 11/26/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 62             | 1.0            | 2.8 cn         | 5.5 cn         | 170 cn        |          |
|                  | 02/24/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 95             | 1.8            | 5.5            | 9.2            | 210           |          |
|                  | 05/01/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 71             | 1.8            | 5.2            | 6.7            | 230           |          |
| MW-189D(216)     | 02/24/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 4              | 0.4 J          | 0.8 J          | ND(1)          | ND(25)        |          |
|                  | 04/09/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 11             | 0.6 J          | 1              | ND(1)          | ND(25)        |          |
|                  | 08/17/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 5.2            | ND(1.0)        | 0.41 J         | ND(5.0)        | ND(50)        |          |
|                  | 11/26/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 40             | 0.77 J         | 2.0 cn         | 3.5 J cn       | 96 cn         |          |
|                  | 02/24/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 67             | 1.4            | 4.1            | 6.3            | 170           |          |
|                  | 05/01/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 56             | 1.5            | 4.3            | 5.4            | 200           |          |
| MW-189D(256-258) | 02/24/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 4              | 0.5 J          | 1              | ND(1)          | ND(25)        |          |
|                  | 04/09/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 5              | 0.3 J          | 0.7 J          | ND(1)          | ND(25)        |          |
|                  | 08/17/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 4.4            | ND(1.0)        | 0.34 J         | ND(5.0)        | ND(50)        |          |
| MW-189D(278)     | 02/24/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 1              | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|                  | 04/09/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 2              | ND(1)          | 0.3 J          | ND(1)          | ND(25)        |          |
|                  | 08/17/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 4.4            | ND(1.0)        | 0.38 J         | ND(5.0)        | ND(50)        |          |
|                  | 11/26/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 55             | 1.0            | 2.6 cn         | 4.8 J cn       | 150 cn        |          |
|                  | 02/24/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 60             | 1.2            | 3.6            | 5.8            | 140           |          |
|                  | 05/01/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 52             | 1.5            | 4.0            | 5.0            | 180           |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID     | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|---------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| MW-189D(315)  | 02/24/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 5              | 0.5 J          | 1              | ND(1)          | ND(25)        |          |
|               | 04/09/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 7              | 0.5 J          | 1              | ND(1)          | ND(25)        |          |
|               | 08/17/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.6            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 11/26/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 27             | 0.62 J         | 1.5 cn         | 2.4 J cn       | 89 cn         |          |
|               | 02/24/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 28             | 0.74 J         | 2.4            | 2.6 J          | 94            |          |
|               | 05/01/25 | ND(1.0)           | ND(1.0) F1        | ND(1.0)                     | ND(1.0)                    | BRL F1                  | 33             | 1.2            | 3.2            | 2.6 J          | 130           |          |
| MW-189D(357)  | 02/24/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 4              | 0.4 J          | 0.8 J          | ND(1)          | ND(25)        |          |
|               | 04/09/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 6              | 0.4 J          | 0.9 J          | ND(1)          | ND(25)        |          |
|               | 08/17/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 2.0            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| MW-189D(374)  | 02/24/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 11             | 0.3 J          | 0.9 J          | 0.8 J          | ND(25)        |          |
|               | 04/09/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 17             | 0.5 J          | 1              | 1              | ND(25)        |          |
|               | 08/17/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.8            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 11/26/24 | ND(1) cn          | ND(1) cn          | ND(1) cn                    | ND(1) cn                   | BRL                     | 55 cn          | 0.92 J cn      | 2.8 cn         | 5.2 cn         | 130 cn        |          |
|               | 02/24/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 71             | 1.4            | 4.2            | 6.7            | 170           |          |
|               | 05/01/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 52             | 1.4            | 3.8            | 4.8 J          | 180           |          |
| PW-3501       | 03/15/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 04/08/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 09/21/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 12/30/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 02/11/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | NA             | NA             | NA             | NA            |          |
|               | 03/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 10/27/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 11/16/22 | ND(0.50)          | ND(0.50)          | ND(0.50)                    | ND(0.50)                   | BRL                     | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |          |
|               | 06/14/23 | ND(0.50)          | ND(0.50)          | ND(0.50)                    | ND(0.50)                   | BRL                     | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |          |
|               | 02/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 08/28/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| PW-3501(HS-S) | 01/28/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| PW-3501(HS-D) | 01/28/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| PW-3501(225)  | 04/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 05/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 06/07/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 06/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|               | 07/19/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID      | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|----------------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| PW-3501(225)   | 08/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 09/21/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|                | 12/09/22 | ND(0.50)          | ND(0.50)          | ND(0.50)                    | ND(0.50)                   | BRL                     | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |          |
| PW-3501(423)   | 04/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 05/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 06/07/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 06/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 07/19/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|                | 08/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 09/21/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|                | 12/09/22 | ND(0.50)          | ND(0.50)          | ND(0.50)                    | ND(0.50)                   | BRL                     | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |          |
|                | 11/26/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | ND(1)          | ND(1)          | ND(1) cn       | ND(5) cn       | ND(50) cn     |          |
| PW-14311       | 03/25/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 04/12/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 08/28/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| PW-14311(HS-S) | 01/27/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 04/23/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| PW-14311(HS-D) | 11/25/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|                | 01/27/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 04/23/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| SVE-1          | 03/02/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 3              | 0.9 J          | 1              | ND(1)          | ND(25)        |          |
|                | 04/07/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 3              | 0.7 J          | 1              | ND(1)          | ND(25)        |          |
|                | 08/11/20 | 1.4               | 0.47 J            | ND(1.0)                     | ND(6.0)                    | 1.9 J                   | 140            | 1.4            | 2.2            | 8.6            | 54            |          |
|                | 11/06/20 | 6.1               | 7.8               | 5.6                         | 16                         | 36                      | 170            | 1.2            | ND(1.0)        | 13             | 56            |          |
|                | 01/14/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 7.2            | ND(1.0)        | 0.25 J         | ND(5.0)        | ND(50)        |          |
|                | 04/16/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.6            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 07/08/21 | 29                | 52                | 26                          | 87                         | 194                     | 320            | 2.1            | 3.9            | 32             | 120           |          |
|                | 10/11/21 | 9.3               | 19                | 11 F1                       | 43                         | 82 F1                   | 180            | 1.5            | 2.5            | 17             | 84            |          |
|                | 02/02/22 | 1.6               | 0.88 J            | 1.9                         | 2.8 J                      | 7.2 J                   | 110            | 1.6            | 2.7            | 9.7            | 130           |          |
|                | 03/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.2            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 04/27/22 | 9.9               | 0.78 J            | 5.5                         | 2.2 J                      | 18.4 J                  | 61             | 1.6            | 3.2            | 5.2            | 440           |          |
|                | 05/23/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.33 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 06/07/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 3.3            | 0.32 J         | 0.44 J         | ND(5.0)        | ND(50)        |          |
|                | 06/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|                | 07/18/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results**  
**Inactive Exxon Facility #28077**  
**14528 Jarrettsville Pike**  
**Phoenix, Maryland**

January 2, 2020 through June 12, 2025

| Sample ID | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| SVE-1     | 08/25/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.63 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/19/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 4.7            | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|           | 10/19/22 | 0.43 J            | ND(1.0)           | 0.43 J                      | ND(6.0)                    | 0.86 J                  | 7.3            | 0.26 J         | 0.49 J         | ND(5.0)        | 82            |          |
|           | 12/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 2.2            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/07/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 18             | ND(1.0)        | 0.37 J         | 0.96 J         | ND(50)        |          |
|           | 06/15/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 14             | ND(1.0)        | ND(1.0)        | 1.1 J          | 13 J          |          |
|           | 12/18/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 01/10/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/04/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 9.0            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/26/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.7            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 10/25/24 | ND(1)             | ND(1)             | ND(1)                       | ND(1)                      | BRL                     | 5.9            | ND(1)          | ND(1)          | ND(5)          | ND(50)        |          |
|           | 02/03/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.4            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/29/25 | 17                | 1.1               | 59                          | 1.1                        | 78                      | 43             | 0.82 J         | 1.5            | 4.4 J          | 120           |          |
| SVE-2     | 03/02/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 04/07/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | ND(1)          | ND(1)          | ND(1)          | ND(1)          | ND(25)        |          |
|           | 08/19/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.7            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/18/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.71 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 10/20/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.20 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 01/19/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/16/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.99 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 07/08/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 0.42 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/07/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.27 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.24 J         | NA             | NA             | NA             | NA            |          |
|           | 06/10/22 | ND(1.0)           | 0.43 J            | ND(1.0)                     | 3.7 J                      | 4.1 J                   | 5.9            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/08/22 | ND(1.0)           | 1.1               | 1.1                         | 6.2                        | 8.4                     | 12             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 10/19/22 | ND(1.0)           | 1.6               | 1.3                         | 8.9                        | 11.8                    | 16             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/21/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | 0.54 J                     | 0.54 J                  | 17             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 2.5            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/25/24 | ND(1.0)           | ND(1.0)           | 1.1                         | 0.69 J                     | 1.8 J                   | 12             | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 08/27/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 23             | ND(1.0)        | ND(1.0)        | 1.1 J          | ND(50)        |          |
|           | 02/03/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.1            | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
| SVE-3     | 03/02/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 0.9 J          | 0.3 J          | 0.7 J          | ND(1)          | ND(25)        |          |
|           | 04/07/20 | ND(1)             | ND(1)             | ND(1)                       | ND(3)                      | BRL                     | 0.5 J          | 0.3 J          | 0.5 J          | ND(1)          | ND(25)        |          |
|           | 08/11/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.1            | 0.37 J         | 0.65 J         | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**January 2, 2020 through June 12, 2025**

| Sample ID | Date     | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------|----------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
| SVE-3     | 11/06/20 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 01/14/21 | 0.30 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.30 J                  | 0.40 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/16/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 0.60 J         | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 07/08/21 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | 1.2            | ND(1.0)        | 0.42 J         | ND(5.0)        | ND(50)        |          |
|           | 12/07/21 | 0.48 J            | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | 0.48 J                  | 1.6            | 0.27 J         | 0.55 J         | ND(5.0)        | ND(50)        |          |
|           | 02/02/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 1.6            | 0.33 J         | 0.61 J         | ND(5.0)        | ND(50)        |          |
|           | 03/28/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 04/26/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 4.3            | 0.29 J         | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 05/23/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 06/06/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | 15             | 0.43 J         | ND(1.0)        | ND(5.0)        | 31 J          |          |
|           | 06/20/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 07/18/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|           | 08/25/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/19/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | NA             | ND(5.0)        | ND(50)        |          |
|           | 10/17/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(6.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 12/09/22 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 03/21/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/19/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 11/21/23 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/08/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 09/11/24 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |
|           | 02/03/25 | ND(1.0)           | ND(1.0)           | ND(1.0)                     | ND(1.0)                    | BRL                     | ND(1.0)        | ND(1.0)        | ND(1.0)        | ND(5.0)        | ND(50)        |          |

TABLE 3

**Summary of Groundwater Analytical Results**  
**Inactive Exxon Facility #28077**  
**14528 Jarrettsville Pike**  
**Phoenix, Maryland**

January 2, 2020 through June 12, 2025

| Sample ID | Date | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-<br>benzene<br>(µg/L) | Total<br>Xylenes<br>(µg/L) | Total<br>BTEX<br>(µg/L) | MTBE<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) | Comments |
|-----------|------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|
|-----------|------|-------------------|-------------------|-----------------------------|----------------------------|-------------------------|----------------|----------------|----------------|----------------|---------------|----------|

**Notes:**

µg/L - micrograms per liter

AP - above packer

B - Compound was found in the blank and sample

BP - below packer

BRL - Below laboratory reporting limits

BTEX - Benzene, toluene, ethylbenzene, and total xylenes

cn - Refer to Case Narrative for further detail

DIPE - di-isopropyl ether

ETBE - ethyl tert butyl ether

F1 - MS and/or MSD recovery exceeds control limits

F2 - MS/MSD RPD exceeds control limits

HS - Composite HydraSleeve

HS-D - deep composite HydraSleeve sampler; set at bottom of open borehole

HS-S - shallow composite HydraSleeve sampler; set at ½ of open borehole

J - Indicates an estimated value

MTBE - methyl tertiary butyl ether

NA - Not analyzed

ND(5.0) - Not detected at or above the laboratory reporting limit, laboratory reporting limit included.

NS - Not sampled

PW - Inactive supply well being used as a monitoring/sampling location

TAME - tert-amyl methyl ether

TBA - tert butyl alcohol

TABLE 4

**Monitoring Well Gauging Data Summary**  
**Inactive Exxon Facility #28077**  
**14528 Jarrettsville Pike**  
**Phoenix, Maryland**

**April 24, 2023 through June 12, 2025**

| Sample ID | Date       | Top of Casing Elevation | Depth to Water (feet) | Depth to Hydro-carbon (feet) | Hydro-carbon Thickness (feet) | Corrected GW Elevation (feet) | Comments |
|-----------|------------|-------------------------|-----------------------|------------------------------|-------------------------------|-------------------------------|----------|
| MW-1      | 04/11/2024 | 586.80                  | 32.41                 | ND                           | ND                            | 554.39                        |          |
|           | 08/26/2024 | 586.80                  | 33.32                 | ND                           | ND                            | 553.48                        |          |
|           | 09/11/2024 | 586.80                  | 33.35                 | ND                           | ND                            | 553.45                        |          |
|           | 10/25/2024 | 586.80                  | 33.94                 | ND                           | ND                            | 552.86                        |          |
|           | 01/29/2025 | 586.80                  | 32.88                 | ND                           | ND                            | 553.92                        |          |
|           | 04/28/2025 | 586.80                  | 33.12                 | ND                           | ND                            | 553.68                        |          |
| MW-2A     | 04/12/2024 | 587.56                  | 29.32                 | ND                           | ND                            | 558.24                        |          |
|           | 08/26/2024 | 587.56                  | 22.60                 | ND                           | ND                            | 564.96                        |          |
|           | 09/11/2024 | 587.56                  | 33.23                 | ND                           | ND                            | 554.33                        |          |
|           | 10/25/2024 | 587.56                  | 32.35                 | ND                           | ND                            | 555.21                        |          |
|           | 02/03/2025 | 587.56                  | 32.66                 | ND                           | ND                            | 554.90                        |          |
|           | 04/23/2025 | 587.56                  | 31.83                 | ND                           | ND                            | 555.73                        |          |
| MW-3      | 04/12/2024 | 590.83                  | 27.79                 | ND                           | ND                            | 563.04                        |          |
|           | 09/11/2024 | 590.83                  | 30.48                 | ND                           | ND                            | 560.35                        |          |
|           | 11/4/2024  | 590.83                  | 32.42                 | ND                           | ND                            | 558.41                        |          |
|           | 02/03/2025 | 590.83                  | 33.18                 | ND                           | ND                            | 557.65                        |          |
|           | 04/28/2025 | 590.83                  | 34.11                 | ND                           | ND                            | 556.72                        |          |
| MW-6      | 04/12/2024 | 589.01                  | 26.46                 | ND                           | ND                            | 562.55                        |          |
|           | 09/11/2024 | 589.01                  | 30.73                 | ND                           | ND                            | 558.28                        |          |
|           | 09/11/2024 | 589.01                  | 30.84                 | ND                           | ND                            | 558.17                        |          |
|           | 11/4/2024  | 589.01                  | 32.43                 | ND                           | ND                            | 556.58                        |          |
|           | 02/03/2025 | 589.01                  | 33.48                 | ND                           | ND                            | 555.53                        |          |
|           | 04/28/2025 | 589.01                  | 33.42                 | ND                           | ND                            | 555.59                        |          |
| MW-12     | 08/26/2024 | 587.90                  | 26.46                 | ND                           | ND                            | 561.44                        |          |
|           | 09/11/2024 | 587.90                  | 26.93                 | ND                           | ND                            | 560.97                        |          |
|           | 02/03/2025 | 587.90                  | 29.83                 | ND                           | ND                            | 558.07                        |          |
| MW-15     | 08/26/2024 | 584.29                  | 25.54                 | ND                           | ND                            | 558.75                        |          |
|           | 09/11/2024 | 584.29                  | 25.85                 | ND                           | ND                            | 558.44                        |          |
|           | 02/03/2025 | 584.29                  | 26.95                 | ND                           | ND                            | 557.34                        |          |
| MW-16R    | 04/11/2024 | 591.89                  | 28.57                 | ND                           | ND                            | 563.32                        |          |
|           | 08/27/2024 | 591.89                  | 35.31                 | ND                           | ND                            | 556.58                        |          |
|           | 09/11/2024 | 591.89                  | 34.17                 | ND                           | ND                            | 557.72                        |          |
|           | 10/25/2024 | 591.89                  | 35.11                 | ND                           | ND                            | 556.78                        |          |
|           | 02/03/2025 | 591.89                  | 36.25                 | ND                           | ND                            | 555.64                        |          |
|           | 04/23/2025 | 591.89                  | 36.30                 | ND                           | ND                            | 555.59                        |          |
| MW-17     | 08/26/2024 | 588.19                  | 33.32                 | ND                           | ND                            | 554.87                        |          |
|           | 09/11/2024 | 588.19                  | 33.90                 | ND                           | ND                            | 554.29                        |          |
|           | 02/03/2025 | 588.19                  | 34.83                 | ND                           | ND                            | 553.36                        |          |
| MW-19     | 04/12/2024 | 587.43                  | 29.28                 | ND                           | ND                            | 558.15                        |          |
|           | 08/26/2024 | 587.43                  | 31.51                 | ND                           | ND                            | 555.92                        |          |
|           | 09/11/2024 | 587.43                  | 31.73                 | ND                           | ND                            | 555.70                        |          |
|           | 11/4/2024  | 587.43                  | 32.65                 | ND                           | ND                            | 554.78                        |          |
|           | 01/29/2025 | 587.43                  | 32.61                 | ND                           | ND                            | 554.82                        |          |
|           | 04/28/2025 | 587.43                  | 32.20                 | ND                           | ND                            | 555.23                        |          |

TABLE 4

**Monitoring Well Gauging Data Summary**  
**Inactive Exxon Facility #28077**  
**14528 Jarrettsville Pike**  
**Phoenix, Maryland**

**April 24, 2023 through June 12, 2025**

| Sample ID    | Date       | Top of Casing Elevation | Depth to Water (feet) | Depth to Hydro-carbon (feet) | Hydro-carbon Thickness (feet) | Corrected GW Elevation (feet) | Comments |
|--------------|------------|-------------------------|-----------------------|------------------------------|-------------------------------|-------------------------------|----------|
| MW-22        | 04/12/2024 | 587.01                  | 28.79                 | ND                           | ND                            | 558.22                        |          |
|              | 08/26/2024 | 587.01                  | 31.15                 | ND                           | ND                            | 555.86                        |          |
|              | 09/11/2024 | 587.01                  | 31.32                 | ND                           | ND                            | 555.69                        |          |
|              | 11/4/2024  | 587.01                  | 31.24                 | ND                           | ND                            | 555.77                        |          |
|              | 01/29/2025 | 587.01                  | 31.02                 | ND                           | ND                            | 555.99                        |          |
|              | 04/28/2025 | 587.01                  | 32.67                 | ND                           | ND                            | 554.34                        |          |
| MW-23        | 08/26/2024 | 585.66                  | 33.76                 | ND                           | ND                            | 551.90                        |          |
|              | 09/11/2024 | 585.66                  | 33.85                 | ND                           | ND                            | 551.81                        |          |
|              | 02/03/2025 | 585.66                  | 33.98                 | ND                           | ND                            | 551.68                        |          |
| MW-27        | 04/04/2024 | 591.78                  | 28.15                 | ND                           | ND                            | 563.63                        |          |
|              | 08/26/2024 | 591.78                  | 30.84                 | ND                           | ND                            | 560.94                        |          |
|              | 08/26/2024 | 591.78                  | 31.18                 | ND                           | ND                            | 560.60                        |          |
|              | 09/11/2024 | 591.78                  | 31.18                 | ND                           | ND                            | 560.60                        |          |
|              | 10/25/2024 | 591.78                  | 31.68                 | ND                           | ND                            | 560.10                        |          |
|              | 02/03/2025 | 591.78                  | 32.55                 | ND                           | ND                            | 559.23                        |          |
|              | 04/29/2025 | 591.78                  | 33.78                 | ND                           | ND                            | 558.00                        |          |
| MW-27B       | 04/11/2024 | 591.87                  | 32.32                 | ND                           | ND                            | 559.55                        |          |
|              | 08/26/2024 | 591.87                  | 35.38                 | ND                           | ND                            | 556.49                        |          |
|              | 09/11/2024 | 591.87                  | 35.34                 | ND                           | ND                            | 556.53                        |          |
|              | 11/26/2024 | 591.87                  | 36.69                 | ND                           | ND                            | 555.18                        |          |
|              | 02/03/2025 | 591.87                  | 37.12                 | ND                           | ND                            | 554.75                        |          |
| MW-27B(HS-D) | 04/28/2025 | NSVD                    | 41.10                 | ND                           | ND                            | NSVD                          |          |
| MW-27B(HS-S) | 04/28/2025 | NSVD                    | 41.10                 | ND                           | ND                            | NSVD                          |          |
| MW-27P       | 08/26/2024 | 592.96                  | 30.84                 | ND                           | ND                            | 562.12                        |          |
| MW-27R       | 04/04/2024 | 592.07                  | 28.55                 | ND                           | ND                            | 563.52                        |          |
|              | 08/26/2024 | 592.07                  | 31.18                 | ND                           | ND                            | 560.89                        |          |
|              | 09/11/2024 | 592.07                  | 32.39                 | ND                           | ND                            | 559.68                        |          |
|              | 10/25/2024 | 592.07                  | 34.81                 | ND                           | ND                            | 557.26                        |          |
|              | 02/03/2025 | 592.07                  | 36.43                 | ND                           | ND                            | 555.64                        |          |
|              | 04/29/2025 | 592.07                  | 36.53                 | ND                           | ND                            | 555.54                        |          |
| MW-36R       | 04/29/2024 | 589.54                  | 33.09                 | ND                           | ND                            | 556.45                        |          |
|              | 08/28/2024 | 589.54                  | 33.21                 | ND                           | ND                            | 556.33                        |          |
|              | 09/11/2024 | 589.54                  | 36.13                 | ND                           | ND                            | 553.41                        |          |
|              | 11/5/2024  | 589.54                  | 36.48                 | ND                           | ND                            | 553.06                        |          |
|              | 01/28/2025 | 589.54                  | 37.90                 | ND                           | ND                            | 551.64                        |          |
|              | 05/06/2025 | 589.54                  | 37.83                 | ND                           | ND                            | 551.71                        |          |
| MW-38        | 04/29/2024 | 594.61                  | 34.18                 | ND                           | ND                            | 560.43                        |          |
|              | 09/11/2024 | 594.61                  | 37.18                 | ND                           | ND                            | 557.43                        |          |
|              | 11/6/2024  | 594.61                  | 38.58                 | ND                           | ND                            | 556.03                        |          |
|              | 01/28/2025 | 594.61                  | 40.78                 | ND                           | ND                            | 553.83                        |          |
|              | 05/02/2025 | 594.61                  | 41.68                 | ND                           | ND                            | 552.93                        |          |

TABLE 4

**Monitoring Well Gauging Data Summary**  
**Inactive Exxon Facility #28077**  
**14528 Jarrettsville Pike**  
**Phoenix, Maryland**

April 24, 2023 through June 12, 2025

| Sample ID   | Date       | Top of Casing Elevation | Depth to Water (feet) | Depth to Hydro-carbon (feet) | Hydro-carbon Thickness (feet) | Corrected GW Elevation (feet) | Comments |
|-------------|------------|-------------------------|-----------------------|------------------------------|-------------------------------|-------------------------------|----------|
| MW-38B      | 04/29/2024 | 596.00                  | 35.41                 | ND                           | ND                            | 560.59                        |          |
|             | 09/11/2024 | 596.00                  | 38.46                 | ND                           | ND                            | 557.54                        |          |
|             | 11/6/2024  | 596.00                  | 39.59                 | ND                           | ND                            | 556.41                        |          |
|             | 01/28/2025 | 596.00                  | 41.85                 | ND                           | ND                            | 554.15                        |          |
|             | 05/06/2025 | 596.00                  | 42.91                 | ND                           | ND                            | 553.09                        |          |
| MW-38C      | 06/11/2024 | 595.49                  | 51.51                 | ND                           | ND                            | 543.98                        |          |
|             | 09/11/2024 | 595.49                  | 44.96                 | ND                           | ND                            | 550.53                        |          |
|             | 11/6/2024  | 595.49                  | 44.37                 | ND                           | ND                            | 551.12                        |          |
| MW-38C(263) | 05/02/2025 | NSVD                    | 45.96                 | ND                           | ND                            | NSVD                          |          |
| MW-38C(298) | 05/02/2025 | NSVD                    | 45.96                 | ND                           | ND                            | NSVD                          |          |
| MW-38C(210) | 01/28/2025 | NSVD                    | 46.13                 | ND                           | ND                            | NSVD                          |          |
|             | 05/02/2025 | NSVD                    | 45.96                 | ND                           | ND                            | NSVD                          |          |
| MW-40       | 04/30/2024 | 558.89                  | 10.32                 | ND                           | ND                            | 548.57                        |          |
|             | 08/30/2024 | 558.89                  | 18.22                 | ND                           | ND                            | 540.67                        |          |
|             | 09/11/2024 | 558.89                  | 19.44                 | ND                           | ND                            | 539.45                        |          |
|             | 11/6/2024  | 558.89                  | 21.20                 | ND                           | ND                            | 537.69                        |          |
|             | 12/13/2024 | 558.89                  | 21.87                 | ND                           | ND                            | 537.02                        |          |
|             | 01/27/2025 | 558.89                  | 21.53                 | ND                           | ND                            | 537.36                        |          |
|             | 02/25/2025 | 558.89                  | 20.15                 | ND                           | ND                            | 538.74                        |          |
|             | 04/03/2025 | 558.89                  | 19.88                 | ND                           | ND                            | 539.01                        |          |
|             | 04/22/2025 | 558.89                  | 19.39                 | ND                           | ND                            | 539.50                        |          |
|             | 05/20/2025 | 558.89                  | 14.05                 | ND                           | ND                            | 544.84                        |          |
|             | 06/10/2025 | 558.89                  | 13.48                 | ND                           | ND                            | 545.41                        |          |
| MW-43A      | 09/11/2024 | 575.95                  | 35.26                 | ND                           | ND                            | 540.69                        |          |
|             | 02/04/2025 | 575.95                  | DRY                   | DRY                          | DRY                           | DRY                           |          |
|             | 02/07/2025 | 575.95                  | DRY                   | DRY                          | DRY                           | DRY                           |          |
|             | 02/24/2025 | 575.95                  | DRY                   | DRY                          | DRY                           | DRY                           |          |
| MW-43B      | 09/11/2024 | 576.94                  | 36.00                 | ND                           | ND                            | 540.94                        |          |
|             | 02/04/2025 | 576.94                  | 38.36                 | ND                           | ND                            | 538.58                        |          |
| MW-45       | 04/29/2024 | 593.71                  | 37.44                 | ND                           | ND                            | 556.27                        |          |
|             | 09/11/2024 | 593.71                  | 39.82                 | ND                           | ND                            | 553.89                        |          |
|             | 11/5/2024  | 593.71                  | 39.35                 | ND                           | ND                            | 554.36                        |          |
|             | 01/28/2025 | 593.71                  | 41.14                 | ND                           | ND                            | 552.57                        |          |
|             | 05/06/2025 | 593.71                  | 39.91                 | ND                           | ND                            | 553.80                        |          |
|             | 06/10/2025 | 593.71                  | 41.95                 | ND                           | ND                            | 551.76                        |          |
| MW-45R      | 04/29/2024 | 593.80                  | 36.91                 | ND                           | ND                            | 556.89                        |          |
|             | 09/11/2024 | 593.80                  | 39.39                 | ND                           | ND                            | 554.41                        |          |
|             | 11/5/2024  | 593.80                  | 39.57                 | ND                           | ND                            | 554.23                        |          |
|             | 12/17/2024 | 593.80                  | 40.44                 | ND                           | ND                            | 553.36                        |          |
|             | 01/29/2025 | 593.80                  | 40.41                 | ND                           | ND                            | 553.39                        |          |
|             | 02/25/2025 | 593.80                  | 40.29                 | ND                           | ND                            | 553.51                        |          |
|             | 04/03/2025 | 593.80                  | 39.77                 | ND                           | ND                            | 554.03                        |          |
|             | 05/07/2025 | 593.80                  | 40.32                 | ND                           | ND                            | 553.48                        |          |

TABLE 4

**Monitoring Well Gauging Data Summary**  
**Inactive Exxon Facility #28077**  
**14528 Jarrettsville Pike**  
**Phoenix, Maryland**

**April 24, 2023 through June 12, 2025**

| Sample ID     | Date       | Top of Casing Elevation | Depth to Water (feet) | Depth to Hydro-carbon (feet) | Hydro-carbon Thickness (feet) | Corrected GW Elevation (feet) | Comments |
|---------------|------------|-------------------------|-----------------------|------------------------------|-------------------------------|-------------------------------|----------|
| MW-47BB       | 09/11/2024 | 587.45                  | 39.32                 | ND                           | ND                            | 548.13                        |          |
|               | 02/04/2025 | 587.45                  | 42.68                 | ND                           | ND                            | 544.77                        |          |
| MW-47C        | 09/11/2024 | 587.18                  | 47.28                 | ND                           | ND                            | 539.90                        |          |
| MW-47C(126)   | 02/09/2024 | NSVD                    | 46.88                 | ND                           | ND                            | NSVD                          |          |
|               | 09/12/2024 | NSVD                    | 47.36                 | ND                           | ND                            | NSVD                          |          |
|               | 11/6/2024  | NSVD                    | 48.31                 | ND                           | ND                            | NSVD                          |          |
|               | 02/04/2025 | NSVD                    | 49.51                 | ND                           | ND                            | NSVD                          |          |
| MW-47C(138.5) | 09/12/2024 | NSVD                    | 47.36                 | ND                           | ND                            | NSVD                          |          |
| MW-47C(190)   | 09/12/2024 | NSVD                    | 47.36                 | ND                           | ND                            | NSVD                          |          |
| MW-47C(212)   | 09/12/2024 | NSVD                    | 47.36                 | ND                           | ND                            | NSVD                          |          |
| MW-47C(287)   | 09/12/2024 | NSVD                    | 47.36                 | ND                           | ND                            | NSVD                          |          |
| MW-50         | 09/11/2024 | 581.85                  | 24.05                 | ND                           | ND                            | 557.80                        |          |
|               | 02/06/2025 | 581.85                  | 25.47                 | ND                           | ND                            | 556.38                        |          |
| MW-50B        | 09/11/2024 | 581.93                  | 29.58                 | ND                           | ND                            | 552.35                        |          |
|               | 02/06/2025 | 581.93                  | 31.09                 | ND                           | ND                            | 550.84                        |          |
| MW-50C(179)   | 09/11/2024 | 581.69                  | 13.59                 | ND                           | ND                            | 568.10                        |          |
|               | 11/6/2024  | 581.69                  | 17.86                 | ND                           | ND                            | 563.83                        |          |
|               | 02/25/2025 | 581.69                  | 5.34                  | ND                           | ND                            | 576.35                        |          |
| MW-50C(240)   | 09/11/2024 | 581.69                  | 13.59                 | ND                           | ND                            | 568.10                        |          |
|               | 11/6/2024  | 581.69                  | 17.86                 | ND                           | ND                            | 563.83                        |          |
|               | 02/25/2025 | 581.69                  | 5.34                  | ND                           | ND                            | 576.35                        |          |
| MW-50C(275)   | 09/11/2024 | 581.69                  | 13.59                 | ND                           | ND                            | 568.10                        |          |
|               | 11/6/2024  | 581.69                  | 17.86                 | ND                           | ND                            | 563.83                        |          |
|               | 02/25/2025 | 581.69                  | 5.34                  | ND                           | ND                            | 576.35                        |          |
| MW-54         | 04/29/2024 | 597.93                  | 35.19                 | ND                           | ND                            | 562.74                        |          |
|               | 08/28/2024 | 597.93                  | 38.78                 | ND                           | ND                            | 559.15                        |          |
|               | 09/11/2024 | 597.93                  | 39.33                 | ND                           | ND                            | 558.60                        |          |
|               | 11/5/2024  | 597.93                  | 39.42                 | ND                           | ND                            | 558.51                        |          |
|               | 01/28/2025 | 597.93                  | 41.34                 | ND                           | ND                            | 556.59                        |          |
|               | 04/22/2025 | 597.93                  | 41.42                 | ND                           | ND                            | 556.51                        |          |
| MW-54B        | 06/18/2024 | 597.55                  | 36.65                 | ND                           | ND                            | 560.90                        |          |
|               | 08/28/2024 | 597.55                  | 38.75                 | ND                           | ND                            | 558.80                        |          |
|               | 09/11/2024 | 597.55                  | 39.02                 | ND                           | ND                            | 558.53                        |          |
|               | 10/29/2024 | 597.55                  | 40.19                 | ND                           | ND                            | 557.36                        |          |
|               | 11/25/2024 | 597.55                  | 40.57                 | ND                           | ND                            | 556.98                        |          |
|               | 01/28/2025 | 597.55                  | 41.54                 | ND                           | ND                            | 556.01                        |          |
|               | 04/22/2025 | 597.55                  | 42.01                 | ND                           | ND                            | 555.54                        |          |
| MW-54C        | 09/11/2024 | 596.53                  | 40.57                 | ND                           | ND                            | 555.96                        |          |
|               | 01/28/2025 | 596.53                  | 45.68                 | ND                           | ND                            | 550.85                        |          |
| MW-54C(HS-S)  | 04/12/2024 | NSVD                    | 21.53                 | ND                           | ND                            | NSVD                          |          |
|               | 08/28/2024 | NSVD                    | 39.21                 | ND                           | ND                            | NSVD                          |          |
|               | 11/5/2024  | 596.53                  | 42.85                 | ND                           | ND                            | 553.68                        |          |
|               | 04/22/2025 | NSVD                    | 45.19                 | ND                           | ND                            | NSVD                          |          |

TABLE 4

**Monitoring Well Gauging Data Summary  
Inactive Exxon Facility #28077  
14528 Jarrettsville Pike  
Phoenix, Maryland**

**April 24, 2023 through June 12, 2025**

| Sample ID       | Date       | Top of Casing Elevation | Depth to Water (feet) | Depth to Hydro-carbon (feet) | Hydro-carbon Thickness (feet) | Corrected GW Elevation (feet) | Comments |
|-----------------|------------|-------------------------|-----------------------|------------------------------|-------------------------------|-------------------------------|----------|
| MW-54C(HS-D)    | 04/12/2024 | NSVD                    | 21.53                 | ND                           | ND                            | NSVD                          |          |
|                 | 11/5/2024  | NSVD                    | 42.85                 | ND                           | ND                            | NSVD                          |          |
|                 | 04/22/2025 | NSVD                    | 45.19                 | ND                           | ND                            | NSVD                          |          |
| MW-56A          | 08/30/2024 | 540.23                  | 16.35                 | ND                           | ND                            | 523.88                        |          |
|                 | 09/11/2024 | 540.23                  | 17.18                 | ND                           | ND                            | 523.05                        |          |
|                 | 01/29/2025 | 540.23                  | 19.23                 | ND                           | ND                            | 521.00                        |          |
| MW-56B          | 08/30/2024 | 540.28                  | 17.05                 | ND                           | ND                            | 523.23                        |          |
|                 | 09/11/2024 | 540.28                  | 17.37                 | ND                           | ND                            | 522.91                        |          |
|                 | 01/29/2025 | 540.28                  | 19.85                 | ND                           | ND                            | 520.43                        |          |
| MW-56C(100-110) | 08/30/2024 | 540.53                  | 16.89                 | ND                           | ND                            | 523.64                        |          |
|                 | 09/11/2024 | 540.53                  | 17.34                 | ND                           | ND                            | 523.19                        |          |
|                 | 09/12/2024 | 540.53                  | 17.48                 | ND                           | ND                            | 523.05                        |          |
|                 | 11/6/2024  | 540.53                  | 19.15                 | ND                           | ND                            | 521.38                        |          |
|                 | 01/29/2025 | 540.53                  | 18.75                 | ND                           | ND                            | 521.78                        |          |
| MW-56C(310-315) | 09/12/2024 | 540.51                  | 17.48                 | ND                           | ND                            | 523.03                        |          |
| MW-56C(320-325) | 09/12/2024 | 540.54                  | 17.48                 | ND                           | ND                            | 523.06                        |          |
| MW-57           | 09/11/2024 | 582.34                  | 30.74                 | ND                           | ND                            | 551.60                        |          |
|                 | 09/12/2024 | 582.34                  | 30.74                 | ND                           | ND                            | 551.60                        |          |
|                 | 02/04/2025 | 582.34                  | 31.53                 | ND                           | ND                            | 550.81                        |          |
| MW-58           | 09/11/2024 | 581.17                  | 31.87                 | ND                           | ND                            | 549.30                        |          |
|                 | 09/12/2024 | 581.17                  | 31.93                 | ND                           | ND                            | 549.24                        |          |
|                 | 02/04/2025 | 581.17                  | 32.75                 | ND                           | ND                            | 548.42                        |          |
| MW-67           | 08/27/2024 | 542.78                  | 8.97                  | ND                           | ND                            | 533.81                        |          |
|                 | 09/11/2024 | 542.78                  | 9.54                  | ND                           | ND                            | 533.24                        |          |
|                 | 01/29/2025 | 542.78                  | 12.12                 | ND                           | ND                            | 530.66                        |          |
| MW-72           | 08/30/2024 | 555.80                  | 16.51                 | ND                           | ND                            | 539.29                        |          |
|                 | 09/11/2024 | 555.80                  | 16.54                 | ND                           | ND                            | 539.26                        |          |
|                 | 01/29/2025 | 555.80                  | 20.38                 | ND                           | ND                            | 535.42                        |          |
| MW-73C          | 09/11/2024 | 599.40                  | 48.87                 | ND                           | ND                            | 550.53                        |          |
| MW-73C(259.5)   | 04/30/2025 | 599.40                  | 47.88                 | ND                           | ND                            | 551.52                        |          |
| MW-73C(210)     | 09/12/2024 | 599.40                  | 48.92                 | ND                           | ND                            | 550.48                        |          |
|                 | 11/26/2024 | 599.40                  | 49.86                 | ND                           | ND                            | 549.54                        |          |
|                 | 01/29/2025 | 599.40                  | 50.32                 | ND                           | ND                            | 549.08                        |          |
|                 | 04/30/2025 | 599.40                  | 47.88                 | ND                           | ND                            | 551.52                        |          |
| MW-73C(298)     | 09/12/2024 | 599.40                  | 48.92                 | ND                           | ND                            | 550.48                        |          |
|                 | 04/30/2025 | 599.40                  | 47.88                 | ND                           | ND                            | 551.52                        |          |
| MW-82B          | 04/30/2024 | NSVD                    | 6.31                  | ND                           | ND                            | NSVD                          |          |
|                 | 08/27/2024 | NSVD                    | 13.65                 | ND                           | ND                            | NSVD                          |          |
|                 | 09/11/2024 | NSVD                    | 14.57                 | ND                           | ND                            | NSVD                          |          |
|                 | 11/26/2024 | NSVD                    | 17.74                 | ND                           | ND                            | NSVD                          |          |
|                 | 02/07/2025 | NSVD                    | 17.66                 | ND                           | ND                            | NSVD                          |          |
| MW-82B(HS-S)    | 05/01/2025 | NSVD                    | 17.17                 | ND                           | ND                            | NSVD                          |          |
|                 | 06/10/2025 | NSVD                    | 14.32                 | ND                           | ND                            | NSVD                          |          |

TABLE 4

**Monitoring Well Gauging Data Summary**  
**Inactive Exxon Facility #28077**  
**14528 Jarrettsville Pike**  
**Phoenix, Maryland**

April 24, 2023 through June 12, 2025

| Sample ID         | Date       | Top of Casing Elevation | Depth to Water (feet) | Depth to Hydro-carbon (feet) | Hydro-carbon Thickness (feet) | Corrected GW Elevation (feet) | Comments |
|-------------------|------------|-------------------------|-----------------------|------------------------------|-------------------------------|-------------------------------|----------|
| MW-82B(HS-D)      | 05/01/2025 | NSVD                    | 17.17                 | ND                           | ND                            | NSVD                          |          |
|                   | 06/10/2025 | NSVD                    | 14.32                 | ND                           | ND                            | NSVD                          |          |
| MW-82D            | 09/11/2024 | 547.12                  | 17.62                 | ND                           | ND                            | 529.50                        |          |
| MW-82D(239.5)     | 02/07/2025 | NSVD                    | 22.11                 | ND                           | ND                            | NSVD                          |          |
| MW-82D(317)       | 05/01/2025 | NSVD                    | 21.08                 | ND                           | ND                            | NSVD                          |          |
| MW-82D(250)       | 05/01/2025 | NSVD                    | 21.08                 | ND                           | ND                            | NSVD                          |          |
| MW-82D(HS-S)      | 04/30/2024 | NSVD                    | 10.55                 | ND                           | ND                            | NSVD                          |          |
|                   | 11/7/2024  | NSVD                    | 19.69                 | ND                           | ND                            | NSVD                          |          |
| MW-82D(378)       | 04/30/2024 | NSVD                    | 10.55                 | ND                           | ND                            | NSVD                          |          |
|                   | 08/27/2024 | NSVD                    | 16.66                 | ND                           | ND                            | NSVD                          |          |
|                   | 02/07/2025 | NSVD                    | 22.11                 | ND                           | ND                            | NSVD                          |          |
|                   | 05/01/2025 | NSVD                    | 21.08                 | ND                           | ND                            | NSVD                          |          |
| MW-82D(HS-M)      | 08/27/2024 | NSVD                    | 16.66                 | ND                           | ND                            | NSVD                          |          |
| MW-85             | 04/30/2024 | 591.65                  | 23.25                 | ND                           | ND                            | 568.40                        |          |
|                   | 09/11/2024 | 591.65                  | 30.34                 | ND                           | ND                            | 561.31                        |          |
|                   | 11/5/2024  | 591.65                  | 33.30                 | ND                           | ND                            | 558.35                        |          |
|                   | 02/26/2025 | 591.65                  | 12.82                 | ND                           | ND                            | 578.83                        |          |
|                   | 05/07/2025 | 591.65                  | 1.00                  | ND                           | ND                            | 590.65                        |          |
| MW-91C            | 04/04/2024 | 586.25                  | 30.21                 | ND                           | ND                            | 556.04                        |          |
|                   | 09/11/2024 | 586.25                  | 39.10                 | ND                           | ND                            | 547.15                        |          |
|                   | 09/12/2024 | 586.25                  | 39.16                 | ND                           | ND                            | 547.09                        |          |
|                   | 11/12/2024 | 586.25                  | 39.66                 | ND                           | ND                            | 546.59                        |          |
| MW-91C(92-102)    | 02/04/2025 | NSVD                    | 39.99                 | ND                           | ND                            | NSVD                          |          |
|                   | 04/30/2025 | NSVD                    | 41.39                 | ND                           | ND                            | NSVD                          |          |
| MW-91C(261-271)   | 04/30/2025 | NSVD                    | 41.39                 | ND                           | ND                            | NSVD                          |          |
| MW-138            | 09/11/2024 | 570.60                  | 30.25                 | ND                           | ND                            | 540.35                        |          |
| MW-138D           | 06/19/2024 | 572.92                  | 27.17                 | ND                           | ND                            | 545.75                        |          |
| MW-138D (95-100)  | 11/26/2024 | 572.92                  | 32.52                 | ND                           | ND                            | 540.40                        |          |
|                   | 02/07/2025 | 572.92                  | 33.52                 | ND                           | ND                            | 539.40                        |          |
|                   | 05/01/2025 | 572.92                  | 33.78                 | ND                           | ND                            | 539.14                        |          |
| MW-138D (115-120) | 05/01/2025 | NSVD                    | 33.78                 | ND                           | ND                            | NSVD                          |          |
| MW-138D (120-125) | 09/12/2024 | 572.92                  | 30.29                 | ND                           | ND                            | 542.63                        |          |
| MW-138D (151-156) | 05/01/2025 | 572.92                  | 33.78                 | ND                           | ND                            | 539.14                        |          |
| MW-138D (217-222) | 09/12/2024 | 572.92                  | 30.29                 | ND                           | ND                            | 542.63                        |          |
| MW-138D (230-235) | 05/01/2025 | NSVD                    | 33.78                 | ND                           | ND                            | NSVD                          |          |
| MW-138D (332-337) | 09/12/2024 | 572.92                  | 30.29                 | ND                           | ND                            | 542.63                        |          |
| MW-139            | 04/11/2024 | 592.43                  | 33.24                 | ND                           | ND                            | 559.19                        |          |
|                   | 08/27/2024 | 592.43                  | 35.71                 | ND                           | ND                            | 556.72                        |          |
|                   | 09/11/2024 | 592.43                  | 36.17                 | ND                           | ND                            | 556.26                        |          |
|                   | 10/25/2024 | 592.43                  | 36.41                 | ND                           | ND                            | 556.02                        |          |
|                   | 02/03/2025 | 592.43                  | 36.81                 | ND                           | ND                            | 555.62                        |          |
|                   | 04/28/2025 | 592.43                  | 37.78                 | ND                           | ND                            | 554.65                        |          |
| MW-146            | 09/11/2024 | 601.84                  | 36.81                 | ND                           | ND                            | 565.03                        |          |
|                   | 02/06/2025 | 601.84                  | 36.61                 | ND                           | ND                            | 565.23                        |          |

TABLE 4

**Monitoring Well Gauging Data Summary**  
**Inactive Exxon Facility #28077**  
**14528 Jarrettsville Pike**  
**Phoenix, Maryland**

**April 24, 2023 through June 12, 2025**

| Sample ID       | Date       | Top of Casing Elevation | Depth to Water (feet) | Depth to Hydro-carbon (feet) | Hydro-carbon Thickness (feet) | Corrected GW Elevation (feet) | Comments |
|-----------------|------------|-------------------------|-----------------------|------------------------------|-------------------------------|-------------------------------|----------|
| MW-146B         | 09/11/2024 | 601.23                  | 22.94                 | ND                           | ND                            | 578.29                        |          |
|                 | 02/24/2025 | 601.23                  | 11.86                 | ND                           | ND                            | 589.37                        |          |
| MW-146C(HS-S)   | 09/11/2024 | NSVD                    | 56.32                 | ND                           | ND                            | NSVD                          |          |
|                 | 11/6/2024  | NSVD                    | 59.72                 | ND                           | ND                            | NSVD                          |          |
|                 | 02/06/2025 | NSVD                    | 63.25                 | ND                           | ND                            | NSVD                          |          |
| MW-146C(HS-D)   | 09/11/2024 | NSVD                    | 56.32                 | ND                           | ND                            | NSVD                          |          |
| MW-166C         | 09/11/2024 | 597.68                  | 54.11                 | ND                           | ND                            | 543.57                        |          |
|                 | 11/26/2024 | 597.68                  | 61.92                 | ND                           | ND                            | 535.76                        |          |
|                 | 01/28/2025 | 597.68                  | 61.34                 | ND                           | ND                            | 536.34                        |          |
| MW-168          | 06/11/2024 | 581.78                  | 33.43                 | ND                           | ND                            | 548.35                        |          |
|                 | 09/11/2024 | 581.78                  | 35.93                 | ND                           | ND                            | 545.85                        |          |
| MW-168(67)      | 04/11/2024 | NSVD                    | 32.55                 | ND                           | ND                            | NSVD                          |          |
|                 | 09/12/2024 | NSVD                    | 36.04                 | ND                           | ND                            | NSVD                          |          |
|                 | 11/5/2024  | NSVD                    | 36.14                 | ND                           | ND                            | NSVD                          |          |
|                 | 02/07/2025 | NSVD                    | 41.29                 | ND                           | ND                            | NSVD                          |          |
|                 | 04/30/2025 | NSVD                    | 36.10                 | ND                           | ND                            | NSVD                          |          |
| MW-168(75)      | 11/5/2024  | NSVD                    | 36.14                 | ND                           | ND                            | NSVD                          |          |
|                 | 04/30/2025 | NSVD                    | 36.10                 | ND                           | ND                            | NSVD                          |          |
| MW-168(87)      | 11/5/2024  | NSVD                    | 36.14                 | ND                           | ND                            | NSVD                          |          |
|                 | 04/30/2025 | NSVD                    | 36.10                 | ND                           | ND                            | NSVD                          |          |
| MW-168(115)     | 11/5/2024  | NSVD                    | 36.14                 | ND                           | ND                            | NSVD                          |          |
|                 | 04/30/2025 | NSVD                    | 36.10                 | ND                           | ND                            | NSVD                          |          |
| MW-168(235)     | 11/5/2024  | NSVD                    | 36.14                 | ND                           | ND                            | NSVD                          |          |
|                 | 04/30/2025 | NSVD                    | 36.10                 | ND                           | ND                            | NSVD                          |          |
| MW-171          | 09/11/2024 | 581.77                  | 33.45                 | ND                           | ND                            | 548.32                        |          |
|                 | 09/12/2024 | 581.77                  | 33.50                 | ND                           | ND                            | 548.27                        |          |
|                 | 02/04/2025 | 581.77                  | 34.45                 | ND                           | ND                            | 547.32                        |          |
| MW-173C         | 04/11/2024 | 590.06                  | 44.21                 | ND                           | ND                            | 545.85                        |          |
| MW-176          | 09/11/2024 | 582.88                  | 36.12                 | ND                           | ND                            | 546.76                        |          |
|                 | 09/12/2024 | 582.88                  | 36.26                 | ND                           | ND                            | 546.62                        |          |
|                 | 11/12/2024 | 582.88                  | 39.10                 | ND                           | ND                            | 543.78                        |          |
| MW-176(182-192) | 02/07/2025 | NSVD                    | 40.55                 | ND                           | ND                            | NSVD                          |          |
| MW-177          | 09/11/2024 | 581.48                  | 36.28                 | ND                           | ND                            | 545.20                        |          |
|                 | 09/12/2024 | 581.48                  | 36.31                 | ND                           | ND                            | 545.17                        |          |
|                 | 02/07/2025 | 581.48                  | 37.81                 | ND                           | ND                            | 543.67                        |          |
| MW-177(HS-S)    | 11/7/2024  | NSVD                    | 37.54                 | ND                           | ND                            | NSVD                          |          |
| MW-178B         | 08/28/2024 | 592.42                  | 35.19                 | ND                           | ND                            | 557.23                        |          |
|                 | 09/11/2024 | 592.42                  | 35.60                 | ND                           | ND                            | 556.82                        |          |
|                 | 02/04/2025 | 592.42                  | 38.69                 | ND                           | ND                            | 553.73                        |          |
| MW-178C         | 05/29/2024 | 592.58                  | 43.47                 | ND                           | ND                            | 549.11                        |          |
|                 | 08/28/2024 | 592.58                  | 45.63                 | ND                           | ND                            | 546.95                        |          |
|                 | 09/11/2024 | 592.58                  | 47.96                 | ND                           | ND                            | 544.62                        |          |
|                 | 11/26/2024 | 592.58                  | 47.56                 | ND                           | ND                            | 545.02                        |          |

TABLE 4

**Monitoring Well Gauging Data Summary**  
**Inactive Exxon Facility #28077**  
**14528 Jarrettsville Pike**  
**Phoenix, Maryland**

**April 24, 2023 through June 12, 2025**

| Sample ID     | Date       | Top of Casing Elevation | Depth to Water (feet) | Depth to Hydro-carbon (feet) | Hydro-carbon Thickness (feet) | Corrected GW Elevation (feet) | Comments |
|---------------|------------|-------------------------|-----------------------|------------------------------|-------------------------------|-------------------------------|----------|
| MW-178C(146)  | 02/07/2025 | NSVD                    | 48.13                 | ND                           | ND                            | NSVD                          |          |
|               | 04/30/2025 | NSVD                    | 48.43                 | ND                           | ND                            | NSVD                          |          |
| MW-178C(168)  | 04/30/2025 | NSVD                    | 48.43                 | ND                           | ND                            | NSVD                          |          |
| MW-178C(212)  | 04/30/2025 | NSVD                    | 48.43                 | ND                           | ND                            | NSVD                          |          |
| MW-178C(300)  | 04/30/2025 | NSVD                    | 48.43                 | ND                           | ND                            | NSVD                          |          |
| MW-179C       | 09/11/2024 | 587.04                  | 35.40                 | ND                           | ND                            | 551.64                        |          |
| MW-179C(HS-S) | 11/5/2024  | 587.04                  | 35.91                 | ND                           | ND                            | 551.13                        |          |
| MW-179C(HS-D) | 08/28/2024 | NSVD                    | 34.04                 | ND                           | ND                            | NSVD                          |          |
|               | 11/5/2024  | NSVD                    | 35.91                 | ND                           | ND                            | NSVD                          |          |
|               | 02/04/2025 | NSVD                    | 36.11                 | ND                           | ND                            | NSVD                          |          |
| MW-181A       | 04/30/2024 | 594.45                  | 35.26                 | ND                           | ND                            | 559.19                        |          |
|               | 08/28/2024 | 594.45                  | 37.00                 | ND                           | ND                            | 557.45                        |          |
|               | 09/11/2024 | 594.45                  | 37.16                 | ND                           | ND                            | 557.29                        |          |
|               | 11/5/2024  | 594.45                  | 37.18                 | ND                           | ND                            | 557.27                        |          |
|               | 02/25/2025 | 594.45                  | 37.39                 | ND                           | ND                            | 557.06                        |          |
|               | 05/07/2025 | 594.45                  | 37.43                 | ND                           | ND                            | 557.02                        |          |
| MW-181B       | 08/28/2024 | 594.19                  | 39.18                 | ND                           | ND                            | 555.01                        |          |
|               | 09/11/2024 | 594.19                  | 39.62                 | ND                           | ND                            | 554.57                        |          |
|               | 02/25/2025 | 594.19                  | 39.75                 | ND                           | ND                            | 554.44                        |          |
| MW-181C       | 09/11/2024 | 594.48                  | 40.01                 | ND                           | ND                            | 554.47                        |          |
| MW-181C(215)  | 08/28/2024 | NSVD                    | 39.37                 | ND                           | ND                            | NSVD                          |          |
|               | 11/5/2024  | NSVD                    | 41.92                 | ND                           | ND                            | NSVD                          |          |
|               | 02/25/2025 | NSVD                    | 43.28                 | ND                           | ND                            | NSVD                          |          |
|               | 04/23/2025 | NSVD                    | 43.72                 | ND                           | ND                            | NSVD                          |          |
| MW-182        | 09/11/2024 | 590.84                  | 43.80                 | ND                           | ND                            | 547.04                        |          |
|               | 02/04/2025 | 590.84                  | 44.68                 | ND                           | ND                            | 546.16                        |          |
| MW-182(HS-S)  | 11/7/2024  | NSVD                    | 44.16                 | ND                           | ND                            | NSVD                          |          |
| MW-182(HS-D)  | 08/28/2024 | NSVD                    | 38.97                 | ND                           | ND                            | NSVD                          |          |
| MW-183        | 04/12/2024 | 590.47                  | 39.64                 | ND                           | ND                            | 550.83                        |          |
|               | 08/28/2024 | 590.47                  | 44.15                 | ND                           | ND                            | 546.32                        |          |
|               | 09/11/2024 | 590.47                  | 44.75                 | ND                           | ND                            | 545.72                        |          |
|               | 12/12/2024 | 590.47                  | 45.41                 | ND                           | ND                            | 545.06                        |          |
|               | 02/04/2025 | 590.47                  | 46.33                 | ND                           | ND                            | 544.14                        |          |
|               | 05/01/2025 | 590.47                  | 46.94                 | ND                           | ND                            | 543.53                        |          |
| MW-184        | 08/28/2024 | 588.44                  | 39.95                 | ND                           | ND                            | 548.49                        |          |
|               | 09/11/2024 | 588.44                  | 40.73                 | ND                           | ND                            | 547.71                        |          |
|               | 11/12/2024 | 588.44                  | 41.25                 | ND                           | ND                            | 547.19                        |          |
| MW-184(187)   | 02/04/2025 | NSVD                    | 41.55                 | ND                           | ND                            | NSVD                          |          |

TABLE 4

**Monitoring Well Gauging Data Summary**  
**Inactive Exxon Facility #28077**  
**14528 Jarrettsville Pike**  
**Phoenix, Maryland**

**April 24, 2023 through June 12, 2025**

| Sample ID     | Date       | Top of Casing Elevation | Depth to Water (feet) | Depth to Hydro-carbon (feet) | Hydro-carbon Thickness (feet) | Corrected GW Elevation (feet) | Comments     |
|---------------|------------|-------------------------|-----------------------|------------------------------|-------------------------------|-------------------------------|--------------|
| MW-187A       | 04/26/2024 | 595.60                  | 33.89                 | ND                           | ND                            | 561.71                        |              |
|               | 07/24/2024 | 595.60                  | 35.47                 | ND                           | ND                            | 560.13                        |              |
|               | 09/11/2024 | 595.60                  | 36.33                 | ND                           | ND                            | 559.27                        |              |
|               | 10/29/2024 | 595.60                  | 36.92                 | ND                           | ND                            | 558.68                        |              |
|               | 11/25/2024 | 595.60                  | 37.35                 | ND                           | ND                            | 558.25                        |              |
|               | 12/17/2024 | 595.60                  | 37.56                 | ND                           | ND                            | 558.04                        |              |
|               | 01/27/2025 | 595.60                  | 37.89                 | ND                           | ND                            | 557.71                        |              |
|               | 02/26/2025 | 595.60                  | 38.02                 | ND                           | ND                            | 557.58                        |              |
|               | 04/22/2025 | 595.60                  | 38.61                 | ND                           | ND                            | 556.99                        |              |
|               | 05/20/2025 | 595.60                  | 38.71                 | ND                           | ND                            | 556.89                        |              |
|               | 06/12/2025 | 595.60                  | 38.41                 | ND                           | ND                            | 557.19                        |              |
| MW-187B       | 04/26/2024 | 597.05                  | 36.78                 | ND                           | ND                            | 560.27                        |              |
|               | 05/29/2024 | 597.05                  | 37.03                 | ND                           | ND                            | 560.02                        |              |
|               | 06/28/2024 | 597.05                  | 38.18                 | ND                           | ND                            | 558.87                        |              |
|               | 07/24/2024 | 597.05                  | 38.65                 | ND                           | ND                            | 558.40                        |              |
|               | 08/28/2024 | 597.05                  | 39.22                 | ND                           | ND                            | 557.83                        |              |
|               | 09/11/2024 | 597.05                  | 39.76                 | ND                           | ND                            | 557.29                        |              |
|               | 09/23/2024 | 597.05                  | 39.79                 | ND                           | ND                            | 557.26                        |              |
|               | 10/29/2024 | 597.05                  | 40.11                 | ND                           | ND                            | 556.94                        |              |
|               | 11/25/2024 | 597.05                  | 40.68                 | ND                           | ND                            | 556.37                        |              |
|               | 12/17/2024 | 597.05                  | 40.95                 | ND                           | ND                            | 556.10                        |              |
|               | 01/27/2025 | 597.05                  | 41.26                 | ND                           | ND                            | 555.79                        |              |
|               | 02/26/2025 | 597.05                  | 41.40                 | ND                           | ND                            | 555.65                        |              |
|               | 04/02/2025 | 597.05                  | 41.77                 | ND                           | ND                            | 555.28                        |              |
|               | 04/23/2025 | 597.05                  | 42.14                 | ND                           | ND                            | 554.91                        |              |
|               | 05/20/2025 | 597.05                  | 42.15                 | ND                           | ND                            | 554.90                        |              |
|               | 06/12/2025 | 597.05                  | 41.50                 | ND                           | ND                            | 555.55                        |              |
| MW-187C       | 09/11/2024 | 595.53                  | 43.77                 | ND                           | ND                            | 551.76                        |              |
|               | 01/27/2025 | 595.53                  | 45.86                 | ND                           | ND                            | 549.67                        |              |
| MW-187C(HS-S) | 04/26/2024 | NSVD                    | 43.59                 | ND                           | ND                            | NSVD                          |              |
|               | 08/28/2024 | 597.93                  | 42.97                 | ND                           | ND                            | 554.96                        |              |
|               | 11/25/2024 | NSVD                    | NM                    | ND                           | ND                            | NSVD                          |              |
|               | 04/22/2025 | 595.60                  | 46.55                 | ND                           | ND                            | 549.05                        |              |
| MW-187C(HS-D) | 04/26/2024 | NSVD                    | 43.59                 | ND                           | ND                            | NSVD                          |              |
|               | 11/25/2024 | NSVD                    | NM                    | ND                           | ND                            | NSVD                          |              |
|               | 04/22/2025 | NSVD                    | 46.55                 | ND                           | ND                            | NSVD                          |              |
| MW-188D       | 09/11/2024 | 604.20                  | 49.68                 | ND                           | ND                            | 554.52                        |              |
| MW-188D(HS-D) | 04/29/2024 | NSVD                    | 42.69                 | ND                           | ND                            | NSVD                          |              |
|               | 11/5/2024  | 604.20                  | 49.21                 | ND                           | ND                            | 554.99                        |              |
|               | 04/23/2025 | NSVD                    | NM                    | NM                           | NM                            | NM                            | Not measured |
| MW-188D(HS-S) | 04/29/2024 | NSVD                    | 42.69                 | ND                           | ND                            | NSVD                          |              |
|               | 11/5/2024  | NSVD                    | 49.21                 | ND                           | ND                            | NSVD                          |              |
|               | 01/29/2025 | NSVD                    | 50.94                 | ND                           | ND                            | NSVD                          |              |
|               | 04/23/2025 | NSVD                    | 51.45                 | ND                           | ND                            | NSVD                          |              |

TABLE 4

**Monitoring Well Gauging Data Summary**  
**Inactive Exxon Facility #28077**  
**14528 Jarrettsville Pike**  
**Phoenix, Maryland**

April 24, 2023 through June 12, 2025

| Sample ID      | Date       | Top of Casing Elevation | Depth to Water (feet) | Depth to Hydro-carbon (feet) | Hydro-carbon Thickness (feet) | Corrected GW Elevation (feet) | Comments     |
|----------------|------------|-------------------------|-----------------------|------------------------------|-------------------------------|-------------------------------|--------------|
| MW-189D        | 04/30/2024 | 537.10                  | 3.75                  | ND                           | ND                            | 533.35                        |              |
|                | 09/11/2024 | 537.10                  | 6.83                  | ND                           | ND                            | 530.27                        |              |
| MW-189D(79)    | 08/27/2024 | 537.10                  | 6.44                  | ND                           | ND                            | 530.66                        |              |
|                | 11/26/2024 | 537.10                  | 7.88                  | ND                           | ND                            | 529.22                        |              |
|                | 02/24/2025 | 537.10                  | 7.88                  | ND                           | ND                            | 529.22                        |              |
|                | 05/01/2025 | 537.10                  | 8.20                  | ND                           | ND                            | 528.90                        |              |
| MW-189D(122)   | 05/01/2025 | 537.10                  | 8.20                  | ND                           | ND                            | 528.90                        |              |
| MW-189D(161)   | 05/01/2025 | 537.10                  | 8.20                  | ND                           | ND                            | 528.90                        |              |
| MW-189D(216)   | 05/01/2025 | 537.10                  | 8.20                  | ND                           | ND                            | 528.90                        |              |
| MW-189D(278)   | 05/01/2025 | 537.10                  | 8.20                  | ND                           | ND                            | 528.90                        |              |
| MW-189D(315)   | 05/01/2025 | 537.10                  | 8.20                  | ND                           | ND                            | 528.90                        |              |
| MW-189D(374)   | 05/01/2025 | 537.10                  | 8.20                  | ND                           | ND                            | 528.90                        |              |
| PW-3501        | 08/28/2024 | 593.05                  | 40.89                 | ND                           | ND                            | 552.16                        |              |
|                | 09/11/2024 | 593.05                  | 41.36                 | ND                           | ND                            | 551.69                        |              |
| PW-3501(HS-D)  | 11/26/2024 | NSVD                    | 43.10                 | ND                           | ND                            | NSVD                          |              |
| PW-3501(HS-S)  | 01/28/2025 | NSVD                    | 41.11                 | ND                           | ND                            | NSVD                          |              |
| PW-14311       | 04/12/2024 | 604.08                  | 36.26                 | ND                           | ND                            | 567.82                        |              |
|                | 09/11/2024 | 604.08                  | 46.44                 | ND                           | ND                            | 557.64                        |              |
|                | 01/27/2025 | 604.08                  | 46.86                 | ND                           | ND                            | 557.22                        |              |
| PW-14311(HS-D) | 04/23/2025 | NSVD                    | 46.78                 | ND                           | ND                            | NSVD                          |              |
| PW-14311(HS-S) | 04/23/2025 | NSVD                    | NM                    | NM                           | NM                            | NM                            | Not measured |
| PW-14311(280)  | 11/25/2024 | NSVD                    | 47.26                 | ND                           | ND                            | NSVD                          |              |
| SVE-1          | 04/04/2024 | 592.05                  | 32.19                 | ND                           | ND                            | 559.86                        |              |
|                | 08/26/2024 | 592.05                  | 34.57                 | ND                           | ND                            | 557.48                        |              |
|                | 09/11/2024 | 592.05                  | 34.78                 | ND                           | ND                            | 557.27                        |              |
|                | 10/25/2024 | 592.05                  | 35.31                 | ND                           | ND                            | 556.74                        |              |
|                | 02/03/2025 | 592.05                  | 36.41                 | ND                           | ND                            | 555.64                        |              |
|                | 04/29/2025 | 592.05                  | 36.46                 | ND                           | ND                            | 555.59                        |              |
| SVE-2          | 08/27/2024 | 588.75                  | 30.98                 | ND                           | ND                            | 557.77                        |              |
|                | 09/11/2024 | 588.75                  | 32.17                 | ND                           | ND                            | 556.58                        |              |
|                | 02/03/2025 | 588.75                  | 33.66                 | ND                           | ND                            | 555.09                        |              |
| SVE-3          | 09/11/2024 | 589.28                  | 35.22                 | ND                           | ND                            | 554.06                        |              |
|                | 09/11/2024 | 589.28                  | 34.48                 | ND                           | ND                            | 554.80                        |              |
|                | 02/03/2025 | 589.28                  | 34.96                 | ND                           | ND                            | 554.32                        |              |

## Notes:

GW - Groundwater

LPH - Liquid-phase hydrocarbon

N/A - Not applicable

ND - Not detected

NM - Not measured

NM - not monitored

NSVD - Not surveyed to vertical datum

Table 5 - Private Supply Well Analytical Table - Five Quarters

Inactive Exxon Facility #28077  
14258 Jarrettsville Pike  
Phoenix, MD

| Map/Parcel/Lot | Address                    | Sample Date | POET<br>Sample<br>Point | MTBE<br>(µg/L) | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-Benzene<br>(µg/L) | Total Xylenes<br>(µg/L) | Naph-thalene<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) |
|----------------|----------------------------|-------------|-------------------------|----------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|----------------|----------------|----------------|---------------|
| M35P356L24     | 3503 Hampshire Glen Court  | 9/12/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P356L24     | 3503 Hampshire Glen Court  | 12/16/2024  |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P356L24     | 3503 Hampshire Glen Court  | 3/25/2025   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P356L03     | 3504 Hampshire Glen Court  | 6/21/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P356L03     | 3504 Hampshire Glen Court  | 9/12/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P356L03     | 3504 Hampshire Glen Court  | 12/16/2024  |                         | 0.10 J         | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P356L03     | 3504 Hampshire Glen Court  | 3/20/2025   |                         | 0.11 J         | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P356L23     | 3505 Hampshire Glen Court  | 6/21/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P356L23     | 3505 Hampshire Glen Court  | 12/18/2024  |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P356L23     | 3505 Hampshire Glen Court  | 3/26/2025   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P356L04     | 3506 Hampshire Glen Court  | 6/24/2024   |                         | 0.19 J         | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P356L04     | 3506 Hampshire Glen Court  | 9/24/2024   |                         | 0.19 J         | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P356L04     | 3506 Hampshire Glen Court  | 12/16/2024  |                         | 0.18 J         | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P356L04     | 3506 Hampshire Glen Court  | 2/7/2025    |                         | 0.24 J         | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P356L04     | 3506 Hampshire Glen Court  | 6/2/2025    |                         | 0.24 J         | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P356L05     | 3508 Hampshire Glen Court  | 6/24/2024   |                         | ND(0.50)       | ND(0.50)          | 0.14 J            | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P356L05     | 3508 Hampshire Glen Court  | 3/25/2025   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P278L02H    | 3510 Hampshire Glen Court  | 6/21/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P278L02H    | 3510 Hampshire Glen Court  | 12/16/2024  |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P278L02H    | 3510 Hampshire Glen Court  | 3/25/2025   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P356L06     | 3600 Hampshire Glen Court  | 6/24/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P356L06     | 3600 Hampshire Glen Court  | 12/16/2024  |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P356L06     | 3600 Hampshire Glen Court  | 3/18/2025   |                         | ND(0.50) U cn  | 0.14 J cn         | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | ND(0.50) U cn  | ND(0.50) U cn  | ND(25) U cn   |
| M35P356L11     | 3606 Hampshire Glen Court  | 6/24/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P356L11     | 3606 Hampshire Glen Court  | 12/16/2024  |                         | ND(0.50) U cn  | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | ND(0.50) U cn  | ND(0.50) U cn  | 51 cn         |
| M35P356L11     | 3606 Hampshire Glen Court  | 3/20/2025   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P356L20     | 14355 Hampshire Knob Drive | 6/25/2024   |                         | ND(0.50) U cn  | ND(0.50) U cn     | 0.13 J cn         | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | ND(0.50) U cn  | ND(0.50) U cn  | 14 J cn       |
| M35P356L20     | 14355 Hampshire Knob Drive | 12/18/2024  |                         | ND(0.50)       | ND(0.50)          | 0.15 J            | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | 24 J          |
| M35P356L20     | 14355 Hampshire Knob Drive | 3/18/2025   |                         | ND(0.50)       | ND(0.50)          | 0.13 J            | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | 15 J          |
| M35P210LNA     | 14232 Jarrettsville Pike   | 6/18/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P210LNA     | 14232 Jarrettsville Pike   | 12/9/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P210LNA     | 14232 Jarrettsville Pike   | 3/17/2025   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P182LNA01   | 14240 Jarrettsville Pike   | 6/18/2024   |                         | 0.22 J         | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P182LNA01   | 14240 Jarrettsville Pike   | 12/9/2024   |                         | 0.23 J         | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P182LNA01   | 14240 Jarrettsville Pike   | 6/2/2025    |                         | 0.24 J         | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |

Table 5 - Private Supply Well Analytical Table - Five Quarters

Inactive Exxon Facility #28077  
14258 Jarrettsville Pike  
Phoenix, MD

| Map/Parcel/Lot | Address                  | Sample Date | POET<br>Sample<br>Point | MTBE<br>(µg/L) | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-Benzene<br>(µg/L) | Total Xylenes<br>(µg/L) | Naph-thalene<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) |
|----------------|--------------------------|-------------|-------------------------|----------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|----------------|----------------|----------------|---------------|
| M35P183LNA     | 14242 Jarrettsville Pike | 6/19/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P183LNA     | 14242 Jarrettsville Pike | 9/24/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P183LNA     | 14242 Jarrettsville Pike | 12/13/2024  |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P183LNA     | 14242 Jarrettsville Pike | 2/6/2025    |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P217LNA     | 14243 Jarrettsville Pike | 6/18/2024   | PIO                     | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P217LNA     | 14243 Jarrettsville Pike | 12/9/2024   | PIO                     | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P217LNA     | 14243 Jarrettsville Pike | 3/17/2025   | PIO                     | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P185LNA     | 14258 Jarrettsville Pike | 6/6/2024    |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P185LNA     | 14258 Jarrettsville Pike | 8/28/2024   |                         | ND(0.50) U cn  | ND(0.50) U cn     | 8.8 cn            | ND(0.50) U cn           | 0.35 J cn               | ND(0.50) U cn          | ND(0.50) U cn  | ND(0.50) U cn  | ND(0.50) U cn  | ND(25) U cn   |
| M35P185LNA     | 14258 Jarrettsville Pike | 8/29/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P185LNA     | 14258 Jarrettsville Pike | 12/9/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P185LNA     | 14258 Jarrettsville Pike | 2/3/2025    |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P185LNA     | 14258 Jarrettsville Pike | 3/7/2025    |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25) U *+   |
| M35P031LNA     | 14301 Jarrettsville Pike | 6/18/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P031LNA     | 14301 Jarrettsville Pike | 9/12/2024   |                         | 0.12 J cn      | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | ND(0.50) U cn  | ND(0.50) U cn  | ND(25) U cn   |
| M35P031LNA     | 14301 Jarrettsville Pike | 12/9/2024   |                         | 0.28 J         | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P031LNA     | 14301 Jarrettsville Pike | 2/6/2025    |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P151LNA     | 14307 Jarrettsville Pike | 6/11/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P151LNA     | 14307 Jarrettsville Pike | 9/9/2024    |                         | 0.17 J         | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P151LNA     | 14307 Jarrettsville Pike | 12/9/2024   |                         | 0.48 J         | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P151LNA     | 14307 Jarrettsville Pike | 2/6/2025    |                         | 0.48 J         | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P151LNA     | 14307 Jarrettsville Pike | 6/2/2025    |                         | 0.37 J         | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P152L01     | 14315 Jarrettsville Pike | 6/21/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P152L01     | 14315 Jarrettsville Pike | 9/24/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P152L01     | 14315 Jarrettsville Pike | 12/13/2024  |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P152L01     | 14315 Jarrettsville Pike | 2/6/2025    |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P310L08     | 3235 Paper Mill Road     | 6/24/2024   |                         | ND(0.50)       | ND(0.50)          | 0.12 J            | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | 14 J          |
| M35P310L08     | 3235 Paper Mill Road     | 12/18/2024  |                         | ND(0.50)       | ND(0.50)          | 0.24 J            | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | 24 J          |
| M35P310L08     | 3235 Paper Mill Road     | 3/25/2025   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | 5.6 J         |
| M35P054LNA     | 3313 Paper Mill Road     | 6/21/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P054LNA     | 3313 Paper Mill Road     | 9/25/2024   |                         | 2.4 cn         | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | ND(0.50) U cn  | ND(0.50) U cn  | ND(25) U cn   |
| M35P054LNA     | 3313 Paper Mill Road     | 12/13/2024  |                         | 2.8 cn         | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | ND(0.50) U cn  | ND(0.50) U cn  | ND(25) U cn   |
| M35P054LNA     | 3313 Paper Mill Road     | 2/18/2025   |                         | 3.6            | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P123LNAP    | 3320 Paper Mill Road     | 6/28/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P123LNAP    | 3320 Paper Mill Road     | 12/16/2024  |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P123LNAP    | 3320 Paper Mill Road     | 3/18/2025   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |

Table 5 - Private Supply Well Analytical Table - Five Quarters

Inactive Exxon Facility #28077  
14258 Jarrettsville Pike  
Phoenix, MD

| Map/Parcel/Lot | Address                | Sample Date | POET<br>Sample<br>Point | MTBE<br>(µg/L) | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-Benzene<br>(µg/L) | Total Xylenes<br>(µg/L) | Naph-thalene<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) |
|----------------|------------------------|-------------|-------------------------|----------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|----------------|----------------|----------------|---------------|
| M35P386LNA     | 14102 Robcaste Road    | 6/24/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P386LNA     | 14102 Robcaste Road    | 12/13/2024  |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P386LNA     | 14102 Robcaste Road    | 3/17/2025   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P322L05     | 14217 Robcaste Road    | 6/25/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P322L05     | 14217 Robcaste Road    | 9/24/2024   |                         | 0.71 cn        | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | ND(0.50) U cn  | ND(0.50) U cn  | ND(25) U cn   |
| M35P322L05     | 14217 Robcaste Road    | 12/16/2024  |                         | 2.8 cn         | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | ND(0.50) U cn  | ND(0.50) U cn  | 13 J cn       |
| M35P322L05     | 14217 Robcaste Road    | 2/17/2025   |                         | 3.4 cn         | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | ND(0.50) U cn  | ND(0.50) U cn  | ND(25) U cn   |
| M35P322L02     | 14223 Robcaste Road    | 6/19/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P322L02     | 14223 Robcaste Road    | 9/24/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P322L02     | 14223 Robcaste Road    | 12/16/2024  |                         | ND(0.50) U cn  | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | ND(0.50) U cn  | ND(0.50) U cn  | ND(25) U cn   |
| M35P322L02     | 14223 Robcaste Road    | 2/7/2025    |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P221L01     | 3605A Southside Avenue | 6/28/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P221L01     | 3605A Southside Avenue | 12/13/2024  |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P221L02     | 3605B Southside Avenue | 12/18/2024  |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P221L02     | 3605B Southside Avenue | 3/24/2025   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P221L03     | 3605C Southside Avenue | 6/21/2024   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P221L03     | 3605C Southside Avenue | 12/18/2024  |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M35P221L03     | 3605C Southside Avenue | 3/26/2025   |                         | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 4/3/2024    | PE                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 4/3/2024    | PI                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 4/3/2024    | PM                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 5/9/2024    | PE                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 5/9/2024    | PI                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 5/9/2024    | PM                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 6/5/2024    | PE                      | 0.18 J         | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 6/5/2024    | PI                      | 0.98           | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 6/5/2024    | PM                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 7/8/2024    | PE                      | 0.14 J         | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 7/8/2024    | PI                      | 4.6 cn         | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | ND(0.50) U cn  | 0.32 J cn      | ND(25) U cn   |
| M36P122LNA     | 3627A Southside Avenue | 7/8/2024    | PM                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 8/5/2024    | PE                      | 0.15 J         | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 8/5/2024    | PI                      | 12             | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | 0.10 J         | 0.32 J         | 0.69           | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 8/5/2024    | PM                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 9/3/2024    | PE                      | 0.17 J         | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 9/3/2024    | PI                      | 8.6 cn         | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | 0.12 J cn      | 0.39 J cn      | 0.38 J cn      | ND(25) U cn   |
| M36P122LNA     | 3627A Southside Avenue | 9/3/2024    | PM                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |

Table 5 - Private Supply Well Analytical Table - Five Quarters

Inactive Exxon Facility #28077  
14258 Jarrettsville Pike  
Phoenix, MD

| Map/Parcel/Lot | Address                | Sample Date | POET<br>Sample<br>Point | MTBE<br>(µg/L) | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-Benzene<br>(µg/L) | Total Xylenes<br>(µg/L) | Naph-thalene<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) |
|----------------|------------------------|-------------|-------------------------|----------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|----------------|----------------|----------------|---------------|
| M36P122LNA     | 3627A Southside Avenue | 10/7/2024   | PE                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 10/7/2024   | PI                      | 14 cn          | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | 0.14 J cn      | 0.46 J cn      | 1.1 cn         | 6.7 J cn      |
| M36P122LNA     | 3627A Southside Avenue | 10/7/2024   | PM                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 11/4/2024   | PE                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 11/4/2024   | PI                      | 15 cn          | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | 0.14 J cn      | 0.50 cn        | 1.3 cn         | 13 J cn       |
| M36P122LNA     | 3627A Southside Avenue | 11/4/2024   | PM                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 12/2/2024   | PE                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 12/2/2024   | PI                      | 15 cn          | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | 0.14 J cn      | 0.50 cn        | 1.2 cn         | 13 J cn       |
| M36P122LNA     | 3627A Southside Avenue | 12/2/2024   | PM                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 1/10/2025   | PE                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 1/10/2025   | PI                      | 14 cn          | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | 0.15 J cn      | 0.48 J cn      | 1.1 cn         | 12 J cn       |
| M36P122LNA     | 3627A Southside Avenue | 1/10/2025   | PM                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 2/3/2025    | PE                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 2/3/2025    | PI                      | 13 cn          | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | 0.14 J cn      | 0.46 J cn      | 1.0 cn         | 14 J cn       |
| M36P122LNA     | 3627A Southside Avenue | 2/3/2025    | PM                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 3/7/2025    | PE                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25) U *+   |
| M36P122LNA     | 3627A Southside Avenue | 3/7/2025    | PI                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 3/7/2025    | PM                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25) U *+   |
| M36P122LNA     | 3627A Southside Avenue | 4/7/2025    | PE                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 4/7/2025    | PI                      | 13 cn          | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | 0.44 J cn      | 0.65 cn        | ND(25) U cn   |
| M36P122LNA     | 3627A Southside Avenue | 4/7/2025    | PM                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 5/5/2025    | PE                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 5/5/2025    | PI                      | 5.7            | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | 0.25 J         | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 5/5/2025    | PM                      | 0.30 J         | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | 7.6 J         |
| M36P122LNA     | 3627A Southside Avenue | 6/2/2025    | PE                      | ND(0.50)       | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P122LNA     | 3627A Southside Avenue | 6/2/2025    | PI                      | 10 cn          | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | 0.46 J cn      | 0.55 cn        | ND(25) U cn   |
| M36P122LNA     | 3627A Southside Avenue | 6/2/2025    | PM                      | ND(0.50) U cn  | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | ND(0.50) U cn  | ND(0.50) U cn  | 14 J cn       |
| M36P226LNA     | 3635 Southside Avenue  | 4/3/2024    |                         | 2.1 cn         | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | ND(0.50) U cn  | 0.15 J cn      | ND(25) U cn   |
| M36P226LNA     | 3635 Southside Avenue  | 5/9/2024    |                         | 4.2 cn         | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | ND(0.50) U cn  | 0.22 J cn      | ND(25) U cn   |
| M36P226LNA     | 3635 Southside Avenue  | 6/6/2024    |                         | 3.2            | ND(0.50)          | ND(0.50)          | ND(0.50)                | ND(0.50)                | ND(0.50)               | ND(0.50)       | ND(0.50)       | ND(0.50)       | ND(25)        |
| M36P226LNA     | 3635 Southside Avenue  | 7/8/2024    |                         | 5.0 cn         | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | ND(0.50) U cn  | 0.31 J cn      | ND(25) U cn   |
| M36P226LNA     | 3635 Southside Avenue  | 8/19/2024   |                         | 6.0 cn         | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | 0.11 J cn      | 0.47 J cn      | ND(25) U cn   |
| M36P226LNA     | 3635 Southside Avenue  | 9/3/2024    |                         | 6.8 cn         | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | 0.12 J cn      | 0.42 J cn      | ND(25) U cn   |
| M36P226LNA     | 3635 Southside Avenue  | 10/7/2024   |                         | 7.0 cn         | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | 0.14 J cn      | 0.52 cn        | ND(25) U cn   |
| M36P226LNA     | 3635 Southside Avenue  | 11/4/2024   |                         | 7.5 cn         | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | 0.15 J cn      | 0.61 cn        | ND(25) U cn   |
| M36P226LNA     | 3635 Southside Avenue  | 12/2/2024   |                         | 7.1 cn         | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | 0.14 J cn      | 0.53 cn        | ND(25) U cn   |

**Table 5 - Private Supply Well Analytical Table - Five Quarters**

Inactive Exxon Facility #28077  
 14258 Jarrettsville Pike  
 Phoenix, MD

| Map/Parcel/Lot | Address               | Sample Date | POET<br>Sample<br>Point | MTBE<br>(µg/L) | Benzene<br>(µg/L) | Toluene<br>(µg/L) | Ethyl-Benzene<br>(µg/L) | Total Xylenes<br>(µg/L) | Naph-thalene<br>(µg/L) | DIPE<br>(µg/L) | ETBE<br>(µg/L) | TAME<br>(µg/L) | TBA<br>(µg/L) |
|----------------|-----------------------|-------------|-------------------------|----------------|-------------------|-------------------|-------------------------|-------------------------|------------------------|----------------|----------------|----------------|---------------|
| M36P226LNA     | 3635 Southside Avenue | 1/10/2025   |                         | 6.8 cn         | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | 0.14 J cn      | 0.48 J cn      | ND(25) U cn   |
| M36P226LNA     | 3635 Southside Avenue | 2/3/2025    |                         | 6.7 cn         | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | 0.14 J cn      | 0.50 cn        | ND(25) U cn   |
| M36P226LNA     | 3635 Southside Avenue | 3/7/2025    |                         | 7.3 cn         | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | 0.16 J cn      | 0.42 J cn      | ND(25) U cn   |
| M36P226LNA     | 3635 Southside Avenue | 6/2/2025    |                         | 6.1 cn         | ND(0.50) U cn     | ND(0.50) U cn     | ND(0.50) U cn           | ND(0.50) U cn           | ND(0.50) U cn          | ND(0.50) U cn  | 0.12 J cn      | 0.38 J cn      | ND(25) U cn   |

**Notes**

DIPE - di-isopropyl ether

ETBE - ethyl tert butyl ether

J - indicates an estimated value

MTBE - methyl tertiary butyl ether

ND(5.0) - Not detected at or above the laboratory reporting limit, laboratory reporting limit included.

PI - Influent sample location. POET installed by ExxonMobil.

PIO - Influent sample location. POET installed by Others.

PM - Midfluent sample location. POET installed by ExxonMobil.

PMO - Midfluent sample location. POET installed by Others.

PE - Effluent sample location. POET installed by ExxonMobil.

PEO - Effluent sample location. POET installed by Others.

POET - Point of Entry Treatment system

TAME - tert-amyl methyl ether

TBA - tert butyl alcohol

µg/L - micrograms per liter (parts per billion)

NS - No longer sampled

cn - refer to case narrative of lab report

**Table 6a**

**MTBE Concentrations >0.5 µg/L for  
Properties Sampled During Second Quarter 2025**

**Inactive Exxon Facility #28077  
14258 Jarrettsville Pike  
Phoenix, Maryland**

| <b>Lot ID</b> | <b>Address</b>         | <b>EMES<br/>POET<br/>Y/N</b> | <b>MAX MTBE<br/>Sample Date<br/>During 2nd<br/>Quarter 2025</b> | <b>MAX MTBE Value<br/>During 2nd Quarter<br/>2025<br/>(µg/L)</b> | <b>Sampling<br/>Frequency</b> |
|---------------|------------------------|------------------------------|-----------------------------------------------------------------|------------------------------------------------------------------|-------------------------------|
| M36P226LNA    | 3635 Southside Avenue  | N                            | 6/2/2025                                                        | 6.1                                                              | Q                             |
| M36P122LNA    | 3627A Southside Avenue | Y                            | 4/7/2025                                                        | 13                                                               | M                             |

**Notes:**

EMES POET - Point of Entry Treat system - Maintained by ExxonMobil

MTBE - Methyl Tertiary Butyl Ether

µg/L - micrograms per liter

J - indicates an estimated value

cn - refer to case narrative of analytical report

\* Property with more than one well

M - Monthly

Q - Quarterly

SA - Semi-Annual

<sup>1</sup> Value is from the influent (prior to the POET)

**Table 6b**

**Maximum Benzene Concentrations >0.5 µg/L for  
Properties Sampled During Second Quarter 2025**

**Inactive Exxon Facility #28077  
14258 Jarrettsville Pike  
Phoenix, Maryland**

| Map/Parcel/Lot                                                         | Address | EMES<br>POET<br>Y/N | MAX Benzene<br>Sample Date<br>During 2nd<br>Quarter 2025<br>2025 | MAX Benzene Value<br>During 2nd Quarter<br>2025 (µg/L) | Sampling<br>Frequency |
|------------------------------------------------------------------------|---------|---------------------|------------------------------------------------------------------|--------------------------------------------------------|-----------------------|
| <i>No benzene detections &gt; 0.5 ug/L in supply wells during 2Q25</i> |         |                     |                                                                  |                                                        |                       |

**Notes:**

EMES POET - Point of Entry Treat system - Maintained by ExxonMobil

MTBE - Methyl Tertiary Butyl Ether

µg/L - micrograms per liter


J - indicates an estimated value

Property with more than one well


M - Monthly

## FIGURES

---



The information included on this graphic representation has been compiled from a variety of sources and is subject to change without notice. Kleinfelder makes no representation or warranty, expressed or implied, as to the accuracy, completeness, or reliability of the information. This document is not intended for use as a legal instrument. It is designed to be used as a planning and design document. The user of this document is responsible for obtaining the necessary permits and approvals for any activity using or relying on this graphic representation or the information it contains.





**KLEINFELDER**  
Bright People. Right Solutions.


1745 Dorsey Road, Suite 3  
Hanover, Maryland 21076  
P 410.850.0404  
F 410.850.0049


www.kleinfelder.com


|             |            |
|-------------|------------|
| PROJECT NO. | 20193011   |
| DRAWN:      | 10/21/2024 |
| DRAWN BY:   | RA         |
| CHECKED BY: | JF         |
| FILE NAME:  |            |

**Site Plan**  
**Post Remediation Sampling**  
**Second Quarter 2025**

INACTIVE EXXON FACILITY #28077  
14258 JARRETTSVILLE PIKE  
PHOENIX, MARYLAND  
BALTIMORE COUNTY







**3635 SSide**  
2.1 04/03/2024  
4.2 05/09/2024  
3.2 06/06/2024  
5.0 07/08/2024  
6.0 08/19/2024  
6.8 09/03/2024  
7.0 10/07/2024  
7.5 11/04/2024  
7.1 12/02/2024  
6.8 01/10/2025  
6.7 02/03/2025  
7.3 03/07/2025  
6.1 06/02/2025

**3627A SSide**  
ND(0.50) 04/03/2024  
ND(0.50) 05/09/2024  
0.86 06/06/2024  
4.6 07/08/2024  
12 08/19/2024  
8.6 09/03/2024  
14 10/07/2024  
15 11/04/2024  
15 12/02/2024  
14 01/10/2025  
13 02/03/2025  
ND(0.50) 03/07/2025  
13 04/07/2025  
6.7 05/09/2025  
10 06/02/2025

**3506 Hampshire**  
0.19 J 05/24/2024  
0.19 J 09/24/2024  
0.18 J 12/16/2024  
0.24 J 02/07/2025  
0.24 J 06/02/2025

**14307 Jarre**  
ND(0.50) 05/11/2024  
0.17 J 09/09/2024  
0.48 J 12/09/2024  
0.48 J 02/06/2025  
0.37 J 06/02/2025

**14240 Jarre**  
0.22 J 08/18/2024  
0.23 J 12/09/2024  
0.24 J 06/02/2025

**LEGEND**

- Private Supply Well
- Property Boundaries (Approx.)
- Service Station Property Boundary
- Private Supply Well with EN POET
- Off-Site Private Supply Well

**Property Address (Abbrev)**  
MTBE (µg/L) - Sample Date

J - INDICATES AN ESTIMATED VALUE  
ND(RL) = NOT DETECTED AT OR ABOVE THE  
LABORATORY REPORTING LIMIT (RL)  
LABORATORY REPORTING LIMIT  
INCLUDED

**NOTE:**  
1. DATA SHOWN FOR THE LAST YEAR OF RESULTS.  
2. FOR THOSE LOCATIONS WITH POINT OF ENTRY  
TREATMENT (POET) SYSTEMS, THE RESULTS  
SHOWN REPRESENT INFLUENT (PI) SAMPLE  
RESULTS ONLY (i.e. COLLECTED PRIOR TO THE  
POET SYSTEM).  
3. 1430 JARRETTVILLE PIKE WAS CONNECTED  
TO THE POTABLE SUPPLY WELL AT 3410 SWEET  
AIR ROAD ON 08/09/2024. THE RESULTS SHOWN ON  
THIS MAP FOR 1430 JARRETTVILLE PIKE WITH  
SAMPLE DATES AFTER 08/10/2024 ARE FROM THE  
WELL AT 3410 SWEET AIR ROAD. THE RESULTS  
SHOWN ON THIS MAP FOR 3410 SWEET AIR ROAD  
ARE FOR SAMPLING EVENTS PRIOR TO ITS  
CONNECTION TO 1430 JARRETTVILLE PIKE.

0 100 200 400  
Feet  
0 30 60 120  
Meters

**FIGURE 4**  
MTBE IN PRIVATE SUPPLY WELLS  
LAST FIVE QUARTERS

NACTIVE EXXON FACILITY #28077  
1628 JARRETTVILLE PIKE  
PHOENIX, MARYLAND

DRAWN BY: BMA SCALE: 1:2,500  
REVIEWED BY: S. L. PROJECT NO: 201000001  
DATE: 8/14/2025 SOURCE: CONTACT KLEINFELDER  
CHECKED BY: J. FOR M. HANNA

**KLEINFELDER**  
Bright People. Right Solutions.  
1745 Dorsey Road, Suite J  
Hanover, Maryland 21076  
T 410.855.9790  
F 410.855.0049

**ATTACHMENT 1**  
**LABORATORY REPORTS (ON CD)**

---