



FEDEX: 7768 0532 6429

June 11, 2024

Kleinfelder Project No.: 20193011.001A

Mr. Christopher Ralston
Maryland Department of the Environment
1800 Washington Boulevard
Baltimore, Maryland 21230

SUBJECT: **POTABLE SUPPLY WELL SAMPLING REDUCTION WORK PLAN**
Inactive Exxon Facility #28077
14258 Jarrettsville Pike, Phoenix,
Maryland MDE Case No. 2006-0303-BA2

Dear Mr. Ralston:

Kleinfelder Inc. (Kleinfelder), on behalf of ExxonMobil Environmental & Property Solutions (ExxonMobil), is submitting this *Potable Supply Well Sampling Reduction Work Plan* (Workplan) to the Maryland Department of the Environment (MDE) Oil Control Program (OCP) for Inactive Exxon Facility #28077 (Case Number 2006-0303-BA2). Workplan objectives include alignment of the private supply well (PSW) sampling program with current aquifer conditions and continued protection of potable water during the post-remediation monitoring phase. The proposed on-going sampling focuses on continued sampling of PSWs located: (i) downgradient of recently deactivated recovery wells, and (ii) further downgradient where PSW concentrations have fluctuated above and below the MDE action level.

1.0 BACKGROUND

Kleinfelder, on behalf of ExxonMobil, submitted the *Sampling Reduction, Well Abandonment, and Additional Cycling Work Plan* to the MDE, dated February 27, 2023, which included a proposal to reduce the number of PSWs in the sampling program from 28 to 4. In an MDE workplan approval letter dated December 19, 2023, MDE indicated OCP would review the Private Water Supply Well Sampling Reduction Request following receipt of the 1st Quarter Post Remediation Monitoring Report. Also, MDE requested a revised evaluation of proposed private well monitoring reductions based on the final post remediation monitoring well network to ensure continued protection of public health. The remediation system was shut down on December 21, 2023. The First Quarter 2024 Groundwater Monitoring Report was submitted to MDE on May 15, 2024. This Workplan includes potable well sampling results through the first quarter of 2024.

The final post remediation monitoring well network, as approved by the MDE, provides for monitoring of groundwater conditions across the areas where groundwater recovery wells were recently shutdown, in areas which have had detections of gasoline constituents above MDE action levels in recent years. The post remediation monitoring well network also extends downgradient of these areas, across the vertical

profile of shallow, intermediate, and deep intervals. The first quarter 2024 monitoring results indicate both monitoring well and PSW concentrations are generally consistent with trends during system operation. Therefore, this Private Water Supply Well Sampling Reduction Request remains consistent with the February 27, 2023 Workplan, as detailed below.

2.0 PROPOSED PRIVATE SUPPLY WELL SAMPLING

Private water supply wells on 28 properties are currently being sampled on various frequencies (when property owners permit) - two monthly, 11 quarterly, and 15 semi-annually. A list of these properties is provided in **Table 1** including property address, lot ID, current and proposed sample frequency, and last sample date. **Figure 1** shows the distribution of the 28 sampled properties across the project area and proposed sampling frequencies.

The last reduction in supply well sampling was approved by the MDE in a letter dated January 25, 2021. At that time only one well (at 3627A Southside Road) had detections of petroleum hydrocarbon constituents (MTBE only) above MDE standards. Currently, over three years later, no wells have concentrations above MDE standards; the last time MTBE was detected above the MDE action level of 20 parts per billion (ppb) was January 2, 2024 at 3627A Southside Road (22 ppb MTBE). The historical analytical results for the 28 currently sampled supply wells are provided in **Table 2**.

Of the 28 currently sampled properties, 24 properties, as shown on **Table 1** and **Figure 1**, are proposed to be discontinued based on the following criteria:

- Consistent with the 2018 Court Order Flowchart 3 (**Attachment A**) concerning Private Supply Well Sampling, the 24 supply wells proposed for discontinuing sampling have had no detections of petroleum hydrocarbon constituents above MDE's drinking water standards for over 2 years. Most have never had an exceedance MDE's drinking water standards.
- Even further back, the 24 supply wells proposed for discontinuing sampling have not had detections of petroleum hydrocarbon constituents above half of MDE's drinking water standards for over 10 years, including during the 2022 and 2023 recovery well cycling assessments, and since remediation system shutdown in December 2023 (**Table 2**).
- There is no ExxonMobil owned or managed Point of Entry Treatment system on any of the 24 properties proposed for discontinued supply well sampling.
- There is no on-going remediation on any of the 24 properties proposed for discontinued supply well sampling. Furthermore, there is no on-going remediation across the project area as post-remedial monitoring was approved in the aforementioned December 19, 2023 MDE approval letter.
- Post-remedial monitoring well sampling is on-going on 8 of the 24 properties proposed for discontinued supply well sampling (14223 Robcaste Road, 3313 Papermill Road, 3320 Papermill Road, 14258 Jarrettsville Pike, 14301 Jarrettsville Pike, 14315 Jarrettsville Pike, 3508 Hampshire Glen Court, and 3605A Southside Avenue). The presence of actively sampled monitoring wells on a property proposed for discontinuation of supply well sampling is a deviation from the third criteria in the 2018 Order of Resolution Flowchart 3. However, these supply wells are proposed for discontinuation of sampling because of the extensive years of data indicating non-detect or low-level (below MDE standard) detections of gasoline constituents.

The supply wells on the following four properties are proposed for continued sampling:

- 3627A Southside Avenue – monthly – concentrations demonstrate long periods both above and below the MDE standard for MTBE;

- 3635 Southside Avenue – quarterly – adjacent and downgradient to the above property – concentrations have persistently been less than half the MDE standard for MTBE;
- 14307 Jarrettsville Pike – quarterly – commercial property NE of intersection and proximal to recently shutdown remediation wells and post-remedial monitoring wells with recalcitrant concentrations; this supply well last had a detection of MTBE above the MDE standard on May 10, 2011; and
- 3506 Hampshire Glen Court – quarterly – residential in-use supply well in NE, downgradient of recently shutdown remediation wells and monitoring wells with recalcitrant concentrations; this supply well last had a detection of MTBE above the MDE standard on May 18, 2009.

3.0 SUMMARY

This Workplan proposes changes to the potable well sampling program based on the remediation progress over the past 18 years, as supported by data detailed herein, including potable well data from both: (i) the first quarter of post-remediation sampling and (ii) in 2022 and 2023 when the system was offline for over 9 months for cycling assessments. The proposed potable well sampling changes are summarized below:

- Currently 28 private supply wells on 28 properties are sampled.
- The 24 supply wells proposed to discontinue sampling have not had detections above half the MDE drinking water standards for over ten years.
- The proposed potable well reduction is consistent with the *2018 Court Order Flowchart 3*, with one deviation regarding continued post-remediation monitoring well sampling at eight of the properties.
- Four supply wells are proposed for continued sampling:
 - 3627A Southside Avenue (monthly)
 - 3635 Southside Avenue (quarterly)
 - 14307 Jarrettsville Pike (quarterly) and
 - 3506 Hampshire Glen Court (quarterly).

LIMITATIONS

Kleinfelder performed the services for this project under the Enabling Agreement with Procurement, a division of ExxonMobil Global Services Company (signed on November 28, 2012). Kleinfelder states that the services provided are consistent with professional of care defined as that level of services provided by similar professionals under like circumstances. This report is based on the regulatory standards in effect on the date of the report. It has been produced for the primary benefit of ExxonMobil Global Services Company and its affiliates.

Please contact the undersigned with any questions or requests for additional information.

Sincerely,

KLEINFELDER

Mark J. Schaaf, CPG
Project Director

Leslie D. Steele, PE
Principal Engineer

cc: Ms. Ellen Jackson – MDE Oil Control Program
Ms. Susan Bull – MDE Oil Control Program
Mr. Matthew Mueller – MDE Oil Control Program
Stephanie Cobb Williams, Esq. – Office of the Attorney General
Mr. John Lee – ExxonMobil (project file)
Carlos Bollar, Esq. – Archer & Greiner

FIGURE

1 Proposed Private Supply Well Sampling Frequency

TABLES


1 Current and Proposed Private Supply Well Sampling
2 Private Supply Well Analytical Results

ATTACHMENT

A June 2018 Order of Resolution Flowchart 3



FIGURE



TABLES

Table 1
Current and Proposed Private Supply Well Sampling
Inactive Exxon Facility #28077 14258 Jarrettsville Pike Phoenix, Maryland

	Address	Lot ID	Frequency	Last-Sampled Date	Proposed Sampling
1	3627A Southside Avenue	M36P122LNA	Monthly	5/9/2024	Monthly
2	3635 Southside Avenue	M36P226LNA	Monthly	5/9/2024	Quarterly
3	14301 Jarrettsville Pike	M35P031LNA	Quarterly	3/20/2024	Discontinue
4	14307 Jarrettsville Pike	M35P151LNA	Quarterly	3/20/2024	Quarterly
5	14315 Jarrettsville Pike	M35P152L01	Quarterly	3/25/2024	Discontinue
6	14242 Jarrettsville Pike	M35P183LNA	Quarterly	3/21/2024	Discontinue
7	14258 Jarrettsville Pike	M35P185LNA	Quarterly	3/20/2024	Discontinue
8	3503 Hampshire Glen Court	M35P356L24	Quarterly	3/22/2024	Discontinue
9	3506 Hampshire Glen Court	M35P356L04	Quarterly	3/20/2024	Quarterly
10	3508 Hampshire Glen Court	M35P356L05	Quarterly	3/26/2024	Discontinue
11	14223 Robcaste Road	M35P322L02	Quarterly	3/20/2024	Discontinue
12	14217 Robcaste Rd	M35P322L05	Quarterly	3/20/2024	Discontinue
13	3313 Paper Mill Road	M35P054LNA	Quarterly	3/28/2024	Discontinue
14	3600 Hampshire Glen Court	M35P356L06	Semi-Annual	11/10/2023	Discontinue
15	3605A Southside Avenue	M35P221L01	Semi-Annual	12/20/2023	Discontinue
16	3605B Southside Avenue	M35P221L02	Semi-Annual	12/21/2023	Discontinue
17	3605C Southside Avenue	M35P221L03	Semi-Annual	1/2/2024	Discontinue
18	3320 Paper Mill Road	M35P123LNAP	Semi-Annual	1/9/2023	Discontinue
19	14240 Jarrettsville Pike	M35P182LNA01	Semi-Annual	11/10/2023	Discontinue
20	14232 Jarrettsville Pike	M35P210LNA	Semi-Annual	11/10/2023	Discontinue
21	14243 Jarrettsville Pike	M35P217LNA	Semi-Annual	11/10/2023	Discontinue
22	3235 Paper Mill Rd	M35P310L08	Semi-Annual	12/21/2023	Discontinue
23	3504 Hampshire Glen Court	M35P356L03	Semi-Annual	3/22/2024	Discontinue
24	3505 Hampshire Glen Court	M35P356L23	Semi-Annual	1/2/2024	Discontinue
25	3606 Hampshire Glen Court	M35P356L11	Semi-Annual	12/21/2023	Discontinue
26	3510 Hampshire Glen Court	M35P278L02H	Semi-Annual	12/21/2023	Discontinue
27	14102 Robcaste Road	M35P386LNA	Semi-Annual	12/22/2023	Discontinue
28	14355 Hampshire Knob Dr	M35P356L20	Semi-Annual	12/20/2023	Discontinue

Table 2 - Private Supply Well Analytical Table

Inactive Exxon Facility #28077
 14258 Jarrettsville Pike
 Phoenix, MD

Map/Parcel/Lot	Address	Sample Date	POET Sample Point	MTBE (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-Benzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)
M35P356L24	3503 Hampshire Glen Court	1/15/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L24	3503 Hampshire Glen Court	1/15/2019	PI	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L24	3503 Hampshire Glen Court	1/15/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L24	3503 Hampshire Glen Court	4/5/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L24	3503 Hampshire Glen Court	4/5/2019	PI	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L24	3503 Hampshire Glen Court	4/5/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L24	3503 Hampshire Glen Court	9/30/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L24	3503 Hampshire Glen Court	9/30/2019	PI	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L24	3503 Hampshire Glen Court	9/30/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L24	3503 Hampshire Glen Court	9/30/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L24	3503 Hampshire Glen Court	10/18/2019	PI	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L24	3503 Hampshire Glen Court	10/18/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L24	3503 Hampshire Glen Court	10/18/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L24	3503 Hampshire Glen Court	2/2/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L24	3503 Hampshire Glen Court	6/24/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L24	3503 Hampshire Glen Court	12/29/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L24	3503 Hampshire Glen Court	3/10/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L24	3503 Hampshire Glen Court	6/20/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L24	3503 Hampshire Glen Court	9/26/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L24	3503 Hampshire Glen Court	1/9/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L24	3503 Hampshire Glen Court	4/5/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L24	3503 Hampshire Glen Court	6/29/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L24	3503 Hampshire Glen Court	9/28/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L24	3503 Hampshire Glen Court	12/20/2023		ND(5.0) U cn	ND(5.0) U cn	ND(5.0) U cn	ND(5.0) U cn	ND(5.0) U cn	ND(5.0) U cn	ND(5.0) U cn	ND(5.0) U cn	ND(5.0) U cn	ND(250) U cn
M35P356L24	3503 Hampshire Glen Court	3/22/2024		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L03	3504 Hampshire Glen Court	1/14/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L03	3504 Hampshire Glen Court	7/8/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L03	3504 Hampshire Glen Court	1/20/2020		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L03	3504 Hampshire Glen Court	2/25/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L03	3504 Hampshire Glen Court	12/29/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L03	3504 Hampshire Glen Court	3/30/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L03	3504 Hampshire Glen Court	6/21/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L03	3504 Hampshire Glen Court	9/26/2022		0.12 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L03	3504 Hampshire Glen Court	1/9/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L03	3504 Hampshire Glen Court	4/7/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L03	3504 Hampshire Glen Court	6/23/2023		0.14 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L03	3504 Hampshire Glen Court	9/28/2023		0.13 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L03	3504 Hampshire Glen Court	12/20/2023		0.11 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L03	3504 Hampshire Glen Court	3/22/2024		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L23	3505 Hampshire Glen Court	1/14/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L23	3505 Hampshire Glen Court	7/22/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L23	3505 Hampshire Glen Court	3/10/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)

Table 2 - Private Supply Well Analytical Table

Inactive Exxon Facility #28077
 14258 Jarrettsville Pike
 Phoenix, MD

Map/Parcel/Lot	Address	Sample Date	POET Sample Point	MTBE (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-Benzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)
M35P356L23	3505 Hampshire Glen Court	1/2/2024		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L04	3506 Hampshire Glen Court	1/14/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L04	3506 Hampshire Glen Court	1/14/2019	PI	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L04	3506 Hampshire Glen Court	1/14/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L04	3506 Hampshire Glen Court	10/16/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L04	3506 Hampshire Glen Court	10/16/2019	PI	0.1 J	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L04	3506 Hampshire Glen Court	10/16/2019	PM	0.1 J	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L04	3506 Hampshire Glen Court	1/20/2020	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L04	3506 Hampshire Glen Court	1/20/2020	PI	0.1 J	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L04	3506 Hampshire Glen Court	1/20/2020	PM	0.1 J	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L04	3506 Hampshire Glen Court	6/27/2020	PE	0.11 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L04	3506 Hampshire Glen Court	6/27/2020	PI	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L04	3506 Hampshire Glen Court	6/27/2020	PM	0.11 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L04	3506 Hampshire Glen Court	9/16/2020	PI	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L04	3506 Hampshire Glen Court	2/2/2021	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L04	3506 Hampshire Glen Court	2/2/2021	PI	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L04	3506 Hampshire Glen Court	2/2/2021	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L04	3506 Hampshire Glen Court	2/27/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L04	3506 Hampshire Glen Court	9/27/2021		0.11 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L04	3506 Hampshire Glen Court	12/28/2021		0.14 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L04	3506 Hampshire Glen Court	3/3/2022		0.13 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L04	3506 Hampshire Glen Court	6/21/2022		0.32 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L04	3506 Hampshire Glen Court	9/26/2022		0.20 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L04	3506 Hampshire Glen Court	1/3/2023		0.20 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L04	3506 Hampshire Glen Court	9/28/2023		0.21 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L04	3506 Hampshire Glen Court	12/20/2023		0.19 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L04	3506 Hampshire Glen Court	3/20/2024											
M35P356L05	3508 Hampshire Glen Court	1/14/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L05	3508 Hampshire Glen Court	1/14/2019	PI	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L05	3508 Hampshire Glen Court	1/14/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L05	3508 Hampshire Glen Court	4/3/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L05	3508 Hampshire Glen Court	4/3/2019	PI	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L05	3508 Hampshire Glen Court	4/3/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L05	3508 Hampshire Glen Court	7/23/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L05	3508 Hampshire Glen Court	7/23/2019	PI	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L05	3508 Hampshire Glen Court	7/23/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L05	3508 Hampshire Glen Court	11/6/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L05	3508 Hampshire Glen Court	11/6/2019	PI	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L05	3508 Hampshire Glen Court	11/6/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L05	3508 Hampshire Glen Court	1/15/2020	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L05	3508 Hampshire Glen Court	1/15/2020	PI	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L05	3508 Hampshire Glen Court	1/15/2020	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)

Table 2 - Private Supply Well Analytical Table

Inactive Exxon Facility #28077
 14258 Jarrettsville Pike
 Phoenix, MD

Map/Parcel/Lot	Address	Sample Date	POET Sample Point	MTBE (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-Benzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)
M35P356L05	3508 Hampshire Glen Court	6/29/2020	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L05	3508 Hampshire Glen Court	6/29/2020	PI	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L05	3508 Hampshire Glen Court	6/29/2020	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L05	3508 Hampshire Glen Court	2/2/2021	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L05	3508 Hampshire Glen Court	2/2/2021	PI	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L05	3508 Hampshire Glen Court	2/2/2021	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L05	3508 Hampshire Glen Court	9/27/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L05	3508 Hampshire Glen Court	12/28/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L05	3508 Hampshire Glen Court	6/20/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L05	3508 Hampshire Glen Court	9/26/2022		ND(0.50) U cn	ND(0.50) U cn	0.19 J cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M35P356L05	3508 Hampshire Glen Court	1/10/2023		ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M35P356L05	3508 Hampshire Glen Court	4/5/2023	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L05	3508 Hampshire Glen Court	4/5/2023	PI	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L05	3508 Hampshire Glen Court	4/5/2023	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L05	3508 Hampshire Glen Court	12/21/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L05	3508 Hampshire Glen Court	3/26/2024		ND(0.50)	ND(0.50)	0.11 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P278L02H	3510 Hampshire Glen Court	1/15/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P278L02H	3510 Hampshire Glen Court	7/10/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P278L02H	3510 Hampshire Glen Court	9/16/2020		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P278L02H	3510 Hampshire Glen Court	2/10/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P278L02H	3510 Hampshire Glen Court	12/28/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P278L02H	3510 Hampshire Glen Court	3/10/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P278L02H	3510 Hampshire Glen Court	1/3/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P278L02H	3510 Hampshire Glen Court	6/29/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P278L02H	3510 Hampshire Glen Court	12/21/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L06	3600 Hampshire Glen Court	1/14/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L06	3600 Hampshire Glen Court	7/8/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L06	3600 Hampshire Glen Court	1/15/2020		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L06	3600 Hampshire Glen Court	9/24/2020		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L06	3600 Hampshire Glen Court	3/5/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L06	3600 Hampshire Glen Court	12/29/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L06	3600 Hampshire Glen Court	3/7/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L06	3600 Hampshire Glen Court	1/3/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L06	3600 Hampshire Glen Court	6/23/2023		ND(0.50)	ND(0.50)	0.38 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L06	3600 Hampshire Glen Court	11/10/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L11	3606 Hampshire Glen Court	1/14/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L11	3606 Hampshire Glen Court	1/14/2019	PI	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L11	3606 Hampshire Glen Court	1/14/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L11	3606 Hampshire Glen Court	7/9/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L11	3606 Hampshire Glen Court	7/9/2019	PI	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L11	3606 Hampshire Glen Court	7/9/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)

Table 2 - Private Supply Well Analytical Table

Inactive Exxon Facility #28077
14258 Jarrettsville Pike
Phoenix, MD

Map/Parcel/Lot	Address	Sample Date	POET Sample Point	MTBE (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-Benzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)
M35P356L11	3606 Hampshire Glen Court	1/20/2020		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L11	3606 Hampshire Glen Court	2/11/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L11	3606 Hampshire Glen Court	12/29/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L11	3606 Hampshire Glen Court	3/7/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L11	3606 Hampshire Glen Court	9/28/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L11	3606 Hampshire Glen Court	1/3/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L11	3606 Hampshire Glen Court	6/23/2023		ND(0.50)	0.32 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	20 J
M35P356L11	3606 Hampshire Glen Court	12/21/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L20	14355 Hampshire Knob Drive	1/14/2019		ND(0.5)	ND(0.5)	0.3 J	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	100
M35P356L20	14355 Hampshire Knob Drive	7/30/2019		0.1 J	ND(0.5)	0.2 J	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	130
M35P356L20	14355 Hampshire Knob Drive	1/20/2020		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P356L20	14355 Hampshire Knob Drive	9/18/2020		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L20	14355 Hampshire Knob Drive	2/11/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P356L20	14355 Hampshire Knob Drive	12/29/2021		ND(0.50) U cn	ND(0.50) U cn	0.20 J cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	6.5 J cn
M35P356L20	14355 Hampshire Knob Drive	3/16/2022		ND(0.50) U cn	ND(0.50) U cn	0.12 J cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	12 J cn
M35P356L20	14355 Hampshire Knob Drive	1/9/2023		ND(0.50) U cn	ND(0.50) U cn	0.15 J cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	57 cn
M35P356L20	14355 Hampshire Knob Drive	6/23/2023		ND(0.50) U cn	ND(0.50) U cn	0.17 J cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	25 cn
M35P356L20	14355 Hampshire Knob Drive	12/20/2023		ND(0.50)	ND(0.50)	0.13 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	38
M35P210LNA	14232 Jarrettsville Pike	1/15/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P210LNA	14232 Jarrettsville Pike	7/15/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P210LNA	14232 Jarrettsville Pike	2/25/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P210LNA	14232 Jarrettsville Pike	12/22/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P210LNA	14232 Jarrettsville Pike	3/7/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P210LNA	14232 Jarrettsville Pike	9/28/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P210LNA	14232 Jarrettsville Pike	11/10/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P182LNA	14240 Jarrettsville Pike	4/1/2019	PIO	0.8	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	0.7	ND(0.5)	ND(0.5)
M35P182LNA	14240 Jarrettsville Pike	7/9/2019	PIO	0.8	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	0.4 J	ND(0.5)	ND(0.5)
M35P182LNA	14240 Jarrettsville Pike	10/16/2019	PIO	0.7	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	0.2 J	ND(0.5)	ND(0.5)
M35P182LNA	14240 Jarrettsville Pike	1/16/2020	PIO	0.6	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	0.2 J	ND(0.5)	ND(0.5)
M35P182LNA01	14240 Jarrettsville Pike	4/10/2013		1.6	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.0)
M35P182LNA01	14240 Jarrettsville Pike	4/10/2018		0.8	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	0.5	ND(0.5)	ND(0.5)
M35P182LNA01	14240 Jarrettsville Pike	7/2/2018		0.6	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	0.9	ND(0.5)	ND(0.5)
M35P182LNA01	14240 Jarrettsville Pike	2/25/2019		0.8	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	0.9	ND(0.5)	ND(0.5)
M35P182LNA01	14240 Jarrettsville Pike	5/11/2020		0.5	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P182LNA01	14240 Jarrettsville Pike	2/10/2021		0.42 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P182LNA01	14240 Jarrettsville Pike	12/22/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P182LNA01	14240 Jarrettsville Pike	3/7/2022		0.31 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P182LNA01	14240 Jarrettsville Pike	9/28/2022		0.32 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P182LNA01	14240 Jarrettsville Pike	11/10/2023		0.28 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P183LNA	14242 Jarrettsville Pike	2/22/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P183LNA	14242 Jarrettsville Pike	2/22/2019	PI	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)

Table 2 - Private Supply Well Analytical Table

Inactive Exxon Facility #28077
 14258 Jarrettsville Pike
 Phoenix, MD

Map/Parcel/Lot	Address	Sample Date	POET Sample Point	MTBE (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-Benzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)
M35P183LNA	14242 Jarrettsville Pike	2/22/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P183LNA	14242 Jarrettsville Pike	4/2/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P183LNA	14242 Jarrettsville Pike	4/2/2019	PI	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P183LNA	14242 Jarrettsville Pike	4/2/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P183LNA	14242 Jarrettsville Pike	10/18/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P183LNA	14242 Jarrettsville Pike	10/18/2019	PI	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P183LNA	14242 Jarrettsville Pike	10/18/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P183LNA	14242 Jarrettsville Pike	2/18/2020	PI	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P183LNA	14242 Jarrettsville Pike	2/25/2021	PI	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P183LNA	14242 Jarrettsville Pike	6/29/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P183LNA	14242 Jarrettsville Pike	12/29/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P183LNA	14242 Jarrettsville Pike	3/2/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P183LNA	14242 Jarrettsville Pike	6/21/2022		0.13 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P183LNA	14242 Jarrettsville Pike	9/21/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P183LNA	14242 Jarrettsville Pike	1/3/2023		ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M35P183LNA	14242 Jarrettsville Pike	4/5/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P183LNA	14242 Jarrettsville Pike	9/28/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P183LNA	14242 Jarrettsville Pike	1/2/2024		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P183LNA	14242 Jarrettsville Pike	3/21/2024		0.13 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P217LNA	14243 Jarrettsville Pike	1/15/2019	PIO	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P217LNA	14243 Jarrettsville Pike	7/10/2019	PIO	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P217LNA	14243 Jarrettsville Pike	1/16/2020	PIO	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P217LNA	14243 Jarrettsville Pike	9/15/2020	PIO	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P217LNA	14243 Jarrettsville Pike	12/22/2021	PIO	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P217LNA	14243 Jarrettsville Pike	3/7/2022	PIO	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P217LNA	14243 Jarrettsville Pike	9/28/2022	PIO	ND(0.50)	ND(0.50)	0.12 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P217LNA	14243 Jarrettsville Pike	11/10/2023	PIO	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P185LNA	14258 Jarrettsville Pike	1/15/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P185LNA	14258 Jarrettsville Pike	2/25/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	0.2 J	ND(0.5)
M35P185LNA	14258 Jarrettsville Pike	5/20/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	0.4 J	ND(0.5)
M35P185LNA	14258 Jarrettsville Pike	6/26/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P185LNA	14258 Jarrettsville Pike	8/6/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P185LNA	14258 Jarrettsville Pike	10/25/2019		ND(0.5)	86	54	0.2 J	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	9.8 J
M35P185LNA	14258 Jarrettsville Pike	11/7/2019		ND(0.5)	2.6	5.3	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P185LNA	14258 Jarrettsville Pike	3/10/2020		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P185LNA	14258 Jarrettsville Pike	4/7/2020		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P185LNA	14258 Jarrettsville Pike	9/15/2020		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P185LNA	14258 Jarrettsville Pike	12/17/2020		0.13 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	0.56	ND(0.50)
M35P185LNA	14258 Jarrettsville Pike	1/27/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	0.23 J	ND(0.50)	ND(25)
M35P185LNA	14258 Jarrettsville Pike	6/21/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	0.15 J	ND(0.50)	ND(25)
M35P185LNA	14258 Jarrettsville Pike	9/30/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	0.16 J	ND(0.50)	ND(25)

Table 2 - Private Supply Well Analytical Table

Inactive Exxon Facility #28077
 14258 Jarrettsville Pike
 Phoenix, MD

Map/Parcel/Lot	Address	Sample Date	POET Sample Point	MTBE (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-Benzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)
M35P185LNA	14258 Jarrettsville Pike	12/28/2021		0.16 J cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.68 cn	ND(0.50) U cn	ND(25) U cn
M35P185LNA	14258 Jarrettsville Pike	2/25/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P185LNA	14258 Jarrettsville Pike	6/20/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P185LNA	14258 Jarrettsville Pike	8/1/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P185LNA	14258 Jarrettsville Pike	10/19/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P185LNA	14258 Jarrettsville Pike	1/9/2023		ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M35P185LNA	14258 Jarrettsville Pike	4/5/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P185LNA	14258 Jarrettsville Pike	9/25/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P185LNA	14258 Jarrettsville Pike	11/9/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P185LNA	14258 Jarrettsville Pike	3/20/2024		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P031LNA	14301 Jarrettsville Pike	1/15/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
M35P031LNA	14301 Jarrettsville Pike	1/15/2019	PI	2.8	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
M35P031LNA	14301 Jarrettsville Pike	1/15/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
M35P031LNA	14301 Jarrettsville Pike	4/1/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
M35P031LNA	14301 Jarrettsville Pike	4/1/2019	PI	3.1	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
M35P031LNA	14301 Jarrettsville Pike	4/1/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
M35P031LNA	14301 Jarrettsville Pike	7/10/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
M35P031LNA	14301 Jarrettsville Pike	7/10/2019	PI	2.9	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
M35P031LNA	14301 Jarrettsville Pike	7/10/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
M35P031LNA	14301 Jarrettsville Pike	10/16/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
M35P031LNA	14301 Jarrettsville Pike	10/16/2019	PI	1.4	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
M35P031LNA	14301 Jarrettsville Pike	10/16/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
M35P031LNA	14301 Jarrettsville Pike	1/16/2020	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
M35P031LNA	14301 Jarrettsville Pike	1/16/2020	PI	1.8	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
M35P031LNA	14301 Jarrettsville Pike	1/16/2020	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
M35P031LNA	14301 Jarrettsville Pike	5/8/2020	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
M35P031LNA	14301 Jarrettsville Pike	5/8/2020	PI	1.7	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
M35P031LNA	14301 Jarrettsville Pike	5/8/2020	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
M35P031LNA	14301 Jarrettsville Pike	9/14/2020	PI	0.27 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)
M35P031LNA	14301 Jarrettsville Pike	10/28/2020	PI	0.74	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)
M35P031LNA	14301 Jarrettsville Pike	1/28/2021		1.2	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)
M35P031LNA	14301 Jarrettsville Pike	6/21/2021	PI	0.62	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)
M35P031LNA	14301 Jarrettsville Pike	9/30/2021		1.3	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)
M35P031LNA	14301 Jarrettsville Pike	12/29/2021		0.97 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn
M35P031LNA	14301 Jarrettsville Pike	2/26/2022		3.2 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn
M35P031LNA	14301 Jarrettsville Pike	6/21/2022		0.46 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)
M35P031LNA	14301 Jarrettsville Pike	9/21/2022	PI	0.41 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)
M35P031LNA	14301 Jarrettsville Pike	1/3/2023		0.11 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)
M35P031LNA	14301 Jarrettsville Pike	4/5/2023		0.34 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)
M35P031LNA	14301 Jarrettsville Pike	9/26/2023		2.8	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)
M35P031LNA	14301 Jarrettsville Pike	11/10/2023		0.31 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)

Table 2 - Private Supply Well Analytical Table

Inactive Exxon Facility #28077
14258 Jarrettsville Pike
Phoenix, MD

Table 2 - Private Supply Well Analytical Table

Inactive Exxon Facility #28077
 14258 Jarrettsville Pike
 Phoenix, MD

Map/Parcel/Lot	Address	Sample Date	POET Sample Point	MTBE (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-Benzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)
M35P151LNA	14307 Jarrettsville Pike	9/21/2022		0.13 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P151LNA	14307 Jarrettsville Pike	1/6/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P151LNA	14307 Jarrettsville Pike	4/5/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P151LNA	14307 Jarrettsville Pike	9/25/2023		0.18 J	ND(0.50)	0.71	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P151LNA	14307 Jarrettsville Pike	11/9/2023		0.11 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P151LNA	14307 Jarrettsville Pike	3/20/2024		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P152L01	14315 Jarrettsville Pike	1/15/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P152L01	14315 Jarrettsville Pike	4/1/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P152L01	14315 Jarrettsville Pike	7/9/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P152L01	14315 Jarrettsville Pike	10/16/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P152L01	14315 Jarrettsville Pike	1/15/2020		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P152L01	14315 Jarrettsville Pike	9/16/2020		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P152L01	14315 Jarrettsville Pike	11/24/2020		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P152L01	14315 Jarrettsville Pike	2/10/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P152L01	14315 Jarrettsville Pike	6/21/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P152L01	14315 Jarrettsville Pike	9/30/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P152L01	14315 Jarrettsville Pike	12/22/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P152L01	14315 Jarrettsville Pike	3/3/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P152L01	14315 Jarrettsville Pike	6/21/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P152L01	14315 Jarrettsville Pike	9/26/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P152L01	14315 Jarrettsville Pike	1/3/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P152L01	14315 Jarrettsville Pike	4/7/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P152L01	14315 Jarrettsville Pike	9/25/2023		ND(0.50)	ND(0.50)	0.19 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P152L01	14315 Jarrettsville Pike	11/9/2023		ND(0.50)	ND(0.50)	0.11 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P152L01	14315 Jarrettsville Pike	3/25/2024		ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	6.2 J cn
M35P310L08	3235 Paper Mill Road	1/14/2019		ND(0.5)	ND(0.5)	0.3 J	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)
M35P310L08	3235 Paper Mill Road	2/25/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P310L08	3235 Paper Mill Road	3/10/2022		ND(0.50) U cn	ND(0.50) U cn	0.24 J cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	5.0 J cn
M35P310L08	3235 Paper Mill Road	9/28/2022		ND(0.50)	ND(0.50)	0.12 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P310L08	3235 Paper Mill Road	12/21/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P054LNA	3313 Paper Mill Road	1/14/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P054LNA	3313 Paper Mill Road	1/14/2019	PI	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P054LNA	3313 Paper Mill Road	1/14/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P054LNA	3313 Paper Mill Road	10/15/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P054LNA	3313 Paper Mill Road	10/15/2019	PI	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P054LNA	3313 Paper Mill Road	10/15/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P054LNA	3313 Paper Mill Road	6/30/2020	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P054LNA	3313 Paper Mill Road	6/30/2020	PI	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P054LNA	3313 Paper Mill Road	6/30/2020	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P054LNA	3313 Paper Mill Road	2/11/2021		1.3	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P054LNA	3313 Paper Mill Road	1/5/2022		ND(0.50) U cn	ND(0.50) U cn	0.66 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn

Table 2 - Private Supply Well Analytical Table

Inactive Exxon Facility #28077
 14258 Jarrettsville Pike
 Phoenix, MD

Map/Parcel/Lot	Address	Sample Date	POET Sample Point	MTBE (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-Benzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)
M35P054LNA	3313 Paper Mill Road	6/21/2022		0.42 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P054LNA	3313 Paper Mill Road	9/21/2022		ND(0.50)	ND(0.50)	0.22 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P054LNA	3313 Paper Mill Road	1/10/2023		0.97 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M35P054LNA	3313 Paper Mill Road	4/5/2023		2.6 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M35P054LNA	3313 Paper Mill Road	9/25/2023		4.8	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P054LNA	3313 Paper Mill Road	11/10/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P054LNA	3313 Paper Mill Road	3/28/2024		1.3 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M35P123LNAP	3320 Paper Mill Road	2/28/2006		0.20 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.0)
M35P123LNAP	3320 Paper Mill Road	1/14/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P123LNAP	3320 Paper Mill Road	7/9/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P123LNAP	3320 Paper Mill Road	1/16/2020		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P123LNAP	3320 Paper Mill Road	2/26/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P123LNAP	3320 Paper Mill Road	1/6/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P123LNAP	3320 Paper Mill Road	1/9/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P386LNA	14102 Robcaste Road	4/25/2006		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.0)
M35P386LNA	14102 Robcaste Road	8/16/2006		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.0)
M35P386LNA	14102 Robcaste Road	1/27/2007		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.0)
M35P386LNA	14102 Robcaste Road	7/16/2007		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.0)
M35P386LNA	14102 Robcaste Road	7/14/2008		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.0)
M35P386LNA	14102 Robcaste Road	12/10/2008		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.0)
M35P386LNA	14102 Robcaste Road	7/22/2009		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.0)
M35P386LNA	14102 Robcaste Road	12/16/2009		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.0)
M35P386LNA	14102 Robcaste Road	7/7/2010		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.0)
M35P386LNA	14102 Robcaste Road	11/8/2010		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.0)
M35P386LNA	14102 Robcaste Road	7/19/2011		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.0)
M35P386LNA	14102 Robcaste Road	1/9/2012		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.0)
M35P386LNA	14102 Robcaste Road	7/11/2012		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.0)
M35P386LNA	14102 Robcaste Road	7/11/2013		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.0)
M35P386LNA	14102 Robcaste Road	1/17/2014		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.0)
M35P386LNA	14102 Robcaste Road	7/22/2014		ND(0.50)	ND(0.50)	ND(0.50)	0.099 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(5.0)
M35P386LNA	14102 Robcaste Road	1/13/2015		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	9.2
M35P386LNA	14102 Robcaste Road	7/14/2015		ND(0.5)	ND(0.5)	ND(0.5)	0.1 J	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	12 J
M35P386LNA	14102 Robcaste Road	1/11/2016		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	22 J
M35P386LNA	14102 Robcaste Road	7/17/2017		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P386LNA	14102 Robcaste Road	9/28/2018		1.3	ND(0.5)	ND(0.5)	1.5	11	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P386LNA	14102 Robcaste Road	4/1/2019		1.5	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P386LNA	14102 Robcaste Road	7/12/2019		1.7	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P386LNA	14102 Robcaste Road	2/17/2020		1.8	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P386LNA	14102 Robcaste Road	2/26/2021		1.7	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P386LNA	14102 Robcaste Road	12/29/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P386LNA	14102 Robcaste Road	3/10/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)

Table 2 - Private Supply Well Analytical Table

Inactive Exxon Facility #28077
 14258 Jarrettsville Pike
 Phoenix, MD

Map/Parcel/Lot	Address	Sample Date	POET Sample Point	MTBE (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-Benzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)
M35P386LNA	14102 Robcaste Road	1/6/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P386LNA	14102 Robcaste Road	6/22/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P386LNA	14102 Robcaste Road	12/22/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P322L05	14217 Robcaste Road	1/15/2019	0.1 J	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P322L05	14217 Robcaste Road	4/2/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P322L05	14217 Robcaste Road	7/15/2019	0.1 J	ND(0.5)	0.1 J	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P322L05	14217 Robcaste Road	1/21/2020		2.2	ND(0.5)	0.1 J	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P322L05	14217 Robcaste Road	9/24/2020		4.6	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P322L05	14217 Robcaste Road	6/24/2021		0.18 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P322L05	14217 Robcaste Road	9/27/2021		0.35 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P322L05	14217 Robcaste Road	12/29/2021		1.3 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M35P322L05	14217 Robcaste Road	3/10/2022		1.4 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M35P322L05	14217 Robcaste Road	9/26/2022		1.3 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M35P322L05	14217 Robcaste Road	1/6/2023		1.6 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M35P322L05	14217 Robcaste Road	4/7/2023		0.31 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P322L05	14217 Robcaste Road	1/2/2024		3.3 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M35P322L05	14217 Robcaste Road	3/20/2024		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P322L02	14223 Robcaste Road	1/14/2019		ND(0.5)	ND(0.5)	0.5	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P322L02	14223 Robcaste Road	4/3/2019		ND(0.5)	ND(0.5)	0.4 J	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P322L02	14223 Robcaste Road	10/15/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P322L02	14223 Robcaste Road	6/29/2020		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P322L02	14223 Robcaste Road	11/25/2020		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P322L02	14223 Robcaste Road	1/27/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P322L02	14223 Robcaste Road	6/24/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P322L02	14223 Robcaste Road	9/30/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P322L02	14223 Robcaste Road	12/29/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P322L02	14223 Robcaste Road	3/2/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P322L02	14223 Robcaste Road	6/20/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P322L02	14223 Robcaste Road	1/6/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P322L02	14223 Robcaste Road	4/7/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P322L02	14223 Robcaste Road	9/26/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P322L02	14223 Robcaste Road	11/10/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P322L02	14223 Robcaste Road	3/20/2024		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P221L01	3605A Southside Avenue	1/16/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P221L01	3605A Southside Avenue	7/12/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P221L01	3605A Southside Avenue	1/21/2020		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P221L01	3605A Southside Avenue	2/4/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P221L01	3605A Southside Avenue	12/28/2021		ND(0.50)	0.11 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P221L01	3605A Southside Avenue	3/24/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P221L01	3605A Southside Avenue	1/9/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P221L01	3605A Southside Avenue	6/29/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)

Table 2 - Private Supply Well Analytical Table

Inactive Exxon Facility #28077
 14258 Jarrettsville Pike
 Phoenix, MD

Map/Parcel/Lot	Address	Sample Date	POET Sample Point	MTBE (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-Benzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)
M35P221L01	3605A Southside Avenue	12/20/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P221L02	3605B Southside Avenue	1/14/2019		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P221L02	3605B Southside Avenue	1/20/2020		ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M35P221L02	3605B Southside Avenue	2/10/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P221L02	3605B Southside Avenue	12/28/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P221L02	3605B Southside Avenue	3/10/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P221L02	3605B Southside Avenue	1/9/2023		ND(0.50)	ND(0.50)	0.13 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P221L02	3605B Southside Avenue	12/21/2023		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P221L03	3605C Southside Avenue	2/25/2021		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P221L03	3605C Southside Avenue	1/5/2022		ND(0.50)	0.22 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P221L03	3605C Southside Avenue	3/10/2022		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P221L03	3605C Southside Avenue	9/28/2022		ND(0.50)	ND(0.50)	0.20 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M35P221L03	3605C Southside Avenue	1/2/2024		ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	1/8/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	1/8/2019	PI	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	1/8/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	2/5/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	2/5/2019	PI	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	2/5/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	3/5/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	3/5/2019	PI	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	3/5/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	4/2/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	4/2/2019	PI	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	4/2/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	5/7/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	5/7/2019	PI	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	5/7/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	6/7/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	6/7/2019	PI	0.2 J	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	6/7/2019	PM	ND(0.5)	ND(0.5)	0.1 J	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	7/2/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	7/2/2019	PI	3.6	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	0.2 J
M36P122LNA	3627A Southside Avenue	7/2/2019	PM	0.3 J	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	8/6/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	8/6/2019	PI	22	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	0.3 J	1.4
M36P122LNA	3627A Southside Avenue	8/6/2019	PM	0.4 J	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	8/23/2019	PI	22	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	0.4 J	1.4
M36P122LNA	3627A Southside Avenue	9/10/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	9/10/2019	PI	22	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	9/10/2019	PM	0.3 J	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)

Table 2 - Private Supply Well Analytical Table

Inactive Exxon Facility #28077
 14258 Jarrettsville Pike
 Phoenix, MD

Map/Parcel/Lot	Address	Sample Date	POET Sample Point	MTBE (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-Benzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)
M36P122LNA	3627A Southside Avenue	10/8/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	10/8/2019	PI	30	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	0.1 J	0.4 J	1.6	ND(25)
M36P122LNA	3627A Southside Avenue	10/8/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	11/5/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	11/5/2019	PI	32	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	0.1 J	0.5 J	1.7	ND(25)
M36P122LNA	3627A Southside Avenue	11/5/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	12/3/2019	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	12/3/2019	PI	33	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	0.1 J	0.5 J	1.7	ND(25)
M36P122LNA	3627A Southside Avenue	12/3/2019	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	1/6/2020	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	1/6/2020	PI	31	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	0.1 J	0.5 J	2.1	ND(25)
M36P122LNA	3627A Southside Avenue	1/6/2020	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	2/3/2020	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	2/3/2020	PI	39	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	0.2 J	0.6	2.4	ND(25)
M36P122LNA	3627A Southside Avenue	2/3/2020	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	3/3/2020	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	3/3/2020	PI	29	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	0.1 J	0.6	0.5	ND(25)
M36P122LNA	3627A Southside Avenue	3/3/2020	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	4/7/2020	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	4/7/2020	PI	39	0.1 J	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	0.2 J	0.7	2.2	ND(25)
M36P122LNA	3627A Southside Avenue	4/7/2020	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	5/5/2020	PE	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	5/5/2020	PI	0.3 J	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	5/5/2020	PM	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P122LNA	3627A Southside Avenue	6/2/2020	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	6/2/2020	PI	6.1	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	6/2/2020	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	7/7/2020	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	7/7/2020	PI	30	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.13 J	0.47 J	1.7	ND(25)
M36P122LNA	3627A Southside Avenue	7/7/2020	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	8/3/2020	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	8/3/2020	PI	9.2	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.25 J	0.23 J	ND(25)	
M36P122LNA	3627A Southside Avenue	8/3/2020	PM	1.1	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	8/4/2020	PI	48	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.22 J	ND(0.50)	1.6	ND(25)
M36P122LNA	3627A Southside Avenue	8/11/2020	PI	54	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.21 J	0.77	2.1	ND(25)
M36P122LNA	3627A Southside Avenue	8/17/2020	PI	40	0.13 J	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.15 J	0.58	2.5	ND(25) U *
M36P122LNA	3627A Southside Avenue	8/18/2020	PI	55	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.20 J	0.78	2.9	ND(25) U *
M36P122LNA	3627A Southside Avenue	8/24/2020	PI	45	0.16 J	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.19 J	0.64	2.8	ND(25)
M36P122LNA	3627A Southside Avenue	8/25/2020	PI	55	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.21 J	0.76	2.8	ND(25)
M36P122LNA	3627A Southside Avenue	8/31/2020	PI	39	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	0.59	1.7	ND(25)
M36P122LNA	3627A Southside Avenue	8/31/2020	PI	40	0.14 J	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.15 J	0.57	2.3	ND(25)

Table 2 - Private Supply Well Analytical Table

Inactive Exxon Facility #28077
 14258 Jarrettsville Pike
 Phoenix, MD

Map/Parcel/Lot	Address	Sample Date	POET Sample Point	MTBE (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-Benzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	
M36P122LNA	3627A Southside Avenue	9/1/2020	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)	
M36P122LNA	3627A Southside Avenue	9/1/2020	PI	45	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.19 J	0.65	1.7	ND(25)	
M36P122LNA	3627A Southside Avenue	9/1/2020	PM	3.4	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)	
M36P122LNA	3627A Southside Avenue	9/1/2020	PM2	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)	
M36P122LNA	3627A Southside Avenue	9/8/2020	PI	35	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.14 J	0.51	1.2	ND(25)	
M36P122LNA	3627A Southside Avenue	9/8/2020	PI	42	0.15 J	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.16 J	0.57	2.5	ND(25)	
M36P122LNA	3627A Southside Avenue	9/9/2020	PI	49	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.19 J	0.65	2.1	ND(25)	
M36P122LNA	3627A Southside Avenue	9/22/2020	PI	37	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.14 J	0.56	2.0	ND(25)	
M36P122LNA	3627A Southside Avenue	9/22/2020	PI	37	0.18 J	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.14 J	0.56	2.6	ND(25)	
M36P122LNA	3627A Southside Avenue	10/1/2020	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)	
M36P122LNA	3627A Southside Avenue	10/1/2020	PI	45	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.20 J	0.63	2.3	ND(25)	
M36P122LNA	3627A Southside Avenue	10/1/2020	PI	17	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	0.11 J	0.75	8.6 J	
M36P122LNA	3627A Southside Avenue	10/1/2020	PM	3.9	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)	
M36P122LNA	3627A Southside Avenue	10/1/2020	PM2	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)	
M36P122LNA	3627A Southside Avenue	10/5/2020	PI	33	0.15 J	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	0.49 J	2.5	ND(25)	
M36P122LNA	3627A Southside Avenue	10/5/2020	PI	40	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.16 J	0.59	2.4	ND(25)	
M36P122LNA	3627A Southside Avenue	10/12/2020	PI	34	0.17 J	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.14 J	0.52	2.6	ND(25)	
M36P122LNA	3627A Southside Avenue	10/12/2020	PI	36	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.15 J	0.56	2.3	ND(25)	
M36P122LNA	3627A Southside Avenue	10/19/2020	PI	35	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	0.54	2.2	ND(25)	
M36P122LNA	3627A Southside Avenue	10/19/2020	PI	34	0.16 J	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	0.51	2.6	ND(25)	
M36P122LNA	3627A Southside Avenue	10/26/2020	POST	29	NA	NA	NA	NA	NA	NA	NA	NA	NA	
M36P122LNA	3627A Southside Avenue	10/26/2020	PRE	31	NA	NA	NA	NA	NA	NA	NA	NA	NA	
M36P122LNA	3627A Southside Avenue	11/2/2020	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)	
M36P122LNA	3627A Southside Avenue	11/2/2020	PI	39	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.18 J	0.60	1.9	ND(25)	
M36P122LNA	3627A Southside Avenue	11/2/2020	PM2	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)	
M36P122LNA	3627A Southside Avenue	11/2/2020	POST	31	NA	NA	NA	NA	NA	NA	NA	NA	NA	
M36P122LNA	3627A Southside Avenue	11/9/2020	POST	34	NA	NA	NA	NA	NA	NA	NA	NA	NA	
M36P122LNA	3627A Southside Avenue	11/9/2020	PRE	35	NA	NA	NA	NA	NA	NA	NA	NA	NA	
M36P122LNA	3627A Southside Avenue	11/16/2020	PRE	34	NA	NA	NA	NA	NA	NA	NA	NA	NA	
M36P122LNA	3627A Southside Avenue	11/19/2020	POST	35	NA	NA	NA	NA	NA	NA	NA	NA	NA	
M36P122LNA	3627A Southside Avenue	11/23/2020	PRE	35	NA	NA	NA	NA	NA	NA	NA	NA	NA	
M36P122LNA	3627A Southside Avenue	11/24/2020	POST	31	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.11 J	0.45 J	2.2	ND(25)	
M36P122LNA	3627A Southside Avenue	11/30/2020	PRE	26	NA	NA	NA	NA	NA	NA	NA	NA	NA	
M36P122LNA	3627A Southside Avenue	12/3/2020	POST	26	NA	NA	NA	NA	NA	NA	NA	NA	NA	
M36P122LNA	3627A Southside Avenue	1/18/2021	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)	
M36P122LNA	3627A Southside Avenue	1/18/2021	PI	42	0.12 J	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.16 J	0.62	2.8	ND(25)	
M36P122LNA	3627A Southside Avenue	1/18/2021	PM2	0.23 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)	
M36P122LNA	3627A Southside Avenue	1/21/2021	POST	33	NA	NA	NA	NA	NA	NA	NA	NA	NA	
M36P122LNA	3627A Southside Avenue	1/25/2021	PRE	36	NA	NA	NA	NA	NA	NA	NA	NA	NA	
M36P122LNA	3627A Southside Avenue	1/28/2021	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)	
M36P122LNA	3627A Southside Avenue	1/28/2021	PI	32	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.12 J	0.44 J	1.7	ND(25)

Table 2 - Private Supply Well Analytical Table

Inactive Exxon Facility #28077
 14258 Jarrettsville Pike
 Phoenix, MD

Map/Parcel/Lot	Address	Sample Date	POET Sample Point	MTBE (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-Benzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)
M36P122LNA	3627A Southside Avenue	1/28/2021	PM	0.53	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	2/3/2021	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	2/3/2021	PI	30	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	0.43 J	1.8	ND(25)
M36P122LNA	3627A Southside Avenue	2/3/2021	PM	28	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	0.41 J	1.7	ND(25)
M36P122LNA	3627A Southside Avenue	2/4/2021	POST	33	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.12 J	0.48 J	1.9	ND(25)
M36P122LNA	3627A Southside Avenue	2/8/2021	PRE	31	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.13 J	0.47 J	1.8	ND(25)
M36P122LNA	3627A Southside Avenue	2/15/2021	PI	15	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	0.22 J	0.80	ND(25)
M36P122LNA	3627A Southside Avenue	2/22/2021	PRE	37	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.14 J	0.50	1.5	ND(25)
M36P122LNA	3627A Southside Avenue	2/25/2021	POST	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	2/25/2021	POST	35	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.13 J	0.47 J	1.7	ND(25)
M36P122LNA	3627A Southside Avenue	3/1/2021	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	3/1/2021	PE	34	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.15 J	0.51	1.9	ND(25)
M36P122LNA	3627A Southside Avenue	3/1/2021	PI	34	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.15 J	0.51	1.9	ND(25)
M36P122LNA	3627A Southside Avenue	3/1/2021	PI	0.73	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	3/1/2021	PM2	35	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.13 J	0.47 J	1.7	ND(25)
M36P122LNA	3627A Southside Avenue	3/1/2021	PM2	0.73	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	3/4/2021	POST	21	NA	NA	NA	NA	NA	NA	NA	NA	NA
M36P122LNA	3627A Southside Avenue	3/8/2021	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	3/8/2021	PI	13	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	0.20 J	0.75	ND(25)
M36P122LNA	3627A Southside Avenue	3/8/2021	PM2	1.6	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	3/8/2021	PRE	ND(1.0)	NA	NA	NA	NA	NA	NA	NA	NA	NA
M36P122LNA	3627A Southside Avenue	3/11/2021	POST	28	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	0.40 J	ND(0.50)	ND(25) U *
M36P122LNA	3627A Southside Avenue	3/15/2021	PRE	5.9	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	0.10 J	0.36 J	ND(25) U *
M36P122LNA	3627A Southside Avenue	3/18/2021	POST	29	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.11 J	0.42 J	2.1	ND(25) U *
M36P122LNA	3627A Southside Avenue	3/22/2021	PRE	12	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	0.18 J	0.69	ND(25) U *
M36P122LNA	3627A Southside Avenue	3/25/2021	POST	30	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.11 J	0.43 J	1.6	ND(25)
M36P122LNA	3627A Southside Avenue	3/29/2021	PRE	13	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	0.18 J	0.76	ND(25)
M36P122LNA	3627A Southside Avenue	4/1/2021	POST	32	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.13 J	0.45 J	1.9	ND(25)
M36P122LNA	3627A Southside Avenue	4/4/2021	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	4/4/2021	PI	1.3	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	4/4/2021	PM	1.8	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	4/8/2021	POST	29	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.11 J	0.39 J	1.5	ND(25)
M36P122LNA	3627A Southside Avenue	4/12/2021	PRE	0.75	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	4/15/2021	POST	40	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.16 J	0.55	2.3	ND(25) U *
M36P122LNA	3627A Southside Avenue	4/19/2021	PRE	3.8	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	0.13 J	ND(25) U *
M36P122LNA	3627A Southside Avenue	4/22/2021	POST	34	NA	NA	NA	NA	NA	NA	NA	NA	NA
M36P122LNA	3627A Southside Avenue	4/26/2021	PRE	11	NA	NA	NA	NA	NA	NA	NA	NA	NA
M36P122LNA	3627A Southside Avenue	4/29/2021	POST	30	NA	NA	NA	NA	NA	NA	NA	NA	NA
M36P122LNA	3627A Southside Avenue	5/1/2021	PRE	12 H H3	ND(0.50) U H H3	ND(0.50) U H H3	ND(0.50) U H H3	ND(1.0) U H H3	ND(0.50) U H H3	ND(0.50) U H H3	0.18 J H H3	0.73 H H3	ND(25) U H H3
M36P122LNA	3627A Southside Avenue	5/3/2021	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	5/3/2021	PI	22	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	0.32 J	0.88	ND(25)

Table 2 - Private Supply Well Analytical Table

Inactive Exxon Facility #28077
 14258 Jarrettsville Pike
 Phoenix, MD

Map/Parcel/Lot	Address	Sample Date	POET Sample Point	MTBE (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-Benzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)	
M36P122LNA	3627A Southside Avenue	5/3/2021	PM2	2.9	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)	
M36P122LNA	3627A Southside Avenue	5/6/2021	POST	31	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.13 J	0.46 J	1.7	ND(25)	
M36P122LNA	3627A Southside Avenue	5/10/2021	PRE	25	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.13 J	0.36 J	0.98	ND(25)	
M36P122LNA	3627A Southside Avenue	5/13/2021	POST	34	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.15 J	0.47 J	1.8	ND(25) U *+	
M36P122LNA	3627A Southside Avenue	5/17/2021	PRE	21	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	0.30 J	0.79	ND(25) U *+	
M36P122LNA	3627A Southside Avenue	5/24/2021	PRE	4.2	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	0.24 J	ND(25)	
M36P122LNA	3627A Southside Avenue	5/27/2021	POST	32	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.12 J	0.44 J	1.9	ND(25)	
M36P122LNA	3627A Southside Avenue	6/1/2021	PRE	12	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	0.18 J	0.73	ND(25)	
M36P122LNA	3627A Southside Avenue	6/4/2021	POST	26	NA	NA	NA	NA	NA	NA	NA	NA	NA	
M36P122LNA	3627A Southside Avenue	6/7/2021	PRE	24	NA	NA	NA	NA	NA	NA	NA	NA	NA	
M36P122LNA	3627A Southside Avenue	6/10/2021	POST	26	NA	NA	NA	NA	NA	NA	NA	NA	NA	
M36P122LNA	3627A Southside Avenue	6/14/2021	POST	26	NA	NA	NA	NA	NA	NA	NA	NA	NA	
M36P122LNA	3627A Southside Avenue	6/14/2021	PRE	16	NA	NA	NA	NA	NA	NA	NA	NA	NA	
M36P122LNA	3627A Southside Avenue	6/17/2021	POST	29	NA	NA	NA	NA	NA	NA	NA	NA	NA	
M36P122LNA	3627A Southside Avenue	6/21/2021	PRE	22	NA	NA	NA	NA	NA	NA	NA	NA	NA	
M36P122LNA	3627A Southside Avenue	6/24/2021	POST	35	NA	NA	NA	NA	NA	NA	NA	NA	NA	
M36P122LNA	3627A Southside Avenue	6/28/2021	PRE	30	NA	NA	NA	NA	NA	NA	NA	NA	NA	
M36P122LNA	3627A Southside Avenue	7/1/2021	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)	
M36P122LNA	3627A Southside Avenue	7/1/2021	PI	36	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.13 J	0.49 J	1.9	ND(25)	
M36P122LNA	3627A Southside Avenue	7/1/2021	PM	6.5	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)	
M36P122LNA	3627A Southside Avenue	7/6/2021	PRE	17	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	0.24 J	0.85	ND(25)
M36P122LNA	3627A Southside Avenue	7/8/2021	POST	36	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.14 J	0.52	1.9	ND(25)	
M36P122LNA	3627A Southside Avenue	7/12/2021	PRE	31	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	0.44 J	1.5	ND(25)
M36P122LNA	3627A Southside Avenue	7/15/2021	POST	32	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.13 J	0.45 J	1.8	ND(25)	
M36P122LNA	3627A Southside Avenue	7/19/2021	PRE	30	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.14 J	0.43 J	1.4	ND(25)	
M36P122LNA	3627A Southside Avenue	7/22/2021	POST	30	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.11 J	0.44 J	2.3	ND(25)	
M36P122LNA	3627A Southside Avenue	7/26/2021	POST	30	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.11 J	0.44 J	2.3	ND(25)	
M36P122LNA	3627A Southside Avenue	7/26/2021	PRE	16	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	0.25 J	1.0	ND(25)
M36P122LNA	3627A Southside Avenue	7/29/2021	POST	29	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.11 J	0.41 J	2.0	ND(25)	
M36P122LNA	3627A Southside Avenue	8/2/2021	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)	
M36P122LNA	3627A Southside Avenue	8/2/2021	PI	22	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.11 J	0.31 J	1.3	ND(25)	
M36P122LNA	3627A Southside Avenue	8/2/2021	PM2	5.6	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)	
M36P122LNA	3627A Southside Avenue	8/5/2021	POST	35	NA	NA	NA	NA	NA	NA	NA	NA	NA	
M36P122LNA	3627A Southside Avenue	8/9/2021	PRE	26	NA	NA	NA	NA	NA	NA	NA	NA	NA	
M36P122LNA	3627A Southside Avenue	8/11/2021	POST	30	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.12 J	0.45 J	1.9	ND(25)	
M36P122LNA	3627A Southside Avenue	8/16/2021	PRE	25	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.13 J	0.36 J	1.4	ND(25)	
M36P122LNA	3627A Southside Avenue	8/19/2021	POST	33	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.13 J	0.46 J	1.8	ND(25)	
M36P122LNA	3627A Southside Avenue	8/23/2021	PRE	31	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.15 J	0.45 J	1.5	ND(25)	
M36P122LNA	3627A Southside Avenue	8/26/2021	POST	30	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.12 J	0.43 J	2.0	ND(25)	
M36P122LNA	3627A Southside Avenue	8/30/2021	PRE	32	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	0.13 J	0.46 J	2.4	ND(25)	
M36P122LNA	3627A Southside Avenue	9/2/2021	POST	24	NA	NA	NA	NA	NA	NA	NA	NA	NA	

Table 2 - Private Supply Well Analytical Table

Inactive Exxon Facility #28077
 14258 Jarrettsville Pike
 Phoenix, MD

Map/Parcel/Lot	Address	Sample Date	POET Sample Point	MTBE (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-Benzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)
M36P122LNA	3627A Southside Avenue	9/7/2021	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	9/7/2021	PI	21	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	0.30 J	1.6	ND(25)
M36P122LNA	3627A Southside Avenue	9/7/2021	PM2	6.8	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	9/9/2021	POST	33	NA	NA	NA	NA	NA	NA	NA	NA	NA
M36P122LNA	3627A Southside Avenue	9/13/2021	PRE	33	NA	NA	NA	NA	NA	NA	NA	NA	NA
M36P122LNA	3627A Southside Avenue	9/16/2021	POST	29	NA	NA	NA	NA	NA	NA	NA	NA	NA
M36P122LNA	3627A Southside Avenue	9/20/2021	PRE	21	NA	NA	NA	NA	NA	NA	NA	NA	NA
M36P122LNA	3627A Southside Avenue	9/24/2021	POST	34	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	0.14 J	0.47 J	2.2	ND(25)
M36P122LNA	3627A Southside Avenue	9/27/2021	PRE	27	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	0.13 J	0.42 J	1.4	ND(25)
M36P122LNA	3627A Southside Avenue	9/30/2021	POST	35	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	0.13 J	0.51	2.2	ND(25)
M36P122LNA	3627A Southside Avenue	10/4/2021	POST	37	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	0.15 J	0.52	2.2	ND(25)
M36P122LNA	3627A Southside Avenue	10/4/2021	PRE	20	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	0.32 J	1.0	ND(25)
M36P122LNA	3627A Southside Avenue	10/11/2021	PRE	37	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	0.15 J	0.50	1.8	ND(25)
M36P122LNA	3627A Southside Avenue	10/19/2021	PRE	25	NA	NA	NA	NA	NA	NA	NA	NA	NA
M36P122LNA	3627A Southside Avenue	10/21/2021	POST	40	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	0.14 J	0.47 J	1.6	ND(25)
M36P122LNA	3627A Southside Avenue	10/25/2021	PRE	35	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	0.50	1.6	ND(25)
M36P122LNA	3627A Southside Avenue	10/28/2021	POST	33	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	0.13 J	0.49 J	2.6	ND(25)
M36P122LNA	3627A Southside Avenue	11/1/2021	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	11/1/2021	PI	39	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	0.18 J	0.57	1.6	ND(25)
M36P122LNA	3627A Southside Avenue	11/1/2021	PM2	15	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	11/4/2021	POST	35	NA	NA	NA	NA	NA	NA	NA	NA	NA
M36P122LNA	3627A Southside Avenue	11/8/2021	PRE	38	NA	NA	NA	NA	NA	NA	NA	NA	NA
M36P122LNA	3627A Southside Avenue	11/15/2021	PRE	41	NA	NA	NA	NA	NA	NA	NA	NA	NA
M36P122LNA	3627A Southside Avenue	11/18/2021	POST	34	NA	NA	NA	NA	NA	NA	NA	NA	NA
M36P122LNA	3627A Southside Avenue	11/22/2021	PRE	38	NA	NA	NA	NA	NA	NA	NA	NA	NA
M36P122LNA	3627A Southside Avenue	11/29/2021	PRE	17	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	0.25 J	1.1	ND(25)
M36P122LNA	3627A Southside Avenue	12/6/2021	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	12/6/2021	PI	23 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.10 J cn	0.34 J cn	ND(0.50) U cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	12/6/2021	PM	11 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	12/13/2021	PRE	42 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.16 J cn	0.55 cn	2.5 cn
M36P122LNA	3627A Southside Avenue	12/16/2021	POST	39	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	0.15 J	0.55	2.4
M36P122LNA	3627A Southside Avenue	12/20/2021	PRE	37 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.17 J cn	0.53 cn	2.1 cn
M36P122LNA	3627A Southside Avenue	12/27/2021	PRE	30 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.12 J cn	0.43 J cn	2.2 cn
M36P122LNA	3627A Southside Avenue	12/28/2021	POST	39 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.14 J cn	0.55 cn	2.8 cn
M36P122LNA	3627A Southside Avenue	1/10/2022	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	1/10/2022	PI	37 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.14 J cn	0.46 J cn	1.7 cn
M36P122LNA	3627A Southside Avenue	1/10/2022	PM2	9.3 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	1/20/2022	PRE	39 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.15 J cn	0.49 J cn	1.4 cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	1/24/2022	PRE	37 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.15 J cn	0.52 cn	2.2 cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	1/31/2022	POST	14 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.22 J cn	1.0 cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	2/7/2022	PRE	33 cn	ND(1.0) U cn	ND(1.0) U cn	ND(1.0) U cn	ND(1.0) U cn	ND(1.0) U cn	ND(1.0) U cn	0.43 J cn	1.8 J cn	ND(50) U cn

Table 2 - Private Supply Well Analytical Table

Inactive Exxon Facility #28077
 14258 Jarrettsville Pike
 Phoenix, MD

Map/Parcel/Lot	Address	Sample Date	POET Sample Point	MTBE (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-Benzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)
M36P122LNA	3627A Southside Avenue	2/28/2022	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	2/28/2022	PI	20 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.10 J cn	0.32 J cn	1.2 cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	2/28/2022	PM	12 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	3/7/2022	PRE	15 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.23 J cn	1.1 cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	3/14/2022	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	3/14/2022	PI	45 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.20 J cn	0.63 cn	1.9 cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	3/14/2022	PM2	11 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	4/4/2022	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	4/4/2022	PI	11 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.28 J cn	0.28 J cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	4/4/2022	PM2	10 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	5/3/2022	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	5/3/2022	PI	8.7 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.21 J cn	0.35 J cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	5/3/2022	PM	10 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	6/6/2022	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	6/6/2022	PI	1.7 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	6/6/2022	PM	12 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	7/11/2022	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	7/11/2022	PI	14 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.11 J cn	0.32 J cn	0.55 cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	7/11/2022	PM	13 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	8/1/2022	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	8/1/2022	PI	11 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.24 J cn	0.54 cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	8/1/2022	PM	12 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	9/6/2022	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	9/6/2022	PI	23 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.16 J cn	0.48 J cn	0.65 cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	9/6/2022	PM2	14 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	10/17/2022	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	10/17/2022	PI	40 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.19 J cn	0.62 cn	2.1 cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	10/17/2022	PM2	11 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	11/11/2022	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	11/11/2022	PI	52	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	0.27 J	0.85	3.2	7.4 J
M36P122LNA	3627A Southside Avenue	11/11/2022	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	12/5/2022	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	12/5/2022	PI	22 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.16 J cn	0.46 J cn	1.2 cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	12/5/2022	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	1/9/2023	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	1/9/2023	PI	17 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.14 J cn	0.38 J cn	0.73 cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	1/9/2023	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	2/6/2023	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	2/6/2023	PI	16 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.39 J cn	0.94 cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	2/6/2023	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	3/6/2023	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)

Table 2 - Private Supply Well Analytical Table

Inactive Exxon Facility #28077
 14258 Jarrettsville Pike
 Phoenix, MD

Map/Parcel/Lot	Address	Sample Date	POET Sample Point	MTBE (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-Benzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)
M36P122LNA	3627A Southside Avenue	3/6/2023	PI	22 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.18 J cn	0.55 cn	1.1 cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	3/6/2023	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	4/3/2023	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	4/3/2023	PI	8.2 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.22 J cn	0.53 cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	4/3/2023	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	5/8/2023	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25) U *+
M36P122LNA	3627A Southside Avenue	5/8/2023	PI	4.3 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.15 J cn	0.16 J cn	ND(25) U *+ cn
M36P122LNA	3627A Southside Avenue	5/8/2023	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25) U *+
M36P122LNA	3627A Southside Avenue	7/10/2023	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	7/10/2023	PI	26 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.18 J cn	0.58 cn	1.5 cn	8.0 J cn
M36P122LNA	3627A Southside Avenue	7/10/2023	PM	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	8/7/2023	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	8/7/2023	PI	16 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.49 J cn	0.97 cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	8/7/2023	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	9/18/2023	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	9/18/2023	PI	29	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	0.18 J	0.68	2.1	14 J
M36P122LNA	3627A Southside Avenue	9/18/2023	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	10/9/2023	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	10/9/2023	PI	24	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	0.18 J	0.55	1.5	ND(25)
M36P122LNA	3627A Southside Avenue	10/9/2023	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	11/9/2023	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	11/9/2023	PI	25 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.18 J cn	0.66 cn	1.7 cn	9.4 J cn
M36P122LNA	3627A Southside Avenue	11/9/2023	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	12/4/2023	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	12/4/2023	PI	27 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.21 J cn	0.68 cn	2.0 cn	16 J cn
M36P122LNA	3627A Southside Avenue	12/4/2023	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	1/2/2024	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	6.3 J
M36P122LNA	3627A Southside Avenue	1/2/2024	PI	22 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.16 J cn	0.52 cn	1.5 cn	8.5 J cn
M36P122LNA	3627A Southside Avenue	1/2/2024	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	2/5/2024	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	6.5 J
M36P122LNA	3627A Southside Avenue	2/5/2024	PI	0.45 J	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	2/5/2024	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	2/13/2024	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	8.4 J
M36P122LNA	3627A Southside Avenue	2/13/2024	PI	1.3 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M36P122LNA	3627A Southside Avenue	2/13/2024	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	3/4/2024	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	3/4/2024	PI	8.0 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.19 J cn	0.61 cn	ND(25) U cn	
M36P122LNA	3627A Southside Avenue	3/4/2024	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	4/3/2024	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	4/3/2024	PI	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	4/3/2024	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)

Table 2 - Private Supply Well Analytical Table

Inactive Exxon Facility #28077
 14258 Jarrettsville Pike
 Phoenix, MD

Map/Parcel/Lot	Address	Sample Date	POET Sample Point	MTBE (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-Benzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)
M36P122LNA	3627A Southside Avenue	5/9/2024	PE	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	5/9/2024	PI	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P122LNA	3627A Southside Avenue	5/9/2024	PM	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P226LNA	3635 Southside Avenue	1/14/2019		2.2	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P226LNA	3635 Southside Avenue	4/1/2019		2.1	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P226LNA	3635 Southside Avenue	7/8/2019		2.8	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P226LNA	3635 Southside Avenue	10/15/2019		6.9	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	0.1 J	0.3 J	ND(25)
M36P226LNA	3635 Southside Avenue	1/6/2020		5.6	ND(0.5)	ND(0.5)	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P226LNA	3635 Southside Avenue	5/5/2020		5.8	ND(0.5)	0.2 J	ND(0.5)	ND(1.0)	ND(0.5)	ND(0.5)	ND(0.5)	ND(0.5)	ND(25)
M36P226LNA	3635 Southside Avenue	7/7/2020		5.3	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P226LNA	3635 Southside Avenue	8/3/2020		5.6	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P226LNA	3635 Southside Avenue	9/2/2020		6.5	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P226LNA	3635 Southside Avenue	10/5/2020		5.5	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P226LNA	3635 Southside Avenue	11/2/2020		5.2	NA	NA	NA	NA	NA	NA	NA	NA	NA
M36P226LNA	3635 Southside Avenue	12/23/2020		6.2	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P226LNA	3635 Southside Avenue	1/18/2021		5.4	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P226LNA	3635 Southside Avenue	2/3/2021		5.1	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P226LNA	3635 Southside Avenue	3/1/2021		4.3	NA	NA	NA	NA	NA	NA	NA	NA	NA
M36P226LNA	3635 Southside Avenue	4/12/2021		3.9	ND(0.50)	0.25 J	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P226LNA	3635 Southside Avenue	5/3/2021		4	ND(0.50)	0.22 J	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P226LNA	3635 Southside Avenue	6/7/2021		1	NA	NA	NA	NA	NA	NA	NA	NA	NA
M36P226LNA	3635 Southside Avenue	7/12/2021		4.1	ND(0.50)	ND(0.50)	ND(0.50)	ND(1.0)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P226LNA	3635 Southside Avenue	8/9/2021		2.7	NA	NA	NA	NA	NA	NA	NA	NA	NA
M36P226LNA	3635 Southside Avenue	9/13/2021		2.4	NA	NA	NA	NA	NA	NA	NA	NA	NA
M36P226LNA	3635 Southside Avenue	10/5/2021		3.9	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P226LNA	3635 Southside Avenue	11/8/2021		3.7	NA	NA	NA	NA	NA	NA	NA	NA	NA
M36P226LNA	3635 Southside Avenue	12/6/2021		2.5 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M36P226LNA	3635 Southside Avenue	1/10/2022		3.8 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M36P226LNA	3635 Southside Avenue	2/28/2022		4.0 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M36P226LNA	3635 Southside Avenue	3/14/2022		3.9	NA	NA	NA	NA	NA	NA	NA	NA	NA
M36P226LNA	3635 Southside Avenue	4/4/2022		3.8 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M36P226LNA	3635 Southside Avenue	5/3/2022		1.6	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(25)
M36P226LNA	3635 Southside Avenue	6/6/2022		2.2 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M36P226LNA	3635 Southside Avenue	7/11/2022		1.4 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M36P226LNA	3635 Southside Avenue	8/1/2022		1.6 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M36P226LNA	3635 Southside Avenue	9/6/2022		3.7 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M36P226LNA	3635 Southside Avenue	10/17/2022		4.7 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(25) U cn
M36P226LNA	3635 Southside Avenue	11/11/2022		7.6	ND(0.50)	4.7	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	0.11 J	0.39 J	ND(25)
M36P226LNA	3635 Southside Avenue	12/5/2022		7.4 cn	ND(0.50) U cn	0.94 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.11 J cn	0.47 J cn	ND(25) U cn
M36P226LNA	3635 Southside Avenue	1/9/2023		7.6 cn	ND(0.50) U cn	0.37 J cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.12 J cn	0.40 J cn	ND(25) U cn
M36P226LNA	3635 Southside Avenue	2/6/2023		6.8 cn	ND(0.50) U cn	0.12 J cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.49 J cn	ND(25) U cn	

Table 2 - Private Supply Well Analytical Table

Inactive Exxon Facility #28077
 14258 Jarrettsville Pike
 Phoenix, MD

Map/Parcel/Lot	Address	Sample Date	POET Sample Point	MTBE (µg/L)	Benzene (µg/L)	Toluene (µg/L)	Ethyl-Benzene (µg/L)	Total Xylenes (µg/L)	Naphthalene (µg/L)	DIPE (µg/L)	ETBE (µg/L)	TAME (µg/L)	TBA (µg/L)
M36P226LNA	3635 Southside Avenue	3/6/2023		6.5 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.34 J cn	ND(25) U cn
M36P226LNA	3635 Southside Avenue	4/3/2023		6.3 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.45 J cn	ND(25) U cn
M36P226LNA	3635 Southside Avenue	5/8/2023		6.0 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.40 J cn	ND(25) U *+cn
M36P226LNA	3635 Southside Avenue	7/10/2023		6.9 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.10 J cn	0.38 J cn	ND(25) U cn
M36P226LNA	3635 Southside Avenue	8/22/2023		7.3 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.12 J cn	0.52 cn	ND(25) U cn
M36P226LNA	3635 Southside Avenue	9/18/2023		6.8	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	0.11 J	0.44 J
M36P226LNA	3635 Southside Avenue	10/9/2023		7.6	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	0.13 J	0.55
M36P226LNA	3635 Southside Avenue	11/9/2023		6.1 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.10 J cn	0.43 J cn
M36P226LNA	3635 Southside Avenue	12/4/2023		7.8	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	ND(0.50)	0.14 J	0.48 J
M36P226LNA	3635 Southside Avenue	1/2/2024		6.8 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.13 J cn	0.47 J cn
M36P226LNA	3635 Southside Avenue	2/5/2024		5.0 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.35 J cn	ND(25) U cn
M36P226LNA	3635 Southside Avenue	3/4/2024		5.9 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.11 J cn	0.44 J cn
M36P226LNA	3635 Southside Avenue	4/3/2024		2.1 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.15 J cn	ND(25) U cn
M36P226LNA	3635 Southside Avenue	5/9/2024		4.2 cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	ND(0.50) U cn	0.22 J cn	ND(25) U cn

Notes

DIPE - di-isopropyl ether

ETBE - ethyl tert butyl ether

J - indicates an estimated value

MTBE - methyl tertiary butyl ether

ND(5.0) - Not detected at or above the laboratory reporting limit, laboratory reporting limit included.

PI - Influent sample location. POET installed by ExxonMobil.

PIO - Influent sample location. POET installed by Others.

PM - Midfluent sample location. POET installed by ExxonMobil.

PMO - Midfluent sample location. POET installed by Others.

PE - Effluent sample location. POET installed by ExxonMobil.

PEO - Effluent sample location. POET installed by Others.

POET - Point of Entry Treatment system

TAME - tert-amyl methyl ether

TBA - tert butyl alcohol

µg/L - micrograms per liter (parts per billion)

NS - No longer sampled

cn - refer to case narrative of lab report



ATTACHMENT A


Flowchart 3

Discontinuation of Private Supply Well Sampling

Effective January 1, 2018

The process described in paragraph 8 of the Order of Resolution dated June 6, 2018 and the flow charts referenced herein are the product of the agreed upon resolution of a dispute between MDE and ExxonMobil are not to be considered precedent or MDE policy for other sites or other circumstances.

Flowchart 3: Private Supply Well (PSW) Sampling



*MDE, June 2008, State of Maryland Department of the Environment, Cleanup Standards for Soil and Groundwater, Interim Final Guidance, Update No. 2.1