

06 August 2024

Rachael Allen
AECOM Environment
430 NATIONAL BUISNESS PKY SUITE 190
ANNAPOLIS JUNCTION, MD 20701
RE: 7-ELEVEN #28924 TAYLORSVILLE, MD

Enclosed are the results of analyses for samples received by the laboratory on 08/05/24 17:01.

Maryland Spectral Services, Inc. is a TNI 2016 Standard accredited laboratory and as such, all analyses performed at Maryland Spectral Services included in this report are 2016 TNI certified except as indicated at the end of this report. Please visit our website at www.mdspectral.com for a complete listing of our TNI 2016 Standard accreditations.

If you have any questions concerning this report, please feel free to contact me.

Sincerely,



Will Brewington
President

Analytical Results

Project: 7-ELEVEN #28924 TAYLORSVILLE, MD

Project Number: STORE #28924

Project Manager: Rachael Allen

Reported:

08/06/24 13:11

Client Sample ID	Alternate Sample ID	Laboratory ID	Matrix	Date Sampled	Date Received
TFMW-2		4080513-01	Nonpotable Water	08/05/24 11:25	08/05/24 17:01
RW-2		4080513-02	Nonpotable Water	08/05/24 16:00	08/05/24 17:01



Will Brewington, President

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Analytical Results

Project: 7-ELEVEN #28924 TAYLORSVILLE, MD

Project Number: STORE #28924
Project Manager: Rachael Allen

Reported:
08/06/24 13:11

TFMW-2

4080513-01 (Nonpotable Water)

Sampled on: 08/05/24 11:25

Analyte	Result	Notes	Units	Reporting Limit (MRL)	Detection Limit (LOD)	Dilution	Prepared	Analyzed	Analyst
Volatile Organics by EPA 8260B (GC/MS) Prepared by GCMS-WATER-VOLATILES									
Acetone	ND		ug/L	10.0	10.0	1	08/06/24	08/06/24 10:39	LL
tert-Amyl alcohol (TAA)	71.3		ug/L	20.0	20.0	1	08/06/24	08/06/24 10:39	LL
tert-Amyl methyl ether (TAME)	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Benzene	145		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Bromobenzene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Bromochloromethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Bromodichloromethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Bromoform	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Bromomethane	ND		ug/L	5.0	5.0	1	08/06/24	08/06/24 10:39	LL
tert-Butanol (TBA)	ND		ug/L	15.0	15.0	1	08/06/24	08/06/24 10:39	LL
2-Butanone (MEK)	ND		ug/L	10.0	10.0	1	08/06/24	08/06/24 10:39	LL
n-Butylbenzene	1.4	J	ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
sec-Butylbenzene	1.4	J	ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
tert-Butylbenzene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Carbon disulfide	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Carbon tetrachloride	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Chlorobenzene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Chloroethane	ND		ug/L	5.0	3.0	1	08/06/24	08/06/24 10:39	LL
Chloroform	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Chloromethane	ND		ug/L	5.0	5.0	1	08/06/24	08/06/24 10:39	LL
2-Chlorotoluene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
4-Chlorotoluene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Dibromochloromethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
1,2-Dibromo-3-chloropropane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
1,2-Dibromoethane (EDB)	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Dibromomethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
1,2-Dichlorobenzene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
1,3-Dichlorobenzene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
1,4-Dichlorobenzene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Dichlorodifluoromethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
1,1-Dichloroethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
1,2-Dichloroethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
1,1-Dichloroethene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Will Brewington, President

All analyses performed at Maryland Spectral Services included in the report are TNI certified except as indicated at the end of the report

Analytical Results

Project: 7-ELEVEN #28924 TAYLORSVILLE, MD

Project Number: STORE #28924
Project Manager: Rachael Allen

Reported:
08/06/24 13:11

TFMW-2

4080513-01 (Nonpotable Water)
Sampled on: 08/05/24 11:25

Analyte	Result	Notes	Units	Reporting Limit (MRL)	Detection Limit (LOD)	Dilution	Prepared	Analyzed	Analyst
Volatile Organics by EPA 8260B (GC/MS) Prepared by GCMS-WATER-VOLATILES (continued)									
cis-1,2-Dichloroethene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
trans-1,2-Dichloroethene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Dichlorofluoromethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
1,2-Dichloropropane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
1,3-Dichloropropane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
2,2-Dichloropropane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
1,1-Dichloropropene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
cis-1,3-Dichloropropene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
trans-1,3-Dichloropropene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Diisopropyl ether (DIPE)	2.8		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Ethyl tert-butyl ether (ETBE)	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Ethylbenzene	9.0		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Hexachlorobutadiene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
2-Hexanone	ND		ug/L	10.0	10.0	1	08/06/24	08/06/24 10:39	LL
Isopropylbenzene (Cumene)	2.7		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
4-Isopropyltoluene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Methyl tert-butyl ether (MTBE)	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
4-Methyl-2-pentanone	ND		ug/L	10.0	10.0	1	08/06/24	08/06/24 10:39	LL
Methylene chloride	ND		ug/L	10.0	5.0	1	08/06/24	08/06/24 10:39	LL
Naphthalene	5.1		ug/L	2.0	2.0	1	08/06/24	08/06/24 10:39	LL
n-Propylbenzene	3.2		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Styrene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
1,1,1,2-Tetrachloroethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
1,1,2,2-Tetrachloroethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Tetrachloroethene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Toluene	126		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
1,2,3-Trichlorobenzene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
1,2,4-Trichlorobenzene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
1,1,1-Trichloroethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
1,1,2-Trichloroethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Trichloroethene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Trichlorofluoromethane (Freon 11)	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
1,2,3-Trichloropropane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
1,2,4-Trimethylbenzene	26.3		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.



Will Brewington, President

All analyses performed at Maryland Spectral Services included in the report are TNI certified except as indicated at the end of the report

Analytical Results

Project: 7-ELEVEN #28924 TAYLORSVILLE, MD

Project Number: STORE #28924

Project Manager: Rachael Allen

Reported:

08/06/24 13:11

TFMW-2

4080513-01 (Nonpotable Water)

Sampled on: 08/05/24 11:25

Analyte	Result	Notes	Units	Reporting Limit (MRL)	Detection Limit (LOD)	Dilution	Prepared	Analyzed	Analyst
Volatile Organics by EPA 8260B (GC/MS) Prepared by GCMS-WATER-VOLATILES (continued)									
1,3,5-Trimethylbenzene	10.8		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
Vinyl chloride	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
o-Xylene	109		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
m- & p-Xylenes	104		ug/L	2.0	1.0	1	08/06/24	08/06/24 10:39	LL
<i>Surrogate: 1,2-Dichloroethane-d4</i>		70-130		102 %	08/06/24		08/06/24 10:39		
<i>Surrogate: Toluene-d8</i>		75-120		101 %	08/06/24		08/06/24 10:39		
<i>Surrogate: 4-Bromofluorobenzene</i>		75-120		102 %	08/06/24		08/06/24 10:39		



Will Brewington, President

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Analytical Results

Project: 7-ELEVEN #28924 TAYLORSVILLE, MD

Project Number: STORE #28924
Project Manager: Rachael Allen

Reported:
08/06/24 13:11

RW-2

4080513-02 (Nonpotable Water)
Sampled on: 08/05/24 16:00

Analyte	Result	Notes	Units	Reporting Limit (MRL)	Detection Limit (LOD)	Dilution	Prepared	Analyzed	Analyst
Volatile Organics by EPA 8260B (GC/MS) Prepared by GCMS-WATER-VOLATILES									
Acetone	ND		ug/L	10.0	10.0	1	08/06/24	08/06/24 11:05	LL
tert-Amyl alcohol (TAA)	ND		ug/L	20.0	20.0	1	08/06/24	08/06/24 11:05	LL
tert-Amyl methyl ether (TAME)	2.4		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Benzene	20.5		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Bromobenzene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Bromochloromethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Bromodichloromethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Bromoform	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Bromomethane	ND		ug/L	5.0	5.0	1	08/06/24	08/06/24 11:05	LL
tert-Butanol (TBA)	ND		ug/L	15.0	15.0	1	08/06/24	08/06/24 11:05	LL
2-Butanone (MEK)	ND		ug/L	10.0	10.0	1	08/06/24	08/06/24 11:05	LL
n-Butylbenzene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
sec-Butylbenzene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
tert-Butylbenzene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Carbon disulfide	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Carbon tetrachloride	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Chlorobenzene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Chloroethane	ND		ug/L	5.0	3.0	1	08/06/24	08/06/24 11:05	LL
Chloroform	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Chloromethane	ND		ug/L	5.0	5.0	1	08/06/24	08/06/24 11:05	LL
2-Chlorotoluene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
4-Chlorotoluene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Dibromochloromethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
1,2-Dibromo-3-chloropropane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
1,2-Dibromoethane (EDB)	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Dibromomethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
1,2-Dichlorobenzene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
1,3-Dichlorobenzene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
1,4-Dichlorobenzene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Dichlorodifluoromethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
1,1-Dichloroethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
1,2-Dichloroethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
1,1-Dichloroethene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Will Brewington, President

All analyses performed at Maryland Spectral Services included in the report are TNI certified except as indicated at the end of the report

Analytical Results

Project: 7-ELEVEN #28924 TAYLORSVILLE, MD

Project Number: STORE #28924
Project Manager: Rachael Allen

Reported:
08/06/24 13:11

RW-2

4080513-02 (Nonpotable Water)
Sampled on: 08/05/24 16:00

Analyte	Result	Notes	Units	Reporting Limit (MRL)	Detection Limit (LOD)	Dilution	Prepared	Analyzed	Analyst
Volatile Organics by EPA 8260B (GC/MS) Prepared by GCMS-WATER-VOLATILES (continued)									
cis-1,2-Dichloroethene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
trans-1,2-Dichloroethene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Dichlorofluoromethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
1,2-Dichloropropane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
1,3-Dichloropropane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
2,2-Dichloropropane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
1,1-Dichloropropene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
cis-1,3-Dichloropropene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
trans-1,3-Dichloropropene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Diisopropyl ether (DIPE)	1.8	J	ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Ethyl tert-butyl ether (ETBE)	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Ethylbenzene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Hexachlorobutadiene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
2-Hexanone	ND		ug/L	10.0	10.0	1	08/06/24	08/06/24 11:05	LL
Isopropylbenzene (Cumene)	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
4-Isopropyltoluene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Methyl tert-butyl ether (MTBE)	86.1		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
4-Methyl-2-pentanone	ND		ug/L	10.0	10.0	1	08/06/24	08/06/24 11:05	LL
Methylene chloride	ND		ug/L	10.0	5.0	1	08/06/24	08/06/24 11:05	LL
Naphthalene	ND		ug/L	2.0	2.0	1	08/06/24	08/06/24 11:05	LL
n-Propylbenzene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Styrene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
1,1,1,2-Tetrachloroethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
1,1,2,2-Tetrachloroethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Tetrachloroethene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Toluene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
1,2,3-Trichlorobenzene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
1,2,4-Trichlorobenzene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
1,1,1-Trichloroethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
1,1,2-Trichloroethane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Trichloroethene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Trichlorofluoromethane (Freon 11)	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
1,2,3-Trichloropropane	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Will Brewington, President

All analyses performed at Maryland Spectral Services included in the report are TNI certified except as indicated at the end of the report

Analytical Results

Project: 7-ELEVEN #28924 TAYLORSVILLE, MD

Project Number: STORE #28924

Project Manager: Rachael Allen

Reported:

08/06/24 13:11

RW-2

4080513-02 (Nonpotable Water)

Sampled on: 08/05/24 16:00

Analyte	Result	Notes	Units	Reporting Limit (MRL)	Detection Limit (LOD)	Dilution	Prepared	Analyzed	Analyst
Volatile Organics by EPA 8260B (GC/MS) Prepared by GCMS-WATER-VOLATILES (continued)									
1,2,4-Trimethylbenzene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
1,3,5-Trimethylbenzene	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
Vinyl chloride	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
o-Xylene	2.5		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
m- & p-Xylenes	ND		ug/L	2.0	1.0	1	08/06/24	08/06/24 11:05	LL
<i>Surrogate: 1,2-Dichloroethane-d4</i>			<i>70-130</i>	<i>102 %</i>	<i>08/06/24</i>		<i>08/06/24 11:05</i>		
<i>Surrogate: Toluene-d8</i>			<i>75-120</i>	<i>100 %</i>	<i>08/06/24</i>		<i>08/06/24 11:05</i>		
<i>Surrogate: 4-Bromofluorobenzene</i>			<i>75-120</i>	<i>97 %</i>	<i>08/06/24</i>		<i>08/06/24 11:05</i>		



Will Brewington, President

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Analytical Results

Project: 7-ELEVEN #28924 TAYLORSVILLE, MD

Project Number: STORE #28924

Project Manager: Rachael Allen

Notes and Definitions

- J Detected but below the reporting limit; therefore, result is an estimated concentration (CLP J-Flag).
- RE Sample reanalyses are done at the laboratory's discretion as a mechanism to improve data quality. Any client requested reanalysis will be identified with a sample qualifier.
- ND Analyte NOT DETECTED at or above the reporting limit
- dry Sample results reported on a dry weight basis
- RPD Relative Percent Difference
- %-Solids Percent Solids is a supportive test and as such does not require accreditation

If this report contains any samples analyzed for gasoline range organics (GRO) by EPA Method 8015C and no trip blank was shipped, stored, and received with the sample(s) as required by Section 3.1 of the EPA Method, the sample analysis contained in this report cannot exclude the possibility that any reportable GRO measurement was due to environmental contamination of the sample during shipping or storage.



Will Brewington, President

The results in this report apply to the samples analyzed in accordance with the chain of custody document. This analytical report must be reproduced in its entirety.

Company Name: AECOM		Project Manager: Rachael Allen		Analysis Requested								CHAIN-OF-CUSTODY RECORD					
Project Name: 7-Eleven #28924 Taylorsville, MD		Project ID: store# 28924										Maryland Spectral Services, Inc. 1500 Caton Center Drive, Suite G Baltimore, MD 21227 410-247-7600 * Fax 410-247-7602 reporting@mdspectral.com					
Sampler(s): Sarah Loyer		P.O. Number: P# 60653044										Matrix Codes: NPW - non-potable water DW - drinking water					
State of Origin: Maryland																	
Field Sample ID:	Date	Time	DW	NPW (GW)	Soil	Other	Grab	Composite	# of containers						Preservative	Field Notes	MSS Lab ID
TFMW-2	8/5/24	11:25		X					3	X					HCl		4080513-01 A
RW-2	8/5/24	4:00pm (1660)		X					3	X					HCl		- 02
Relinquished by: (Signature) <i>Sarah Loyer</i>	Date /Time 8/5/24	Relinquished by: (Signature)		Please indicate if any of the following certifications are required:				Turn Around Time:		Delivery Method:		Lab Use:					
(Printed) Sarah Loyer	17:15	(Printed)						<input type="checkbox"/> Virginia VELAP		<input type="checkbox"/> MD Drinking Water		<input type="checkbox"/> Courier		Temp: <u>9.2</u> °C			
Relinquished by: (Signature)	Date /Time	Received by lab: (Signature)		<input type="checkbox"/> Pennsylvania NELAP		<input type="checkbox"/> West Virginia DEP		<input type="checkbox"/> Client		<input checked="" type="checkbox"/> Received on Ice							
(Printed)	17:01	(Printed)		<input type="checkbox"/> 5 day		<input type="checkbox"/> UPS		<input type="checkbox"/> Fed Ex		<input checked="" type="checkbox"/> Received Same Day							
	B-5-24	Lori Foster		<input type="checkbox"/> 4 day		<input type="checkbox"/> USPS		<input type="checkbox"/> Other _____		7-41							
Special Instructions / QC Requirements & Comments:				<input type="checkbox"/> 3 day		<input type="checkbox"/> Rush (2 day)		Sample Disposal: <input type="checkbox"/> Return to Client <input type="checkbox"/> Disposal by lab <input type="checkbox"/> Archive for ___ days									
				<input checked="" type="checkbox"/> Next Day 24hr		<input type="checkbox"/> Other: _____											
				<input type="checkbox"/> Specific Due Date: _____													