



Mr. Mark Sapperstein  
Refinery Canton LLC  
1201 South Haven Street  
Baltimore, Maryland 21224

**RE: NOTICE OF INTENT APPROVAL**  
**Refinery Canton LLC**  
**1201 South Haven Street**  
**Baltimore, Maryland 21224**  
**General Discharge Permit No: 24OGT-157361 (MDG349033)**

Dear Mr. Sapperstein:

This letter is in response to your Notice of Intent (NOI) request for authorization to discharge under *General Permit for the Discharge of Stormwater and Hydrostatic Test Water from Oil Terminals to Surface or Groundwater of the State* (the Permit) for the following location:

Facility Name: Refinery Canton LLC  
Location: 1201 South Haven Street  
Baltimore, Maryland 21224  
Cognizant Official: Mark Sapperstein  
Phone: (410) 653-4600  
Latitude: 39°17'43.8" N  
Longitude: 76°33'41.1" W  
Sic Code: 5171 - Petroleum Bulk Stations and Terminals  
Date received: April 22, 2025  
Analysis Requirement: TPH-GRO & DRO

The NOI certifies your agreement to comply with the terms of the Permit, including your responsibility to (a) notify the owner of the receiving surface water system of this authorization and (b) obtain any required approvals from that owner prior to discharging. The facility permit coverage extends until October 21, 2029 or as specified in Part I.F of the general discharge permit.

The following documents are enclosed:

1. General Discharge Permit No. 24OGT-157361 (MDG349033).

Mr. Mark Sapperstein  
24OGT-157361 (MDG349033)  
Page 2

2. A blank Discharge Monitoring Report (DMR) form set up for your facility's discharge reporting requirements. All DMR forms must be submitted electronically through the EPA's online Central Data Exchange (CDX) system.
3. A Removed Substances Reporting Form as required in Part VII. General Conditions, Paragraph J.
4. A list of Significant Noncompliance Criteria (SNC) Violations.

The Permit coverage may be suspended or revoked upon a final, unreviewable determination that the permittee lacks, or is in violation of, any federal, State, or local approval necessary to conduct the activity authorized by the Permit.

A copy of this approval letter and the enclosed copy of the Permit shall be maintained at the facility location and be made available for inspection when requested. If you have any questions, please contact Rodrigo Portillo at 410-537-4203 or by email at [rodrigo.portillo@maryland.gov](mailto:rodrigo.portillo@maryland.gov).

Sincerely,

Rick Kessler  
Director  
Land and Materials Administration

Enclosures