



Maryland

Department of the Environment

Wes Moore, Governor
Aruna Miller, Lt. Governor

Serena McIlwain, Secretary
Suzanne E. Dorsey, Deputy Secretary
Adam Ortiz, Deputy Secretary

Mr. Aaron Engi
Universal Environmental Services, LLC
411 Dividend Drive
Peachtree City, Georgia 30269

RE: NOTICE OF INTENT APPROVAL
Universal Environmental Services, LLC - Elkton
606 Lewisville Road
Elkton, Maryland 21921
General Discharge Permit No: 24OGT-2513 (MDG342513)

Dear Mr. Engi:

This letter is in response to your Notice of Intent (NOI) request for authorization to discharge under *General Permit for the Discharge of Stormwater and Hydrostatic Test Water from Oil Terminals to Surface or Groundwater of the State* (the Permit) for the following location:

Facility Name:	Universal Environmental Services, LLC - Elkton
Location:	606 Lewisville Road Elkton, Maryland 21921
Cognizant Official:	Aaron Engi
Phone:	(470) 464-5517
Latitude:	39°43'14.5"N
Longitude:	75°52'28.9"W
Sic Code:	5171 - Petroleum Bulk Stations and Terminals
Date received:	June 25, 2026
Analysis Requirement:	TPH-GRO & DRO

The NOI certifies your agreement to comply with the terms of the Permit, including your responsibility to (a) notify the owner of the receiving surface water system of this authorization and (b) obtain any required approvals from that owner prior to discharging. The facility permit coverage extends until October 21, 2029 or as specified in Part I.F of the general discharge permit.

The following documents are enclosed:

1. General Discharge Permit No. 24OGT.

2. A blank Discharge Monitoring Report (DMR) form set up for your facility's discharge reporting requirements. All DMR forms must be submitted electronically through the EPA's online Central Data Exchange (CDX) system.
3. A Removed Substances Reporting Form as required in Part VII. General Conditions, Paragraph J.
4. A list of Significant Noncompliance Criteria (SNC) Violations.

The Permit coverage may be suspended or revoked upon a final, unreviewable determination that the permittee lacks, or is in violation of, any federal, State, or local approval necessary to conduct the activity authorized by the Permit.

A copy of this approval letter and the enclosed copy of the Permit shall be maintained at the facility location and be made available for inspection when requested. If you have any questions, please contact Rodrigo Portillo at 410-537-4203 or by email at rodrigo.portillo@maryland.gov.

Sincerely,

Stephanie Cobb Williams, Esq.
Acting Director
Land and Materials Administration

Enclosures