

ADVANCED ENVIRONMENTAL CONCEPTS, INC.

Laboratory Services 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

Certificate of Analysis

Sample Identification: MATRIX: Sample Date: Date Received: Extraction Date: Analysis Date:	MW-3 water 7/25/2025 7/28/2025 na 7/28/2025	Project Identification: Client Identification: Client Telephone: Client Fax: Analyst: Lab File:	CMF URBANA PIKE CARROLL FUEL MM 72825A009
---	--	--	--

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
Dichlorodifluoromethane	1	ug/L	ND	EPA 8260
Chloromethane	1	ug/L	ND	EPA 8260
Vinyl Chloride	1	ug/L	ND	EPA 8260
Bromomethane	1	ug/L	ND	EPA 8260
Chloroethane	1	ug/L	ND	EPA 8260
Trichlorofluoromethane	1	ug/L	ND	EPA 8260
1,1-Dichloroethene	1	ug/L	ND	EPA 8260
tert-Butyl Alcohol (TBA)	10	ug/L	ND	EPA 8260
Methylene Chloride	1	ug/L	ND	EPA 8260
trans-1,2-Dichloroethene	1	ug/L	ND	EPA 8260
Methyl tert-Butyl Ether (MtBE)	1	ug/L	ND	EPA 8260
1,1-Dichloroethane	1	ug/L	ND	EPA 8260
Diisopropyl Ether (DIPE)	1	ug/L	ND	EPA 8260
cis-1,2-Dichloroethene	1	ug/L	ND	EPA 8260
Bromochloromethane	1	ug/L	ND	EPA 8260
Chloroform	1	ug/L	ND	EPA 8260
2,2-Dichloropropane	1	ug/L	ND	EPA 8260
Ethyl tert-Butyl Ether (EtBE)	1	ug/L	ND	EPA 8260
1,2-Dichloroethane	1	ug/L	ND	EPA 8260
tert-Amyl Alcohol (TAA)	10	ug/L	ND	EPA 8260
1,1,1-Trichloroethane	1	ug/L	ND	EPA 8260
1,1-Dichloropropene	1	ug/L	ND	EPA 8260
Carbon tetrachloride	1	ug/L	ND	EPA 8260
Benzene	1	ug/L	ND	EPA 8260
tert-Amyl Methyl Ether (TAME)	1	ug/L	ND	EPA 8260
Dibromomethane	1	ug/L	ND	EPA 8260
1,2-Dichloropropane	1	ug/L	ND	EPA 8260
Trichloroethene	1	ug/L	ND	EPA 8260
Bromodichloromethane	1	ug/L	ND	EPA 8260
tert-Amyl Ethyl Ether (TAEE)	1	ug/L	ND	EPA 8260
cis-1,3-Dichloropropene	1	ug/L	ND	EPA 8260
trans-1,3-Dichloropropene	1	ug/L	ND	EPA 8260
1,1,2-Trichloroethane	1	ug/L	ND	EPA 8260
Toluene	1	ug/L	ND	EPA 8260
1,3-Dichloropropane	1	ug/L	ND	EPA 8260
Dibromochloromethane	1	ug/L	ND	EPA 8260
1,2-Dibromoethane	1	ug/L	ND	EPA 8260
Tetrachloroethene	1	ug/L	ND	EPA 8260
1,1,1,2-Tetrachloroethene	1	ug/L	ND	EPA 8260
Chlorobenzene	1	ug/L	ND	EPA 8260
Ethylbenzene	1	ug/L	ND	EPA 8260

ADVANCED ENVIRONMENTAL CONCEPTS, INC.

Laboratory Services 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

Certificate of Analysis

Sample Identification: MATRIX: Sample Date: Date Received: Extraction Date: Analysis Date:	MW-3 water 7/25/2025 7/28/2025 na 7/28/2025	Project Identification: Client Identification: Client Telephone: Client Fax: Analyst: Lab File:	CMF URBANA PIKE CARROLL FUEL MM 72825A009
---	--	--	--

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
m&p-Xylene	2	ug/L	ND	EPA 8260
Bromoform	1	ug/L	ND	EPA 8260
Styrene	1	ug/L	ND	EPA 8260
o-Xylene	1	ug/L	ND	EPA 8260
1,1,2,2-Tetrachloroethane	1	ug/L	ND	EPA 8260
1,2,3-Trichloropropane	1	ug/L	ND	EPA 8260
Isopropylbenzene	1	ug/L	ND	EPA 8260
Bromobenzene	1	ug/L	ND	EPA 8260
n-Propylbenzene	1	ug/L	ND	EPA 8260
2-Chlorotoluene	1	ug/L	ND	EPA 8260
4-Chlorotoluene	1	ug/L	ND	EPA 8260
1,3,5-Trimethylbenzene	1	ug/L	ND	EPA 8260
tert-Butylbenzene	1	ug/L	ND	EPA 8260
1,2,4-Trimethylbenzene	1	ug/L	ND	EPA 8260
sec-Butylbenzene	1	ug/L	ND	EPA 8260
1,3-Dichlorobenzene	1	ug/L	ND	EPA 8260
1,4-Dichlorobenzene	1	ug/L	ND	EPA 8260
1,2-Dichlorobenzene	1	ug/L	ND	EPA 8260
p-iso-Propyltoluene	1	ug/L	ND	EPA 8260
n-Butylbenzene	1	ug/L	ND	EPA 8260
1,2-Dibromo-3-chloropropane	1	ug/L	ND	EPA 8260
1,2,4-Trichlorobenzene	1	ug/L	ND	EPA 8260
Naphthalene	1	ug/L	ND	EPA 8260
Hexachlorobutadiene	1	ug/L	ND	EPA 8260
1,2,3-Trichlorobenzene	1	ug/L	ND	EPA 8260

SURROGATE SPIKE

1,2-Dichloroethane-d4	%	105	EPA 8260
Dibromofluoromethane	%	105	EPA 8260
Toluene-d8	%	101	EPA 8260
Bromofluorobenzene	%	97	EPA 8260

ADVANCED ENVIRONMENTAL CONCEPTS, INC.

Laboratory Services 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

Certificate of Analysis

Sample Identification: MATRIX: Sample Date: Date Received: Extraction Date: Analysis Date:	MW-4 water 7/25/2025 7/28/2025 na 7/28/2025	Project Identification: Client Identification: Client Telephone: Client Fax: Analyst: Lab File:	CMF URBANA PIKE CARROLL FUEL MM 72825A010
---	--	--	--

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
Dichlorodifluoromethane	1	ug/L	ND	EPA 8260
Chloromethane	1	ug/L	ND	EPA 8260
Vinyl Chloride	1	ug/L	ND	EPA 8260
Bromomethane	1	ug/L	ND	EPA 8260
Chloroethane	1	ug/L	ND	EPA 8260
Trichlorofluoromethane	1	ug/L	ND	EPA 8260
1,1-Dichloroethene	1	ug/L	ND	EPA 8260
tert-Butyl Alcohol (TBA)	10	ug/L	ND	EPA 8260
Methylene Chloride	1	ug/L	ND	EPA 8260
trans-1,2-Dichloroethene	1	ug/L	ND	EPA 8260
Methyl tert-Butyl Ether (MtBE)	1	ug/L	1.16	EPA 8260
1,1-Dichloroethane	1	ug/L	ND	EPA 8260
Diisopropyl Ether (DIPE)	1	ug/L	6.33	EPA 8260
cis-1,2-Dichloroethene	1	ug/L	ND	EPA 8260
Bromochloromethane	1	ug/L	ND	EPA 8260
Chloroform	1	ug/L	ND	EPA 8260
2,2-Dichloropropane	1	ug/L	ND	EPA 8260
Ethyl tert-Butyl Ether (EtBE)	1	ug/L	ND	EPA 8260
1,2-Dichloroethane	1	ug/L	ND	EPA 8260
tert-Amyl Alcohol (TAA)	10	ug/L	ND	EPA 8260
1,1,1-Trichloroethane	1	ug/L	ND	EPA 8260
1,1-Dichloropropene	1	ug/L	ND	EPA 8260
Carbon tetrachloride	1	ug/L	ND	EPA 8260
Benzene	1	ug/L	30.8	EPA 8260
tert-Amyl Methyl Ether (TAME)	1	ug/L	ND	EPA 8260
Dibromomethane	1	ug/L	ND	EPA 8260
1,2-Dichloropropane	1	ug/L	ND	EPA 8260
Trichloroethene	1	ug/L	ND	EPA 8260
Bromodichloromethane	1	ug/L	ND	EPA 8260
tert-Amyl Ethyl Ether (TAEE)	1	ug/L	ND	EPA 8260
cis-1,3-Dichloropropene	1	ug/L	ND	EPA 8260
trans-1,3-Dichloropropene	1	ug/L	ND	EPA 8260
1,1,2-Trichloroethane	1	ug/L	ND	EPA 8260
Toluene	1	ug/L	ND	EPA 8260
1,3-Dichloropropane	1	ug/L	ND	EPA 8260
Dibromochloromethane	1	ug/L	ND	EPA 8260
1,2-Dibromoethane	1	ug/L	ND	EPA 8260
Tetrachloroethene	1	ug/L	ND	EPA 8260
1,1,1,2-Tetrachloroethene	1	ug/L	ND	EPA 8260
Chlorobenzene	1	ug/L	ND	EPA 8260
Ethylbenzene	1	ug/L	ND	EPA 8260

ADVANCED ENVIRONMENTAL CONCEPTS, INC.

Laboratory Services 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

Certificate of Analysis

Sample Identification: MATRIX: Sample Date: Date Received: Extraction Date: Analysis Date:	MW-4 water 7/25/2025 7/28/2025 na 7/28/2025	Project Identification: Client Identification: Client Telephone: Client Fax: Analyst: Lab File:	CMF URBANA PIKE CARROLL FUEL MM 72825A010
---	--	--	--

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
m&p-Xylene	2	ug/L	ND	EPA 8260
Bromoform	1	ug/L	ND	EPA 8260
Styrene	1	ug/L	ND	EPA 8260
o-Xylene	1	ug/L	ND	EPA 8260
1,1,2,2-Tetrachloroethane	1	ug/L	ND	EPA 8260
1,2,3-Trichloropropane	1	ug/L	ND	EPA 8260
Isopropylbenzene	1	ug/L	ND	EPA 8260
Bromobenzene	1	ug/L	ND	EPA 8260
n-Propylbenzene	1	ug/L	ND	EPA 8260
2-Chlorotoluene	1	ug/L	ND	EPA 8260
4-Chlorotoluene	1	ug/L	ND	EPA 8260
1,3,5-Trimethylbenzene	1	ug/L	ND	EPA 8260
tert-Butylbenzene	1	ug/L	ND	EPA 8260
1,2,4-Trimethylbenzene	1	ug/L	ND	EPA 8260
sec-Butylbenzene	1	ug/L	ND	EPA 8260
1,3-Dichlorobenzene	1	ug/L	ND	EPA 8260
1,4-Dichlorobenzene	1	ug/L	ND	EPA 8260
1,2-Dichlorobenzene	1	ug/L	ND	EPA 8260
p-iso-Propyltoluene	1	ug/L	ND	EPA 8260
n-Butylbenzene	1	ug/L	ND	EPA 8260
1,2-Dibromo-3-chloropropane	1	ug/L	ND	EPA 8260
1,2,4-Trichlorobenzene	1	ug/L	ND	EPA 8260
Naphthalene	1	ug/L	ND	EPA 8260
Hexachlorobutadiene	1	ug/L	ND	EPA 8260
1,2,3-Trichlorobenzene	1	ug/L	ND	EPA 8260

SURROGATE SPIKE

1,2-Dichloroethane-d4	%	109	EPA 8260
Dibromofluoromethane	%	105	EPA 8260
Toluene-d8	%	102	EPA 8260
Bromofluorobenzene	%	98	EPA 8260

ADVANCED ENVIRONMENTAL CONCEPTS, INC.

Laboratory Services 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

Certificate of Analysis

Sample Identification: MATRIX: Sample Date: Date Received: Extraction Date: Analysis Date:	MW-5 water 7/25/2025 7/28/2025 na 7/28/2025	Project Identification: Client Identification: Client Telephone: Client Fax: Analyst: Lab File:	CMF URBANA PIKE CARROLL FUEL MM 72825A011
---	--	--	--

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
Dichlorodifluoromethane	1	ug/L	ND	EPA 8260
Chloromethane	1	ug/L	ND	EPA 8260
Vinyl Chloride	1	ug/L	ND	EPA 8260
Bromomethane	1	ug/L	ND	EPA 8260
Chloroethane	1	ug/L	ND	EPA 8260
Trichlorofluoromethane	1	ug/L	ND	EPA 8260
1,1-Dichloroethene	1	ug/L	ND	EPA 8260
tert-Butyl Alcohol (TBA)	10	ug/L	ND	EPA 8260
Methylene Chloride	1	ug/L	ND	EPA 8260
trans-1,2-Dichloroethene	1	ug/L	ND	EPA 8260
Methyl tert-Butyl Ether (MtBE)	1	ug/L	20.3	EPA 8260
1,1-Dichloroethane	1	ug/L	ND	EPA 8260
Diisopropyl Ether (DIPE)	1	ug/L	116	EPA 8260
cis-1,2-Dichloroethene	1	ug/L	ND	EPA 8260
Bromochloromethane	1	ug/L	ND	EPA 8260
Chloroform	1	ug/L	ND	EPA 8260
2,2-Dichloropropane	1	ug/L	ND	EPA 8260
Ethyl tert-Butyl Ether (EtBE)	1	ug/L	ND	EPA 8260
1,2-Dichloroethane	1	ug/L	ND	EPA 8260
tert-Amyl Alcohol (TAA)	10	ug/L	ND	EPA 8260
1,1,1-Trichloroethane	1	ug/L	ND	EPA 8260
1,1-Dichloropropene	1	ug/L	ND	EPA 8260
Carbon tetrachloride	1	ug/L	ND	EPA 8260
Benzene	1	ug/L	366	EPA 8260
tert-Amyl Methyl Ether (TAME)	1	ug/L	6.21	EPA 8260
Dibromomethane	1	ug/L	ND	EPA 8260
1,2-Dichloropropane	1	ug/L	ND	EPA 8260
Trichloroethene	1	ug/L	ND	EPA 8260
Bromodichloromethane	1	ug/L	ND	EPA 8260
tert-Amyl Ethyl Ether (TAEE)	1	ug/L	ND	EPA 8260
cis-1,3-Dichloropropene	1	ug/L	ND	EPA 8260
trans-1,3-Dichloropropene	1	ug/L	ND	EPA 8260
1,1,2-Trichloroethane	1	ug/L	ND	EPA 8260
Toluene	1	ug/L	32.7	EPA 8260
1,3-Dichloropropane	1	ug/L	ND	EPA 8260
Dibromochloromethane	1	ug/L	ND	EPA 8260
1,2-Dibromoethane	1	ug/L	ND	EPA 8260
Tetrachloroethene	1	ug/L	ND	EPA 8260
1,1,1,2-Tetrachloroethene	1	ug/L	ND	EPA 8260
Chlorobenzene	1	ug/L	ND	EPA 8260
Ethylbenzene	1	ug/L	1.69	EPA 8260

ADVANCED ENVIRONMENTAL CONCEPTS, INC.

Laboratory Services 1751 Pulaski Highway, Havre de Grace, MD 21078 Phone:410-939-5550 Fax:410-939-5552

Certificate of Analysis

Sample Identification: MATRIX: Sample Date: Date Received: Extraction Date: Analysis Date:	MW-5 water 7/25/2025 7/28/2025 na 7/28/2025	Project Identification: Client Identification: Client Telephone: Client Fax: Analyst: Lab File:	CMF URBANA PIKE CARROLL FUEL MM 72825A011
---	--	--	--

COMPOUND	DETECTION LIMIT	TEST UNIT	TEST VALUE	METHOD
m&p-Xylene	2	ug/L	2.63	EPA 8260
Bromoform	1	ug/L	ND	EPA 8260
Styrene	1	ug/L	ND	EPA 8260
o-Xylene	1	ug/L	4.35	EPA 8260
1,1,2,2-Tetrachloroethane	1	ug/L	ND	EPA 8260
1,2,3-Trichloropropane	1	ug/L	ND	EPA 8260
Isopropylbenzene	1	ug/L	ND	EPA 8260
Bromobenzene	1	ug/L	ND	EPA 8260
n-Propylbenzene	1	ug/L	ND	EPA 8260
2-Chlorotoluene	1	ug/L	ND	EPA 8260
4-Chlorotoluene	1	ug/L	ND	EPA 8260
1,3,5-Trimethylbenzene	1	ug/L	ND	EPA 8260
tert-Butylbenzene	1	ug/L	ND	EPA 8260
1,2,4-Trimethylbenzene	1	ug/L	ND	EPA 8260
sec-Butylbenzene	1	ug/L	ND	EPA 8260
1,3-Dichlorobenzene	1	ug/L	ND	EPA 8260
1,4-Dichlorobenzene	1	ug/L	ND	EPA 8260
1,2-Dichlorobenzene	1	ug/L	ND	EPA 8260
p-iso-Propyltoluene	1	ug/L	ND	EPA 8260
n-Butylbenzene	1	ug/L	ND	EPA 8260
1,2-Dibromo-3-chloropropane	1	ug/L	ND	EPA 8260
1,2,4-Trichlorobenzene	1	ug/L	ND	EPA 8260
Naphthalene	1	ug/L	ND	EPA 8260
Hexachlorobutadiene	1	ug/L	ND	EPA 8260
1,2,3-Trichlorobenzene	1	ug/L	ND	EPA 8260

SURROGATE SPIKE

1,2-Dichloroethane-d4	%	101	EPA 8260
Dibromofluoromethane	%	97	EPA 8260
Toluene-d8	%	103	EPA 8260
Bromofluorobenzene	%	97	EPA 8260




ADVANCED ENVIRONMENTAL CONCEPTS, INC.

1751-1 Pulaski Hwy., Havre de Grace, MD 21078-2207

Phone: 410-939-5550 Fax: 410-939-5552

www.AECEnviro.com

Chain of Custody RecordPage 1 of 1

Client: CIFCO			Project Name: CMF Urbana Pike			SDG#						
Address:			Project Location: 1904 Urbana Pike Clarksburg, MD			Preservatives						Observation
			Phone: Fax:			Requested Analysis						
Contact: Herb Meade			Email:			8260						
Sample By: GB			Receive Completed Report Via (Circle One) U.S. Mail Email Fax									
	Sample #	Sample ID	Date	Time	Matrix	pH						
1			7/25/25		H2O		X					
2		MW-3										
3		MW-4										
4		MW-5										
5												
6												
7												
8												
9												
10												
Relinquished/Received By Signature			Date	Time	Delivery Method	Lab Use Only						
Relinquished By: 						Temp of Cooler						
Received By: 						24°C						
Relinquished By:						Ice Present (Y/N)						
Received By: 			7/28/25			(Y)						
Relinquished By:						Custody Seal (Y/N)						
Received By:						Date of Extraction 8/19						
Matrix Codes: SO = Soil, GW = Ground Water, WW = Waste Water, VP = Vapor, SL = Sludge, DW = Drinking Water, O = Other												
Special Instructions / Comments / QC Requirements:						Turn Around Time: <u>STD</u> 1 Day 2 Day 3 Day Other						