

Win-Win Opportunity

Food production &

Damage reduction







Ecological damage from high white-tailed deer populations

Orchid (Orchidaceae) decline in the Catoctin Mountains, Frederick County, Maryland as documented by a long-term dataset

Wesley M. Knapp · Richard Wiegand

this species otherwise this orchid showed a decline similar to the other species. Proper management is critical for the continuation of the orchid species in this study, be it control of the white-tailed deer herd or combating woody plant succession in the case of *P. ciliaris*.

A regional assessment of white-tailed deer effects on plant invasion

Kristine M. Averill^{1,2,15*}, David A. Mortensen^{1,2}, Erica A. H. Smithwick^{1,3}, Susan Kalisz⁴, William J. McShea⁵, Norman A. Bourg^{5,16}, John D. Parker⁶, Alejandro A. Royo⁷, Marc D. Abrams^{1,8}, David K. Apsley⁹, Bernd Blossey¹⁰, Douglas H. Boucher^{11,17}, Kai L. Caraher¹¹, Antonio DiTommaso¹², Sarah E. Johnson^{1,8,18}, Robert Masson¹³ and Victoria A. Nuzzo¹⁴

and 15 native plant species. Overall, native deer reduced community diversity, lowering native plant richness and abundance, and benefited certain invasive plants, suggesting pervasive impacts of this keystone herbivore on plant community composition and ecosystem services in native forests across broad swathes of the eastern USA

enclasion rateated times increased plant species, including concern japonica and nosa materiora,

Effects of white-tailed deer on vegetation structure and woody seedling composition in three forest types on the Piedmont Plateau

C. Reed Rossell Jr. a,*, Bryan Gorsira b, Steven Patch c

occidentalis), although significantly impacted, remained the most abundant species throughout the study. These findings suggest that white-tailed deer may be modifying the structure of the forest interior to the extent that it adversely affects wildlife species dependent on a dense understory to thrive. We predict that the future composition of forests in MNBP will shift towards stands with forest and a greater deminance of ash, black charge, and backbarry, particularly in the calc, bickery and batterpland

Hunting as food


 "I support hunting if people eat what they hunt..."

• 84% of public feels this way (Duda 2020)

• It's also the law in most cases

Photo: MD DNR


How much meat are we talking about?




Nutritional Profile - 3 oz Portion



Venison
134 calories
3g fat



Beef
259 calories
18g fat



Pork
214 calories
13g fat

Source: WebMD

Hunters & Farmers Feeding the Hungry

50 pounds of meat per deer

\$50 butcher fee

\$1.00 per pound – cheaper than other meat

600 tons of venison donated since 1997

www.fhfh.org



Interested in hunting?

Hunter-ed.com

- Workshops with DNR
- Next one on April 11



Questions

Luke Macaulay, Ph.D.

lukemac@umd.edu

https://wildlife.umd.edu

X: @lukerangewalker



Subscribe to YouTube Channel





