

Prepared for:

NOBLE ENVIRONMENTAL
13300 New Georges Creek Rd SW
Frostburg, Maryland 21532

PHASE I REPORT

LATERAL EXPANSION

APPLICATION FOR PERMIT MODIFICATION

MDE REFUSE DISPOSAL PERMIT 2021-WMF-0010

MOUNTAINVIEW MUNICIPAL LANDFILL

13300 NEW GEORGES CREEK ROAD SW

FROSTBURG, MARYLAND

*Professional Certification: I hereby certify that this document was approved by me, and that I am a duly licensed Professional Engineer under the laws of the State of Maryland,
License No. 57584,
Expiration Date: 04/29/2027.*

Prepared by:

Geosyntec 
consultants

10211 Wincopin Circle, 4th Floor
Columbia, Maryland 21044

Project Number: ME2137

March 2024
Revised December 2025



TABLE OF CONTENTS

1.	INTRODUCTION	1
1.1	Terms of Reference	1
1.2	Description of the Existing Landfill	1
2.	PHASE I REPORT REQUIREMENTS	3
2.1	Overview	3
2.2	Phase I Report Requirements (COMAR 26.04.07.06.B)	3
2.2	Siting Requirements (40 CFR 258)	4
2.3	Additional Requirements	5
3.	SITE DESCRIPTION	6
3.1	Local Zoning and Site Topography	6
3.2	Existing Conditions and Land Use	6
4.	NARRATIVE DESCRIPTIONS OF SOILS	8
4.1	Subsurface Investigation Programs	8
5.	NARRATIVE DESCRIPTION OF THE GEOLOGY	10
5.1	Regional Geology	10
5.2	Site Geology	10
5.3	Regional Groundwater	11
5.4	Site Groundwater	11
6.	DESCRIPTION OF PROPOSED ACTIVITIES	12
7.	REFERENCES	13

FIGURES

- Figure 1: Area Map (Including 7.5 Minute Quadrangle Map)
- Figure 2: Site Topographic Map
- Figure 3: Proposed Development Plan
- Figure 4: Zoning Map of Surrounding Area
- Figure 5: USDA Soil Distribution Map
- Figure 6: Surficial Geologic Map of Allegany County

TABLE OF CONTENTS
(continued)

ATTACHMENTS

- Attachment 1: Refuse Disposal Permit Application Form
- Attachment 2: FAA Documentation
- Attachment 3: Property Owners within 1,000-ft Radius of Landfill

1. INTRODUCTION

1.1 Terms of Reference

Maryland Regulation of Water Supply, Sewage Disposal, and Solid Waste, COMAR 26.04.07, establishes the Maryland Department of the Environment (MDE) as the permitting authority for sanitary landfills within the State, and the process for submittal, review, and approval or denial of such permits. As described in COMAR 26.04.07, the first step to permit a new or expanded sanitary landfill is the submission of a Phase I report along with a request for a permit. In accordance with this requirement, this report is prepared to apply for a refuse disposal permit modification for the lateral expansion of the Mountainview Municipal Landfill (Mountainview), located at 13300 New Georges Creek Road SW, Frostburg, Maryland, in Allegany County. Mountainview operates under MDE refuse disposal permit number 2021-WMF-0010. This report is prepared by Geosyntec Consultants (Geosyntec) on behalf of Noble Environmental, Inc., the owner and operator of Mountainview. This expansion is in accordance with the adopted Allegany County 10-Year Solid Waste Management Plan and local zoning requirements.

This Phase I Report is organized in a manner that is intended to address the specific requirements of COMAR 26.04.07.06. The remainder of this report is organized as follows:

- Section 2 describes how this report addresses and meets the regulatory requirements for the Phase I report;
- Section 3 presents the current layout of the facility and topographic features;
- Section 4 presents a description of soils at the site and surrounding area;
- Section 5 briefly presents the geology of the site and surrounding area;
- Section 6 presents general information regarding the proposed expansion; and
- Section 7 presents relevant references.

1.2 Description of the Existing Landfill

As shown on the area map provided as Figure 1, Mountainview is located on a 400-acre parcel of land in Frostburg, Maryland. The facility is owned and operated by Noble Environmental, Inc. (Noble). Mountainview began operating in 1991 and has 38.1 acres currently permitted for waste disposal.

The original permitting process for Mountainview began with approval of a Phase I Permit Application for the 400-acre site on June 30, 1987. This was followed by approval on April 11,

1990, of the Phase II Permit Application [Chambers, 1989] for a 200-acre facility on the site, of which 135 acres were approved to be used for solid waste disposal. The Phase II Permit Application included a hydrogeological evaluation of the site and drawings presenting the footprint, layout, and details of the proposed landfill. A Phase III Permit Application [Chambers, 1990] was then submitted in August 1990 for what was called “Phase I” of the landfill, comprising 39.9 acres within the southern portion of the approved landfill footprint and divided into Stages 1 through 5. Construction of “Phase II” was to follow within the area to the northwest that, at the time, was being used as a surface coal mine. Following approval of the Phase III Permit Application, a solid waste permit was issued on February 8, 1991.

Construction of Stages 1 and 2 occurred in 1991 and 1992. Prior to construction of Stage 3, in August 1995, a Phase III Permit Modification Application [Almes and Associates, 1995] was submitted to modify the landfill footprint and revise the stage sequencing such that the landfill footprint would be reduced to 38.1 acres and the remaining footprint would be divided into Stages 3 and 4. The modified permit was issued in April 12, 1996, and Stages 3 and 4 were constructed piecemeal between 1997 and 2004. Since 2004, all four stages have received waste and the currently permitted landfill has nearly reached its final permitted waste grades.

In 2017, the northwestern face of the landfill, representing the first four benches of the landfill, were capped, and plans were made to cap the remainder of the landfill in 2023. In 2021, the site was purchased by Noble, which took steps to keep the landfill operating. In 2022, a permit enhancement application was submitted to revise the bench configuration across the existing landfill to address settlement concerns. This permit enhancement application was approved on September 30, 2022.

The proposed lateral expansion of Mountainview, shown on Figure 3, will increase the permitted footprint from 38.1 acres to approximately 92 acres. The maximum elevation of the landfill will not change and will remain at 2,576 feet based on the North American Vertical Datum, 1988 (NAVD 88).

2. PHASE I REPORT REQUIREMENTS

2.1 Overview

In this Section, a summary of the Phase I Report requirements is provided (in *italic type*), followed by a brief description of how the requirement is met or addressed in this report.

2.2 Phase I Report Requirements (COMAR 26.04.07.06.B)

- (1) *Completed and signed application form referenced in Regulation (26.04.07.05.B).*

The application form is included as Attachment 1. We understand that MDE will reach out to Allegany County to solicit a letter demonstrating that the proposed facility meets all applicable County zoning and land use requirements and is in conformity with the County Solid Waste Management Plan, as required by the application form.

- (2) *Current U.S.G.S. 7.5-minute quadrangle map with the proposed site outlined.*

An area map reproduced from the USGS 7.5-minute quadrangle map is shown in Figure 1.

- (3) *Current topographic map, which is an accurate depiction of the site at the time of application, at a scale not smaller than 1 inch equals 200 feet, which depicts the property boundaries, on-site buildings and structures, and pertinent surficial features including but not limited to: (a) Springs, (b) Seeps, (c) Streams, (d) Rock outcrops, (e) Sink holes, (f) Surface impoundments, (g) Water wells, (h) Forested areas, and (i) The location of any buried or overhead power transmission lines, utility pipelines, or storage tanks on the property.*

The current topographic map of the site is shown in Figure 2. A narrative description of the topographic features is presented in Section 3 of this report.

- (4) *Map which depicts the surrounding zoning and land use within 1/2 mile of the site boundaries.*

Zoning of the surrounding area is shown in Figure 4. A narrative description is presented in Section 3 of this report.

- (5) *Map showing the distribution of the soils at the site.*

A U.S. Department of Agriculture (USDA) soil distribution map for the site and surrounding area is shown in Figure 5.

- (6) *Narrative description of the soils at the site.*

A narrative description of the soils at the site is presented in Section 4 of this report.

(7) *Map showing the geology at the site based on available data.*

The geology for Allegany County is shown in Figure 6.

(8) *Narrative description of the geology at the site based on available data.*

A narrative description of the site geology is presented in Section 5 of this report.

(9) *Description of the proposed activity including: (a) Type of facility, (b) Area served, (c) Capacity, and (d) Types of waste accepted.*

A brief description of the proposed activity is provided in Section 6 of this report.

2.2 Siting Requirements (40 CFR 258)

USEPA regulations contained in the CFR Title 40 – Protection of the Environment, Part 258 – Solid Waste Disposal Facility Criteria, Final Rule entitled “Criteria for Municipal Solid Waste Landfills” (i.e., 40 CFR 258) present the location restrictions for municipal solid waste landfills. The restrictions address both the potential effects that a municipal landfill may have on the surrounding environment and the effects that the environment may have on the performance of the landfill. The seven location restrictions of 40 CFR 258 that must be addressed are (i) airport safety, (ii) floodplains, (iii) wetlands, (iv) fault areas, (v) seismic impact zones, (vi) unstable areas, and (vii) habitat for rare, threatened, or endangered species. These restrictions are discussed in the remainder of this section.

Airport Safety: In 40 CFR 258.10, the proximity of landfills to airports is restricted to prevent creating a bird hazard to aircraft. Mountainview is not located within 10,000 feet of any airport. Based on the FAA Notice Criteria Tool, using the nearest structure height of approximately 160 feet, and the location of the landfill, it is not required to file a notice with the FAA. The report generated by the tool is provided as Attachment 2.

Floodplains: Landfill units are restricted from being in an area inundated by the 100-year flood by 40 CFR 258.11. The location of the proposed lateral expansion relative to floodplains will be addressed in the Phase II report.

Wetlands: 40 CFR 258.12 governs the siting of landfills in wetlands. The location of the proposed lateral expansion relative to wetlands will be addressed in the Phase II report.

Fault Areas: In accordance with the requirements of 40 CFR 258.13, new landfill units shall not be located within 200 feet of a fault that has had displacement in Holocene time. The location of the proposed lateral expansion relative to fault areas will be addressed in the Phase II report.

Seismic Impact Zones: According to 40 CFR 258.14, a seismic impact zone is identified as an area with a 10% or greater probability that the maximum horizontal acceleration in lithified earth material, expressed as a percentage of the earth's gravitational pull (g), will exceed 0.10g in

250 years. The location of the proposed lateral expansion relative to seismic impact zones will be addressed in the Phase II report.

Unstable Areas: Landfill units are restricted by 40 CFR 258.15 from being in unstable areas (e.g., poor foundation conditions, areas susceptible to mass movements, and karst terranes). The location of the proposed lateral expansion relative to unstable areas will be addressed in the Phase II report.

Rare, Threatened, or Endangered Species: 40 CFR 258.12 requires that the proposed development area shall not jeopardize the continued existence of rare, threatened, or endangered species. The location of the proposed lateral expansion relative to rare, threatened, and endangered species will be addressed in the Phase II report.

2.3 Additional Requirements

In anticipation of further MDE requirements for submission of a Phase I Report, Geosyntec has included the following attachments to this report:

(1) *Property Owners within 1,000-ft Radius of Mountainview*

A tabulated list of property owners within a 1,000-ft radius of the property boundary is provided in Attachment 3. The list was compiled based on information provided by Allegany County Datasets. Relevant portions of the map showing the location of the landfill and the parcels/lots of land conservatively identified to be within (or just beyond) a 1,000-ft distance of the Mountainview property line are reproduced in the figures included in Attachment 3.

(2) *Forest Stand Delineation*

The current forest cover and other natural features within the footprint of the proposed lateral expansion, as well as the need to safeguard forest resources both during and after construction and to evaluate existing forest cover and environmental features to determine areas for conservation will be addressed in the Phase II report.

3. SITE DESCRIPTION

3.1 Local Zoning and Site Topography

Existing site topography at Mountainview is shown in Figure 2, while Figure 4 shows a zoning map of the surrounding area. Mountainview is located about one-half mile south of the intersection of Maryland Route 36 and Vale Summit Road SW and about three miles south of Frostburg, Maryland. In general, the site is bounded by Burning Mines Road SW to the north and east, an east-west aligned power transmission line easement to the south, and private properties to the west. Mountainview is zoned as a single parcel in an agricultural district. The residential properties to the west of Mountainview along New Georges Creek Road Southwest are zoned as low-density residential (R-2). The residential properties to the north are zoned as general urban (GU), beyond which are properties zoned as industrial (I). To the east and south, Mountainview is bordered by land zoned as agricultural.

The current topography in the vicinity of Mountainview is based on an aerial survey conducted on November 23, 2022, and is shown in Figure 2. The proposed lateral expansion of Mountainview is located to the northwest of the existing landfill. The lateral expansion will connect to the existing landfill to the southeast and extend to the previous limit of mining to the northwest. Burning Mines Road SW runs along the northeast side of the lateral expansion, while the landfill entrance, existing leachate tanks, and office building are located to the south of the lateral expansion. The lateral expansion area is currently unvegetated due to its past use as a coal strip mine, and is used as a soil borrow area.

The existing landfill is currently open and accepting waste, though a portion of the northwestern side has already been capped (see discussion in Section 1.2 of this report). Two stormwater ponds are located to the west of the site.

Based on the area map (Figure 1), topographic map for the area (Figure 2), and various site inspections, no springs, seeps, rock outcrops, or sinkholes are present on or near the site. There are wooded areas surrounding Mountainview to the north, east and south. There is an intermittent stream (Neff Run) running on the west side of Burning Mines Road SW.

3.2 Existing Conditions and Land Use

Current site topography and existing conditions at Mountainview are shown in Figure 2 and described in Section 1.2. Existing structures in the Mountainview area include the administrative building, truck wash facility, landfill office, scalehouse, and leachate tank facility located near the west of the existing landfill. The facility entrance off of New Georges Creek Road Southwest leads to the scale facility and office buildings. Overhead power transmission lines run along an easement

to the south of the existing landfill. There are multiple groundwater monitoring wells around the landfill property.

4. NARRATIVE DESCRIPTIONS OF SOILS

The USDA soil distribution map for the site and surrounding area is shown as Figure 5. According to the map, the proposed development area and the surrounding area have top soils classified as Fairpoint channery loam and quarrysite coal.

4.1 Subsurface Investigation Programs

Multiple field investigation programs have been conducted at the Mountainview site.

Chambers Development Company, Inc. (1987). Chambers carried out an initial field investigation at Mountainview in 1987 as part of the Phase I report. During the field investigation, they collected bag samples from the mining area and conducted laboratory testing, including water content, Atterberg limits, standard Proctor, and permeability testing. The exact sampling locations were not reported.

Almes and Associates (1989). As part of the Phase II site investigation, Almes & Associates obtained six composite bag samples of mine spoils from within the lateral expansion area to assess the feasibility of using the mine spoils for landfill design and construction. These samples were tested for water content, Atterberg limits, specific gravity, USCS classification, grain size distribution, loss on ignition, pH, total sulfur content, and permeability. The samples were classified as lean clay or lean silt with a relatively high gravel content (31.0 to 75.6 percent by weight).

Meiser & Earl (1989). As part of the Phase II site investigation, Meiser & Earl constructed nine wells, 18 piezometers (at six locations), and ten test pits. The monitoring wells and piezometers were then used to monitor the ground water flow directions, aquifer characteristics, and ground water quality [Chambers, 1989]. The borings in the north, west, and northwest were advanced to deeper depths (~ 200 feet to 400 feet), while the borings in the south and east were relatively shallow, because the dip (i.e., the angle between the horizontal and layer of rock) increases towards the northwest. The deepest boring at the site was advanced to 435.5 feet below existing ground and the shallowest was advanced to 16 feet. One test pit was advanced within the footprint of the lateral expansion area. The test pit encountered an initial layer of topsoil underlain by weathered silty shale and sandstone extending to 10 feet. At 10 feet, the test pit encountered refusal on hard sandstone bedrock.

Geosyntec Consultants, Inc. (2022). Geosyntec conducted a geotechnical field investigation in February 2022 to support development of the lateral expansion. The main objectives of the investigation program were to verify the elevation of the bottom of the mine spoils and to characterize the mine spoils. The field investigation included 13 geotechnical borings and 15 test pits within the future disposal area. The borings were advanced using an air hammer and an

underreamer. Two of the 13 borings were converted into monitoring wells. The objective of these monitoring wells was to evaluate whether there is any standing water within the mine spoils. Geosyntec also excavated 15 test pits within the future disposal area to evaluate the extent of the mine spoils and to characterize them. The test pits were advanced using an excavator to a depth of 3 ft to 20 ft. None of the test pits encountered native bedrock within the excavated depth, indicating that the mine spoils were present throughout the site. Based on the visual observations from the majority of the test pits, the mine spoils were a well-graded mix of boulders, gravel, sand, and fines.

Based on the site investigations and laboratory testing, the subsurface soils at the site within the footprint of the proposed expansion consist of a thin layer of topsoil, which is underlain by mine spoils. The mine spoils extend to a 1 to 10-ft thick light gray plastic underclay confining layer, which lies over the Lower Pittsburgh Sandstone.

5. NARRATIVE DESCRIPTION OF THE GEOLOGY

5.1 Regional Geology

Mountainview is located in the Allegheny Front on the eastern flank of the Georges Creek Valley syncline on the west side of Dans Mountain [State of Maryland, 1962]. The Allegheny Front serves as the boundary between the Ridge-And-Valley Appalachians to its east and the Appalachian Plateau to its west. Most of the Allegheny Front is capped by the Conemaugh Group, which is described to consist of interbedded silty and marine shales, mudstone, claystone, and nonmarine limestone in the upper portions. On the flanks of the syncline are the Allegheny, Pottsville, Mauch Chunk, Greenbrier, Purslane, Rockwell, and Hampshire formations. These formations consist of interbedded siltstones, sandstone, and mudstones. The Conemaugh formation is located on the hinge of the syncline and is nearly horizontal bedded, while the formations of the flanks of the syncline are nearly horizontal.

The Hampshire formation is Devonian in age, the Mauch Chunk, Greenbrier, Purslane, Rockwell formations are Mississippian in age, and the Pottsville, Alleghany, and Conemaugh formations are Pennsylvanian in age. The region was uplifted and folded during the Alleghenian orogeny when the North American and African tectonic plates collided. Subsequent erosion removed the softer surrounding rock, leaving in place the competent Pottsville conglomerate as a caprock protecting softer rock strata beneath.

5.2 Site Geology

The stratigraphy at the site consists of coal seams separated by sandstone, limestone, siltstone, and claystone layers. As part of the mining operation, the Upper and Lower Sewickley Coals, the Redstone Coal, the Pittsburgh Coal, and the Morantown Coal were removed. As a result, the stratigraphy underlying the mine spoils in the lateral expansion area include (from top to bottom) the Lower Pittsburgh Sandstone, the Little Pittsburgh Coal, the Summerfield Limestone, the Franklin Rider Coal, the Upper and Lower Franklin Coals, the Lonaconing Sandstone, the Upper and Lower Lonaconing Coals, and the Hoffman Sandstone. Of these layers, only the Lower Pittsburgh Sandstone is present within the 50 ft below the bottom of the mine spoils. The bedrock structure general mirrors the existing ground surface, with the strike of the bedrock fairly constant at N 30° E and the bedding dipping from about 16 percent in the southeastern portion of the site to about 12 percent downhill near Route 36.

The elevation of the bottom of the mine spoils, which corresponds to the bottom of the Morantown Coal and top of the Lower Pittsburgh sandstone, was estimated as part of the Phase II report [Chambers, 1989]. These elevations were confirmed as part of the 2022 geotechnical investigation [Geosyntec, 2022].

5.3 Regional Groundwater

Mountainview is located in the Cumberland groundwater province. The Cumberland province extends from the western slopes of Irons and Evitts Mountains westward to the base of Dans, Piney and Little Allegheny Mountains. Groundwater recharge occurs through the infiltration of precipitation into the soil zone, although locally the precipitation may directly enter through bedrock fractures and bedding planes. Due to the mountainous terrain, surface runoff is rapid and water table gradients are steep. Streams near Mountainview are all comparatively small, with the exception of the north branch of the Potomac River. Georges Creek, the largest of the streams, flows midway between Dans and Big Savage mountains and empties into the North Branch Potomac River at Westernport. Georges Creek follows the folding and dislocations of the surficial strata, and tributaries run into the creek almost at right angles after having followed courses down the dip of the strata on either side of the structural trough. The most marked cases of discordant or unadjusted drainage are those of Braddock Run and Jennings Run. Their streams cut their way eastward directly across the crests of Dans and Piney mountains eventually become part of the Willis Creek drainage system [State of Maryland, 1962].

5.4 Site Groundwater

As described in the Phase II report [Chambers, 1989], three aquifers have been identified in the vicinity of the site: the Little Pittsburgh Coal aquifer, the Franklin Coals aquifer, and the Hoffman Coal and Sandstone Aquifer. The flow in these aquifers is generally towards the northwest direction, following the dip in the rock. The main recharge of these aquifers was noted to be the rock outcrops in the south-east portion of the site. These aquifers are below the lowest base grades of the lateral expansion and will therefore not interfere with the landfill construction and operation. The uppermost aquifer, the Little Pittsburgh Coal (which also includes to some extent the Lower Pittsburgh Sandstone above it), is confined by the overlying clay layer that underlies the Morantown coal (also known as fire clay) and is not hydraulically connected to the overlying layers, including the mine spoils [Chambers, 1989].

Two piezometers screened in the mine spoils immediately above the Lower Pittsburgh Sandstone were installed in 2022. The water levels at these piezometers have been monitored monthly and the readings indicate that there is very little to no standing water in the mine spoils. During test pit excavation, perched water was observed at several locations; however, no groundwater table was encountered.

6. DESCRIPTION OF PROPOSED ACTIVITIES

The existing Mountainview Landfill serves Allegany County, MD. As explained in Section 1.2, the permitted landfill footprint is 38.1 acres, with a maximum elevation of 2576 feet (NAVD88) and an original net capacity of 4,909,000 cubic yards (cy). Currently, it is estimated that approximately 244,000 cubic yards of airspace remain, which at expected filling rates, will likely run out in early 2027. The proposed horizontal expansion increases the total footprint of the landfill to approximately 92 acres and adds an additional approximately 10 million cy of airspace.


The landfill, which is intended to serve the residents and businesses of Allegany County, will continue to accept residential and commercial solid waste (household refuse and waste from businesses, stores, and offices), bulky waste (household appliances and white goods), land clearing debris and yard waste, industrial waste, asbestos and sewage sludge or septage, and construction and demolition (C&D) debris.

7. REFERENCES


- Allegany County Permits Dashboard 2.0, Allegany County GIS Office.
(<https://alleganygis.maps.arcgis.com/apps/webappviewer/index.html?id=242a695ee52b4e54aada981258d734c9>)).
- Almes & Associates. 1995. Major Permit Modification Application, Engineering Design and Operation Plan. Almes & Associates. Maryland.
- Chambers. 1989. Phase II Report, Site Geology and Conceptual Design, Meiser and Earl, Inc. and Almes & Associates, Maryland.
- Chambers. 1990. Phase III Report, Final Site Design - Engineering Design and Operation Plan. Chambers of Maryland, Inc. Maryland.
- Maryland Department of Natural Resources, Geological Map of Garrett, Allegany, and Western Washington Counties, 2013.
- Natural Resources Conservation Service, Soil Survey Staff, United States Department of Agriculture (<http://websoilsurvey.sc.egov.usda.gov/>.)
- State of Maryland, Department of Geology, Mines and Water Resources, *The Water Resources of Allegany and Washington Counties*, Bulletin 24, Baltimore, MD, 1962.
- United States Geological Survey, 7.5 Minute Series Quad Map: Frostburg and Lonaconing, MD, 2023.

FIGURES

SITE




MAP OF MARYLAND



SOURCE:
©OPENSTREETMAP CONTRIBUTORS.

REGION MAP
1"=10,000'



SOURCE:
USGS 7.5 MINUTE SERIES QUAD MAPS:
FROSTBURG AND LONACONING, MD (2023)

AREA MAP
1" = 2,000'



AREA MAP	
MOUNTAINVIEW LANDFILL ALLEGANY COUNTY, MARYLAND	
PROJECT NO: ME2137	MARCH 2024
FIGURE 1	

LEGEND

-  EXISTING MINOR GRADE CONTOUR
-  EXISTING MAJOR GRADE CONTOUR
-  INTERIOR GRAVEL ROAD
-  FENCE
-  PROPERTY BOUNDARY AND PARCELS
-  300-FOOT SETBACK FROM "R" DISTRICT ACCORDING TO ALLEGANY COUNTY ZONING ORDINANCE
-  LIMIT OF DISRUPTION
-  TREE DRIP LINE
-  EXISTING CONVEYANCE CHANNEL
-  EXISTING STORM DRAIN CULVERT


NOTES:

1. EXISTING AERIAL TOPOGRAPHY SURVEY FLOWN ON NOVEMBER 23, 2022, BY NOBLE ENVIRONMENTAL, INC. FILE 'DXF- CONTOURS 2 UNIT.dxf' WAS DOWNLOADED FROM [HTTPS://JLSENGINEERING.PRPELLER.COM](https://jlsengineering.prpeller.com).
2. HORIZONTAL GRID COORDINATES ARE SITE GRID DATUM; ELEVATIONS SHOWN ARE IN FEET ABOVE MEAN SEA LEVEL IN THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD88).



SITE TOPOGRAPHY AND EXISTING CONDITIONS MOUNTAINVIEW LANDFILL ALLEGANY COUNTY, MARYLAND	
	
PROJECT NO. ME2137	MARCH 2024
FIGURE 2	

C:\Users\j1001\OneDrive\Documents\Projects\ME2137 - Mountainview Landfill CAD\GIS - EXPANSION PHASE 1 SUBMITTAL\DRAWINGS\DWG\SHEETS\ME2137-02-005.DWG




- NOTES:
- EXISTING AERIAL TOPOGRAPHY SURVEY FLOWN ON NOVEMBER 23, 2022, BY NOBLE ENVIRONMENTAL, INC. FILE 'DXF- CONTOURS 2 UNIT.dxf' WAS DOWNLOADED FROM [HTTPS://JLSENGINEERING.PRPELLR.COM](https://jlsengineering.prpellr.com).
 - HORIZONTAL GRID COORDINATES ARE SITE GRID DATUM; ELEVATIONS SHOWN ARE IN FEET ABOVE MEAN SEA LEVEL IN THE NORTH AMERICAN VERTICAL DATUM OF 1988 (NAVD88).

LEGEND	
	PROPOSED MINOR GRADE CONTOUR
	PROPOSED MAJOR GRADE CONTOUR
	EXISTING MINOR GRADE CONTOUR
	EXISTING MAJOR GRADE CONTOUR
	INTERIOR GRAVEL ROAD
	FENCE
	PROPERTY BOUNDARY AND PARCELS
	TREE DRIP LINE
	PROPOSED SURFACE WATER DIVERSION INFRASTRUCTURE
	EXISTING CONVEYANCE CHANNEL
	PROPOSED CONVEYANCE TO OUTFALL LOCATION
	EXISTING STORM DRAIN CULVERT
	PROPOSED LANDFILL BOUNDARY/LIMIT OF WASTE

PROPOSED STORMWATER POND (TO BE SIZED)

EXISTING CONVEYANCE (TO BE IMPROVED AS NECESSARY)

POTENTIAL ADDITIONAL LEACHATE TANK, IF NEEDED



PROPOSED DEVELOPMENT PLAN


MOUNTAINVIEW LANDFILL
ALLEGANY COUNTY, MARYLAND

Geosyntec
consultants

PROJECT NO. ME2137 MARCH 2024 **FIGURE 3**

C:\GIS\PROJECTS\ME2137\DRAWINGS\ME2137-03.dwg

D:\gis\geosyntec\p\me2137\me2137-03.dwg




C:_GEO\WDS01\DM525633\ME2137.05-G02 - Last Saved By: M.Jerome on 3/12/24

LEGEND	
	A AGRICULTURE, FOREST, MINING
	C CONSERVATION
	GU GENERAL URBAN
	I INDUSTRIAL
	R-1 RESIDENTIAL 1
	R-2 RESIDENTIAL 2

SOURCE:
 ALLEGANY COUNTY PERMITS
 DASHBOARD 2.0, ALLEGANY COUNTY
 GIS OFFICE, ACCESSED FEBRUARY 2024.

ZONING MAP OF SURROUNDING AREA	
MOUNTAINVIEW LANDFILL ALLEGANY COUNTY, MARYLAND	
PROJECT NO: ME2137	MARCH 2024
FIGURE 4	



MAP LEGEND

- Area of Interest (AOI)**
 - Area of Interest (AOI)
- Soils**
 - Soil Map Unit Polygons
 - Soil Map Unit Lines
 - Soil Map Unit Points
- Special Point Features**
 - Blowout
 - Borrow Pit
 - Clay Spot
 - Closed Depression
 - Gravel Pit
 - Gravelly Spot
 - Landfill
 - Lava Flow
 - Marsh or swamp
 - Mine or Quarry
 - Miscellaneous Water
 - Perennial Water
 - Rock Outcrop
 - Saline Spot
 - Sandy Spot
 - Severely Eroded Spot
 - Sinkhole
 - Slide or Slip
 - Sodic Spot
- Water Features**
 - Streams and Canals
- Transportation**
 - Rails
 - Interstate Highways
 - US Routes
 - Major Roads
 - Local Roads
- Background**
 - Aerial Photography
- Other**
 - Spoil Area
 - Stony Spot
 - Very Stony Spot
 - Wet Spot
 - Other
 - Special Line Features

Map Scale: 1:11,900 if printed on B landscape (17" x 11") sheet.

0 150 300 600 900 Meters

0 500 1000 2000 3000 Feet

This product is generated from the USDA-NRCS certified data as of the version date(s) listed below.

Soil Survey Area: Allegany County, Maryland
 Survey Area Data: Version 17, Sep 12, 2023

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
BvC	Buchanan gravelly loam, 8 to 15 percent slopes, extremely stony	1.8	0.1%
BwB	Buchanan gravelly loam, 3 to 8 percent slopes, very rubbly	3.1	0.2%
BwC	Buchanan gravelly loam, 8 to 15 percent slopes, very rubbly	89.8	7.2%
BwD	Buchanan gravelly loam, 15 to 25 percent slopes, very rubbly	13.2	1.1%
CfB	Cavode silt loam, 3 to 8 percent slopes	2.1	0.2%
CgB	Cedarcreek channery loam, 0 to 8 percent slopes	8.9	0.7%
CgC	Cedarcreek channery loam, 8 to 15 percent slopes	29.9	2.4%
CgD	Cedarcreek channery loam, 15 to 25 percent slopes	16.0	1.3%
CsB	Craigsville cobbly fine sandy loam, 3 to 8 percent slopes, very stony, occasionally flooded	0.7	0.1%
DeC	Dekalb-Rock outcrop complex, 8 to 15 percent slopes, rubbly	1.8	0.1%
ErC	Ernest silt loam, 8 to 15 percent slopes	19.1	1.5%
ErD	Ernest silt loam, 15 to 25 percent slopes	29.6	2.4%
EsB	Ernest silt loam, 3 to 8 percent slopes, very stony	41.5	3.3%
EsC	Ernest silt loam, 8 to 15 percent slopes, very stony	179.3	14.3%

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
EsD	Ernest silt loam, 15 to 25 percent slopes, very stony	22.4	1.8%
FaB	Fairpoint channery loam, 0 to 8 percent slopes	42.4	3.4%
FaC	Fairpoint channery loam, 8 to 15 percent slopes	88.7	7.1%
FaD	Fairpoint channery loam, 15 to 25 percent slopes	54.6	4.4%
FaE	Fairpoint channery loam, 25 to 45 percent slopes	14.3	1.1%
GbC	Gilpin silt loam, 8 to 15 percent slopes	12.3	1.0%
GbD	Gilpin silt loam, 15 to 25 percent slopes	5.1	0.4%
GcB	Gilpin channery silt loam, 3 to 8 percent slopes, very stony	9.1	0.7%
GcC	Gilpin channery silt loam, 8 to 15 percent slopes, very stony	7.3	0.6%
GcD	Gilpin channery silt loam, 15 to 25 percent slopes, very stony	32.3	2.6%
GcE	Gilpin channery silt loam, 25 to 45 percent slopes, very stony	8.3	0.7%
GmB	Gilpin very stony-Macove very rubbly complex, 3 to 8 percent slopes	8.1	0.6%
GmC	Gilpin very stony-Macove very rubbly complex, 8 to 15 percent slopes	9.8	0.8%
GmD	Gilpin very stony-Macove very rubbly complex, 15 to 25 percent slopes	19.2	1.5%
GmE	Gilpin very stony-Macove very rubbly complex, 25 to 45 percent slopes	13.0	1.0%

Map Unit Symbol	Map Unit Name	Acres in AOI	Percent of AOI
GmF	Gilpin very stony-Macove very rubbly complex, 45 to 65 percent slopes	10.6	0.8%
HeC	Hazleton gravelly sandy loam, 8 to 15 percent slopes, very stony	57.2	4.6%
HeD	Hazleton gravelly sandy loam, 15 to 25 percent slopes, very stony	13.9	1.1%
QC	Quarry, coal	198.6	15.9%
ReC	Rayne silt loam, 8 to 15 percent slopes, extremely stony	30.9	2.5%
ReD	Rayne silt loam, 15 to 25 percent slopes, extremely stony	29.2	2.3%
SsC	Sideling gravelly loam, 8 to 15 percent slopes, very stony	12.8	1.0%
SsD	Sideling gravelly loam, 15 to 25 percent slopes, very stony	22.9	1.8%
WrB	Wharton channery silt loam, 3 to 8 percent slopes	32.7	2.6%
WrC	Wharton channery silt loam, 8 to 15 percent slopes	17.7	1.4%
WrD	Wharton channery silt loam, 15 to 25 percent slopes	1.4	0.1%
WtB	Wharton channery silt loam, 3 to 8 percent slopes, very stony	17.2	1.4%
WtC	Wharton channery silt loam, 8 to 15 percent slopes, very stony	22.8	1.8%
Totals for Area of Interest		1,251.6	100.0%

SOURCE: SOIL SURVEY STAFF, NATURAL RESOURCES CONSERVATION SERVICE, UNITED STATES DEPARTMENT OF AGRICULTURE. WEB SOIL SURVEY. AVAILABLE ONLINE AT THE FOLLOWING LINK: [HTTP://WEBSOILSURVEY.SC.EGOV.USDA.GOV/](http://websoilsurvey.sc.egov.usda.gov/). ACCESSED FEBRUARY 2024.



SOIL DISTRIBUTION MAP

MOUNTAINVIEW LANDFILL
ALLEGANY COUNTY, MARYLAND

FIGURE 5

PROJECT NO: ME2137 MARCH 2024

C:\GEP\WD50\1\DM525633\ME2137.05-G04 - Last Saved by: MJerome on 3/15/24



LEGEND

Pc	CONEMAUGH GROUP (UNDIVIDED)
Pd	DUNKARD FORMATION
Pm	MONOGAHELA GROUP
Pa	ALLEGHENY FORMATION

SOURCE:
GEOLOGIC MAP OF GARRETT, ALLEGANY, AND WESTERN WASHINGTON
COUNTIES, MARYLAND, DEPARTMENT OF NATURAL RESOURCES, 2013.

SURFICIAL GEOLOGIC MAP OF ALLEGANY COUNTY

MOUNTAINVIEW LANDFILL
ALLEGANY COUNTY, MARYLAND



FIGURE

6

PROJECT NO: ME2137

MARCH 2024

ATTACHMENT 1

REFUSE DISPOSAL PERMIT APPLICATION
FORM

MARYLAND DEPARTMENT OF THE ENVIRONMENT
 Land and Materials Administration • Solid Waste Program
 1800 Washington Boulevard • Suite 605 • Baltimore Maryland 21230-1719
 410-537-3315 • 800-633-6101 x3315 • www.mde.maryland.gov

Refuse Disposal Permit Application

Authority: Title 9, Environment Article, Annotated Code of Maryland, and Code of Maryland Regulations (COMAR) 26.04.07
 Municipal landfills also see 40 CFR Part 258 and EPA guidance for additional requirements.

Application for: **New Permit** **Renewal Permit**

Existing Permit No.: 2021-WMF-0010 Issued Date: 12/10/2021 Expiration Date: 12/9/2026

Applicant's Legal Name: Mountainview Landfill, Inc.

Applicant's Status: **Individual** **Corporation** **Government** **Other:** _____

Federal Employer Identification No.: 25-1538716

Maryland State Department of Assessments and Taxation (SDAT) ID No.: D02208700

*Please note that a business/entity must be registered to do business in Maryland before a permit can be issued.
 The business or entity's information provided in this application must match the information in the SDAT register.*

Proof of workers' compensation coverage is required under § 1-202 of the Environment Article. Please provide one of the following:

(1) A copy of a Certificate of Compliance issued by the Maryland Workers' Compensation Commission; or

(2) Workers' Compensation Insurance Policy/Binder Number: 202575 1499912

Applicant's Mailing Address: 13300 New Georges Creek Road SW City: Frostburg State: MD Zip Code: 21532-3971

Applicant's Telephone No.: (717) 353-4126 Applicant's Email: dhillbert@Nobleenviro.com

Emergency Contact Name & Title: Dusty Hilbert - VP of Operations Telephone No.: (717) 353-4126

Facility/Site Name: Mountainview Landfill

Facility/Site Address: 13300 New Georges Creek Road SW City: Frostburg State: MD Zip Code: 21532

County: Allegany Maryland Grid Coordinates: 714 347 N / 772 862 E

County Zoning Map No.: N/A Lot/Parcel No.: Map 26, P212 Deed/Liber/Folio No.: _____

State Legislative District: 1B Local Council / Election District: 24-000

Bay Tributary Watershed Code: 02141004 Latitude/Longitude (decimal degrees): 39.6142 °, -78.9151 °

Site Acreage: 400.0 Facility Acreage (estimated): 92.0

Type of Solid Waste Acceptance Facility

Municipal Landfill ^{1,4} **Rubble Landfill** ^{1,3,4} **Industrial Landfill** ^{1,4} **Land Clearing Debris Landfill** ¹

Incinerator ^{1,2,4} **Transfer Station** ¹ **Processing Facility** ² **Processing Facility & Transfer Station** ^{1,2}

Notes: 1. Financial Security is required for a privately owned facility. 2. Air Quality Permit may be required. 3. Groundwater Discharge Permit may be required.
 4. Environmental Justice Score Required refer to <https://mdewin64.mde.state.md.us/EJ/>

Proposed Days & Hours of Operation: 5am to 9pm Monday to Sunday

Provide a brief description of solid waste handling and other activities to be conducted at this facility:
Accept and dispose of solid waste

Once an application is received, MDE will initiate correspondence to obtain the following required documentation prior to permit issuance:

A written statement from the County in which the proposed facility is to be located, demonstrating that the proposed facility meets all applicable County zoning and land use requirements and is in conformity with the County Solid Waste Management Plan, in accordance with §9-210(a)(3) of the Environment Article.

For an incinerator, a written statement from the County where the proposed facility is to be located, demonstrating that the County has an approved Recycling Plan in accordance with §9-204.1 and §9-505 of the Environment Article.

For a rubble landfill, a written statement from the County in which the proposed facility is to be located, demonstrating that the County has specified in the County Solid Waste Plan the types of waste that may be disposed of in the facility, in accordance with §9-210(c) of the Environment Article.

Provide the estimated amount of solid waste to be accepted in tons (tn) or cubic yards (CY) from the following facilities and sources:

A. Intermediate Facilities:		B. Origin of Waste by Region:	
Processing Facilities	_____	Within Jurisdiction	<u>42,000 tons</u>
Transfer Stations	<u>10,000 tons</u>	Out-of-County in Maryland	<u>1,000 tons</u>
Incinerators	_____	Out-of-State (specify name)	<u>10,000 tons PA, 7,000 tons WV</u>

Please indicate the estimated amount of solid waste in Tons (T) or Cubic Yards (CY) to be accepted at this facility. This list will be used to determine the type of permit and the list of acceptable materials that will be allowed under the permit for which you are applying.

Type of Waste	1 st Year (units)	5 th Year (units)
Residential (household refuse, domestic waste, garbage, etc.)	47,400 tons (mixed)	71,050 tons (mixed)
Commercial (waste from businesses, stores, offices, etc.)	Mixed with residential	Mixed with residential
Industrial (non-hazardous sludge, dust, off-spec products, etc. from industrial or manufacturing operations or processes)	550 tons	900 tons
Construction and Demolition (lumber, masonry, drywall, etc.)	9,000 tons	13,500 tons
Land Clearing Debris (stumps, limbs, leaves, earthen material, etc.)		
Agricultural (crop residue, manure, unprocessed materials, etc.)		
Institutional (non-hazardous waste from schools, hospitals, etc.)	Mixed with residential	Mixed with residential
Special Medical Waste (infectious waste from hospitals, doctor's offices, research labs, etc.)		
Animal Carcasses (road kills, farm animals, etc.)	Minimal	Minimal
Bulky Waste (appliances, furniture, etc.)	Mixed with residential	Mixed with residential
Litter (street sweepings, municipal wastebaskets, etc.)	Minimal	Minimal
Scrap Tires (automobiles, trucks, etc.) - Requires a separate license for handling or managing tires.		
Sewage Sludge or Septage - Requires separate permit for sewage sludge utilization.	3,000 tons	4,500 tons
Water Treatment Plant Sludge (alum precipitate, etc.)		
Hazardous Waste (from chemical plants, gas stations, etc.)		
Asbestos (shingles, insulation, etc.) - Requires special training and handling		
Incinerator Ash (from incinerators, waste-to-energy incinerators, special medical waste incinerators, boilers, etc.)	50 tons	50 tons
Fly Ash (pollution abatement equipment dusts & bottom ash from coal fired electric generating plants)		
Other (list):		
Total	60,000 tons	90,000 tons

By signing this form, I the applicant or duly authorized representative, do solemnly affirm under the penalties of perjury that the contents of this application are true to the best of my knowledge, information, and belief. I hereby authorize the representatives of MDE to have access to the site of the proposed facility for inspection and to records relating to this application at any reasonable time.

I acknowledge that depending on the type of facility applied for, other permits or approvals may be required.



 Signature of Applicant
 DUSK HUBERT

 Applicant's Name (print)

12/15/25

 Date
 VP LANDFILL OPERATIONS

 Title

This Notice is provided pursuant to §10-624 of the State Government Article of the Maryland Code. The personal information requested on this form is intended to be used in processing your application. Failure to provide the information requested may result in your application not being processed. You have the right to inspect, amend, or correct this form. The Maryland Department of the Environment ("MDE") is a public agency and subject to the Maryland Public Information Act. This form may be made available on the Internet via MDE's website and is subject to inspection or copying, in whole or in part, by the public and other governmental agencies, if not protected by Federal or State law.

Privacy Act Notice: This Notice is provided pursuant to the Federal Privacy Act of 1974, 5 U.S.C. §552.a. Disclosure of your Social Security Number or Federal Employer Identification Number on this application is mandatory pursuant to the provisions of §1-203 (2003), Environment Article, Annotated Code of Maryland, which requires the MDE to verify that an applicant for a permit has paid all undisputed taxes and unemployment insurance. Social Security or Federal Employer Identification Numbers will not be used for any purposes other than those described in this Notice.

ATTACHMENT 2
FAA DOCUMENTATION



Notice Criteria Tool

Notice Criteria Tool - Desk Reference Guide V_2018.2.0

The requirements for filing with the Federal Aviation Administration for proposed structures vary based on a number of factors: height, proximity to an airport, location, and frequencies emitted from the structure, etc. For more details, please reference [CFR Title 14 Part 77.9](#).

You must file with the FAA at least 45 days prior to construction if:

- your structure will exceed 200ft above ground level
- your structure will be in proximity to an airport and will exceed the slope ratio
- your structure involves construction of a traverseway (i.e. highway, railroad, waterway etc...) and once adjusted upward with the appropriate vertical distance would exceed a standard of 77.9(a) or (b)
- your structure will emit frequencies, and does not meet the conditions of the [FAA Co-location Policy](#)
- your structure will be in an instrument approach area and might exceed part 77 Subpart C
- your proposed structure will be in proximity to a navigation facility and may impact the assurance of navigation signal reception
- your structure will be on an airport or heliport
- filing has been requested by the FAA

If you require additional information regarding the filing requirements for your structure, please identify and contact the appropriate FAA representative using the [Air Traffic Areas of Responsibility map](#) for Off Airport construction, or contact the [FAA Airports Region / District Office](#) for On Airport construction.

The tool below will assist in applying Part 77 Notice Criteria.

* **Structure Type:** LANDFILL | Existing Municipal Solid Waste Landfill
 Please select structure type and complete location point information.

Latitude: Deg M S

Longitude: Deg M S

Horizontal Datum: NAD83


Site Elevation (SE): (nearest foot)

Structure Height : (nearest foot)

Is structure on airport: No Yes


Results

You do not exceed Notice Criteria.




ATTACHMENT 3

PROPERTY OWNERS WITHIN 1,000-FT RADIUS OF LANDFILL



- Site Boundary Buffer (1000 - feet)
- Site Boundary
- Adjacent Parcels



Adjacent Properties

Mountainview Landfill
Allegany County, Maryland



Figure
1

PROJECT NO: ME2137

February 2024

**PROPERTY OWNERS WITHIN 1,000 FEET RADIUS OF
MOUNTAINVIEW LANDFILL
ALLEGANY COUNTY, MARYLAND**

STREET ADDRESS ¹	ZIP CODE	OWNER NAME	LIBER	PORTFOLIO	MAP	GRID	PARCEL ²	ACRES
	21532	CROSSLAND LAURENCE E	02478	0282	0036	0007	0180	0.17
								0.00
	21532	CLARK DANIELLE LEA	02430	0211	0036	0007	0164	0.18
	21532	CROSSLAND LAURENCE E	02478	0282	0036	0007	0168	0.08
	21532	ALLEGANY COUNTY COMMISSIONERS	00688	0939	0036	0014	0230	0.35
	21532	HUGHES TINA M	01302	0262	0036	0013	0202	0.23
17518 TOP ROW ROAD SW	21528	SAVAGE GLEN M	02383	0421	0036	0007	0080	0.36
13402 NEW GEORGES CREEK ROAD SW	21532	ROBERTSON ROBERT-KELLY	00637	0493	0036	0013	0220	0.41
13001 BURNING MINES ROAD SW	21532	ZEMBOWER GERALD W ET UX	00518	0964	0036	0007	0031	0.46
13516 NEW GEORGES CREEK ROAD SW	21532	MCKENZIE EDGAR C-MARY L	00614	0815	0035	0018	0277	0.61
12901 VALE SUMMIT ROAD SW	21532	CROSSLAND LAURENCE E	02478	0282	0036	0007	0158	0.47
13410 NEW GEORGES CREEK ROAD SW	21532	HUGHES TINA M	01302	0262	0036	0013	0203	0.55
	21532	MCKENZIE EDGAR C-MARY L	00614	0815	0035	0018	0278	0.36
13000 BURNING MINES ROAD SW	21532	SMITH PATSY D LE	01177	0136	0036	0007	0052	0.59
13506 NEW GEORGES CREEK ROAD SW	21532	WINKLER CHARLES A ET UX	00439	0614	0036	0013	0205	0.46
13510 NEW GEORGES CREEK ROAD SW	21532	JOHNSON WAYNE O ET UX	00447	0113	0036	0013	0207	0.45
13512 NEW GEORGES CREEK ROAD SW	21532	CUTHBERTSON WILLIAM E ET UX	00456	0339	0036	0013	0208	0.46
13400 NEW GEORGES CREEK ROAD SW	21532	VALE SUMMIT REAL ESTATE CO	00513	0162	0036	0013	0191	0.69
13508 NEW GEORGES CREEK ROAD SW	21532	MOORE FLOYD A ET UX	00456	0012	0036	0013	0206	0.57
13704 NEW GEORGES CREEK ROAD SW	21532	BEEMAN ROBERT D ET UX	00454	0435	0035	0024	0280	0.58
13700 NEW GEORGES CREEK ROAD SW	21532	COLEMAN WAYNE A-JANET	00699	0253	0035	0018	0279	0.57
13514 NEW GEORGES CREEK ROAD SW	21532	SKIDMORE STANLEY L ET UX	00473	0815	0035	0018	0181	0.57
13605 NEW GEORGES CREEK ROAD SW	21532	WARNICK MICHAEL R ET UX	00466	0686	0035	0018	0282	0.63
12905 VALE SUMMIT ROAD SW	21532	JEFFRIES JANET	01255	0033	0036	0007	0157	0.85
13500 NEW GEORGES CREEK ROAD SW	21532	KIRKWOOD ROBERT E-SARAH H LE ET AL	01760	0270	0036	0013	0204	1.09
13601 NEW GEORGES CREEK ROAD SW	21532	FAZENBAKER DARYL L ET UX	00462	0877	0035	0018	0281	1.13
17518 TOP ROW ROAD SW	21528	SAVAGE GLEN M	02383	0417	0036	0007	0081	0.14
13416 NEW GEORGES CREEK ROAD SW	21532	KIDDY KEITH	02318	0091	0036	0013	0110	1.44
	21532	CHAMBERS OF MARYLAND INC	00601	0784	0036	0007	0170	2.20

12808 VALE SUMMIT ROAD SW	21532	CLISE NORMAN E-KATHLEEN M	00569	0120	0036	0007	0162	1.81
17610 POMPEY SMASH RD	21532	HITE SHELBY L	02445	0317	0036	0007	0163	1.69
13710 NEW GEORGES CREEK ROAD SW	21532	ARNOLD RONALD J ET UX	00463	0155	0035	0024	0173	2.61
13800 NEW GEORGES CREEK ROAD SW	21532	ARNOLD HAROLD W-BETTY R LE	01383	0096	0035	0024	0067	2.50
	21532	CHAMBERS OF MARYLAND INC	00594	0271	0036	0013	0213	4.40
	21532	MORTON RANDALL L	02561	0432	0035	0024	0192	5.07
14000 BURNING MINES ROAD SW	21532	ALLEN DALE E	01466	0159	0036	0020	0152	56.70
								0.00
	21532	CLARK DANIELLE LEA	01940	0160	0036	0007	0137	0.16
13032 BEECHIE LANE SW	21532	SCHMIDT MARY ET AL	02263	0531	0036	0008	0075	34.72
								0.00
	21542	MORTON RANDALL LEE	02119	0505	0035	0024	0175	173.10
	21532	DANS MT SPORTSMANS CLUB INC ET AL	00732	0647	0036	0020	0083	716.24
	21532	CHAMBERS OF MARYLAND INC	00594	0271	0036	0013	0212	395.59
								0.00
	21528	ALLEGANY COAL-LAND CO	00561	0618	0024	0013	0007	127.01

NOTES:

- (1) The street address assigned by the local government. It includes street number and street name, may not match mailing address.
- (2) Identifies the parcel number of the property as shown in Figure 1.