



Carolyn A Jones -MDE- <carolyna.jones@maryland.gov>

Fwd: FW: Draft Regulation for Review - COMAR 26.11.42 Control of Methane Emissions from Municipal Solid Waste Landfills

1 message

Eddie Durant -MDE- <eddie.durant@maryland.gov>

Thu, Oct 13, 2022 at 3:22 PM

To: Randy Mosier -MDE- <randy.mosier@maryland.gov>, Carolyn A Jones -MDE- <carolyna.jones@maryland.gov>

FYI

----- Forwarded message -----

From: **Kumm, John** [REDACTED]

Date: Thu, Oct 13, 2022 at 3:14 PM

Subject: FW: Draft Regulation for Review - COMAR 26.11.42 Control of Methane Emissions from Municipal Solid Waste Landfills

To: Randy Mosier (Randy.Mosier@maryland.gov) <randy.mosier@maryland.gov>, Eddie DuRant (edurant@mde.state.md.us) <edurant@mde.state.md.us>

From: Kumm, John**Sent:** Thursday, October 13, 2022 3:00 PM**To:** Kelsey Sisko -MDE- <kelsey.sisko@maryland.gov>**Cc:** [REDACTED]**Subject:** RE: Draft Regulation for Review - COMAR 26.11.42 Control of Methane Emissions from Municipal Solid Waste Landfills

Hi Kelsey,

Sorry for the late response. Two comments:

1. 05.B(3)(g)(i) should be "or" rather than "and".
2. The low wind requirement for monitoring under .11F.(1) will be hard to meet in MD, where the average wind speed is over 10 mph

Best Regards,

John

John Kumm, PE, BCEE, CC-P, CEM, LEED AP

Senior Engineer/Senior Project Manager

EA Engineering, Science, and Technology, Inc., PBC

www.eaest.com



EA is a 100% employee-owned public benefit corporation (PBC). For more information you can find our Corporate Social Responsibility Report/PBC Statement on our website: http://www.eaest.com/corporate_sustainability.php.



Be sustainable, think about environmental responsibilities before printing.

IMPROVING THE QUALITY OF THE ENVIRONMENT IN WHICH WE LIVE, ONE PROJECT AT A TIME®

From: Kelsey Sisko -MDE- <kelsey.sisko@maryland.gov>

Sent: Friday, September 30, 2022 3:34 PM

To: Angelo Bianca -MDE- <angelo.bianca@maryland.gov>; [Redacted]

[Redacted] Chris Hoagland -MDE- <Chris.Hoagland@maryland.gov>; Diane Nelson -MDE- <diane.nelson@maryland.gov>; George Aburn -MDE- <george.aburn@maryland.gov>; [Redacted]

[Redacted] Randy Mosier -MDE- <randy.mosier@maryland.gov>; [Redacted]

[Redacted] Megan Ulrich -MDE- <megan.ulrich@maryland.gov>

Cc: Carolyn A Jones -MDE- <carolyna.jones@maryland.gov>; Eddie Durant -MDE- <eddie.durant@maryland.gov>; Tyler D. Abbott -MDE- <tyler.abbott@maryland.gov>; Horacio Tablada -MDE- <horacio.tablada@maryland.gov>; Roger Thunell -MDE- <roger.thunell@maryland.gov>; Mark Stewart -MDE- <mark.stewart1@maryland.gov>

Subject: Draft Regulation for Review - COMAR 26.11.42 Control of Methane Emissions from Municipal Solid Waste Landfills

Dear Council members,

The purpose of this email is to share with the Council a draft regulation developed by the Maryland Department of the Environment ARA. The draft regulation includes new requirements and standards to control methane emissions from municipal solid waste (MSW) landfills, new Chapter COMAR 26.11.42. A copy of the draft regulation and fact sheet are attached to this email for your review. The Department intends to present this regulation before the Council at the upcoming AQCAC meeting on October 24, 2022.

The Department has requested Council members to do a final review of the draft regulations and provide feedback by October 10, 2022. We are interested in your feedback as well as we prepare for the upcoming AQCAC meeting. Please submit written comments via email to Eddie Durant eddie.durant@maryland.gov.

Thank you again for your interest and participation.

Best,

Kelsey Sisko



Kelsey Sisko
Natural Resources Planner
Air and Radiation Administration
Air Quality Regulations Division
Maryland Department of the Environment
[1800 Washington Boulevard](#)
[Baltimore, Maryland 21230](#)
kelsey.sisko@maryland.gov
(410) 537-3866 (O)
[Website](#) | [Facebook](#) | [Twitter](#)

[Click here](#) to complete a three question customer experience survey.

--



Eddie DuRant
Regulatory and Compliance Engineer
Air and Radiation Administration
Maryland Department of the Environment
[1800 Washington Boulevard](#)
[Baltimore, Maryland 21230](#)
eddie.durant@maryland.gov
410-537-3592 (O)
[Website](#) | [Facebook](#) | [Twitter](#)

[Click here](#) to complete a three question [customer experience survey](#).

[Click here](#) to complete a three question customer experience survey.