

Potomac River Non-Shellfish Waters Monitoring Summary

In response to the Potomac Interceptor Sewer Overflow, the Maryland Department of the Environment (MDE) developed a monitoring plan to evaluate bacteria concentrations (using *E. coli* and Enterococci) in the non-shellfish waters of the Potomac River. *E.*

coli and Enterococci are bacteria that are found in the digestive systems of warm-blooded animals, including humans. They are used as indicators for the presence of bacteria and viruses that can be harmful to human health. *E. coli* and Enterococci measurements are used to help determine the risk associated with swimming in the water.

Six sampling stations (and later eight) were selected within the non-shellfish waters of the Potomac River, extending from upstream of the Potomac Interceptor Overflow to the Potomac River mainstem near Nanjemoy Creek.

Five of the stations are located within the tidal freshwater zone of the Potomac River: Indian Head (POT-1), Fort Washington (POT-2), and National Harbor (POT-3), and beginning on March 10, 2026, west of Purse State Park (POT-7) and southwest of Nanjemoy Creek (POT-8). At these locations, MDE will collect samples for Enterococci and *E. coli* to maintain consistency with the indicator organisms used by MDE to assess recreational water quality, as well as with samples collected by DC Waters in the Potomac River following the sewer overflow event.

The first sampling event occurred on February 17, 2026. Sampling will continue on a weekly basis until a determination is made to discontinue monitoring.





Potomac Old Angler's Inn (POT-6)




Potomac Little Falls Overlook (POT-5)



Potomac Chain Bridge (POT-4)



Boat Sampling



Potomac Interceptor Bypass - Post Incident Monitoring Locations

Updated: 03/06/26



Stations Table

Station ID	Latitude	Longitude	Description	Parameter
POT-1	38.61068	-77.17802	Center channel Potomac - Indian Head	E. coli and Enterococci
POT-2	38.70410	-77.05353	Center channel Potomac - Fort Washington	E. coli and Enterococci
POT-3	38.78383	-77.03170	Center channel Potomac - National Harbor	E. coli and Enterococci
POT-4	38.92972	-77.11631	Chain Bridge	E. coli
POT-5	38.94978	-77.12769	Little Falls Potomac	E. coli
POT-6	38.98061	-77.22849	Old Angler's Inn	E. coli
POT-7	38.43200	-77.2908795	West of Purse State Park	E. coli and Enterococci
POT-8	38.3712874	-77.1513043	SW of Nanjemoy Ck	E. coli and Enterococci

Results Table:

	POT-1		POT-2		POT-3		POT-4	POT-5	POT-6	POT-7		POT-8	
	Center Channel near Indian Head, MD		Center Channel near Fort Washington, MD		Center Channel near National Harbor		Chain Bridge crossing	Little Falls Area	Old Angler's Inn	West of Purse State Park		SW of Nanjemoy Ck	
Depth (M)	0.1		0.1		0.1		0.1	0.1	0.1	0.1		0.1	
Results													
Date	Enterococcus (MPN/100 mL)	<i>E. coli</i> (MPN/100 mL)	Enterococcus (MPN/100 mL)	<i>E. coli</i> (MPN/100 mL)	Enterococcus (MPN/100 mL)	<i>E. coli</i> (MPN/100 mL)	<i>E. coli</i> (MPN/100 mL)	<i>E. coli</i> (MPN/100 mL)	<i>E. coli</i> (MPN/100 mL)	Enterococcus (MPN/100 mL)	<i>E. coli</i> (MPN/100 mL)	Enterococcus (MPN/100 mL)	<i>E. coli</i> (MPN/100 mL)
2/17/2026	<10	1	20	17	10	65	613	>2420	71				
2/25/2026	40	52	110	91	110	111	48	88	46				
3/3/2026	<10	5	<10	9	10	108	6	31	4				
3/10/2026	<10	1	20	20	<10	31	11	38	12	60	53	<10	<1
3/17/2026							261	921	194				
3/19/2026	10	5	40	96	10	138				10	36	<10	<1
3/24/26	<10	6	<10	17	20	19	4	15	3	10	26	10	<1
03/31/26	<10	11	<10	9	<10	15	2	20	4	<10	26	<10	2
4/7/26	<10	<1	<10	23	20	105	6	63	12				
4/14/26							6	21	14				
4/15/26	<10	1	<10	2	<10	33							
4/22/26	<10	1	<10	1	<10	7	3	81	8				
4/28/26	20	<1	30	2	<10	17	6	25	9				
5/6/26							16	11	6				
5/14/26							21	435	55				
5/21/26							285	179	172				
5/26/26							345	281	461				
6/3/26							17	38	30				
6/10/26							20	17	26				
6/17/26							9	11	8				
6/23/26							242	54	365				

6/29/26							61	166	115				
7/8/26							23	70	27				
7/15/26							14	39	9				
7/22/26							326	517	214				
7/29/26							1,986	>2,420	345				
8/5/26							250	60	10				

Sampling Notes:

Sampling Event 2/17/26 – The DC Metro area received approximately 0.5” of rain 2/15 – 2/16/26. The POT-5 value was reported as >2420 MPN/100ml because there was not enough sample available to perform dilutional analysis. Therefore, the concentration exceeds 2420.

Sampling Event 2/25/26 – The DC Metro area received approximately 1.85” of rain and 0.9” of snow from 2/19 through 2/23. Included *Enterococci* at every station to be consistent with Virginia data sets.

Sampling Event 3/3/26 – The DC Metro area received approximately 0.0” to 0.25” of rain on the day of the sampling event.

Sampling Event 3/10/26 – No rainfall was recorded in the DC Metro area on the day of or on the day before the sampling event.

Sampling Event 3/17/26 – The DC Metro area received approximately 0.5” to 1.5” of rain on March 16-17, 2026. Center channel sampling events by boat were postponed until March 19, 2026 due to windy conditions.

Sampling Event 3/19/26 – The area along the Potomac River near the monitored stations received approximately 0.00” to 0.02” of rain on March 18-19, 2026.

Sampling Event 03/24/26 - The area along the Potomac River near the monitored stations received approximately 0.00” to 0.2” of rain on March 23-24, 2026.

Sampling Event 03/31/26 - The area along the Potomac River near the monitored stations received approximately 0.00” to 0.3” of rain on March 30-31, 2026.

Sampling Event 4/7/26 - The area along the Potomac River near the monitored stations received approximately 0.38” to 0.65” of rain on April 7, 2026.

Sampling Event 4/14-15/26 – The area along the Potomac River near the monitored stations received approximately 0.00” of rain on April 13-15, 2026.

Sampling Event 4/22/26 – The area along the Potomac River near the monitored stations received approximately 0.00” to 0.03” of rain on April 21-22, 2026.

Sampling Event 4/28/26 – The area along the Potomac River near the monitored stations received approximately 0.00” to 0.01” of rain on April 27-28, 2026.

Sampling Event 5/6/26 – The area along the Potomac River near the monitored stations received approximately 0.00” to 0.01” of rain on May 5-6, 2026.

Sampling Event 5/14/26 – The area along the Potomac River near the monitored stations received approximately 0.25” to 0.90” of rain on May 13-14, 2026.

Sampling Event 5/21/26 – The area near the monitored stations received approximately 0.00” to 0.95” of rain on May 20-21, 2026.

Sampling Event 5/26/26 – Due to a significant rain event (over 2”) on May 24, the Potomac River had a discharge 10 times higher than the prior week’s sampling event discharge. Also, the area near the monitored stations received approximately 0.03” to 0.40” of rain on May 25-26.

Sampling Event 6/3/26 – The area near the monitored stations did not receive rain on June 2-3, 2026.

Sampling Event 6/10/26 – The area along the Potomac River near the monitored stations received approximately 0.0” to 0.58” of rain on June 9-10, 2026. The sampler observed heavy precipitation just prior to the sampling event.

Sampling Event 6/17/26 – The area near the monitored stations did not receive rain on June 16-17, 2026.

Sampling Event 6/23/26 – The area along the Potomac River near the monitored stations received approximately 0.10” to 1.0” of rain on June 23, 2026.

Sampling Event 6/29/26 – The area along the Potomac River near the monitored stations received approximately 0.16” to 1.06” of rain prior to the sampling event on June 29, 2026.

Sampling Event 7/8/26 – The area along the Potomac River near the monitored stations received approximately 0.01” to 0.70” of rain prior to the sampling event on July 8, 2026.

Sampling Event 7/15/26 – The area near the monitored stations did not receive rain on July 14-15, 2026.

Sampling Event 7/22/26 – The area along the Potomac River near the monitored stations received approximately 0.71” to 1.45” of rain prior to the sampling event.

Sampling Event 7/29/26 – The area along the Potomac River near the monitored stations received approximately 0.5” to 1” of rain in the evening prior to the sampling event.

Sampling Event 8/5/26 – The area along the Potomac River near the monitored stations received approximately 0.24” to 0.46” of rain in the evening prior to the sampling event.

MDE Water Quality Standards for Water Contact Recreation

To assess water quality MDE uses EPA's 2012 water quality standards of 410 MPN/100 mL for *E. coli* (fresh water) and/or 130 MPN/100 mL for Enterococci (fresh water/marine water). MPN stands for “Most Probable Number;” which is an estimation of the number of colonies of bacteria in a 100 mL sample of water. These thresholds were developed for recreational contact with water, specifically swimming, which involves whole-body immersion and potential incidental ingestion of water (<https://dsd.maryland.gov/regulations/Pages/26.08.02.03-3.aspx>).

Bacteria concentrations below thresholds (410 MPN/100 mL for *E. coli* and 130 MPN/100 mL for Enterococci) would mean these waters would meet water quality standards for recreational contact.

***E. coli* and Enterococci Bacteria Sampling Methodology**

MDE field staff will strictly follow all protocols described in MDE’s Shellfish Sampling SOP.

Laboratory Results: Sampling Event 2/17/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 02/17/2026
Time Collected: 10:13

Date Received: 02/17/2026
Time Received: 14:13
Received By: CZEZULINJ
Temperature Control: 4.8 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Indian Head/Potomac River

Sampling Site:

Town/County: Indian Head, Charles(08)

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

pH:

Res. Free Cl

Res. Total Cl

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-1

Lab No: B2600007801

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	<10	Enterococci ASTMD 6503-99	MPN/100ml	02/17/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 02/17/2026 14:41

Analyzed By: Kathy Jones

Result Read/Reported: 02/18/2026 14:47

Read By: Kathy Jones

Comments:

Approved by:

Emma L. Kinney
FACSIMILE

Approval date: 02/18/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3950 Fax: (443) 681-4507

B2600007801

Page 1 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 02/17/2026
Time Collected: 10:38

Date Received: 02/17/2026
Time Received: 14:13
Received By: CZEZULINJ
Temperature Control: 4.8 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Fort Washington/Potomac River
Sampling Site:
Town/County: Fort Washington, Prince Georges (16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide:
Wind:
Turbidity:
Air Temp:
Wind Speed:
Secchi:
Water Temp:
pH: DO:
Rain:

Field Sample ID/ Bottle No: POT-2
Lab No: B2600007802

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
Enterococci	20	Enterococci ASTM D 6503-99	MPN/100ml	02/17/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 02/17/2026 14:41

Analyzed By: Kathy Jones

Result Read/Reported: 02/18/2026 14:47

Read By: Kathy Jones

Comments:

Approved by: 	Approval date: 02/18/2026
--	---------------------------

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3950 Fax: (443) 681-4507

B2600007801

Page 2 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 02/17/2026
Time Collected: 10:48

Date Received: 02/17/2026
Time Received: 14:13
Received By: CZEZULINJ
Temperature Control: 4.8 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River National Harbor/Potomac River
Sampling Site:
Town/County: National Harbor, Prince Georges (16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide:
Wind:
Turbidity:
Air Temp:
Wind Speed:
Secchi:
Water Temp:
pH: DO:
Rain:

Field Sample ID/ Bottle No: POT-3
Lab No: B2600007603

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
Enterococci	10	Enterolert ASTMD 6503-99	MPN/100ml	02/17/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 02/17/2026 14:41
Analyzed By: Kathy Jones
Result Read/Reported: 02/18/2026 14:47
Read By: Kathy Jones
Comments:

Approved by:

Emma L. Kinney
FACSIMILE

Approval date: 02/18/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/2990 Fax: (443) 681-4507

B2600007603

Page 3 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 02/17/2026
Time Collected: 10:13

Date Received: 02/17/2026
Time Received: 14:13
Received By: CZEZULINJ
Temperature Control: 4.8 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Indian Head/Potomac River
Sampling Site:
Town/County: Indian Head, Charles(08)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide:
Wind:
Turbidity:
Air Temp:
Wind Speed:
Secchi:
Water Temp:
pH: DO:
Rain:

Field Sample ID/ Bottle No: POT-1
Lab No: B2600007501

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
E. Coli	1	SM 9223 ColilertQT	MPN/100mL	02/17/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 02/17/2026 14:41
Analyzed By: Erinna Kinney
Result Read/Reported: 02/18/2026 14:47
Read By: Kathy Jones
Comments:

Approved by:

Erinna L. Kinney
FACSIMILE

Approval date: 02/18/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600007501 Page 1 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 02/17/2026
Time Collected: 10:38

Date Received: 02/17/2026
Time Received: 14:13
Received By: CZEZULINJ
Temperature Control: 4.8 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Fort Washington/Potomac River
Sampling Site:
Town/County: Fort Washington, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-2

Lab No: B2600007503

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
E. Coli	17	SM 9223 CollertQT	MPN/100mL	02/17/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 02/17/2026 14:41

Analyzed By: Erinna Kinney

Result Read/Reported: 02/18/2026 14:47

Read By: Kathy Jones

Comments:

Approved by: 	Approval date: 02/18/2026
--	---------------------------

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600007503 Page 3 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 02/17/2026
Time Collected: 10:48

Date Received: 02/17/2026
Time Received: 14:13
Received By: CZEZULINJ
Temperature Control: 4.8 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River National Harbor/Potomac River
Sampling Site:

Town/County: National Harbor, Prince Georges(16)

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

pH:
Res. Free Cl
Res. Total Cl

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-3

Lab No: B2600007502

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
E. Coli	65	SM 9223 ColilertQT	MPN/100mL	02/17/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 02/17/2026 14:41
Analyzed By: Erinna Kinney
Result Read/Reported: 02/18/2026 14:47
Read By: Kathy Jones
Comments:

Approved by:

Erinna L. Kinney
FACSIMILE

Approval date: 02/18/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600007502

Page 2 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 02/17/2026
Time Collected: 11:35

Date Received: 02/17/2026
Time Received: 14:13
Received By: CZECZULINJ
Temperature Control: 4.8 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4
Lab No: B2600007504

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
E. Coli	613	SM 9223 ColilertQT	MPN/100mL	02/17/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 02/17/2026 14:41
Analyzed By: Erinna Kinney
Result Read/Reported: 02/18/2026 14:47
Read By: Kathy Jones
Comments:

Approved by:

Erinna L. Kinney
FACSIMILE

Approval date: 02/18/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600007504 Page 4 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 02/17/2026
Time Collected: 11:06

Date Received: 02/17/2026
Time Received: 14:13
Received By: CZEZULINJ
Temperature Control: 4.8 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Environmental Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Tide:
Wind:
Turbidity:
Air Temp:
Wind Speed:
Secchi:
Water Temp:
pH: DO:
Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2600007505

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
E. Coli	>2420	SM 9223 ColilertQT	MPN/100mL	02/17/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 02/17/2026 14:41

Analyzed By: Erinna Kinney

Result Read/Reported: 02/18/2026 14:47

Read By: Kathy Jones

Comments:

Approved by:

Erinna L. Kinney
FACSIMILE

Approval date: 02/18/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600007505

Page 5 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 02/17/2026
Time Collected: 10:17

Date Received: 02/17/2026
Time Received: 14:13
Received By: CZECHULINJ
Temperature Control: 4.8 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River

Sampling Site:

Town/County: Potomac, Montgomery(15)

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

pH:

Res. Free Cl

Res. Total Cl

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2600007506

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
E. Coli	71	SM 9223 ColilertQT	MPN/100mL	02/17/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 02/17/2026 14:41

Analyzed By: Erinna Kinney

Result Read/Reported: 02/18/2026 14:47

Read By: Kathy Jones

Comments:

Approved by:

Erinna L. Kinney
FACSIMILE

Approval date: 02/18/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600007506

Page 6 of 6

Laboratory Results: Sampling Event 2/25/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 02/25/2026
Time Collected: 10:33

Date Received: 02/25/2026
Time Received: 13:23
Received By: JCZECZULIN
Temperature Control: 1.1 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Indian Head/Potomac River
Sampling Site:
Town/County: Indian Head, Charles(08)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-1

Lab No: B2600007901

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	40	Enterolert ASTMD 6503-99	MPN/100ml	02/25/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 02/25/2026 14:12
Analyzed By: John R. Czezulin
Result Read/Reported: 02/26/2026 14:24
Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 02/26/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600007901

Page 1 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 02/25/2026
Time Collected: 10:50

Date Received: 02/25/2026
Time Received: 13:23
Received By: JCZECZULIN
Temperature Control: 1.1 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Fort Washington/Potomac River
Sampling Site:
Town/County: Fort Washington, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-2

Lab No: B2600007902

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	110	Enterolert ASTMD 6503-99	MPN/100ml	02/25/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 02/25/2026 14:12
Analyzed By: John R. Czezulin
Result Read/Reported: 02/26/2026 14:24
Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 02/26/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600007902

Page 2 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 02/25/2026
Time Collected: 11:05

Date Received: 02/25/2026
Time Received: 13:23
Received By: JCZECZULIN
Temperature Control: 1.1 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River National Harbor/Potomac River
Sampling Site:
Town/County: National Harbor, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-3

Lab No: B2600007903

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	110	Enterolert ASTMD 6503-99	MPN/100ml	02/25/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 02/25/2026 14:12
Analyzed By: John R. Czezulin
Result Read/Reported: 02/26/2026 14:24
Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 02/26/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600007903

Page 3 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 02/25/2026
Time Collected: 10:42

Date Received: 02/25/2026
Time Received: 13:23
Received By: JCZECZULIN
Temperature Control: 1.1 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4

Lab No: B2600007904

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	60	Enterolert ASTMD 6503-99	MPN/100ml	02/25/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 02/25/2026 14:12
Analyzed By: John R. Czczulin
Result Read/Reported: 02/26/2026 14:24
Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 02/26/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600007904

Page 4 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 02/25/2026
Time Collected: 10:10

Date Received: 02/25/2026
Time Received: 13:23
Received By: JCZECZULIN
Temperature Control: 1.1 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2600007905

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
Enterococci	20	Enterolert ASTMD 6503-99	MPN/100ml	02/25/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 02/25/2026 14:12

Analyzed By: John R. Czczulin

Result Read/Reported: 02/26/2026 14:24

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 02/26/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600007905

Page 5 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 02/25/2026
Time Collected: 09:25

Date Received: 02/25/2026
Time Received: 13:23
Received By: JCZECZULIN
Temperature Control: 1.1 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2600007906

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	50	Enterolert ASTMD 6503-99	MPN/100ml	02/25/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 02/25/2026 14:12
Analyzed By: John R. Czezulin
Result Read/Reported: 02/26/2026 14:24
Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 02/26/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600007906

Page 6 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 02/25/2026
Time Collected: 10:33

Date Received: 02/25/2026
Time Received: 13:23
Received By: JCZECZULIN
Temperature Control: 1,1 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Indian Head/Potomac River
Sampling Site:
Town/County: Indian Head, Charles(08)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-1

Lab No: B2600007801

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	52	SM 9223 Colilert -18	MPN/100mL	02/25/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 02/25/2026 14:12
Analyzed By: John R. Czezulin
Result Read/Reported: 02/26/2026 14:24
Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 02/26/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600007801

Page 1 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 02/25/2026
Time Collected: 10:50

Date Received: 02/25/2026
Time Received: 13:23
Received By: JCZECZULIN
Temperature Control: 1.1 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Fort Washington/Potomac River
Sampling Site:
Town/County: Fort Washington, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-2

Lab No: B2600007802

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	91	SM 9223 Colilert -18	MPN/100mL	02/25/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 02/25/2026 14:12
Analyzed By: John R. Czczulin
Result Read/Reported: 02/26/2026 14:24
Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 02/26/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600007802

Page 2 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 02/25/2026
Time Collected: 11:05

Date Received: 02/25/2026
Time Received: 13:23
Received By: JCZECZULIN
Temperature Control: 1.1 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River National Harbor/Potomac River
Sampling Site:
Town/County: National Harbor, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-3

Lab No: B2600007803

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	111	SM 9223 Colilert -18	MPN/100mL	02/25/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 02/25/2026 14:12
Analyzed By: John R. Czezulin
Result Read/Reported: 02/26/2026 14:24
Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 02/26/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600007803

Page 3 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 02/25/2026
Time Collected: 10:42

Date Received: 02/25/2026
Time Received: 13:23
Received By: JCZECZULIN
Temperature Control: 1.1 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4

Lab No: B2600007804

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	48	SM 9223 Colilert -18	MPN/100mL	02/25/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 02/25/2026 14:12
Analyzed By: John R. Czezulin
Result Read/Reported: 02/26/2026 14:24
Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 02/26/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600007804

Page 4 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 02/25/2026
Time Collected: 10:10

Date Received: 02/25/2026
Time Received: 13:23
Received By: JCZECZULIN
Temperature Control: 1.1 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2600007805

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	88	SM 9223 Colilert -18	MPN/100mL	02/25/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 02/25/2026 14:12

Analyzed By: John R. Czezulin

Result Read/Reported: 02/26/2026 14:24

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 02/26/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600007805

Page 5 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 02/25/2026
Time Collected: 09:25

Date Received: 02/25/2026
Time Received: 13:23
Received By: JCZECZULIN
Temperature Control: 1,1 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2600007806

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	46	SM 9223 Colilert -18	MPN/100mL	02/25/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 02/25/2026 14:12
Analyzed By: John R. Czezulin
Result Read/Reported: 02/26/2026 14:24
Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 02/26/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600007806

Page 6 of 6

Laboratory Results: Sampling Event 3/3/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/03/2026
Time Collected: 09:25

Date Received: 03/03/2026
Time Received: 13:00
Received By: DAVILAY
Temperature Control: 0.6 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Indian Head/Potomac River
Sampling Site:
Town/County: Indian Head, Charles(08)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-1

Lab No: B2600008001

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
Enterococci	<10	Enterolert ASTMD 6503-99	MPN/100ml	03/03/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/03/2026 14:38

Analyzed By: Kathy Jones

Result Read/Reported: 03/04/2026 14:40

Read By: Kathy Jones

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/04/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008001

Page 1 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/03/2026
Time Collected: 09:55

Date Received: 03/03/2026
Time Received: 13:00
Received By: DAVILAY
Temperature Control: 0.6 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Fort Washington/Potomac River
Sampling Site:
Town/County: Fort Washington, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-2

Lab No: B2600008002

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	<10	Enterolert ASTMD 6503-99	MPN/100ml	03/03/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/03/2026 14:38

Analyzed By: Kathy Jones

Result Read/Reported: 03/04/2026 14:40

Read By: Kathy Jones

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/04/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008002

Page 2 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/03/2026
Time Collected: 10:10

Date Received: 03/03/2026
Time Received: 13:00
Received By: DAVILAY
Temperature Control: 0.6 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River National Harbor/Potomac River
Sampling Site:
Town/County: National Harbor, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-3

Lab No: B2600008003

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	10	Enterolert ASTMD 6503-99	MPN/100ml	03/03/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/03/2026 14:38

Analyzed By: Kathy Jones

Result Read/Reported: 03/04/2026 14:40

Read By: Kathy Jones

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/04/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008003

Page 3 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/03/2026
Time Collected: 09:25

Date Received: 03/03/2026
Time Received: 13:00
Received By: DAVILAY
Temperature Control: 0.6 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Indian Head/Potomac River
Sampling Site:
Town/County: Indian Head, Charles(08)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-1

Lab No: B2600008101

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	5	SM 9223 Colilert -18	MPN/100mL	03/03/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/03/2026 14:09
Analyzed By: Erinna Kinney
Result Read/Reported: 03/04/2026 14:11
Read By: Kathy Jones

Comments:

Approved by:

Erinna L. Kinney
FACSIMILE

Approval date: 03/04/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008101 Page 1 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/03/2026
Time Collected: 09:55

Date Received: 03/03/2026
Time Received: 13:00
Received By: DAVILAY
Temperature Control: 0.6 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Fort Washington/Potomac River
Sampling Site:
Town/County: Fort Washington, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-2

Lab No: B2600008102

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	9	SM 9223 Colilert -18	MPN/100mL	03/03/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/03/2026 14:09

Analyzed By: Erinna Kinney

Result Read/Reported: 03/04/2026 14:11

Read By: Kathy Jones

Comments:

Approved by:

Erinna L. Kinney
FACSIMILE

Approval date: 03/04/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008102

Page 2 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/03/2026
Time Collected: 10:10

Date Received: 03/03/2026
Time Received: 13:00
Received By: DAVILAY
Temperature Control: 0.6 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River National Harbor/Potomac River
Sampling Site:
Town/County: National Harbor, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-3

Lab No: B2600008103

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	108	SM 9223 Colilert -18	MPN/100mL	03/03/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/03/2026 14:09
Analyzed By: Erinna Kinney
Result Read/Reported: 03/04/2026 14:11
Read By: Kathy Jones

Comments:

Approved by:

Erinna L. Kinney
FACSIMILE

Approval date: 03/04/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008103

Page 3 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/03/2026
Time Collected: 09:32

Date Received: 03/03/2026
Time Received: 13:00
Received By: DAVILAY
Temperature Control: 0.6 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4

Lab No: B2600008104

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	6	SM 9223 Colilert -18	MPN/100mL	03/03/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/03/2026 14:09
Analyzed By: Erinna Kinney
Result Read/Reported: 03/04/2026 14:11
Read By: Kathy Jones

Comments:

Approved by:

Erinna L. Kinney
FACSIMILE

Approval date: 03/04/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008104

Page 4 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/03/2026
Time Collected: 10:08

Date Received: 03/03/2026
Time Received: 13:00
Received By: DAVILAY
Temperature Control: 0.6 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2600008105

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	31	SM 9223 Colilert -18	MPN/100mL	03/03/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/03/2026 14:09

Analyzed By: Erinna Kinney

Result Read/Reported: 03/04/2026 14:11

Read By: Kathy Jones

Comments:

Approved by:

Erinna L. Kinney
FACSIMILE

Approval date: 03/04/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008105

Page 5 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/03/2026
Time Collected: 10:35

Date Received: 03/03/2026
Time Received: 13:00
Received By: DAVILAY
Temperature Control: 0.6 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2600008106

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	4	SM 9223 Colilert -18	MPN/100mL	03/03/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/03/2026 14:09

Analyzed By: Erinna Kinney

Result Read/Reported: 03/04/2026 14:11

Read By: Kathy Jones

Comments:

Approved by:

Erinna L. Kinney
FACSIMILE

Approval date: 03/04/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008106

Page 6 of 6

Laboratory Results: Sampling Event 3/10/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/10/2026
Time Collected: 10:02

Date Received: 03/10/2026
Time Received: 13:38
Received By: JCZECZULIN
Temperature Control: 1.3 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Indian Head/Potomac River
Sampling Site:
Town/County: Indian Head, Charles(08)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-1

Lab No: B2600008301

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	<10	Enterolert ASTMD 6503-99	MPN/100ml	03/10/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/10/2026 14:24
Analyzed By: John R. Czczulin
Result Read/Reported: 03/11/2026 14:28
Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/11/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008301

Page 1 of 5



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/10/2026
Time Collected: 10:23

Date Received: 03/10/2026
Time Received: 13:38
Received By: JCZECZULIN
Temperature Control: 1.3 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Fort Washington/Potomac River
Sampling Site:
Town/County: Fort Washington, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-2

Lab No: B2600008302

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	20	Enterolert ASTMD 6503-99	MPN/100ml	03/10/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/10/2026 14:24
Analyzed By: John R. Czczulin
Result Read/Reported: 03/11/2026 14:28
Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/11/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008302

Page 2 of 5



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/10/2026
Time Collected: 10:35

Date Received: 03/10/2026
Time Received: 13:38
Received By: JCZECZULIN
Temperature Control: 1.3 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River National Harbor/Potomac River
Sampling Site:
Town/County: National Harbor, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-3

Lab No: B2600008303

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	<10	Enterolert ASTMD 6503-99	MPN/100ml	03/10/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/10/2026 14:24
Analyzed By: John R. Czczulin
Result Read/Reported: 03/11/2026 14:28
Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/11/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008303

Page 3 of 5



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/10/2026
Time Collected: 09:40

Date Received: 03/10/2026
Time Received: 13:38
Received By: JCZECZULIN
Temperature Control: 1.3 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Near Purse State Park/Potomac R pH:

Sampling Site:

Res. Free Cl

Town/County: Nanjemoy, Charles(08)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-7

Lab No: B2600008304

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
Enterococci	60	Enterolert ASTMD 6503-99	MPN/100ml	03/10/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/10/2026 14:24

Analyzed By: John R. Czczulin

Result Read/Reported: 03/11/2026 14:28

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/11/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008304

Page 4 of 5



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/10/2026
Time Collected: 09:20

Date Received: 03/10/2026
Time Received: 13:38
Received By: JCZECZULIN
Temperature Control: 1.3 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River near Riverside MD/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Riverside, Charles(08)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-8

Lab No: B2600008305

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
Enterococci	<10	Enterolert ASTMD 6503-99	MPN/100ml	03/10/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/10/2026 14:24

Analyzed By: John R. Czczulin

Result Read/Reported: 03/11/2026 14:28

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/11/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008305

Page 5 of 5



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/10/2026
Time Collected: 10:02

Date Received: 03/10/2026
Time Received: 13:38
Received By: JCZECZULIN
Temperature Control: 1.3 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Indian Head/Potomac River
Sampling Site:
Town/County: Indian Head, Charles(08)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-1

Lab No: B2600008201

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	1	SM 9223 Colilert -18	MPN/100mL	03/10/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/10/2026 14:24
Analyzed By: John R. Czczulin
Result Read/Reported: 03/11/2026 14:28
Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/11/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008201

Page 1 of 8



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/10/2026
Time Collected: 10:23

Date Received: 03/10/2026
Time Received: 13:38
Received By: JCZECZULIN
Temperature Control: 1.3 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Fort Washington/Potomac River
Sampling Site:
Town/County: Fort Washington, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-2

Lab No: B2600008202

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	20	SM 9223 Colilert -18	MPN/100mL	03/10/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/10/2026 14:24
Analyzed By: John R. Czczulin
Result Read/Reported: 03/11/2026 14:28
Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/11/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008202 Page 2 of 8



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/10/2026
Time Collected: 10:35

Date Received: 03/10/2026
Time Received: 13:38
Received By: JCZECZULIN
Temperature Control: 1.3 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River National Harbor/Potomac River
Sampling Site:
Town/County: National Harbor, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-3

Lab No: B2600008203

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	31	SM 9223 Colilert -18	MPN/100mL	03/10/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/10/2026 14:24
Analyzed By: John R. Czczulin
Result Read/Reported: 03/11/2026 14:28
Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/11/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008203

Page 3 of 8



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/10/2026
Time Collected: 11:16

Date Received: 03/10/2026
Time Received: 13:38
Received By: JCZECZULIN
Temperature Control: 1.3 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4

Lab No: B2600008204

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	11	SM 9223 Colilert -18	MPN/100mL	03/10/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/10/2026 14:24
Analyzed By: John R. Czczulin
Result Read/Reported: 03/11/2026 14:28
Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/11/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008204

Page 4 of 8



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/10/2026
Time Collected: 10:29

Date Received: 03/10/2026
Time Received: 13:38
Received By: JCZECZULIN
Temperature Control: 1.3 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2600008205

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	38	SM 9223 Colilert -18	MPN/100mL	03/10/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/10/2026 14:24

Analyzed By: John R. Czczulin

Result Read/Reported: 03/11/2026 14:28

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/11/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008205

Page 5 of 8



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/10/2026
Time Collected: 09:50

Date Received: 03/10/2026
Time Received: 13:38
Received By: JCZECZULIN
Temperature Control: 1.3 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2600008206

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	12	SM 9223 Colilert -18	MPN/100mL	03/10/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/10/2026 14:24
Analyzed By: John R. Czczulin
Result Read/Reported: 03/11/2026 14:28
Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/11/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008206

Page 6 of 8



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/10/2026
Time Collected: 09:40

Date Received: 03/10/2026
Time Received: 13:38
Received By: JCZECZULIN
Temperature Control: 1.3 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Near Purse State Park/Potomac R pH:

Sampling Site:

Res. Free Cl

Town/County: Nanjemoy, Charles(08)

Res. Total Cl

Location Details

Type: Natural Bathing Area

Service: Marine

Point of Collection: Public

Treated: Untreated

Environmental Details

Tide:

Air Temp:

Water Temp:

Wind:

Wind Speed:

pH: DO:

Turbidity:

Secchi:

Rain:

Field Sample ID/ Bottle No: POT-7

Lab No: B2600008207

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	53	SM 9223 Colilert -18	MPN/100mL	03/10/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/10/2026 14:24

Analyzed By: John R. Czczulin

Result Read/Reported: 03/11/2026 14:28

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/11/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008207

Page 7 of 8



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/10/2026
Time Collected: 09:20

Date Received: 03/10/2026
Time Received: 13:38
Received By: JCZECZULIN
Temperature Control: 1.3 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River near Riverside MD/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Riverside, Charles(08)

Res. Total Cl

Location Details

Type: Natural Bathing Area

Service: Marine

Point of Collection: Public

Treated: Untreated

Environmental Details

Tide:

Air Temp:

Water Temp:

Wind:

Wind Speed:

pH: DO:

Turbidity:

Secchi:

Rain:

Field Sample ID/ Bottle No: POT-8

Lab No: B2600008208

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	<1	SM 9223 Colilert -18	MPN/100mL	03/10/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/10/2026 14:24

Analyzed By: John R. Czezulin

Result Read/Reported: 03/11/2026 14:28

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/11/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008208

Page 8 of 8

Laboratory Results: Sampling Event 3/17/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/17/2026
Time Collected: 10:55

Date Received: 03/17/2026
Time Received: 12:57
Received By: JCZECZULIN
Temperature Control: 0.8 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4

Lab No: B2600008401

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	261	SM 9223 Colilert -18	MPN/100mL	03/17/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/17/2026 13:13

Analyzed By: John R. Czezulin

Result Read/Reported: 03/18/2026 13:15

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/18/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008401

Page 1 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/17/2026
Time Collected: 10:20

Date Received: 03/17/2026
Time Received: 12:57
Received By: JCZECZULIN
Temperature Control: 0.8 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2600008402

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	921	SM 9223 Colilert -18	MPN/100mL	03/17/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/17/2026 13:13

Analyzed By: John R. Czeuczulin

Result Read/Reported: 03/18/2026 13:15

Read By: John R. Czeuczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/18/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008402

Page 2 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/17/2026
Time Collected: 09:35

Date Received: 03/17/2026
Time Received: 12:57
Received By: JCZECZULIN
Temperature Control: 0.8 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2600008403

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	194	SM 9223 Colilert -18	MPN/100mL	03/17/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/17/2026 13:13

Analyzed By: John R. Czczulin

Result Read/Reported: 03/18/2026 13:15

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/18/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008403

Page 3 of 3

Laboratory Results: Sampling Event 3/19/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/19/2026
Time Collected: 10:15

Date Received: 03/19/2026
Time Received: 13:46
Received By: JCZECZULIN
Temperature Control: 0.5 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Indian Head/Potomac River
Sampling Site:
Town/County: Indian Head, Charles(08)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-1

Lab No: B2600008501

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	5	SM 9223 Colilert -18	MPN/100mL	03/19/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/19/2026 14:12

Analyzed By: John R. Czczulin

Result Read/Reported: 03/20/2026 14:14

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/20/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008501

Page 1 of 5



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/19/2026
Time Collected: 10:40

Date Received: 03/19/2026
Time Received: 13:46
Received By: JCZECZULIN
Temperature Control: 0.5 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Fort Washington/Potomac River
Sampling Site:
Town/County: Fort Washington, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-2

Lab No: B2600008502

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	96	SM 9223 Colilert -18	MPN/100mL	03/19/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/19/2026 14:12

Analyzed By: John R. Czczulin

Result Read/Reported: 03/20/2026 14:14

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/20/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008502

Page 2 of 5



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/19/2026
Time Collected: 10:52

Date Received: 03/19/2026
Time Received: 13:46
Received By: JCZECZULIN
Temperature Control: 0.5 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River National Harbor/Potomac River
Sampling Site:
Town/County: National Harbor, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-3

Lab No: B2600008503

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	138	SM 9223 Colilert -18	MPN/100mL	03/19/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/19/2026 14:12

Analyzed By: John R. Czczulin

Result Read/Reported: 03/20/2026 14:14

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/20/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008503

Page 3 of 5



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/19/2026
Time Collected: 09:49

Date Received: 03/19/2026
Time Received: 13:46
Received By: JCZECZULIN
Temperature Control: 0.5 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Near Purse State Park/Potomac R pH:

Sampling Site:

Res. Free Cl

Town/County: Nanjemoy, Charles(08)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-7

Lab No: B2600008504

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
E. Coli	36	SM 9223 Colilert -18	MPN/100mL	03/19/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/19/2026 14:12

Analyzed By: John R. Czczulin

Result Read/Reported: 03/20/2026 14:14

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/20/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008504

Page 4 of 5



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/19/2026
Time Collected: 09:28

Date Received: 03/19/2026
Time Received: 13:46
Received By: JCZECZULIN
Temperature Control: 0.5 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River near Riverside MD/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Riverside, Charles(08)

Res. Total Cl

Location Details

Type: Natural Bathing Area

Service: Marine

Point of Collection: Public

Treated: Untreated

Environmental Details

Tide:

Air Temp:

Water Temp:

Wind:

Wind Speed:

pH: DO:

Turbidity:

Secchi:

Rain:

Field Sample ID/ Bottle No: POT-8

Lab No: B2600008505

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	<1	SM 9223 Colilert -18	MPN/100mL	03/19/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/19/2026 14:12

Analyzed By: John R. Czczulin

Result Read/Reported: 03/20/2026 14:14

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/20/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008505

Page 5 of 5



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/19/2026
Time Collected: 10:15

Date Received: 03/19/2026
Time Received: 13:46
Received By: JCZECZULIN
Temperature Control: 0.5 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Indian Head/Potomac River
Sampling Site:
Town/County: Indian Head, Charles(08)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-1

Lab No: B2600008601

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	10	Enterolert ASTMD 6503-99	MPN/100ml	03/19/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/19/2026 14:12

Analyzed By: John R. Czczulin

Result Read/Reported: 03/20/2026 14:14

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/20/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008601

Page 1 of 5



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/19/2026
Time Collected: 10:40

Date Received: 03/19/2026
Time Received: 13:46
Received By: JCZECZULIN
Temperature Control: 0.5 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Fort Washington/Potomac River
Sampling Site:
Town/County: Fort Washington, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-2

Lab No: B2600008602

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
Enterococci	40	Enterolert ASTMD 6503-99	MPN/100ml	03/19/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/19/2026 14:12

Analyzed By: John R. Czczulin

Result Read/Reported: 03/20/2026 14:14

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/20/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008602

Page 2 of 5



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/19/2026
Time Collected: 10:52

Date Received: 03/19/2026
Time Received: 13:46
Received By: JCZECZULIN
Temperature Control: 0.5 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River National Harbor/Potomac River
Sampling Site:
Town/County: National Harbor, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-3

Lab No: B2600008603

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	10	Enterolert ASTMD 6503-99	MPN/100ml	03/19/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/19/2026 14:12

Analyzed By: John R. Czczulin

Result Read/Reported: 03/20/2026 14:14

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/20/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008603

Page 3 of 5



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/19/2026
Time Collected: 09:49

Date Received: 03/19/2026
Time Received: 13:46
Received By: JCZECZULIN
Temperature Control: 0.5 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Near Purse State Park/Potomac R pH:

Sampling Site:

Res. Free Cl

Town/County: Nanjemoy, Charles(08)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-7

Lab No: B2600008604

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	10	Enterolert ASTMD 6503-99	MPN/100ml	03/19/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/19/2026 14:12

Analyzed By: John R. Czczulin

Result Read/Reported: 03/20/2026 14:14

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/20/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008604

Page 4 of 5



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/19/2026
Time Collected: 09:28

Date Received: 03/19/2026
Time Received: 13:46
Received By: JCZECZULIN
Temperature Control: 0.5 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River near Riverside MD/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Riverside, Charles(08)

Res. Total Cl

Location Details

Type: Natural Bathing Area

Service: Marine

Point of Collection: Public

Treated: Untreated

Environmental Details

Tide:

Air Temp:

Water Temp:

Wind:

Wind Speed:

pH: DO:

Turbidity:

Secchi:

Rain:

Field Sample ID/ Bottle No: POT-8

Lab No: B2600008605

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	<10	Enterolert ASTMD 6503-99	MPN/100ml	03/19/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/19/2026 14:12

Analyzed By: John R. Czezulin

Result Read/Reported: 03/20/2026 14:14

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/20/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008605

Page 5 of 5

Laboratory Results: Sampling Event 3/24/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/24/2026
Time Collected: 10:45

Date Received: 03/24/2026
Time Received: 14:06
Received By: JCZECZULIN
Temperature Control: 1.4 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Indian Head/Potomac River
Sampling Site:
Town/County: Indian Head, Charles(08)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-1

Lab No: B2600008801

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
Enterococci	<10	Enterolert ASTMD 6503-99	MPN/100ml	03/24/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/24/2026 14:42

Analyzed By: John R. Czczulin

Result Read/Reported: 03/25/2026 14:43

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/25/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008801

Page 1 of 5



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/24/2026
Time Collected: 11:05

Date Received: 03/24/2026
Time Received: 14:06
Received By: JCZECZULIN
Temperature Control: 1.4 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Fort Washington/Potomac River
Sampling Site:
Town/County: Fort Washington, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-2

Lab No: B2600008802

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
Enterococci	<10	Enterolert ASTMD 6503-99	MPN/100ml	03/24/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/24/2026 14:42

Analyzed By: John R. Czezulin

Result Read/Reported: 03/25/2026 14:43

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/25/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008802

Page 2 of 5



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/24/2026
Time Collected: 11:30

Date Received: 03/24/2026
Time Received: 14:06
Received By: JCZECZULIN
Temperature Control: 1.4 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River National Harbor/Potomac River
Sampling Site:
Town/County: National Harbor, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-3

Lab No: B2600008803

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	20	Enterolert ASTMD 6503-99	MPN/100ml	03/24/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/24/2026 14:42

Analyzed By: John R. Czezulin

Result Read/Reported: 03/25/2026 14:43

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/25/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008803

Page 3 of 5



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/24/2026
Time Collected: 10:00

Date Received: 03/24/2026
Time Received: 14:06
Received By: JCZECZULIN
Temperature Control: 1.4 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Near Purse State Park/Potomac R pH:

Sampling Site:

Res. Free Cl

Town/County: Nanjemoy, Charles(08)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-7

Lab No: B2600008804

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
Enterococci	10	Enterolert ASTMD 6503-99	MPN/100ml	03/24/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/24/2026 14:42

Analyzed By: John R. Czezulin

Result Read/Reported: 03/25/2026 14:43

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/25/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008804

Page 4 of 5



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/24/2026
Time Collected: 09:25

Date Received: 03/24/2026
Time Received: 14:06
Received By: JCZECZULIN
Temperature Control: 1.4 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River near Riverside MD/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Riverside, Charles(08)

Res. Total Cl

Location Details

Type: Natural Bathing Area

Service: Marine

Point of Collection: Public

Treated: Untreated

Environmental Details

Tide:

Air Temp:

Water Temp:

Wind:

Wind Speed:

pH: DO:

Turbidity:

Secchi:

Rain:

Field Sample ID/ Bottle No: POT-8

Lab No: B2600008805

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	10	Enterolert ASTMD 6503-99	MPN/100ml	03/24/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/24/2026 14:42

Analyzed By: John R. Czezulin

Result Read/Reported: 03/25/2026 14:43

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/25/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008805

Page 5 of 5



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/24/2026
Time Collected: 10:45

Date Received: 03/24/2026
Time Received: 14:06
Received By: JCZECZULIN
Temperature Control: 1.4 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Indian Head/Potomac River
Sampling Site:
Town/County: Indian Head, Charles(08)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-1

Lab No: B2600008701

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	6	SM 9223 Colilert -18	MPN/100mL	03/24/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/24/2026 14:42

Analyzed By: John R. Czezulin

Result Read/Reported: 03/25/2026 14:43

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/25/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008701

Page 1 of 8



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/24/2026
Time Collected: 11:05

Date Received: 03/24/2026
Time Received: 14:06
Received By: JCZECZULIN
Temperature Control: 1.4 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Fort Washington/Potomac River
Sampling Site:
Town/County: Fort Washington, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-2

Lab No: B2600008702

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	17	SM 9223 Colilert -18	MPN/100mL	03/24/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/24/2026 14:42

Analyzed By: John R. Czczulin

Result Read/Reported: 03/25/2026 14:43

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/25/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008702

Page 2 of 8



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/24/2026
Time Collected: 11:30

Date Received: 03/24/2026
Time Received: 14:06
Received By: JCZECZULIN
Temperature Control: 1.4 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River National Harbor/Potomac River
Sampling Site:
Town/County: National Harbor, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-3

Lab No: B2600008703

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	19	SM 9223 Colilert -18	MPN/100mL	03/24/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/24/2026 14:42

Analyzed By: John R. Czczulin

Result Read/Reported: 03/25/2026 14:43

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/25/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008703

Page 3 of 8



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/24/2026
Time Collected: 10:25

Date Received: 03/24/2026
Time Received: 14:06
Received By: JCZECZULIN
Temperature Control: 1.4 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4

Lab No: B2600008704

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	4	SM 9223 Colilert -18	MPN/100mL	03/24/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/24/2026 14:42

Analyzed By: John R. Czczulin

Result Read/Reported: 03/25/2026 14:43

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/25/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008704

Page 4 of 8



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/24/2026
Time Collected: 09:50

Date Received: 03/24/2026
Time Received: 14:06
Received By: JCZECZULIN
Temperature Control: 1.4 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2600008705

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	15	SM 9223 Colilert -18	MPN/100mL	03/24/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/24/2026 14:42

Analyzed By: John R. Czczulin

Result Read/Reported: 03/25/2026 14:43

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/25/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008705

Page 5 of 8



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/24/2026
Time Collected: 09:15

Date Received: 03/24/2026
Time Received: 14:06
Received By: JCZECZULIN
Temperature Control: 1.4 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2600008706

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	3	SM 9223 Colilert -18	MPN/100mL	03/24/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/24/2026 14:42

Analyzed By: John R. Czczulin

Result Read/Reported: 03/25/2026 14:43

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/25/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008706

Page 6 of 8



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/24/2026
Time Collected: 10:00

Date Received: 03/24/2026
Time Received: 14:06
Received By: JCZECZULIN
Temperature Control: 1.4 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Near Purse State Park/Potomac R pH:

Sampling Site:

Res. Free Cl

Town/County: Nanjemoy, Charles(08)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-7

Lab No: B2600008707

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	26	SM 9223 Colilert -18	MPN/100mL	03/24/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/24/2026 14:42

Analyzed By: John R. Czczulin

Result Read/Reported: 03/25/2026 14:43

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/25/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008707

Page 7 of 8



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/24/2026
Time Collected: 09:25

Date Received: 03/24/2026
Time Received: 14:06
Received By: JCZECZULIN
Temperature Control: 1.4 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River near Riverside MD/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Riverside, Charles(08)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-8

Lab No: B2600008708

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	<1	SM 9223 Colilert -18	MPN/100mL	03/24/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/24/2026 14:42

Analyzed By: John R. Czczulin

Result Read/Reported: 03/25/2026 14:43

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 03/25/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600008708

Page 8 of 8

Laboratory Results: Sampling Event 3/31/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/31/2026
Time Collected: 10:33

Date Received: 03/31/2026
Time Received: 13:48
Received By: E KINNEY
Temperature Control: 2.5 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Indian Head/Potomac River
Sampling Site:
Town/County: Indian Head, Charles(08)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-1

Lab No: B2600009101

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
Enterococci	<10	Enterolert ASTMD 6503-99	MPN/100ml	03/31/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/31/2026 14:30

Analyzed By: John R. Czezulin

Result Read/Reported: 04/01/2026 14:31

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/01/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009101

Page 1 of 5



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/31/2026
Time Collected: 11:05

Date Received: 03/31/2026
Time Received: 13:48
Received By: E KINNEY
Temperature Control: 2.5 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Fort Washington/Potomac River
Sampling Site:
Town/County: Fort Washington, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-2

Lab No: B2600009102

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	<10	Enterolert ASTMD 6503-99	MPN/100ml	03/31/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/31/2026 14:30

Analyzed By: John R. Czczulin

Result Read/Reported: 04/01/2026 14:31

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/01/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009102

Page 2 of 5



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/31/2026
Time Collected: 11:20

Date Received: 03/31/2026
Time Received: 13:48
Received By: E KINNEY
Temperature Control: 2.5 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River National Harbor/Potomac River
Sampling Site:
Town/County: National Harbor, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-3

Lab No: B2600009103

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
Enterococci	<10	Enterolert ASTMD 6503-99	MPN/100ml	03/31/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/31/2026 14:30

Analyzed By: John R. Czezulin

Result Read/Reported: 04/01/2026 14:31

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/01/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009103

Page 3 of 5



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/31/2026
Time Collected: 09:55

Date Received: 03/31/2026
Time Received: 13:48
Received By: E KINNEY
Temperature Control: 2.5 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Near Purse State Park/Potomac R pH:

Sampling Site:

Res. Free Cl

Town/County: Nanjemoy, Charles(08)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-7

Lab No: B2600009104

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
Enterococci	<10	Enterolert ASTMD 6503-99	MPN/100ml	03/31/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/31/2026 14:30

Analyzed By: John R. Czczulin

Result Read/Reported: 04/01/2026 14:31

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/01/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009104

Page 4 of 5



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/31/2026
Time Collected: 09:30

Date Received: 03/31/2026
Time Received: 13:48
Received By: E KINNEY
Temperature Control: 2.5 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River near Riverside MD/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Riverside, Charles(08)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-8

Lab No: B2600009105

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
Enterococci	<10	Enterolert ASTMD 6503-99	MPN/100ml	03/31/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/31/2026 14:30

Analyzed By: John R. Czczulin

Result Read/Reported: 04/01/2026 14:31

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/01/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009105

Page 5 of 5

Laboratory Results: Sampling Event 3/31



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/31/2026
Time Collected: 10:33

Date Received: 03/31/2026
Time Received: 13:48
Received By: EKinney
Temperature Control: 2.5 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Indian Head/Potomac River
Sampling Site:
Town/County: Indian Head, Charles(08)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-1

Lab No: B2600009001

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
E. Coli	11	SM 9223 Colilert -18	MPN/100mL	03/31/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/31/2026 14:30

Analyzed By: John R. Czezuln

Result Read/Reported: 04/01/2026 14:31

Read By: John R. Czezuln

Comments:

Approved by:

Eunice L. Kinney
FACSIMILE

Approval date: 04/01/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009001

Page 1 of 8



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/31/2026
Time Collected: 11:05

Date Received: 03/31/2026
Time Received: 13:48
Received By: EKinney
Temperature Control: 2.5 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Fort Washington/Potomac River
Sampling Site:
Town/County: Fort Washington, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-2

Lab No: B2600009002

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	9	SM 9223 Colilert -18	MPN/100mL	03/31/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/31/2026 14:30

Analyzed By: John R. Czczulin

Result Read/Reported: 04/01/2026 14:31

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/01/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009002

Page 2 of 8



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/31/2026
Time Collected: 11:20

Date Received: 03/31/2026
Time Received: 13:48
Received By: EKinney
Temperature Control: 2.5 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River National Harbor/Potomac River
Sampling Site:
Town/County: National Harbor, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-3

Lab No: B2600009003

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	15	SM 9223 Colilert -18	MPN/100mL	03/31/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/31/2026 14:30

Analyzed By: John R. Czczulin

Result Read/Reported: 04/01/2026 14:31

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/01/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009003

Page 3 of 8



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/31/2026
Time Collected: 10:55

Date Received: 03/31/2026
Time Received: 13:48
Received By: EKinney
Temperature Control: 2.5 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4

Lab No: B2600009004

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	2	SM 9223 Colilert -18	MPN/100mL	03/31/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/31/2026 14:30

Analyzed By: John R. Czczulin

Result Read/Reported: 04/01/2026 14:31

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/01/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009004

Page 4 of 8



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/31/2026
Time Collected: 10:25

Date Received: 03/31/2026
Time Received: 13:48
Received By: EKinney
Temperature Control: 2.5 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2600009005

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	20	SM 9223 Colilert -18	MPN/100mL	03/31/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/31/2026 14:30

Analyzed By: John R. Czezuln

Result Read/Reported: 04/01/2026 14:31

Read By: John R. Czezuln

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/01/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009005

Page 5 of 8



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/31/2026
Time Collected: 09:45

Date Received: 03/31/2026
Time Received: 13:48
Received By: EKinney
Temperature Control: 2.5 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2600009006

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	4	SM 9223 Colilert -18	MPN/100mL	03/31/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/31/2026 14:30

Analyzed By: John R. Czezuln

Result Read/Reported: 04/01/2026 14:31

Read By: John R. Czezuln

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/01/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009006

Page 6 of 8



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/31/2026
Time Collected: 09:55

Date Received: 03/31/2026
Time Received: 13:48
Received By: EKinney
Temperature Control: 2.5 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Near Purse State Park/Potomac R pH:

Sampling Site:

Res. Free Cl

Town/County: Nanjemoy, Charles(08)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-7

Lab No: B2600009007

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
E. Coli	26	SM 9223 Colilert -18	MPN/100mL	03/31/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/31/2026 14:30

Analyzed By: John R. Czczulin

Result Read/Reported: 04/01/2026 14:31

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/01/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009007

Page 7 of 8



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 03/31/2026
Time Collected: 09:30

Date Received: 03/31/2026
Time Received: 13:48
Received By: EKinney
Temperature Control: 2.5 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River near Riverside MD/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Riverside, Charles(08)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-8

Lab No: B2600009008

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	2	SM 9223 Colilert -18	MPN/100mL	03/31/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 03/31/2026 14:30

Analyzed By: John R. Czczulin

Result Read/Reported: 04/01/2026 14:31

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/01/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009008

Page 8 of 8

Laboratory Results: Sampling Event 4/7/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/07/2026
Time Collected: 09:45

Date Received: 04/07/2026
Time Received: 13:40
Received By: JCZECZULIN
Temperature Control: 2.6 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Indian Head/Potomac River
Sampling Site:
Town/County: Indian Head, Charles(08)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-1

Lab No: B2600009301

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	<10	Enterolert ASTMD 6503-99	MPN/100ml	04/07/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/07/2026 14:02

Analyzed By: John R. Czezulin

Result Read/Reported: 04/08/2026 14:04

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/08/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009301

Page 1 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/07/2026
Time Collected: 10:20

Date Received: 04/07/2026
Time Received: 13:40
Received By: JCZECZULIN
Temperature Control: 2.6 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Fort Washington/Potomac River
Sampling Site:
Town/County: Fort Washington, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-2

Lab No: B2600009302

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	<10	Enterolert ASTMD 6503-99	MPN/100ml	04/07/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/07/2026 14:02

Analyzed By: John R. Czczulin

Result Read/Reported: 04/08/2026 14:04

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/08/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009302

Page 2 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/07/2026
Time Collected: 10:40

Date Received: 04/07/2026
Time Received: 13:40
Received By: JCZECZULIN
Temperature Control: 2.6 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River National Harbor/Potomac River
Sampling Site:
Town/County: National Harbor, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-3

Lab No: B2600009303

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	20	Enterolert ASTMD 6503-99	MPN/100ml	04/07/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/07/2026 14:02

Analyzed By: John R. Czczulin

Result Read/Reported: 04/08/2026 14:04

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/08/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009303

Page 3 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/07/2026
Time Collected: 09:45

Date Received: 04/07/2026
Time Received: 13:40
Received By: JCZECZULIN
Temperature Control: 2.6 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Indian Head/Potomac River
Sampling Site:
Town/County: Indian Head, Charles(08)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-1

Lab No: B2600009401

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	<1	SM 9223 Colilert -18	MPN/100mL	04/07/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/07/2026 14:03

Analyzed By: John R. Czczulin

Result Read/Reported: 04/08/2026 14:04

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/08/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009401

Page 1 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/07/2026
Time Collected: 10:20

Date Received: 04/07/2026
Time Received: 13:40
Received By: JCZECZULIN
Temperature Control: 2.6 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Fort Washington/Potomac River
Sampling Site:
Town/County: Fort Washington, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-2

Lab No: B2600009402

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	23	SM 9223 Colilert -18	MPN/100mL	04/07/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/07/2026 14:03

Analyzed By: John R. Czczulin

Result Read/Reported: 04/08/2026 14:04

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/08/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009402

Page 2 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/07/2026
Time Collected: 10:40

Date Received: 04/07/2026
Time Received: 13:40
Received By: JCZECZULIN
Temperature Control: 2.6 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River National Harbor/Potomac River
Sampling Site:
Town/County: National Harbor, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-3

Lab No: B2600009403

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	105	SM 9223 Colilert -18	MPN/100mL	04/07/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/07/2026 14:03

Analyzed By: John R. Czczulin

Result Read/Reported: 04/08/2026 14:04

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/08/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009403

Page 3 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/07/2026
Time Collected: 09:05

Date Received: 04/07/2026
Time Received: 13:40
Received By: JCZECZULIN
Temperature Control: 2.6 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4

Lab No: B2600009404

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	6	SM 9223 Colilert -18	MPN/100mL	04/07/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/07/2026 14:03

Analyzed By: John R. Czezulin

Result Read/Reported: 04/08/2026 14:04

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/08/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009404

Page 4 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/07/2026
Time Collected: 09:45

Date Received: 04/07/2026
Time Received: 13:40
Received By: JCZECZULIN
Temperature Control: 2.6 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2600009405

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	63	SM 9223 Colilert -18	MPN/100mL	04/07/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/07/2026 14:03

Analyzed By: John R. Czczulin

Result Read/Reported: 04/08/2026 14:04

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/08/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009405

Page 5 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/07/2026
Time Collected: 10:10

Date Received: 04/07/2026
Time Received: 13:40
Received By: JCZECZULIN
Temperature Control: 2.6 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2600009406

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	12	SM 9223 Colilert -18	MPN/100mL	04/07/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/07/2026 14:03

Analyzed By: John R. Czczulin

Result Read/Reported: 04/08/2026 14:04

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/08/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009406

Page 6 of 6

Laboratory Results: Sampling Event 4/14-15/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/15/2026
Time Collected: 09:11

Date Received: 04/15/2026
Time Received: 12:12
Received By: JCZECZULIN
Temperature Control: 1.3 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Indian Head/Potomac River
Sampling Site:
Town/County: Indian Head, Charles(08)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-1

Lab No: B2600009901

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	1	SM 9223 Colilert -18	MPN/100mL	04/15/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/15/2026 12:42

Analyzed By: John R. Czczulin

Result Read/Reported: 04/16/2026 12:45

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/16/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009901

Page 1 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/15/2026
Time Collected: 09:33

Date Received: 04/15/2026
Time Received: 12:12
Received By: JCZECZULIN
Temperature Control: 1.3 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Fort Washington/Potomac River
Sampling Site:
Town/County: Fort Washington, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-2

Lab No: B2600009902

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	2	SM 9223 Colilert -18	MPN/100mL	04/15/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/15/2026 12:42

Analyzed By: John R. Czczulin

Result Read/Reported: 04/16/2026 12:45

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/16/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009902

Page 2 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/15/2026
Time Collected: 09:45

Date Received: 04/15/2026
Time Received: 12:12
Received By: JCZECZULIN
Temperature Control: 1.3 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River National Harbor/Potomac River
Sampling Site:
Town/County: National Harbor, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-3

Lab No: B2600009903

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	33	SM 9223 Colilert -18	MPN/100mL	04/15/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/15/2026 12:42

Analyzed By: John R. Czczulin

Result Read/Reported: 04/16/2026 12:45

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/16/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009903

Page 3 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/14/2026
Time Collected: 11:00

Date Received: 04/14/2026
Time Received: 15:20
Received By: ALKING
Temperature Control: 7.3 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2600009605

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	21	SM 9223 Colilert -18	MPN/100mL	04/14/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/14/2026 15:47

Analyzed By: John R. Czezuln

Result Read/Reported: 04/15/2026 09:56

Read By: John R. Czezuln

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/15/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009605 Page 5 of 12



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/14/2026
Time Collected: 08:45

Date Received: 04/14/2026
Time Received: 15:20
Received By: ALKING
Temperature Control: 7.3 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2600009606

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	14	SM 9223 Colilert -18	MPN/100mL	04/14/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/14/2026 15:47

Analyzed By: John R. Czezulin

Result Read/Reported: 04/15/2026 09:56

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/15/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009606 Page 6 of 12



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/14/2026
Time Collected: 00:35

Date Received: 04/14/2026
Time Received: 15:20
Received By: ALKING
Temperature Control: 7.3 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4
Lab No: B2600009612

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	6	SM 9223 Colilert -18	MPN/100mL	04/14/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/14/2026 15:47
Analyzed By: John R. Czczulin
Result Read/Reported: 04/15/2026 09:56
Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/15/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600009612 Page 12 of 12



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/15/2026
Time Collected: 09:11

Date Received: 04/15/2026
Time Received: 12:12
Received By: JCZECZULIN
Temperature Control: 1.3 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Indian Head/Potomac River
Sampling Site:
Town/County: Indian Head, Charles(08)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-1

Lab No: B2600010001

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
Enterococci	<10	Enterolert ASTMD 6503-99	MPN/100ml	04/15/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/15/2026 12:42

Analyzed By: John R. Czczulin

Result Read/Reported: 04/16/2026 12:45

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/16/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600010001

Page 1 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/15/2026
Time Collected: 09:33

Date Received: 04/15/2026
Time Received: 12:12
Received By: JCZECZULIN
Temperature Control: 1.3 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Fort Washington/Potomac River
Sampling Site:
Town/County: Fort Washington, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-2

Lab No: B2600010002

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	<10	Enterolert ASTMD 6503-99	MPN/100ml	04/15/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/15/2026 12:42

Analyzed By: John R. Czczulin

Result Read/Reported: 04/16/2026 12:45

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/16/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600010002

Page 2 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/15/2026
Time Collected: 09:45

Date Received: 04/15/2026
Time Received: 12:12
Received By: JCZECZULIN
Temperature Control: 1.3 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River National Harbor/Potomac River
Sampling Site:
Town/County: National Harbor, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-3

Lab No: B2600010003

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
Enterococci	<10	Enterolert ASTMD 6503-99	MPN/100ml	04/15/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/15/2026 12:42

Analyzed By: John R. Czezuln

Result Read/Reported: 04/16/2026 12:45

Read By: John R. Czezuln

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/16/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600010003

Page 3 of 3

Laboratory Results: Sampling Event 4/22/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/22/2026
Time Collected: 09:45

Date Received: 04/22/2026
Time Received: 13:16
Received By: ALKING
Temperature Control: 2.1 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Indian Head/Potomac River
Sampling Site:
Town/County: Indian Head, Charles(08)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-1

Lab No: B2600010501

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	1	SM 9223 Colilert -18	MPN/100mL	04/22/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/22/2026 13:32

Analyzed By: John R. Czczulin

Result Read/Reported: 04/23/2026 13:33

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/23/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600010501

Page 1 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/22/2026
Time Collected: 10:05

Date Received: 04/22/2026
Time Received: 13:16
Received By: ALKING
Temperature Control: 2.1 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Fort Washington/Potomac River
Sampling Site:
Town/County: Fort Washington, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-2

Lab No: B2600010502

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	1	SM 9223 Colilert -18	MPN/100mL	04/22/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/22/2026 13:32

Analyzed By: John R. Czezulin

Result Read/Reported: 04/23/2026 13:33

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/23/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600010502

Page 2 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/22/2026
Time Collected: 10:20

Date Received: 04/22/2026
Time Received: 13:16
Received By: ALKING
Temperature Control: 2.1 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River National Harbor/Potomac River
Sampling Site:
Town/County: National Harbor, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-3

Lab No: B2600010503

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	7	SM 9223 Colilert -18	MPN/100mL	04/22/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/22/2026 13:32

Analyzed By: John R. Czczulin

Result Read/Reported: 04/23/2026 13:33

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/23/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600010503

Page 3 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/22/2026
Time Collected: 10:30

Date Received: 04/22/2026
Time Received: 13:16
Received By: ALKING
Temperature Control: 2.1 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 909-8930
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4

Lab No: B2600010504

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	3	SM 9223 Colilert -18	MPN/100mL	04/22/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/22/2026 13:32

Analyzed By: John R. Czczulin

Result Read/Reported: 04/23/2026 13:33

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/23/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600010504

Page 4 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/22/2026
Time Collected: 09:30

Date Received: 04/22/2026
Time Received: 13:16
Received By: ALKING
Temperature Control: 2.1 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 909-8930
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2600010505

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	81	SM 9223 Colilert -18	MPN/100mL	04/22/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/22/2026 13:32

Analyzed By: John R. Czczulin

Result Read/Reported: 04/23/2026 13:33

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/23/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600010505

Page 5 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/22/2026
Time Collected: 09:05

Date Received: 04/22/2026
Time Received: 13:16
Received By: ALKING
Temperature Control: 2.1 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 909-8930
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2600010506

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	8	SM 9223 Colilert -18	MPN/100mL	04/22/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/22/2026 13:32

Analyzed By: John R. Czczulin

Result Read/Reported: 04/23/2026 13:33

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/23/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600010506

Page 6 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/22/2026
Time Collected: 09:45

Date Received: 04/22/2026
Time Received: 13:16
Received By: ALKING
Temperature Control: 2.1 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Indian Head/Potomac River
Sampling Site:
Town/County: Indian Head, Charles(08)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-1

Lab No: B2600010601

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
Enterococci	<10	Enterolert ASTMD 6503-99	MPN/100ml	04/22/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/22/2026 13:32

Analyzed By: Yaritza Davila

Result Read/Reported: 04/23/2026 13:33

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/23/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600010601

Page 1 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/22/2026
Time Collected: 10:05

Date Received: 04/22/2026
Time Received: 13:16
Received By: ALKING
Temperature Control: 2.1 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Fort Washington/Potomac River
Sampling Site:
Town/County: Fort Washington, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-2

Lab No: B2600010602

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	<10	Enterolert ASTMD 6503-99	MPN/100ml	04/22/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/22/2026 13:32

Analyzed By: Yaritza Davila

Result Read/Reported: 04/23/2026 13:33

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/23/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600010602

Page 2 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/22/2026
Time Collected: 10:20

Date Received: 04/22/2026
Time Received: 13:16
Received By: ALKING
Temperature Control: 2.1 C

Submitted By: Renee Lynch
Submitter Phone: (443) 845-6115
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River National Harbor/Potomac River
Sampling Site:
Town/County: National Harbor, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-3

Lab No: B2600010603

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	<10	Enterolert ASTMD 6503-99	MPN/100ml	04/22/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/22/2026 13:32

Analyzed By: Yaritza Davila

Result Read/Reported: 04/23/2026 13:33

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/23/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600010603

Page 3 of 3

Laboratory Results: Sampling Event 4/28/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/28/2026
Time Collected: 10:15

Date Received: 04/28/2026
Time Received: 13:17
Received By: JCZECZULIN
Temperature Control: 1.2 C

Submitted By: Jen Jaber
Submitter Phone: (410) 852-2343
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Indian Head/Potomac River
Sampling Site:
Town/County: Indian Head, Charles(08)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-1

Lab No: B2600011201

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	<1	SM 9223 Colilert -18	MPN/100mL	04/28/2026
Sodium Thiosulfate	Undetermined			

Placed in Incubator: 04/28/2026 13:37
Analyzed By: John R. Czczulin
Result Read/Reported: 04/29/2026 1:33
Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/29/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600011201 Page 1 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/28/2026
Time Collected: 10:35

Date Received: 04/28/2026
Time Received: 13:17
Received By: JCZECZULIN
Temperature Control: 1.2 C

Submitted By: Jen Jaber
Submitter Phone: (410) 852-2343
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Fort Washington/Potomac River
Sampling Site:
Town/County: Fort Washington, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-2

Lab No: B2600011202

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	2	SM 9223 Colilert -18	MPN/100mL	04/28/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/28/2026 13:37
Analyzed By: John R. Czczulin
Result Read/Reported: 04/29/2026 1:33
Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/29/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600011202 Page 2 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/28/2026
Time Collected: 10:50

Date Received: 04/28/2026
Time Received: 13:17
Received By: JCZECZULIN
Temperature Control: 1.2 C

Submitted By: Jen Jaber
Submitter Phone: (410) 852-2343
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River National Harbor/Potomac River
Sampling Site:
Town/County: National Harbor, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-3

Lab No: B2600011203

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	17	SM 9223 Colilert -18	MPN/100mL	04/28/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/28/2026 13:37
Analyzed By: John R. Czezulin
Result Read/Reported: 04/29/2026 1:33
Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/29/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600011203

Page 3 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/28/2026
Time Collected: 10:25

Date Received: 04/28/2026
Time Received: 13:17
Received By: JCZECZULIN
Temperature Control: 1.2 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 909-8930
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4

Lab No: B2600011204

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	6	SM 9223 Colilert -18	MPN/100mL	04/28/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/28/2026 13:37
Analyzed By: John R. Czczulin
Result Read/Reported: 04/29/2026 1:33
Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/29/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600011204

Page 4 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/28/2026
Time Collected: 09:45

Date Received: 04/28/2026
Time Received: 13:17
Received By: JCZECZULIN
Temperature Control: 1.2 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 909-8930
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2600011205

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	25	SM 9223 Colilert -18	MPN/100mL	04/28/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/28/2026 13:37

Analyzed By: John R. Czezulin

Result Read/Reported: 04/29/2026 1:33

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/29/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600011205

Page 5 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/28/2026
Time Collected: 09:15

Date Received: 04/28/2026
Time Received: 13:17
Received By: JCZECZULIN
Temperature Control: 1.2 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 909-8930
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2600011206

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	9	SM 9223 Colilert -18	MPN/100mL	04/28/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/28/2026 13:37
Analyzed By: John R. Czezulin
Result Read/Reported: 04/29/2026 1:33
Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/29/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600011206

Page 6 of 6



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/28/2026
Time Collected: 10:15

Date Received: 04/28/2026
Time Received: 13:17
Received By: JCZECZULIN
Temperature Control: 1.2 C

Submitted By: Jen Jaber
Submitter Phone: (410) 852-2343
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Indian Head/Potomac River
Sampling Site:
Town/County: Indian Head, Charles(08)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-1

Lab No: B2600011301

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	20	Enterolert ASTMD 6503-99	MPN/100ml	04/28/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/28/2026 13:37

Analyzed By: John R. Czezulin

Result Read/Reported: 04/29/2026 13:38

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/29/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600011301

Page 1 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/28/2026
Time Collected: 10:35

Date Received: 04/28/2026
Time Received: 13:17
Received By: JCZECZULIN
Temperature Control: 1.2 C

Submitted By: Jen Jaber
Submitter Phone: (410) 852-2343
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Fort Washington/Potomac River
Sampling Site:
Town/County: Fort Washington, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Marine
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-2

Lab No: B2600011302

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
Enterococci	30	Enterolert ASTMD 6503-99	MPN/100ml	04/28/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/28/2026 13:37

Analyzed By: John R. Czezulin

Result Read/Reported: 04/29/2026 13:38

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/29/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600011302

Page 2 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 04/28/2026
Time Collected: 10:50

Date Received: 04/28/2026
Time Received: 13:17
Received By: JCZECZULIN
Temperature Control: 1.2 C

Submitted By: Jen Jaber
Submitter Phone: (410) 852-2343
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River National Harbor/Potomac River
Sampling Site:
Town/County: National Harbor, Prince Georges(16)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-3

Lab No: B2600011303

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
Enterococci	<10	Enterolert ASTMD 6503-99	MPN/100ml	04/28/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 04/28/2026 13:37

Analyzed By: John R. Czezulin

Result Read/Reported: 04/29/2026 13:38

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 04/29/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600011303

Page 3 of 3

Laboratory Results: Sampling Event 5/6/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 05/06/2026
Time Collected: 09:10

Date Received: 05/06/2026
Time Received: 11:15
Received By: JONESK
Temperature Control: 1.7 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 909-8930
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4
Lab No: B2600011901

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
E. Coli	16	SM 9223 Colilert -18	MPN/100mL	05/06/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 05/06/2026 11:28
Analyzed By: Kathy Jones
Result Read/Reported: 05/07/2026 11:35
Read By: Kathy Jones

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 05/08/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600011901

Page 1 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 05/06/2026
Time Collected: 08:30

Date Received: 05/06/2026
Time Received: 11:15
Received By: JONESK
Temperature Control: 1.7 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 909-8930
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2600011902

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
E. Coli	11	SM 9223 Colilert -18	MPN/100mL	05/06/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 05/06/2026 11:28

Analyzed By: Kathy Jones

Result Read/Reported: 05/07/2026 11:35

Read By: Kathy Jones

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 05/08/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600011902

Page 2 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 05/06/2026
Time Collected: 07:45

Date Received: 05/06/2026
Time Received: 11:15
Received By: JONESK
Temperature Control: 1.7 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 909-8930
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2600011903

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	6	SM 9223 Colilert -18	MPN/100mL	05/06/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 05/06/2026 11:28

Analyzed By: Kathy Jones

Result Read/Reported: 05/07/2026 11:35

Read By: Kathy Jones

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 05/08/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600011903

Page 3 of 3

Laboratory Results: Sampling Event 5/14/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 05/14/2026
Time Collected: 12:10

Date Received: 05/14/2026
Time Received: 13:28
Received By: JCZECZULIN
Temperature Control: 0.6 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4
Lab No: B2600013312

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	21	SM 9223 Colilert -18	MPN/100mL	05/14/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 05/14/2026 15:21
Analyzed By: John R. Czeuczulin
Result Read/Reported: 05/15/2026 09:36
Read By: John R. Czeuczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 05/15/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600013312 Page 12 of 12



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 05/14/2026
Time Collected: 10:00

Date Received: 05/14/2026
Time Received: 13:28
Received By: JCZECZULIN
Temperature Control: 0.6 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2600013305

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	435	SM 9223 Colilert -18	MPN/100mL	05/14/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 05/14/2026 15:21

Analyzed By: John R. Czezulin

Result Read/Reported: 05/15/2026 09:36

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 05/15/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600013305 Page 5 of 12



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 05/14/2026
Time Collected: 09:00

Date Received: 05/14/2026
Time Received: 13:28
Received By: JCZECZULIN
Temperature Control: 0.6 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2600013306

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	55	SM 9223 Colilert -18	MPN/100mL	05/14/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 05/14/2026 15:21

Analyzed By: John R. Czczulin

Result Read/Reported: 05/15/2026 09:36

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 05/15/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600013306 Page 6 of 12

Laboratory Results: Sampling Event 5/21/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 05/21/2026
Time Collected: 11:00

Date Received: 05/21/2026
Time Received: 13:11
Received By: JCZECZULIN
Temperature Control: 0.5 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Source Address: Potomac River Chain Bridge, Potomac, MD 20854
Sampling Site: Potomac River Chain Bridge
Sample Type: Other

County: Montgomery
Invoice:
PWS ID:

pH:
Free Chlorine: Residual Chlorine:
Total Chlorine:

Field Sample ID/ Bottle No: POT-4
Lab No: W2600128201

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. coli	285	SM 9223 Colilert -18	MPN/100mL	05/21/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 05/21/2026 15:27
Analyzed By: John Czczulin
Result Read/Reported: 05/22/2026 08:42
Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 05/22/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

W2600128201

Page 1 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 05/21/2026
Time Collected: 10:25

Date Received: 05/21/2026
Time Received: 13:11
Received By: JCZECZULIN
Temperature Control: 0.5 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Source Address: Potomac River Little Falls Overlook, Potomac, MD 20854
Sampling Site: Potomac River Little Falls Overlook
Sample Type: Other

County: Montgomery
Invoice:
PWS ID:

pH:

Residual Chlorine:

Free Chlorine:

Total Chlorine:

Field Sample ID/ Bottle No: POT-5

Lab No: W2600128202

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. coli	179	SM 9223 Colilert -18	MPN/100mL	05/21/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 05/21/2026 15:27

Analyzed By: John Czczulin

Result Read/Reported: 05/22/2026 08:42

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 05/22/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

W2600128202

Page 2 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 05/21/2026
Time Collected: 09:45

Date Received: 05/21/2026
Time Received: 13:11
Received By: JCZECZULIN
Temperature Control: 0.5 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Source Address: Potomac River Old Angler's Inn, Potomac, MD 20854
Sampling Site: Potomac River Old Angler's Inn
Sample Type: Other

County: Montgomery
Invoice:
PWS ID:

pH:

Residual Chlorine:

Free Chlorine:

Total Chlorine:

Field Sample ID/ Bottle No: POT-6
Lab No: W2600128203

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. coli	172	SM 9223 Colilert -18	MPN/100mL	05/21/2026
Sodium Thiosulfate	N/A			

Placed in Incubator: 05/21/2026 15:27
Analyzed By: John Czczulin
Result Read/Reported: 05/22/2026 08:42
Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 05/22/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

W2600128203

Page 3 of 3

Laboratory Results: Sampling Event 5/26/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 05/26/2026
Time Collected: 10:35

Date Received: 05/26/2026
Time Received: 12:30
Received By: ALKING
Temperature Control: 1.7 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4

Lab No: B2600014501

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	345	SM 9223 Colilert -18	MPN/100mL	05/26/2026

Placed in Incubator: 05/26/2026 12:45

Analyzed By: Alicia L. King

Result Read/Reported: 05/27/2026 12:46

Read By: Alicia L. King

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 05/27/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600014501

Page 1 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 05/26/2026
Time Collected: 09:35

Date Received: 05/26/2026
Time Received: 12:30
Received By: ALKING
Temperature Control: 1.7 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2600014502

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	281	SM 9223 Colilert -18	MPN/100mL	05/26/2026

Placed in Incubator: 05/26/2026 12:45

Analyzed By: Alicia L. King

Result Read/Reported: 05/27/2026 12:46

Read By: Alicia L. King

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 05/27/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600014502

Page 2 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 05/26/2026
Time Collected: 08:30

Date Received: 05/26/2026
Time Received: 12:30
Received By: ALKING
Temperature Control: 1.7 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2600014503

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	461	SM 9223 Colilert -18	MPN/100mL	05/26/2026

Placed in Incubator: 05/26/2026 12:45

Analyzed By: Alicia L. King

Result Read/Reported: 05/27/2026 12:46

Read By: Alicia L. King

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 05/27/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600014503

Page 3 of 3

Laboratory Results: Sampling Event 6/03/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 06/03/2026
Time Collected: 09:10

Date Received: 06/03/2026
Time Received: 11:39
Received By: JCZECZULIN
Temperature Control: 1.1 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4

Lab No: B2600016201

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	17	SM 9223 Colilert -18	MPN/100mL	06/03/2026

Placed in Incubator: 06/03/2026 15:30
Analyzed By: John R. Czczulin
Result Read/Reported: 06/04/2026 09:31
Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 06/04/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600016201

Page 1 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 06/03/2026
Time Collected: 08:40

Date Received: 06/03/2026
Time Received: 11:39
Received By: JCZECZULIN
Temperature Control: 1.1 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Type: Natural Bathing Area

Service: Fresh

Point of Collection: Public

Treated: Untreated

Environmental Details

Tide:

Air Temp:

Water Temp:

Wind:

Wind Speed:

pH: DO:

Turbidity:

Secchi:

Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2600016202

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	38	SM 9223 Colilert -18	MPN/100mL	06/03/2026

Placed in Incubator: 06/03/2026 15:30

Analyzed By: John R. Czczulin

Result Read/Reported: 06/04/2026 09:31

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 06/04/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600016202

Page 2 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 06/03/2026
Time Collected: 07:45

Date Received: 06/03/2026
Time Received: 11:39
Received By: JCZECZULIN
Temperature Control: 1.1 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2600016203

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	30	SM 9223 Colilert -18	MPN/100mL	06/03/2026

Placed in Incubator: 06/03/2026 15:30
Analyzed By: John R. Czczulin
Result Read/Reported: 06/04/2026 09:31
Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 06/04/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600016203

Page 3 of 3

Laboratory Results: Sampling Event 6/10/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 06/10/2026
Time Collected: 09:15

Date Received: 06/10/2026
Time Received: 11:00
Received By: CZEZULINJ
Temperature Control: 3.0 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4

Lab No: B2600017101

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	20	SM 9223 Colilert -18	MPN/100mL	06/10/2026

Placed in Incubator: 06/10/2026 13:36

Analyzed By: Kathy Jones

Result Read/Reported: 06/11/2026 14:01

Read By: Kathy Jones

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 06/11/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600017101

Page 1 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 06/10/2026
Time Collected: 08:30

Date Received: 06/10/2026
Time Received: 11:00
Received By: CZEZULINJ
Temperature Control: 3.0 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2600017102

Sample Receive Comments:

Analyte	Result	Test Method	Units	Date Analyzed
E. Coli	17	SM 9223 Colilert -18	MPN/100mL	06/10/2026

Placed in Incubator: 06/10/2026 13:36

Analyzed By: Kathy Jones

Result Read/Reported: 06/11/2026 14:01

Read By: Kathy Jones

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 06/11/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600017102

Page 2 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 06/10/2026
Time Collected: 07:50

Date Received: 06/10/2026
Time Received: 11:00
Received By: CZEZULINJ
Temperature Control: 3.0 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2600017103

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	26	SM 9223 Colilert -18	MPN/100mL	06/10/2026

Placed in Incubator: 06/10/2026 13:36

Analyzed By: Kathy Jones

Result Read/Reported: 06/11/2026 14:01

Read By: Kathy Jones

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 06/11/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600017103

Page 3 of 3

Laboratory Results: Sampling Event 6/17/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 06/17/2026
Time Collected: 09:10

Date Received: 06/17/2026
Time Received: 15:27
Received By: J CZECHULIN
Temperature Control: 1.0 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4

Lab No: B2600019201

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	9	SM 9223 Colilert -18	MPN/100mL	06/17/2026

Placed in Incubator: 06/17/2026 15:27

Analyzed By: Yaritza Davila

Result Read/Reported: 06/18/2026 10:40

Read By: Erinna Kinney

Comments:

Approved by:

Erinna L. Kinney
FACSIMILE

Approval date: 06/18/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600019201

Page 1 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 06/17/2026
Time Collected: 08:40

Date Received: 06/17/2026
Time Received: 15:27
Received By: J CZECHULIN
Temperature Control: 1.0 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2600019202

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	11	SM 9223 Colilert -18	MPN/100mL	06/17/2026

Placed in Incubator: 06/17/2026 15:27

Analyzed By: Yaritza Davila

Result Read/Reported: 06/18/2026 10:40

Read By: Erinna Kinney

Comments:

Approved by:

Erinna L. Kinney
FACSIMILE

Approval date: 06/18/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600019202

Page 2 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 06/17/2026
Time Collected: 08:00

Date Received: 06/17/2026
Time Received: 15:27
Received By: J CZECHULIN
Temperature Control: 1.0 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2600019203

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	8	SM 9223 Colilert -18	MPN/100mL	06/17/2026

Placed in Incubator: 06/17/2026 15:27

Analyzed By: Yaritza Davila

Result Read/Reported: 06/18/2026 10:40

Read By: Erinna Kinney

Comments:

Approved by:

Erinna L. Kinney
FACSIMILE

Approval date: 06/18/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600019203

Page 3 of 3

Laboratory Results: Sampling Event 6/23/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 06/23/2026
Time Collected: 08:35

Date Received: 06/23/2026
Time Received: 12:29
Received By: CZEZULINJ
Temperature Control: 1.1 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2600019801

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	54	SM 9223 Colilert -18	MPN/100mL	06/23/2026

Placed in Incubator: 06/23/2026 13:07

Analyzed By: John R. Czezuln

Result Read/Reported: 06/24/2026 13:08

Read By: John R. Czezuln

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 06/24/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600019801

Page 1 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 06/23/2026
Time Collected: 10:03

Date Received: 06/23/2026
Time Received: 12:29
Received By: CZEZULINJ
Temperature Control: 1.1 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4
Lab No: B2600019802

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	242	SM 9223 Colilert -18	MPN/100mL	06/23/2026

Placed in Incubator: 06/23/2026 13:07
Analyzed By: John R. Czezulini
Result Read/Reported: 06/24/2026 13:08
Read By: John R. Czezulini

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 06/24/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600019802

Page 2 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 06/23/2026
Time Collected: 08:00

Date Received: 06/23/2026
Time Received: 12:29
Received By: CZEZULINJ
Temperature Control: 1.1 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2600019803

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	365	SM 9223 Colilert -18	MPN/100mL	06/23/2026

Placed in Incubator: 06/23/2026 13:07

Analyzed By: John R. Czezulin

Result Read/Reported: 06/24/2026 13:08

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 06/24/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600019803

Page 3 of 3

Laboratory Results: Sampling Event 6/29/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 06/29/2026
Time Collected: 09:46

Date Received: 06/29/2026
Time Received: 12:32
Received By: CZEZULINJ
Temperature Control: 1.2 C

Submitted By: Dennis Rasmussen
Submitter Phone: (443) 520-4918
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Type: Natural Bathing Area

Service: Fresh

Point of Collection: Public

Treated: Untreated

Environmental Details

Tide:

Air Temp:

Water Temp:

Wind:

Wind Speed:

pH: DO:

Turbidity:

Secchi:

Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2600020005

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	166	SM 9223 Colilert -18	MPN/100mL	06/29/2026

Placed in Incubator: 06/29/2026 14:53

Analyzed By: Kathy Jones

Result Read/Reported: 06/30/2026 09:00

Read By: Kathy Jones

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 06/30/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600020005 Page 5 of 12



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 06/29/2026
Time Collected: 08:25

Date Received: 06/29/2026
Time Received: 12:32
Received By: CZEZULINJ
Temperature Control: 1.2 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2600020006

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	115	SM 9223 Colilert -18	MPN/100mL	06/29/2026

Placed in Incubator: 06/29/2026 14:53

Analyzed By: Kathy Jones

Result Read/Reported: 06/30/2026 09:00

Read By: Kathy Jones

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 06/30/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600020006 Page 6 of 12



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION
1770 Ashland Avenue
Baltimore, MD 21205
Robert Myers, Ph.D., Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 06/29/2026
Time Collected: 11:00

Date Received: 06/29/2026
Time Received: 12:32
Received By: CZEZULINJ
Temperature Control: 1.2 C

Submitted By: Shawn Lowman
Submitter Phone: (443) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4
Lab No: B2600020012

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	61	SM 9223 Colilert -18	MPN/100mL	06/29/2026

Placed in Incubator: 06/29/2026 14:53
Analyzed By: Kathy Jones
Result Read/Reported: 06/30/2026 09:00
Read By: Kathy Jones

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 06/30/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2600020012 Page 12 of 12

Laboratory Results: Sampling Event 7/8/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION

1770 Ashland Avenue
Baltimore, MD 21205
Victoria L. Campodónico, M.D., Ph.D., D(ABMM), Interim Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 07/08/2026
Time Collected: 08:55

Date Received: 07/08/2026
Time Received: 11:00
Received By: JCZECZULIN
Temperature Control: 1.5 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4

Lab No: B2700000401

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	23	SM 9223 Colilert -18	MPN/100mL	07/08/2026

Placed in Incubator: 07/08/2026 12:08

Analyzed By: John R. Czczulin

Result Read/Reported: 07/09/2026 12:17

Read By: John R. Czczulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 07/09/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2700000401

Page 1 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION

1770 Ashland Avenue
Baltimore, MD 21205
Victoria L. Campodónico, M.D., Ph.D., D(ABMM), Interim Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 07/08/2026
Time Collected: 08:25

Date Received: 07/08/2026
Time Received: 11:00
Received By: JCZECZULIN
Temperature Control: 1.5 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Environmental Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2700000402

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	70	SM 9223 Colilert -18	MPN/100mL	07/08/2026

Placed in Incubator: 07/08/2026 12:08

Analyzed By: John R. Czezulin

Result Read/Reported: 07/09/2026 12:17

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 07/09/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2700000402

Page 2 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION

1770 Ashland Avenue
Baltimore, MD 21205
Victoria L. Campodónico, M.D., Ph.D., D(ABMM), Interim Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 07/08/2026
Time Collected: 07:45

Date Received: 07/08/2026
Time Received: 11:00
Received By: JCZECZULIN
Temperature Control: 1.5 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2700000403

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	27	SM 9223 Colilert -18	MPN/100mL	07/08/2026

Placed in Incubator: 07/08/2026 12:08

Analyzed By: John R. Czezulin

Result Read/Reported: 07/09/2026 12:17

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 07/09/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2700000403

Page 3 of 3

Laboratory Results: Sampling Event 7/15/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION

1770 Ashland Avenue
Baltimore, MD 21205
Victoria L. Campodónico, M.D., Ph.D., D(ABMM), Interim Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 07/15/2026
Time Collected: 09:00

Date Received: 07/15/2026
Time Received: 11:22
Received By: KINGA
Temperature Control: 1.5 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4

Lab No: B2700002001

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	14	SM 9223 Colilert -18	MPN/100mL	07/15/2026

Placed in Incubator: 07/15/2026 15:05
Analyzed By: John R. Czezulin
Result Read/Reported: 07/16/2026 09:07
Read By: Kathy Jones

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 07/16/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2700002001

Page 1 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION

1770 Ashland Avenue
Baltimore, MD 21205
Victoria L. Campodónico, M.D., Ph.D., D(ABMM), Interim Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 07/15/2026
Time Collected: 08:27

Date Received: 07/15/2026
Time Received: 11:22
Received By: KINGA
Temperature Control: 1.5 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Environmental Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2700002002

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	39	SM 9223 Colilert -18	MPN/100mL	07/15/2026

Placed in Incubator: 07/15/2026 15:05

Analyzed By: John R. Czezulin

Result Read/Reported: 07/16/2026 09:07

Read By: Kathy Jones

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 07/16/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2700002002

Page 2 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION

1770 Ashland Avenue
Baltimore, MD 21205
Victoria L. Campodónico, M.D., Ph.D., D(ABMM), Interim Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 07/15/2026
Time Collected: 07:53

Date Received: 07/15/2026
Time Received: 11:22
Received By: KINGA
Temperature Control: 1.5 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2700002003

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	9	SM 9223 Colilert -18	MPN/100mL	07/15/2026

Placed in Incubator: 07/15/2026 15:05
Analyzed By: John R. Czezulin
Result Read/Reported: 07/16/2026 09:07
Read By: Kathy Jones

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 07/16/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2700002003

Page 3 of 3

Laboratory Results: Sampling Event 7/22/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION

1770 Ashland Avenue
Baltimore, MD 21205
Victoria L. Campodónico, M.D., Ph.D., D(ABMM), Interim Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 07/22/2026
Time Collected: 09:10

Date Received: 07/22/2026
Time Received: 10:54
Received By: JONESK
Temperature Control: 1.1 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4

Lab No: B2700003701

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	326	SM 9223 Colilert -18	MPN/100mL	07/22/2026

Placed in Incubator: 07/22/2026 11:09

Analyzed By: Kathy Jones

Result Read/Reported: 07/23/2026 13:35

Read By: Kathy Jones

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 07/23/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2700003701

Page 1 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION

1770 Ashland Avenue
Baltimore, MD 21205
Victoria L. Campodónico, M.D., Ph.D., D(ABMM), Interim Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 07/22/2026
Time Collected: 08:28

Date Received: 07/22/2026
Time Received: 10:54
Received By: JONESK
Temperature Control: 1.1 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2700003702

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	517	SM 9223 Colilert -18	MPN/100mL	07/22/2026

Placed in Incubator: 07/22/2026 11:09

Analyzed By: Kathy Jones

Result Read/Reported: 07/23/2026 13:35

Read By: Kathy Jones

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 07/23/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2700003702

Page 2 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION

1770 Ashland Avenue
Baltimore, MD 21205
Victoria L. Campodónico, M.D., Ph.D., D(ABMM), Interim Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 07/22/2026
Time Collected: 07:55

Date Received: 07/22/2026
Time Received: 10:54
Received By: JONESK
Temperature Control: 1.1 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2700003703

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	214	SM 9223 Colilert -18	MPN/100mL	07/22/2026

Placed in Incubator: 07/22/2026 11:09

Analyzed By: Kathy Jones

Result Read/Reported: 07/23/2026 13:35

Read By: Kathy Jones

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 07/23/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2700003703

Page 3 of 3

/Laboratory Results: Sampling Event 7/29/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION

1770 Ashland Avenue
Baltimore, MD 21205
Victoria L. Campodónico, M.D., Ph.D., D(ABMM), Interim Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 07/29/2026
Time Collected: 09:45

Date Received: 07/29/2026
Time Received: 11:29
Received By: JCZECZULIN
Temperature Control: 3.1 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4

Lab No: B2700005301

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	1986	SM 9223 Colilert -18	MPN/100mL	07/29/2026

Placed in Incubator: 07/29/2026 14:05

Analyzed By: John R. Czezulin

Result Read/Reported: 07/30/2026 08:18

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 07/30/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2700005301

Page 1 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION

1770 Ashland Avenue
Baltimore, MD 21205
Victoria L. Campodónico, M.D., Ph.D., D(ABMM), Interim Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 07/29/2026
Time Collected: 09:10

Date Received: 07/29/2026
Time Received: 11:29
Received By: JCZECZULIN
Temperature Control: 3.1 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Environmental Details

Type: Natural Bathing Area

Tide:

Air Temp:

Water Temp:

Service: Fresh

Wind:

Wind Speed:

pH: DO:

Point of Collection: Public

Turbidity:

Secchi:

Rain:

Treated: Untreated

Field Sample ID/ Bottle No: POT-5

Lab No: B2700005302

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	>2420	SM 9223 Colilert -18	MPN/100mL	07/29/2026

Placed in Incubator: 07/29/2026 14:05

Analyzed By: John R. Czezulin

Result Read/Reported: 07/30/2026 08:18

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 07/30/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2700005302

Page 2 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION

1770 Ashland Avenue
Baltimore, MD 21205
Victoria L. Campodónico, M.D., Ph.D., D(ABMM), Interim Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 07/29/2026
Time Collected: 08:25

Date Received: 07/29/2026
Time Received: 11:29
Received By: JCZECZULIN
Temperature Control: 3.1 C

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2700005303

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	345	SM 9223 Colilert -18	MPN/100mL	07/29/2026

Placed in Incubator: 07/29/2026 14:05

Analyzed By: John R. Czezulin

Result Read/Reported: 07/30/2026 08:18

Read By: John R. Czezulin

Comments:

Approved by:

Eunna L. Kinney
FACSIMILE

Approval date: 07/30/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2700005303

Page 3 of 3

Laboratory Results: Sampling Event 8/5/26



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION

1770 Ashland Avenue
Baltimore, MD 21205
Victoria L. Campodónico, M.D., Ph.D., D(ABMM), Interim Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 08/05/2026
Time Collected: 09:05

Date Received: 08/05/2026
Time Received: 11:05
Received By: EKINNEY
Temperature Control: 1.5c

Submitted By: Shawn Lowman
Submitter Phone: (410) 294-7884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Chain Bridge/Potomac River
Sampling Site:
Town/County:

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-4

Lab No: B2700005901

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	250	SM 9223 Colilert -18	MPN/100mL	08/05/2026

Placed in Incubator: 08/05/2026 11:49

Analyzed By: Erinna Kinney

Result Read/Reported: 08/06/2026 12:01

Read By: Erinna Kinney

Comments:

Approved by:

Erinna L. Kinney
FACSIMILE

Approval date: 08/06/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2700005901

Page 1 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION

1770 Ashland Avenue
Baltimore, MD 21205
Victoria L. Campodónico, M.D., Ph.D., D(ABMM), Interim Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 08/05/2026
Time Collected: 08:28

Date Received: 08/05/2026
Time Received: 11:05
Received By: EKINNEY
Temperature Control:

Submitted By: Shawn Lowman
Submitter Phone: 4102947884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Little Falls Overlook/Potomac River pH:

Sampling Site:

Res. Free Cl

Town/County: Glen Echo, Montgomery(15)

Res. Total Cl

Location Details

Environmental Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-5

Lab No: B2700005902

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	60	SM 9223 Colilert -18	MPN/100mL	08/05/2026

Placed in Incubator: 08/05/2026 11:05

Analyzed By: Erinna Kinney

Result Read/Reported: 08/06/2026 12:01

Read By: Erinna Kinney

Comments:

Approved by:

Erinna L. Kinney
FACSIMILE

Approval date: 08/06/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2700005902

Page 2 of 3



State of Maryland
Department of Health
LABORATORIES ADMINISTRATION

1770 Ashland Avenue
Baltimore, MD 21205
Victoria L. Campodónico, M.D., Ph.D., D(ABMM), Interim Director

Certificate of Analysis

Microbiological Analysis of Recreational Waters

FINAL REPORT

MDE WATER QUAL MONITORING PROG
416 CHINQUAPIN ROUND ROAD
ANNAPOLIS, MD 21401

Division of Environmental Sciences
Environmental Microbiology Laboratory

Date Collected: 08/05/2026
Time Collected: 07:43

Date Received: 08/05/2026
Time Received: 11:05
Received By: EKINNEY
Temperature Control:

Submitted By: Shawn Lowman
Submitter Phone: 4102947884
Collector ID:
Transport Control: Iced

Site Details

Site Name/Location: Potomac River Old Angler's Inn/Potomac River
Sampling Site:
Town/County: Potomac, Montgomery(15)

pH:
Res. Free Cl
Res. Total Cl

Location Details

Type: Natural Bathing Area
Service: Fresh
Point of Collection: Public
Treated: Untreated

Environmental Details

Tide: Air Temp: Water Temp:
Wind: Wind Speed: pH: DO:
Turbidity: Secchi: Rain:

Field Sample ID/ Bottle No: POT-6

Lab No: B2700005903

Sample Receive Comments:

<u>Analyte</u>	<u>Result</u>	<u>Test Method</u>	<u>Units</u>	<u>Date Analyzed</u>
E. Coli	10	SM 9223 Colilert -18	MPN/100mL	08/05/2026

Placed in Incubator: 08/05/2026 11:05

Analyzed By: Erinna Kinney

Result Read/Reported: 08/06/2026 12:01

Read By: Erinna Kinney

Comments:

Approved by:

Erinna L. Kinney
FACSIMILE

Approval date: 08/06/2026

Legend: MPN = Most Probable Number; CFU = Colony Forming Units.

This document may contain information that is privileged, confidential and exempt from disclosure under law. If you have received this information in error, please call (443) 681-3851 and arrange for return or destruction.

Contact information for questions: Telephone: (443) 681-3948/3960 Fax: (443) 681-4507

B2700005903

Page 3 of 3