

ATTACHMENT 1

COASTAL ZONE CONSISTENCY DETERMINATION Nationwide Permit Reissuance Reissuance, SPN-20-62

Final 2020 Nationwide Permit Suspensions for the State of Maryland, the Commonwealth of Pennsylvania, the District of Columbia and for Fort Belvoir, Fort Myer, and the Pentagon in Virginia

I. Commonwealth of Pennsylvania

- A. The following NWP's are suspended in the Commonwealth of Pennsylvania, except in those areas and activities enumerated in Section I.B. below:

NWP 1: Aids to Navigation
NWP 4: Fish and Wildlife Harvesting, Enhancement, & Attraction Devices and Activities
NWP 5: Scientific Measurement Devices
NWP 7: Outfall Structures and Associated Intake Structures
NWP 10: Mooring Buoys
NWP 11: Temporary Recreational Structures
NWP 12: Oil or Natural Gas Pipeline Activities
NWP 13: Bank Stabilization
NWP 14: Linear Transportation Projects
NWP 15: U.S. Coast Guard Approved Bridges
NWP 18: Minor Discharges
NWP 19: Minor Dredging
NWP 20: Response Operations for Oil and Hazardous Substances
NWP 25: Structural Discharges
NWP 26: [Reserved]
NWP 29: Residential Developments
NWP 33: Temporary Construction, Access, and Dewatering
NWP 34: Cranberry Production Activities
NWP 36: Boat Ramps
NWP 37: Emergency Watershed Protection and Rehabilitation
NWP 39: Commercial and Institutional Developments
NWP 40: Agricultural Activities
NWP 41: Reshaping Existing Drainage Ditches and Irrigation Ditches
NWP 42: Recreational Facilities
NWP 43: Stormwater Management Facilities
NWP 45: Repair of Uplands Damaged by Discrete Events
NWP 46: Discharges in Ditches
NWP 47: [Reserved]
NWP 51: Land-Based Renewable Energy Generation Facilities
NWP 53: Removal of Low-Head Dams
NWP 54: Living Shorelines
NWP C: Electric Utility Line and Telecommunications Activities
NWP D: Utility Line Activities for Water and Other Substances
NWP E: Water Reclamation and Reuse Facilities

B. This suspension of the NWP's listed in Part I.A of this Special Public Notice is **not applicable** within the Commonwealth of Pennsylvania geographic boundaries for the following:

a. Areas within Pittsburgh District's area of responsibility in the Commonwealth of Pennsylvania. Please see the website below for the Regulatory boundaries of the Pittsburgh District.

https://www.lrp.usace.army.mil/Portals/72/Regulatory_District_Map_Poster%2020190925_0921.pdf

The Pittsburgh District can be reached at the following email and phone numbers for more information.

Pittsburgh Regulatory Branch email: Regulatory.Permits@usace.army.mil

Phone: (412) 395-7155

b. Part III.A.5 of the PASPGP-5 lists certain ineligible waterways for which PASPGP authorization is not available. Therefore, consistent with the processes outlined in Part V.D of the PASPGP-5 (or its successor) and the NWP's, NWP authorization may be available for activities that include activities located channelward of the ordinary high water line (OHWL) on non-tidal waters and/or the mean high water line (MHWL) on tidal waters on the following water bodies in Pennsylvania):

1. The Delaware River, downstream of the U.S. Route 202 Bridge at New Hope, Pennsylvania;
2. The Schuylkill River downstream of the Fairmount Dam in Philadelphia, Pennsylvania;

c. Nationwide Permit Activities 7, 11, 12, 14, 15, 18, 19, 25, 33, NWP C, and NWP D when the regulated activity or area of indirect impact (secondary impact) is not wholly located within the Commonwealth of Pennsylvania, i.e. the regulated activity extends across state boundaries.

II. State of Maryland

A. The suspension of the NWP's listed in section II.B of this notice is **not applicable** within the State of Maryland in certain wetlands and other waters of the United States near the Chesapeake and Delaware Canal. These areas include Back Creek (of the Chesapeake and Delaware Canal), east of a line extending from Welch Point to Courthouse Point to the Delaware line and to the Second Street Bridge to the south; Herring Creek east of the line extending from Welch Point to Courthouse Point to the dam that crosses Herring Creek; and Long Branch to the Boat Yard Road Bridge to the north, including adjacent and contiguous jurisdictional wetlands to these tidal waterways. These exempted areas fall within the U.S. Army Corps of Engineers (Corps) Philadelphia District's regulatory geographic boundaries.

B. The following NWP's are **suspended** in the State of Maryland:

NWP 1: Aids to Navigation
NWP 2: Structures in Artificial Canals
NWP 3: Maintenance (except for repair, rehabilitation, or replacement in-kind of any previously authorized, currently serviceable structure or fill destroyed or damaged by storms, floods, fires, or other discrete events)
NWP 5: Scientific Measurement Devices
NWP 6: Survey Activities
NWP 7: Outfall Structures and Associated Intake Structures
NWP 9: Structures in Fleeting and Anchorage Areas
NWP 10: Mooring Buoys
NWP 11: Temporary Recreational Structures
NWP 12: Oil or Natural Gas Pipeline Activities
NWP 13: Bank Stabilization
NWP 14: Linear Transportation Projects
NWP 15: U.S. Coast Guard Approved Bridges
NWP 16: Return Water from Upland Contained Disposal Areas
NWP 18: Minor Discharges
NWP 19: Minor Dredging
NWP 21: Surface Coal Mining Activities
NWP 26: [Reserved]
NWP 28: Modifications of Existing Marinas
NWP 29: Residential Developments
NWP 33: Temporary Construction, Access and Dewatering
NWP 34: Cranberry Production Activities
NWP 35: Maintenance Dredging of Existing Basins
NWP 36: Boat Ramps
NWP 39: Commercial and Institutional Developments
NWP 40: Agricultural Activities
NWP 41: Reshaping Existing Drainage Ditches and Irrigation Ditches
NWP 42: Recreational Facilities
NWP 43: Stormwater Management Facilities
NWP 44: Mining Activities
NWP 45: Repair of Uplands Damaged by Discrete Events
NWP 46: Discharges in Ditches
NWP 47: [Reserved]
NWP 49: Coal Remining Activities
NWP 50: Underground Coal Mining Activities
NWP 51: Land-Based Renewable Energy Generation Facilities
NWP 52: Water-Based Renewable Energy Generation Pilot Projects (except for activities in tidal navigable waters of the United States)
NWP C: Electric Utility Line and Telecommunications Activities
NWP D: Utility Line Activities for Water and Other Substances
NWP E: Water Reclamation and Reuse Facilities

III. District of Columbia

A. The Following NWP's are **suspended** within the District of Columbia:

- NWP 21: Surface Coal Mining Activities
- NWP 34: Cranberry Production Activities
- NWP 48: Aquaculture Activities
- NWP 49: Coal Remining Activities
- NWP 50: Underground Coal Mining Activities
- NWP A: Seaweed Mariculture Activities
- NWP B: Finfish Mariculture Activities

IV. Military Installation of Northern Virginia within the Regulatory geographic boundaries of the Baltimore District.

A. The NWP's are not suspended for Fort Myer, Fort Belvoir, and the Pentagon.

V. Suspension will terminate the Corps' ability to verify any new projects under one of the suspended NWP's unless and until the Chief of Engineers or the appropriate District or Division Engineer makes a determination to the contrary pursuant to 33 C.F.R. § 330.4 or § 330.5.

For more information regarding the final regional conditions and the suspension of Nationwide Permits, contact Ms. Beth E. Bachur, CENAB-OP-R, at (410) 962-4336, or email at Beth.Bachur@usace.army.mil.

**REGIONAL CONDITIONS TO THE 2020 NATIONWIDE PERMITS FOR THE
STATE OF MARYLAND**

I. Regional Conditions Applicable to Specific Nationwide Permits within the State of Maryland:

A. Nationwide Permit #3 Maintenance: Prior to commencing an activity the non-federal permittee must submit a Pre-construction Notification (PCN) to the District Engineer, for that portion of paragraph (a) of Nationwide Permit (NWP) 3 applicable to the repair, rehabilitation, or replacement in-kind of any previously authorized currently serviceable structure or fill destroyed or damaged by storms, floods, fires, or other discrete events.

1. For activities in all tidal and nontidal coastal plain streams in the State of Maryland or nontidal Piedmont streams located in Harford and Cecil Counties, Maryland, the District Engineer will coordinate review of the PCN with the National Marine Fisheries Service (NMFS) pursuant to the requirements of the Magnuson-Stevens Fishery Conservation and Management Act when:
 - a. A one-way tide gate is proposed to be used to replace an existing tide gate, or when maintenance is proposed on an existing one-way tide gate. The applicant, as part of the PCN, shall explain why it is not practicable to replace the tide gate with self-regulating tide gates.

B. Nationwide Permit #23 Approved Categorical Exclusions: Prior to doing the work, the non-federal permittee shall submit a Pre-construction Notification (PCN) to the District Engineer. (See General Condition 32 and Regional General Condition 32)

C. Nationwide Permit #27 Aquatic Habitat Restoration, Establishment, and Enhancement Activities: Prior to doing the work, the non-federal permittee shall submit a Pre-construction Notification (PCN) to the District Engineer (see General Condition 32 and Regional General Condition 32).

1. Any activity involving shellfish seeding, such as the placement of shell material or any other habitat development or enhancement, is restricted to shellfish species that are native to that waterbody.
2. For activities in all tidal and nontidal coastal plain streams within the State of Maryland or nontidal Piedmont streams in Harford and Cecil Counties, Maryland, the District Engineer will coordinate review of the PCN with the National Marine Fisheries Service Habitat Conservation Division pursuant to the requirements of the Magnuson Stevens Fishery Conservation and Management Act.

D. Nationwide Permit #30 Moist Soil Management for Wildlife: Prior to doing the work, the non-federal permittee must submit a Pre-Construction Notification (PCN) to the District Engineer (see General Condition 32 and Regional General Conditions 32).

E. Nationwide Permit #48 Commercial Shellfish Aquaculture Activities:

1. This Nationwide Permit (NWP) **does not** authorize work where:
 - a. Activities are proposed to be located in mapped anadromous fish (striped bass, *Morone saxatilis*) spawning habitat. The applicant may refer to MERLIN or other reliable sources for this information.
<http://dnrweb.dnr.state.md.us/MERLIN/>
 - b. Work or activities are proposed to extend into anchorage areas; customary boating channels; navigation fairways; marked, lighted, or charted channels; or State or Federal Navigation Channels.
 - c. Work or activities are proposed that adversely affect ingress to and egress from neighboring properties or other areas.
 - d. Predator control devices (i.e., mesh fences, mesh nets, mesh tents) are proposed to be suspended or erected vertically or obliquely in the water column, or used to surround or enclose shellfish/containment gear. This condition does not preclude the use of cages for shellfish containment.
2. The prospective non-federal permittee must submit a Pre-construction Notification (PCN) to the District Engineer using the Joint State/Federal Application for a Commercial Shellfish Aquaculture Lease and Federal Permit (<http://dnr2.maryland.gov/fisheries/Documents/Commercial-Shellfish-Lease-Application.pdf> and <http://dnr2.maryland.gov/fisheries/Documents/Shellfish-Lease-Application-Instructions.pdf>) when:
 - a. The project does not have a valid authorization from the Corps in effect as of August 15, 2016, or
 - b. Where a “shell on bottom” project was not approved by the Maryland Department of Natural Resources (MDNR) prior to July 1, 2009, or
 - c. The activity involves any change in the aquaculture type (bottom culture, floating structures, or structures suspended in the water column) from what was previously authorized by the Corps.
3. In addition to the information required by NWP 48, General Conditions and Regional General Condition 32, the PCN must include the following information, also published and provided on the District’s web site (see *Commercial Shellfish Mariculture*):

- a. Legible project vicinity map (black line on white background), to scale, and depicting the footprint of project area relative to prominent land/water geographic features, including approximate latitude/longitude coordinates of the project footprint;
- b. Legible overview plans (black line on white background), to scale (100':1" or 50':1"), depicting the entire project footprint and adjacent waters overlaid on composite mapping of the 5 most recent years of SAV data (derived from the Virginia Institute of Marine Science (VIMS) aerial surveys), and showing local water depths (bathymetry) of the project area, and other important ecological features of the site (e.g., native tidal marsh) that may be affected by project activities.
- c. Detailed project description, with the following information:
 - i. Description of proposed activities, including site preparation and harvest activities (e.g., dredging, harrowing and dragging of bottom substrate, tonging), and a description of how structures and vertical and horizontal lines would be arranged throughout the project area, spacing of rows and spacing between structures;
 - ii. Types of aquaculture gear to be used, including anchoring devices, maximum number of vertical and horizontal lines, and buoys;
 - iii. Acreage of project footprint affecting bottom and water column;
 - iv. Impacts (temporary and/or permanent) to aquatic areas required for access to the aquaculture facility/gear, and remedial measures proposed to restore temporarily affected aquatic areas;
 - v. Substrate type of bottom affected by proposed activities (particularly for on-bottom activities) (e.g., soft sand, hard sand, mud, shell.).
- d. Provide information sufficiently detailed to identify how the proposed work will not be adverse to general navigation in the area of the proposed work and will not hinder or adversely affect ingress to or egress from neighboring properties or other areas.
- e. Cross-sectional view of proposed aquaculture structures and all associated apparatus that represents the proposed operations of the activity (on-bottom, suspended, or floating).

4. The total number of vertical and horizontal lines must be minimized to the maximum extent practicable.

Note: The Maryland Department of Natural Resources will forward the Joint Application to the Corps on behalf of the applicant, or the applicant may submit the application directly to the Corps. The Corps' review period shall commence with the receipt of a completed PCN at the Corps' District Office.

F. Nationwide Permit #52 Water-Based Renewable Energy Generation Pilot Projects:

1. The PCN must indicate the project life span and include a detailed maintenance, decommissioning, and demolition plan for the life of the project.
2. For activities in all tidal and nontidal stream coastal plain streams within the State of Maryland or nontidal Piedmont streams in Harford and Cecil Counties, Maryland, the Corps of Engineers will coordinate review of the Pre-Construction Notification with the National Marine Fisheries Service pursuant to the requirements of the Magnuson Stevens Fishery Conservation and Management Act.

G. Nationwide Permit #53 Removal of Low-Head Dams:

1. For activities in all tidal and nontidal coastal plain streams within the State of Maryland or nontidal Piedmont streams in Harford and Cecil Counties, Maryland, the District Engineer will coordinate review of the Pre-construction Notification with the National Marine Fisheries Service Habitat Conservation Division pursuant to the requirements of the Magnuson Stevens Fishery Conservation and Management Act.

H. Nationwide Permit #54 Living Shorelines

1. Wetland components of living shoreline projects shall be maintained as a wetland, with areal coverage by native, hydrophytic, non-nuisance species of at least 85% for 3 consecutive years. Monitoring reports documenting areal coverage shall be submitted to the Corps annually. If 85% coverage by such species is not attained, the reasons for the failure must be documented in writing and provided to the Corps with proposed corrective measures, including replanting. Final corrective measures must be completed, as approved by the Corps.
2. Living shoreline projects must result in no net loss of wetlands.

II. Regional Conditions Applicable to Multiple and/or All 2020 Nationwide Permits within the State of Maryland

Note: To qualify for NWP authorization, the prospective permittee must comply with the following regional general conditions, as applicable, in addition to any specific NWP regional

conditions identified above in Section I, the general conditions found in the proposal to reissue and modify the NWP published in the *Federal Register* on September 15, 2020 (85 FR 179), and any case-specific special conditions imposed by the District Engineer.

A. Nationwide Permit Regional General Condition #2 Aquatic Life Movement:

1. Conditions for Anadromous Fish Use Areas:

- a. This condition applies to NWPs: 3a, 25, 27, 38, 53, 54, A, B, C, and D.
 - b. To ensure that activities authorized do not impact spawning habitat or a migratory pathway for anadromous fish, work is prohibited during February 15 to June 15 each year to protect sensitive life stages of anadromous fish in all tidal and nontidal coastal plain streams within the State of Maryland and nontidal Piedmont streams in Harford and Cecil Counties, Maryland, unless specifically waived by the District Engineer in consultation with NMFS..
2. Culverted road crossings of perennial and intermittent streams culverts must meet the below depression criteria or a Pre-Construction Notification (PCN) is required to be submitted to the District Engineer for review and coordination with the National Marine Fisheries Service in anadromous fish use areas. Extensions of existing culverts that are not depressed below the stream bottom do not require a PCN.
- a. Culverts measuring greater than 36 inches in diameter must be depressed 12 inches below the stream bottom; or
 - b. Culverts measuring 36 inches or less in diameter must be depressed 6 inches below the stream bottom.
3. If depression of the culvert is not practicable in accordance with this depression criteria, the applicant must submit a Pre-Construction Notification, including a narrative documenting measures evaluated to minimize disruption of the movement of aquatic life, as well as specific documentation concerning site conditions and limitations on depressing the culvert, cost, and engineering factors that prohibit depressing the pipe/culvert. Options that need to be considered include the use of a bridge, bottomless pipe, partial depression, or other measures to provide for the movement of aquatic organisms. The documentation must also include photographs documenting site conditions. The applicant may find it helpful to contact National Marine Fisheries Service for recommendations about the measures to be taken to allow for fish passage.

B. Nationwide Permit Regional General Condition #18 Endangered Species:

1. **For U.S. Fish and Wildlife Service (FWS) ESA species:** All non-federal permittees must use the FWS Chesapeake Bay Field Office Project Review website (IPaC)

(<https://www.fws.gov/chesapeakebay/EndSppWeb/ProjectReview/Index.html>) to determine if any Federally listed species or designated critical habitat may be present in the proposed project area. A complete application must contain one of the following:

- a. If the FWS website shows that listed species or designated critical habitat may be present in the proposed project area, then, using the FWS website tool, the permittee must obtain and submit with the PCN a FWS Official Species List tailored for the proposed project area. An Official Species List is considered valid for 90 days.
 - b. If the FWS website shows that no listed species or designated critical habitat are determined to be present in the proposed project area, then, using the FWS website tool, the permittee must generate and submit with the PCN a report that includes an online self-certification letter and a map of action area.
2. **Interactions with NMFS Federally Threatened or Endangered Species:** Any interaction between sturgeon, sea turtles, or any species listed now or in the future under Federal law as a threatened or endangered species (“listed species”) and the vessels associated with the project must be reported to the NMFS as follows:
- a. If the animal appears alive and uninjured (i.e., breathing normally, no visible wounds, movement uninhibited), the permittee or its representative must report the incident to the NMFS Northeast Region Marine Mammal and Sea Turtle Stranding and Entanglement Hotline at (866) 755-6622 within 24 hours of returning from the trip on which they made the discovery;
 - b. If the animal requires assistance, the call to the hotline must be made immediately;
 - c. If the animal appears to be injured (i.e. bleeding, gasping for air, etc.) or dead, the permittee or its representative must also immediately call the hotline so the appropriate rehabilitation or stranding network representative can be contacted. The applicant shall also notify District Engineer of all communications and coordination with the NMFS within two calendar days. Additional information about any federally threatened or endangered species may be obtained online at: <https://www.greateratlantic.fisheries.noaa.gov/protected/section7/index.html>. An interaction is defined as an entanglement or capture of a listed species or a strike/direct contact between vessels or equipment used for the project and a listed species.
3. **Vessel Buffer:** When listed species are sighted, vessels must attempt to maintain a distance of 50 yards (150 feet) or greater between the animal and the vessel whenever possible. State and Federal regulations prohibit approaching a right whale within a 500 yard (1,500 foot) buffer zone. Any vessel finding itself within the 500 yard (1,500 foot) buffer zone created by a surfacing right whale must depart immediately at a safe, slow

speed. If other listed species are detected, vessels will reduce their speeds to 10 knots or to the maximum extent practicable to ensure human safety. If listed species are sighted off of a moving dredge, intentional approaches within 100 yards (300 feet) of the animal must be avoided. Vessels must reduce speeds to 4 knots or the lowest speed practicable to ensure human safety. Any interactions must be reported to the NMFS.

4. Conditions for Pile Driving Activities Applicable Within Tidal Waters of the Chesapeake Bay in Maryland:

- a. For the protection of listed species, pile driving methods must maintain noise level thresholds not to exceed 150dB sound exposure level (SEL) re 1 μ Pa or 206dB peak re 1 μ Pa and for any pile driving activity that exceeds the peak sound level. A Pre-Construction Notification (PCN) must be submitted to District Engineer if one of the following conditions cannot be met :
 - i. Plastic or concrete piles must be less than 12 inches when a cushioned impact hammer or vibratory hammer is utilized for installation.
 - ii. Timber piles must be 12 inches or less when a vibratory hammer is utilized for installation.
 - iii. Vinyl or timber sheet piles must be 24 inches or less in width, as measured from the outer edge of corrugation to the inner edge of corrugation, when a cushioned impact hammer or vibratory hammer is used.
 - iv. Pile driving activities must be located within freshwater tributaries or within tidal or nontidal wetlands.
 - v. Piles of any size/type with any hammer method must be installed behind diversion structures or in the dry when the tide is out in the intertidal zone.
 - vi. Piles of any size/type with any hammer method must be installed between November 30 and March 15.
- b. Pile driving must be initiated with a soft start each day of pile driving, building up power slowly from a low energy start-up over a 20 minute period to allow fish and other wildlife to leave the area.

- 5. Sediment Disturbing Activities Time-of-Year Restriction:** Within all tidal waters of the Chesapeake Bay and its tidal tributaries in Maryland with salinity levels <6 parts per thousand, sediment disturbing activities, including pile driving activities, are prohibited during the period April 1 through June 30 for the protection of shortnose sturgeon during early life stages in these waters unless a waiver is received from the District Engineer.

6. **Critical Habitat:** Any work proposed in designated or proposed critical habitat requires a Pre-Construction Notification (PCN) to the Corps. Current designated Critical Habitat within the State of Maryland includes:
 - a. Potomac River from the mouth of the Chesapeake Bay to the Little Falls Dam, including Brenton Bay and St. Clements Bay
 - b. Nanticoke River from the mouth of the Chesapeake Bay to the Route 313 bridge, and
 - c. Marshyhope Creek from the confluence with the Nanticoke River to the Route 318 bridge.

C. Nationwide Permit Regional General Condition #22 Designated Critical Resource Waters:

1. Within the State of Maryland, the designated National Estuarine Research Reserves applicable to this regional general condition are:
 - a. Jug Bay
 - b. Otter Point Creek
 - c. Monie Bay
2. Discharges of dredged or fill material into waters of the United States are not authorized by NWPs 7 and 31 for any activity within, or directly affecting the above-listed designated National Estuarine Research Reserves, including wetlands adjacent to those waters.
3. For NWPs 3, 8, 22, 25, 27, 30, 37, and 38, a PCN must be submitted to the District Engineer for any activity proposed in the above-listed designated National Estuarine Research Reserves, including wetlands adjacent to those waters.

D. Nationwide Permit Regional General Condition #32 Pre-Construction Notification:

The following regional general conditions are incorporated as part of the terms and conditions of NWP General Condition 32, *Pre-Construction Notification*. These regional general conditions are applicable to all NWPs where a PCN is submitted to the District Engineer. This includes the following: (a) those NWPs that require a PCN, (b) those NWPs requiring notification to the District Engineer pursuant to NWP General Conditions 18 and 22, (c) those NWPs requiring notification to the District Engineer pursuant to a regional condition, and (d) any other pre-construction notifications to the District Engineer where an applicant has requested verification of an NWP authorization.

1. A PCN shall be submitted the Baltimore District Corps of Engineers for proposed construction and modification of docks, piers, and other structures that will occur along and/or within 150 feet of the horizontal limits of a federally authorized channel within the Baltimore District Civil Works Boundary as identified by:

<http://www.nab.usace.army.mil/Missions/Civil-Works/Nav-Maps/>. In addition, a PCN is required for the replacement of previously authorized, currently serviceable structures located along federally authorized channels that are destroyed by an act of nature or sudden event. All proposed work shall comply with the most current version of the Baltimore District's setback guidance on the Baltimore District Regulatory website at:

<http://www.nab.usace.army.mil/Portals/63/docs/Regulatory/Pubs/spn11-17.pdf>. As part of any PCN adjacent to a federally authorized channel, the permittee must provide the latitude and longitude of the channelward most point of the proposed structure.

2. **Conditions for Waters Containing Submerged Aquatic Vegetation (SAV) Beds:**

This condition applies to NWP: 3a, 23, 27, 38, 48, 52, 53, 54, A, and B. When a PCN is required, the District Engineer will provide a copy of the complete PCN to the NMFS-HCD Chesapeake Bay Office for all activities proposed within 50 feet of mapped SAV or locations of SAV otherwise identified from actual on-site SAV surveys conducted during the growing season. The PCN shall include plans depicting the entire project footprint and adjacent waters overlaid on composite mapping of the 5 most recent years of verified SAV data (derived from the Virginia Institute of Marine Science (VIMS) aerial surveys or locations of SAV otherwise identified from actual SAV surveys conducted during the growing season). The NMFS will have a 30 calendar day review and comment period from the date of their receipt of the EFH assessment, as provided by the Magnuson-Stevens Fishery Conservation and Management Act. Additional avoidance and minimization measures, such as relocating a structure or time-of-year restrictions may be required to reduce impacts to SAV habitat. The Virginia Institute of Marine Science aerial surveys may be obtained at: <http://web.vims.edu/bio/sav/index.html>.

3. All PCNs to the District Engineer shall be completed using the established Corps of Engineers permit application procedures for that locality (see <http://www.nab.usace.army.mil/Missions/Regulatory/PermitTypesandProcess.aspx>).

The PCN shall include all activities that the applicant plans to undertake that are reasonably related to the same project. All PCNs to the District Engineer shall include the following information, where applicable, in addition to the information specified in the nationwide permit conditions, including General Condition 32:

- a. For projects along and/or within 150 feet of the horizontal limits of a federally authorized channel, the location and depth of any Federal navigation channel shall be shown in relation to the proposed project.
- b. Copy of response from the FWS concerning any federally listed Threatened and Endangered Species that may be affected by the proposed activity. Completion of the required screening identified in Regional General Conditions 18 and submission of the documents required by the PCN serves as compliance with this condition.

- c. Copy of response from the State Historic Preservation Officer concerning historic properties that may be affected by the proposed activity.
 - d. Documentation from the Maryland Historical Trust indicating whether the proposed project is located within a State Natural Heritage site, Outstanding National Resource Water, or National Estuarine Research Reserve. For further information, reference NWP General Condition 22.
4. Applicable to all perennial and intermittent streams within anadromous fish use areas, the Corps shall provide a copy of the PCN, including the supporting documentation, to the NMFS in accordance with the Magnuson Stevens Fisheries Conservation and Management Act for any culvert which cannot be depressed as outlined in Regional General Condition 2 for Aquatic Life Movements for NWP 3 and any other applicable NWP. The NMFS will have a 30 calendar day review and comment period from the date of their receipt of the Essential Fish Habitat Assessment, as provided by the Magnuson-Stevens Act.

E. Nationwide Permit Regional General Conditions A for Certain Activities in Navigable Waters:

1. The following minimum clearances are required for aerial electric power transmission lines crossing navigable waters of the United States. These clearances are related to the clearances over the navigable channel provided by existing fixed bridges, or the clearances which would be required by the United States Coast Guard for new fixed bridges, in the vicinity of the proposed aerial transmission line. These clearances are based on the low point of the line under conditions producing the greatest sag, taking into consideration temperature, load, wind, length of span, and type of supports as outlined in the National Electrical Safety Code:

Nominal System Voltage (kV)	Minimum additional clearance (ft.) above clearance required for bridges
115 and below	20
138	22
161	24
230	26
350	30
500	35
700	42
750-765	45

- a. The PCN for aerial transmission lines over navigable waters must include the nominal system voltage and the additional clearance above low steel for bridges, if available, or above maximum high water elevation;

- b. Corps of Engineer regulation ER 1110-2-4401 prescribes minimum vertical clearances for power communication lines over Corps lake projects. In instances where both this regional condition and ER 1110-2-4401 apply, the greater minimum clearance is required; and
 - c. Clearances for communication lines, stream gaging cables, ferry cables, and other aerial crossings must be a minimum of ten feet above clearances required for bridges, unless specifically authorized otherwise by the District Engineer.
 - d. All proposed work shall comply with the most current version of the Baltimore District's setback guidance on the Baltimore District Regulatory website at: <http://www.nab.usace.army.mil/Portals/63/docs/Regulatory/Pubs/spn11-17.pdf>.
2. Within 60 days of completing an activity that involves an aerial transmission line, submerged cable, or submerged pipeline across a navigable water of the United States (i.e., Section 10 waters), the permittee shall furnish the District Engineer and the National Oceanic and Atmospheric Administration, Nautical Data Branch, N/CS26, Station 7317, 1315 East-West Highway, Silver Spring, Maryland, 20910, with professional, certified as-built drawings, to scale, with control (i.e., latitude/longitude, state plane coordinates), depicting the alignment and minimum clearance of the aerial wires above the mean high water line at the time of survey or depicting the elevations and alignment of the buried cable or pipeline across the navigable waterway.
 3. Aids to Navigation: If the Corps or the U.S. Coast Guard determine that private aids to navigation are required to mark the project area, The permittee must prepare and provide for USCG approval (address below), a Private Aids to Navigation Application (CG-2554), which and the approval must be received prior to commencement of the authorized work. The form can be found at: http://www.uscg.mil/forms/cg/CG_2554.pdf. Within 30 days of the date of receipt of the USCG approval, the permittee must provide a copy to the Corps.

F. Nationwide Permit Regional General Condition B Poured Concrete into Forms:

1. Activities that involve the discharge of poured concrete must be contained within cells or watertight forms until the concrete is set.

SPECIAL NOTES:

1. Where the State has denied 401 WQC and/or not concurred with the District Engineer' CZM consistency determination for a NWP authorization, the prospective permittee should contact the State to obtain an activity specific review and approval by the State prior to submitting any required PCN to the District Engineer.

2. The following addresses shall be used for notification to those Federal and State agencies, where the review of the PCN must be coordinated by the District Engineer.

Maryland Department of Natural Resources
Environmental Review, B-3
Tawes State Office Building
580 Taylor Avenue
Annapolis, Maryland 21401

State Historic Preservation Officer:
Maryland Historical Trust
Division of Historical & Cultural Programs
100 Community Place
Crownsville, Maryland 21032-2023

Maryland Department of the Environment
Water Resources Administration
Tidal Wetlands Division
Montgomery Park Business Center
1800 Washington Boulevard, Suite 430
Baltimore, Maryland 21230-1708

Maryland Department of the Environment
Non-tidal Wetlands and Waterways
Division/CZC Unit
Montgomery Park Business Center, Suite 430
Baltimore, Maryland 21230-1708

Environmental Protection Agency
1650 Arch Street
Philadelphia, Pennsylvania 19103-2029

U.S. Department of the Interior
Fish and Wildlife Service
177 Admiral Cochrane Drive
Annapolis, Maryland 21401

National Marine Fisheries Service-Chesapeake Bay Office
Habitat Conservation and Ecosystem Services Division
200 Harry S. Truman Pkwy, Ste 460
Annapolis, Maryland 21401

COASTAL ZONE CONSISTENCY DETERMINATION
Nationwide Permit Reissuance, SPN-20-62

Nationwide Permits, Conditions, Further Information, and Definitions¹

A. Index of Nationwide Permits, Conditions, District Engineer's Decision, Further Information, and Definitions

Nationwide Permits

1. Aids to Navigation
2. Structures in Artificial Canals
3. Maintenance
4. Fish and Wildlife Harvesting, Enhancement, and Attraction Devices and Activities
5. Scientific Measurement Devices
6. Survey Activities
7. Outfall Structures and Associated Intake Structures
8. Oil and Gas Structures on the Outer Continental Shelf
9. Structures in Fleeting and Anchorage Areas
10. Mooring Buoys
11. Temporary Recreational Structures
12. Oil or Natural Gas Pipeline Activities
13. Bank Stabilization
14. Linear Transportation Projects
15. U.S. Coast Guard Approved Bridges
16. Return Water From Upland Contained Disposal Areas
17. Hydropower Projects
18. Minor Discharges
19. Minor Dredging
20. Response Operations for Oil or Hazardous Substances
21. Surface Coal Mining Activities
22. Removal of Vessels
23. Approved Categorical Exclusions
24. Indian Tribe or State Administered Section 404 Programs
25. Structural Discharges
26. [Reserved]
27. Aquatic Habitat Restoration, Establishment, and Enhancement Activities
28. Modifications of Existing Marinas
29. Residential Developments
30. Moist Soil Management for Wildlife
31. Maintenance of Existing Flood Control Facilities
32. Completed Enforcement Actions
33. Temporary Construction, Access, and Dewatering
34. Cranberry Production Activities
35. Maintenance Dredging of Existing Basins
36. Boat Ramps

¹ The proposed 2020 nationwide permits were published in the September 15, 2020, issue of the *Federal Register* (85 FR 57298).

37. Emergency Watershed Protection and Rehabilitation
38. Cleanup of Hazardous and Toxic Waste
39. Commercial and Institutional Developments
40. Agricultural Activities
41. Reshaping Existing Drainage Ditches
42. Recreational Facilities
43. Stormwater Management Facilities
44. Mining Activities
45. Repair of Uplands Damaged by Discrete Events
46. Discharges in Ditches
47. [Reserved]
48. Commercial Shellfish Mariculture Activities
49. Coal Remining Activities
50. Underground Coal Mining Activities
51. Land-Based Renewable Energy Generation Facilities
52. Water-Based Renewable Energy Generation Pilot Projects
53. Removal of Low-Head Dams
54. Living Shorelines
 - A. Seaweed Mariculture Activities
 - B. Finfish Mariculture Activities
 - C. Electric Utility Line and Telecommunications Activities
 - D. Utility Line Activities for Water and Other Substances
 - E. Water Reclamation and Reuse Facilities

Nationwide Permit General Conditions

1. Navigation
2. Aquatic Life Movements
3. Spawning Areas
4. Migratory Bird Breeding Areas
5. Shellfish Beds
6. Suitable Material
7. Water Supply Intakes
8. Adverse Effects from Impoundments
9. Management of Water Flows
10. Fills Within 100-Year Floodplains
11. Equipment
12. Soil Erosion and Sediment Controls
13. Removal of Temporary Fills
14. Proper Maintenance
15. Single and Complete Project
16. Wild and Scenic Rivers
17. Tribal Rights
18. Endangered Species
19. Migratory Birds and Bald and Golden Eagles
20. Historic Properties

21. Discovery of Previously Unknown Remains and Artifacts
22. Designated Critical Resource Waters
23. Mitigation
24. Safety of Impoundment Structures
25. Water Quality
26. Coastal Zone Management
27. Regional and Case-by-Case Conditions
28. Use of Multiple Nationwide Permits
29. Transfer of Nationwide Permit Verifications
30. Compliance Certification
31. Activities Affecting Structures or Works Built by the United States
32. Pre-Construction Notification

District Engineer's Decision

Further Information

Definitions

Best management practices (BMPs)
Compensatory mitigation
Currently serviceable
Direct effects
Discharge
Ecological reference
Enhancement
Establishment (creation)
High Tide Line
Historic property
Independent utility
Indirect effects
Loss of waters of the United States
Navigable waters
Non-tidal wetland
Open water
Ordinary high water mark
Perennial stream
Practicable
Pre-construction notification
Preservation
Re-establishment
Rehabilitation
Restoration
Riffle and pool complex
Riparian areas
Shellfish seeding

Single and complete linear project
Single and complete non-linear project
Stormwater management
Stormwater management facilities
Stream bed
Stream channelization
Structure
Tidal wetland
Tribal lands
Tribal rights
Vegetated shallows
Waterbody

B. Nationwide Permits

1. Aids to Navigation. The placement of aids to navigation and regulatory markers that are approved by and installed in accordance with the requirements of the U.S. Coast Guard (see 33 CFR, chapter I, subchapter C, part 66). (Authority: Section 10 of the Rivers and Harbors Act of 1899 (Section 10))

2. Structures in Artificial Canals. Structures constructed in artificial canals within principally residential developments where the connection of the canal to a navigable water of the United States has been previously authorized (see 33 CFR 322.5(g)). (Authority: Section 10)

3. Maintenance. (a) The repair, rehabilitation, or replacement of any previously authorized, currently serviceable structure or fill, or of any currently serviceable structure or fill authorized by 33 CFR 330.3, or of any currently serviceable structure or fill that did not require a permit at the time it was constructed, provided that the structure or fill is not to be put to uses differing from those uses specified or contemplated for it in the original permit or the most recently authorized modification. Minor deviations in the structure's configuration or filled area, including those due to changes in materials, construction techniques, requirements of other regulatory agencies, or current construction codes or safety standards that are necessary to make the repair, rehabilitation, or replacement are authorized. This includes the placement of new or additional riprap to protect the structure or fill, provided the placement of riprap is the minimum necessary to protect the structure or fill or to ensure the safety of the structure or fill. This NWP authorizes the removal of previously authorized structures or fills. Any stream channel modification is limited to the minimum necessary for the repair, rehabilitation, or replacement of the structure or fill; such modifications, including the removal of material from the stream channel, must be immediately adjacent to the project. This NWP also authorizes the removal of accumulated sediment and debris within, and in the immediate vicinity of, the structure or fill. This NWP also authorizes the repair, rehabilitation, or

replacement of those structures or fills destroyed or damaged by storms, floods, fire or other discrete events, provided the repair, rehabilitation, or replacement is commenced, or is under contract to commence, within two years of the date of their destruction or damage. In cases of catastrophic events, such as hurricanes or tornadoes, this two-year limit may be waived by the district engineer, provided the permittee can demonstrate funding, contract, or other similar delays.

(b) This NWP also authorizes the removal of accumulated sediments and debris outside the immediate vicinity of existing structures (e.g., bridges, culverted road crossings, water intake structures, etc.). The removal of sediment is limited to the minimum necessary to restore the waterway in the vicinity of the structure to the approximate dimensions that existed when the structure was built, but cannot extend farther than 200 feet in any direction from the structure. This 200 foot limit does not apply to maintenance dredging to remove accumulated sediments blocking or restricting outfall and intake structures or to maintenance dredging to remove accumulated sediments from canals associated with outfall and intake structures. All dredged or excavated materials must be deposited and retained in an area that has no waters of the United States unless otherwise specifically approved by the district engineer under separate authorization.

(c) This NWP also authorizes temporary structures, fills, and work, including the use of temporary mats, necessary to conduct the maintenance activity. Appropriate measures must be taken to maintain normal downstream flows and minimize flooding to the maximum extent practicable, when temporary structures, work, and discharges, including cofferdams, are necessary for construction activities, access fills, or dewatering of construction sites. Temporary fills must consist of materials, and be placed in a manner, that will not be eroded by expected high flows. After conducting the maintenance activity, temporary fills must be removed in their entirety and the affected areas returned to pre-construction elevations. The areas affected by temporary fills must be revegetated, as appropriate.

(d) This NWP does not authorize maintenance dredging for the primary purpose of navigation. This NWP does not authorize beach restoration. This NWP does not authorize new stream channelization or stream relocation projects.

Notification: For activities authorized by paragraph (b) of this NWP, the permittee must submit a pre-construction notification to the district engineer prior to commencing the activity (see general condition 32). The pre-construction notification must include information regarding the original design capacities and configurations of the outfalls, intakes, small impoundments, and canals. (Authorities: Section 10 of the Rivers and Harbors Act of 1899 and section 404 of the Clean Water Act (Sections 10 and 404))

Note: This NWP authorizes the repair, rehabilitation, or replacement of any currently serviceable structure or fill that does not qualify for the Clean Water Act section 404(f) exemption for maintenance.

4. Fish and Wildlife Harvesting, Enhancement, and Attraction Devices and Activities. Fish and wildlife harvesting devices and activities such as pound nets, crab traps, crab dredging, eel pots, lobster traps, duck blinds, and clam and oyster digging, fish aggregating devices, and small fish attraction devices such as open water fish concentrators (sea kites, etc.). This NWP does not authorize artificial reefs or impoundments and semi-impoundments of waters of the United States for the culture or holding of motile species such as lobster, or the use of covered oyster trays or clam racks. (Authorities: Sections 10 and 404)

5. Scientific Measurement Devices. Devices, whose purpose is to measure and record scientific data, such as staff gages, tide and current gages, meteorological stations, water recording and biological observation devices, water quality testing and improvement devices, and similar structures. Small weirs and flumes constructed primarily to record water quantity and velocity are also authorized provided the discharge is limited to 25 cubic yards. Upon completion of the use of the device to measure and record scientific data, the measuring device and any other structures or fills associated with that device (e.g., foundations, anchors, buoys, lines, etc.) must be removed to the maximum extent practicable and the site restored to pre-construction elevations. (Authorities: Sections 10 and 404)

6. Survey Activities. Survey activities, such as core sampling, seismic exploratory operations, plugging of seismic shot holes and other exploratory-type bore holes, exploratory trenching, soil surveys, sampling, sample plots or transects for wetland delineations, and historic resources surveys. For the purposes of this NWP, the term "exploratory trenching" means mechanical land clearing of the upper soil profile to expose bedrock or substrate, for the purpose of mapping or sampling the exposed material. The area in which the exploratory trench is dug must be restored to its pre-construction elevation upon completion of the work and must not drain a water of the United States. In wetlands, the top 6 to 12 inches of the trench should normally be backfilled with topsoil from the trench. This NWP authorizes the construction of temporary pads, provided the discharge does not exceed 1/10-acre in waters of the U.S. Discharges and structures associated with the recovery of historic resources are not authorized by this NWP. Drilling and the discharge of excavated material from test wells for oil and gas exploration are not authorized by this NWP; the plugging of such wells is authorized. Fill placed for roads and other similar activities is not authorized by this NWP. The NWP does not authorize any permanent structures. The discharge of drilling mud and cuttings may require a permit under section 402 of the Clean Water Act. (Authorities: Sections 10 and 404)

7. Outfall Structures and Associated Intake Structures. Activities related to the construction or modification of outfall structures and associated intake structures, where the effluent from the outfall is authorized, conditionally authorized, or specifically exempted by, or otherwise in compliance with regulations issued under the National Pollutant Discharge Elimination System Program (section 402 of the Clean Water Act). The construction of intake structures is not authorized by this NWP, unless they are directly associated with an authorized outfall structure.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity. (See general condition 32.) (Authorities: Sections 10 and 404)

8. Oil and Gas Structures on the Outer Continental Shelf. Structures for the exploration, production, and transportation of oil, gas, and minerals on the outer continental shelf within areas leased for such purposes by the Department of the Interior, Bureau of Ocean Energy Management. Such structures shall not be placed within the limits of any designated shipping safety fairway or traffic separation scheme, except temporary anchors that comply with the fairway regulations in 33 CFR 322.5(l). The district engineer will review such proposals to ensure compliance with the provisions of the fairway regulations in 33 CFR 322.5(l). Any Corps review under this NWP will be limited to the effects on navigation and national security in accordance with 33 CFR 322.5(f), as well as 33 CFR 322.5(l) and 33 CFR part 334. Such structures will not be placed in established danger zones or restricted areas as designated in 33 CFR part 334, nor will such structures be permitted in EPA or Corps-designated dredged material disposal areas.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity. (See general condition 32.) (Authority: Section 10)

9. Structures in Fleeting and Anchorage Areas. Structures, buoys, floats, and other devices placed within anchorage or fleeting areas to facilitate moorage of vessels where such areas have been established for that purpose. (Authority: Section 10)

10. Mooring Buoys. Non-commercial, single-boat, mooring buoys. (Authority: Section 10)

11. Temporary Recreational Structures. Temporary buoys, markers, small floating docks, and similar structures placed for recreational use during specific events such as water skiing competitions and boat races or seasonal use, provided that such structures are removed within 30 days after use has been discontinued. At Corps of Engineers reservoirs, the reservoir managers must approve each buoy or marker individually. (Authority: Section 10)

12. Oil or Natural Gas Pipeline Activities. Activities required for the construction, maintenance, repair, and removal of oil and natural gas pipelines and associated facilities in waters of the United States, provided the activity does not result in the loss of greater than 1/2-acre of waters of the United States for each single and complete project.

Oil or natural gas pipelines: This NWP authorizes discharges of dredged or fill material into waters of the United States and structures or work in navigable waters for crossings of those waters associated with the construction, maintenance, or repair of oil and natural gas pipelines, including outfall and intake structures. There must be no change in pre-construction contours of waters of the United States. An “oil or natural gas pipeline” is defined as any pipe or pipeline for the transportation of any form of oil or natural gas, including petrochemical products, for any purpose.

Material resulting from trench excavation may be temporarily sidecast into waters of the United States for no more than three months, provided the material is not placed in such a manner that it is dispersed by currents or other forces. The district engineer may extend the period of temporary side casting for no more than a total of 180 days, where appropriate. In wetlands, the top 6 to 12 inches of the trench should normally be backfilled with topsoil from the trench. The trench cannot be constructed or backfilled in such a manner as to drain waters of the United States (e.g., backfilling with extensive gravel layers, creating a french drain effect). Any exposed slopes and stream banks must be stabilized immediately upon completion of the utility line crossing of each waterbody.

Oil or natural gas pipeline substations: This NWP authorizes the construction, maintenance, or expansion of substation facilities associated with an oil or natural gas pipeline in non-tidal waters of the United States, provided the activity, in combination with all other activities included in one single and complete project, does not result in the loss of greater than 1/2-acre of waters of the United States. This NWP does not authorize discharges into non-tidal wetlands adjacent to tidal waters of the United States to construct, maintain, or expand substation facilities.

Foundations for above-ground oil or natural gas pipelines: This NWP authorizes the construction or maintenance of foundations for above-ground oil or natural gas pipelines in all waters of the United States, provided the foundations are the minimum size necessary.

Access roads: This NWP authorizes the construction of access roads for the construction and maintenance of oil or natural gas pipelines, in non-tidal waters of the United States, provided the activity, in combination with all other activities included in one single and complete project, does not cause the loss of greater than 1/2-acre of non-tidal waters of the United States. This NWP does not

authorize discharges into non-tidal wetlands adjacent to tidal waters for access roads. Access roads must be the minimum width necessary (see Note 2, below). Access roads must be constructed so that the length of the road minimizes any adverse effects on waters of the United States and must be as near as possible to pre-construction contours and elevations (e.g., at grade corduroy roads or geotextile/gravel roads). Access roads constructed above pre-construction contours and elevations in waters of the United States must be properly bridged or culverted to maintain surface flows.

This NWP may authorize oil or natural gas pipelines in or affecting navigable waters of the United States even if there is no associated discharge of dredged or fill material (see 33 CFR part 322). Oil or natural gas pipelines routed in, over, or under section 10 waters without a discharge of dredged or fill material require a section 10 permit.

This NWP authorizes, to the extent that Department of the Army authorization is required, temporary structures, fills, and work necessary for the remediation of inadvertent returns of drilling fluids to waters of the United States through sub-soil fissures or fractures that might occur during horizontal directional drilling activities conducted for the purpose of installing or replacing oil or natural gas pipelines. These remediation activities must be done as soon as practicable, to restore the affected waterbody. District engineers may add special conditions to this NWP to require a remediation plan for addressing inadvertent returns of drilling fluids to waters of the United States during horizontal directional drilling activities conducted for the purpose of installing or replacing oil or natural gas pipelines.

This NWP also authorizes temporary structures, fills, and work, including the use of temporary mats, necessary to conduct the oil or natural gas pipeline activity. Appropriate measures must be taken to maintain normal downstream flows and minimize flooding to the maximum extent practicable, when temporary structures, work, and discharges, including cofferdams, are necessary for construction activities, access fills, or dewatering of construction sites. Temporary fills must consist of materials, and be placed in a manner, that will not be eroded by expected high flows. After construction, temporary fills must be removed in their entirety and the affected areas returned to pre-construction elevations. The areas affected by temporary fills must be revegetated, as appropriate.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity if: (1) a section 10 permit is required; (2) the discharge will result in the loss of greater than 1/10-acre of waters of the United States; or (3) the proposed oil or natural gas pipeline activity is associated with an overall project that is greater than 250 miles in length and the project purpose is to install new pipeline (vs. conduct repair or maintenance activities) along the majority of the distance of the overall project length. If the proposed oil or gas pipeline is greater than 250 miles in length, the pre-

construction notification must include the locations and proposed impacts for all crossings of waters of the United States that require DA authorization, including those crossings authorized by NWP would not otherwise require pre-construction notification. (See general condition 32.) (Authorities: Sections 10 and 404)

Note 1: Where the oil or natural gas pipeline is constructed, installed, or maintained in navigable waters of the United States (i.e., section 10 waters) within the coastal United States, the Great Lakes, and United States territories, a copy of the NWP verification will be sent by the Corps to the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), for charting the oil or natural gas pipeline to protect navigation.

Note 2: For oil or natural gas pipeline activities crossing a single waterbody more than one time at separate and distant locations, or multiple waterbodies at separate and distant locations, each crossing is considered a single and complete project for purposes of NWP authorization. Oil or natural gas pipeline activities must comply with 33 CFR 330.6(d).

Note 3: Access roads used for both construction and maintenance may be authorized, provided they meet the terms and conditions of this NWP. Access roads used solely for construction of the oil or natural gas pipeline must be removed upon completion of the work, in accordance with the requirements for temporary fills.

Note 4: Pipes or pipelines used to transport gaseous, liquid, liquescent, or slurry substances over navigable waters of the United States are considered to be bridges, and may require a permit from the U.S. Coast Guard pursuant to section 9 of the Rivers and Harbors Act of 1899. However, any discharges of dredged or fill material into waters of the United States associated with such oil or natural gas pipelines will require a section 404 permit (see NWP 15).

Note 5: This NWP authorizes oil or natural gas pipeline maintenance and repair activities that do not qualify for the Clean Water Act section 404(f) exemption for maintenance of currently serviceable fills or fill structures.

Note 6: For NWP 12 activities that require pre-construction notification, the PCN must include any other NWP(s), regional general permit(s), or individual permit(s) used or intended to be used to authorize any part of the proposed project or any related activity, including other separate and distant crossings that require Department of the Army authorization but do not require pre-construction notification (see paragraph (b)(4) of general condition 32). The district engineer will evaluate the PCN in accordance with Section D, "District Engineer's Decision." The district engineer may require mitigation to ensure that the authorized activity results in no more than minimal individual and cumulative adverse environmental effects (see general condition 23).

13. Bank Stabilization. Bank stabilization activities necessary for erosion control or prevention, such as vegetative stabilization, bioengineering, sills, rip rap, revetment, gabion baskets, stream barbs, and bulkheads, or combinations of bank stabilization techniques, provided the activity meets all of the following criteria:

- (a) No material is placed in excess of the minimum needed for erosion protection;
- (b) The activity is no more than 500 feet in length along the bank, unless the district engineer waives this criterion by making a written determination concluding that the discharge will result in no more than minimal adverse environmental effects (an exception is for bulkheads – the district engineer cannot issue a waiver for a bulkhead that is greater than 1,000 feet in length along the bank);
- (c) The activity will not exceed an average of one cubic yard per running foot, as measured along the length of the treated bank, below the plane of the ordinary high water mark or the high tide line, unless the district engineer waives this criterion by making a written determination concluding that the discharge will result in no more than minimal adverse environmental effects;
- (d) The activity does not involve discharges of dredged or fill material into special aquatic sites, unless the district engineer waives this criterion by making a written determination concluding that the discharge will result in no more than minimal adverse environmental effects;
- (e) No material is of a type, or is placed in any location, or in any manner, that will impair surface water flow into or out of any waters of the United States;
- (f) No material is placed in a manner that will be eroded by normal or expected high flows (properly anchored native trees and treetops may be used in low energy areas);
- (g) Native plants appropriate for current site conditions, including salinity, must be used for bioengineering or vegetative bank stabilization;
- (h) The activity is not a stream channelization activity; and
- (i) The activity must be properly maintained, which may require repairing it after severe storms or erosion events. This NWP authorizes those maintenance and repair activities if they require authorization.

This NWP also authorizes temporary structures, fills, and work, including the use of temporary mats, necessary to construct the bank stabilization activity. Appropriate measures must be taken to maintain normal downstream flows and

minimize flooding to the maximum extent practicable, when temporary structures, work, and discharges, including cofferdams, are necessary for construction activities, access fills, or dewatering of construction sites. Temporary fills must consist of materials, and be placed in a manner, that will not be eroded by expected high flows. After construction, temporary fills must be removed in their entirety and the affected areas returned to pre-construction elevations. The areas affected by temporary fills must be revegetated, as appropriate.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity if the bank stabilization activity: (1) involves discharges into special aquatic sites; or (2) is in excess of 500 feet in length; or (3) will involve the discharge of greater than an average of one cubic yard per running foot as measured along the length of the treated bank, below the plane of the ordinary high water mark or the high tide line. (See general condition 32.) (Authorities: Sections 10 and 404)

Note: In coastal waters and the Great Lakes, living shorelines may be an appropriate option for bank stabilization, and may be authorized by NWP 54.

14. Linear Transportation Projects. Activities required for crossings of waters of the United States associated with the construction, expansion, modification, or improvement of linear transportation projects (e.g., roads, highways, railways, trails, driveways, airport runways, and taxiways) in waters of the United States. For linear transportation projects in non-tidal waters, the discharge cannot cause the loss of greater than 1/2-acre of waters of the United States. For linear transportation projects in tidal waters, the discharge cannot cause the loss of greater than 1/3-acre of waters of the United States. Any stream channel modification, including bank stabilization, is limited to the minimum necessary to construct or protect the linear transportation project; such modifications must be in the immediate vicinity of the project.

This NWP also authorizes temporary structures, fills, and work, including the use of temporary mats, necessary to construct the linear transportation project. Appropriate measures must be taken to maintain normal downstream flows and minimize flooding to the maximum extent practicable, when temporary structures, work, and discharges, including cofferdams, are necessary for construction activities, access fills, or dewatering of construction sites. Temporary fills must consist of materials, and be placed in a manner, that will not be eroded by expected high flows. Temporary fills must be removed in their entirety and the affected areas returned to pre-construction elevations. The areas affected by temporary fills must be revegetated, as appropriate.

This NWP cannot be used to authorize non-linear features commonly associated with transportation projects, such as vehicle maintenance or storage buildings, parking lots, train stations, or aircraft hangars.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity if: (1) the loss of waters of the United States exceeds 1/10-acre; or (2) there is a discharge in a special aquatic site, including wetlands. (See general condition 32.) (Authorities: Sections 10 and 404)

Note 1: For linear transportation projects crossing a single waterbody more than one time at separate and distant locations, or multiple waterbodies at separate and distant locations, each crossing is considered a single and complete project for purposes of NWP authorization. Linear transportation projects must comply with 33 CFR 330.6(d).

Note 2: Some discharges for the construction of farm roads or forest roads, or temporary roads for moving mining equipment, may qualify for an exemption under section 404(f) of the Clean Water Act (see 33 CFR 323.4).

Note 3: For NWP 14 activities that require pre-construction notification, the PCN must include any other NWP(s), regional general permit(s), or individual permit(s) used or intended to be used to authorize any part of the proposed project or any related activity, including other separate and distant crossings that require Department of the Army authorization but do not require pre-construction notification (see paragraph (b)(4) of general condition 32). The district engineer will evaluate the PCN in accordance with Section D, "District Engineer's Decision." The district engineer may require mitigation to ensure that the authorized activity results in no more than minimal individual and cumulative adverse environmental effects (see general condition 23).

15. U.S. Coast Guard Approved Bridges. Discharges of dredged or fill material incidental to the construction of a bridge across navigable waters of the United States, including cofferdams, abutments, foundation seals, piers, and temporary construction and access fills, provided the construction of the bridge structure has been authorized by the U.S. Coast Guard under section 9 of the Rivers and Harbors Act of 1899 or other applicable laws. Causeways and approach fills are not included in this NWP and will require a separate section 404 permit. (Authority: Section 404 of the Clean Water Act (Section 404))

16. Return Water From Upland Contained Disposal Areas. Return water from an upland contained dredged material disposal area. The return water from a contained disposal area is administratively defined as a discharge of dredged material by 33 CFR 323.2(d), even though the disposal itself occurs in an area that has no waters of the United States and does not require a section 404 permit. This NWP satisfies the technical requirement for a section 404 permit for the return water where the quality of the return water is controlled by the state through the Clean Water Act section 401 certification procedures. The dredging activity may require a section 404 permit (33 CFR 323.2(d)), and will require a

section 10 permit if located in navigable waters of the United States. (Authority: Section 404)

17. Hydropower Projects. Discharges of dredged or fill material associated with hydropower projects having: (a) Less than 10,000 kW of total generating capacity at existing reservoirs, where the project, including the fill, is licensed by the Federal Energy Regulatory Commission (FERC) under the Federal Power Act of 1920, as amended; or (b) a licensing exemption granted by the FERC pursuant to section 408 of the Energy Security Act of 1980 (16 U.S.C. 2705 and 2708) and section 30 of the Federal Power Act, as amended.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity. (See general condition 32.) (Authority: Section 404)

18. Minor Discharges. Minor discharges of dredged or fill material into all waters of the United States, provided the activity meets all of the following criteria:

(a) The quantity of discharged material and the volume of area excavated do not exceed 25 cubic yards below the plane of the ordinary high water mark or the high tide line;

(b) The discharge will not cause the loss of more than 1/10-acre of waters of the United States; and

(c) The discharge is not placed for the purpose of a stream diversion.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity if: (1) the discharge or the volume of area excavated exceeds 10 cubic yards below the plane of the ordinary high water mark or the high tide line, or (2) the discharge is in a special aquatic site, including wetlands. (See general condition 32.) (Authorities: Sections 10 and 404)

19. Minor Dredging. Dredging of no more than 50 cubic yards below the plane of the ordinary high water mark or the mean high water mark from navigable waters of the United States (i.e., section 10 waters). This NWP does not authorize the dredging or degradation through siltation of coral reefs, sites that support submerged aquatic vegetation (including sites where submerged aquatic vegetation is documented to exist but may not be present in a given year), anadromous fish spawning areas, or wetlands, or the connection of canals or other artificial waterways to navigable waters of the United States (see 33 CFR 322.5(g)). All dredged material must be deposited and retained in an area that has no waters of the United States unless otherwise specifically approved by the district engineer under separate authorization. (Authorities: Sections 10 and 404)

20. Response Operations for Oil or Hazardous Substances. Activities conducted in response to a discharge or release of oil or hazardous substances that are subject to the National Oil and Hazardous Substances Pollution Contingency Plan (40 CFR part 300) including containment, cleanup, and mitigation efforts, provided that the activities are done under either: (1) the Spill Control and Countermeasure Plan required by 40 CFR 112.3; (2) the direction or oversight of the federal on-scene coordinator designated by 40 CFR part 300; or (3) any approved existing state, regional or local contingency plan provided that the Regional Response Team (if one exists in the area) concurs with the proposed response efforts. This NWP also authorizes activities required for the cleanup of oil releases in waters of the United States from electrical equipment that are governed by EPA's polychlorinated biphenyl spill response regulations at 40 CFR part 761. This NWP also authorizes the use of temporary structures and fills in waters of the U.S. for spill response training exercises. (Authorities: Sections 10 and 404)

21. Surface Coal Mining Activities. Discharges of dredged or fill material into waters of the United States associated with surface coal mining and reclamation operations, provided the following criteria are met:

(a) The activities are already authorized, or are currently being processed by states with approved programs under Title V of the Surface Mining Control and Reclamation Act of 1977 or by the Department of the Interior, Office of Surface Mining Reclamation and Enforcement;

(b) The discharge must not cause the loss of greater than 1/2-acre of non-tidal waters of the United States. This NWP does not authorize discharges into tidal waters or non-tidal wetlands adjacent to tidal waters; and

(c) The discharge is not associated with the construction of valley fills. A "valley fill" is a fill structure that is typically constructed within valleys associated with steep, mountainous terrain, associated with surface coal mining activities.

Notification: The permittee must submit a pre-construction notification to the district engineer. (See general condition 32.) (Authorities: Sections 10 and 404)

22. Removal of Vessels. Temporary structures or minor discharges of dredged or fill material required for the removal of wrecked, abandoned, or disabled vessels, or the removal of man-made obstructions to navigation. This NWP does not authorize maintenance dredging, shoal removal, or riverbank snagging.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity if: (1) the vessel is listed or eligible for listing in the National Register of Historic Places; or (2) the activity is conducted in a special aquatic site, including coral reefs and wetlands. (See general condition 32.) If the vessel is listed or eligible for listing in the National

Register of Historic Places, the permittee cannot commence the activity until informed by the district engineer that compliance with the “Historic Properties” general condition is completed. (Authorities: Sections 10 and 404)

Note 1: If a removed vessel is disposed of in waters of the United States, a permit from the U.S. EPA may be required (see 40 CFR 229.3). If a Department of the Army permit is required for vessel disposal in waters of the United States, separate authorization will be required.

Note 2: Compliance with general condition 18, Endangered Species, and general condition 20, Historic Properties, is required for all NWP. The concern with historic properties is emphasized in the notification requirements for this NWP because of the possibility that shipwrecks may be historic properties.

23. Approved Categorical Exclusions. Activities undertaken, assisted, authorized, regulated, funded, or financed, in whole or in part, by another Federal agency or department where:

(a) That agency or department has determined, pursuant to the Council on Environmental Quality's implementing regulations for the National Environmental Policy Act (40 CFR part 1500 et seq.), that the activity is categorically excluded from the requirement to prepare an environmental impact statement or environmental assessment analysis, because it is included within a category of actions which neither individually nor cumulatively have a significant effect on the human environment; and

(b) The Office of the Chief of Engineers (Attn: CECW-CO) has concurred with that agency's or department's determination that the activity is categorically excluded and approved the activity for authorization under NWP 23.

The Office of the Chief of Engineers may require additional conditions, including pre-construction notification, for authorization of an agency's categorical exclusions under this NWP.

Notification: Certain categorical exclusions approved for authorization under this NWP require the permittee to submit a pre-construction notification to the district engineer prior to commencing the activity (see general condition 32). The activities that require pre-construction notification are listed in the appropriate Regulatory Guidance Letter(s). (Authorities: Sections 10 and 404)

Note: The agency or department may submit an application for an activity believed to be categorically excluded to the Office of the Chief of Engineers (Attn: CECW-CO). Prior to approval for authorization under this NWP of any agency's activity, the Office of the Chief of Engineers will solicit public comment. As of the date of issuance of this NWP, agencies with approved categorical exclusions are: the Bureau of Reclamation, Federal Highway Administration, and U.S. Coast

Guard. Activities approved for authorization under this NWP as of the date of this notice are found in Corps Regulatory Guidance Letter 05-07. Any future approved categorical exclusions will be announced in Regulatory Guidance Letters and posted on this same web site.

24. Indian Tribe or State Administered Section 404 Programs. Any activity permitted by a state or Indian Tribe administering its own section 404 permit program pursuant to 33 U.S.C. 1344(g)-(l) is permitted pursuant to section 10 of the Rivers and Harbors Act of 1899. (Authority: Section 10)

Note 1: As of the date of the promulgation of this NWP, only New Jersey and Michigan administer their own section 404 permit programs.

Note 2: Those activities that do not involve an Indian Tribe or State section 404 permit are not included in this NWP, but certain structures will be exempted by Section 154 of Pub. L. 94-587, 90 Stat. 2917 (33 U.S.C. 591) (see 33 CFR 322.4(b)).

25. Structural Discharges. Discharges of material such as concrete, sand, rock, etc., into tightly sealed forms or cells where the material will be used as a structural member for standard pile supported structures, such as bridges, transmission line footings, and walkways, or for general navigation, such as mooring cells, including the excavation of bottom material from within the form prior to the discharge of concrete, sand, rock, etc. This NWP does not authorize filled structural members that would support buildings, building pads, homes, house pads, parking areas, storage areas and other such structures. The structure itself may require a separate section 10 permit if located in navigable waters of the United States. (Authority: Section 404)

26. [Reserved]

27. Aquatic Habitat Restoration, Enhancement, and Establishment Activities. Activities in waters of the United States associated with the restoration, enhancement, and establishment of tidal and non-tidal wetlands and riparian areas, the restoration and enhancement of non-tidal streams and other non-tidal open waters, and the rehabilitation or enhancement of tidal streams, tidal wetlands, and tidal open waters, provided those activities result in net increases in aquatic resource functions and services.

To be authorized by this NWP, the aquatic habitat restoration, enhancement, or establishment activity must be planned, designed, and implemented so that it results in aquatic habitat that resembles an ecological reference. An ecological reference may be based on the characteristics of one or more intact aquatic habitats or riparian areas of the same type that exist in the region. An ecological reference may be based on a conceptual model developed from regional ecological knowledge of the target aquatic habitat type or riparian area.

To the extent that a Corps permit is required, activities authorized by this NWP include, but are not limited to: the removal of accumulated sediments; releasing sediment from reservoirs to restore downstream habitat, the installation, removal, and maintenance of small water control structures, dikes, and berms, as well as discharges of dredged or fill material to restore appropriate stream channel configurations after small water control structures, dikes, and berms are removed; the installation of current deflectors; the enhancement, rehabilitation, or re-establishment of riffle and pool stream structure; the placement of in-stream habitat structures; modifications of the stream bed and/or banks to enhance, rehabilitate, or re-establish stream meanders; the removal of stream barriers, such as undersized culverts, fords, and grade control structures; the backfilling of artificial channels; the removal of existing drainage structures, such as drain tiles, and the filling, blocking, or reshaping of drainage ditches to restore wetland hydrology; the installation of structures or fills necessary to restore or enhance wetland or stream hydrology; the construction of small nesting islands; the construction of open water areas; the construction of oyster habitat over unvegetated bottom in tidal waters; coral restoration or relocation; shellfish seeding; activities needed to reestablish vegetation, including plowing or discing for seed bed preparation and the planting of appropriate wetland species; re-establishment of submerged aquatic vegetation in areas where those plant communities previously existed; re-establishment of tidal wetlands in tidal waters where those wetlands previously existed; mechanized land clearing to remove non-native invasive, exotic, or nuisance vegetation; and other related activities. Only native plant species should be planted at the site.

This NWP authorizes the relocation of non-tidal waters, including non-tidal wetlands and streams, on the project site provided there are net increases in aquatic resource functions and services.

Except for the relocation of non-tidal waters on the project site, this NWP does not authorize the conversion of a stream or natural wetlands to another aquatic habitat type (e.g., the conversion of a stream to wetland or vice versa) or uplands. Changes in wetland plant communities that occur when wetland hydrology is more fully restored during wetland rehabilitation activities are not considered a conversion to another aquatic habitat type. This NWP does not authorize stream channelization. This NWP does not authorize the relocation of tidal waters or the conversion of tidal waters, including tidal wetlands, to other aquatic uses, such as the conversion of tidal wetlands into open water impoundments.

Compensatory mitigation is not required for activities authorized by this NWP since these activities must result in net increases in aquatic resource functions and services.

Reversion. For enhancement, restoration, and establishment activities conducted: (1) In accordance with the terms and conditions of a binding stream or wetland enhancement or restoration agreement, or a wetland establishment agreement, between the landowner and the U.S. Fish and Wildlife Service (FWS), the Natural Resources Conservation Service (NRCS), the Farm Service Agency (FSA), the National Marine Fisheries Service (NMFS), the National Ocean Service (NOS), U.S. Forest Service (USFS), or their designated state cooperating agencies; (2) as voluntary wetland restoration, enhancement, and establishment actions documented by the NRCS or USDA Technical Service Provider pursuant to NRCS Field Office Technical Guide standards; or (3) on reclaimed surface coal mine lands, in accordance with a Surface Mining Control and Reclamation Act permit issued by the Office of Surface Mining Reclamation and Enforcement (OSMRE) or the applicable state agency, this NWP also authorizes any future discharge of dredged or fill material associated with the reversion of the area to its documented prior condition and use (i.e., prior to the restoration, enhancement, or establishment activities). The reversion must occur within five years after expiration of a limited term wetland restoration or establishment agreement or permit, and is authorized in these circumstances even if the discharge occurs after this NWP expires. The five-year reversion limit does not apply to agreements without time limits reached between the landowner and the FWS, NRCS, FSA, NMFS, NOS, USFS, or an appropriate state cooperating agency. This NWP also authorizes discharges of dredged or fill material in waters of the United States for the reversion of wetlands that were restored, enhanced, or established on prior-converted cropland or on uplands, in accordance with a binding agreement between the landowner and NRCS, FSA, FWS, or their designated state cooperating agencies (even though the restoration, enhancement, or establishment activity did not require a section 404 permit). The prior condition will be documented in the original agreement or permit, and the determination of return to prior conditions will be made by the Federal agency or appropriate state agency executing the agreement or permit. Before conducting any reversion activity the permittee or the appropriate Federal or state agency must notify the district engineer and include the documentation of the prior condition. Once an area has reverted to its prior physical condition, it will be subject to whatever the Corps Regulatory requirements are applicable to that type of land at the time. The requirement that the activity results in a net increase in aquatic resource functions and services does not apply to reversion activities meeting the above conditions. Except for the activities described above, this NWP does not authorize any future discharge of dredged or fill material associated with the reversion of the area to its prior condition. In such cases a separate permit would be required for any reversion.

Reporting. For those activities that do not require pre-construction notification, the permittee must submit to the district engineer a copy of: (1) the binding stream enhancement or restoration agreement or wetland enhancement, restoration, or establishment agreement, or a project description, including project plans and location map; (2) the NRCS or USDA Technical Service

Provider documentation for the voluntary stream enhancement or restoration action or wetland restoration, enhancement, or establishment action; or (3) the SMCRA permit issued by OSMRE or the applicable state agency. The report must also include information on baseline ecological conditions on the project site, such as a delineation of wetlands, streams, and/or other aquatic habitats. These documents must be submitted to the district engineer at least 30 days prior to commencing activities in waters of the United States authorized by this NWP.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing any activity (see general condition 32), except for the following activities:

- (1) Activities conducted on non-Federal public lands and private lands, in accordance with the terms and conditions of a binding stream enhancement or restoration agreement or wetland enhancement, restoration, or establishment agreement between the landowner and the FWS, NRCS, FSA, NMFS, NOS, USFS or their designated state cooperating agencies;
- (2) Activities conducted in accordance with the terms and conditions of a binding coral restoration or relocation agreement between the project proponent and the NMFS or any of its designated state cooperating agencies;
- (3) Voluntary stream or wetland restoration or enhancement action, or wetland establishment action, documented by the NRCS or USDA Technical Service Provider pursuant to NRCS Field Office Technical Guide standards; or
- (4) The reclamation of surface coal mine lands, in accordance with an SMCRA permit issued by the OSMRE or the applicable state agency.

However, the permittee must submit a copy of the appropriate documentation to the district engineer to fulfill the reporting requirement. (Authorities: Sections 10 and 404)

Note: This NWP can be used to authorize compensatory mitigation projects, including mitigation banks and in-lieu fee projects. However, this NWP does not authorize the reversion of an area used for a compensatory mitigation project to its prior condition, since compensatory mitigation is generally intended to be permanent.

28. Modifications of Existing Marinas. Reconfiguration of existing docking facilities within an authorized marina area. No dredging, additional slips, dock spaces, or expansion of any kind within waters of the United States is authorized by this NWP. (Authority: Section 10)

29. Residential Developments. Discharges of dredged or fill material into non-tidal waters of the United States for the construction or expansion of a single residence, a multiple unit residential development, or a residential subdivision. This NWP authorizes the construction of building foundations and building pads and attendant features that are necessary for the use of the residence or residential development. Attendant features may include but are not limited to roads, parking lots, garages, yards, utility lines, storm water management facilities, septic fields, and recreation facilities such as playgrounds, playing fields, and golf courses (provided the golf course is an integral part of the residential development).

The discharge must not cause the loss of greater than 1/2-acre of non-tidal waters of the United States. This NWP does not authorize discharges into non-tidal wetlands adjacent to tidal waters.

Subdivisions: For residential subdivisions, the aggregate total loss of waters of United States authorized by this NWP cannot exceed 1/2-acre. This includes any loss of waters of the United States associated with development of individual subdivision lots.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity. (See general condition 32.) (Authorities: Sections 10 and 404)

30. Moist Soil Management for Wildlife. Discharges of dredged or fill material into non-tidal waters of the United States and maintenance activities that are associated with moist soil management for wildlife for the purpose of continuing ongoing, site-specific, wildlife management activities where soil manipulation is used to manage habitat and feeding areas for wildlife. Such activities include, but are not limited to, plowing or discing to impede succession, preparing seed beds, or establishing fire breaks. Sufficient riparian areas must be maintained adjacent to all open water bodies, including streams, to preclude water quality degradation due to erosion and sedimentation. This NWP does not authorize the construction of new dikes, roads, water control structures, or similar features associated with the management areas. The activity must not result in a net loss of aquatic resource functions and services. This NWP does not authorize the conversion of wetlands to uplands, impoundments, or other open water bodies. (Authority: Section 404)

Note: The repair, maintenance, or replacement of existing water control structures or the repair or maintenance of dikes may be authorized by NWP 3. Some such activities may qualify for an exemption under section 404(f) of the Clean Water Act (see 33 CFR 323.4).

31. Maintenance of Existing Flood Control Facilities. Discharges of dredged or fill material resulting from activities associated with the maintenance of existing

flood control facilities, including debris basins, retention/detention basins, levees, and channels that: (i) were previously authorized by the Corps by individual permit, general permit, or 33 CFR 330.3, or did not require a permit at the time they were constructed, or (ii) were constructed by the Corps and transferred to a non-Federal sponsor for operation and maintenance. Activities authorized by this NWP are limited to those resulting from maintenance activities that are conducted within the "maintenance baseline," as described in the definition below. Discharges of dredged or fill materials associated with maintenance activities in flood control facilities in any watercourse that have previously been determined to be within the maintenance baseline are authorized under this NWP. To the extent that a Corps permit is required, this NWP authorizes the removal of vegetation from levees associated with the flood control project. This NWP does not authorize the removal of sediment and associated vegetation from natural water courses except when these activities have been included in the maintenance baseline. All dredged and excavated material must be deposited and retained in an area that has no waters of the United States unless otherwise specifically approved by the district engineer under separate authorization. Proper sediment controls must be used.

Maintenance Baseline: The maintenance baseline is a description of the physical characteristics (e.g., depth, width, length, location, configuration, or design flood capacity, etc.) of a flood control project within which maintenance activities are normally authorized by NWP 31, subject to any case-specific conditions required by the district engineer. The district engineer will approve the maintenance baseline based on the approved or constructed capacity of the flood control facility, whichever is smaller, including any areas where there are no constructed channels but which are part of the facility. The prospective permittee will provide documentation of the physical characteristics of the flood control facility (which will normally consist of as-built or approved drawings) and documentation of the approved and constructed design capacities of the flood control facility. If no evidence of the constructed capacity exists, the approved capacity will be used. The documentation will also include best management practices to ensure that the adverse environmental impacts caused by the maintenance activities are no more than minimal, especially in maintenance areas where there are no constructed channels. (The Corps may request maintenance records in areas where there has not been recent maintenance.) Revocation or modification of the final determination of the maintenance baseline can only be done in accordance with 33 CFR 330.5. Except in emergencies as described below, this NWP cannot be used until the district engineer approves the maintenance baseline and determines the need for mitigation and any regional or activity-specific conditions. Once determined, the maintenance baseline will remain valid for any subsequent reissuance of this NWP. This NWP does not authorize maintenance of a flood control facility that has been abandoned. A flood control facility will be considered abandoned if it has operated at a significantly reduced capacity without needed maintenance being accomplished in a timely manner. A flood control facility will not be considered abandoned if the prospective permittee is in

the process of obtaining other authorizations or approvals required for maintenance activities and is experiencing delays in obtaining those authorizations or approvals.

Mitigation: The district engineer will determine any required mitigation one-time only for impacts associated with maintenance work at the same time that the maintenance baseline is approved. Such one-time mitigation will be required when necessary to ensure that adverse environmental effects are no more than minimal, both individually and cumulatively. Such mitigation will only be required once for any specific reach of a flood control project. However, if one-time mitigation is required for impacts associated with maintenance activities, the district engineer will not delay needed maintenance, provided the district engineer and the permittee establish a schedule for identification, approval, development, construction and completion of any such required mitigation. Once the one-time mitigation described above has been completed, or a determination made that mitigation is not required, no further mitigation will be required for maintenance activities within the maintenance baseline (see Note, below). In determining appropriate mitigation, the district engineer will give special consideration to natural water courses that have been included in the maintenance baseline and require mitigation and/or best management practices as appropriate.

Emergency Situations: In emergency situations, this NWP may be used to authorize maintenance activities in flood control facilities for which no maintenance baseline has been approved. Emergency situations are those which would result in an unacceptable hazard to life, a significant loss of property, or an immediate, unforeseen, and significant economic hardship if action is not taken before a maintenance baseline can be approved. In such situations, the determination of mitigation requirements, if any, may be deferred until the emergency has been resolved. Once the emergency has ended, a maintenance baseline must be established expeditiously, and mitigation, including mitigation for maintenance conducted during the emergency, must be required as appropriate.

Notification: The permittee must submit a pre-construction notification to the district engineer before any maintenance work is conducted (see general condition 32). The pre-construction notification may be for activity-specific maintenance or for maintenance of the entire flood control facility by submitting a five-year (or less) maintenance plan. The pre-construction notification must include a description of the maintenance baseline and the disposal site for dredged or excavated material. (Authorities: Sections 10 and 404)

Note: If the maintenance baseline was approved by the district engineer under a prior version of NWP 31, and the district engineer imposed the one-time compensatory mitigation requirement on maintenance for a specific reach of a flood control project authorized by that prior version of NWP 31, during the period

this version of NWP 31 is in effect (*insert applicable dates based on final NWPs*) the district engineer will not require additional compensatory mitigation for maintenance activities authorized by this NWP in that specific reach of the flood control project.

32. Completed Enforcement Actions. Any structure, work, or discharge of dredged or fill material remaining in place or undertaken for mitigation, restoration, or environmental benefit in compliance with either:

(i) The terms of a final written Corps non-judicial settlement agreement resolving a violation of Section 404 of the Clean Water Act and/or section 10 of the Rivers and Harbors Act of 1899; or the terms of an EPA 309(a) order on consent resolving a violation of section 404 of the Clean Water Act, provided that:

(a) The activities authorized by this NWP cannot adversely affect more than 5 acres of non-tidal waters or 1 acre of tidal waters;

(b) The settlement agreement provides for environmental benefits, to an equal or greater degree, than the environmental detriments caused by the unauthorized activity that is authorized by this NWP; and

(c) The district engineer issues a verification letter authorizing the activity subject to the terms and conditions of this NWP and the settlement agreement, including a specified completion date; or

(ii) The terms of a final Federal court decision, consent decree, or settlement agreement resulting from an enforcement action brought by the United States under section 404 of the Clean Water Act and/or Section 10 of the Rivers and Harbors Act of 1899; or

(iii) The terms of a final court decision, consent decree, settlement agreement, or non-judicial settlement agreement resulting from a natural resource damage claim brought by a trustee or trustees for natural resources (as defined by the National Contingency Plan at 40 CFR subpart G) under Section 311 of the Clean Water Act, Section 107 of the Comprehensive Environmental Response, Compensation and Liability Act, Section 312 of the National Marine Sanctuaries Act, section 1002 of the Oil Pollution Act of 1990, or the Park System Resource Protection Act at 16 U.S.C. 19jj, to the extent that a Corps permit is required.

Compliance is a condition of the NWP itself; non-compliance of the terms and conditions of an NWP 32 authorization may result in an additional enforcement action (e.g., a Class I civil administrative penalty). Any authorization under this NWP is automatically revoked if the permittee does not comply with the terms of this NWP or the terms of the court decision, consent decree, or judicial/non-judicial settlement agreement. This NWP does not apply to any activities occurring after the date of the decision, decree, or agreement that are not for the

purpose of mitigation, restoration, or environmental benefit. Before reaching any settlement agreement, the Corps will ensure compliance with the provisions of 33 CFR part 326 and 33 CFR 330.6(d)(2) and (e). (Authorities: Sections 10 and 404)

33. Temporary Construction, Access, and Dewatering. Temporary structures, work, and discharges, including cofferdams, necessary for construction activities or access fills or dewatering of construction sites, provided that the associated primary activity is authorized by the Corps of Engineers or the U.S. Coast Guard. This NWP also authorizes temporary structures, work, and discharges, including cofferdams, necessary for construction activities not otherwise subject to the Corps or U.S. Coast Guard permit requirements. Appropriate measures must be taken to maintain near normal downstream flows and to minimize flooding. Fill must consist of materials, and be placed in a manner, that will not be eroded by expected high flows. The use of dredged material may be allowed if the district engineer determines that it will not cause more than minimal adverse environmental effects. Following completion of construction, temporary fill must be entirely removed to an area that has no waters of the United States, dredged material must be returned to its original location, and the affected areas must be restored to pre-construction elevations. The affected areas must also be revegetated, as appropriate. This permit does not authorize the use of cofferdams to dewater wetlands or other aquatic areas to change their use. Structures left in place after construction is completed require a separate section 10 permit if located in navigable waters of the United States. (See 33 CFR part 322.)

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity if the activity is conducted in navigable waters of the United States (i.e., section 10 waters) (see general condition 32). The pre-construction notification must include a restoration plan showing how all temporary fills and structures will be removed and the area restored to pre-project conditions. (Authorities: Sections 10 and 404)

34. Cranberry Production Activities. Discharges of dredged or fill material for dikes, berms, pumps, water control structures or leveling of cranberry beds associated with expansion, enhancement, or modification activities at existing cranberry production operations. The cumulative total acreage of disturbance per cranberry production operation, including but not limited to, filling, flooding, ditching, or clearing, must not exceed 10 acres of waters of the United States, including wetlands. The activity must not result in a net loss of wetland acreage. This NWP does not authorize any discharge of dredged or fill material related to other cranberry production activities such as warehouses, processing facilities, or parking areas. For the purposes of this NWP, the cumulative total of 10 acres will be measured over the period that this NWP is valid.

Notification: The permittee must submit a pre-construction notification to the district engineer once during the period that this NWP is valid, and the NWP will

then authorize discharges of dredge or fill material at an existing operation for the permit term, provided the 10-acre limit is not exceeded. (See general condition 32.) (Authority: Section 404)

35. Maintenance Dredging of Existing Basins. The removal of accumulated sediment for maintenance of existing marina basins, access channels to marinas or boat slips, and boat slips to previously authorized depths or controlling depths for ingress/egress, whichever is less. All dredged material must be deposited and retained in an area that has no waters of the United States unless otherwise specifically approved by the district engineer under separate authorization. Proper sediment controls must be used for the disposal site. (Authority: Section 10)

36. Boat Ramps. Activities required for the construction of boat ramps, provided the activity meets all of the following criteria:

(a) The discharge into waters of the United States does not exceed 50 cubic yards of concrete, rock, crushed stone or gravel into forms, or in the form of pre-cast concrete planks or slabs, unless the district engineer waives the 50 cubic yard limit by making a written determination concluding that the discharge will result in no more than minimal adverse environmental effects;

(b) The boat ramp does not exceed 20 feet in width, unless the district engineer waives this criterion by making a written determination concluding that the discharge will result in no more than minimal adverse environmental effects;

(c) The base material is crushed stone, gravel or other suitable material;

(d) The excavation is limited to the area necessary for site preparation and all excavated material is removed to an area that has no waters of the United States; and,

(e) No material is placed in special aquatic sites, including wetlands.

The use of unsuitable material that is structurally unstable is not authorized. If dredging in navigable waters of the United States is necessary to provide access to the boat ramp, the dredging must be authorized by another NWP, a regional general permit, or an individual permit.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity if: (1) The discharge into waters of the United States exceeds 50 cubic yards, or (2) the boat ramp exceeds 20 feet in width. (See general condition 32.) (Authorities: Sections 10 and 404)

37. Emergency Watershed Protection and Rehabilitation. Work done by or funded by:

(a) The Natural Resources Conservation Service for a situation requiring immediate action under its emergency Watershed Protection Program (7 CFR part 624);

(b) The U.S. Forest Service under its Burned-Area Emergency Rehabilitation Handbook (FSH 2509.13);

(c) The Department of the Interior for wildland fire management burned area emergency stabilization and rehabilitation (DOI Manual part 620, Ch. 3);

(d) The Office of Surface Mining, or states with approved programs, for abandoned mine land reclamation activities under Title IV of the Surface Mining Control and Reclamation Act (30 CFR subchapter R), where the activity does not involve coal extraction; or

(e) The Farm Service Agency under its Emergency Conservation Program (7 CFR part 701).

In general, the permittee should wait until the district engineer issues an NWP verification or 45 calendar days have passed before proceeding with the watershed protection and rehabilitation activity. However, in cases where there is an unacceptable hazard to life or a significant loss of property or economic hardship will occur, the emergency watershed protection and rehabilitation activity may proceed immediately and the district engineer will consider the information in the pre-construction notification and any comments received as a result of agency coordination to decide whether the NWP 37 authorization should be modified, suspended, or revoked in accordance with the procedures at 33 CFR 330.5.

Notification: Except in cases where there is an unacceptable hazard to life or a significant loss of property or economic hardship will occur, the permittee must submit a pre-construction notification to the district engineer prior to commencing the activity (see general condition 32). (Authorities: Sections 10 and 404)

38. Cleanup of Hazardous and Toxic Waste. Specific activities required to effect the containment, stabilization, or removal of hazardous or toxic waste materials that are performed, ordered, or sponsored by a government agency with established legal or regulatory authority. Court ordered remedial action plans or related settlements are also authorized by this NWP. This NWP does not authorize the establishment of new disposal sites or the expansion of existing sites used for the disposal of hazardous or toxic waste.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity. (See general condition 32.) (Authorities: Sections 10 and 404)

Note: Activities undertaken entirely on a Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA) site by authority of CERCLA as approved or required by EPA, are not required to obtain permits under Section 404 of the Clean Water Act or Section 10 of the Rivers and Harbors Act.

39. Commercial and Institutional Developments. Discharges of dredged or fill material into non-tidal waters of the United States for the construction or expansion of commercial and institutional building foundations and building pads and attendant features that are necessary for the use and maintenance of the structures. Attendant features may include, but are not limited to, roads, parking lots, garages, yards, utility lines, storm water management facilities, wastewater treatment facilities, and recreation facilities such as playgrounds and playing fields. Examples of commercial developments include retail stores, industrial facilities, restaurants, business parks, and shopping centers. Examples of institutional developments include schools, fire stations, government office buildings, judicial buildings, public works buildings, libraries, hospitals, and places of worship. The construction of new golf courses and new ski areas is not authorized by this NWP.

The discharge must not cause the loss of greater than 1/2-acre of non-tidal waters of the United States. This NWP does not authorize discharges into non-tidal wetlands adjacent to tidal waters.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity. (See general condition 32.) (Authorities: Sections 10 and 404)

Note: For any activity that involves the construction of a wind energy generating structure, solar tower, or overhead transmission line, a copy of the PCN and NWP verification will be provided by the Corps to the Department of Defense Siting Clearinghouse, which will evaluate potential effects on military activities.

40. Agricultural Activities. Discharges of dredged or fill material into non-tidal waters of the United States for agricultural activities, including the construction of building pads for farm buildings. Authorized activities include the installation, placement, or construction of drainage tiles, ditches, or levees; mechanized land clearing; land leveling; the relocation of existing serviceable drainage ditches constructed in waters of the United States; and similar activities.

This NWP also authorizes the construction of farm ponds in non-tidal waters of the United States, excluding perennial streams, provided the farm pond is used solely for agricultural purposes. This NWP does not authorize the construction of aquaculture ponds.

This NWP also authorizes discharges of dredged or fill material into non-tidal waters of the United States to relocate existing serviceable drainage ditches constructed in non-tidal streams.

The discharge must not cause the loss of greater than 1/2-acre of non-tidal waters of the United States. This NWP does not authorize discharges into non-tidal wetlands adjacent to tidal waters.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity. (See general condition 32.) (Authority: Section 404)

Note: Some discharges for agricultural activities may qualify for an exemption under Section 404(f) of the Clean Water Act (see 33 CFR 323.4). This NWP authorizes the construction of farm ponds that do not qualify for the Clean Water Act section 404(f)(1)(C) exemption because of the recapture provision at section 404(f)(2).

41. Reshaping Existing Drainage and Irrigation Ditches. Discharges of dredged or fill material into non-tidal waters of the United States, excluding non-tidal wetlands adjacent to tidal waters, to modify the cross-sectional configuration of currently serviceable drainage and irrigation ditches constructed in waters of the United States, for the purpose of improving water quality by regrading the drainage or irrigation ditch with gentler slopes, which can reduce erosion, increase growth of vegetation, and increase uptake of nutrients and other substances by vegetation. The reshaping of the drainage ditch cannot increase drainage capacity beyond the original as-built capacity nor can it expand the area drained by the drainage ditch as originally constructed (i.e., the capacity of the drainage ditch must be the same as originally constructed and it cannot drain additional wetlands or other waters of the United States). Compensatory mitigation is not required because the work is designed to improve water quality.

This NWP does not authorize the relocation of drainage or irrigation ditches constructed in waters of the United States; the location of the centerline of the reshaped drainage or irrigation ditch must be approximately the same as the location of the centerline of the original drainage or irrigation ditch. This NWP does not authorize stream channelization or stream relocation projects. (Authority: Section 404)

42. Recreational Facilities. Discharges of dredged or fill material into non-tidal waters of the United States for the construction or expansion of recreational facilities. Examples of recreational facilities that may be authorized by this NWP include playing fields (e.g., football fields, baseball fields), basketball courts, tennis courts, hiking trails, bike paths, golf courses, ski areas, horse paths, nature centers, and campgrounds (excluding recreational vehicle parks). This NWP also authorizes the construction or expansion of small support facilities,

such as maintenance and storage buildings and stables that are directly related to the recreational activity, but it does not authorize the construction of hotels, restaurants, racetracks, stadiums, arenas, or similar facilities.

The discharge must not cause the loss of greater than 1/2-acre of non-tidal waters of the United States. This NWP does not authorize discharges into non-tidal wetlands adjacent to tidal waters.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity. (See general condition 32.) (Authority: Section 404)

43. Stormwater Management Facilities. Discharges of dredged or fill material into non-tidal waters of the United States for the construction of stormwater management facilities, including stormwater detention basins and retention basins and other stormwater management facilities; the construction of water control structures, outfall structures and emergency spillways; the construction of low impact development integrated management features such as bioretention facilities (e.g., rain gardens), vegetated filter strips, grassed swales, and infiltration trenches; and the construction of pollutant reduction green infrastructure features designed to reduce inputs of sediments, nutrients, and other pollutants into waters, such as features needed to meet reduction targets established under Total Daily Maximum Loads set under the Clean Water Act.

This NWP authorizes, to the extent that a section 404 permit is required, discharges of dredged or fill material into non-tidal waters of the United States for the maintenance of stormwater management facilities, low impact development integrated management features, and pollutant reduction green infrastructure features. The maintenance of stormwater management facilities, low impact development integrated management features, and pollutant reduction green infrastructure features that are not waters of the United States does not require a section 404 permit.

The discharge must not cause the loss of greater than 1/2-acre of non-tidal waters of the United States. This NWP does not authorize discharges into non-tidal wetlands adjacent to tidal waters. This NWP does not authorize discharges of dredged or fill material for the construction of new stormwater management facilities in perennial streams.

Notification: For discharges into non-tidal waters of the United States for the construction of new stormwater management facilities or pollutant reduction green infrastructure features, or the expansion of existing stormwater management facilities or pollutant reduction green infrastructure features, the permittee must submit a pre-construction notification to the district engineer prior to commencing the activity. (See general condition 32.) Maintenance activities do not require pre-construction notification if they are limited to restoring the original

design capacities of the stormwater management facility or pollutant reduction green infrastructure feature. (Authority: Section 404)

44. Mining Activities. Discharges of dredged or fill material into non-tidal waters of the United States for mining activities, except for coal mining activities, provided the activity meets all of the following criteria:

(a) For mining activities involving discharges of dredged or fill material into non-tidal wetlands, the discharge must not cause the loss of greater than 1/2-acre of non-tidal wetlands;

(b) For mining activities involving discharges of dredged or fill material in non-tidal open waters (e.g., rivers, streams, lakes, and ponds) or work in non-tidal navigable waters of the United States (i.e., section 10 waters), the mined area, including permanent and temporary impacts due to discharges of dredged or fill material into jurisdictional waters, must not exceed 1/2-acre; and

(c) The acreage loss under paragraph (a) plus the acreage impact under paragraph (b) does not exceed 1/2-acre.

This NWP does not authorize discharges into non-tidal wetlands adjacent to tidal waters.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity. (See general condition 32.) If reclamation is required by other statutes, then a copy of the final reclamation plan must be submitted with the pre-construction notification. (Authorities: Sections 10 and 404)

45. Repair of Uplands Damaged by Discrete Events. This NWP authorizes discharges of dredged or fill material, including dredging or excavation, into all waters of the United States for activities associated with the restoration of upland areas damaged by storms, floods, or other discrete events. This NWP authorizes bank stabilization to protect the restored uplands. The restoration of the damaged areas, including any bank stabilization, must not exceed the contours, or ordinary high water mark, that existed before the damage occurred. The district engineer retains the right to determine the extent of the pre-existing conditions and the extent of any restoration work authorized by this NWP. The work must commence, or be under contract to commence, within two years of the date of damage, unless this condition is waived in writing by the district engineer. This NWP cannot be used to reclaim lands lost to normal erosion processes over an extended period.

This NWP does not authorize beach restoration or nourishment.

Minor dredging is limited to the amount necessary to restore the damaged upland area and should not significantly alter the pre-existing bottom contours of the waterbody.

Notification: The permittee must submit a pre-construction notification to the district engineer (see general condition 32) within 12 months of the date of the damage; for major storms, floods, or other discrete events, the district engineer may waive the 12-month limit for submitting a pre-construction notification if the permittee can demonstrate funding, contract, or other similar delays. The pre-construction notification must include documentation, such as a recent topographic survey or photographs, to justify the extent of the proposed restoration. (Authorities: Sections 10 and 404)

Note: The uplands themselves that are lost as a result of a storm, flood, or other discrete event can be replaced without a section 404 permit, if the uplands are restored to the ordinary high water mark (in non-tidal waters) or high tide line (in tidal waters). (See also 33 CFR 328.5.) This NWP authorizes discharges of dredged or fill material into waters of the United States associated with the restoration of uplands.

46. Discharges in Ditches. Discharges of dredged or fill material into non-tidal ditches that are: (1) constructed in uplands, (2) receive water from an area determined to be a water of the United States prior to the construction of the ditch, (3) divert water to an area determined to be a water of the United States prior to the construction of the ditch, and (4) determined to be waters of the United States. The discharge must not cause the loss of greater than one acre of waters of the United States.

This NWP does not authorize discharges of dredged or fill material into ditches constructed in streams or other waters of the United States, or in streams that have been relocated in uplands. This NWP does not authorize discharges of dredged or fill material that increase the capacity of the ditch and drain those areas determined to be waters of the United States prior to construction of the ditch.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity. (See general condition 32.) (Authority: Section 404)

47. [Reserved]

48. Commercial Shellfish Mariculture Activities. Discharges of dredged or fill material into waters of the United States or structures or work in navigable waters of the United States necessary for new and continuing commercial shellfish mariculture operations in authorized project areas. For the purposes of this NWP, the project area is the area in which the operator is authorized to conduct

commercial shellfish mariculture activities, as identified through a lease or permit issued by an appropriate state or local government agency, a treaty, or any easement, lease, deed, contract, or other legally binding agreement that establishes an enforceable property interest for the operator.

This NWP authorizes the installation of buoys, floats, racks, trays, nets, lines, tubes, containers, and other structures into navigable waters of the United States. This NWP also authorizes discharges of dredged or fill material into waters of the United States necessary for shellfish seeding, rearing, cultivating, transplanting, and harvesting activities. Rafts and other floating structures must be securely anchored and clearly marked.

This NWP does not authorize:

(a) The cultivation of a nonindigenous species unless that species has been previously cultivated in the waterbody;

(b) The cultivation of an aquatic nuisance species as defined in the Nonindigenous Aquatic Nuisance Prevention and Control Act of 1990; or

(c) Attendant features such as docks, piers, boat ramps, stockpiles, or staging areas, or the deposition of shell material back into waters of the United States as waste.

(Authorities: Sections 10 and 404)

Note 1: The permittee should notify the applicable U.S. Coast Guard office regarding the project.

Note 2: To prevent introduction of aquatic nuisance species, no material that has been taken from a different waterbody may be reused in the current project area, unless it has been treated in accordance with the applicable regional aquatic nuisance species management plan.

Note 3: The Nonindigenous Aquatic Nuisance Prevention and Control Act of 1990 defines “aquatic nuisance species” as “a nonindigenous species that threatens the diversity or abundance of native species or the ecological stability of infested waters, or commercial, agricultural, aquacultural, or recreational activities dependent on such waters.”

49. Coal Remining Activities. Discharges of dredged or fill material into non-tidal waters of the United States associated with the remining and reclamation of lands that were previously mined for coal. The activities must already be authorized, or they must currently be in process by the Department of the Interior Office of Surface Mining Reclamation and Enforcement, or by states with

approved programs under Title IV or Title V of the Surface Mining Control and Reclamation Act of 1977 (SMCRA). Areas previously mined include reclaimed mine sites, abandoned mine land areas, or lands under bond forfeiture contracts.

As part of the project, the permittee may conduct new coal mining activities in conjunction with the remining activities when he or she clearly demonstrates to the district engineer that the overall mining plan will result in a net increase in aquatic resource functions. The Corps will consider the SMCRA agency's decision regarding the amount of currently undisturbed adjacent lands needed to facilitate the remining and reclamation of the previously mined area. The total area disturbed by new mining must not exceed 40 percent of the total acreage covered by both the remined area and the additional area necessary to carry out the reclamation of the previously mined area.

Notification: The permittee must submit a pre-construction notification and a document describing how the overall mining plan will result in a net increase in aquatic resource functions to the district engineer. (See general condition 32.) (Authorities: Sections 10 and 404)

50. Underground Coal Mining Activities. Discharges of dredged or fill material into non-tidal waters of the United States associated with underground coal mining and reclamation operations provided the activities are authorized, or are currently being processed by the Department of the Interior, Office of Surface Mining Reclamation and Enforcement, or by states with approved programs under Title V of the Surface Mining Control and Reclamation Act of 1977.

The discharge must not cause the loss of greater than 1/2-acre of non-tidal waters of the United States. This NWP does not authorize discharges into non-tidal wetlands adjacent to tidal waters. This NWP does not authorize coal preparation and processing activities outside of the mine site.

Notification: The permittee must submit a pre-construction notification to the district engineer. (See general condition 32.) If reclamation is required by other statutes, then a copy of the reclamation plan must be submitted with the pre-construction notification. (Authorities: Sections 10 and 404)

51. Land-Based Renewable Energy Generation Facilities. Discharges of dredged or fill material into non-tidal waters of the United States for the construction, expansion, or modification of land-based renewable energy production facilities, including attendant features. Such facilities include infrastructure to collect solar (concentrating solar power and photovoltaic), wind, biomass, or geothermal energy. Attendant features may include, but are not limited to roads, parking lots, and stormwater management facilities within the land-based renewable energy generation facility.

The discharge must not cause the loss of greater than 1/2-acre of non-tidal waters of the United States. This NWP does not authorize discharges into non-tidal wetlands adjacent to tidal waters.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity if the discharge results in the loss of greater than 1/10-acre of waters of the United States. (See general condition 32.) (Authorities: Sections 10 and 404)

Note 1: Utility lines constructed to transfer the energy from the land-based renewable energy generation facility to a distribution system, regional grid, or other facility are generally considered to be linear projects and each separate and distant crossing of a waterbody is eligible for treatment as a separate single and complete linear project. Those utility lines may be authorized by NWP C or another Department of the Army authorization.

Note 2: If the only activities associated with the construction, expansion, or modification of a land-based renewable energy generation facility that require Department of the Army authorization are discharges of dredged or fill material into waters of the United States to construct, maintain, repair, and/or remove utility lines and/or road crossings, then NWP C and/or NWP 14 shall be used if those activities meet the terms and conditions of NWPs C and 14, including any applicable regional conditions and any case-specific conditions imposed by the district engineer.

Note 3: For any activity that involves the construction of a wind energy generating structure, solar tower, or overhead transmission line, a copy of the PCN and NWP verification will be provided by the Corps to the Department of Defense Siting Clearinghouse, which will evaluate potential effects on military activities.

52. Water-Based Renewable Energy Generation Pilot Projects. Structures and work in navigable waters of the United States and discharges of dredged or fill material into waters of the United States for the construction, expansion, modification, or removal of water-based wind, water-based solar, wave energy, or hydrokinetic renewable energy generation pilot projects and their attendant features. Attendant features may include, but are not limited to, land-based collection and distribution facilities, control facilities, roads, parking lots, and stormwater management facilities.

For the purposes of this NWP, the term “pilot project” means an experimental project where the water-based renewable energy generation units will be monitored to collect information on their performance and environmental effects at the project site.

The placement of a transmission line on the bed of a navigable water of the United States from the renewable energy generation unit(s) to a land-based collection and distribution facility is considered a structure under Section 10 of the Rivers and Harbors Act of 1899 (see 33 CFR 322.2(b)), and the placement of the transmission line on the bed of a navigable water of the United States is not a loss of waters of the United States for the purposes of applying the 1/2-acre limit.

For each single and complete project, no more than 10 generation units (e.g., wind turbines, wave energy devices, or hydrokinetic devices) are authorized. For floating solar panels in navigable waters of the United States, each single and complete project cannot exceed 1/2-acre in water surface area covered by the floating solar panels.

This NWP does not authorize activities in coral reefs. Structures in an anchorage area established by the U.S. Coast Guard must comply with the requirements in 33 CFR 322.5(l)(2). Structures may not be placed in established danger zones or restricted areas designated in 33 CFR part 334, Federal navigation channels, shipping safety fairways or traffic separation schemes established by the U.S. Coast Guard (see 33 CFR 322.5(l)(1)), or EPA or Corps designated open water dredged material disposal areas.

Upon completion of the pilot project, the generation units, transmission lines, and other structures or fills associated with the pilot project must be removed to the maximum extent practicable unless they are authorized by a separate Department of the Army authorization, such as another NWP, an individual permit, or a regional general permit. Completion of the pilot project will be identified as the date of expiration of the Federal Energy Regulatory Commission (FERC) license, or the expiration date of the NWP authorization if no FERC license is required.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity. (See general condition 32.) (Authorities: Sections 10 and 404)

Note 1: Utility lines constructed to transfer the energy from the land-based collection facility to a distribution system, regional grid, or other facility are generally considered to be linear projects and each separate and distant crossing of a waterbody is eligible for treatment as a separate single and complete linear project. Those utility lines may be authorized by NWP 12 or another Department of the Army authorization.

Note 2: An activity that is located on an existing locally or federally maintained U.S. Army Corps of Engineers project requires separate review and/or approval from the Corps under 33 U.S.C. 408.

Note 3: If the pilot project generation units, including any transmission lines, are placed in navigable waters of the United States (i.e., section 10 waters) within the coastal United States, the Great Lakes, and United States territories, copies of the NWP verification will be sent by the Corps to the National Oceanic and Atmospheric Administration, National Ocean Service, for charting the generation units and associated transmission line(s) to protect navigation.

Note 4: Hydrokinetic renewable energy generation projects that require authorization by the Federal Energy Regulatory Commission under the Federal Power Act of 1920 do not require separate authorization from the Corps under section 10 of the Rivers and Harbors Act of 1899.

Note 5: For any activity that involves the construction of a wind energy generating structure, solar tower, or overhead transmission line, a copy of the PCN and NWP verification will be provided by the Corps to the Department of Defense Siting Clearinghouse, which will evaluate potential effects on military activities.

53. Removal of Low-Head Dams. Structures and work in navigable waters of the United States and discharges of dredged or fill material into waters of the United States associated with the removal of low-head dams.

For the purposes of this NWP, the term “low-head dam” is defined as a dam built across a stream to pass flows from upstream over all, or nearly all, of the width of the dam crest on a continual and uncontrolled basis. (During a drought, there might not be water flowing over the dam crest.) In general, a low-head dam does not have a separate spillway or spillway gates but it may have an uncontrolled spillway. The dam crest is the top of the dam from left abutment to right abutment, and if present, an uncontrolled spillway. A low-head dam provides little storage function.

The removed low-head dam structure must be deposited and retained in an area that has no waters of the United States unless otherwise specifically approved by the district engineer under separate authorization.

Because the removal of the low-head dam will result in a net increase in ecological functions and services provided by the stream, as a general rule compensatory mitigation is not required for activities authorized by this NWP. However, the district engineer may determine for a particular low-head dam removal activity that compensatory mitigation is necessary to ensure that the authorized activity results in no more than minimal adverse environmental effects.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity. (See general condition 32.) (Authorities: Sections 10 and 404)

Note: This NWP does not authorize discharges of dredged or fill material into waters of the United States or structures or work in navigable waters to restore the stream in the vicinity of the low-head dam, including the former impoundment area. Nationwide permit 27 or other Department of the Army permits may authorize such activities. This NWP does not authorize discharges of dredged or fill material into waters of the United States or structures or work in navigable waters to stabilize stream banks. Bank stabilization activities may be authorized by NWP 13 or other Department of the Army permits.

54. Living Shorelines. Structures and work in navigable waters of the United States and discharges of dredged or fill material into waters of the United States for the construction and maintenance of living shorelines to stabilize banks and shores in coastal waters, which includes the Great Lakes, along shores with small fetch and gentle slopes that are subject to low- to mid-energy waves. A living shoreline has a footprint that is made up mostly of native material. It incorporates vegetation or other living, natural “soft” elements alone or in combination with some type of harder shoreline structure (e.g., oyster or mussel reefs or rock sills) for added protection and stability. Living shorelines should maintain the natural continuity of the land-water interface, and retain or enhance shoreline ecological processes. Living shorelines must have a substantial biological component, either tidal or lacustrine fringe wetlands or oyster or mussel reef structures. The following conditions must be met:

- (a) The structures and fill area, including sand fills, sills, breakwaters, or reefs, cannot extend into the waterbody more than 30 feet from the mean low water line in tidal waters or the ordinary high water mark in the Great Lakes, unless the district engineer waives this criterion by making a written determination concluding that the activity will result in no more than minimal adverse environmental effects;
- (b) The activity is no more than 500 feet in length along the bank, unless the district engineer waives this criterion by making a written determination concluding that the activity will result in no more than minimal adverse environmental effects;
- (c) Coir logs, coir mats, stone, native oyster shell, native wood debris, and other structural materials must be adequately anchored, of sufficient weight, or installed in a manner that prevents relocation in most wave action or water flow conditions, except for extremely severe storms;
- (d) For living shorelines consisting of tidal or lacustrine fringe wetlands, native plants appropriate for current site conditions, including salinity, must be used if the site is planted by the permittee;

(e) Discharges of dredged or fill material into waters of the United States, and oyster or mussel reef structures in navigable waters, must be the minimum necessary for the establishment and maintenance of the living shoreline;

(f) If sills, breakwaters, or other structures must be constructed to protect fringe wetlands for the living shoreline, those structures must be the minimum size necessary to protect those fringe wetlands;

(g) The activity must be designed, constructed, and maintained so that it has no more than minimal adverse effects on water movement between the waterbody and the shore and the movement of aquatic organisms between the waterbody and the shore; and

(h) The living shoreline must be properly maintained, which may require periodic repair of sills, breakwaters, or reefs, or replacing sand fills after severe storms or erosion events. Vegetation may be replanted to maintain the living shoreline. This NWP authorizes those maintenance and repair activities, including any minor deviations necessary to address changing environmental conditions.

This NWP does not authorize beach nourishment or land reclamation activities.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the construction of the living shoreline. (See general condition 32.) The pre-construction notification must include a delineation of special aquatic sites (see paragraph (b)(4) of general condition 32). Pre-construction notification is not required for maintenance and repair activities for living shorelines unless required by applicable NWP general conditions or regional conditions. (Authorities: Sections 10 and 404)

Note: In waters outside of coastal waters, nature-based bank stabilization techniques, such as bioengineering and vegetative stabilization, may be authorized by NWP 13.

A. Seaweed Mariculture Activities. Structures or work in marine waters, including structures anchored to the seabed in waters overlying the outer continental shelf, for seaweed mariculture activities. This NWP also authorizes shellfish mariculture if shellfish production is a component of an integrated multi-trophic mariculture system (e.g., the production of seaweed and shellfish on the same structure or a nearby mariculture structure that is part of the single and complete project).

This NWP authorizes the installation of buoys, long-lines, floats, anchors, rafts, racks, and other similar structures into navigable waters of the United States. Rafts, racks and other floating structures must be securely anchored and clearly marked.

Structures in an anchorage area established by the U.S. Coast Guard must comply with the requirements in 33 CFR 322.5(l)(2). Structures may not be placed in established danger zones or restricted areas designated in 33 CFR part 334, Federal navigation channels, shipping safety fairways or traffic separation schemes established by the U.S. Coast Guard (see 33 CFR 322.5(l)(1)), or EPA or Corps designated open water dredged material disposal areas.

This NWP does not authorize:

(a) The cultivation of an aquatic nuisance species as defined in the Nonindigenous Aquatic Nuisance Prevention and Control Act of 1990; or

(b) Attendant features such as docks, piers, boat ramps, stockpiles, or staging areas.

Notification: The permittee must submit a pre-construction notification to the district engineer. (See general condition 32.)

In addition to the information required by paragraph (b) of general condition 32, the preconstruction notification must also include the following information: (1) a map showing the locations and dimensions of the structure(s); (2) the name(s) of the species that will be cultivated during the period this NWP is in effect; and (3) general water depths in the project area(s) (a detailed survey is not required). No more than one pre-construction notification per structure or group of structures should be submitted for the seaweed mariculture operation during the effective period of this NWP. The pre-construction notification should describe all species and culture activities the operator expects to undertake during the effective period of this NWP. (Authority: Section 10)

Note 1: The permittee should notify the applicable U.S. Coast Guard office regarding the project.

Note 2: To prevent introduction of aquatic nuisance species, no material that has been taken from a different waterbody may be reused in the current project area, unless it has been treated in accordance with the applicable regional aquatic nuisance species management plan.

Note 3: The Nonindigenous Aquatic Nuisance Prevention and Control Act of 1990 defines "aquatic nuisance species" as "a nonindigenous species that threatens the diversity or abundance of native species or the ecological stability of infested waters, or commercial, agricultural, aquacultural, or recreational activities dependent on such waters."

B. Finfish Mariculture Activities. Structures or work in marine and estuarine waters, including structures anchored to the seabed in waters overlying the outer continental shelf, for finfish mariculture activities. This NWP also authorizes

shellfish mariculture and/or seaweed mariculture if the shellfish and/or seaweed production are a component of an integrated multi-trophic mariculture system (e.g., the production of seaweed or shellfish on the structure used for finfish mariculture, or a nearby mariculture structure that is part of the single and complete project).

This NWP authorizes the installation of cages, net pens, anchors, floats, buoys, and other similar structures into navigable waters of the United States. Net pens, cages, and other floating structures must be securely anchored and clearly marked.

This NWP does not authorize the construction of land-based fish hatcheries or other attendant features.

Structures in an anchorage area established by the U.S. Coast Guard must comply with the requirements in 33 CFR 322.5(l)(2). Structures may not be placed in established danger zones or restricted areas designated in 33 CFR part 334, Federal navigation channels, shipping safety fairways or traffic separation schemes established by the U.S. Coast Guard (see 33 CFR 322.5(l)(1)), or EPA or Corps designated open water dredged material disposal areas.

This NWP does not authorize:

(a) The cultivation of an aquatic nuisance species as defined in the Nonindigenous Aquatic Nuisance Prevention and Control Act of 1990; or

(b) Attendant features such as docks, piers, boat ramps, stockpiles, or staging areas.

Notification: The permittee must submit a pre-construction notification to the district engineer. (See general condition 32.)

In addition to the information required by paragraph (b) of general condition 32, the pre-construction notification must also include the following information: (1) a map showing the locations and dimensions of the structure(s); (2) the name(s) of the species that will be cultivated during the period this NWP is in effect; and (3) general water depths in the project area(s) (a detailed survey is not required). No more than one pre-construction notification per structure or group of structures should be submitted for the finfish mariculture operation during the effective period of this NWP. The pre-construction notification should describe all species and culture activities the operator expects to undertake during the effective period of this NWP. (Authority: Section 10)

Note 1: The permittee should notify the applicable U.S. Coast Guard office regarding the finfish mariculture activity.

Note 2: To prevent introduction of aquatic nuisance species, no material that has been taken from a different waterbody may be reused in the current project area, unless it has been treated in accordance with the applicable regional aquatic nuisance species management plan.

Note 3: The Nonindigenous Aquatic Nuisance Prevention and Control Act of 1990 defines “aquatic nuisance species” as “a nonindigenous species that threatens the diversity or abundance of native species or the ecological stability of infested waters, or commercial, agricultural, aquacultural, or recreational activities dependent on such waters.”

C. Electric Utility Line and Telecommunications Activities. Activities required for the construction, maintenance, repair, and removal of electric utility lines, telecommunication lines, and associated facilities in waters of the United States, provided the activity does not result in the loss of greater than 1/2-acre of waters of the United States for each single and complete project.

Electric utility lines and telecommunication lines: This NWP authorizes discharges of dredged or fill material into waters of the United States and structures or work in navigable waters for crossings of those waters associated with the construction, maintenance, or repair of electric utility lines and telecommunication lines. There must be no change in pre-construction contours of waters of the United States. An “electric utility line and telecommunication line” is defined as any cable, line, or wire for the transmission for any purpose of electrical energy, telephone, and telegraph messages, and internet, radio, and television communication.

Material resulting from trench excavation may be temporarily sidecast into waters of the United States for no more than three months, provided the material is not placed in such a manner that it is dispersed by currents or other forces. The district engineer may extend the period of temporary side casting for no more than a total of 180 days, where appropriate. In wetlands, the top 6 to 12 inches of the trench should normally be backfilled with topsoil from the trench. The trench cannot be constructed or backfilled in such a manner as to drain waters of the United States (e.g., backfilling with extensive gravel layers, creating a french drain effect). Any exposed slopes and stream banks must be stabilized immediately upon completion of the electric utility line or telecommunication line crossing of each waterbody.

Electric utility line and telecommunications substations: This NWP authorizes the construction, maintenance, or expansion of substation facilities associated with an electric utility line or telecommunication line in non-tidal waters of the United States, provided the activity, in combination with all other activities included in one single and complete project, does not result in the loss of greater than 1/2-acre of waters of the United States. This NWP does not authorize discharges into

non-tidal wetlands adjacent to tidal waters of the United States to construct, maintain, or expand substation facilities.

Foundations for overhead electric utility line or telecommunication line towers, poles, and anchors: This NWP authorizes the construction or maintenance of foundations for overhead electric utility line or telecommunication line towers, poles, and anchors in all waters of the United States, provided the foundations are the minimum size necessary and separate footings for each tower leg (rather than a larger single pad) are used where feasible.

Access roads: This NWP authorizes the construction of access roads for the construction and maintenance of electric utility lines or telecommunication lines, including overhead lines and substations, in non-tidal waters of the United States, provided the activity, in combination with all other activities included in one single and complete project, does not cause the loss of greater than 1/2-acre of non-tidal waters of the United States. This NWP does not authorize discharges into non-tidal wetlands adjacent to tidal waters for access roads. Access roads must be the minimum width necessary (see Note 2, below). Access roads must be constructed so that the length of the road minimizes any adverse effects on waters of the United States and must be as near as possible to pre-construction contours and elevations (e.g., at grade corduroy roads or geotextile/gravel roads). Access roads constructed above pre-construction contours and elevations in waters of the United States must be properly bridged or culverted to maintain surface flows.

This NWP may authorize electric utility lines or telecommunication lines in or affecting navigable waters of the United States even if there is no associated discharge of dredged or fill material (see 33 CFR part 322). Electric utility lines or telecommunication lines constructed over section 10 waters and electric utility lines or telecommunication lines that are routed in or under section 10 waters without a discharge of dredged or fill material require a section 10 permit.

This NWP authorizes, to the extent that Department of the Army authorization is required, temporary structures, fills, and work necessary for the remediation of inadvertent returns of drilling fluids to waters of the United States through sub-soil fissures or fractures that might occur during horizontal directional drilling activities conducted for the purpose of installing or replacing electric utility lines or telecommunication lines. These remediation activities must be done as soon as practicable, to restore the affected waterbody. District engineers may add special conditions to this NWP to require a remediation plan for addressing inadvertent returns of drilling fluids to waters of the United States during horizontal directional drilling activities conducted for the purpose of installing or replacing electric utility lines or telecommunication lines.

This NWP also authorizes temporary structures, fills, and work, including the use of temporary mats, necessary to conduct the electric utility line activity.

Appropriate measures must be taken to maintain normal downstream flows and minimize flooding to the maximum extent practicable, when temporary structures, work, and discharges, including cofferdams, are necessary for construction activities, access fills, or dewatering of construction sites. Temporary fills must consist of materials, and be placed in a manner, that will not be eroded by expected high flows. After construction, temporary fills must be removed in their entirety and the affected areas returned to pre-construction elevations. The areas affected by temporary fills must be revegetated, as appropriate.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity if: (1) a section 10 permit is required; or (2) the discharge will result in the loss of greater than 1/10-acre of waters of the United States. (See general condition 32.) (Authorities: Sections 10 and 404)

Note 1: Where the electric utility line is constructed, installed, or maintained in navigable waters of the United States (i.e., section 10 waters) within the coastal United States, the Great Lakes, and United States territories, a copy of the NWP verification will be sent by the Corps to the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), for charting the electric utility line to protect navigation.

Note 2: For electric utility line or telecommunications activities crossing a single waterbody more than one time at separate and distant locations, or multiple waterbodies at separate and distant locations, each crossing is considered a single and complete project for purposes of NWP authorization. Electric utility line and telecommunications activities must comply with 33 CFR 330.6(d).

Note 3: Electric utility lines or telecommunication lines consisting of aerial electric power transmission lines crossing navigable waters of the United States (which are defined at 33 CFR part 329) must comply with the applicable minimum clearances specified in 33 CFR 322.5(i).

Note 4: Access roads used for both construction and maintenance may be authorized, provided they meet the terms and conditions of this NWP. Access roads used solely for construction of the electric utility line or telecommunication line must be removed upon completion of the work, in accordance with the requirements for temporary fills.

Note 5: This NWP authorizes electric utility line and telecommunication line maintenance and repair activities that do not qualify for the Clean Water Act section 404(f) exemption for maintenance of currently serviceable fills or fill structures.

Note 6: For overhead electric utility lines and telecommunication lines authorized by this NWP, a copy of the PCN and NWP verification will be provided by the

Corps to the Department of Defense Siting Clearinghouse, which will evaluate potential effects on military activities.

Note 7: For activities that require pre-construction notification, the PCN must include any other NWP(s), regional general permit(s), or individual permit(s) used or intended to be used to authorize any part of the proposed project or any related activity, including other separate and distant crossings that require Department of the Army authorization but do not require pre-construction notification (see paragraph (b)(4) of general condition 32). The district engineer will evaluate the PCN in accordance with Section D, "District Engineer's Decision." The district engineer may require mitigation to ensure that the authorized activity results in no more than minimal individual and cumulative adverse environmental effects (see general condition 23).

D. Utility Line Activities for Water and Other Substances. Activities required for the construction, maintenance, repair, and removal of utility lines for water and other substances, excluding oil, natural gas, and electricity. Oil or natural gas pipeline activities or electric utility line and telecommunications activities may be authorized by NWPs 12 or C, respectively. This NWP also authorizes associated utility line facilities in waters of the United States, provided the activity does not result in the loss of greater than 1/2-acre of waters of the United States for each single and complete project.

Utility lines: This NWP authorizes discharges of dredged or fill material into waters of the United States and structures or work in navigable waters for crossings of those waters associated with the construction, maintenance, or repair of utility lines for water and other substances, including outfall and intake structures. There must be no change in pre-construction contours of waters of the United States. A "utility line" is defined as any pipe or pipeline for the transportation of any gaseous, liquid, liquescent, or slurry substance, for any purpose that is not oil, natural gas, or petrochemicals. Examples of activities authorized by this NWP include utility lines that convey water, sewage, stormwater, wastewater, brine, irrigation water, and industrial products that are not petrochemicals. The term "utility line" does not include activities that drain a water of the United States, such as drainage tile or french drains, but it does apply to pipes conveying drainage from another area.

Material resulting from trench excavation may be temporarily sidecast into waters of the United States for no more than three months, provided the material is not placed in such a manner that it is dispersed by currents or other forces. The district engineer may extend the period of temporary side casting for no more than a total of 180 days, where appropriate. In wetlands, the top 6 to 12 inches of the trench should normally be backfilled with topsoil from the trench. The trench cannot be constructed or backfilled in such a manner as to drain waters of the United States (e.g., backfilling with extensive gravel layers, creating a french

drain effect). Any exposed slopes and stream banks must be stabilized immediately upon completion of the utility line crossing of each waterbody.

Utility line substations: This NWP authorizes the construction, maintenance, or expansion of substation facilities associated with a utility line in non-tidal waters of the United States, provided the activity, in combination with all other activities included in one single and complete project, does not result in the loss of greater than 1/2-acre of waters of the United States. This NWP does not authorize discharges into non-tidal wetlands adjacent to tidal waters of the United States to construct, maintain, or expand substation facilities.

Foundations for above-ground utility lines: This NWP authorizes the construction or maintenance of foundations for above-ground utility lines in all waters of the United States, provided the foundations are the minimum size necessary.

Access roads: This NWP authorizes the construction of access roads for the construction and maintenance of utility lines, including utility line substations, in non-tidal waters of the United States, provided the activity, in combination with all other activities included in one single and complete project, does not cause the loss of greater than 1/2-acre of non-tidal waters of the United States. This NWP does not authorize discharges into non-tidal wetlands adjacent to tidal waters for access roads. Access roads must be the minimum width necessary (see Note 2, below). Access roads must be constructed so that the length of the road minimizes any adverse effects on waters of the United States and must be as near as possible to pre-construction contours and elevations (e.g., at grade corduroy roads or geotextile/gravel roads). Access roads constructed above pre-construction contours and elevations in waters of the United States must be properly bridged or culverted to maintain surface flows.

This NWP may authorize utility lines in or affecting navigable waters of the United States even if there is no associated discharge of dredged or fill material (see 33 CFR part 322). Overhead utility lines constructed over section 10 waters and utility lines that are routed in or under section 10 waters without a discharge of dredged or fill material require a section 10 permit.

This NWP authorizes, to the extent that Department of the Army authorization is required, temporary structures, fills, and work necessary for the remediation of inadvertent returns of drilling fluids to waters of the United States through sub-soil fissures or fractures that might occur during horizontal directional drilling activities conducted for the purpose of installing or replacing utility lines. These remediation activities must be done as soon as practicable, to restore the affected waterbody. District engineers may add special conditions to this NWP to require a remediation plan for addressing inadvertent returns of drilling fluids to waters of the United States during horizontal directional drilling activities conducted for the purpose of installing or replacing utility lines.

This NWP also authorizes temporary structures, fills, and work, including the use of temporary mats, necessary to conduct the utility line activity. Appropriate measures must be taken to maintain normal downstream flows and minimize flooding to the maximum extent practicable, when temporary structures, work, and discharges, including cofferdams, are necessary for construction activities, access fills, or dewatering of construction sites. Temporary fills must consist of materials, and be placed in a manner, that will not be eroded by expected high flows. After construction, temporary fills must be removed in their entirety and the affected areas returned to pre-construction elevations. The areas affected by temporary fills must be revegetated, as appropriate.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity if: (1) a section 10 permit is required; or (2) the discharge will result in the loss of greater than 1/10-acre of waters of the United States. (See general condition 32.) (Authorities: Sections 10 and 404)

Note 1: Where the utility line is constructed, installed, or maintained in navigable waters of the United States (i.e., section 10 waters) within the coastal United States, the Great Lakes, and United States territories, a copy of the NWP verification will be sent by the Corps to the National Oceanic and Atmospheric Administration (NOAA), National Ocean Service (NOS), for charting the utility line to protect navigation.

Note 2: For utility line activities crossing a single waterbody more than one time at separate and distant locations, or multiple waterbodies at separate and distant locations, each crossing is considered a single and complete project for purposes of NWP authorization. Utility line activities must comply with 33 CFR 330.6(d).

Note 3: Access roads used for both construction and maintenance may be authorized, provided they meet the terms and conditions of this NWP. Access roads used solely for construction of the utility line must be removed upon completion of the work, in accordance with the requirements for temporary fills.

Note 4: Pipes or pipelines used to transport gaseous, liquid, liquescent, or slurry substances over navigable waters of the United States are considered to be bridges, not utility lines, and may require a permit from the U.S. Coast Guard pursuant to section 9 of the Rivers and Harbors Act of 1899. However, any discharges of dredged or fill material into waters of the United States associated with such pipelines will require a section 404 permit (see NWP 15).

Note 5: This NWP authorizes utility line maintenance and repair activities that do not qualify for the Clean Water Act section 404(f) exemption for maintenance of currently serviceable fills or fill structures.

Note 6: For activities that require pre-construction notification, the PCN must include any other NWP(s), regional general permit(s), or individual permit(s) used or intended to be used to authorize any part of the proposed project or any related activity, including other separate and distant crossings that require Department of the Army authorization but do not require pre-construction notification (see paragraph (b)(4) of general condition 32). The district engineer will evaluate the PCN in accordance with Section D, "District Engineer's Decision." The district engineer may require mitigation to ensure that the authorized activity results in no more than minimal individual and cumulative adverse environmental effects (see general condition 23).

E. Water reclamation and reuse facilities. Discharges of dredged or fill material into non-tidal waters of the United States for the construction, expansion, and maintenance of water reclamation and reuse facilities, including vegetated areas enhanced to improve water infiltration and constructed wetlands to improve water quality.

The discharge must not cause the loss of greater than 1/2-acre of waters of the United States. This NWP does not authorize discharges into non-tidal wetlands adjacent to tidal waters.

This NWP also authorizes temporary fills, including the use of temporary mats, necessary to construct the water reuse project and attendant features. Appropriate measures must be taken to maintain normal downstream flows and minimize flooding to the maximum extent practicable, when temporary structures, work, and discharges, including cofferdams, are necessary for construction activities, access fills, or dewatering of construction sites. Temporary fills must consist of materials, and be placed in a manner, that will not be eroded by expected high flows. After construction, temporary fills must be removed in their entirety and the affected areas returned to pre-construction elevations. The areas affected by temporary fills must be revegetated, as appropriate.

Notification: The permittee must submit a pre-construction notification to the district engineer prior to commencing the activity. (See general condition 32.) (Authority: Sections 10 and 404)

C. Nationwide Permit General Conditions

Note: To qualify for NWP authorization, the prospective permittee must comply with the following general conditions, as applicable, in addition to any regional or case-specific conditions imposed by the division engineer or district engineer. Prospective permittees should contact the appropriate Corps district office to determine if regional conditions have been imposed on an NWP. Prospective permittees should also contact the appropriate Corps district office to determine

the status of Clean Water Act Section 401 water quality certification and/or Coastal Zone Management Act consistency for an NWP. Every person who may wish to obtain permit authorization under one or more NWPs, or who is currently relying on an existing or prior permit authorization under one or more NWPs, has been and is on notice that all of the provisions of 33 CFR 330.1 through 330.6 apply to every NWP authorization. Note especially 33 CFR 330.5 relating to the modification, suspension, or revocation of any NWP authorization.

1. Navigation. (a) No activity may cause more than a minimal adverse effect on navigation.

(b) Any safety lights and signals prescribed by the U.S. Coast Guard, through regulations or otherwise, must be installed and maintained at the permittee's expense on authorized facilities in navigable waters of the United States.

(c) The permittee understands and agrees that, if future operations by the United States require the removal, relocation, or other alteration, of the structure or work herein authorized, or if, in the opinion of the Secretary of the Army or his authorized representative, said structure or work shall cause unreasonable obstruction to the free navigation of the navigable waters, the permittee will be required, upon due notice from the Corps of Engineers, to remove, relocate, or alter the structural work or obstructions caused thereby, without expense to the United States. No claim shall be made against the United States on account of any such removal or alteration.

2. Aquatic Life Movements. No activity may substantially disrupt the necessary life cycle movements of those species of aquatic life indigenous to the waterbody, including those species that normally migrate through the area, unless the activity's primary purpose is to impound water. All permanent and temporary crossings of waterbodies shall be suitably culverted, bridged, or otherwise designed and constructed to maintain low flows to sustain the movement of those aquatic species. If a bottomless culvert cannot be used, then the crossing should be designed and constructed to minimize adverse effects to aquatic life movements.

3. Spawning Areas. Activities in spawning areas during spawning seasons must be avoided to the maximum extent practicable. Activities that result in the physical destruction (e.g., through excavation, fill, or downstream smothering by substantial turbidity) of an important spawning area are not authorized.

4. Migratory Bird Breeding Areas. Activities in waters of the United States that serve as breeding areas for migratory birds must be avoided to the maximum extent practicable.

5. Shellfish Beds. No activity may occur in areas of concentrated shellfish populations, unless the activity is directly related to a shellfish harvesting activity

authorized by NWP 4 and 48, or is a shellfish seeding or habitat restoration activity authorized by NWP 27.

6. Suitable Material. No activity may use unsuitable material (e.g., trash, debris, car bodies, asphalt, etc.). Material used for construction or discharged must be free from toxic pollutants in toxic amounts (see section 307 of the Clean Water Act).

7. Water Supply Intakes. No activity may occur in the proximity of a public water supply intake, except where the activity is for the repair or improvement of public water supply intake structures or adjacent bank stabilization.

8. Adverse Effects From Impoundments. If the activity creates an impoundment of water, adverse effects to the aquatic system due to accelerating the passage of water, and/or restricting its flow must be minimized to the maximum extent practicable.

9. Management of Water Flows. To the maximum extent practicable, the pre-construction course, condition, capacity, and location of open waters must be maintained for each activity, including stream channelization, storm water management activities, and temporary and permanent road crossings, except as provided below. The activity must be constructed to withstand expected high flows. The activity must not restrict or impede the passage of normal or high flows, unless the primary purpose of the activity is to impound water or manage high flows. The activity may alter the pre-construction course, condition, capacity, and location of open waters if it benefits the aquatic environment (e.g., stream restoration or relocation activities).

10. Fills Within 100-Year Floodplains. The activity must comply with applicable FEMA-approved state or local floodplain management requirements.

11. Equipment. Heavy equipment working in wetlands or mudflats must be placed on mats, or other measures must be taken to minimize soil disturbance.

12. Soil Erosion and Sediment Controls. Appropriate soil erosion and sediment controls must be used and maintained in effective operating condition during construction, and all exposed soil and other fills, as well as any work below the ordinary high water mark or high tide line, must be permanently stabilized at the earliest practicable date. Permittees are encouraged to perform work within waters of the United States during periods of low-flow or no-flow, or during low tides.

13. Removal of Temporary Structures and Fills. Temporary structures and fills must be removed in their entirety and the affected areas returned to pre-construction elevations. The affected areas must be revegetated, as appropriate.

14. Proper Maintenance. Any authorized structure or fill shall be properly maintained, including maintenance to ensure public safety and compliance with applicable NWP general conditions, as well as any activity-specific conditions added by the district engineer to an NWP authorization.

15. Single and Complete Project. The activity must be a single and complete project. The same NWP cannot be used more than once for the same single and complete project.

16. Wild and Scenic Rivers. (a) No NWP activity may occur in a component of the National Wild and Scenic River System, or in a river officially designated by Congress as a “study river” for possible inclusion in the system while the river is in an official study status, unless the appropriate Federal agency with direct management responsibility for such river, has determined in writing that the proposed activity will not adversely affect the Wild and Scenic River designation or study status.

(b) If a proposed NWP activity will occur in a component of the National Wild and Scenic River System, or in a river officially designated by Congress as a “study river” for possible inclusion in the system while the river is in an official study status, the permittee must submit a pre-construction notification (see general condition 32). The district engineer will coordinate the PCN with the Federal agency with direct management responsibility for that river. Permittees shall not begin the NWP activity until notified by the district engineer that the Federal agency with direct management responsibility for that river has determined in writing that the proposed NWP activity will not adversely affect the Wild and Scenic River designation or study status.

(c) Information on Wild and Scenic Rivers may be obtained from the appropriate Federal land management agency responsible for the designated Wild and Scenic River or study river (e.g., National Park Service, U.S. Forest Service, Bureau of Land Management, U.S. Fish and Wildlife Service). Information on these rivers is also available at: <http://www.rivers.gov/>.

17. Tribal Rights. No activity or its operation may impair reserved tribal rights, including, but not limited to, reserved water rights and treaty fishing and hunting rights.

18. Endangered Species. (a) No activity is authorized under any NWP which is likely to directly or indirectly jeopardize the continued existence of a threatened or endangered species or a species proposed for such designation, as identified under the Federal Endangered Species Act (ESA), or which will directly or indirectly destroy or adversely modify the critical habitat of such species. No activity is authorized under any NWP which “may affect” a listed species or critical habitat, unless ESA section 7 consultation addressing the consequences of the proposed activity on listed species or critical habitat has been completed.

See 50 CFR 402.02 for the definition of “effects of the action” for the purposes of ESA section 7 consultation, as well as 50 CFR 402.17, which provides further explanation under ESA section 7 regarding “activities that are reasonably certain to occur” and “consequences caused by the proposed action.”

(b) Federal agencies should follow their own procedures for complying with the requirements of the ESA (see 33 CFR 330.4(f)(1)). If pre-construction notification is required for the proposed activity, the Federal permittee must provide the district engineer with the appropriate documentation to demonstrate compliance with those requirements. The district engineer will verify that the appropriate documentation has been submitted. If the appropriate documentation has not been submitted, additional ESA section 7 consultation may be necessary for the activity and the respective federal agency would be responsible for fulfilling its obligation under section 7 of the ESA.

(c) Non-federal permittees must submit a pre-construction notification to the district engineer if any listed species or designated critical habitat might be affected or is in the vicinity of the activity, or if the activity is located in designated critical habitat, and shall not begin work on the activity until notified by the district engineer that the requirements of the ESA have been satisfied and that the activity is authorized. For activities that might affect Federally-listed endangered or threatened species or designated critical habitat, the pre-construction notification must include the name(s) of the endangered or threatened species that might be affected by the proposed activity or that utilize the designated critical habitat that might be affected by the proposed activity. The district engineer will determine whether the proposed activity “may affect” or will have “no effect” to listed species and designated critical habitat and will notify the non-Federal applicant of the Corps’ determination within 45 days of receipt of a complete pre-construction notification. For activities where the non-Federal applicant has identified listed species or critical habitat that might be affected or is in the vicinity of the activity, and has so notified the Corps, the applicant shall not begin work until the Corps has provided notification that the proposed activity will have “no effect” on listed species or critical habitat, or until ESA section 7 consultation has been completed. If the non-Federal applicant has not heard back from the Corps within 45 days, the applicant must still wait for notification from the Corps.

(d) As a result of formal or informal consultation with the FWS or NMFS the district engineer may add species-specific permit conditions to the NWP.

(e) Authorization of an activity by an NWP does not authorize the “take” of a threatened or endangered species as defined under the ESA. In the absence of separate authorization (e.g., an ESA Section 10 Permit, a Biological Opinion with “incidental take” provisions, etc.) from the FWS or the NMFS, the Endangered Species Act prohibits any person subject to the jurisdiction of the United States to take a listed species, where “take” means to harass, harm, pursue, hunt, shoot,

wound, kill, trap, capture, or collect, or to attempt to engage in any such conduct. The word "harm" in the definition of "take" means an act which actually kills or injures wildlife. Such an act may include significant habitat modification or degradation where it actually kills or injures wildlife by significantly impairing essential behavioral patterns, including breeding, feeding or sheltering.

(f) If the non-federal permittee has a valid ESA section 10(a)(1)(B) incidental take permit with an approved Habitat Conservation Plan for a project or a group of projects that includes the proposed NWP activity, the non-federal applicant should provide a copy of that ESA section 10(a)(1)(B) permit with the PCN required by paragraph (c) of this general condition. The district engineer will coordinate with the agency that issued the ESA section 10(a)(1)(B) permit to determine whether the proposed NWP activity and the associated incidental take were considered in the internal ESA section 7 consultation conducted for the ESA section 10(a)(1)(B) permit. If that coordination results in concurrence from the agency that the proposed NWP activity and the associated incidental take were considered in the internal ESA section 7 consultation for the ESA section 10(a)(1)(B) permit, the district engineer does not need to conduct a separate ESA section 7 consultation for the proposed NWP activity. The district engineer will notify the non-federal applicant within 45 days of receipt of a complete pre-construction notification whether the ESA section 10(a)(1)(B) permit covers the proposed NWP activity or whether additional ESA section 7 consultation is required.

(g) Information on the location of threatened and endangered species and their critical habitat can be obtained directly from the offices of the FWS and NMFS or their world wide web pages at <http://www.fws.gov/> or <http://www.fws.gov/ipac> and <http://www.nmfs.noaa.gov/pr/species/esa/> respectively.

19. Migratory Birds and Bald and Golden Eagles. The permittee is responsible for ensuring that an action authorized by NWP complies with the Migratory Bird Treaty Act and the Bald and Golden Eagle Protection Act. The permittee is responsible for contacting the appropriate local office of the U.S. Fish and Wildlife Service to determine what measures, if any, are necessary or appropriate to reduce adverse effects to migratory birds or eagles, including whether "incidental take" permits are necessary and available under the Migratory Bird Treaty Act or Bald and Golden Eagle Protection Act for a particular activity.

20. Historic Properties. (a) In cases where the district engineer determines that the activity may have the potential to cause effects to properties listed, or eligible for listing, in the National Register of Historic Places, the activity is not authorized, until the requirements of Section 106 of the National Historic Preservation Act (NHPA) have been satisfied.

(b) Federal permittees should follow their own procedures for complying with the requirements of section 106 of the National Historic Preservation Act (see 33 CFR 330.4(g)(1)). If pre-construction notification is required for the proposed NWP activity, the Federal permittee must provide the district engineer with the appropriate documentation to demonstrate compliance with those requirements. The district engineer will verify that the appropriate documentation has been submitted. If the appropriate documentation is not submitted, then additional consultation under section 106 may be necessary. The respective federal agency is responsible for fulfilling its obligation to comply with section 106.

(c) Non-federal permittees must submit a pre-construction notification to the district engineer if the NWP activity might have the potential to cause effects to any historic properties listed on, determined to be eligible for listing on, or potentially eligible for listing on the National Register of Historic Places, including previously unidentified properties. For such activities, the pre-construction notification must state which historic properties might have the potential to be affected by the proposed NWP activity or include a vicinity map indicating the location of the historic properties or the potential for the presence of historic properties. Assistance regarding information on the location of, or potential for, the presence of historic properties can be sought from the State Historic Preservation Officer, Tribal Historic Preservation Officer, or designated tribal representative, as appropriate, and the National Register of Historic Places (see 33 CFR 330.4(g)). When reviewing pre-construction notifications, district engineers will comply with the current procedures for addressing the requirements of section 106 of the National Historic Preservation Act. The district engineer shall make a reasonable and good faith effort to carry out appropriate identification efforts commensurate with potential impacts, which may include background research, consultation, oral history interviews, sample field investigation, and/or field survey. Based on the information submitted in the PCN and these identification efforts, the district engineer shall determine whether the proposed NWP activity has the potential to cause effects on the historic properties. Section 106 consultation is not required when the district engineer determines that the activity does not have the potential to cause effects on historic properties (see 36 CFR 800.3(a)). Section 106 consultation is required when the district engineer determines that the activity has the potential to cause effects on historic properties. The district engineer will conduct consultation with consulting parties identified under 36 CFR 800.2(c) when he or she makes any of the following effect determinations for the purposes of section 106 of the NHPA: no historic properties affected, no adverse effect, or adverse effect.

(d) Where the non-Federal applicant has identified historic properties on which the proposed NWP activity might have the potential to cause effects and has so notified the Corps, the non-Federal applicant shall not begin the activity until notified by the district engineer either that the activity has no potential to cause effects to historic properties or that NHPA section 106 consultation has been completed. For non-federal permittees, the district engineer will notify the

prospective permittee within 45 days of receipt of a complete pre-construction notification whether NHPA section 106 consultation is required. If NHPA section 106 consultation is required, the district engineer will notify the non-Federal applicant that he or she cannot begin the activity until section 106 consultation is completed. If the non-Federal applicant has not heard back from the Corps within 45 days, the applicant must still wait for notification from the Corps.

(e) Prospective permittees should be aware that section 110k of the NHPA (54 U.S.C. 306113) prevents the Corps from granting a permit or other assistance to an applicant who, with intent to avoid the requirements of section 106 of the NHPA, has intentionally significantly adversely affected a historic property to which the permit would relate, or having legal power to prevent it, allowed such significant adverse effect to occur, unless the Corps, after consultation with the Advisory Council on Historic Preservation (ACHP), determines that circumstances justify granting such assistance despite the adverse effect created or permitted by the applicant. If circumstances justify granting the assistance, the Corps is required to notify the ACHP and provide documentation specifying the circumstances, the degree of damage to the integrity of any historic properties affected, and proposed mitigation. This documentation must include any views obtained from the applicant, SHPO/THPO, appropriate Indian tribes if the undertaking occurs on or affects historic properties on tribal lands or affects properties of interest to those tribes, and other parties known to have a legitimate interest in the impacts to the permitted activity on historic properties.

21. Discovery of Previously Unknown Remains and Artifacts. Permittees that discover any previously unknown historic, cultural or archeological remains and artifacts while accomplishing the activity authorized by NWP, they must immediately notify the district engineer of what they have found, and to the maximum extent practicable, avoid construction activities that may affect the remains and artifacts until the required coordination has been completed. The district engineer will initiate the Federal, Tribal, and state coordination required to determine if the items or remains warrant a recovery effort or if the site is eligible for listing in the National Register of Historic Places.

22. Designated Critical Resource Waters. Critical resource waters include, NOAA-managed marine sanctuaries and marine monuments, and National Estuarine Research Reserves. The district engineer may designate, after notice and opportunity for public comment, additional waters officially designated by a state as having particular environmental or ecological significance, such as outstanding national resource waters or state natural heritage sites. The district engineer may also designate additional critical resource waters after notice and opportunity for public comment.

(a) Discharges of dredged or fill material into waters of the United States are not authorized by NWPs 7, 12, 14, 16, 17, 21, 29, 31, 35, 39, 40, 42, 43, 44, 49, 50,

51, and 52 for any activity within, or directly affecting, critical resource waters, including wetlands adjacent to such waters.

(b) For NWP's 3, 8, 10, 13, 15, 18, 19, 22, 23, 25, 27, 28, 30, 33, 34, 36, 37, 38, and 54, notification is required in accordance with general condition 32, for any activity proposed by permittees in the designated critical resource waters including wetlands adjacent to those waters. The district engineer may authorize activities under these NWP's only after she or he determines that the impacts to the critical resource waters will be no more than minimal.

23. Mitigation. The district engineer will consider the following factors when determining appropriate and practicable mitigation necessary to ensure that the individual and cumulative adverse environmental effects are no more than minimal:

(a) The activity must be designed and constructed to avoid and minimize adverse effects, both temporary and permanent, to waters of the United States to the maximum extent practicable at the project site (i.e., on site).

(b) Mitigation in all its forms (avoiding, minimizing, rectifying, reducing, or compensating for resource losses) will be required to the extent necessary to ensure that the individual and cumulative adverse environmental effects are no more than minimal.

(c) Compensatory mitigation at a minimum one-for-one ratio will be required for all wetland losses that exceed 1/10-acre and require pre-construction notification, unless the district engineer determines in writing that either some other form of mitigation would be more environmentally appropriate or the adverse environmental effects of the proposed activity are no more than minimal, and provides an activity-specific waiver of this requirement. For wetland losses of 1/10-acre or less that require pre-construction notification, the district engineer may determine on a case-by-case basis that compensatory mitigation is required to ensure that the activity results in only minimal adverse environmental effects.

(d) Compensatory mitigation at a minimum one-for-one ratio will be required for all losses of stream bed that exceed 1/10-acre and require pre-construction notification, unless the district engineer determines in writing that either some other form of mitigation would be more environmentally appropriate or the adverse environmental effects of the proposed activity are no more than minimal, and provides an activity-specific waiver of this requirement. This compensatory mitigation requirement may be satisfied through the restoration or enhancement of riparian areas next to streams in accordance with paragraph (e) of this general condition. For losses of stream bed of 1/10-acre or less that require pre-construction notification, the district engineer may determine on a case-by-case basis that compensatory mitigation is required to ensure that the activity results in only minimal adverse environmental effects. Compensatory mitigation for

losses of streams should be provided, if practicable, through stream rehabilitation, enhancement, or preservation, since streams are difficult-to-replace resources (see 33 CFR 332.3(e)(3)).

(e) Compensatory mitigation plans for NWP activities in or near streams or other open waters will normally include a requirement for the restoration or enhancement, maintenance, and legal protection (e.g., conservation easements) of riparian areas next to open waters. In some cases, the restoration or maintenance/protection of riparian areas may be the only compensatory mitigation required. If restoring riparian areas involves planting vegetation, only native species should be planted. The width of the required riparian area will address documented water quality or aquatic habitat loss concerns. Normally, the riparian area will be 25 to 50 feet wide on each side of the stream, but the district engineer may require slightly wider riparian areas to address documented water quality or habitat loss concerns. If it is not possible to restore or maintain/protect a riparian area on both sides of a stream, or if the waterbody is a lake or coastal waters, then restoring or maintaining/protecting a riparian area along a single bank or shoreline may be sufficient. Where both wetlands and open waters exist on the project site, the district engineer will determine the appropriate compensatory mitigation (e.g., riparian areas and/or wetlands compensation) based on what is best for the aquatic environment on a watershed basis. In cases where riparian areas are determined to be the most appropriate form of minimization or compensatory mitigation, the district engineer may waive or reduce the requirement to provide wetland compensatory mitigation for wetland losses.

(f) Compensatory mitigation projects provided to offset losses of aquatic resources must comply with the applicable provisions of 33 CFR part 332.

(1) The prospective permittee is responsible for proposing an appropriate compensatory mitigation option if compensatory mitigation is necessary to ensure that the activity results in no more than minimal adverse environmental effects. For the NWPs, the preferred mechanism for providing compensatory mitigation is mitigation bank credits or in-lieu fee program credits (see 33 CFR 332.3(b)(2) and (3)). However, if an appropriate number and type of mitigation bank or in-lieu credits are not available at the time the PCN is submitted to the district engineer, the district engineer may approve the use of permittee-responsible mitigation.

(2) The amount of compensatory mitigation required by the district engineer must be sufficient to ensure that the authorized activity results in no more than minimal individual and cumulative adverse environmental effects (see 33 CFR 330.1(e)(3)). (See also 33 CFR 332.3(f).)

(3) Since the likelihood of success is greater and the impacts to potentially valuable uplands are reduced, aquatic resource restoration should be the first compensatory mitigation option considered for permittee-responsible mitigation.

(4) If permittee-responsible mitigation is the proposed option, the prospective permittee is responsible for submitting a mitigation plan. A conceptual or detailed mitigation plan may be used by the district engineer to make the decision on the NWP verification request, but a final mitigation plan that addresses the applicable requirements of 33 CFR 332.4(c)(2) through (14) must be approved by the district engineer before the permittee begins work in waters of the United States, unless the district engineer determines that prior approval of the final mitigation plan is not practicable or not necessary to ensure timely completion of the required compensatory mitigation (see 33 CFR 332.3(k)(3)).

(5) If mitigation bank or in-lieu fee program credits are the proposed option, the mitigation plan needs to address only the baseline conditions at the impact site and the number of credits to be provided (see 33 CFR 332.4(c)(1)(ii)).

(6) Compensatory mitigation requirements (e.g., resource type and amount to be provided as compensatory mitigation, site protection, ecological performance standards, monitoring requirements) may be addressed through conditions added to the NWP authorization, instead of components of a compensatory mitigation plan (see 33 CFR 332.4(c)(1)(ii)).

(g) Compensatory mitigation will not be used to increase the acreage losses allowed by the acreage limits of the NWPs. For example, if an NWP has an acreage limit of 1/2-acre, it cannot be used to authorize any NWP activity resulting in the loss of greater than 1/2-acre of waters of the United States, even if compensatory mitigation is provided that replaces or restores some of the lost waters. However, compensatory mitigation can and should be used, as necessary, to ensure that an NWP activity already meeting the established acreage limits also satisfies the no more than minimal impact requirement for the NWPs.

(h) Permittees may propose the use of mitigation banks, in-lieu fee programs, or permittee-responsible mitigation. When developing a compensatory mitigation proposal, the permittee must consider appropriate and practicable options consistent with the framework at 33 CFR 332.3(b). For activities resulting in the loss of marine or estuarine resources, permittee-responsible mitigation may be environmentally preferable if there are no mitigation banks or in-lieu fee programs in the area that have marine or estuarine credits available for sale or transfer to the permittee. For permittee-responsible mitigation, the special conditions of the NWP verification must clearly indicate the party or parties responsible for the implementation and performance of the compensatory mitigation project, and, if required, its long-term management.

(i) Where certain functions and services of waters of the United States are permanently adversely affected by a regulated activity, such as discharges of dredged or fill material into waters of the United States that will convert a forested or scrub-shrub wetland to a herbaceous wetland in a permanently maintained utility line right-of-way, mitigation may be required to reduce the adverse environmental effects of the activity to the no more than minimal level.

24. Safety of Impoundment Structures. To ensure that all impoundment structures are safely designed, the district engineer may require non-Federal applicants to demonstrate that the structures comply with established state dam safety criteria or have been designed by qualified persons. The district engineer may also require documentation that the design has been independently reviewed by similarly qualified persons, and appropriate modifications made to ensure safety.

25. Water Quality. Where the certifying authority (state, authorized tribe, or EPA, as appropriate) has not previously certified compliance of an NWP with CWA section 401, a CWA section 401 water quality certification for the proposed discharge must be obtained or waived (see 33 CFR 330.4(c)). If the permittee cannot comply with all of the conditions of a water quality certification previously issued by certifying agency for the issuance of the NWP, then the permittee must obtain a water quality certification or waiver for the proposed discharge in order for the activity to be authorized by NWP. The district engineer or certifying authority may require additional water quality management measures to ensure that the authorized activity does not result in more than minimal degradation of water quality.

26. Coastal Zone Management. In coastal states where an NWP has not previously received a state coastal zone management consistency concurrence, an individual state coastal zone management consistency concurrence must be obtained, or a presumption of concurrence must occur (see 33 CFR 330.4(d)). If the permittee cannot comply with all of the conditions of a coastal zone management consistency concurrence previously issued by the state, then the permittee must obtain an individual coastal zone management consistency concurrence or presumption of concurrence in order for the activity to be authorized by NWP. The district engineer or a state may require additional measures to ensure that the authorized activity is consistent with state coastal zone management requirements.

27. Regional and Case-By-Case Conditions. The activity must comply with any regional conditions that may have been added by the Division Engineer (see 33 CFR 330.4(e)) and with any case specific conditions added by the Corps or by the state, Indian Tribe, or U.S. EPA in its CWA section 401 Water Quality Certification, or by the state in its Coastal Zone Management Act consistency determination.

28. Use of Multiple Nationwide Permits. The use of more than one NWP for a single and complete project is authorized, subject to the following restrictions:

(a) If only one of the NWPs used to authorize the single and complete project has a specified acreage limit, the acreage loss of waters of the United States cannot exceed the acreage limit of the NWP with the highest specified acreage limit. For example, if a road crossing over tidal waters is constructed under NWP 14, with associated bank stabilization authorized by NWP 13, the maximum acreage loss of waters of the United States for the total project cannot exceed 1/3-acre.

(b) If one or more of the NWPs used to authorize the single and complete project has specified acreage limits, the acreage loss of waters of the United States authorized by those NWPs cannot exceed their respective specified acreage limits. For example, if a residential subdivision is constructed under NWP 29, and the single and complete project includes the filling of an upland ditch authorized by NWP 46, the maximum acreage loss of waters of the United States for the residential subdivision under NWP 29 cannot exceed 1/2-acre, and the total acreage loss of waters of United States due to the NWP 29 and 46 activities cannot exceed 1 acre.

29. Transfer of Nationwide Permit Verifications. If the permittee sells the property associated with a nationwide permit verification, the permittee may transfer the nationwide permit verification to the new owner by submitting a letter to the appropriate Corps district office to validate the transfer. A copy of the nationwide permit verification must be attached to the letter, and the letter must contain the following statement and signature:

“When the structures or work authorized by this nationwide permit are still in existence at the time the property is transferred, the terms and conditions of this nationwide permit, including any special conditions, will continue to be binding on the new owner(s) of the property. To validate the transfer of this nationwide permit and the associated liabilities associated with compliance with its terms and conditions, have the transferee sign and date below.”

(Transferee)

(Date)

30. Compliance Certification. Each permittee who receives an NWP verification letter from the Corps must provide a signed certification documenting completion of the authorized activity and implementation of any required compensatory mitigation. The success of any required permittee-responsible mitigation,

including the achievement of ecological performance standards, will be addressed separately by the district engineer. The Corps will provide the permittee the certification document with the NWP verification letter. The certification document will include:

- (a) A statement that the authorized activity was done in accordance with the NWP authorization, including any general, regional, or activity-specific conditions;
- (b) A statement that the implementation of any required compensatory mitigation was completed in accordance with the permit conditions. If credits from a mitigation bank or in-lieu fee program are used to satisfy the compensatory mitigation requirements, the certification must include the documentation required by 33 CFR 332.3(l)(3) to confirm that the permittee secured the appropriate number and resource type of credits; and
- (c) The signature of the permittee certifying the completion of the activity and mitigation.

The completed certification document must be submitted to the district engineer within 30 days of completion of the authorized activity or the implementation of any required compensatory mitigation, whichever occurs later.

31. Activities Affecting Structures or Works Built by the United States. If an NWP activity also requires review by, or permission from, the Corps pursuant to 33 U.S.C. 408 because it will alter or temporarily or permanently occupy or use a U.S. Army Corps of Engineers (USACE) federally authorized Civil Works project (a "USACE project"), the prospective permittee must submit a pre-construction notification. See paragraph (b)(10) of general condition 32. An activity that requires section 408 permission and/or review is not authorized by NWP until the appropriate Corps office issues the section 408 permission or completes its review to alter, occupy, or use the USACE project, and the district engineer issues a written NWP verification.

32. Pre-Construction Notification. (a) *Timing.* Where required by the terms of the NWP, the prospective permittee must notify the district engineer by submitting a pre-construction notification (PCN) as early as possible. The district engineer must determine if the PCN is complete within 30 calendar days of the date of receipt and, if the PCN is determined to be incomplete, notify the prospective permittee within that 30 day period to request the additional information necessary to make the PCN complete. The request must specify the information needed to make the PCN complete. As a general rule, district engineers will request additional information necessary to make the PCN complete only once. However, if the prospective permittee does not provide all of the requested information, then the district engineer will notify the prospective permittee that the PCN is still incomplete and the PCN review process will not commence until all of

the requested information has been received by the district engineer. The prospective permittee shall not begin the activity until either:

(1) He or she is notified in writing by the district engineer that the activity may proceed under the NWP with any special conditions imposed by the district or division engineer; or

(2) 45 calendar days have passed from the district engineer's receipt of the complete PCN and the prospective permittee has not received written notice from the district or division engineer. However, if the permittee was required to notify the Corps pursuant to general condition 18 that listed species or critical habitat might be affected or are in the vicinity of the activity, or to notify the Corps pursuant to general condition 20 that the activity might have the potential to cause effects to historic properties, the permittee cannot begin the activity until receiving written notification from the Corps that there is "no effect" on listed species or "no potential to cause effects" on historic properties, or that any consultation required under Section 7 of the Endangered Species Act (see 33 CFR 330.4(f)) and/or section 106 of the National Historic Preservation Act (see 33 CFR 330.4(g)) has been completed. If the proposed activity requires a written waiver to exceed specified limits of an NWP, the permittee may not begin the activity until the district engineer issues the waiver. If the district or division engineer notifies the permittee in writing that an individual permit is required within 45 calendar days of receipt of a complete PCN, the permittee cannot begin the activity until an individual permit has been obtained. Subsequently, the permittee's right to proceed under the NWP may be modified, suspended, or revoked only in accordance with the procedure set forth in 33 CFR 330.5(d)(2).

(b) *Contents of Pre-Construction Notification:* The PCN must be in writing and include the following information:

(1) Name, address and telephone numbers of the prospective permittee;

(2) Location of the proposed activity;

(3) Identify the specific NWP or NWP(s) the prospective permittee wants to use to authorize the proposed activity;

(4) (i) A description of the proposed activity; the activity's purpose; direct and indirect adverse environmental effects the activity would cause, including the anticipated amount of loss of wetlands, other special aquatic sites, and other waters expected to result from the NWP activity, in acres, linear feet, or other appropriate unit of measure; a description of any proposed mitigation measures intended to reduce the adverse environmental effects caused by the proposed activity; and any other NWP(s), regional general permit(s), or individual permit(s) used or intended to be used to authorize any part of the proposed project or any related activity, including other separate and distant crossings for linear projects

that require Department of the Army authorization but do not require pre-construction notification. The description of the proposed activity and any proposed mitigation measures should be sufficiently detailed to allow the district engineer to determine that the adverse environmental effects of the activity will be no more than minimal and to determine the need for compensatory mitigation or other mitigation measures.

(ii) For linear projects where one or more single and complete crossings require pre-construction notification, the PCN must include the quantity of anticipated losses of wetlands, other special aquatic sites, and other waters for each single and complete crossing of those wetlands, other special aquatic sites, and other waters (including those single and complete crossings authorized by NWP but do not require PCNs). This information will be used by the district engineer to evaluate the cumulative adverse environmental effects of the proposed linear project, and does not change those non-PCN NWP activities into NWP PCNs.

(iii) Sketches should be provided when necessary to show that the activity complies with the terms of the NWP. (Sketches usually clarify the activity and when provided results in a quicker decision. Sketches should contain sufficient detail to provide an illustrative description of the proposed activity (e.g., a conceptual plan), but do not need to be detailed engineering plans);

(5) The PCN must include a delineation of wetlands, other special aquatic sites, and other waters, such as lakes and ponds, and perennial, intermittent, and ephemeral streams, on the project site. Wetland delineations must be prepared in accordance with the current method required by the Corps. The permittee may ask the Corps to delineate the special aquatic sites and other waters on the project site, but there may be a delay if the Corps does the delineation, especially if the project site is large or contains many wetlands, other special aquatic sites, and other waters. Furthermore, the 45 day period will not start until the delineation has been submitted to or completed by the Corps, as appropriate;

(6) If the proposed activity will result in the loss of greater than 1/10-acre of wetlands or streams and a PCN is required, the prospective permittee must submit a statement describing how the mitigation requirement will be satisfied, or explaining why the adverse environmental effects are no more than minimal and why compensatory mitigation should not be required. As an alternative, the prospective permittee may submit a conceptual or detailed mitigation plan.

(7) For non-federal permittees, if any listed species or designated critical habitat might be affected or is in the vicinity of the activity, or if the activity is located in designated critical habitat, the PCN must include the name(s) of those endangered or threatened species that might be affected by the proposed activity or utilize the designated critical habitat that might be affected by the proposed activity. For NWP activities that require pre-construction notification, Federal

permittees must provide documentation demonstrating compliance with the Endangered Species Act;

(8) For non-federal permittees, if the NWP activity might have the potential to cause effects to a historic property listed on, determined to be eligible for listing on, or potentially eligible for listing on, the National Register of Historic Places, the PCN must state which historic property might have the potential to be affected by the proposed activity or include a vicinity map indicating the location of the historic property. For NWP activities that require pre-construction notification, Federal permittees must provide documentation demonstrating compliance with section 106 of the National Historic Preservation Act;

(9) For an activity that will occur in a component of the National Wild and Scenic River System, or in a river officially designated by Congress as a “study river” for possible inclusion in the system while the river is in an official study status, the PCN must identify the Wild and Scenic River or the “study river” (see general condition 16); and

(10) For an NWP activity that requires permission from, or review by, the Corps pursuant to 33 U.S.C. 408 because it will alter or temporarily or permanently occupy or use a U.S. Army Corps of Engineers federally authorized civil works project, the pre-construction notification must include a statement confirming that the project proponent has submitted a written request for section 408 permission from, or review by, the Corps office having jurisdiction over that USACE project.

(c) *Form of Pre-Construction Notification:* The nationwide permit pre-construction notification form (Form ENG 6082) should be used for NWP PCNs. A letter containing the required information may also be used. Applicants may provide electronic files of PCNs and supporting materials if the district engineer has established tools and procedures for electronic submittals.

(d) *Agency Coordination:* (1) The district engineer will consider any comments from Federal and state agencies concerning the proposed activity’s compliance with the terms and conditions of the NWPs and the need for mitigation to reduce the activity’s adverse environmental effects so that they are no more than minimal.

(2) Agency coordination is required for: (i) all NWP activities that require pre-construction notification and result in the loss of greater than 1/2-acre of waters of the United States; (ii) NWP 13 activities in excess of 500 linear feet, fills greater than one cubic yard per running foot, or involve discharges of dredged or fill material into special aquatic sites; and (iii) NWP 54 activities in excess of 500 linear feet, or that extend into the waterbody more than 30 feet from the mean low water line in tidal waters or the ordinary high water mark in the Great Lakes.

(3) When agency coordination is required, the district engineer will immediately provide (e.g., via e-mail, facsimile transmission, overnight mail, or other expeditious manner) a copy of the complete PCN to the appropriate Federal or state offices (FWS, state natural resource or water quality agency, EPA, and, if appropriate, the NMFS). With the exception of NWP 37, these agencies will have 10 calendar days from the date the material is transmitted to notify the district engineer via telephone, facsimile transmission, or e-mail that they intend to provide substantive, site-specific comments. The comments must explain why the agency believes the adverse environmental effects will be more than minimal. If so contacted by an agency, the district engineer will wait an additional 15 calendar days before making a decision on the pre-construction notification. The district engineer will fully consider agency comments received within the specified time frame concerning the proposed activity's compliance with the terms and conditions of the NWPs, including the need for mitigation to ensure that the net adverse environmental effects of the proposed activity are no more than minimal. The district engineer will provide no response to the resource agency, except as provided below. The district engineer will indicate in the administrative record associated with each pre-construction notification that the resource agencies' concerns were considered. For NWP 37, the emergency watershed protection and rehabilitation activity may proceed immediately in cases where there is an unacceptable hazard to life or a significant loss of property or economic hardship will occur. The district engineer will consider any comments received to decide whether the NWP 37 authorization should be modified, suspended, or revoked in accordance with the procedures at 33 CFR 330.5.

(4) In cases of where the prospective permittee is not a Federal agency, the district engineer will provide a response to NMFS within 30 calendar days of receipt of any Essential Fish Habitat conservation recommendations, as required by section 305(b)(4)(B) of the Magnuson-Stevens Fishery Conservation and Management Act.

(5) Applicants are encouraged to provide the Corps with either electronic files or multiple copies of pre-construction notifications to expedite agency coordination.

D. District Engineer's Decision

1. In reviewing the PCN for the proposed activity, the district engineer will determine whether the activity authorized by the NWP will result in more than minimal individual or cumulative adverse environmental effects or may be contrary to the public interest. If a project proponent requests authorization by a specific NWP, the district engineer should issue the NWP verification for that activity if it meets the terms and conditions of that NWP, unless he or she determines, after considering mitigation, that the proposed activity will result in more than minimal individual and cumulative adverse effects on the aquatic environment and other aspects of the public interest and exercises discretionary

authority to require an individual permit for the proposed activity. For a linear project, this determination will include an evaluation of the single and complete crossings of waters of the United States that require PCNs to determine whether they individually satisfy the terms and conditions of the NWP(s), as well as the cumulative effects caused by all of the crossings of waters of the United States authorized by NWP. If an applicant requests a waiver of an applicable limit, as provided for in NWPs 13, 36, or 54, the district engineer will only grant the waiver upon a written determination that the NWP activity will result in only minimal individual and cumulative adverse environmental effects.

2. When making minimal adverse environmental effects determinations the district engineer will consider the direct and indirect effects caused by the NWP activity. He or she will also consider the cumulative adverse environmental effects caused by activities authorized by NWP and whether those cumulative adverse environmental effects are no more than minimal. The district engineer will also consider site specific factors, such as the environmental setting in the vicinity of the NWP activity, the type of resource that will be affected by the NWP activity, the functions provided by the aquatic resources that will be affected by the NWP activity, the degree or magnitude to which the aquatic resources perform those functions, the extent that aquatic resource functions will be lost as a result of the NWP activity (e.g., partial or complete loss), the duration of the adverse effects (temporary or permanent), the importance of the aquatic resource functions to the region (e.g., watershed or ecoregion), and mitigation required by the district engineer. If an appropriate functional or condition assessment method is available and practicable to use, that assessment method may be used by the district engineer to assist in the minimal adverse environmental effects determination. The district engineer may add case-specific special conditions to the NWP authorization to address site-specific environmental concerns.

3. If the proposed activity requires a PCN and will result in a loss of greater than 1/10-acre of wetlands or streams, the prospective permittee should submit a mitigation proposal with the PCN. Applicants may also propose compensatory mitigation for NWP activities with smaller impacts, or for impacts to other types of waters. The district engineer will consider any proposed compensatory mitigation or other mitigation measures the applicant has included in the proposal in determining whether the net adverse environmental effects of the proposed activity are no more than minimal. The compensatory mitigation proposal may be either conceptual or detailed. If the district engineer determines that the activity complies with the terms and conditions of the NWP and that the adverse environmental effects are no more than minimal, after considering mitigation, the district engineer will notify the permittee and include any activity-specific conditions in the NWP verification the district engineer deems necessary. Conditions for compensatory mitigation requirements must comply with the appropriate provisions at 33 CFR 332.3(k). The district engineer must approve the final mitigation plan before the permittee commences work in waters of the

United States, unless the district engineer determines that prior approval of the final mitigation plan is not practicable or not necessary to ensure timely completion of the required compensatory mitigation. If the prospective permittee elects to submit a compensatory mitigation plan with the PCN, the district engineer will expeditiously review the proposed compensatory mitigation plan. The district engineer must review the proposed compensatory mitigation plan within 45 calendar days of receiving a complete PCN and determine whether the proposed mitigation would ensure that the NWP activity results in no more than minimal adverse environmental effects. If the net adverse environmental effects of the NWP activity (after consideration of the mitigation proposal) are determined by the district engineer to be no more than minimal, the district engineer will provide a timely written response to the applicant. The response will state that the NWP activity can proceed under the terms and conditions of the NWP, including any activity-specific conditions added to the NWP authorization by the district engineer.

4. If the district engineer determines that the adverse environmental effects of the proposed activity are more than minimal, then the district engineer will notify the applicant either: (a) that the activity does not qualify for authorization under the NWP and instruct the applicant on the procedures to seek authorization under an individual permit; (b) that the activity is authorized under the NWP subject to the applicant's submission of a mitigation plan that would reduce the adverse environmental effects so that they are no more than minimal; or (c) that the activity is authorized under the NWP with specific modifications or conditions. Where the district engineer determines that mitigation is required to ensure no more than minimal adverse environmental effects, the activity will be authorized within the 45-day PCN period (unless additional time is required to comply with general conditions 18, 20, and/or 31), with activity-specific conditions that state the mitigation requirements. The authorization will include the necessary conceptual or detailed mitigation plan or a requirement that the applicant submit a mitigation plan that would reduce the adverse environmental effects so that they are no more than minimal. When compensatory mitigation is required, no work in waters of the United States may occur until the district engineer has approved a specific mitigation plan or has determined that prior approval of a final mitigation plan is not practicable or not necessary to ensure timely completion of the required compensatory mitigation.

E. Further Information

1. District engineers have authority to determine if an activity complies with the terms and conditions of an NWP.
2. NWPs do not obviate the need to obtain other federal, state, or local permits, approvals, or authorizations required by law.
3. NWPs do not grant any property rights or exclusive privileges.

4. NWP's do not authorize any injury to the property or rights of others.
5. NWP's do not authorize interference with any existing or proposed Federal project (see general condition 31).

F. Definitions

Best management practices (BMPs): Policies, practices, procedures, or structures implemented to mitigate the adverse environmental effects on surface water quality resulting from development. BMPs are categorized as structural or non-structural.

Compensatory mitigation: The restoration (re-establishment or rehabilitation), establishment (creation), enhancement, and/or in certain circumstances preservation of aquatic resources for the purposes of offsetting unavoidable adverse impacts which remain after all appropriate and practicable avoidance and minimization has been achieved.

Currently serviceable: Useable as is or with some maintenance, but not so degraded as to essentially require reconstruction.

Direct effects: Effects that are caused by the activity and occur at the same time and place.

Discharge: The term "discharge" means any discharge of dredged or fill material into waters of the United States.

Ecological reference: A model used to plan and design an aquatic habitat and riparian area restoration, enhancement, or establishment activity under NWP 27. An ecological reference may be based on the structure, functions, and dynamics of an aquatic habitat type or a riparian area type that currently exists in the region where the proposed NWP 27 activity is located. Alternatively, an ecological reference may be based on a conceptual model for the aquatic habitat type or riparian area type to be restored, enhanced, or established as a result of the proposed NWP 27 activity. An ecological reference takes into account the range of variation of the aquatic habitat type or riparian area type in the region.

Enhancement: The manipulation of the physical, chemical, or biological characteristics of an aquatic resource to heighten, intensify, or improve a specific aquatic resource function(s). Enhancement results in the gain of selected aquatic resource function(s), but may also lead to a decline in other aquatic resource function(s). Enhancement does not result in a gain in aquatic resource area.

Establishment (creation): The manipulation of the physical, chemical, or biological characteristics present to develop an aquatic resource that did not

previously exist at an upland site. Establishment results in a gain in aquatic resource area.

High Tide Line: The line of intersection of the land with the water's surface at the maximum height reached by a rising tide. The high tide line may be determined, in the absence of actual data, by a line of oil or scum along shore objects, a more or less continuous deposit of fine shell or debris on the foreshore or berm, other physical markings or characteristics, vegetation lines, tidal gages, or other suitable means that delineate the general height reached by a rising tide. The line encompasses spring high tides and other high tides that occur with periodic frequency but does not include storm surges in which there is a departure from the normal or predicted reach of the tide due to the piling up of water against a coast by strong winds such as those accompanying a hurricane or other intense storm.

Historic Property: Any prehistoric or historic district, site (including archaeological site), building, structure, or other object included in, or eligible for inclusion in, the National Register of Historic Places maintained by the Secretary of the Interior. This term includes artifacts, records, and remains that are related to and located within such properties. The term includes properties of traditional religious and cultural importance to an Indian tribe or Native Hawaiian organization and that meet the National Register criteria (36 CFR part 60).

Independent utility: A test to determine what constitutes a single and complete non-linear project in the Corps Regulatory Program. A project is considered to have independent utility if it would be constructed absent the construction of other projects in the project area. Portions of a multi-phase project that depend upon other phases of the project do not have independent utility. Phases of a project that would be constructed even if the other phases were not built can be considered as separate single and complete projects with independent utility.

Indirect effects: Effects that are caused by the activity and are later in time or farther removed in distance, but are still reasonably foreseeable.

Loss of waters of the United States: Waters of the United States that are permanently adversely affected by filling, flooding, excavation, or drainage because of the regulated activity. The loss of stream bed includes the acres of stream bed that are permanently adversely affected by filling or excavation because of the regulated activity. Permanent adverse effects include permanent discharges of dredged or fill material that change an aquatic area to dry land, increase the bottom elevation of a waterbody, or change the use of a waterbody. The acreage of loss of waters of the United States is a threshold measurement of the impact to jurisdictional waters for determining whether a project may qualify for an NWP; it is not a net threshold that is calculated after considering compensatory mitigation that may be used to offset losses of aquatic functions and services. Waters of the United States temporarily filled, flooded, excavated,

or drained, but restored to pre-construction contours and elevations after construction, are not included in the measurement of loss of waters of the United States. Impacts resulting from activities that do not require Department of the Army authorization, such as activities eligible for exemptions under section 404(f) of the Clean Water Act, are not considered when calculating the loss of waters of the United States.

Navigable waters: Waters subject to section 10 of the Rivers and Harbors Act of 1899. These waters are defined at 33 CFR part 329.

Non-tidal wetland: A non-tidal wetland is a wetland that is not subject to the ebb and flow of tidal waters. Non-tidal wetlands contiguous to tidal waters are located landward of the high tide line (i.e., spring high tide line).

Open water: For purposes of the NWP's, an open water is any area that in a year with normal patterns of precipitation has water flowing or standing above ground to the extent that an ordinary high water mark can be determined. Aquatic vegetation within the area of flowing or standing water is either non-emergent, sparse, or absent. Vegetated shallows are considered to be open waters. Examples of "open waters" include rivers, streams, lakes, and ponds.

Ordinary High Water Mark: The term ordinary high water mark means that line on the shore established by the fluctuations of water and indicated by physical characteristics such as a clear, natural line impressed on the bank, shelving, changes in the character of soil, destruction of terrestrial vegetation, the presence of litter and debris, or other appropriate means that consider the characteristics of the surrounding areas.

Perennial stream: A perennial stream has surface water flowing continuously year-round during a typical year.

Practicable: Available and capable of being done after taking into consideration cost, existing technology, and logistics in light of overall project purposes.

Pre-construction notification: A request submitted by the project proponent to the Corps for confirmation that a particular activity is authorized by nationwide permit. The request may be a permit application, letter, or similar document that includes information about the proposed work and its anticipated environmental effects. Pre-construction notification may be required by the terms and conditions of a nationwide permit, or by regional conditions. A pre-construction notification may be voluntarily submitted in cases where pre-construction notification is not required and the project proponent wants confirmation that the activity is authorized by nationwide permit.

Preservation: The removal of a threat to, or preventing the decline of, aquatic resources by an action in or near those aquatic resources. This term includes activities commonly associated with the protection and maintenance of aquatic resources through the implementation of appropriate legal and physical mechanisms. Preservation does not result in a gain of aquatic resource area or functions.

Re-establishment: The manipulation of the physical, chemical, or biological characteristics of a site with the goal of returning natural/historic functions to a former aquatic resource. Re-establishment results in rebuilding a former aquatic resource and results in a gain in aquatic resource area and functions.

Rehabilitation: The manipulation of the physical, chemical, or biological characteristics of a site with the goal of repairing natural/historic functions to a degraded aquatic resource. Rehabilitation results in a gain in aquatic resource function, but does not result in a gain in aquatic resource area.

Restoration: The manipulation of the physical, chemical, or biological characteristics of a site with the goal of returning natural/historic functions to a former or degraded aquatic resource. For the purpose of tracking net gains in aquatic resource area, restoration is divided into two categories: re-establishment and rehabilitation.

Riffle and pool complex: Riffle and pool complexes are special aquatic sites under the 404(b)(1) Guidelines. Riffle and pool complexes sometimes characterize steep gradient sections of streams. Such stream sections are recognizable by their hydraulic characteristics. The rapid movement of water over a coarse substrate in riffles results in a rough flow, a turbulent surface, and high dissolved oxygen levels in the water. Pools are deeper areas associated with riffles. A slower stream velocity, a streaming flow, a smooth surface, and a finer substrate characterize pools.

Riparian areas: Riparian areas are lands next to streams, lakes, and estuarine-marine shorelines. Riparian areas are transitional between terrestrial and aquatic ecosystems, through which surface and subsurface hydrology connects riverine, lacustrine, estuarine, and marine waters with their adjacent wetlands, non-wetland waters, or uplands. Riparian areas provide a variety of ecological functions and services and help improve or maintain local water quality. (See general condition 23.)

Shellfish seeding: The placement of shellfish seed and/or suitable substrate to increase shellfish production. Shellfish seed consists of immature individual shellfish or individual shellfish attached to shells or shell fragments (i.e., spat on shell). Suitable substrate may consist of shellfish shells, shell fragments, or other appropriate materials placed into waters for shellfish habitat.

Single and complete linear project: A linear project is a project constructed for the purpose of getting people, goods, or services from a point of origin to a terminal point, which often involves multiple crossings of one or more waterbodies at separate and distant locations. The term “single and complete project” is defined as that portion of the total linear project proposed or accomplished by one owner/developer or partnership or other association of owners/developers that includes all crossings of a single water of the United States (i.e., a single waterbody) at a specific location. For linear projects crossing a single or multiple waterbodies several times at separate and distant locations, each crossing is considered a single and complete project for purposes of NWP authorization. However, individual channels in a braided stream or river, or individual arms of a large, irregularly shaped wetland or lake, etc., are not separate waterbodies, and crossings of such features cannot be considered separately.

Single and complete non-linear project: For non-linear projects, the term “single and complete project” is defined at 33 CFR 330.2(i) as the total project proposed or accomplished by one owner/developer or partnership or other association of owners/developers. A single and complete non-linear project must have independent utility (see definition of “independent utility”). Single and complete non-linear projects may not be “piecemealed” to avoid the limits in an NWP authorization.

Stormwater management: Stormwater management is the mechanism for controlling stormwater runoff for the purposes of reducing downstream erosion, water quality degradation, and flooding and mitigating the adverse effects of changes in land use on the aquatic environment.

Stormwater management facilities: Stormwater management facilities are those facilities, including but not limited to, stormwater retention and detention ponds and best management practices, which retain water for a period of time to control runoff and/or improve the quality (i.e., by reducing the concentration of nutrients, sediments, hazardous substances and other pollutants) of stormwater runoff.

Stream bed: The substrate of the stream channel between the ordinary high water marks. The substrate may be bedrock or inorganic particles that range in size from clay to boulders. Wetlands contiguous to the stream bed, but outside of the ordinary high water marks, are not considered part of the stream bed.

Stream channelization: The manipulation of a stream’s course, condition, capacity, or location that causes more than minimal interruption of normal stream processes. A channelized stream remains a water of the United States.

Structure: An object that is arranged in a definite pattern of organization. Examples of structures include, without limitation, any pier, boat dock, boat ramp,

wharf, dolphin, weir, boom, breakwater, bulkhead, revetment, riprap, jetty, artificial island, artificial reef, permanent mooring structure, power transmission line, permanently moored floating vessel, piling, aid to navigation, or any other manmade obstacle or obstruction.

Tidal wetland: A tidal wetland is a jurisdictional wetland that is inundated by tidal waters. Tidal waters rise and fall in a predictable and measurable rhythm or cycle due to the gravitational pulls of the moon and sun. Tidal waters end where the rise and fall of the water surface can no longer be practically measured in a predictable rhythm due to masking by other waters, wind, or other effects. Tidal wetlands are located channelward of the high tide line.

Tribal lands: Any lands title to which is either: 1) held in trust by the United States for the benefit of any Indian tribe or individual; or 2) held by any Indian tribe or individual subject to restrictions by the United States against alienation.

Tribal rights: Those rights legally accruing to a tribe or tribes by virtue of inherent sovereign authority, unextinguished aboriginal title, treaty, statute, judicial decisions, executive order or agreement, and that give rise to legally enforceable remedies.

Vegetated shallows: Vegetated shallows are special aquatic sites under the 404(b)(1) Guidelines. They are areas that are permanently inundated and under normal circumstances have rooted aquatic vegetation, such as seagrasses in marine and estuarine systems and a variety of vascular rooted plants in freshwater systems.

Waterbody: For purposes of the NWP, a waterbody is a jurisdictional water of the United States. If a wetland is adjacent to a waterbody determined to be a water of the United States, that waterbody and any adjacent wetlands are considered together as a single aquatic unit (see 33 CFR 328.4(c)(2)). Examples of "waterbodies" include streams, rivers, lakes, ponds, and wetlands.

Attachment 3

COASTAL ZONE CONSISTENCY DETERMINATION

Nationwide Permit Reissuance Reissuance, SPN-20-6

Maryland Coastal Zone Management Program Enforceable Policies Approved October 19, 2020, Enforceable July 6, 2020

5.1 CORE POLICIES

5.1.1 Quality of Life

Quality of Life Policy 1- Air Quality. It is State policy to maintain that degree of purity of air resources which will protect the health, general welfare, and property of the people of the State. MDE (C9) Md. Code Ann., Envir. §§ 2-102 to -103.

Quality of Life Policy 2 – Noise. The environment shall be free from noise which may jeopardize health, general welfare, or property, or which degrades the quality of life. MDE (C9) COMAR 26.02.03.02.

Quality of Life Policy 3– Protection of State Wild Lands. The unique ecological, geological, scenic, and contemplative aspects of State wild lands shall not be affected in a manner that would jeopardize the future use and enjoyment of those lands as wild. DNR (C7) Md. Code Ann., Nat. Res. §§ 5-1201, -1203.

Quality of Life Policy 4 – Protection of State Lands & Cultural Resources. The safety, order, and natural beauty of State parks and forests, State reserves, scenic preserves, parkways, historical monuments and recreational areas shall be preserved. DNR (B1) Md. Code. Ann., Nat. Res. § 5-209.

Quality of Life Policy 5 – Natural Character & Scenic Value of Rivers & Waterways. The natural character and scenic value of a river or waterway must be given full consideration before the development of any water or related land resources including construction of improvements, diversions, roadways, crossings, or channelization. MDE/DNR (C7) Md. Code Ann., Nat. Res. § 8-405; COMAR 26.17.04.11.

Quality of Life Policy 6 –Natural Flow of Scenic & Wild Rivers. A dam or other structure that impedes the natural flow of a scenic or wild river may not be constructed, operated, or maintained, and channelization may not be undertaken, until the applicant considers alternatives less harmful to the scenic and wild resource. Construction of an impoundment upon a scenic or wild river is contrary to the public interest, if that project floods an area of unusual beauty, blocks the access to the public of a view previously enjoyed, or alters the stream's wild qualities. MDE/DNR (C7) Md. Code Ann., Nat. Res. § 8-406; COMAR 26.17.04.11.

Quality of Life Policy 7 – Atlantic Coast Development. Any land clearing, construction activity, or the construction or placement of permanent structures is prohibited within the Beach Erosion Control District except the construction and installation of a qualified submerged renewable energy line, if the project does not result in any significant permanent environmental damage to the Beach Erosion Control District and is not constructed or installed within the Assateague State Park, and any project or activity specifically for storm control, beach erosion and sediment control, or maintenance projects designed to benefit the Beach Erosion Control District. MDE/DNR (B1) Md. Code Ann., Nat. Res. § 8-1102.

Quality of Life Policy 8 – Integrity & Natural Character of Assateague Island. Activities which will adversely affect the integrity and natural character of Assateague Island will be inconsistent with the State's Coastal Management Program, and will be prohibited. MDE/DNR (B1) Md. Code. Ann., Nat. Res. §§ 5-209, 8-1102.

Quality of Life Policy 9 – Public Outreach. An opportunity for a public hearing shall be provided for projects in non-tidal waters that dredge, fill, bulkhead, or change the shoreline; construct or reconstruct a dam; or create a waterway, except in emergency situations. MDE (A3) COMAR 26.17.04.13A.

Quality of Life Policy 10 – Erosion & Sediment Control. Soil erosion shall be prevented to preserve natural resources and wildlife; control floods; prevent impairment of dams and reservoirs; maintain the navigability of rivers and harbors; protect the tax base, the public lands, and the health, safety and general welfare of the people of the State, and to enhance their living environment. MDA (C4) Md. Code Ann., Agric. § 8-102(d).

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

Quality of Life Policy 11 – Safeguards for Outer Continental Shelf Development. Operations on the Outer Continental Shelf must be conducted in a safe manner by well-trained personnel using technology, precautions, and techniques sufficient to prevent or minimize the likelihood of blowouts, loss of well control, fires, spillages, physical obstruction to other users of the waters or subsoil and seabed, or other occurrences which may cause damage to the environment or property, or which may endanger life or health. (B2) Md. Code Ann., Envir. §§ 17-101 to -403; COMAR 26.24.01.01; COMAR 26.24.02.01, .03; COMAR 26.24.05.01.

5.1.2. Waste & Debris Management

Waste & Debris Management Policy 1 – Hazardous Waste Management. Controlled hazardous substances may not be stored, treated, dumped, discharged, abandoned, or otherwise disposed anywhere other than a permitted controlled hazardous substance facility or a facility that provides an equivalent level of environmental protection. MDE (D4) Md. Code Ann., Envir. § 7-265(a).

Waste & Debris Management Policy 2 – Hazardous Waste Management in Port of Baltimore. A person may not introduce in the Port of Baltimore any hazardous materials, unless the cargo is properly classed, described, packaged, marked, labeled, placarded, and approved for highway, rail, or water transportation. MDOT (D3) COMAR 11.05.02.04A.

5.1.3. Water Resources Protection & Management

Water Resources Protection & Management Policy 1 – Pollution Discharge Permit. No one may add, introduce, leak, spill, or emit any liquid, gaseous, solid, or other substance that will pollute any waters of the State without State authorization. MDE (A5) Md. Code Ann., Envir. §§ 4-402, 9-101, 9-322.

Water Resources Protection & Management Policy 2 – Protection of Designated Uses. All waters of the State shall be protected for water contact recreation, fish, and other aquatic life and wildlife. Shellfish harvesting and recreational trout waters and waters worthy of protection because of their unspoiled character shall receive additional protection. MDE (A1) COMAR 26.08.02.02.

Water Resources Protection & Management Policy 3 – Prohibition of Harmful Toxic Impacts. The discharge of any pollutant which will accumulate to toxic amounts during the expected life of aquatic organisms or produce deleterious behavioral effects on aquatic organisms is prohibited. MDE (A4) COMAR 26.08.03.01.

Water Resources Protection & Management Policy 4 – Pre-Development Discharge Permit Requirement. Before constructing, installing, modifying, extending, or altering an outlet or establishment that could cause or increase the discharge of pollutants into the waters of the State, the proponent must hold a discharge permit issued by the Department of the Environment or provide an equivalent level of water quality protection. MDE (D6) Md. Code Ann., Envir. § 9-323(a).

Water Resources Protection & Management Policy 5 – Use of Best Available Technology or Treat to Meet Standards. The use of best available technology is required for all permitted discharges into State waters, but if this is insufficient to comply with the established water quality standards, additional treatment shall be required and based on waste load allocation. MDE (D4) COMAR 26.08.03.01C.

Water Resources Protection & Management Policy 6 – Control of Thermal Discharges. Thermal discharges shall be controlled so that the temperature outside the mixing zone (50 feet radially from the point of discharge) meets the applicable water quality criteria or discharges comply with the thermal mixing zone criteria. MDE (D4) COMAR 26.08.03.03C.

Water Resources Protection & Management Policy 7 – Pesticide Storage. Pesticides shall be stored in an area located at least 50 feet from any water well or stored in secondary containment approved by the Department of the Environment. MDA (C4) COMAR 15.05.01.06.

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

Water Resources Protection & Management Policy 8 – Stormwater Management. Any development or redevelopment of land for residential, commercial, industrial, or institutional purposes shall use small-scale non-structural stormwater management practices and site planning that mimics natural hydrologic conditions, to the maximum extent practicable. Development or redevelopment will be consistent with this policy when channel stability and 100 percent of the average annual predevelopment groundwater recharge are maintained, nonpoint source pollution is minimized, and structural stormwater management practices are used only if determined to be absolutely necessary. MDE (C9) Md. Code Ann., Envir. § 4-203; COMAR 26.17.02.01, .06.

Water Resources Protection & Management Policy 9 – Unpermitted Dumping of Used Oil. Unless otherwise permitted, used oil may not be dumped into sewers, drainage systems, or any waters of the State or onto any public or private land. MDE (D4) Md. Code Ann., Envir. § 5-1001(f).

Water Resources Protection & Management Policy 10 – Toxicity Monitoring. If material being dumped into Maryland waters or waters off Maryland's coastline has demonstrated actual toxicity or potential for being toxic, the discharger must perform biological or chemical monitoring to test for toxicity in the water. MDE (A5) COMAR 26.08.03.07(D); COMAR 26.08.04.01.

Water Resources Protection & Management Policy 11 – Public Outreach. Public meetings and citizen education shall be encouraged as a necessary function of water quality regulation. MDE (A2) COMAR 26.08.01.02E(3).

Water Resources Protection & Management Policy 12 - No Adverse Impact from Water

Appropriation. Any water appropriation must be reasonable in relation to the anticipated level of use and may not have an unreasonable adverse impact on water resources or other users of the waters of the State. MDE (C9) COMAR 26.17.06.02.

5.1.4. Flood Hazards & Community Resilience

Flood Hazards & Community Resilience Policy 1 – No Adverse Impact. Projects in coastal tidal and non-tidal flood plains which would create additional flooding upstream or downstream, or which would have an adverse impact upon water quality or other environmental factors, are contrary to State policy. MDE (C2) Md. Code Ann., Envir. § 5-803; COMAR 26.17.05.04A.

Flood Hazards & Community Resilience Policy 2 – Non-Tidal Waters and Non-Tidal Floodplains. The following policies apply to projects in non-tidal waters and non-tidal floodplains, but not non-tidal wetlands. MDE (C2) COMAR 26.17.04.01, .07, .11.

Flood Hazards & Community Resilience Policy 2a – 1-Foot Freeboard Above 100-year Flood. Proposed floodplain encroachments, except for roadways, culverts, and bridges, shall be designed to provide a minimum of 1 foot of freeboard above the elevation of the 100-year frequency flood event. In addition, the elevation of the lowest floor of all new or substantially improved residential, commercial, or industrial structures shall also be at least 1 foot above the elevation of the 100-year frequency flood event.

Flood Hazards & Community Resilience Policy 2b – Stability of Unlined Earth Channels. Proposed unlined earth channels may not change the tractive force associated with the 2-year and the 10-year frequency flood events, by more than 10 percent, throughout their length unless it can be demonstrated that the stream channel will remain stable.

Flood Hazards & Community Resilience Policy 2c – Stability of Lined Channels. Proposed lined channels may not change the tractive force associated with the 2-year and the 10-year frequency flood events, by more than 10 percent, at their downstream terminus unless it can be demonstrated that the stream channel will remain stable.

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

Flood Hazards & Community Resilience Policy 2d – Prohibition of Dam Construction in High Risk Areas. Category II, III, or IV dams may not be built or allowed to impound water in any location where a failure is likely to result in the loss of human life or severe damage to streets, major roads, public utilities, or other high value property.

Flood Hazards & Community Resilience Policy 2e – Prohibition of Projects That Increase Risk Unless Mitigation Requirements Are Met. Projects that increase the risk of flooding to other property owners are generally prohibited, unless the area subject to additional risk of flooding is purchased, placed in designated flood easement, or protected by other means acceptable to the Maryland Department of the Environment.

Flood Hazards & Community Resilience Policy 2f – Prohibition of Construction or Substantial Improvements in 100-Year Floodplain. The construction or substantial improvement of any residential, commercial, or industrial structures in the 100-year frequency floodplain and below the water surface elevation of the 100-year frequency flood may not be permitted. Minor maintenance and repair may be permitted. The modifications of existing structures for flood-proofing purposes may be permitted. Flood-proofing modifications shall be designed and constructed in accordance with specifications approved by the Maryland Department of the Environment.

Flood Hazards & Community Resilience Policy 2g – Channelization Is Discouraged. Channelization shall be the least favored flood control technique.

Flood Hazards & Community Resilience Policy 2h – Preference of Multi-Purpose Use Projects, Project Accountability, & 50% Reduction in Damages. Multiple purpose use shall be preferred over single purpose use, the proposed project shall achieve the purposes intended, and, at a minimum, project shall provide for a 50 percent reduction of the average annual flood damages.

Flood Hazards & Community Resilience Policy 3 – Development-Related Runoff Restrictions for the Gwynne Falls and Jones Falls Watersheds. Development may not increase the downstream peak discharge for the 100-year frequency storm event in the following watersheds and all their tributaries: Gwynns Falls in Baltimore City and Baltimore County; and Jones Falls in Baltimore City and Baltimore County. MDE (C2) COMAR 26.17.02.07.

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

5.2 COASTAL RESOURCES

5.2.1 The Chesapeake and Atlantic Coastal Bays Critical Area

In addition to the policies in this section, the laws approved by NOAA implementing the Chesapeake and Atlantic Coastal Bays Critical Area Protection Program are enforceable policies.

Critical Area Policy 1 – Scope of the Buffer. In the Critical Area, a minimum 100-foot vegetated buffer shall be maintained landward from the mean high water line of tidal waters, the edge of each bank of tributary streams, and the landward edge of tidal wetlands. The buffer shall be expanded in sensitive areas in accordance with standards adopted by the Critical Area Commission. The buffer is not required for agricultural drainage ditches if the adjacent agricultural land has in place best management practices that protect water quality. Mitigation or other measures for achieving water quality and habitat protection objectives may be necessary in buffer areas for which the Critical Area Commission has modified the minimum applicable requirements due to the existing pattern of development. CAC (C9) COMAR 27.01.09.01, .01-6, .01-8.

Critical Area Policy 2 – Buffer Disturbance. Disturbance to a buffer in the Critical Area is only authorized for a shore erosion control measure or for new development or redevelopment that is water-dependent; meets a recognized private right or public need; minimizes the adverse effects on water quality and fish, plant, and wildlife habitat; and, insofar as possible, locates nonwater-dependent structures or operations associated with water-dependent projects or activities outside the buffer. Disturbance to a buffer may only be authorized in conjunction with mitigation performed in accordance with an approved buffer management plan. CAC (C9) COMAR 27.01.03.03; COMAR 27.01.09.01, .01-2, .01-3.

Critical Area Policy 3 - Protection of Bird Nesting Areas. Colonial water bird nesting sites in the Critical Area may not be disturbed during breeding season. CAC (C9) COMAR 27.01.09.04.

Critical Area Policy 4 - Protection of Waterfowl. New facilities in the Critical Area shall not interfere with historic waterfowl concentration and staging areas. CAC (C9) COMAR 27.01.09.04.

Critical Area Policy 5 -Restrictions on Stream Alterations. Physical alterations to streams in the Critical Area shall not affect the movement of fish. CAC (C9) COMAR 27.01.09.05.

Critical Area Policy 6 - Prohibition of Riprap and Artificial Surfaces. The installation or introduction of concrete riprap or other artificial surfaces onto the bottom of natural streams in the Critical Area is prohibited unless water quality and fisheries habitat will be improved. CAC (C9) COMAR 27.01.09.05.

Critical Area Policy 7 - Prohibition of Dams and Structures. The construction or placement of dams or other structures in the Critical Area that would interfere with or prevent the movement of spawning fish or larval forms in streams is prohibited. CAC (C9) COMAR 27.01.09.05.

Critical Area Policy 8 - Restrictions on Stream Crossings and Impacts. Development may not cross or affect a stream in the Critical Area, unless there is no feasible alternative and the design and construction of the development prevents increases in flood frequency and severity that are attributable to development; retains tree canopy and maintains stream water temperature within normal variation; provides a natural substrate for affected streambeds; and minimizes adverse water quality and quantity impacts of stormwater. CAC (C9) COMAR 27.01.02.04.

Critical Area Policy 9 - Time of Year Restrictions for Construction in Streams. The construction, repair, or maintenance activities associated with bridges or other stream crossings or with utilities and roads, which involve disturbance within the buffer or which occur in stream are prohibited between March 1 and May 15. CAC (C9) COMAR 27.01.09.05.

Critical Area Policy 10 - Avoid & Minimize Construction Impacts in Habitat Areas . Roads, bridges, or utilities may not be constructed in any areas designated to protect habitat, including buffers, in the

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

Critical Area, unless there is no feasible alternative and the road, bridge, or utility is located, designed, constructed, and maintained in a manner that maximizes erosion protection; minimizes negative impacts to wildlife, aquatic life, and their habitats; and maintains hydrologic processes and water quality. CAC (C9) COMAR 27.01.02.03C, .04C, .05C.

Critical Area Policy 11 – Intensely Developed Areas. The following policies apply in those areas of the Critical Area that are determined to be areas of intense development.

- o To the extent possible, fish, wildlife, and plant habitats should be conserved.
- o Development and redevelopment shall improve the quality of runoff from developed areas that enters the Chesapeake or Atlantic Coastal Bays or their tributary streams.
- o At the time of development or redevelopment, appropriate actions must be taken to reduce stormwater pollution by 10%. Retrofitting measures are encouraged to address existing water quality and water quantity problems from stormwater.
- o Development activities may cross or affect a stream only if there is no feasible alternative, and those activities must be constructed to prevent increases in flood frequency and severity attributable to development, retain tree canopy, maintain stream water temperatures within normal variation, and provide a natural substrate for affected streambeds.
- o Areas of public access to the shoreline, such as foot paths, scenic drives, and other public recreational facilities, shall be maintained and, if possible, are encouraged to be established.
- o Ports and industries which use water for transportation and derive economic benefits from shore access, shall be located near existing port facilities or in areas identified by local jurisdictions for planned future port facility development and use if this use will provide significant economic benefit to the State or local jurisdiction.
- o Development shall be clustered to reduce lot coverage and maximize areas of natural vegetation.
- o Development shall minimize the destruction of forest and woodland vegetation.

CAC (C9) COMAR 27.01.02.03.

Critical Area Policy 12 – Limited Development Areas & Resource Conservation Areas. The following policies apply in those portions of the Critical Area that are not areas of intense development.

- o Development shall maintain, and if possible, improve the quality of runoff and ground water entering the Chesapeake and Coastal Bays.
- o To the extent practicable, development shall maintain existing levels of natural habitat.
- o All development sites shall incorporate a wildlife corridor system that connects undeveloped vegetated tracts onsite with undeveloped vegetated tracts offsite.
- o All forests and developed woodlands that are cleared or developed shall be replaced on not less than an equal area basis.
- o If there are no forests on a proposed development site, the site shall be planted to provide a forest or developed woodland cover of at least 15 percent.
- o Development on slopes equal to or greater than 15 percent, as measured before development, shall be prohibited unless the project is the only effective way to maintain the slope and is consistent with other policies.
- o To the extent practicable, development shall be clustered to reduce lot coverage and maximize areas of natural vegetation.
- o Lot coverage is limited to 15 percent of the site.

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

CAC (C9) COMAR 27.01.02.04.

Critical Area Policy 13 - Public Facilities Allowed With Restrictions in Buffer. Public beaches or other public water-oriented recreation or education areas including, but not limited to, publicly owned boat launching and docking facilities and fishing piers may be permitted in the buffer in portions of the Critical Area not designated as intensely developed areas only if adequate sanitary facilities exist; service facilities are, to the extent possible, located outside the Buffer; permeable surfaces are used to the extent practicable, if no degradation of ground water would result; and disturbance to natural vegetation is minimized. CAC (C9) COMAR 27.01.03.08.

Critical Area Policy 14 - Water-Dependent Research Facilities. Water-dependent research facilities or activities may be permitted in the buffer, if nonwater-dependent structures or facilities associated with these projects are, to the extent possible, located outside the buffer. CAC (C9) COMAR 27.01.03.09.

Critical Area Policy 15 – Siting Industrial & Port-Related Facilities. Water-dependent industrial and port-related facilities may only be located in the portions of areas of intense development designated as modified buffer areas. CAC (C9) COMAR 27.01.03.05.

Critical Area Policy 16 -Restrictions on Waste Facilities. Solid or hazardous waste collection or disposal facilities and sanitary landfills are not permitted in the Critical Area unless no environmentally acceptable alternative exists outside the Critical Area, and these facilities are needed in order to correct an existing water quality or wastewater management problem. CAC (C9) COMAR 27.01.02.02.

Critical Area Policy 17 – Buffer Management Plan. If a development or redevelopment activity occurs on a lot or parcel that includes a buffer or if issuance of a permit, variance, or approval would disturb the buffer, the proponents of that activity must develop a buffer management plan that clearly indicates that all applicable planting standards developed by the Critical Area Commission will be met and that appropriate measures are in place for the protection and maintenance of the buffer. CAC (C9) COMAR 27.01.09.01-1, .01-3.

Critical Area Policy 18 – Protection of Critical Area from Surface Mining Pollution. All available measures must be taken to protect the Critical Area from all sources of pollution from surface mining operations, including but not limited to sedimentation and siltation, chemical and petrochemical use and spillage, and storage or disposal of wastes, dusts, and spoils. CAC (D5) COMAR 27.01.07.02A.

Critical Area Policy 19 – Reclamation Requirements for Mining. In the Critical Area, mining must be conducted in a way that allows the reclamation of the site as soon as possible and to the extent possible. CAC (D5) COMAR 27.01.07.02B.

Critical Area Policy 20 – Restrictions on Sand & Gravel Operations. Sand and gravel operations shall not occur within 100 feet of the mean high water line of tidal waters or the edge of streams or in areas with scientific value, important natural resources such as threatened and endangered species, rare assemblages of species, or highly erodible soils. Sand and gravel operations also may not occur where the use of renewable resource lands would result in the substantial loss of forest and agricultural productivity for 25 years or more or would result in a degrading of water quality or a loss of vital habitat. CAC (D5) COMAR 27.01.07.03D.

Critical Area Policy 21 - Prohibition of Wash Plants in Buffer. Wash plants including ponds, spoil piles, and equipment may not be located in the 100-foot buffer. CAC (D5) COMAR 27.01.07.03E.

Critical Area Policy 22 – Requirements for Agriculture in the Buffer. Agricultural activities are permitted in the buffer, if, as a minimum best management practice, a 25-foot vegetated filter strip measured landward from the mean high water line of tidal waters or tributary streams (excluding drainage ditches), or from the edge of tidal wetlands, whichever is further inland, is established in trees with a dense ground cover or a thick sod of grass. CAC (C4) COMAR 27.01.09.01-6.

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

Critical Area Policy 23 – Geographical Limits for Feeding or Watering Livestock. The feeding or watering of livestock is not permitted within 50 feet of the mean high water line of tidal waters and tributaries. CAC (C4) COMAR 27.01.09.01-6.

Critical Area Policy 24 – Creating New Agricultural Lands. In the Critical Area, the creation of new agricultural lands shall not be accomplished by diking, draining, or filling of non-tidal wetlands, without appropriate mitigation; by clearing of forests or woodland on soils with a slope greater than 15 percent or on soils with a "K" value greater than 0.35 and slope greater than 5 percent; by clearing that will adversely affect water quality or will destroy plant and wildlife habitat; or by clearing existing natural vegetation within the 100-foot buffer. CAC (C4) COMAR 27.01.06.02C.

Critical Area Policy 25 - Best Management Practices for Agriculture. Agricultural activity permitted within the Critical Area shall use best management practices in accordance with a soil conservation and water quality plan approved or reviewed by the local soil conservation district. CAC (C4) COMAR 27.01.06.02G.

Critical Area Policy 26 - Cutting or Clearing Trees in the Buffer. Cutting or clearing of trees within the buffer is prohibited except that commercial harvesting of trees by selection or by the clearcutting of loblolly pine and tulip poplar may be permitted to within 50 feet of the landward edge of the mean high water line of tidal waters and perennial tributary streams, or the edge of tidal wetlands if the buffer is not subject to additional habitat protection. Commercial harvests must be in compliance with a buffer management plan that is prepared by a registered professional forester and is approved by the Department of Natural Resources. CAC (C5) Md. Code Ann., Nat. Res. § 8-1808.7; COMAR 27.01.09.01-7

Critical Area Policy 27 - Requirements for Commercial Tree Harvesting in the Buffer. Commercial tree harvesting in the buffer may not involve the creation of logging roads and skid trails within the buffer and must avoid disturbing stream banks and shorelines as well as include replanting or allowing regeneration of the areas disturbed or cut in a manner that assures the availability of cover and breeding sites for wildlife and reestablishes the wildlife corridor function of the buffer. CAC (C5) Md. Code Ann., Nat. Res. § 8-1808.7; COMAR 27.01.09.01-7

Critical Area Policy 28 - General Restrictions to Intense Development. Intense development should be directed outside the Critical Area. Future intense development activities, when proposed in the Critical Area, shall be directed towards the intensely developed areas. CAC (D1) Md. Code Ann., Natural Res. § 8-1807(b); COMAR 27.01.02.02B.

Critical Area Policy 29 – Development Restrictions in Critical Area. The following development activities and facilities are not permitted in the Critical Area except in intensely developed areas and only after the activity or facility has demonstrated that there will be a net improvement in water quality to the adjacent body of water.

- Non-maritime heavy industry
 - Transportation facilities and utility transmission facilities, except those necessary to serve permitted uses, or where regional or interstate facilities must cross tidal waters
 - Permanent sludge handling, storage, and disposal facilities, other than those associated with wastewater treatment facilities. However, agricultural or horticultural use of sludge when applied by an approved method at approved application rates may be permitted in the Critical Area, but not in the 100-foot Buffer
- CAC (C9) COMAR 27.01.02.02.

5.2.2 Tidal Wetlands

Tidal Wetlands Policy 1 – Projects That Alter Natural Character Shall Avoid Dredging & Filling, Be Water-Dependent and Provide Appropriate Mitigation. Any action which alters the natural character in, on, or over tidal wetlands; tidal marshes; and tidal waters of Chesapeake Bay and its

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

tributaries, the coastal bays adjacent to Maryland's coastal barrier islands, and the Atlantic Ocean shall avoid dredging and filling, be water-dependent, and provide appropriate mitigation for any necessary and unavoidable adverse impacts on these areas or the resources associated with these areas. A proponent of an action described above shall explain the actions impact on: habitat for finfish, crustaceans, mollusks, and wildlife of significant economic or ecologic value; potential habitat areas such as historic spawning and nursery grounds for anadromous and semi-anadromous fisheries species and shallow water areas suitable to support populations of submerged aquatic vegetation; marine commerce, recreation, and aesthetic enjoyment; flooding; siltation; natural water flow, water temperature, water quality, and natural tidal circulation; littoral drift; local, regional, and State economic conditions; historic property; storm water runoff; disposal of sanitary waste; sea level rise and other determinable and periodically recurring natural hazards; navigational safety; shore erosion; access to beaches and waters of the State; scenic and wild qualities of a designated State scenic or wild river; and historic waterfowl staging areas and colonial bird-nesting sites. MDE (B2) COMAR 26.24.01.01, COMAR 26.24.02.01, .03; COMAR 26.24.05.01.

5.2.3 Non-Tidal Wetlands

Non-Tidal Wetlands Policy 1 – Removal or Alteration is Generally Prohibited Unless There Is No Practicable Alternative, in Which Case, Impacts are First Minimized & Then Mitigated to Replace Ecological Values Lost. Removal, excavation, grading, dredging, dumping, or discharging of, or filling a non-tidal wetland with materials of any kind, including the driving of piles and placing of obstructions; changing existing drainage characteristics, sedimentation patterns, flow patterns, or flood retention characteristics; disturbing the water level or water table; or removing or destroying plant life that would alter the character of a non-tidal wetland is prohibited unless: The proposed project has no practicable alternative; adverse impacts are first avoided and then minimized based on consideration of existing topography, vegetation, fish and wildlife resources, and hydrological conditions; comprehensive watershed management plans are considered; and the proposed project does not cause or contribute to an individual or cumulative effect that degrades aquatic ecosystem diversity, productivity, and stability, plankton, fish, shellfish, and wildlife, recreational and economic values, and public welfare, surface water quality, or ground water quality. Mitigation measures are required to replace the ecological values associated with non-tidal wetlands that are impaired by activities described above. MDE (C3) COMAR 26.23.01.01; COMAR 26.23.02.04, .06; COMAR 26.23.04.02.

5.2.4 Forests

Forest Policy 1 – Projects Impacting More Than 40,000 Square Feet Must Generally Identify & Protect Habitat & Mitigate for Impacts. The Forest Conservation Act and its implementing regulations, as approved by NOAA, are enforceable policies. Generally, before developing an area greater than 40,000 square feet, forested and environmentally sensitive areas must be identified and preserved whenever possible. If these areas cannot be preserved, reforestation or other mitigation is required to replace the values associated with them. This policy does not apply in the Critical Area. DNR (C5) Md. Code Ann., Nat. Res. §§ 5-1601 to -1613; COMAR 08.19.01-.06.

Forest Policy 2 – Maintain Resource Sustainability & Prevent or Limit Clear-Cutting to Protect Watersheds. Forestry activities shall provide for adequate restocking, after cutting, of trees of desirable species and condition; provide for reserving, for growth and subsequent cutting, a sufficient growing stock of thrifty trees of desirable species to keep the land reasonably productive; and prevent clear-cutting, or limit the size of a tract to be clear-cut in areas where clear-cutting will seriously interfere with protection of a watershed. DNR (C5) Md. Code Ann., Nat. Res. § 5-606.

Forest Policy 3 –Commercial Timber Cuts of Five Acres or More with Pines Comprising 25% of Live Trees Shall Ensure Pine Resource Sustainability. When any timber is cut for commercial

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

purposes from five acres or more of land on which loblolly pine, shortleaf pine, or pond pine, singly or together occur and constitute 25 percent or more of the live trees on each acre, the person conducting the cutting or the landowner shall leave uncut and uninjured at least eight well distributed, cone-bearing, healthy, windfirm, loblolly, shortleaf, or pond pine trees on each acre cut for the purpose of reseeded. DNR (C5) Md. Code Ann., Nat. Res. §§ 5-501, -504.

Forest Policy 4 – Minimize Forest Removal for Highway Construction Projects & Mitigate with Equivalent Reforestation if over 1 Acre Is Lost. Any highway construction activity, including related off-site environmental mitigation, may only cut or clear the minimum amount of trees and other woody plants necessary to be consistent with sound design principles. If over an acre of forest is lost as a result of the project, an equivalent area of publicly owned property shall be reforested. DNR/MDOT (C5) Md. Code Ann., Nat. Res. § 5-103.

Forest Policy 5 – Protection of Roadside Trees Unless Removal or Trimming Is Justified. Roadside trees should not be cut down, trimmed, mutilated, or injured unless the activity will eliminate a hazard to property, public safety, or health; improve or prevent tree deterioration; or improve the general aesthetic appearance of the right-of-way. DNR (C5) COMAR 08.07.02.05.

Forest Policy 6 – Sediment & Erosion Control in Non-Tidal Wetlands. A person conducting a forestry activity in non-tidal wetlands shall develop and implement a sediment and erosion control plan. MDE (C3) COMAR 26.23.05.02.

5.2.5 Historical and Archaeological Sites

Historical and Archaeological Policy 1 – Protection of Submerged Historic Resources. Unless permission is granted by the Maryland Historical Trust, activities that excavate, remove, destroy, injure, deface, or disturb submerged archaeological historic property are generally prohibited. MDP (C8) Md. Code Ann., State Fin. & Proc. §§ 5A-341, -333.

Historical and Archaeological Policy 2 – Protection of Caves & Archaeological Sites. Unless permission is granted by the Maryland Historical Trust, activities that excavate, remove, destroy, injure, deface, or disturb cave features or archeological sites under State control are generally prohibited. MDP (C8) Md. Code Ann., State Fin. & Proc. §§ 5A-342 to -343.

Historical and Archaeological Policy 3 – Protection of Burial Sites & Cemeteries. Neither human remains nor funerary objects may be removed from a burial site or cemetery, unless permission is granted by the local State's Attorney. Funerary objects may not be willfully destroyed, damaged, or defaced. MDP (C8) Md. Code Ann., Crim. Law §§ 10-401 to -404.

5.2.6 Living Aquatic Resources

Living Aquatic Resources Policy 1 – Protection of Rare, Threatened or Endangered Fish or Wildlife. Unless authorized by an Incidental Take Permit, no one may take a State listed endangered or threatened species of fish or wildlife. DNR (A4) Md. Code Ann., Nat. Res. §§ 4-2A-01 to -09; Md. Code Ann., Nat. Res. §§ 10-2A-01 to -09.

Living Aquatic Resources Policy 2 – Sustainable Harvesting of Fisheries. Fisheries shall be sustainably harvested. DNR (A4) Md. Code Ann., Nat. Res. § 4-215.

Living Aquatic Resources Policy 3 – Protection of State Fishery Sanctuaries & Management Resources. Any land or water resource acquired by the State to protect, propagate, or manage fish shall not be damaged. DNR (A4) Md. Code Ann., Nat. Res. § 4-410.

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

Living Aquatic Resources Policy 4 – Fish Passage. No activity will be permitted that impedes or prevents the free passage of any finfish, migratory or resident, up or down stream. DNR (A4) Md. Code Ann., Nat. Res. § 4-501 to -502.

Living Aquatic Resources Policy 5 – Time-of-Year Restrictions for Construction in Non-Tidal Waters. All in-stream construction in non-tidal waters is prohibited from October through April, inclusive, for natural trout waters and from March through May, inclusive, for recreational trout waters. In addition, the construction of proposed projects, which may adversely affect anadromous fish spawning areas, shall be prohibited in non-tidal waters from March 15 through June 15, inclusive. MDE (C2) COMAR 26.17.04.11B(5).

Living Aquatic Resources Policy 6 – Protection of Forest Buffers Along Trout Streams. Riparian forest buffers adjacent to waters that are suitable for the growth and propagation of self-sustaining trout populations shall be retained whenever possible. MDE (C5) COMAR 26.08.02.03-3F.

Living Aquatic Resources Policy 7 – Non-Tidal Habitat Protection & Mitigation. Projects in or adjacent to non-tidal waters shall not adversely affect aquatic or terrestrial habitat unless there is no reasonable alternative and mitigation is provided. MDE (C2) COMAR 26.17.04.11B(5).

Living Aquatic Resources Policy 8 – Protection & Management of Submerged Aquatic Vegetation (SAV). The harvest, cutting, or other removal or eradication of submerged aquatic vegetation may only occur in a strip up to 60 feet wide surrounding a pier, dock, ramp, utility crossing, or boat slip to point of ingress in a marina, otherwise the activity must receive the approval of the Department of Natural Resources. No chemical may be used for this purpose, and the timing and method of the activity shall minimize the adverse impact on water quality and on the growth and proliferation of fish and aquatic grasses. MDE (A4) Md. Code Ann., Nat. Res. § 4-213.

Living Aquatic Resources Policy 9 – Protection of Natural Oyster Bars. Natural oyster bars in the Chesapeake Bay shall not be destroyed, damaged, or injured. DNR (A4) Md. Code Ann., Nat. Res. § 4-1118.1.

Living Aquatic Resources Policy 10 – Protection of Oyster Aquaculture Leases. A person, other than the leaseholder, may not willfully and without authority catch oysters on any aquaculture or submerged land lease area, or willfully destroy or transfer oysters on this land in any manner. DNR (A4) Md. Code Ann., Nat. Res. § 4-11A-16(a).

Living Aquatic Resources Policy 11 – Genetically Modified Organisms (GMOs) Are Prohibited in State Waters. An organism into which genetic material from another organism has been experimentally transferred so that the host acquires the genetic traits of the transferred genes may not be introduced into State waters. DNR (A4) COMAR 08.02.19.03.

Living Aquatic Resources Policy 12 – Control of Nonnative Aquatic Organisms. Vectors for the introduction of nonnative aquatic organisms must be appropriately controlled to prevent adverse impacts on aquatic ecosystems. DNR (A4) Md. Code Ann., Nat. Res. § 4-205.1.

Living Aquatic Resources Policy 13 – Control of Snakehead Fish. Except as authorized by federal law, any live snakehead fish or viable eggs of snakehead fish of the Family Channidae may not be imported, transported, or introduced into the State. DNR (A4) COMAR 08.02.19.06.

Living Aquatic Resources Policy 14 – Nonnative Oysters Prohibited in State Waters. Nonnative oysters may not be introduced into State waters. DNR (A4) Md. Code Ann., Nat. Res. § 4-1008.

5.3 COASTAL USES

5.3.1 Mineral Extraction

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

Mineral Extraction Policy 1 – Identification & Protection of Habitats Prior to Prospecting. Habitats of unique value for fish, wildlife, and other related environmental values shall be identified prior to commencing coal prospecting activities and shall be protected during those activities. MDE (D5) COMAR 26.20.08.04.

Mineral Extraction Policy 2 – Surface Mining Must Be Conducted in an Environmentally Responsible Manner. Surface mining activities must be conducted in a manner that protects birds and wildlife; decreases soil erosion; prevents pollution of rivers, streams, and lakes; prevents loss or waste of valuable mineral resources; and prevents and eliminates hazards to health. MDE (D5) Md. Code Ann., Envir. §§ 15-802, -807(d), -822(c), -828(b).

Mineral Extraction Policy 3 – Surface Mining Must Not Have Adverse Effects on Habitats, Resources, Properties and the Public. Surface mining activities must not have an unduly adverse effect on wildlife or freshwater, estuarine, or marine fisheries; constitute a substantial physical hazard to a neighboring house, school, church, hospital, commercial or industrial building, public road, or other public or private property in existence at the time of application for the permit; or significantly adversely affect the uses of a publicly owned park, forest, or recreation area in existence at the time of application for the permit. MDE (D5) Md. Code Ann., Envir. §§ 15-802(a), -810(b).

Mineral Extraction Policy 4 – Surface Mining Shall Use Best Available Technology to Minimize Impacts and Protect & Enhance Resources. Surface coal mining activities shall use the best available technology to minimize disturbances and adverse impacts on fish, wildlife, and related environmental values, and shall achieve enhancement of the resources when practicable. MDE (D5) COMAR 26.20.23.02A.

Mineral Extraction Policy 5 – Surface Mining Shall Protect Rare, Threatened or Endangered Species. A surface coal mining activity may not be conducted in a way that is likely to jeopardize the continued existence of endangered or threatened species listed by the federal or state government. MDE (D5) COMAR 26.20.23.02B.

Mineral Extraction Policy 6 – Mining Operations Shall Minimize and Control Water Pollution. Coal mining operations shall be conducted to minimize water pollution, and, where necessary, treatment methods shall be used to control water pollution. MDE (D5) COMAR 26.20.13.05B; COMAR 26.20.21.01.

Mineral Extraction Policy 7 – Mining Operations May Not Adversely Affect Public, Historic or Natural Resources Without State Approval. Coal mining may not adversely affect any publicly owned park or place recorded in the National Register of Historic Sites without approval from the appropriate agency and is prohibited in the Youghiogheny River scenic corridor; within 100 feet of a cemetery, a perennial or intermittent stream, or the outside right-of-way line of any public road; and in areas designated unsuitable for certain types of surface coal mining. MDE (D5) Md. Code Ann., Envir. §§ 15-505(b), -506(e); COMAR 26.20.20.03.

Mineral Extraction Policy 8 – Protection of Surface Waters and Aquifers From Underground Mining. Underground coal mining activities may not be conducted beneath or adjacent to any perennial stream or impoundment having a storage volume of 20 acre-feet or more. Underground coal mining activities beneath any aquifer that serves as a significant source of water supply to any public water system shall be conducted so as to avoid disruption of the aquifer and consequent exchange of ground water between the aquifer and other strata. MDE (D5) COMAR 26.20.13.10.

Mineral Extraction Policy 9 – Surface Mining Set Backs from Adjacent Properties and Natural Resources. Surface mining shall not occur within 25 feet of any property line or 100 feet of any scenic or wild river or its tributaries or any parcel of land that has been designated an area of critical State concern. MDE (D5) COMAR 26.21.01.17.

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

Mineral Extraction Policy 10 – Size & Impact Limits for Prospect Pits & Their Reclamation. Coal prospect pits may not be more than 1 acre in size or affect more than 10 acres and shall be backfilled, seeded, and mulched within 30 days after it is opened. MDE (D5) COMAR 26.20.08.04.

Mineral Extraction Policy 11 – Preparation & Contents of Mining & Reclamation Plans. Coal project proponents must draft a mining and reclamation plan, including a description of the natural resources, geology, and cultural and historical resources within the proposed permit and adjacent areas and the methods for road construction, removing topsoil, controlling drainage, backfilling, and revegetating the affected area, as well as identify baseline hydrologic information and determine the probable hydrologic consequences of the mining and reclamation operations upon surface and ground waters on and off the permit area and plan remedial and reclamation activities. MDE (D5) Md. Code Ann., Envir. §§ 15-505(c), -822; COMAR 26.20.02.05-.09; COMAR 26.20.02.14.

Mineral Extraction Policy 12 – Inclusion of Mining Methods, Reclamation Practices, Land Uses & Protective Measures in Mining and Reclamation Plans. A mining and reclamation plan for a mineral extraction activity must outline mining methods, intended reclamation practices, land uses before and after mining, areas to be affected by the mining, and measures to protect other uses and the environment. MDE (D5) Md. Code Ann., Envir. §§ 15-807(d), -808(d), -822, -828(b).

Mineral Extraction Policy 13 – County Zoning Approval. Prior to the commencement of a mineral extraction activity, the appropriate county must issue a written statement that the proposed land use conforms to all applicable county zoning and land use requirements. MDE (D5) Md. Code Ann., Envir. § 15-810(c).

Mineral Extraction Policy 14 – Water Supply Contingency Planning. If the probable hydrologic consequences of the proposed coal mining operation are contamination, diminution, or interruption of an underground or surface source of water that is used for domestic, agricultural, industrial, or other legitimate purpose, the project proponent shall analyze the availability of water and alternative water sources. MDE (D5) COMAR 26.20.02.08.

Mineral Extraction Policy 15 – Prevention of Subsidence. Underground coal mining activities shall be planned and conducted so as to prevent subsidence from causing material damage to the extent technologically and economically feasible. MDE (D5) COMAR 26.20.13.07A.

Mineral Extraction Policy 16 – Use of Best Available Technology to Control Sediment & Erosion. Sediment control measures shall be designed, constructed, and maintained using the best technology currently available to prevent additional contributions of sediment to stream flow or runoff outside an area where coal mining is permitted. MDE (D5) COMAR 26.20.21.05A.

Mineral Extraction Policy 17 – Diversions Shall Minimize Adverse Impacts & Use Best Available Technology. Diversions shall be designed, constructed, and maintained to minimize adverse impacts, including preventing the contribution of suspended solids to stream flow and runoff outside an area where coal mining permitted, to the extent possible using the best technology currently available. MDE (D5) COMAR 26.20.21.03.

Mineral Extraction Policy 18 – Mine Excavations or Disturbances Shall Prevent Adverse Impacts. Pits, cuts, and other mine excavations or disturbances for coal mining shall be located, designed, constructed, and utilized in such a manner as to prevent adverse impacts, including the discharge of acid, toxic, or otherwise harmful mine drainage waters into ground water systems. MDE (D5) COMAR 26.20.20.01B.

Mineral Extraction Policy 19 – Mining-Related Transportation Facilities Shall Prevent Adverse Impacts to the Environment. Transportation facilities constructed for surface coal mining purposes shall be located, designed, constructed or reconstructed, and maintained, and the area restored, in a manner that prevents damage to fish, wildlife, or their habitat and related environmental values; prevents additional contributions of suspended solids to stream flow or runoff outside the permit area; minimizes

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

diminution or degradation of water quality and quantity; minimizes erosion, siltation, and attendant air pollution; and prevents damage to public and private property. MDE (D8) COMAR 26.20.19.01D, .08.

Mineral Extraction Policy 20 – Minimize Pre-Mining Surface Impacts & Control Erosion & Sediments. The removal of vegetation, topsoil, and overburden before surface mining must be minimized, and erosion and sediment control devices must be constructed and maintained. MDE (D5) COMAR 26.21.01.10.

Mineral Extraction Policy 21 – Surface Mining Areas Shall Be Managed to Control Erosion and Erosion-Related Air Pollution. An area exposed for surface coal mining shall be protected and stabilized to effectively control erosion and air pollution attendant to erosion. MDE (D5) COMAR 26.20.23.01A.

Mineral Extraction Policy 22 – Topsoil Removed During Surface Mining Shall Be Conserved and Protected Onsite for Reclamation. During surface mining, topsoil shall be removed, segregated, and stockpiled on-site for reclamation and protected by a vegetative cover or by other methods demonstrated to provide protection. MDE (D5) COMAR 26.21.01.11.

Mineral Extraction Policy 23 – Minimize Hydrologic Impacts and Erosion from Mining Areas. The discharge of water from coal mining areas shall be conducted so as to reduce erosion, prevent deepening or enlargement of stream channels, and minimize disturbance of the hydrologic balance. MDE (D5) COMAR 26.20.21.07.

Mineral Extraction Policy 24 – Mine Drainage & Discharge to Surface Waters Shall Be Treated Onsite. All surface drainage from coal mining and discharge of water from underground coal mining to surface waters shall be passed through a sedimentation pond, a series of sedimentation ponds, or a treatment facility before leaving the permit area. MDE (D5) COMAR 26.20.13.06.

Mineral Extraction Policy 25 – Overburden & Mine Waste From Surface Mining Must Be Stabilized Using Approved Methods. Storage piles of overburden, mine waste, and rock from surface mining must be stabilized and may not restrict any natural drainage without an approved diversion. MDE (D5) COMAR 26.21.01.12.

Mineral Extraction Policy 26 –Stream Protection & Erosion Control During Prospecting. An ephemeral, intermittent, or perennial stream may not be diverted during coal prospecting activities. Overland flow of water shall be diverted only in a manner that prevents erosion and, to the extent possible using best available technology, additional contributions of suspended solids to streamflow or runoff outside the prospecting area. MDE (D5) COMAR 26.20.08.04.

Mineral Extraction Policy 27 –Protection of Water Flow, Quality & Quantity During Mining. During any coal mining activities, changes in the depth to ground water, in water quality and quantity, and in the location of surface water drainage channels shall be minimized. MDE (D5) COMAR 26.20.21.01.

Mineral Extraction Policy 28 –Compensation of Water Users Impacted By Mining. The operator of a coal mine shall replace the water supply of an owner of interest in real property who obtains all or part of the owner’s supply of water for domestic, agricultural, industrial, or other legitimate use from an underground or surface source where the supply has been affected by contamination, diminution, or interruption proximately resulting from the mining operations. MDE (D5) Md. Code Ann., Envir. §§ 15-524(b), -608(b); COMAR 26.20.13.05D; COMAR 26.20.20.11.

Mineral Extraction Policy 29 – Compensation for Water Supply or Property Damage in Karst Terrain. If water is pumped out of a pit located in karst terrain in Baltimore, Carroll, Frederick, and Washington counties, the project proponent shall replace a water supply if it fails as a result of declining ground-water levels and pay compensation for property damage from land subsidence. MDE (D5) Md. Code Ann., Envir. § 15-813.

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

Mineral Extraction Policy 30 – Mining & Reclamation Shall Maintain Pre-Mining Recharge & Hydrology. Surface coal mining activities and restoration efforts shall be conducted so as to maintain the recharge capacity of surface mining areas and support the approved post mining land use, minimizes disturbances to the hydrologic balance in the mine plan area and in adjacent areas, and provides a rate of recharge that approximates the pre-mining recharge rate. MDE (D5) COMAR 26.0.20.02; COMAR 26.20.21.01A.

Mineral Extraction Policy 31 – Prompt Reclamation After Completion of Prospecting. Promptly after coal prospecting activities are completed, all areas disturbed during prospecting operations, including roads, shall be returned to the approximate original contour. MDE (D5) COMAR 26.20.08.04.

Mineral Extraction Policy 32 – Mine Reclamation Must Restore Resources and Landscape to Support Future Land Use. Mined land must be properly reclaimed, including rehabilitating settling ponds; restoring or establishing stream channels and stream banks to a condition that minimizes erosion, siltation, and other pollution; and creating final slopes in all excavations at an angle that minimizes the possibility of slides and is consistent with the future use of the land. MDE (D5) Md. Code Ann., Envir. §§ 15-802(a), -807(d), -822, -828(b).

Mineral Extraction Policy 33 – Mine Reclamation Must Minimize Contamination, Adverse Impacts to Ground Water & Support Post-Mining Land Uses. The placement of backfilled materials shall be done in a way that minimizes contamination and other adverse effects of coal mining on ground water systems outside the permit area and supports approved post-mining land uses. MDE (D5) COMAR 26.20.20.01A.

Mineral Extraction Policy 34 – Mine Reclamation Vegetative Cover Shall Support Post-Mining Land Use. Vegetative cover shall be established on all areas disturbed by surface coal mining in a manner that is compatible with the approved post-mining land use. MDE (D5) COMAR 26.20.29.01A.

Mineral Extraction Policy 35 – Mine Reclamation Shall Adhere to Mining & Reclamation Plan & Be Completed Within 2 Years of Mining Termination. Surface mining reclamation shall be completed in accordance with the mining and reclamation plan within 2 years after mineral extraction has terminated. MDE (D5) COMAR 26.21.01.16.

5.3.2 Electrical Generation and Transmission

Electrical Generation and Transmission Policy 1 – Power Plants Shall Be Sited, Constructed & Operated to Protect Natural Resources and the Public. Power plants shall be sited, constructed, and operated in a manner which minimizes their impacts on tidal wetlands, aquatic resources, terrestrial resources, significant wildlife habitat, public open space, recreational, and natural areas, air and water quality, and the public health, safety, and welfare. DNR/PSC (D2) Md. Code Ann., Nat. Res. §§ 1-302, 3-303, 3-304, 3-306; Md. Code Ann., Pub. Util. Cos. § 7-208.

Electrical Generation and Transmission Policy 2 – Proposals for New Power Plants, Overhead Transmission Lines, and Qualified Generator Lead Lines Must Include Comprehensive Environmental Assessments, Recommend Mitigation Opportunities & Engage Local Government. Proposals for new power plants, overhead transmission lines, and qualified generator lead lines, must account for their impact on the physical, biological, aesthetic, and cultural features of the site and adjacent areas; identify contributions to air and water pollution; recommend mitigation opportunities; and adequately consider recommendations of local government. Proposals for new power plants also must duly consider the consistency of the application with the comprehensive plan and zoning of each county or municipality in which it is proposed to be located. PSC (D2) Md. Code Ann., Pub. Util. Cos. § 7-207(e); COMAR 20.79.03.02(B); COMAR 20.79.04.04.

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

Electrical Generation and Transmission Policy 3 – Proposals for New Transmission Lines Must Estimate Costs to Support Alternative Route Analysis.

Proposals for new transmission lines must estimate the capital and annual operating costs of each alternative route considered and explain why each alternative route was rejected. PSC (D2) COMAR 20.79.04.03.

Electrical Generation and Transmission Policy 4 –Maintain Safe Vertical Clearance of Power Lines Over Water. Utilities shall maintain the vertical clearances of overhead electric supply lines that cross water surfaces suitable for sailing. PSC (D2) COMAR 20.50.02.05(B).

Electrical Generation and Transmission Policy 5 – Minimize Adverse Impacts from Cooling Water Intake Structures. The location, design, construction, and capacity of cooling water intake structures shall reflect the best technology available for minimizing adverse environmental impact, specifically impingement and entrainment losses. MDE (D4) COMAR 26.08.03.05.

5.3.3. Tidal Shore Erosion Control

Tidal Shore Erosion Control Policy 1 – Use Materials to Match Function & Minimize Impacts.

Structural erosion control measures that employ a jetty, groin, breakwater, or other offshore structure shall be designed to use materials that are of adequate size, weight, and strength to function as intended; free of protruding objects, debris, and contaminants; and selected to minimize impacts to water quality and plant, fish, and wildlife habitat. MDE (C1) COMAR 26.24.04.01-4.

Tidal Shore Erosion Control Policy 2 –Prohibition of Unsuitable Materials for Backfilling. Tidal shore erosion control projects shall not use backfill containing litter, refuse, junk, metal, tree stumps, logs, or other unsuitable materials. MDE (C1) COMAR 26.24.04.01-4.

Tidal Shore Erosion Control Policy 3 – Requirements for Beach Nourishment Projects. Beach nourishment projects shall meet the following requirements: The fill material grain size shall be equal to or greater in grain size and character to the existing beach material, or determined otherwise to be compatible with existing site conditions and acceptable to the Department; The fill material shall be relatively free of organic material, floating debris, or other objects; Silt and clay fills that change the sandy nature of the existing beach materials are not acceptable; Gravel fill may be acceptable, if particle sizes are equal to or greater than the existing beach materials; and Fill material shall be placed above the mean high water line before final grading to achieve the desired beach profile, unless site conditions prohibit the placement of fill material above the mean high water line and specific measures are designed to prevent material from washing away from the site. MDE (C1) COMAR 26.24.03.06D.

Tidal Shore Erosion Control Policy 4 Nonstructural Shoreline Stabilization That Preserves The Natural Environment Is Required Unless Conditions Warrant Structural Stabilization.

Improvements to protect property bounding on navigable water against erosion shall consist of nonstructural shoreline stabilization measures that preserve the natural environment, such as marsh creation, except in areas designated by Department of the Environment as appropriate for structural shoreline stabilization measures, including areas of excessive erosion, areas subject to heavy tides, and areas too narrow for effective use of nonstructural shoreline stabilization measures. MDE (C1) Md. Code Ann., Envir. § 16-201.

Tidal Shore Erosion Control 5 – Limited Encroachment into State Tidal Waters. Encroachment into State or private tidal wetlands for shore erosion control is limited to that which is structurally necessary and is verified by a design report. Bulkheads that encroach into tidal wetlands are prohibited unless the encroachment is three feet or less beyond the mean high water line and other nonstructural and structural shoreline stabilization measures have been considered and determined to be infeasible. MDE (C1) COMAR 26.24.04.01-4.

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

Tidal Shore Erosion Control Policy 6 – List of Shore Erosion Control Measures from Most to Least Consistent with State Policy. Tidal shore erosion control measures are listed below beginning with measures that are most consistent with State policy and ending with measures that are least consistent with State policy.

- No action and relocation of structures threatened by erosion
- Nonstructural shoreline stabilization that is dominated by tidal wetland vegetation, including a living shoreline
- Beach nourishment
- Breakwater
- Groin, jetty, or a similar structure
- Revetment
- Bulkhead

MDE (C1) COMAR 26.24.01.02; COMAR 26.24.04.01; COMAR 26.24.04.01-3.

Tidal Shore Erosion Control Policy 7 – Conditions Prohibiting Shore Erosion Control Projects.

Tidal shore erosion control projects shall not occur when:

- There is no evidence of erosion;
- Existing State or private tidal wetlands are effectively preventing erosion;
- Adjacent properties may be adversely affected by the proposed project;
- Navigation may be adversely affected by the project and the applicant has not adequately offset these impacts;
- Threatened or endangered species, species in need of conservation, or significant historic or archaeological resources may be adversely affected by the project; or
- Natural oyster bars or private oyster leases may be adversely affected by the project.

MDE (C1) COMAR 26.24.04.01.

5.3.4 Oil and Natural Gas Facilities

Oil and Natural Gas Facilities Policy 1 – CFRA and Its Regulations Are An Overarching Policy for Oil and Gas Facilities. The Coastal Facilities Review Act (CFRA) and its implementing regulations, as approved by NOAA, serve as an overarching enforceable policy for oil and natural gas facilities.

Oil and Natural Gas Facilities Policy 2 – Detection & Control of Oil Spills. To detect and control oil spills, all private tank vessels transporting oil in the State must either be equipped with a cargo level monitoring system, have double hulls, have a plan for inspecting load lines approved by the Department of the Environment, or be accompanied by an all-weather escort vessel for the purpose of continuously checking for evidence of an oil discharge from the escorted tank vessel. MDE (A2) Md. Code Ann., Envir. § 4-405 (b)(1); COMAR 26.10.01.23B.

Oil and Natural Gas Facilities Policy 3 – Financial Capacity to Cover Potential Oil Spill Cleanup and Recovery. Through bond or other form of security, the operator of a private tank vessel transporting more than 25 barrels of oil as cargo must be able to prove the financial ability to cover the cost of oil spill cleanup and recovery before entering waters of the State. MDE (A2) COMAR 26.10.01.24A.

Oil and Natural Gas Facilities Policy 4 – No Discharge of Oil in Areas That May Enter State Waters. No person may discharge oil in any manner, including through bilge and ballast water, or deposit it in an area where it may enter waters of the State. MDE (A2) Md. Code Ann., Envir. § 4-410(a); COMAR 26.10.01.02B.

Oil and Natural Gas Facilities Policy 5 – Above-Ground Storage Sites Shall Prevent Oil from Polluting State Waters. Above-ground oil storage sites shall prevent movement of oil into the waters of the State. MDE (D1) COMAR 26.10.01.12B(1).

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

Oil and Natural Gas Facilities 6 –Oil Shall Not Be Stored within Tidal Waters or Within 100-Year Floodplain Unless Permitted. The construction of above-ground oil storage tanks, dikes, or walls within the tidal wetlands or within the 100-year flood plain is prohibited without first obtaining a State Wetlands Permit or providing an equivalent level of environmental protection. MDE (D1) COMAR 26.10.01.12B(3).

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

5.3.5 Dredging and Disposal of Dredged Material

Dredging and Disposal of Dredged Material Policy 1 – Dredging for Non-Water Dependent Projects is Discouraged. A person may not dredge for projects that are non-water-dependent unless there is no practicable alternative. MDE (A3) Md. Code Ann., Envir. § 5-907(a); COMAR 26.24.03.02D.

Dredging and Disposal of Dredged Material Policy 2 – Dredging Requires An Environmental Analysis and Is Generally Discouraged. Dredging for sand, gravel, or fill material, including material for beach nourishment, is prohibited unless an environmental analysis determines that there will be no adverse impact on the environment and no alternative material is available. MDE (A3) COMAR 26.24.03.02C.

Dredging and Disposal of Dredged Material Policy 3 – Dredging Shall Allow Flushing & Make Maximum Use of Existing Channels. Dredging of channels, canals, and boat basins shall be designed to provide adequate flushing and elimination of stagnant water pockets, and channel alignment shall make maximum use of natural or existing channels and bottom contours. MDE (B2) COMAR 26.24.03.02.

Dredging and Disposal of Dredged Material Policy 4 – Dredging Shall First Avoid & Then Minimize Habitat Impacts. The alignment of a channel shall first avoid and then minimize impacts to shellfish beds, submerged aquatic vegetation, and vegetated tidal wetlands. When feasible, the alignment shall be located the maximum distance feasible from shellfish beds, submerged aquatic vegetation, and other vegetated tidal wetlands. MDE (C6) COMAR 26.24.03.02.

Dredging and Disposal of Dredged Material Policy 5 – Dredging Time-of-Year Restrictions. Dredging is prohibited from February 15 through June 15 in areas where yellow perch have been documented to spawn and from March 1 through June 15 in areas where other important finfish species have been documented to spawn. MDE (A3) COMAR 26.24.02.06G.

Dredging and Disposal of Dredged Material Policy 6 – 500 –Yard Setback Restriction for Dredging Near Submerged Aquatic Vegetation (SAV). Dredging is prohibited within 500 yards of submerged aquatic vegetation from April 15 through October 15. MDE (A3) COMAR 26.24.02.06H.

Dredging and Disposal of Dredged Material Policy 7 – Restrictions on Mechanical & Hydraulic Dredging Near Shellfish Areas. Within 500 yards of shellfish areas, mechanical and hydraulic dredging is prohibited from June 1 through September 30 and mechanical dredging is also prohibited from December 16 through March 14. MDE (A3) COMAR 26.24.02.06E.

Dredging and Disposal of Dredged Material Policy 8 –Dredge Disposal Site Selection Criteria. New disposal sites for dredged material shall be selected based on the following hierarchy of criteria: (i) beneficial use and innovative reuse of dredged material; (ii) upland sites and other environmentally sound confined capacity; (iii) expansion of existing dredged material disposal capacity other than the Hart-Miller Island Dredged Material Containment Facility and areas collectively known as Pooles Island. MDE (A3) Md. Code Ann., Envir. § 5-1104.2(d).

Dredging and Disposal of Dredged Material Policy 9 – Dredge Material Disposal Facilities Shall Minimize Impacts. Disposal facilities for dredged material shall be designed to have the least impact on public safety, adjacent properties, and the environment. MDE (A3) COMAR 26.24.03.04A.

Dredging and Disposal of Dredged Material Policy 10 – Sediment & Erosion Control Plan Shall Be Developed & Approved Prior to Upland Dredge Disposal. Prior to disposing of dredged material on upland areas, a sediment and erosion control plan must be developed and approved by the local soil conservation district or the Department of the Environment and the methods for protecting water quality and quantity must be identified in detail. MDE (A3) COMAR 26.24.03.03B.

Dredging and Disposal of Dredged Material Policy 11 – Restrictions on Open Water Disposal of Dredge Material in Chesapeake Bay & Its Tributaries. A person may not redeposit in an unconfined manner dredged material into or onto any portion of the water or bottomland of the Chesapeake Bay or of

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

the tidewater portion of any of the Chesapeake Bay's tributaries except when the project is undertaken to restore islands or underwater grasses, stabilize eroding shorelines, or create or restore wetlands or fish and shellfish habitats. MDE (A3) Md. Code Ann., Envir. § 5-1101(a), 5-1102.

Dredging and Disposal of Dredged Material Policy 12 – No Open Water Disposal of Dredge Material in Deep Trough of Chesapeake Bay. A person may not redeposit in an unconfined manner dredged material into or onto any portion of the bottomlands or waters of the Chesapeake Bay known as the deep trough. MDE (A3) Md. Code Ann., Envir. §§ 5-1101(a), -1102.

Dredging and Disposal of Dredged Material Policy 13 – Restrictions on Open Water Disposal of Dredge Material from Baltimore Harbor. No material dredged from Baltimore Harbor shall be disposed of in an unconfined manner in the open water portion of Chesapeake Bay, or the tidal portions of its tributaries outside of Baltimore Harbor. MDE (A3) Md. Code Ann., Envir. § 5-1102(a).

5.3.6 Navigation

Navigation Policy 1 – Piers Are Preferred to Dredging in Providing Access to Deep Waters. Navigational access projects shall when possible be designed to use piers to reach deep waters rather than dredging. MDE (B2) COMAR 26.24.03.02.

Navigation Policy 2 – Central Access Channels with Short Spurs Are Preferred to Multiple Separate Channels. Navigational access channels to serve individual or small groups of riparian landowners shall be designed to prevent unnecessary channels. A central access channel with short spur channels shall be considered over separate access channels for each landowner. MDE (B2) COMAR 26.24.03.02.

Navigation Policy 3 – Channels Shall Minimize Impacts to Tidal Wetlands & Underwater Topography. Navigational access channels shall be designed to minimize alteration of tidal wetlands and underwater topography. MDE (B2) COMAR 26.24.03.02.

Navigation Policy 4 - New & Expanded Marinas, with a Preference Given to Expansion of Existing Facilities, Shall Be Located in Strongly Flushed Waters More Than 4.5 Feet Deep at Mean Low Tide & Not Adversely Impact Habitat. New or expanded facilities for the mooring, docking, or storing of more than ten vessels on tidal navigable waters shall be located on waters with strong flushing characteristics and may not be located in areas where the natural depth is 4.5 feet or less at mean low water, and any of the following will be adversely affected: aquatic vegetation, productive macroinvertebrate communities, shellfish beds, fish spawning or nursery areas, rare, threatened, or endangered species, species in need of conservation, or historic waterfowl staging areas. Expansion of existing facilities is favored over new development. MDE (A1) COMAR 26.24.04.03.

Navigation Policy 5 – Restrictions on Placement of Mooring Buoys. The location of buoys for the mooring of boats shall not be located in designated private or public shellfish areas, cable-crossing areas, navigational channels, in other places in where general navigation would be impeded or obstructed, or public ship anchorage. The location of mooring buoys should not obstruct the riparian access of adjacent property owners or hinder the orderly access to or use of the waterways by the general public. DNR (A1) COMAR 08.04.13.02.

Navigation Policy 6 – Noise Limit for Vessels on State Waters. Vessels operated on state waters should not exceed a noise level of 90dB(a). DNR (A1) COMAR 08.18.03.03.

5.3.7 Transportation

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

Transportation Policy 1 – Sustainability Analysis of Transportation Projects. The social, economic, and environmental effects of proposed transportation facilities projects must be identified and alternative courses of action must be considered. MDOT (D8) COMAR 11.01.06.02B.

Transportation Policy 2 – Public Engagement in Transportation Project Planning. The public must be involved throughout the process of planning transportation projects. MDOT (D8) Md. Code Ann., Transp. § 7-304(a); COMAR 11.01.06.02B.

Transportation Policy 3 – Projects Must Support Multi-Modal Transportation. Transportation development and improvement projects must support the integrated nature of the transportation system, including removing impediments to the free movement of individuals from one mode of transportation to another. MDOT (D8) Md. Code Ann., Transp. § 2-602.

Transportation Policy 4 – An Integrated Private-Public Regional Transportation System. Private transit facilities must be operated in such a manner as to supplement facilities owned or controlled by the State to provide a unified and coordinated regional transit system without unnecessary duplication or competing service. MDOT (D8) Md. Code Ann., Transp. § 7-102.1(b).

Transportation Policy 5 – Transportation Projects Must Consider the Needs of Bicyclists & Pedestrians. Access to and use of transportation facilities by pedestrians and bicycle riders must be enhanced by any transportation development or improvement project, and best engineering practices regarding the needs of bicycle riders and pedestrians shall be employed in all phases of transportation planning. MDOT (D8) Md. Code Ann., Transp. § 2-602.

5.3.8 Agriculture

Agriculture Policy 1 – Soil Conservation & Sediment Control to Protect Water Quality. Agricultural land management practices may not add, introduce, leak, spill, or otherwise emit soil or sediment into waters of the State unless a plan is being implemented on the property that is designed to conserve soil and protect water quality. MDA (C4) Md. Code Ann., Envir. § 4-213.

Agriculture Policy 2 – Use of Best Management Practices to Protect Non-Tidal Wetlands. A person conducting an agricultural activity shall implement best management practices to protect non-tidal wetlands. MDE (C3) COMAR 26.23.05.02.

Agriculture Policy 3 – Use of Best Management Practices at Animal Feeding Operations. Animal feeding operations shall use best management practices designed and approved by a local soil conservation district to limit livestock access to surface water. MDA (C4) COMAR 26.08.03.09.

Agriculture Policy 4 – Nutrient Management Shall Minimize Water Quality Impacts. An agricultural operation with \$2500 a year in gross income or more than 8000 pounds of livestock that uses chemical fertilizers, sludge, or animal manure shall use these nutrients in a way that minimizes impacts on water quality. MDA (C4) Md. Code Ann., Agric. § 8-803.1.

Agriculture Policy 5 – Agricultural Drainage Projects Shall Provide Substantial Agricultural Benefits, Minimize Environmental Impacts, & Be Consistent with Soil Conservation Plans. Agricultural drainage projects shall provide substantial agricultural benefits, prevent direct over bank flow into the ditch, be truncated as far upstream as possible, minimize adverse environmental impacts, and implement and maintain approved soil conservation district conservation plans. MDE (C3) COMAR 26.17.04.11.

5.3.9 Development

Development Policy 1– Sediment & Erosion Control. Any development shall be designed to minimize erosion and keep sediment onsite. MDE (C4) COMAR 26.17.01.08.

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

Development Policy 2 – Erosion and Sediment Control Plan. An erosion and sediment control plan is required for any grading activity that disturbs 5,000 square feet of land area and 100 cubic yards of earth or more, except for agricultural land management practices and agricultural best management practices. MDE (C9) COMAR 26.17.01.05.

Development Policy 3 – Stormwater Management. Development or redevelopment of land for residential, commercial, industrial, or institutional use shall include stormwater management compliant with the Environmental Site Design sizing criteria, recharge volume, water quality volume, and channel protection storage volume criteria. MDE (C9) COMAR 26.17.02.01, -.06

Development Policy 4 – First Avoid then Minimize Wetland Impacts, Minimize Water Quality, Habitat & Forest Damage & Preserve Cultural Resources. Development must avoid and then minimize the alteration or impairment of tidal and non-tidal wetlands; minimize damage to water quality and natural habitats; minimize the cutting or clearing of trees and other woody plants; and preserve sites and structures of historical, archeological, and architectural significance and their appurtenances and environmental settings. MDE/DNR/CAC (D6) Md. Code Ann., Envir. §§ 4-402, 5-907(a), 16-102(b); Md. Code Ann., Nat. Res. §§ 5-1606(c), 8-1801(a); Md. Code Ann., Land Use § 8-102; COMAR 26.24.01.01(A).

Development Policy 5 – Proposed Development Projects Must Be Sited Where Adequate Water Supply, Sewerage and Solid Waste Services & Infrastructure Are Available. Any proposed development may only be located where the water supply system, sewerage system, or solid waste acceptance facility is adequate to serve the proposed construction, taking into account all existing and approved developments in the service area and any water supply system, sewerage system, or solid waste acceptance facility described in the application and will not overload any present facility for conveying, pumping, storing, or treating water, sewage, or solid waste. MDE (C9) Md. Code Ann., Envir. § 9-512.

Development Policy 6 - Proposed Construction Must Have Water and Wastewater Allocation or Provide Onsite Capacity. A proposed construction project must have an allocation of water and wastewater from the county whose facilities would be affected or, in the alternative, prove access to an acceptable well and on-site sewage disposal system. The water supply system, sewerage system, and solid waste acceptance facility on which the building or development would rely must be capable of handling the needs of the proposed project in addition to those of existing and approved developments. MDE (D6) Md. Code Ann., Envir. § 9-512.

Development Policy 7 – Structures Served by On-Site Water and Sewage Waste Disposal Systems Must Demonstrate Capacity Prior to Construction or Alteration. Any residence, commercial establishment, or other structure that is served or will be served by an on-site sewage disposal system or private water system must demonstrate that the system or systems are capable of treating and disposing the existing sewage flows and meeting the water demand and any reasonably foreseeable increase in sewage flows or water demand prior to construction or alteration of the residence, commercial establishment, or other structure. MDE (D6) COMAR 26.04.02.03F.

Development Policy 8 - Grading or Building in the Severn River Watershed Requires Approved Development Plan. Proponents of grading or building in the Severn River Watershed must create a development plan and have it approved by the soil conservation district. The plan shall include a strategy for controlling silt and erosion and must demonstrate that any septic or private sewer facility will not contribute to the pollution of the Severn River. MDE (D4) Md. Code Ann., Envir. § 4-308(a).

Development Policy 9 - Siting Requirements for Industrial Facilities. Industrial facilities must be sited and planned to ensure compatibility with other legitimate beneficial water uses, constraints imposed due to standards of air, noise and water quality, and provision or availability of adequate water supply and wastewater treatment facilities. MDE (D4) Md. Code Ann., Envir. §§ 2-102, 4-402, 9-224(b), 9-512(b); COMAR 26.02.03.02; COMAR 26.11.02.02B.

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

Development Policy 10 - Citizen Engagement in Planning & Development. Local citizens shall be active partners in planning and implementation of development. MDP (D6) Md. Code Ann., St. Fin. & Proc. §§ 5-7A-01 to -02.

Development Policy 11 - Protect Existing Community Character & Concentrate Growth.

Development shall protect existing community character and be concentrated in existing population and business centers, growth areas adjacent to these centers, or strategically selected new centers. MDP (D6) Md. Code Ann., St. Fin. & Proc. §§ 5-7A-01 to -02.

Development Policy 12 - Site Development Near Available or Planned Transit. Development shall be located near available or planned transit options. MDP (D6) Md. Code Ann., St. Fin. & Proc. §§ 5-7A-01 to -02.

Development Policy 13 - Design for Walkable, Mixed Use Communities. Whenever possible, communities shall be designed to be compact, contain a mixture of land uses, and be walkable. MDP (D6) Md. Code Ann., St. Fin. & Proc. §§ 5-7A-01 to -02.

Development Policy 14 – Communities Must Identify Adequate Water Supply, Stormwater & Wastewater Services & Infrastructure to Meet Existing & Future Development. To meet the needs of existing and future development, communities (geographically defined areas with shared interests, values, resources, and goals) must identify adequate drinking water and water resources and suitable receiving waters and land areas for stormwater management and wastewater treatment and disposal. MDE (D6) Md. Code Ann., Land Use § 3-106.

5.3.10 Sewage Treatment

Sewage Treatment Policy 1 – Protection of State Waters for Designated Uses. The quality of state waters shall be protected, maintained, and improved for public supplies, propagation of wildlife, fish and aquatic life, and domestic, agricultural, industrial, recreational, and other legitimate beneficial uses. MDE (D7) Md. Code Ann., Envir. §§ 4-402, 9-302(b), 9-323(a).

Sewage Treatment Policy 2 – Waste Must Be Treated Prior To Discharge to Protect Designated Uses. No waste shall be discharged into any waters of the State without first receiving necessary treatment or other corrective action to protect the legitimate beneficial uses of the State's waters. MDE (D7) Md. Code Ann., Envir. §§ 9-302(b), -323(a).

Sewage Treatment Policy 3 – Wastes May Not Be Disposed of in a Manner that Likely Creates a Nuisance or Causes Ground or Water Contamination. Sewage or sewage effluent, treated or non-treated, or industrial wastes may not be disposed of in any manner that is likely to create a nuisance or cause contamination of a potable water supply system, the waters of the State, or the ground surface. MDE (D7) COMAR 26.04.02.02.

Sewage Treatment Policy 4 – Waste May Not Be Discharged Into the Patuxent & Severn Rivers & Their Tributaries. A person may not discharge raw sewage or any other waste into the Patuxent River, the Severn River, or any of their tributaries. MDE (D7) Md. Code Ann., Envir. § 4-307.

Sewage Treatment Policy 5 – Sewage Sludge May Not Be Discharged Into the Chesapeake Bay, or the Bay's Tidewater Tributaries Within 5 Miles of Hart-Miller-Pleasure Island Chain. A person may not dump, deposit, scatter, or release sewage sludge by any means, including discharge from a sewer or pipe, into or onto any portion of the water or bottomland of the Chesapeake Bay or of the tidewater portions of any of the Chesapeake Bay's tributaries within 5 miles of the Hart-Miller-Pleasure Island chain in Baltimore County. MDE (D7) Md. Code Ann., Envir. § 5-1102(e).

Sewage Treatment Policy 6 – A Discharge Permit is Required Prior to Constructing, Altering or Operating a Sewage Treatment Facility. Before constructing, installing, modifying, extending,

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

altering, or operating a sewage treatment facility that could cause or increase the discharge of pollutants into the waters of the State, the proponent must hold a discharge permit issued by the Department of the Environment or provide an equivalent level of water quality protection. MDE (D7) Md. Code Ann., Envir. § 9-323(a).

Sewage Treatment Policy 7 – Water Quality Protection from On-Site Sewage Disposal Systems.

Before attempting to construct or alter an on-site sewage disposal system or cause it to receive any increase in flow or change in the character of wastewater, the proponent must provide an equivalent level of water quality protection to that of a permit from the Department of the Environment. MDE (D7) COMAR 26.04.02.03.

Sewage Treatment Policy 8 – New Sewage Treatment Plants Shall Meet State Effluent Water Quality Standards. New sewage treatment plants shall be constructed so as to meet the State effluent water quality standards, including those for bacteriological values, dissolved oxygen, pH, and temperature conditions, which may require advanced waste treatment. MDE (D7) Md. Code Ann., Envir. § 4-303.

Sewage Treatment Policy 9 – At Least Secondary Treatment Is Required for Sewage Treatment Discharge Into Any State Waters. Secondary treatment is required as a minimum for sewage treatment works discharging into any waters of the State. MDE (D7) COMAR 26.08.04.04C.

Sewage Treatment Policy 10 – If Secondary Treatment Cannot Achieve Water Quality or Nutrient Control Requirements, Sewage Treatment Facilities Are Subject to Additional Restrictions. If compliance with the established water quality standards or nutrient control requirements cannot be achieved through secondary treatment for all sewage discharges within a specific river segment or water region, the sewage treatment facilities are subject to additional restrictions. MDE (D7) COMAR 26.08.01.02C.

Sewage Treatment Policy 11 – Advanced Waste Treatment is Required for Facilities Exceeding 1 Million Gallons Per Day Discharging into Water Quality Limited Waters & May Be Needed on Smaller Systems. Advanced waste treatment is required for all sewage treatment works with a design capacity exceeding 1 million gallons per day and discharging into water quality limited waters. Advanced waste treatment may also be required for smaller sewage treatment works where the Department of the Environment determines that this level of treatment is necessary. MDE (D7) COMAR 26.08.04.04C.

Sewage Treatment Policy 12 – Phosphorus Discharge Limits for Sewage Treatment Plants. An effluent limitation of 2 milligrams/liter total phosphorus is required for all facilities discharging more than: 500,000 gallons per day to the Chesapeake Bay and its tributaries above the Baltimore Harbor and 10 million gallons per day in the vicinity of Baltimore Harbor to the Bay Bridge. MDE (D7) COMAR 26.08.04.04C.

Sewage Treatment Policy 13 – Protection of Shellfish Harvest Areas. If discharging into shellfish harvesting waters, sewage treatment must be sufficient to protect shellfish harvesting, potentially requiring advanced waste treatment, and the treatment plant must have a bypass control system, including a minimum 24-hour emergency holding facility. MDE (D7) COMAR 26.08.04.04C.

Sewage Treatment Policy 14 – Requirements for Holding Tanks. Holding tanks shall be watertight and sized to hold at least 7 days of effluent. MDE (D7) COMAR 26.04.02.02L.

Sewage Treatment Policy 15 – Sewage System Compliance with County Plans. Sewerage systems must conform to the county plan or revision or amendment of the county plan. MDE (D7) Md. Code Ann., Envir. § 9-511.

Sewage Treatment Policy 16 – Safe Treatment or Disposal of Sewage Sludge. A sewage sludge utilizer that is engaged in treatment, composting, distribution, application on agricultural or marginal land, or marketing of sewage sludge shall ensure the sewage sludge meets applicable pathogen requirements for Class A or B sewage sludge. MDE (D7) COMAR 26.04.06.02, .12, .17, .32, .38, .42, .52.

Attachment 3

Maryland Coastal Zone Management Program Enforceable Policies

Approved October 19, 2020, Enforceable July 6, 2020

Sewage Treatment Policy 17- Sewage Sludge Utilization Must Ensure Protection of Public & the Environment. Sewage sludge utilization is prohibited if it cannot be done without causing an undue risk to the environment or public health, safety, or welfare or if the sewage sludge was generated in a state that does not apply sewage sludge to land. MDE (D7) Md. Code Ann., Envir. § 9-245; COMAR 26.04.06.01, .11, .74.

Sewage Treatment Policy 18 – Sewage Sludge Utilization Permit. Prior to utilizing sewage sludge in Maryland, a person shall obtain a sewage sludge utilization permit from the Maryland Department of the Environment or provide an equivalent level of environmental protection. MDE (D7) Md. Code Ann., Envir. § 9-231.

Sewage Treatment Policy 19 – A Sewage Sludge User May Not Interfere with State or Local Inspections at a Utilization Site. A sewage sludge utilizer may not interfere with any inspection of a sewage sludge utilization site, including prohibiting access to any representative of the Department of the Environment, to a local health official, or to the local health official, or to the local health official's designee who requests access to perform any activities to determine compliance with the applicable permit, authorization, approvals, and regulations. MDE (D7) Md. Code Ann., Envir. § 9-243; COMAR 26.04.06.04.

Sewage Treatment Policy 20 – Sewage Sludge Composting or Storage Facilities Must Meet Local Zoning Requirements. Sewage sludge composting or storage facilities must meet all zoning and land use requirements of the county in which the facility is to be located. MDE (D7) Md. Code Ann., Envir. § 9-233.

Sewage Treatment Policy 21 – Public Engagement in Siting of a Sewage Sludge Storage or Distribution Facility. The public shall be given an opportunity to present its views prior to any final decision being made on the siting of sewage sludge or a sewage sludge storage or distribution facility. MDE (D7) Md. Code Ann. Envir. §§ 9-234, -234.1, -238(c); COMAR 26.04.06.14.

Sewage Treatment Policy 22 – Limits on the Use of On-Site Sewage Disposal Systems. On-site sewage disposal systems are prohibited:

- If they may pollute well water supplies, water supply reservoirs, shellfish growing waters, bathing beaches, lakes, or tidewater areas, including within 25 feet of drainage ways, flood plain soils, gullies, rock outcroppings, or slopes in excess of 25 percent;
- 50 feet from water well systems in confined aquifers;
- 100 feet from springs, water well systems in unconfined aquifers, water bodies not serving as potable water supplies, sinkholes underlain by karst topography, and a stream bank that is further than 3,000 feet upstream of an intake for a potable water supply; and
- 200 feet from a stream bank that is closer than 3,000 feet upstream of such an intake.

MDE (D7) COMAR 26.04.02.03; COMAR 26.04.02.04.