

Freedom District 2023 Drinking Water Quality Report

PWSID: 006-0002



Important Information Concerning Your Drinking Water

The Bureau of Utilities is pleased to present to you the Annual Water Quality Report for 2023. This report is designed to inform you about the water quality and services we deliver to you every day. Maryland Environmental Service (MES), an Agency of the State of Maryland, provides operational support and prepared this report on behalf of Carroll County and the Freedom District water treatment plant.

The Environmental Protection Agency (EPA) regulates Public Water Systems and the contaminants found in water through the implementation of the Safe Drinking Water Act (SDWA). The SDWA sets regulations and guidelines for how public water systems operate and identifies several hundred drinking water contaminants, establishes monitoring frequencies and limitations. The Maryland Department of the Environment (MDE) is responsible for the enforcement of the SDWA and routinely complete Sanitary Surveys as part of their ongoing inspection and monitoring program. Carroll County provides safe dependable operations of the water system and is dedicated to consistently providing high quality drinking water that meets or exceeds the SDWA standards.

If you have any questions about this report or have questions concerning your water utility, please contact Andrew Watcher, Chief Carroll County Bureau of Utilities at 225 North Center Street, Room 218, Westminster, MD 21157, or by phone at 410-386-2164.

Public Meeting Information:

For the opportunity to ask more questions or participate in decisions that may affect your drinking water quality, the Carroll County Commissioners meet regularly and the weekly agenda is available at:

<https://www.carrollcountymd.gov/government/commissioners/board-of-carroll-county-commissioners-weekly->

Inside This Issue:

Definitions	2
Sources of Drinking Water	2
Water Quality Report	3
Source Water Assessment	4
Lead Prevention	4
Special Points of Interest	4
Polyfluoroalkyl Substances	5
Water Conservation	5

How Water is Treated:

Raw water is pumped from Liberty Reservoir via intake lines located in the reservoir which then travels into Freedom District system #1's dissolved air flotation clarifier. A coagulant is added causing small particles and other suspended matter to attach to one another for easy removal. This clarified water enters a channel which feeds the Membrane Ultra filters before entering the clearwell. The water is then chlorinated for disinfection and fluoridated for dental protection. Caustic soda is used to raise pH making the water less aggressive to pipes and fixtures. Plant #1 also has the potential to remove various minerals and organic compounds that are present in the reservoir at various times of the year. A corrosion inhibitor, poly orthophosphate, is added just before the treated water enters the distribution system. In addition to the Freedom District surface water system #1, ground water is supplied from one well in the Boulder Gineiss Wissahickon formation. This well is called the Fairhaven system #2 and its water is chlorinated for disinfection and fluoridated for dental protection before it enters the distribution system.

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from **the Safe Drinking Water Hotline (1-800-426-4791)**.

Freedom District Treated Water Quality Report 2023

Definitions:

- ◆ **Maximum Contaminant Level Goal (MCLG)** - The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- ◆ **Maximum Contaminant Level (MCL)** - The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- ◆ **Action Level** - The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow
- ◆ **Treatment Technique (TT)** - A required process intended to reduce the level of a contaminant in drinking water
- ◆ **Turbidity** - Relates to a condition where suspended particles are present in the water. Turbidity measurements are a way to describe the level of “cloudiness” of the water.
- ◆ **pCi/l** - Picocuries per liter. A measure of radiation.
- ◆ **ppb** - parts per billion or micrograms per liter
- ◆ **ppm** - parts per million or milligrams per liter
- ◆ **ppt** - parts per trillion or nanograms per liter
- ◆ **Mrem** - Millirem roentgen equivalent in man. A measure of radiation dose.

Sources of Drinking Water:

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

The Maryland Department of the Environment has performed an assessment of the source water. A copy of the assessment is available by calling or writing the Bureau of Utilities, Carroll County Government, 225 North Center Street, Room 218, Westminster MD 21157, 410-386-2164.

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain compounds in water provided by public water systems. We treat our water according to EPA's regulations. Food and Drug Administration regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

The table on the following page lists all the drinking water contaminants that were detected during the 2023 calendar year. The presence of these compounds in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in the table is from testing done January 1 – December 31, 2023.

The State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year.

Freedom District Treated Water Quality Report 2023

Contaminant	Highest Level Allowed (EPA's MCL)	Highest Level Detected	Ideal Goal (EPA's MCLG)
Regulated at the Treatment Plant (Freedom District Plant 01)			
Nitrate	10 ppm	1.1 ppm	10 ppm
Typical Source of Contamination: Runoff from fertilizer use; erosion		Range (1.1 - 1.1 ppm)	
Fluoride	4.0 ppm	0.67 ppm	4 ppm
Typical Source of Contamination: Added for dental protection		Range (0.53 - 0.67 ppm)	
Barium (2023 Testing)	2000 ppb	18.0 ppb	2000 ppb
Typical Source of Contamination: Discharge of metal refineries, erosion of natural deposits.		Range (18.0 - 18.0 ppb)	
Turbidity (Continuously Tested)	0.3 ntu TT	0.30 ntu	0 ntu
Typical Source of Contamination: Discharge from metal refineries, erosion of natural deposits.		Range (0.06 - 0.30)	
Turbidity cannot exceed 1.0 NTU and must be less than or equal to 0.3 NTU in at least 95% of the measurements.			
Regulated in the Distribution System			
Chlorine (Water additive used to control microbes) * Annual rolling average	4 ppm	1.06 ppm* Range (1.01 - 1.06 ppm)	4 ppm
Total Trihalomethanes (TTHM)	80 ppb	55.8 ppb* (Range 22.8 ppb - 81.6 ppb)	n/a
Typical Source of Contamination: By-product of drinking water disinfection		*Locational Rolling Annual Average	
Haloacetic Acids (HAA5)	60 ppb	34.0 ppb* (Range 18.1 ppb - 44.1 ppb)	n/a
Typical Source of Contamination: By-product of drinking water disinfection		*Locational Rolling Annual Average	
Regulated in the Distribution System			
	Action Level	90th Percentile	Ideal Goal
Copper (2023 Testing)	1300 ppb	180 ppb	1300 ppb
Typical Source of Contaminant: Corrosion of household plumbing			
Lead (2023 Testing)	15 ppb	0	0.0 ppb
Typical Source of Contaminant: Corrosion of household plumbing			
Regulated at the Treatment Plant (Fairhaven Plant 02)*			
* Fairhaven Plant 02 was offline during 2023, results listed are the most recently tested			
Nitrate (2019 Testing)	10 ppm	1.5 ppm	10 ppm
Typical Source of Contamination: Runoff from fertilizer use; erosion			
Fluoride (2018 Testing)	4.0 ppm	0.738 ppm	4 ppm
Typical Source of Contamination: Added for dental protection			
Barium (2018 Testing)	2000 ppb	5.6 ppb	2000 ppb
Typical Source of Contamination: Discharge from metal refineries, erosion of natural deposits.			
Arsenic (2018 Testing)	10 ppb	1.1 ppb	0 ppb
Typical Source of Contamination: Discharge from metal refineries, erosion of natural deposits.			

Total Organic Carbon (TOC)

The percentage of Total Organic Carbon (TOC) removal was measured each month and the system met all TOC removal requirements. During 2023 the minimum required TOC removal rate was between 14% to 49%. The average removal rate during 2023 was 33%.

Freedom District Treated Water Quality Report 2023

Lead Prevention:


Lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Fox Run Condominiums Water Treatment Plant is responsible for providing high quality drinking water and removing lead pipes, but cannot control the variety of materials used in plumbing components in your home. You share the responsibility for protecting yourself and your family from the lead in your home plumbing. You can take responsibility by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk. Before drinking tap water, flush your pipes for several minutes by running your tap, taking a shower, doing laundry or a load of dishes. You can also use a filter certified by an American National Standards Institute accredited certifier to reduce lead in drinking water. If you are concerned about lead in your water and wish to have your water tested, please contact Andrew Watcher at the address on page 1 for a list of laboratories in your area that provide drinking water testing. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available at <http://www.epa.gov/safewater/lead>.

Contaminants That May Be Present in Source Water:

Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife. Pesticides and Herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses. Inorganic Contaminants, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming. Organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems. Radioactive Contaminants, which can be naturally-occurring or be the result of oil and gas production and mining activities.

Special Points of Interest:

The water at the Freedom District is tested for over 120 different compounds. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some compounds. The presence of these compounds does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the **Environmental Protection Agency's (EPA's) Safe Drinking Water Act Hotline (1-800-426-4791)**.



Freedom District Treated Water Quality Report 2023

Polyfluoroalkyl Substances:

PFAS – short for per- and polyfluoroalkyl substances – refers to a large group of more than 4,000 human-made chemicals that have been used since the 1940s in a range of products, including stain- and water-resistant fabrics and carpeting, cleaning products, paints, cookware, food packaging and fire-fighting foams. These uses of PFAS have led to PFAS entering our environment, where they have been measured by several states in soil, surface water, groundwater, and seafood. Some PFAS can last a long time in the environment and in the human body and can accumulate in the food chain.

The Maryland Department of the Environment (MDE) conducted a PFAS monitoring program for Community Water Systems from 2020 to 2022. No PFAS sampling was conducted for the Freedom District Water Treatment System during 2023. The results are available on MDE's website:

<https://mde.maryland.gov/PublicHealth/Pages/PFAS-Landing-Page.aspx>.

The Environmental Protection Agency (EPA) finalized regulations for 6 PFAS compounds in drinking water in April 2024. The MCLs for PFOA and PFOS are each 4.0 parts per trillion (ppt). The MCLs for PFNA, PFHxS, and HFPO-DA (GenX chemicals) are each 10 ppt. Additionally, a mixture of two or more of the following chemicals (PFNA, PFHxS, HFPO-DA, and PFBS) will be regulated with a Hazard Index of 1 (unitless) to determine if the combined levels of these PFAS pose a risk and require action.

The 5th Unregulated Contaminant Monitoring Rule (UCMR5) began testing for 29 PFAS compounds and lithium in 2023, and testing will run through 2025. The UCMR5 should test all community water systems with populations of at least 3300 people. Three randomly selected systems in Maryland with populations less than 3300 people will also be tested under the UCMR5. Detections greater than the minimum reporting levels for each constituent should be reported in the CCR. The Freedom District WTP began sampling in April 2024 and will continue sampling in July and October of this year and in January 2025.

Water Conservation:

Did you know that the average U.S. household uses approximately 400 gallons of water per day or 100 gallons per person per day? Luckily, there are many low-cost and no-cost ways to conserve water. Small changes can make a big difference—try one today and soon it will become second nature.

- ❖ Check for water leaks by the reading your water meter before and after a two-hour period when no water is being used in your home. If the reading changes, then there is probably a leak in your home.
- ❖ Take a shower! Filling up a bathtub can use up to 70 gallons of water while a shower generally uses 10 to 25 gallons. Taking shorter showers saves even more water.
- ❖ Make sure your washing machine and dishwasher are fully loaded before running.
- ❖ Are you in the market for a new water fixture such as a faucet, showerhead or toilet? Consider a WaterSense labeled fixture and reduce your water use by 30% or more versus standard flow fixtures. Visit www.epa.gov/watersense for more information on water efficiency products and methods.

Sources: <http://www.epa.gov/watersense> & <http://eartheasy.com>



Maryland Department of the Environment

Wes Moore, Governor
Aruna Miller, Lt. Governor

Serena McIlwain, Secretary Designate
Suzanne E. Dorsey, Deputy Secretary

Consumer Confidence Report Certification

Water System Name: Freedom District

Water System Number: 006-0002

I confirm that the Consumer Confidence Report (CCR) for the year 2023 has been delivered to customers (and appropriate notices of availability have been given) in accordance with COMAR 26.04.01.20-2 by July 1, 2024. I further certify that the report is correct and consistent with compliance monitoring data previously submitted to the Maryland Department of the Environment (MDE). Submit completed form to watersupply.sampleresults@maryland.gov.

Certified by (print name): Andrew C. Watcher

Certified by (signature): [Signature] Date: June 24, 2024

Title: Chief, Bureau of Utilities

Telephone: 410.386.2164 Email: awatcher@carrollcountymd.gov

CCR delivery information (must include completion dates for all applicable delivery actions; see reverse for delivery requirements):

Date CCR was delivered to MDE: June 24, 2024

Date CCR was delivered to customers: June 24, 2024

Indicate method(s) used to deliver CCR to customers:

- Postal mail
Electronic delivery*. Describe electronic delivery method: Postcard with direct link to CCR. * See link below.
Other delivery methods (e.g., door-to-door delivery, posting in an appropriate location). Describe delivery method:

Date a notice of CCR availability was published:

Date CCR published in local newspaper (attach copy):

Date CCR delivered to other agencies (if required by the State) Attach list or description (optional).

Good faith efforts:

https://www.carrollcountymd.gov/media/e5pbox5b/freedom-district-2023-ccr.pdf

Indicate the date(s) that any of the following good faith efforts were used to reach non bill-paying consumers:

- June 11, 2024 CCR posted on the Internet (include URL: * See link below)
CCR mailed to postal patrons (bulk mail) within the service area (attach zip codes).
Advertising availability of the CCR in news media (attach copy of announcement).
CCR published in local newspaper (attach copy).
Delivery of multiple copies to single bill addresses serving several persons, such as apartments, businesses, and large private employers.
Delivery to community organizations (attach a list).
Other (describe delivery method):

Tier 3 Public Notices:

https://www.carrollcountymd.gov/media/e5pbox5b/freedom-district-2023-ccr.pdf

Check here if a monitoring or reporting violation public notice, fluoride secondary maximum contaminant level notice, special notice for the availability of unregulated contaminant monitoring date, or other Tier 3 Public Notice was included with the CCR.

Mandatory for systems serving 100,000 or more persons:

CCR must be posted on a publicly accessible Internet site. Indicate the date the CCR was made available on the Internet: . Include Internet address:

Code of Maryland Regulations (COMAR) **26.04.01.20-2 Consumer Confidence Report Delivery**

(G.) Report Delivery and Record Keeping.

- (1) Except as provided in §H of this regulation, each supplier of water to a community water system shall mail or otherwise directly deliver* one copy of the report to each customer.
- (2) The supplier of water to a community water system shall make a good faith effort to reach consumers who do not get water bills, using means recommended by the State. Good faith effort will be tailored to the consumers who are served by the system but are not bill-paying customers, such as renters or workers. A good faith effort to reach consumers would include a mix of methods appropriate to the particular system such as: posting the reports on the Internet; mailing to postal patrons in metropolitan areas; advertising the availability of the report in the news media; publication in a local newspaper; posting in public places such as cafeterias or lunch rooms of public buildings; delivery of multiple copies for distribution by single-biller customers such as apartment buildings or large private employers; or delivery to community organizations.
- (3) Not later than the date the system is required to distribute the report to its customers, each supplier of water for a community water system shall mail a copy of the report to the State, followed within 3 months by a certification that the report has been distributed to customers, and that the information is correct and consistent with the compliance monitoring data previously submitted to the State.
- (4) Not later than the date the system is required to distribute the report to its customers, each community water system shall deliver the report to any other agency or clearinghouse identified by the State.
- (5) Each community water system shall make its reports available to the public upon request.
- (6) Each community water system serving 100,000 or more persons shall post its current year's report to a publicly accessible site on the Internet.
- (7) Any supplier of water subject to this regulation shall retain copies of its consumer confidence report for no less than 3 years.

SYSTEMS SERVING < 10,000

(H.) The requirement of §G(1), (5) and (6) of this regulation for a supplier of water to a community water systems serving less than 10,000 persons has been waived. Such systems shall:

- (1) Publish the reports in one or more local newspapers serving the area in which the system is located;
- (2) Publish a notice in the newspaper, or by other means approved by the State, that informs the customers that the reports will not be mailed; and
- (3) Make the reports available to the public upon request.

SYSTEMS SERVING ≤ 500

(I.) Supplier of water to systems serving 500 or fewer persons may forego the requirements of paragraphs §H (1) and (2) if they provide notice at least once per year to their customers by mail, door- to-door delivery or by posting in an appropriate location that the report is available upon request.

** Electronic delivery may be used to fulfill direct delivery requirements. However, each water system must obtain approval from MDE prior to implementation of electronic delivery. Refer to the following document for information regarding acceptable electronic delivery methods: <https://www.epa.gov/ccr/how-water-utilities-can-electronically-delivery-their-ccr>*