



# Quick Reference Guide for the Drinking Water Viewer (DWV)

# Drinking Water Viewer (DWV)



Drinking Water Viewer (DWV) is a search tool that allows water systems and the public to have access to information regarding drinking water systems. DWV can provide monitoring schedules, drinking water lab results, violations, Consumer Confidence Report (CCR) information, etc.

DWV is a more user-friendly version of the Drinking Water Watch (DWW), which MDE has discontinued. **Chrome** and **Edge** are the preferred browsers for DWV.

Link to DWV: <https://mddwv.gecsws.com/>

# How to use this Guide



While DWV offers multi-level search capabilities, this *Quick Reference Guide* focuses specifically on navigating and retrieving data for one water system at a time.

For additional support, please refer to the contact information at the end of this document



# Table of Contents

Page	Topic
5-10	General Information / Navigating through DWV
11-12	Locate a Water System
13	Filter and Sort Data Tables
14-15	Water System Detail Page
16-19	Monitoring Schedule
20-21	Microbial / Coliform Samples
22-28	Chemical Samples
29-31	Compliance Schedule
32-35	Violation and Enforcement Information
36-37	Site Visit / Sanitary Survey Information
38-39	CCR Report Data
40-42	Assistance and Contact Information

# Drinking Water Viewer Main Page

(Log in is not required)



Website: <https://mddwv.gecsws.com/>

 DRINKING WATER VIEWER

MARYLAND DEPARTMENT OF THE ENVIRONMENT

[Log In](#) [Menu](#)

 Maryland Department of the Environment

**SEARCH HUB**  
Drinking Water Viewer provides public access to public water system information from the state's drinking water database, including sample results, inventory, sampling points, schedules, violations, enforcement actions, etc. In the Search Hub, search for information on a specific water system or search for information across water systems, like state-wide sample data.

**Available Searches**

Categories: All  Filter by Keywords:

[Water Systems](#) [Sampling Points](#) [Treatment](#) [Contacts](#) [Violations](#) [Enforcement Actions](#) [Samples](#) [Lead & Copper 90th Percentile](#)

[Sample Schedules](#) [Consumer Confidence Reports \(CCRs\)](#)

**Search for:**

Water System Name  Water System ID  Water System Type  Primary Source Water Type


Service Type  Regulating Agency  Principal County/Parish Served  Principal City Served

**Search Results**



# Drinking Water Viewer Main Page

The Menu Icon will provide additional resources for any questions you may have



The screenshot shows the main interface of the Drinking Water Viewer. At the top right is a green 'Menu' button with a white three-line icon. A large green arrow points from this button to a white pop-up window. The pop-up window contains the word 'MENU' in blue, the text 'Powered By GEC' with a small globe icon, and two links: 'Contact & Help' with a question mark icon and 'Contact Us' and 'Help'.

When the Menu Icon is chosen, a pop-up will appear, providing access to two documents that can assist you in finding answers to your questions.


"Contact Us" - will open an interactive document for the Water Supply Program (WSP). On the first page, you can select a county, and the WSP Point of Contact (POC) list for that specific county will be displayed.

"Help" – Will open this Quick Reference Guide



# Drinking Water Viewer General

Features to assist in navigating the software



Water System ID	Water System Name	Service Types	Status	Water System Type	Primary Water Source Type	Principal County/Parish	Principal City	Water System Operator Category	Population Served
MD0100015	CITY OF FREDERICK	Service Type(s)	A	C	SW	FREDERICK	OT4	54,000	1

Some of the webpages currently feature horizontal and vertical scroll bars to display entire tables

If you would like to view the generic tutorial on the webpage, you can click on "Clicky" the Dew Drop.



# Drinking Water Viewer General

Features to assist in navigating the software

The screenshot shows a software interface with a green header bar containing 'Preferences', 'Search', 'Log In', and 'Menu' buttons. Below the header is a red bar with a question mark icon. The main content area displays a table with two rows. The first row has columns for 'Contact ID' and 'Email', with values 'dinesh.bahadursingh@wsscwater.com' and 'clarence.beverhoudt@wsscwater.com' respectively. The second row is partially visible. At the bottom of the screen is a status bar with the text: 's of water, population served, annual operating period, service connections, etc. For additional'.



Throughout the DWV, you will notice question mark icons. When selected, these icons provide additional information about that specific section.



# Drinking Water Viewer General

**DRINKING WATER VIEWER**

**MENU**

Water System      Samples      Schedules  
Facilities      Microbial / Coliform      Monitoring Schedules  
Sampling Points      Chemical Samples      Compliance Schedules  
Service Line Inventory

**WATER SYSTEM**

MD0100005 - CITY OF BRUNSWICK

Federal System Type C	Local Name	Operating Category OT4	Principal County/Parish/City Served	Activity Status A
--------------------------	------------	---------------------------	-------------------------------------	----------------------

**Preferences**

Water System Data Widgets

Contacts       Sources of Water  
 Sells To       Buys From  
 Service Type       Population Count and Annual Operating Period  
 Water System History       Service Connections  
 Water System Indicators

**Search**      **Log In**

This page allows you to customize the information you see. You can select or deselect options using the checkboxes to display your preferred content.

**DRINKING WATER VIEWER**

**MARYLAND DEPARTMENT OF THE ENVIRONMENT**

**MENU**

Water System      Samples      Schedules      Violations & Enforcements  
Facilities      Microbial / Coliform      Monitoring Schedules  
Sampling Points      Chemical Samples      Compliance Schedules

**WATER SYSTEM**

MD0100015 - CITY OF FREDERICK

Federal System Type	Local Name	Operating Category	Principal County/Parish/City Served	Activity Status
---------------------	------------	--------------------	-------------------------------------	-----------------

**Search**      **Log In**


Powered By **GEC**

Search will take you back to the Drinking Water Viewer Main Page. From there, you can search for a water system or other drinking water information.



# Drinking Water Viewer General

To toggle the visibility of the Menu Display from hidden to permanent, click the pin icon located in the upper right-hand corner.



DRINKING WATER VIEWER

MARYLAND DEPARTMENT OF THE ENVIRONMENT

WATER SYSTEM

MD0100015 - CITY OF FREDERICK

Powered By GEC



# Search for a Water System

You can search for your Water System two ways

## Water System Name:

You can enter all or part of a water system's name, then press Search and choose from the results.

## Available Searches

Water Systems

Sampling Points

Treatment

Contacts

## Consumer Confidence Reports (CCRs)

## Search for:

### Water System Name

Water System Name

### Water System ID

Water System ID

### Water System Type

All

### Primary Source Water Type

All

### Service Type

All

### Regulating Agency

All

### Principal County/Parish Served

All

### Principal City Served

All

## Search Results

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Log In

Menu

## Water System ID:

You can enter a water system's ID (e.g., 1011234), or part of an ID, then select from the results after pressing Search.

When entering a water system ID, the prefix "MD" is not required.

Maryland  
Department of  
Environment

Search

Map



# Search for a Water System

## Selecting a Water System

You can export the data into an Excel spreadsheet.

**MARYLAND DEPARTMENT OF THE ENVIRONMENT**

Log In    Menu

Water System Name    Water System ID    Water System Type    Primary Source Water Type

Water System Name: CITY OF FREDERICK    Water System ID: MD0100015    Water System Type: C    Primary Source Water Type: SW

Regulating Agency: FREDERICK    Principal County/Parish Served: FREDERICK

Service: All    Status: A    Water System Type: C    Primary Water Source Type: SW

Principal City Served: All

Search    Reset

Export to Excel

Water System ID	Water System Name	Service Types	Status	Water System Type	Primary Water Source Type	Principal County/Parish	Water System Operator
MD0100015	CITY OF FREDERICK	Service Type(s)	A	C	SW	FREDERICK	

Click on the System to go to the next screen.

If there are several pages. You can navigate through the pages. The maximum number of displayed rows is 1000 per page.

1 25 items per page

1-1 of 1 item



# Sorting and Filtering Data

Export to Excel

Water System ID	Water System Name	Service Types	Status	Water System Type	Primary Water Source Type
MD0100001	AMELANO MANOR	<a href="#">Service Type(s)</a>	A	C	GW
MD0140011	ANGELICA NURSERIES - NURSERY VIEW	<a href="#">Service Type(s)</a>	A	C	GW
MD1081005	AQUALAND CAMPGROUND	<a href="#">Service Type(s)</a>	A	C	GW
MD0070002	AUTUMN LAKE HEALTHCARE	<a href="#">Service Type(s)</a>	A	C	GW
					W
					W
					W
					W
					GW

To filter or sort data press the 3 vertical dots.  
A white box will outline the 3 dots when the filters are on.

Export to Excel

Water System ID : Water System Name :: Service Types

MD0010001 BARRELVILLE [Service Type\(s\)](#) A C GW

MD0070207 BAY COUNTRY ESTATES MOBILE HOME PARK [Service Type\(s\)](#) A C GW

MD0090219 BAY COUNTRY MOBILE HOME PARK [Service Type\(s\)](#) A C GW

MD1231051 BAYSIDE VILLAGE [Service Type\(s\)](#) A C GW

MD0170013 BAYVIEW AT KENT NARROWS [Service Type\(s\)](#) A C GW

MD0230023 BB APARTMENTS (PREV WOC VILLAGE APTS) [Service Type\(s\)](#)

1 2 3 4 5 ... 25 items per page

You can sort by ascending or descending order in the column. You can also filter information within the column.

^ Search Results

Export to Excel

Water System ID	Water System Name	Service Types	Status
MD0100001	AMELANO MANOR	↑ Sort Ascending	A
MD0140011	ANGELICA NURSERIES - NURSERY VIEW	↓ Sort Descending	A
MD1081005	AQUALAND CAMPGROUND	Filter	A
		Contains	A
			A
		And	A
		Contains	A
			A
		Filter	A
		Clear	A
MD0060019	BARK HILL		A
MD0010001	BARRELVILLE		A
MD0070207	BAY COUNTRY ESTATES MOBILE HOME PARK	<a href="#">Service Type(s)</a>	A
MD0090219	BAY COUNTRY MOBILE HOME PARK	<a href="#">Service Type(s)</a>	A
MD1231051	BAYSIDE VILLAGE	<a href="#">Service Type(s)</a>	A
MD0170013	BAYVIEW AT KENT NARROWS	<a href="#">Service Type(s)</a>	A



# Water System Detail Page

The Water System Detail Web Page will have basic information about the System. Some items found on this page are:

\* Administrative Contact    \* Source Water    \* Population

The red header displays the Water System you are currently viewing. This red border header will be on the top of webpage when you are navigating through the schedules and samples.



The screenshot shows a web page with a green header bar. On the left, the header bar is red and displays the text "MD015005 - WASHINGTON SUBURBAN SANITARY COMMISSION". To the right of this, the header bar is green and contains the text "DRINKING WATER VIEWER", "MARYLAND DEPARTMENT OF THE ENVIRONMENT", and icons for "Preferences", "Search", "Log In", and "Menu". Below the header, the page title "WATER SYSTEM" is displayed, followed by the system ID "MD015005 - WASHINGTON SUBURBAN SANITARY COMMISSION". The main content area is a table with the following data:

Federal System Type	Local Name	Operating Category	Principal County/Parish/City Served	Activity Status
C		014	MONTGOMERY/	A
Activity Date	Population	Federal Source Type	Service Connections	
12/01/1976	1900000	SW	438639	

Below the table, a note states: "Public water systems provide water for human consumption to at least 15 service connections or 25 average people per day for at least 60 days per year. This page displays the basic information for the selected public water system, including information about its sources of water, population served, annual operating period, service connections, etc. For additional information about this water system, choose a category from the menu."

At the bottom of the page, there is a "Contacts" section with a "Export to Excel" button and a table with columns: Roles, Name, Address, Phone, Contact ID, and Email. The table rows are blurred.

MD015005 - WASHINGTON SUBURBAN SANITARY COMMISSION

Federal System Type	Local Name	Operating Category	Principal County/Parish/City Served
C		014	MONTGOMERY/
Activity Date	Population	Federal Source Type	Service Connections
12/01/1976	1900000	SW	438639

The red header displays such information as type of System (e.g., C-community water system); the population served by the system; operating category; source type (e.g., SW- raw water comes from surface water); county where the system is located; and activity status (A-active).



# Water System Detail Page

The Water System Details Page provides information about your selected system. Please note that there are help icons on each table for abbreviation definitions.

Contacts					
Roles	Name	Address	Phones	Contact ID	Email
AC - Administrative Contact	AC - Admin	123 Main Street	555-1234	AC-1234	AC@water.org
1-10 of 10 items					

- ❑ Administrative Contact's information.
- ❑ In this example, the source of water is the Potomac River.

Sources of Water			
Facility Name	Type	Facility Activity Status	Availability
POTOMAC RIVER	IN	A	P
1-1 of 1 items			

Population Count and Annual Operating Period			
Effective Dates		Operating Period	
Begin	End	Start	End
01/12/2018		1/1	12/31
R - 52000			
1-1 of 1 items			

- ❑ Population and Operating Period for the year. This example shows that the Water System runs all year around.
- ❑ Service Connection will indicate what type of population is served and a population count. In this example, there are 17500 residential consumers served by this system.

Service Type		
Code	Name	Class
No records available		
0 - 0 of 0 items		

Service Connections			
Type	Count	Meter Type	Meter Size
RS	17500	MU	0
Total: 17500			
1-1 of 1 items			



# Monitoring Schedules

Select Monitoring Schedules from the Menu icon

DWV shows the required monitoring of the previous 90 days and the next 12 months

**MENU**

Powered By 

Water System Samples Schedules Violations & Enforcements Site Visits Contact & Help

Facilities Microbial / Coliform Monitoring Schedules Chemical Samples

Sampling Points

Service Line Inventory

**MONITORING SCHEDULES**

MD0100015 - CITY OF FREDERICK

Federal System Type C	Local Name	Operating Category OT4	Principal County/Parish/City Served FREDERICK/	Activity Status A
Activity Date 12/01/1972	Population 54000	Federal Source Type SW	Service Connections 16600	

This page displays 4 different views of monitoring schedules. The Current Monitoring Schedules tab shows the microbial and chemical monitoring schedules that are currently in effect. The Facility Analyte Level (FANL) Monitoring tab displays the frequent field sample type of monitoring that must be done at facilities to ensure certain analyte levels are maintained. The All Schedules tab displays the entire history of monitoring schedules, both current and closed. The Yearly Schedule Snapshot is a graphical display of non-microbial samples that must be taken in the selected year.

**Monitoring Schedules** | [Current Monitoring Schedules](#) [Facility Analyte Level \(FANL\) Monitoring](#) [All Schedules](#) [Yearly Schedule Snapshot](#)

**Various types of Monitoring Schedules.**

**Monitoring Schedules can be downloaded as Excel document.**

Facility ID: DS01 | Analyte Code: 3100 | Analyte/Group Name: COLIFORM (TCR) | Sample Count: 60 | Sample Frequency: Monthly | Collection Period: 1/1 - 12/31 | Schedule Period: 01/01/1991 - continuous

1-1 of 1 items



# Monitoring Schedules

The Current Monitoring Schedule Table has a “See Details” hyperlink

Service Line Inventory

Monitoring Schedules | Current Monitoring Schedules Facility Analyte Level (FANL) Monitoring All Schedules Yearly Schedule Snapshot

Microbial/Coliform Monitoring Schedules

Export to Excel

Facility ID	Analyte Code	Analyte/Group Name	Sample Count	Sample Frequency	Collection Period	Schedule Period	Original Positive Date	Original Positive Sample ID
DS01	3100	COLIFORM (TCR)	60	Monthly	1/1 - 12/31	01/01/2001 - continuing		

1

Schedule Information

Analyte/Group  
2SOC - 2SOC (SOCS)

Sampling Frequency  
1 RT - EVERY 3 YEARS

Facility

TP01 - POTOMAC FILTER PLANT

Collection Period

Initial Monitoring Period Begin Date  
01/01/2011

Schedule Begin Date  
01/01/2011

Chemical/Other Monitoring Schedules

Export to Excel

Schedule Details	Facility ID	Analyte Code	Analyte/Group Name	Respon
<a href="#">See Details...</a>	DS01	2DBP	STAGE 2 DBP	PWS
<a href="#">See Details...</a>	PBCU		LEAD AND COPPER	PWS

When “See Details” is selected additional information on the Analyte or Analyte Group will appear.



Schedule Detail

Export to Excel

Analyte Code	Analyte Name	Sampling Frequency	Collection Period	Current Monitoring Period	Samples Required	Samples Received	Last Sample Date
2031	DALAPON	1 RT - Every 3 Years		01/01/2025 - 12/31/2025	1	0	
2036	OXAMYL	1 RT - Every 3 Years		01/01/2025 - 12/31/2025	1	0	
2040	PICLORAM	1 RT - Every 3 Years		01/01/2025 - 12/31/2025	1	0	
2041	DINOSEB	1 RT - Every 3 Years		01/01/2025 - 12/31/2025	1	0	
2043	ALDICARB SULFOXIDE	1 RT - Every 3 Years		01/01/2025 - 12/31/2025	1	0	
2044	ALDICARB SULFONE	1 RT - Every 3 Years		01/01/2025 - 12/31/2025	1	0	
2046	CARBOFURAN	1 RT - Every 3 Years		01/01/2025 - 12/31/2025	1	0	
2047	ALDICARB	1 RT - Every 3 Years		01/01/2025 - 12/31/2025	1	0	
2105	2,4-D	1 RT - Every 3 Years		01/01/2025 - 12/31/2025	1	0	
2110	2,4,5-TP	1 RT - Every 3 Years		01/01/2025 - 12/31/2025	1	0	
2326	PENTACHLOROP...	1 RT - Every 3 Years		01/01/2025 - 12/31/2025	1	0	

Schedule Sampling Point

Sample Point ID	Location
No records available.	



# Monitoring Schedules

All Schedule Table combines all required sampling information

Monitoring Schedules | Current Monitoring Schedules Facility Analyte Level (FANL) Monitoring Schedule Snapshot

All Schedules

All Schedules

Export to Excel

Facility ID	Facility Name	Analyte Code	Analyte Name	Sample Count	Sample Type	Sample Frequency	Collection Period	Schedule Begin Date	Schedule End Date	Initial Monitoring Period Begin Date	Sample Year #
		3100	COLIFORM (TCR)	390	RT	Monthly		03/01/2022	continuous		
TP02	PATUXENT FILTER PLANT	4000	GROSS ALPHA, EXCL. RADON & U	1	RT	Every 9 Years		01/01/2022	continuous	01/01/2022	9
TP01	POTOMAC FILTER PLANT	4000	GROSS ALPHA, EXCL. RADON & U	1	RT	Every 6 Years		01/01/2022	continuous	01/01/2022	6
TP01	POTOMAC FILTER PLANT	4030	RADIUM-228	1	RT	Every 9 Years		01/01/2022	continuous	01/01/2022	9
TP02	PATUXENT FILTER PLANT	4030	RADIUM-228	1	RT	Every 9 Years		01/01/2022	continuous	01/01/2022	9
TP02	PATUXENT FILTER PLANT	4020	RADIUM-226	1	RT	Every 9 Years		01/01/2022	continuous	01/01/2022	9
TP01	POTOMAC FILTER PLANT	4020	RADIUM-226	1	RT	Every 9 Years		01/01/2022	continuous	01/01/2021	9

1 2 50 items per page 1 - 50 of 79 items

Facility Analyte Level Monitoring Table shows the FANL level set for the Water System

Monitoring Schedules | Current Facility Analyte Level (FANL) Monitoring Schedule Snapshot

Facility Analyte Level (FANL) Monitoring

Export to Excel

Facility ID	Facility Name	Analyte Code	Analyte Name	Level Type	Level Value	Level Units	Days to Monitor per Month	Samples Required per Day	Effective Period Begin	Effective Period End	Summary Type
TP01	MONOCACY FILTER PLANT	0100	TURBIDITY	95P	0.3	NTU	31	6	08/01/1993		95PT
TP01	MONOCACY FILTER PLANT	0100	TURBIDITY	MAX	1.0	NTU	31	6	08/01/1993		MAXT
TP01	MONOCACY FILTER PLANT	0999	CHLORINE	MIN	0.2	MG/L	31	6	08/01/1993		EPRO
TP02	LINGANORE CREEK FILTER PLANT	0100	TURBIDITY	95P	0.3	NTU	31	6	08/01/1993		95PT
TP02	LINGANORE CREEK FILTER PLANT	0100	TURBIDITY	MAX	1.0	NTU	31	6	08/01/1993		MAXT
TP02	LINGANORE CREEK FILTER PLANT	0999	CHLORINE	MIN	0.2	MG/L	31	6	08/01/1993		EPRO
TP03	LESTER R DINGLE FILTER PLANT	0100	TURBIDITY	95P	0.3	NTU	31	6	08/01/1993		95PT
TP03	LESTER R DINGLE FILTER PLANT	0100	TURBIDITY	MAX	1	NTU	31	6	08/01/1993		MAXT

1 - 10 of 11 items



# Monitoring Schedules

The Yearly Schedule tab shows a visual representation of monitoring thorough out the year and can be exported as a PDF.

Monitoring Schedules | [Current Monitoring Schedules](#) [Facility Analyte Level \(FANL\) Monitoring](#) [All Schedules](#)

**Yearly Schedule Snapshot**

Monitoring Schedules for 2025

Calendar Year   Group By:  Facility  Analyte

DISTRIBUTION SYSTEM - DS01	1st Quarter			2nd Quarter			3rd Quarter			4th Quarter		
	Jan	Feb	Mar	Apr	May	Jun	Jul	Aug	Sep	Oct	Nov	Dec
COLIFORM (TCR) (3100)	60 / MN	60 / MN	60 / MN	60 / MN	60 / MN	60 / MN	60 / MN	60 / MN	60 / MN	60 / MN	60 / MN	60 / MN

**POTOMAC FILTER PLANT - TP01**

ARSENIC (1005)	1 / YR
FLUORIDE (1025)	1 / YR
<a href="#">1109 GROUP (IOCS) (1109)</a>	1 / YR
<a href="#">2SOC (SOCS) (2SOC)</a>	1 / 3Y
<a href="#">2V21 (VOCS) (2V21)</a>	1 / YR
<a href="#">NITRATE (NO3)</a>	1 / YR

# Microbial / Coliform Samples



Select Microbial / Coliform Samples from the drop-down menu from the Menu icon. The newest samples are shown first. Below is the Coliform Samples Table showing each lab report.

**Coliform Sample tab displays all the samples taken.**

**Enter a date range of when the sample was collected.**

**☐ Select the Analytes (Coliform, Fecal Coliform, E. Coli) and Sampling Point Type from drop down menus.**

**☐ Select the search button.**

**☐ If you wish to change the search requirement select the reset button.**

Sample Type	Lab Sample ID	Collection Date & Time	Sampling Point ID	Sampling Point Location	Facility ID	Lab ID	Free Chlorine	Total Chlorine	Monitoring Period Begin Date	Monitoring Period End Date	Sample Collector	Rejection Reason	For Compliance?	Total C Count
RP	AG5944	10/30/2024 10:07	RPOT	REPEAT OTHER	DS01	MD-G1049	1.37		10/01/2024	10/31/2024	MCQUEEN, JEFFERSON		Y	0
RP	AG5942	10/30/2024 09:55	RPOR	REPEAT ORIGINAL	DS01	MD-G1049	1.47		10/01/2024	10/31/2024	MCQUEEN, JEFFERSON		Y	0
RP	AG5943	10/30/2024 09:36	RPOT	REPEAT OTHER	DS01	MD-G1049	1.5		10/01/2024	10/31/2024	MCQUEEN, JEFFERSON		Y	0
RT	AG5955	10/29/2024 09:37	RTOR	ROUTINE ORIGINAL	DS01	MD-G1049	1.18		10/01/2024	10/31/2024	MCQUEEN, JEFFERSON		Y	0

# Microbial / Coliform Samples



Another common search used is the Sample Selection is Coliform Sample Summaries. The Table shows the monitoring period and number of negative routines.

Coliform Sample Summaries tab summarizes the testing within the chosen month.

Enter a date range of when the sample was collected.

Select the search button.  
If you wish to change the search requirement select the reset button.

Monitoring Period	Begin Date	End Date	Number of Negative Routines	Date Summary Received	Lab ID	Facility ID
2/25/2019	2/25/2025	Search	Reset	Export to Excel		
08/01/2023	08/31/2023	15	09/08/2023	MD-261	DS01	
07/01/2023	07/31/2023	15	08/09/2023	MD-261	DS01	
06/01/2023	06/30/2023	15	07/10/2023	MD-261	DS01	
05/01/2023	05/31/2023	15	06/09/2023	MD-261	DS01	
04/01/2023	04/30/2023	15	05/10/2023	MD-261	DS01	
03/01/2023	03/31/2023	15	04/07/2023	MD-261	DS01	

# Chemical Samples



Select Chemical Samples from the drop-down menu from the Menu icon.  
The newest samples are shown first.

For example, the tables shows each lab report for IOC samples.

DRINKING WATER VIEWER MARYLAND DEPARTMENT OF THE ENVIRONMENT Water System Search Log In Powered By GEC

**Chemical Sample Results**

MO050005 - WASHINGTON SUBURBAN SANITARY COMMISSION

Federal System Type C	Local Name	Operating Category OT4	Principal County/Parish/City Served MONTGOMERY/	Activity Status A
Activity Date 12/01/1976	Population 1900000	Federal Source Type SW	Service Connections 438639	

This page displays chemical and other nonbacterial sample results collected in the last 3 years by default. Examples include nitrates, lead, radionuclides, and water quality parameters. Individual sample results can be viewed as well as summaries of certain kinds of samples. Click the "See Details..." link for more information about an individual sample.

Samples & Summaries | **Chemical Samples** | TTHM/HAAS | RA Summaries | Chlorine Summaries | TOC/Alkalinity Summaries | Turbidity Summaries

Chemical Samples & Results

Collected Between  And

Sampling Point Type EP - Entry Point

Chemical Samples tab chosen.

Enter a date range of when the sample was collected.

Samples & Summaries | Chemical Samples | Lead & Copper Summaries | TTHM/HAAS | RA Summaries | Chlorine Summaries | TOC/Alkalinity Summaries | Turbidity Summaries

Chemical Samples & Results

Collected Between  And

Sampling Point Type EP - Entry Point

Analytes All

Analyte Groups 109 - 109 GROUP (IOCs) 0

Search Reset

Chemical Samples

Export to Excel

Sample Report	Sample Type	Lab Sample ID	Collection Date & Time	Sampling Point ID	Sample Location	Fac
See Details...	RT	AG94853	09/02/2025 04:05	EP02	GENERATED BY BATCH	TP02
See Details...	RT	AG94852	09/02/2025 02:55	EP01	GENERATED BY BATCH	TP01
See Details...	RT	AG9474-A	08/05/2025 04:00	EP02	GENERATED BY BATCH	TP02
					MD-G11049	Y
					MD-G11049	Y

- Select the Sampling Point Type from drop down menu
- Choose either an Analyte (from drop down menu) or Analyte Groups (from drop down menu). From the example shown Analyte Group chosen was IOCs.
- Select the search button.
- If you wish to change the search requirement select the reset button.

# Chemical Samples



In the same example, when “See Details” is selected a pop-up screen will show the corresponding lab report and the option to download a pdf version of the report.

Sample Report										
Sample Type	Lab Sample ID	Collection Date & Time	Sampling Point ID	Sample Location	Facility ID	Lab ID	For Compliance?			
<a href="#">See Details...</a>	RT	E2500194806	03/11/2025 09:46	EP01	GENERATED BY BATCH	TP01	MD-G001	Y		
<a href="#">See Details...</a>	RT	E2500194811	03/11/2025 08:05	EP02	GENERATED BY BATCH	TP02	MD-G001	Y		
<a href="#">See Details...</a>	RT	AG41319	05/07/2024 16:00	EP02	GENERATED BY BATCH	TP02	MD-G1049	Y		
<a href="#">See Details...</a>	RT	AG41320	05/07/2024 15:40	RW02	DUCKETT RESERVOIR PATUXENT R	RS02	MD-G1049	Y		
<a href="#">See Details...</a>	RT	AG10289	07/11/2023 15:30	EP02						
<a href="#">See Details...</a>	RT	AG10189	07/11/2023 14:20	EP01						
<a href="#">See Details...</a>	RT	E2300258601	05/02/2023 00:00	EP02						
<a href="#">See Details...</a>	RT	E2300258603	05/02/2023 00:00	EP01						

Export to Excel

100 items per page

Chemical Results

Analyte Results							
Lab Sample No.	Collection Date	Sample Type	Analyte Code	Analyte Name	Detection Value	Maximum Contaminant Level (MCL)	Exceeds MCL
E2500194806	03/11/2025	RT	2005	ENDRIN	<0.5 UG/L	0.002 MG/L	No ✓
E2500194806	03/11/2025	RT	2010	BHC-GAMMA	<0.1 UG/L	0.0002 MG/L	No ✓

Lab Sample ID E2300:	Sampling Point EP02 - GENERATED BY BATC H	Lab Received Date & Time	For Compliance?
Sample Type RT	Facility	Laboratory MD-G001 - MARYLAND DEPA RTMENT OF HEALTH -BALTIM ORE	Collection Date & Time 05/02/2023 12:00
Collection Address POE TAP	Sample Collector	State Sample ID	

Analyte Results

Analyte	Analysis Start and End Date	Detection	Method	State Notified On	PWS Notified On
2005 - ENDRIN	05/17/2023 12:00 AM -	< 0.5 UG/L	525.2 - ORGANICS, GC/MS, LIQ/SOLEXT, CAPCOLUMN	01/30/2025	
2010 - BHC-GAMMA	05/17/2023 12:00 AM -	< 0.1 UG/L	525.2 - ORGANICS, GC/MS, LIQ/SOLEXT, CAPCOLUMN	01/30/2025	
	05/17/2023 12:00	< 0.5	525.2 - ORGANICS, GC/MS.		

[Cancel](#) [Download](#)

# Chemical Samples



Note that the Lab Sample has the details of the report on the bottom screen

For example, Lab Sample No. E2500194806 has the report details on the bottom screen.

Sample Report	Sample Type	Lab Sample ID	Collection Date & Time	Sampling Point ID	Sample Location	Facility ID	Lab ID	For Compliance?
<a href="#">See Details...</a>	RT	E2500194806	03/11/2025 09:46	EP01	GENERATED BY BATCH	TP01	MD-G001	Y
<a href="#">See Details...</a>	RT		03/11/2025 08:05	EP02	GENERATED BY BATCH	TP02	MD-G001	Y
<a href="#">See Details...</a>	RT	AG41319	05/07/2024 16:00	EP02	GENERATED BY BATCH	TP02	MD-G1049	Y
<a href="#">See Details...</a>	RT	AG41320	05/07/2024 15:40	RW02	DUCKETT RESERVOIR PATUXENT R	RS02	MD-G1049	Y
<a href="#">See Details...</a>	RT	AG10289	07/11/2023 15:30	EP02	GENERATED BY BATCH	TP02	MD-G1049	Y
<a href="#">See Details...</a>	RT	AG10189	07/11/2023 14:20	EP01	GENERATED BY BATCH	TP01	MD-G1049	Y
<a href="#">See Details...</a>	RT	E2300258601	05/02/2023 00:00	EP02	GENERATED BY BATCH	TP02	MD-G001	Y
<a href="#">See Details...</a>	RT	E2300258603	05/02/2023 00:00	EP01	GENERATED BY BATCH	TP01	MD-G001	Y

1 100 items per page 1 - 8 of 8 items

Chemical Results														
<a href="#">Export to Excel</a>														
Lab Sample No.	Collection Date	Sample Type	Analyte Code	Analyte Name	Detection Value	Maximum Contaminant Level (MCL)	Exceeds MCL	Monitoring Period Begin Date	Monitoring Period End Date	Lab ID	Sampling Point ID	Sampling Location	Facility ID	Facility Name
<a href="#">E2500194806</a>		RT	2015	METHOXYCHLOR	<0.5 µg/L	0.04 mg/L	No ✓	01/01/2023	12/31/2025	MD-G001	EP01	GENERATED BY BATCH	TP01	POTOMAC FILTER PLANT
<a href="#">E2500194806</a>		RT	2035	DI(2-ETHYLHEXYL) ADIPATE	<1 µg/L	0.4 mg/L	No ✓	01/01/2023	12/31/2025	MD-G001	EP01	GENERATED BY BATCH	TP01	POTOMAC FILTER PLANT
<a href="#">E2500194806</a>		RT	2037	SIMAZINE	<0.5 µg/L	4 µg/L	No ✓	01/01/2023	12/31/2025	MD-G001	EP01	GENERATED BY BATCH	TP01	POTOMAC FILTER PLANT
<a href="#">E2500194806</a>		RT	2039	DI(2-ETHYLHEXYL) PHTHALATE	<1 µg/L	6 µg/L	No ✓	01/01/2023	12/31/2025	MD-G001	EP01	GENERATED BY BATCH	TP01	POTOMAC FILTER PLANT
<a href="#">E2500194806</a>		RT	2042	HEXACHLOROCYCLOPENTADIENE	<0.5 µg/L	0.05 mg/L	No ✓	01/01/2023	12/31/2025	MD-G001	EP01	GENERATED BY BATCH	TP01	POTOMAC FILTER PLANT
<a href="#">E2500194806</a>														

50 items per page 1 - 50 of 114 items

# Chemical Samples



The Lead and Copper Summaries shows the last sample date and when the samples are due. The table separates Lead samples and Copper samples.

Samples & Summaries | Chemical Summaries Chlorine Summaries TOC/Alkalinity Summaries Turbidity Summaries

**Lead & Copper Summaries**

Lead & Copper Summaries

Monitoring Period Between And

10/20/2010 10/21/2025

Search Reset

Export to Excel

Monitoring Period Begin Date	Monitoring Period End Date	Facility ID	Lead # of Samples	Lead # of Samples Above Action Level	Lead 90th Percentile	Copper # of Samples	Copper # of Samples Above Action Level	Copper 90th Percentile	Last Sample Date	Date Summary Received	Lab ID
01/01/2018	12/31/2020	DS01	55	0	0 MG/L	55	0	0.116 MG/L	09/24/2020		MD-G1049
01/01/2015	12/31/2017	DS01	55	1	0.0011 MG/L	55	0	0.093 MG/L	09/27/2017		MD-G1049
01/01/2012	12/31/2014	DS01	55		0.001 MG/L	55		0.085 MG/L			MD-G1049

# Chemical Samples



The TTHM / HAA5 LRAA Summaries shows the Monitoring Period (beginning and ending dates) . It also calculates the Locational Running Annual Average (LRAA).

Samples & Summaries | Chemical Samples Lead & Copper Summaries TOC/Alkalinity Summaries Turbidity Summaries

**TTHM/HAA5 LRAA Summaries**

Monitoring Period Between And

10/21/2023  10/21/2025

Sampling Point	Sample Location	Summary Type	Monitoring Period Begin Date	Monitoring Period End Date	Locational Running Annual Avg # of Samples	Locational Running Annual Average	Exceeds MCL	Operational Evaluation Level # of Samples	Operational Evaluation Level Average
DBP101	FIRE CO 24	TTHM with MCL 80 ug/L	10/01/2025	12/31/2025	12	64 ug/L	N		
DBP101	FIRE CO 24	HAA5 with MCL 60 ug/L	10/01/2025	12/31/2025	12	38 ug/L	N		
DBP102	SHELL	TTHM with MCL 80 ug/L	10/01/2025	12/31/2025	12	52 ug/L	N		
DBP102	SHELL	HAA5 with MCL 60 ug/L	10/01/2025	12/31/2025	12	43 ug/L	N		
DBP103	LONGWOOD COMMUNITY	TTHM with MCL 80 ug/L	10/01/2025	12/31/2025	12	65 ug/L	N		
DBP103	LONGWOOD COMMUNITY	HAA5 with MCL 60 ug/L	10/01/2025	12/31/2025	12	40 ug/L	N		
DBP104	MCDONALDS	TTHM with MCL 80 ug/L	10/01/2025	12/31/2025	12	64 ug/L	N		
DBP104	MCDONALDS	HAA5 with MCL 60 ug/L	10/01/2025	12/31/2025	12	44 ug/L	N		

1 - 25 of 256 items

1 2 3 4 5 ... 25 items per page

# Chemical Samples



Below is an example of the Chlorine Summaries Table.

Samples & Summaries | Chemical Samples Lead & Copper Summaries TTHM/HAAS LRAA Summaries Chlorine Summaries Alkalinity Summaries Turbidity Summaries

Chlorine Summaries

Monitoring Period Between And

10/21/2023 10/21/2025

Search Reset

Export to Excel

Monitoring Period Begin Date	Monitoring Period End Date	Facility ID	Facility Name	Sampling Point	Site Type	Residual Disinfectant Level # of Samples Required	Residual Disinfectant Level # of Samples Collected	Residual Disinfectant Level Monitoring Compliance	Residual Disinfectant Level # Exceeded	Maximum Residual Disinfectant Level Monitoring Period Avg	Maximum Res. Disinfectant L Annual Avg
07/01/2025	07/31/2025	DS01	DISTRIBUTION SYSTEM		Distribution					0.77 MG/L	1.0 MG/L
05/01/2025	05/31/2025	DS01	DISTRIBUTION SYSTEM		Distribution	390	390	YES	0	0.77 MG/L	1.0 MG/L
05/01/2025	05/31/2025	TP01	POTOMAC FILTER PLANT	EP01	Entry Point	186	43,191	YES	0		
05/01/2025	05/31/2025	TP02	PATUXENT FILTER PLANT	EP02	Entry Point	186	2,976	YES	0		

1 2 3 25 items per page 1 - 25 of 58 items

Below is an example of the TOC / Alkalinity Summaries Table.

Samples & Summaries | Chemical Samples Lead & Copper Summaries TTHM/HAAS LRAA Summaries Chlorine Summaries Alkalinity Summaries Turbidity Summaries

TOC/Alkalinity Summaries

TOC/Alkalinity Summaries

Monitoring Period Between And

10/21/2023 10/21/2025

Search Reset

Export to Excel

Monitoring Period Begin Date	Monitoring Period End Date	Site	Alkalinity Mon Period # of Samples	Alkalinity Mon Period Average	Alkalinity RAA # of Samples	Alkalinity RAA	TOC Mon Period # of Samples	TOC Mon Period Average	Total Carbon RAA # of Samples	TOC RAA
10/01/2025	10/31/2025	TP01 - POTOMAC FILTER PLANT					0	0 MG/L	10	1.78 MG/L
10/01/2025	10/31/2025	CH01 - POTOMAC FILTER PLANT	0	0 MG/L	10	83 MG/L	0	0 MG/L	10	3.14 MG/L
09/01/2025	09/30/2025	TP02 - PATUXENT FILTER PLANT					0	0 MG/L	11	1.5 MG/L
		CH02 - PATUXENT FILTER								

1 2 3 4 25 items per page 1 - 25 of 96 items

# Chemical Samples



Below is an example of the Turbidity Summaries Table.

Samples & Summaries | Chemical Samples Lead & Copper Summaries TTHM/HAA5 LRRA Summaries Chlorine Summaries TOC/Acidinity Summaries Turbidity Summaries

Monitoring Period Between And

10/21/2023 10/21/2025

Search Reset Export to Excel

Monitoring Period Begin Date	Monitoring Period End Date	Site	Combined Filter Effluent Turbidity # of Samples Required	Combined Filter Effluent Turbidity # of Samples Collected	Combined Filter Effluent Turbidity Highest Measure	Combined Filter Effluent Turbidity # Exceeded	Combined Filter Effluent Turbidity Monitoring Compliance	95 Percent Turbidity # of Samples Exceeded	95 Percent Turbidity # of Samples % Exceeded	Individual Filter Effluent Turbidity
05/01/2025	05/31/2025	TP01 - POTOMAC FILTER PLANT	186	1,437	0.14	0	YES	0	0	<a href="#">See Details...</a>
05/01/2025	05/31/2025	TP02 - PATUXENT FILTER PLANT	186	2,973	0.05	0	YES	0	0	<a href="#">See Details...</a>
04/01/2025	04/30/2025	TP01 - POTOMAC FILTER PLANT	180	1,440	0.18	0	YES	0	0	<a href="#">See Details...</a>
04/01/2025	04/30/2025	TP02 - PATUXENT FILTER PLANT	180	2,880	0.03	0	YES	0	0	<a href="#">See Details...</a>

1 2 25 items per page

When “See Details” is selected a table is displayed showing individual filter effluent turbidity summary for that month.

## Individual Filter Effluent Turbidity Summary

### TP01 - POTOMAC FILTER PLANT

05/01/2025 - 05/31/2025

1. Each filtered continuously? Yes
2. Measurements every 15 minutes? Yes
3. Continuous monitoring equipment failure? No
4. Individual filter level >1.0 NTU in two consecutive measurements? No
5. Individual filter level >0.5 NTU in two consecutive measurements after online for more than 4 hours? No
6. Individual filter level >1.0 NTU in two consecutive measurements in three consecutive months? No
7. Individual filter level >2.0 NTU in two consecutive measurements in two consecutive months? No

Cancel



# Compliance Schedules

Below is an example of the Compliance Schedule.

DRINKING WATER VIEWER

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Water System Search Log In

Powered By GEC

MENU

Water System Samples Schedules Violations & Enforcements Contact & Help

Facilities Microbial / Coliform Monitoring Schedules Site Visits

Sampling Points Chemical Samples

Service Line Inventory

Compliance Schedules

COMPLIANCE SCHEDULES

MD0150005 - WASHINGTON SUBURBAN SANITARY COMMISSION

Federal System Type C	Local Name	Operating Category OT4	Principal County/Parish/City Served MONTGOMERY/	Activity Status A
Activity Date 12/01/1976	Population 1900000	Federal Source Type SW	Service Connections 438639	

This page displays scheduled activities that must be completed by the due date to avoid violations and remain in compliance with Drinking Water regulations. Examples of scheduled activities include performing assessments, correcting sanitary deficiencies, and public notification.

Compliance Schedules

Expand All

	Compliance Schedule Type	Schedule Begin Date	Schedule Closed Date	Schedule ID
+	OEL - OPERATIONAL EVALUATION LEVEL	09/30/2023		20216
+	OEL - OPERATIONAL EVALUATION LEVEL	09/30/2023		20217
+	OEL - OPERATIONAL EVALUATION LEVEL	09/30/2023		20218
+	OEL - OPERATIONAL EVALUATION LEVEL	09/30/2023		20219



# Compliance Schedules

## How to navigate the Compliance Schedule Screen

Compliance Schedule Type	Schedule Begin Date	Schedule Closed Date	Schedule ID
LCR - Lead & Copper Rule			20202
POLY - Polymer Certification			20201
CCR - Consumer Confidence Report	01/01/2017	06/30/2017	2017
CCR - Consumer Confidence Report	01/01/2016	06/30/2016	5150
POLY - Polymer Certification	01/01/2016	01/03/2017	20200
CCR - Consumer Confidence Report	01/01/2015	04/01/2015	150
POLY - Polymer Certification		12/31/2015	1
LCR - Lead & Copper Rule			125
CCR - Consumer Confidence Report		12/31/2013	100
LCR - Lead & Copper Rule	06/30/1994	01/09/2015	1

To filter or sort data press the 3 vertical dots.



↑ Sort Ascending  
↓ Sort Descending  
▼ Filter ▾

Plus sign ('+') next to Compliance Action will expand the row, revealing its status.





# Compliance Schedules

## Examples of Expanded Rows

	Compliance Schedule Type	Schedule Begin Date	Schedule Closed Date	Schedule ID
+	LCR - Lead & Copper Rule	06/01/2017		20202
+	POLY - Polymer Certification	01/01/2017	12/21/2017	20201
-	CCR - Consumer Confidence Report	01/01/2017	06/30/2017	2017

Compliance Activity Name	Activity Due Date	Activity Achieved Date	Activity Reported Date	Completion Status	Associated Deficiencies	Associated Sample Results
CCR - VERIFICATION OF DISTRIBUTION	09/30/2017	06/30/2017		On Time		
CCR - SUBMIT CONSUMER CONFIDENCE REPORT	06/30/2017	06/07/2017		On Time		

1 - 2 of 2 items

	Compliance Schedule Type	Schedule Begin Date	Schedule Closed Date	Schedule ID
+	OEL - OPERATIONAL EVALUATION LEVEL	09/30/2020		20214
-	LCR - Lead & Copper Rule	06/01/2020	10/09/2020	20215

Compliance Activity Name	Activity Due Date	Activity Achieved Date	Activity Reported Date	Completion Status	Associated Deficiencies	Associated Sample Results
LCNT - LEAD CONSUMER NOTICE	12/29/2020	10/09/2020		On Time		

1 - 1 of 1 items

+	POLY - Polymer Certification	01/01/2020	01/14/2020	20207
-	CCR - Consumer Confidence Report	01/01/2020	06/30/2020	2017

# Violations & Enforcement



Select Violations & Enforcement from the drop-down menu from the Menu icon.

# Violations & Enforcement



“Expand All” button will allow you to view the full details of all violations by expanding every plus sign.



Violations & Enforcements | **Violations**

Violations

Violations Between

10/21/2015

And

10/21/2025

**Expand All**

Viol Determination Date	Viol Begin	Viol End	Viol Type	Viol Name	Analyte Code
02/16/2024	01/01/2024	03/31/2024	02	MCL, LRAA	2950

Violations

Violations Between

10/21/2015

**Search** **Reset**

Enforcement Date	Enforcement Action Code	Enforcement Action Name
08/05/2024	SOX	ST COMPLIANCE ACHIEVED
03/11/2024	SIF	ST PUBLIC NOTIF RECEIVED

Click on plus sign (+) to expand and show what enforcement action has been taken.

**Expand All**

Viol Determination Date	Viol Name	Analyte Code	Analyte Name	Facility ID
02/16/2024	MCL, LRAA	2950	TTHM	0501

Violations

Violations Between

10/21/2015

**Search** **Reset**

Enforcement Date	Enforcement Action Code	Enforcement Action Name
08/05/2024	SOX	ST COMPLIANCE ACHIEVED
03/11/2024	SIF	ST PUBLIC NOTIF RECEIVED

# Violations & Enforcement



This page displays the violations and enforcement actions linked to the water system. The Violations tab shows a view of violations from the past 5 years, including Public Notification (PN) status and the Return To Compliance (RTC) status, which indicates whether the violation has been resolved or is on the path to resolution. The violations can be expanded to see the associated enforcement actions linked to the violations. The Enforcement Actions tab shows a view of all enforcement actions taken on the water system in the past 5 years (i.e., notices of violation, agreed orders). The enforcement actions can be expanded to see which violations were included in the action.

**Violations & Enforcements** | [Violations](#) **Enforcement Actions**

Enforcement Actions

Enforcement Between  And

[Search](#) [Reset](#)

**“Enforcement Actions” is listed by each enforcement action not by violation**

**Enter a date range of interested action**

<a href="#">Expand All</a>	<a href="#">Export to Excel</a>								
	Enforcement Status Date	Enforcement Action Code	Enforcement Action Name	Enforcement ID	PN Due	PN Proof Due	PN Done	PN Proof Done	PN Status
+	06/05/2024	SIF	ST PUBLIC NOTIF RECEIVED	21					
+	06/05/2024	SOX	ST COMPLIANCE ACHIEVED	22					
+	05/21/2024	SIA	ST VIOLATION/REMINDER NOTICE	19					
+	03/21/2023	SIF	ST PUBLIC NOTIF RECEIVED	18					
+	03/10/2023	SOX	ST COMPLIANCE ACHIEVED	17					
+	03/07/2023	SIA	ST VIOLATION/REMINDER NOTICE	15					
+	03/07/2023	SIE	ST PUBLIC NOTIF REQUESTED	16	03/06/2024	03/16/2024	03/13/2023	03/21/2023	<span style="color: green;">On Time</span>

Items per page:  1 - 8 of 8 items

# Violations & Enforcement



This page displays the violations and enforcement actions linked to the water system. The Violations tab shows a view of violations from the past 5 years, including Public Notification (PN) status and the Return To Compliance (RTC) status, which indicates whether the violation has been resolved or is on the path to resolution. The violations can be expanded to see the associated enforcement actions linked to the violations. The Enforcement Actions tab shows a view of all enforcement actions taken on the water system in the past 5 years (i.e., notices of violation, agreed orders). The enforcement actions can be expanded to see which violations were included in the action.

No Unresolved Violations

**Violations & Enforcements** | [Violations](#) | **Enforcement Actions**

Enforcement Actions

Enforcement Between  And

[Search](#) [Reset](#)

[Expand All](#) [Export to Excel](#)

Click on plus sign (+) to expand and show what violation the action is associated with.

If a Public Notice is required, this tab will show the status of the Notice.

+	06/05/2024	SOX	ST COMPLIANCE ACHIEVED	17							
+	05/21/2024	SIA	ST VIOLATION/REMINDER NOTICE	15							
+	03/21/2023	SIE	ST PUBLIC NOTIF REQUESTED	16	03/06/2024	03/16/2024	03/13/2023	03/21/2023	 On Time		

1 25 items per page 1 - 8 of 8 items



# Sanitary Survey Site Visits

DRINKING WATER VIEWER

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Water System Search Log In

Powered By GEC

**SITE VISITS**

MD0070011 - TOWN OF ELKTON

Federal System Type C	Local Name	Operating Category OT4	Principal County/Parish/City Served CECIL/	Activity Status A
Activity Date 12/01/1972	Population	Federal Source Type	Service Connections 6692	

Deficiency Status  
No Unresolved Deficiencies

Next Sanitary Survey Due  
09/09/2026

If the next Sanitary Survey due date is available, it will be provided here.

Select Site Visit from the Menu selection.



# Sanitary Survey Site Visits

Two choices under this section. Deficiencies lists the issues found during the Site Visits.

Enter a date range of interested action.

Deficiency ID	Severity	Deficiency Code	Description	Date Identified	Resolved	Category	Facility ID
1	Recommendation	SO03	The Raceway need geese control measures well1 bolts needs tightening	11/30/2022	No	SO	

25 items per page 0 - 0 of 0 items



# CCR Reports

This feature simplifies the information needed for Community Water Systems to prepare their Consumer Confidence Report. Since the report is downloaded as a Word document, it's easy to add or change text and tables to ensure it meets the CCR requirements, offering greater flexibility in the process.

## Drinking Water Viewer Main Page

DRINKING WATER VIEWER MARYLAND DEPARTMENT OF THE ENVIRONMENT Water System Log In Menu

**SEARCH HUB**  
Drinking Water Viewer provides public access to public water system information from the state's drinking water database, including sample results, inventory, sampling points, schedules, violations, enforcement actions, etc. In the Search Hub, search for information on a specific water system or search for information across water systems, like state-wide sample data.

**Maryland Department of the Environment**

**Available Searches**

Categories: All Filter by Keywords:

Water Systems Sampling Points Treatment Contacts Violations Enforcement Actions Samples Lead & Copper 90th Percentile Sample Schedules

**Consumer Confidence Reports (CCRs)**

Select CCR Button.

Water System Name Water System ID Water System Type Primary Source Water Type

Water System Name Water System ID All All All All Search

Service Type Regulating Agency Principal County/Parish Served Principal City Served

All Reset

**Available Searches**

Categories: All Filter by Keywords:

Water Systems Sampling Points Treatment Contacts Violations Enforcement Actions Samples Lead & Copper 90th Percentile Sample Schedules

Consumer Confidence Reports (CCRs)

Water System Name Water System ID Water System Type Primary Source Water Type

Water System Name Water System ID All All All All Search

Activity Status Regulating Agency Principal County/Parish Served Principal City Served

Active All All All All Map Reset

Enter either the PWSID number or the Water System Name and then click "Search".

# CCR Reports



DRINKING WATER VIEWER

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Water System Name Water System ID Water System Type Primary Source Water Type

Water System Name 0070011 Community All Search

Activity Status Regulating Agency Principal County/Parish Served Principal City Served

Active All All Map All Reset

Search Results

Export Current Page

Water System ID	Water System Name	Activity Status	Parish	Principal City	Population Served	Service Connections
MD0070011	TOWN OF ELKTON	<a href="#">Download</a>			15,625	6,692

Select the Download button. The WORD File should be in the Download Folder.



# Assistance and Contact Information

The menu has two options Contact Us and Help .

The screenshot shows the Maryland Department of the Environment Drinking Water Viewer website. The top navigation bar includes links for Preferences, Search, and Log In. The main menu on the left lists options like Water System, Samples, Schedules, Violations & Enforcements, Site Visits, Facilities, Microbial / Coliform, Monitoring Schedules, Chemical Samples, and Compliance Schedules. A yellow box highlights the 'Contact & Help' link, which has two sub-options: 'Contact Us' and 'Help'. The bottom of the page shows a 'QUOTED SYSTEM' section.

## MDE Water Supply Program Contact List

### Table of Contents

County	Page
Allegany County	2
Anne Arundel County	3
Baltimore County	4
Baltimore City	5
Calvert County	6
Caroline County	7
Carroll County	8
Cecil County	9
Charles County	10
Dorchester County	11
Frederick County	12
Garrett County	13
Harford County	14
Howard County	15
Kent County	16
Montgomery County/WSSC	17
Prince George's County	18

Contact Us - has a searchable PDF that provides email addresses for the points of contact in the various divisions of the Water Supply Program for that County



# Assistance and Contact Information

The menu has two options Contact Us and Help .

DRINKING WATER VIEWER

MARYLAND DEPARTMENT OF THE ENVIRONMENT

Preferences Search Log In

Powered By GEC

**WATER SYSTEM**

Water System Samples Schedules Violations & Enforcements Site Visits

Facilities Microbial / Coliform Monitoring Schedules

Sampling Points Chemical Samples Compliance Schedules

Service Line Inventory

Contact & Help

Contact Us

Help

Help- Is a PDF of this Quick Reference Guide.

Quick Reference Guide for the Drinking Water Viewer (DWV)





## Assistance and Contact Information

If you have any questions regarding the DWV software, please reach out to us at: [water.supply@maryland.gov](mailto:water.supply@maryland.gov).

When you send your email, please include the facility name and PWS number.