ANNUAL WATER OTALITY REPORT

Reporting Year 2023



MARTINETENSON



PWS ID#: 0090002

Our Commitment

We are pleased to present to you this year's annual water quality report. This report is a snapshot of last year's water quality covering all testing performed between January 1 and December 31, 2023. Included are details about your sources of water, what it contains, and how it compares to standards set by regulatory agencies. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water and providing you with this information because informed customers are our best allies.

Water Treatment Process

Due to the high quality of our well water, the treatment process consists of just two steps. First, raw water is drawn from our wells and sent to an aeration tray, which allows for oxidation of the low iron levels present. The water then goes to a holding tank. Chlorine is added for disinfection. (We carefully monitor the amount of chlorine, adding the lowest quantity necessary to protect the safety of your water without compromising

taste.) Finally, the water is pumped to sanitized water towers and into your home or business. Our certified water production operators monitor samples 365 days a year at different points in the system to ensure the quality of the water.



Important Health Information

Some people may be more vulnerable to contaminants in drinking water than the general population. Immunocompromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants may be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. The U.S. Environmental Protection Agency (EPA)/Centers for

Disease Control and Prevention (CDC) guidelines on appropriate means to lessen the risk of infection by *cryptosporidium* and other microbial contaminants are available from the Safe Drinking Water Hotline at (800) 426-4791 or water. epa.gov/drink/hotline.

Lead in Home Plumbing

ead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. We are responsible for providing high-quality drinking water and removing lead pipes, but we cannot control the variety of materials used in plumbing components in your home. You share the responsibility for protecting yourself and your family from the lead in your home plumbing. You can take responsibility by identifying and removing lead materials within your home plumbing and taking steps to reduce your family's risk. Before drinking tap water, flush your pipes for several minutes by running your tap, taking a shower, or doing laundry or a load of dishes. You can also use a filter certified by an American National Standards Institute-accredited certifier to reduce lead in drinking water. If you are concerned about lead in your water and wish to have your water tested, contact our office at (410) 228-5440. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available at epa.gov/safewater/lead.



When the well is dry, we know the worth of water."

—Benjamin Franklin

Questions?

For more information about this report, or for any questions relating to your drinking water, please call Ed Bramble, Municipal Utilities Superintendent, or James Hurley, Assistant Superintendent, at (410) 228-5440.

Substances That Could Be in Water

To ensure that tap water is safe to drink, the U.S. EPA prescribes regulations limiting the amount of certain contaminants in water provided by public water systems. U.S. Food and Drug Administration regulations establish limits for contaminants in bottled water, which must provide the same protection for public health. Drinking water, including bottled water, may reasonably be expected to contain at least small amounts of some contaminants. The presence of these contaminants does not necessarily indicate that the water poses a health risk.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals, in some cases radioactive material, and substances resulting from the presence of animals or from human activity. Substances that may be present in source water include:

Microbial Contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, or wildlife;

Inorganic Contaminants, such as salts and metals, which can be naturally occurring or may result from urban stormwater runoff, industrial or domestic wastewater discharges, oil and gas production, mining, or farming;

Pesticides and Herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses;



Organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production and may also come from gas stations, urban stormwater runoff, and septic systems;

Radioactive Contaminants, which can be naturally occurring or may be the result of oil and gas production and mining activities.

For more information about contaminants and potential health effects, call the U.S. EPA's Safe Drinking Water Hotline at (800) 426-4791.

Source Water Assessment

A Source Water Assessment Plan (SWAP) is now available at our office. This plan is an assessment of the delineated area around our listed sources through which contaminants, if present, could migrate and reach our source water. It also includes an inventory of potential sources of contamination within the delineated area and a determination of the water supply's susceptibility to contamination by the identified potential sources.


According to the SWAP, our water system had a susceptibility rating of "not susceptible to contaminants originating at the land surface due to the protected nature of confining aquifers." If you would like to review the SWAP, please feel free to contact our office during regular office hours at (410) 228-5440.

What's Your Water Footprint?

Tou may have some understanding about your carbon I footprint, but how much do you know about your water footprint? The water footprint of an individual, community, or business is defined as the total volume of freshwater that is used to produce the goods and services that are consumed by the individual or community or produced by the business. For example, 11 gallons of water are needed to irrigate and wash the fruit in one half-gallon container of orange juice. Thirtyseven gallons of water are used to grow, produce, package, and ship the beans in that morning cup of coffee. Two hundred and sixty-four gallons of water are required to produce one quart of milk, and 4,200 gallons of water are required to produce two pounds of beef. According to the U.S. EPA, the average American uses over 180 gallons of water daily. In fact, in the developed world, one flush of a toilet uses as much water as the average person in the developing world allocates for an entire day's cooking, washing, cleaning, and drinking. The annual American per capita water footprint is about 8,000 cubic feet; twice the global per capita average. With water use increasing six-fold in the past century, our demands for freshwater are rapidly outstripping what the planet can replenish. To check out your own water footprint, go to www.watercalculator.org.

What type of container is best for storing water?

Consumer Reports has consistently advised that glass or BPA-free plastics such as polyethylene are the safest choices. To be on the safe side, do not use any container with markings on the recycle symbol showing 7PC (that's code for BPA). You could also consider using stainless steel or aluminum with BPA-free liners.



Test Results


respective maximum allowed levels. able upon request). Remember that detecting a substance does not mean the water is unsafe to drink; our goal is to keep all detects below their health standards. Here, we only show those substances that were detected in our water (a complete list of all our analytical results is availur water is monitored for many different kinds of substances on a very strict sampling schedule, and the water we deliver must meet specific

frequently. In these cases, the most recent sample data are included, along with the year in which the sample was taken The state recommends monitoring for certain substances less than once per year because the concentrations of these substances do not change

				A CONTRACTOR OF THE CONTRACTOR) 1 S	د د		
Dorchester County Sanitary District, Inc. Lodgecliffe Waster Bistribution System PWSID #: 0090009 CH01	1	TYPICAL SOURCE	AIOTALION T AME THE STATE OF TH	SITES ABOVE AL/TOTAL SITES	AMOUNT DETECTED (90TH %ILE)	MCTe and the same	MECERU IQI ICALI AIL SAMPLED AL	AMOUNT SUBSTANCE YEAR AL MCLG WILE) SITES ABOVE OPTION TYPIC (UNIT OF MEASURE) SAMPLED AL MCLG WILE) SITES VIOLATION TYPIC
By-product of drinking water disinfection	N _o	5.4 <u>-</u> 23.7	19 (LRAA)	N.	80	2023	ethanes]-	TTHMs [total trihalomethanes] Stage 2 (ppb)
By-product of drinking water disinfection	8	ND-7.9	5.0 (LRAA)	Ν×	8	2023	s]-Stage 2	Haloacetic Acids [HAAs]-Stage 2 (ppb)
Etosion of natural deposits; water additive which promotes strong teeth; discharge from fertilizer and aluminum factories	No	0.6-1.2	1.2	4	enger i der de i de en el e	2021		Fluoride (ppm)
Erosion of natural deposits	ኝ	0-0.6	0.6	0	5	2022	Ď	Combined Radium (pCi/L)
Water additive used to control microbes	ቖ	0.4-0.6	0.6	4	4	2023		Chlorine (ppm)
Decay of natural and human-made deposits	3	NDL	0	0	50	2022	PCI/L)	Beta/Photon Emitters (pCi/L)
Discharge of drilling wastes; discharge from metal refineries; erosion of natural deposits	Z,	0.0049-0.0166	0.0166 0	19	,	2021		Barium (ppm)
Erosion of natural deposits; runoff from orchards; runoff from glass and electronics production wastes	8	ND-2.029	2.029	la e socia miseri sicci kosa e soci		2022		Arsenic (ppb)
TYPICAL SOURCE	WOLATION	RANGE LOW-HIGH	AMOUNT DETECTED	MCLG [MRDLG]	MCL	YEAR SAMPLED		SUBSTANCE (UNIT OF MEASURE)

How Long Can I Store Drinking Water?

up to six months before needing to be replaced. Refrigeration will help slow the bacterial growth. The disinfectant in drinking water will eventually dissipate even in a closed container. If that container housed bacteria prior to filling up with the tap water the bacteria may continue to grow once the disinfectant has dissipated. Some experts believe that water could be stored



and copper represent the 90th percentile of the total number of tires rested. The 90th valle a holleval as

dealthaelana) outdoured amenaena whiten

ose to the M[Q] or as feasible as no

atomic or expected risk to health, NOSG

On Language people and serious contractions of the contraction of the

ppb (pare per billion). One part sibseance per billion parts water (or

mare in government princip mid

existed plansmilling and asset of each

Where Does My Water Come From?

The City of Cambridge Municipal Utilities Commission customers are fortunate because we enjoy an abundant water supply from 10 wells drawing from three different aquifers. We have six wells pumping from the Piney Point Aquifer, two wells in the Magothy Aquifer, and two wells withdrawing from the Patapsco (Raritan) Aquifer

Piney Point Formation

recharged by precipitation. Recharge is derived from lateral and vertical leakage through adjacent beds. feet below sea level at Cambridge. Transmissivity values in Cambridge range from 25,000 to 45,000 gallons per day (gpd) per foot. The Piney Point Aquifer is overlain by the Chesapeake Group Formations, which function as confining and leaky-confining beds to this aquifer. The Piney Point Aquifer does not outcrop at the ground surface and therefore is not directly The Pincy Point Aquifer is used by eight of the nine community water systems in the area. The thickness of the Pincy Point Formation is variable and ranges from a few feet to about 160 feet. The formation consists of medium- to coarse-grained, olive-green to black, slightly glauconitic sand with interbedded clayey layers. The top of the Pincy Point Formation is about 340

Magothy Formation

This formation consists of medium- to coarse-grained, white, yellow, and gray sands with irregular lenses of dark clay containing lignite. The thickness ranges from 30 to 139 feet. The top of the Magothy Formation is about 900 feet below sea level in Cambridge. Transmissivity values at Cambridge are between 8,000 and 15,000 gpd per foot. The formation is overlain unconformably by the Matawan Formation, which functions as a confining unit in Dorchester County,

atapsco (Raritan) Formation

varying width. Between Washington and Baltimore, the outcrop area is between 10 and 20 miles wide. Patapsco Aquifer is overlain by multiple younger aquifers and confining units of variable thickness. The outcrop area extends from Washington, D.C., to Elkton, Maryland, in a band of The Patapsco Formation consists of fine- to medium-grained, greenish gray sand with layers of mortled, tough clay. The sands occur in four beds ranging in thickness from 15 to 40 feet. The top of the Patapsco Formation ranges from about 1,000 to 1,500 feet below sea level in Dorchester County. Cambridge's wells have a transmissivity of over 16,000 gpd per foot. The

Stone Boundary Road, Nathans Avenue, Glasgow Street, and Brohawn Avenue. Water is pumped from our pumping stations into the distribution system, which consists of approximately 120 miles of pipe supported by elevated storage tanks with a capacity of 1.5 million gallons. We provide our customers with 1.5 million to 4.5 million gallons of good, safe drinking water To meet our daily demand, we are currently operating three or four wells, with the others in reserve. The wells pump water into ground storage tanks located at our four pumping stations on

PFAS Monitoring Program

environment, where they have been measured by several states in soil, surface water, groundwater, and seafood. Some PFAS can last a long time in the environment and the human body and can accumulate in the food chain. er- and polyfluoroalkyl substances (PFAS) refer to a group of more than 4,000 human-made chemicals that have been used since the 1940s in a range of products including stain- and water-resistant fabrics and carpeting, cleaning products, paints, cookware, food packaging, and firefighting foams. These uses have led to PFAS entering our

later this year. This would entail additional monitoring as well as certain actions for systems with levels above the MCL. Additional information about PFAS can be found at In 2020, the Maryland Department of the Environment (MDE) initiated a PFAS monitoring program. Our water system was not tested for PFAS in 2022. U.S. EPA is expected to establish maximum contaminant levels (MCLs) for perfluorooctanoic acid (PFOA) and perfluorooctanesulfonic acid (PFOS), two of the most prevalent PFAS compounds, mde.maryland.gov/PublicHealth/Pages/PFAS-Landing-Page.aspx.

