

Important Information About Your Drinking Water

We're pleased to present to you the Annual Water Quality Report for 2021. This report is designed to inform you about the water quality and services we deliver to you every day. Maryland Environmental Service (MES), an Agency of the State of Maryland, operates the water treatment facility and prepared this report on behalf of the Woodstock Job Corps Center.

The Environmental Protection Agency (EPA) regulates Public Water Systems and the contaminants found in water through the implementation of the Safe Drinking Water Act (SDWA). The SDWA sets regulations and guidelines for how public water systems operate and identifies several hundred drinking water contaminants, establishes monitoring frequencies and limitations. The Maryland Department of the Environment (MDE) is responsible for the enforcement of the SDWA and routinely complete Sanitary Surveys as part of their ongoing inspection and monitoring program. MES provides safe dependable operations of the water system and is dedicated to consistently providing high quality drinking water that meets or exceeds the SDWA standards.

If you have any questions about this report or have questions concerning your water utility, please contact Jay Janney at **410-729-8200**, e-mail jjanney@menv.com.

For More Information:

For the opportunity to ask more questions or participate in decisions that may affect your drinking water quality, please contact **Tashae Swam**, **Finance & Administration Director of Woodstock Job Corps, at 410-696-9310**.

Inside This Issue:

Definitions	2
Special Points of Interest	2
Water Quality Report	3
Lead Prevention	4
Sources of Drinking Water	4
Gross Alpha Emitters	4

The Woodstock Job Corps Center water works consists of two drilled wells in the in the Baltimore gneiss. After the water is pumped out of the well disinfectant is added to protect against microbial contaminants. The Maryland Department of the Environment has performed an assessment of the source water. A copy of the results is available. Call **Maryland Environmental Service at 410-729-8350**

Some people may be more vulnerable to contaminants in drinking water than the general population. Immuno-compromised persons such as persons with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/CDC guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available from the Safe Drinking Water Hotline (1-800-426-4791).

Definitions:

- Maximum Contaminant Level Goal (MCLG) The level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- Maximum Contaminant Level (MCL) The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- Action Level The concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow
- Treatment Technique (TT) A required process intended to reduce the level of a contaminant in drinking water
- Turbidity Relates to a condition where suspended particles are present in the water. Turbidity measurements
 are a way to describe the level of "cloudiness" of the water.
- **pCi/l** Picocuries per liter. A measure of radiation.
- **ppb** parts per billion or micrograms per liter
- ppm parts per million or milligrams per liter
- Mrem millirem roentgen equivalent in man. A measure of radiation dose

Special points of interest:

The water at the Woodstock Job Corps Center is tested for over 120 different compounds.

Drinking Water, including bottled water, may reasonably be expected to contain at least small amounts of some compounds. The presence of these compounds does not necessarily indicate that water poses a health risk. More information about contaminants and potential health effects can be obtained by calling the **Environmental Protection** Agency's (EPA's) Safe Drinking Water Act Hotline (1-800 -426-4791)

In order to ensure that tap water is safe to drink, EPA prescribes regulations which limit the amount of certain compounds in water provided by public water systems. We treat our water according to EPA's regulations. Food and Drug Administration regulations establish limits for contaminants in bottled water which must provide the same protection for public health.

Contaminants That May Be Present in Source Water:

Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife. Pesticides and Herbicides, which may come from a variety of sources such as agriculture, urban stormwater runoff, and residential uses. Inorganic Contaminants, such as salts and metals, which can be naturally-occurring or result from urban stormwater runoff, industrial, or domestic wastewater discharges, oil and gas production, mining, or farming. Organic Chemical Contaminants, including synthetic and volatile organic chemicals, which are by-products of industrial processes and petroleum production, and can also come from gas stations, urban stormwater runoff, and septic systems. Radioactive Contaminants, which can be naturallyoccurring or be the result of oil and gas production and mining activities.

Woodstock Job Corps Center PWSID: 003-0012 Page 2

Gross Beta (2021 Testing) 50 pCi/l* 8.2 pCi/l* 0.0 pCi/l Typical Source of Contamination: Erosion of natural deposits (Range 4.6 pCi/l - 8.2 pCi/l) *EPA considers 50 pCi/L to be the level of concern for beta particles. The MCL is 4 mrem/year ** Because the beta particle results were below 50 pCi/l, no testing for individual beta particle constituents was required Combined Radium (226 & 228) (2021 Testing) 5 pCi/l 3.8 pCi/l* n/a Typical Source of Contamination: Erosion of natural deposits (Range 1.1 pCi/l - 3.8 pCi/l) *Highest annual rolling average Gross Alpha (2021 Testing) 15 pCi/l 3.0 pCi/l 0.0 pCi/l 0.0 pCi/l Yipical Source of Contamination: Erosion of natural deposits (Range 0 pCi/l - 2.2 pCi/l) *Rolling annual average of Results, please read page 4 of the Consumer Confidence report for more information on Gross Alpha. Nitrate 10 ppm 0.60 ppm 10 ppm Typical Source of Contamination: Runoff from fertilizer use; erosion Range (0.28 - 0.60 ppm) Bruin (2020 Testing) Pipcial Source of Contamination: Discharge from metal refineries, erosion of natural deposits. Chromium (2020 Testing) 2000 ppb 76 ppb 2000 ppb Typical Source of Contamination: Erosion of natural deposits. Range (0.44 - 0.81 ppm) 4 ppm Ypical Source of Co	Contaminant	Highest Level Allowed (EPA's MCL)	Highest Level Detected	Ideal Goal (EPA's MCLG)		
Typical Source of Contamination: Erosion of natural deposits (Range 4.6 pCi/l - 8.2 pCi/l) *EP A considers 50 pCi/L to be the level of concern for beta particles. The MCL is 4 mrcm/year *** ** Because the beta particle results were below 50 pCi/l, no testing for individual beta particle constituents was required Combined Radium (226 & 228) (2021 Testing) 5 pCi/l 3.8 pCi/l* n/a Typical Source of Contamination: Erosion of natural deposits (Range 1.1 pCi/l - 3.8 pCi/l) ** ** **Highest annual rolling average Gross Alpha (2021 Testing) 15 pCi/l 3.0 pCi/l 0.0 pCi/l 0.0 pCi/l Typical Source of Contamination: Erosion of natural deposits (Range 0 pCi/l - 2.2 pCi/l) * * * Rolling annual average of Results, please read page 4 of the Consumer Confidence report for more information on Gross Alpha. Nitrate 10 ppm 0.60 ppm 10 ppm Typical Source of Contamination: Runoff from fertilizer use; erosion 4.0 ppm 0.1 ppm 4 ppm Typical Source of Contamination: Discharge from metal refineries, crosion of natural deposits. 2000 ppb 76 ppb 2000 ppb Typical Source of Contamination: Erosion of natural deposits. Regulated in the Distribution System A toin Level Highest Level Ideal Goal Chorinie 4 ppm	Regulated at the Treatment Plant					
PA considers 50 pCi/L to be the level of concern for beta particles. The MCL is 4 mrem/year * Because the beta particle results were below 50 pCi/l, no testing for individual beta particle constituents was required Combined Radium (226 & 228) (2021 Testing) 5 pCi/l 3.8 pCi/* n/a Typical Source of Contamination: Erosion of natural deposits (Range 1.1 pCi/l - 3.8 pCi/l) * **Highest annual rolling average 3.0 pCi/l 0.0 pCi/l 0.0 pCi/l Typical Source of Contamination: Erosion of natural deposits (Range 0 pCi/l - 2.2 pCi/l) * * Rolling annual average of Results, please read page 4 of the Consumer Confidence report for more information on Gross Alpha. 10 ppm 0.60 ppm 10 ppm Typical Source of Contamination: Runoff from fertilizer use; erosion Range (0.2 - 0.60 ppm) Flooride (2020 Testing) 2000 ppb 76 ppb 2000 ppb Typical Source of Contamination: Discharge from metal refineries, erosion of natural deposits. Chromium (2020 Testing) 100 ppb 5.1 ppb 100 ppb Typical Source of Contamination: Erosion of natural deposits. Regulated in the Distribution System Action Level Highest Level Ideal Goal Chlorine 4 ppm 0.57 ppm* 4 ppm Mater additive used to contron microbes Range (0.44 - 0.81	Gross Beta (2021 Testing)	50 pCi/l*	8.2 pCi/l*	0.0 pCi/l		
*EPA considers 50 pCi/L to be the level of concern for beta particles. The MCL is 4 mrem/year ** Because the beta particle results were below 50 pCi/l, no testing for individual beta particle constituents was required Combined Radium (226 & 228) (2021 Testing) 5 pCi/l 3.8 pCi/l* n/a Typical Source of Contamination: Erosion of natural deposits (Range 1.1 pCi/l - 3.8 pCi/l) *Highest annual rolling average Gross Alpha (2021 Testing) 15 pCi/l 3.0 pCi/l 0.0 pCi/l Typical Source of Contamination: Erosion of natural deposits (Range 0 pCi/l - 2.2 pCi/l) * Rolling annual average of Results, please read page 4 of the Consumer Confidence report for more information on Gross Alpha. Nitrate 10 ppm 0.60 ppm 10 ppm Typical Source of Contamination: Runoff from fertilizer use; erosion Range (0.28 - 0.60 ppm) Flooride (2020 Testing) 4.0 ppm 0.1 ppm 4 ppm Typical Source of Contamination: Added for dental protection Range (0.0 - 0.1 ppm) Barium (2020 Testing) 2000 ppb 76 ppb 2000 ppb Typical Source of Contamination: Discharge from metal refineries, erosion of natural deposits. Chromium (2020 Testing) 1000 ppb 5.1 ppb 1000 ppb Typical Source of Contamination: Erosion of natural deposits. Regulated in the Distribution System Action Level Highest Level Ideal Goal Chlorine 4 ppm 0.57 ppm* 4 ppm Water additive used to control microbes Range (0.44 - 0.81 ppm) *Annual rolling average of results Total Trihalomethanes (TTHM) (2021 Testing) 60 ppb 1.1 ppb* n/a Typical Source of Contamination: By-product of drinking water disinfection *Locational Rolling Annual Average Regulated in the Distribution System Action Level 90th Percentik Ideal Goal Chlorine *Locational Rolling Annual Average Regulated in the Distribution System Action Level 90th Percentik Ideal Goal Copper (2019 Testing) 1300 ppb 100 ppb 1300 ppb Log (2019 Testing) 1300 ppb 100 ppb 0.0 ppb	Typical Source of Contamination: Erosion of natural deposits	(F	Range 4.6 pCi/l - 8.2 p	Ci/l)		
Combined Radium (226 & 228) (2021 Testing) 5 pCi/l 3.8 pCi/l* n/a Typical Source of Contamination: Erosion of natural deposits (Range 1.1 pCi/l - 3.8 pCi/l) *Highest annual rolling average 15 pCi/l 3.0 pCi/l 0.0 pCi/l Gross Alpha (2021 Testing) 15 pCi/l 3.0 pCi/l 0.0 pCi/l Typical Source of Contamination: Erosion of natural deposits (Range 0 pCi/l - 2.2 pCi/l) * Rolling annual average of Results, please read page 4 of the Consumer Confidence report for more information on Gross Alpha. Nitrate 10 ppm 0.60 ppm 10 ppm Typical Source of Contamination: Runoff from fertilizer use; erosion Range (0.28 - 0.60 ppm) Ppm Fluoride (2020 Testing) 4.0 ppm 0.1 ppm 4 ppm Typical Source of Contamination: Added for dental protection Range (0.0 - 0.1 ppm) Barium (2020 Testing) 2000 ppb 76 ppb 2000 ppb Typical Source of Contamination: Discharge from metal refineries, erosion of natural deposits. Chromium (2020 Testing) 1000 ppb 5.1 ppb 100 ppb Typical Source of Contamination: Erosion of natural deposits. Regulated in the Distribution System Action Level Highest Level Ideal Goal Chlorine 4 ppm 0.57 pp						
Typical Source of Contamination: Erosion of natural deposits (Range 1.1 pCi/1 - 3.8 pCi/1) *Highest annual rolling average Gross Alpha (2021 Testing) 15 pCi/1 3.0 pCi/1 0.0 pCi/1 Typical Source of Contamination: Erosion of natural deposits (Range 0 pCi/1 - 2.2 pCi/1) * * *Rolling annual average of Results, please read page 4 of the Consumer Confidence report for more information on Gross Alpha. 10 ppm 0.60 ppm 10 ppm Typical Source of Contamination: Runoff from fertilizer use; erosion Range (0.28 - 0.60 ppm) 4 ppm Typical Source of Contamination: Runoff from fertilizer use; erosion Range (0.28 - 0.60 ppm) 4 ppm Typical Source of Contamination: Runoff from metal refineries, erosion of natural deposits. Range (0.0 - 0.1 ppm) 4 ppm Typical Source of Contamination: Discharge from metal refineries, erosion of natural deposits. Chronnium (2020 Testing) 1000 ppb 5.1 ppb 100 ppb Typical Source of Contamination: Erosion of natural deposits. Regulated in the Distribution System Action Level Highest Level Ideal Goal Chlorine 4 ppm 0.57 ppm* 4 ppm Annual rolling average of results *Locational Rolling Annual Average n/a Typical Source of Contamination: By-product of drinking water disi	** Because the beta particle results were below 50 pCi/l, no testing for	or individual beta parti	cle constituents was re	equired		
*Highest annual rolling average Gross Alpha (2021 Testing) 15 pCi/l 3.0 pCi/l 0.0 pCi/l Typical Source of Contamination: Erosion of natural deposits (Range 0 pCi/l - 2.2 pCi/l) * Rolling annual average of Results, please read page 4 of the Consumer Confidence report for more information on Gross Alpha. Nitrate 10 ppm 0.60 ppm 10 ppm Typical Source of Contamination: Runoff from fertilizer use; erosion Range (0.28 - 0.60 ppm) 10 ppm Fluoride (2020 Testing) 4.0 ppm 0.1 ppm 4 ppm Typical Source of Contamination: Added for dental protection Range (0.0 - 0.1 ppm) Barium (2020 Testing) 2000 ppb 76 ppb 2000 ppb Typical Source of Contamination: Discharge from metal refineries, erosion of natural deposits. 100 ppb 5.1 ppb 100 ppb Typical Source of Contamination: Erosion of natural deposits. Regulated in the Distribution System Action Level Highest Level Ideal Goal Chlorine 4 ppm 0.57 ppm* 4 ppm Water additive used to control microbes Range (0.44 - 0.81 ppm) */a *Annual rolling average of results *Locational Rolling Annual Average #/a Typical Source of Contamination: By-product of drinking water disinf	Combined Radium (226 & 228) (2021 Testing)	5 pCi/l	3.8 pCi/l*	n/a		
*Highest annual rolling average Gross Alpha (2021 Testing) 15 pCi/l 3.0 pCi/l 0.0 pCi/l Typical Source of Contamination: Erosion of natural deposits (Range 0 pCi/l - 2.2 pCi/l) * Rolling annual average of Results, please read page 4 of the Consumer Confidence report for more information on Gross Alpha. Nitrate 10 ppm 0.60 ppm 10 ppm Typical Source of Contamination: Runoff from fertilizer use; erosion Range (0.28 - 0.60 ppm) 10 ppm Fluoride (2020 Testing) 4.0 ppm 0.1 ppm 4 ppm Typical Source of Contamination: Added for dental protection Range (0.0 - 0.1 ppm) Barium (2020 Testing) 2000 ppb 76 ppb 2000 ppb Typical Source of Contamination: Discharge from metal refineries, erosion of natural deposits. 100 ppb 5.1 ppb 100 ppb Typical Source of Contamination: Erosion of natural deposits. Regulated in the Distribution System Action Level Highest Level Ideal Goal Chlorine 4 ppm 0.57 ppm* 4 ppm Water additive used to control microbes Range (0.44 - 0.81 ppm) */a *Annual rolling average of results *Locational Rolling Annual Average #/a Typical Source of Contamination: By-product of drinking water disinf	Typical Source of Contamination: Erosion of natural deposits	(F	Range 1.1 pCi/l - 3.8 p	Ci/l)		
Typical Source of Contamination: Erosion of natural deposits(Range 0 pCi/l - 2.2 pCi/l)* Rolling annual average of Results, please read page 4 of the Consumer Confidence report for more information on Gross Alpha.Nitrate10 ppm0.60 ppm10 ppm0.60 ppm10 ppmTypical Source of Contamination: Runoff from fertilizer use; erosionRange (0.28 - 0.60 ppm)Fluoride (2020 Testing)4.0 ppm0.1 ppmTypical Source of Contamination: Added for dental protectionRange (0.0 - 0.1 ppm)Barium (2020 Testing)2000 ppb76 ppb2000 ppb76 ppb2000 ppbTypical Source of Contamination: Discharge from metal refineries, erosion of natural deposits.1000 ppbChromium (2020 Testing)1000 ppb5.1 ppb100 ppbTypical Source of Contamination: Erosion of natural deposits.Range (0.44 - 0.81 ppm)4 ppmWater additive used to control microbesRange (0.44 - 0.81 ppm)*Annual rolling average of resultsTotal Trihalomethanes (TTHM) (2021 Testing)80 ppb1.1 ppb*n/aTypical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageHaloacetic Acids (HAA5) (2021 Testing)60 ppb1.1 ppb*n/aTypical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageRegulated in the Distribution SystemAction Level90th PercentileIdeal GoalCopper (2019 Testing)1300 ppb160 ppb1300 ppbTypical Source of Contamination: By-product of drinking water disinfectio	*Highest annual rolling average					
* Rolling annual average of Results, please read page 4 of the Consumer Confidence report for more information on Gross Alpha. Nitrate 10 ppm 0.60 ppm 10 ppm Typical Source of Contamination: Runoff from fertilizer use; erosion Range (0.28 - 0.60 ppm) Fluoride (2020 Testing) 4.0 ppm 0.1 ppm 4 ppm Typical Source of Contamination: Added for dental protection Range (0.0 - 0.1 ppm) 4 ppm Typical Source of Contamination: Discharge from metal refineries, erosion of natural deposits. Chromium (2020 Testing) 1000 ppb 5.1 ppb 1000 ppb Typical Source of Contamination: Erosion of natural deposits. Range (0.44 - 0.81 ppm) 4 ppm Chlorine 4 ppm 0.57 ppm* 4 ppm Water additive used to control microbes Range (0.44 - 0.81 ppm) * *Annual rolling average of results * * * Total Trihalomethanes (TTHM) (2021 Testing) 80 ppb 1.1 ppb* n/a Typical Source of Contamination: By-product of drinking water disinfection *Locational Rolling Annual Average Haloacetic Acids (HAA5) (2021 Testing) 60 ppb 1.1 ppb* n/a Typical Source of Contamination: By-product of drinking water disinfection *Locational Rolling Annual Average	Gross Alpha (2021 Testing)	15 pCi/l	3.0 pCi/l	0.0 pCi/l		
Nitrate10 ppm0.60 ppm10 ppmTypical Source of Contamination: Runoff from fertilizer use; erosionRange (0.28 - 0.60 ppm)Fluoride (2020 Testing)4.0 ppm0.1 ppm4 ppmTypical Source of Contamination: Added for dental protectionRange (0.0 - 0.1 ppm)8Barium (2020 Testing)2000 ppb76 ppb2000 ppbTypical Source of Contamination: Discharge from metal refineries, erosion of natural deposits.Chromium (2020 Testing)1000 ppb5.1 ppb100 ppbTypical Source of Contamination: Erosion of natural deposits.1000 ppb5.1 ppb100 ppb100 ppbTypical Source of Contamination: Erosion of natural deposits.4 ppm0.57 ppm*4 ppmRegulated in the Distribution SystemAction LevelHighest LevelIdeal GoalChlorine4 ppm0.57 ppm*4 ppmWater additive used to control microbesRange (0.44 - 0.81 ppm)*Annual rolling average of results*Locational Rolling Annual AverageTotal Trihalomethanes (TTHM) (2021 Testing)80 ppb1.1 ppb*n/aTypical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageHaloacetic Acids (HAA5) (2021 Testing)60 ppb1.1 ppb*n/aTypical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageRegulated in the Distribution SystemAction Level90th PercentileIdeal GoalCopper (2019 Testing)1300 ppb160 ppb1300 ppbTypical Source of Contaminant:	Typical Source of Contamination: Erosion of natural deposits	(Range 0 pCi/l - 2.2 pC	Ci/l)		
Typical Source of Contamination: Runoff from fertilizer use; erosionRange (0.28 - 0.60 ppm)Fluoride (2020 Testing)4.0 ppm0.1 ppm4 ppmTypical Source of Contamination: Added for dental protectionRange (0.0 - 0.1 ppm)2000 ppbBarium (2020 Testing)2000 ppb76 ppb2000 ppbTypical Source of Contamination: Discharge from metal refineries, erosion of natural deposits.2000 ppb5.1 ppb100 ppbChromium (2020 Testing)1000 ppb5.1 ppb100 ppbTypical Source of Contamination: Erosion of natural deposits.Regulated in the Distribution SystemAction LevelHighest LevelIdeal GoalChlorine4 ppm0.57 ppm*4 ppmWater additive used to control microbesRange (0.44 - 0.81 ppm)*Annual rolling average of results80 ppb1.1 ppb*n/aTypical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageHaloacetic Acids (HAAS) (2021 Testing)60 ppb1.1 ppb*n/aTypical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageRegulated in the Distribution SystemAction Level90th PercentileIdeal GoalCopper (2019 Testing)1300 ppb160 ppb1300 ppbTypical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageHalacetic Acids (HAAS) (2021 Testing)1300 ppb160 ppb1300 ppbTypical Source of Contamination: By-product of drinking water disinfection*Locational Rollin	* Rolling annual average of Results, please read page 4 of the Consumer Confidence report for more information on Gross Alpha.					
Fluoride (2020 Testing)4.0 ppm0.1 ppm4 ppmTypical Source of Contamination: Added for dental protectionRange (0.0 - 0.1 ppm)2000 ppbBarium (2020 Testing)2000 ppb76 ppb2000 ppbTypical Source of Contamination: Discharge from metal refineries, erosion of natural deposits.76 ppb2000 ppbChromium (2020 Testing)1000 ppb5.1 ppb100 ppbTypical Source of Contamination: Erosion of natural deposits.1000 ppb5.1 ppb100 ppbRegulated in the Distribution SystemAction LevelHighest LevelIdeal GoalChlorine4 ppm0.57 ppm*4 ppmWater additive used to control microbesRange (0.44 - 0.81 ppm)*Annual rolling average of resultsTotal Trihalomethanes (TTHM) (2021 Testing)80 ppb1.1 ppb*n/aTypical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageHaloacetic Acids (HAA5) (2021 Testing)60 ppb1.1 ppb*n/aTypical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageRegulated in the Distribution SystemAction Level90th PercentileIdeal GoalCopper (2019 Testing)1300 ppb160 ppb1300 ppbTypical Source of Contamination: Corrosion of household plumbing(Range 26 - 180 ppb)Lead (2019 Testing)Lad (2019 Testing)15 ppb0.0 ppb0.0 ppb	Nitrate	10 ppm	0.60 ppm	10 ppm		
Typical Source of Contamination: Added for dental protectionRange (0.0 - 0.1 ppm)Barium (2020 Testing)2000 ppb76 ppb2000 ppbTypical Source of Contamination: Discharge from metal refineries, erosion of natural deposits.1000 ppb5.1 ppb100 ppbChromium (2020 Testing)1000 ppb5.1 ppb100 ppb100 ppbTypical Source of Contamination: Erosion of natural deposits.Action LevelHighest LevelIdeal GoalChorine4 ppm0.57 ppm*4 ppmWater additive used to control microbesRange (0.44 - 0.81 ppm)*Annual rolling average of results80 ppb1.1 ppb*n/aTotal Trihalomethanes (TTHM) (2021 Testing)80 ppb1.1 ppb*n/aTypical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageHaloacetic Acids (HAA5) (2021 Testing)60 ppb1.1 ppb*n/aTypical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageRegulated in the Distribution SystemAction Level90th PercentileIdeal GoalCopper (2019 Testing)1300 ppb1300 ppbTypical Source of Contamination: By-product of household plumbing(Range 26 - 180 ppb)1300 ppbLocational Rolling Annual AverageIdeal Goal1300 ppb15 ppb0.0 ppbCopper (2019 Testing)15 ppb0.0 ppb0.0 ppb	Typical Source of Contamination: Runoff from fertilizer use; erosion]	Range (0.28 - 0.60 pp)	m)		
Barium (2020 Testing)2000 ppb76 ppb2000 ppbTypical Source of Contamination: Discharge from metal refineries, erosion of natural deposits.1000 ppb5.1 ppb100 ppbTypical Source of Contamination: Erosion of natural deposits.1000 ppb5.1 ppb100 ppbRegulated in the Distribution SystemAction LevelHighest LevelIdeal GoalChlorine4 ppm0.57 ppm*4 ppmWater additive used to control microbesRange (0.44 - 0.81 ppm)* Annual rolling average of resultsTotal Trihalomethanes (TTHM) (2021 Testing)80 ppb1.1 ppb*n/aTypical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageHaloacetic Acids (HAA5) (2021 Testing)60 ppb1.1 ppb*n/aTypical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageRegulated in the Distribution SystemAction Level90th PercentileIdeal GoalCopper (2019 Testing)1300 ppb160 ppb1300 ppbTypical Source of Contamination: Corrosion of household plumbing(Range 26 - 180 ppb)1.100 ppbLead (2019 Testing)15 ppb0.0 ppb0.0 ppb	Fluoride (2020 Testing)	4.0 ppm	0.1 ppm	4 ppm		
Typical Source of Contamination: Discharge from metal refineries, erosion of natural deposits.Chromium (2020 Testing)1000 ppb5.1 ppb100 ppbTypical Source of Contamination: Erosion of natural deposits.1000 ppb5.1 ppb100 ppbRegulated in the Distribution SystemAction LevelHighest LevelIdeal GoalChlorine4 ppm0.57 ppm*4 ppmWater additive used to control microbesRange (0.44 - 0.81 ppm)*Annual rolling average of resultsTotal Trihalomethanes (TTHM) (2021 Testing)80 ppb1.1 ppb*n/aTypical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageHaloacetic Acids (HAA5) (2021 Testing)60 ppb1.1 ppb*n/aTypical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageRegulated in the Distribution SystemAction Level90th PercentileIdeal GoalCopper (2019 Testing)1300 ppb160 ppb1300 ppbTypical Source of Contaminant: Corrosion of household plumbing(Range 26 - 180 ppb)Lead (2019 Testing)Lead (2019 Testing)15 ppb0.0 ppb0.0 ppb	Typical Source of Contamination: Added for dental protection		Range (0.0 - 0.1 ppm	l)		
Chromium (2020 Testing)1000 ppb5.1 ppb100 ppbTypical Source of Contamination: Erosion of natural deposits.Action LevelHighest LevelIdeal GoalRegulated in the Distribution SystemAction LevelHighest LevelIdeal GoalChlorine4 ppm0.57 ppm*4 ppmWater additive used to control microbesRange (0.44 - 0.81 ppm)*Annual rolling average of results80 ppb1.1 ppb*n/aTotal Trihalomethanes (TTHM) (2021 Testing)80 ppb1.1 ppb*n/aTypical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageHaloacetic Acids (HAA5) (2021 Testing)60 ppb1.1 ppb*n/aTypical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageRegulated in the Distribution SystemAction Level90th PercentileIdeal GoalCopper (2019 Testing)1300 ppb160 ppb1300 ppbTypical Source of Contamination: Corrosion of household plumbing(Range 26 - 180 ppb)1200 ppbLead (2019 Testing)15 ppb0.0 ppb0.0 ppb	Barium (2020 Testing)	2000 ppb	76 ppb	2000 ppb		
Typical Source of Contamination: Erosion of natural deposits.Regulated in the Distribution SystemAction LevelHighest LevelIdeal GoalChlorine4 ppm0.57 ppm*4 ppmWater additive used to control microbesRange (0.44 - 0.81 ppm)*Annual rolling average of results80 ppb1.1 ppb*n/aTotal Trihalomethanes (TTHM) (2021 Testing)80 ppb1.1 ppb*n/aTypical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageHaloacetic Acids (HAA5) (2021 Testing)60 ppb1.1 ppb*n/aTypical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageRegulated in the Distribution SystemAction Level90th PercentileIdeal GoalCopper (2019 Testing)1300 ppb160 ppb1300 ppbTypical Source of Contaminant: Corrosion of household plumbing(Range 26 - 180 ppb)Lead (2019 Testing)15 ppb0.0 ppb	ypical Source of Contamination: Discharge from metal refineries, erosion of natural deposits.					
Regulated in the Distribution SystemAction LevelHighest LevelIdeal GoalChlorine4 ppm0.57 ppm*4 ppmWater additive used to control microbesRange (0.44 - 0.81 ppm)*Annual rolling average of resultsTotal Trihalomethanes (TTHM) (2021 Testing)80 ppb1.1 ppb*Typical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageHaloacetic Acids (HAA5) (2021 Testing)60 ppb1.1 ppb*Typical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageRegulated in the Distribution SystemAction Level90th PercentileIdeal GoalCopper (2019 Testing)1300 ppb160 ppbTypical Source of Contaminant: Corrosion of household plumbing(Range 26 - 180 ppb)Lead (2019 Testing)15 ppb0.0 ppb0.0 ppb	Chromium (2020 Testing)	1000 ppb	5.1 ppb	100 ppb		
Chlorine4 ppm0.57 ppm*4 ppmWater additive used to control microbesRange (0.44 - 0.81 ppm)*Annual rolling average of resultsTotal Trihalomethanes (TTHM) (2021 Testing)80 ppb1.1 ppb*Typical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageHaloacetic Acids (HAA5) (2021 Testing)60 ppb1.1 ppb*Typical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageRegulated in the Distribution SystemAction Level90th PercentileIdeal GoalCopper (2019 Testing)1300 ppb160 ppbTypical Source of Contaminant: Corrosion of household plumbing(Range 26 - 180 ppb)Lead (2019 Testing)15 ppb0.0 ppb0.0 ppb	Typical Source of Contamination: Erosion of natural deposits.					
Water additive used to control microbesRange (0.44 - 0.81 ppm)*Annual rolling average of resultsTotal Trihalomethanes (TTHM) (2021 Testing)80 ppb1.1 ppb*Typical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageHaloacetic Acids (HAA5) (2021 Testing)60 ppb1.1 ppb*Typical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageRegulated in the Distribution SystemAction Level90th PercentileCopper (2019 Testing)1300 ppb160 ppb1300 ppbTypical Source of Contaminant: Corrosion of household plumbing(Range 26 - 180 ppb)Lead (2019 Testing)15 ppb0.0 ppb	Regulated in the Distribution System	Action Level	Highest Level	Ideal Goal		
Annual rolling average of results Total Trihalomethanes (TTHM) (2021 Testing) 80 ppb 1.1 ppb n/a Typical Source of Contamination: By-product of drinking water disinfection *Locational Rolling Annual Average Haloacetic Acids (HAA5) (2021 Testing) 60 ppb 1.1 ppb* n/a Typical Source of Contamination: By-product of drinking water disinfection *Locational Rolling Annual Average Regulated in the Distribution System Action Level 90th Percentile Ideal Goal Copper (2019 Testing) 1300 ppb 160 ppb 1300 ppb Typical Source of Contaminant: Corrosion of household plumbing (Range 26 - 180 ppb) Lead (2019 Testing) 15 ppb 0.0 ppb 0.0 ppb 0.0 ppb	Chlorine	4 ppm	0.57 ppm*	4 ppm		
Total Trihalomethanes (TTHM) (2021 Testing)80 ppb1.1 ppb*n/aTypical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageHaloacetic Acids (HAA5) (2021 Testing)60 ppb1.1 ppb*n/aTypical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageRegulated in the Distribution SystemAction Level90th PercentileIdeal GoalCopper (2019 Testing)1300 ppb160 ppb1300 ppbTypical Source of Contaminant: Corrosion of household plumbing(Range 26 - 180 ppb)1200 ppbLead (2019 Testing)15 ppb0.0 ppb0.0 ppb	Water additive used to control microbes]	Range (0.44 - 0.81 pp	m)		
Typical Source of Contamination: By-product of drinking water disinfection* Locational Rolling Annual AverageHaloacetic Acids (HAA5) (2021 Testing)60 ppb1.1 ppb*n/aTypical Source of Contamination: By-product of drinking water disinfection* Locational Rolling Annual AverageRegulated in the Distribution SystemAction Level90th PercentileIdeal GoalCopper (2019 Testing)1300 ppb160 ppb1300 ppbTypical Source of Contaminant: Corrosion of household plumbing(Range 26 - 180 ppb)Lead (2019 Testing)0.0 ppb	*Annual rolling average of results					
Haloacetic Acids (HAA5) (2021 Testing)60 ppb1.1 ppb*n/aTypical Source of Contamination: By-product of drinking water disinfection*Locational Rolling Annual AverageRegulated in the Distribution SystemAction Level90th PercentileIdeal GoalCopper (2019 Testing)1300 ppb160 ppb1300 ppbTypical Source of Contaminant: Corrosion of household plumbing(Range 26 - 180 ppb)100 ppbLead (2019 Testing)15 ppb0.0 ppb0.0 ppb	Total Trihalomethanes (TTHM) (2021 Testing)	80 ppb	1.1 ppb*	n/a		
Typical Source of Contamination: By-product of drinking water disinfection* Locational Rolling Annual AverageRegulated in the Distribution SystemAction Level90th PercentileIdeal GoalCopper (2019 Testing)1300 ppb160 ppb1300 ppbTypical Source of Contaminant: Corrosion of household plumbing(Range 26 - 180 ppb)0.0 ppbLead (2019 Testing)15 ppb0.0 ppb0.0 ppb	· · · · · · · · · · · · · · · · · · ·	fection *Loca	tional Rolling Annual	Average		
Regulated in the Distribution SystemAction Level90th PercentileIdeal GoalCopper (2019 Testing)1300 ppb160 ppb1300 ppbTypical Source of Contaminant: Corrosion of household plumbing(Range 26 - 180 ppb)100 ppbLead (2019 Testing)15 ppb0.0 ppb0.0 ppb						
Copper (2019 Testing)1300 ppb160 ppb1300 ppbTypical Source of Contaminant: Corrosion of household plumbing(Range 26 - 180 ppb)0.0 ppbLead (2019 Testing)15 ppb0.0 ppb0.0 ppb						
Typical Source of Contaminant: Corrosion of household plumbing(Range 26 - 180 ppb)Lead (2019 Testing)15 ppb0.0 ppb0.0 ppb0.0 ppb	· · ·					
Lead (2019 Testing) 15 ppb 0.0 ppb 0.0 ppb		1300 ppb	11			
		15				
I VDICAL SOURCE OF CONTAMINANT CORTOSION OF NOUSENOID DIUMDING (Range U U - 7 1 mm)	Typical Source of Contaminant: Corrosion of household plumbing	13 ppb	0.0 ppb (Range 0.0 - 2.1 ppb			

The table above lists all the drinking water contaminants that were detected during the 2021 calendar year. The presence of these compounds in the water does not necessarily indicate that the water poses a health risk. Unless otherwise noted, the data presented in the table is from testing done January 1 - December 31, 2021.

The State requires us to monitor for certain contaminants less than once per year because the concentrations of these contaminants are not expected to vary significantly from year to year.

Sources of Drinking Water

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs and wells. As water travels over the surface of the land or through the ground, it dissolves naturally-occurring minerals and, in some cases radioactive material, and can pick up substances resulting from the presence of animals or from human activity.

Lead Prevention

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Woodstock Job Corps Center is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When your water has been sitting for several hours, you can minimize the potential for lead exposure by flushing your tap for 30 seconds to 2 minutes before using water for drinking or cooking. If you are concerned about lead in your drinking water, you may wish to have your water tested. Information on lead in drinking water, testing methods, and steps you can take to minimize exposure is available from **the EPA Safe Drinking Water Hotline at 1-800-426-4791 or at http://www.epa.gov/safewater/lead**.

Important Information Regarding Gross Alpha Emitters:

Alpha emitters are naturally occurring radiations in soil, air and water. These emitters generally occur when certain elements decay or break down in the environment. The emitters enter drinking water through various methods including the erosion of natural deposits. There are no immediate health risks from consuming water that contains gross alpha, however some people who drink water containing alpha emitters in excess of the MCL over many years may have an increased risk of getting cancer. Currently, Maryland Department of the Environment is testing the levels of Gross Alpha Emitters quarterly. The highest level detected during 2021 is 3.0 pCi/l which is below the EPA MCL of 15 pCi/l.

If you have any questions about this report or your drinking water, please call Jay Janney at 410-729-8350 or email your request to <u>jjanney@menv.com</u>.



Polyfluoroalkyl Substances

PFAS – short for per- and polyfluoroalkyl substances – refers to a large group of more than 4,000 human-made chemicals that have been used since the 1940s in a range of products, including stain- and water-resistant fabrics and carpeting, cleaning products, paints, cookware, food packaging and firefighting foams. These uses of PFAS have led to PFAS entering our environment, where they have been measured by several states in soil, surface water, groundwater and seafood. Some PFAS can last a long time in the environment and in the human body and can accumulate in the food chain.

Currently, there are no federal regulations (i.e. Maximum Contaminant Levels (MCLs)) for PFAS in drinking water. However, the U.S. Environmental Protection Agency (EPA) has issued a Health Advisory Level (HAL) of 70 parts per trillion (ppt) for the sum of PFOA and PFOS concentrations in drinking water. While not an enforceable regulatory standard, when followed, the EPA HAL does provide drinking water customers, even the most sensitive populations, with a margin of protection from lifetime exposure to PFOA and PFOS in drinking water. Beginning in 2020, the Maryland Department of the Environment (MDE) initiated a PFAS monitoring program. *The combined PFOA and PFAS concentration from samples taken from your water system was 1.63 ppt*. MDE anticipates that EPA will establish an MCL for PFOA and PFOS in the near future. This would entail additional monitoring. Additional information about PFAS can be found on the MDE website: mde.maryland.gov".

Water Conservation

Did you know that the average U.S. household uses approximately 400 gallons of water per day or 100 gallons per person per day? Luckily, there are many low-cost and no-cost ways to conserve water. Small changes can make a big difference—try one today and soon it will become second nature.

- Check for water leaks by the reading your water meter before and after a two hour period when no water is being used in your home. If the reading changes then there is probably a leak in your home.
- Take a shower! Filling up a bathtub can use up to 70 gallons of water while a shower generally uses 10 to 25 gallons. Taking shorter showers saves even more water.
- Make sure your washing machine and dishwasher are fully loaded before running.
- Are you in the market for a new water fixture such as a faucet, showerhead or toilet? Consider a WaterSense labled fixture and reduce your water use by 30% percent or more versus standard flow fixtures. Visit www.epa.gov/watersense for more information on water efficiency products and methods.

Source: http://www.epa.gov/watersense & http://eartheasy.com

