

Overall Status: WY 2015 thru March 31, 2020

Summary of Hydrologic Indicators for March 31 2020					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Watch	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for February 29 2020					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for January 31 2020					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal[1]	Normal
Eastern	Normal	Normal	Watch	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

[1] - The WSSC Patuxent reservoirs have less than 120 days of water in storage. This is as a result of the drawdown of Triadelphia as part of the Brighton Dam's rehabilitation project. This project was substantially completed on December 17, 2019

Summary of Hydrologic Indicators for December 31 2019					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal[1]	Normal
Eastern	Normal	Watch	Watch	N/A	Watch
Southern	Normal	N/A	Normal	N/A	Normal

[1] - The WSSC Patuxent reservoirs have less than 120 days of water in storage. This is as a result of Brighton Dam's rehabilitation project.

Summary of Hydrologic Indicators for November 30 2019					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal[1]	Normal
Eastern	Normal	Watch	Watch	N/A	Watch
Southern	Normal	N/A	Normal	N/A	Normal

[1] - The WSSC Patuxent reservoirs have less than 120 days of water in storage. This is as a result of Brighton Dam's rehabilitation project.

Summary of Hydrologic Indicators for October 31 2019					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal[1]	Normal
Eastern	Normal	Normal	Watch	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

[1] - The WSSC Patuxent reservoirs have less than 120 days of water in storage. This is as a result of Brighton Dam's rehabilitation project.

Summary of Hydrologic Indicators for September 30 2019					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal[2]	Normal
Central	Normal	Normal	Normal	Normal[1]	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

[1] - The WSSC Patuxent reservoirs have less than 120 days of water in storage. This is as a result of Brighton Dam's rehabilitation project.

[2] - Data for the Western Maryland Reservoirs has not been received as of Oct 3, 2019, but, given previous storage values, they can be assumed to be Normal

Summary of Hydrologic Indicators for August 31 2019					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

[1] - The WSSC Patuxent reservoirs have less than 120 days of water in storage. This is as a result of Brighton Dam's rehabilitation project.

Summary of Hydrologic Indicators for July 31 2019					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Watch	N/A	Normal

[1] - The WSSC Patuxent reservoirs have less than 120 days of water in storage. This is as a result of Brighton Dam's rehabilitation project.

Summary of Hydrologic Indicators for June 30 2019					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Watch	N/A	Normal

[1] - The WSSC Patuxent reservoirs have less than 120 days of water in storage. This is as a result of Brighton Dam's rehabilitation project.

Summary of Hydrologic Indicators for May 31 2019					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Unknown[1]	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Watch	N/A	Normal

[1] - The WSSC Patuxent reservoirs have less than 120 days of water in storage. This is as a result of Brighton Dam's rehabilitation project. Data from Cumberland and Frostburg was not available as of 2019-Jun-19.

Summary of Hydrologic Indicators for April 30 2019					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Unknown[1]	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

[1] - The WSSC Patuxent reservoirs have less than 120 days of water in storage. This is as a result of Brighton Dam's rehabilitation project. Baltimore City reservoir data is unavailable as of 2019-May-09, therefore this indicator status can not be accurately determined.

Summary of Hydrologic Indicators for March 31 2019					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Unknown[1]	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

[1] - The WSSC Patuxent reservoirs have less than 135 days of water in storage. This is as a result of Brighton Dam's rehabilitation project. Baltimore City reservoir data is unavailable as of 2019-Apr-22, therefore this indicator status can not be accurately determined.

Summary of Hydrologic Indicators for February 28 2019					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Unknown[1]	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

[1] - The WSSC Patuxent reservoirs have less than 135 days of water in storage. This is as a result of Brighton Dam's rehabilitation project. Baltimore City reservoir data is unavailable as of 2019-Mar-19, therefore this indicator status can not be accurately determined.

Summary of Hydrologic Indicators for January 31 2019					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal[1]	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Normal[1] - This indicator status is based on the Baltimore City reservoirs only. The WSSC Patuxent reservoirs are not included in this assessment since Brighton Dam is being rehabilitated.

Summary of Hydrologic Indicators for December 31 2018					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Unknown[2]	Normal[1]	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Normal[1] - This indicator status is based on the Baltimore City reservoirs only. The WSSC Patuxent reservoirs are not included in this assessment since Brighton Dam is being rehabilitated.

Unknown[2] - Because of the partial US Government shutdown, field measurements for the Central and the Eastern Regions were not available. Therefore, the well status could not be assessed for the Central Region and was based on two real time wells in the Eastern Region.

Summary of Hydrologic Indicators for November 30 2018					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal[1]	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Normal[1] - .This indicator status is based on the Baltimore City reservoirs only. The WSSC Patuxent reservoirs are not included in this assessment since Brighton Dam is being rehabilitated.

Summary of Hydrologic Indicators for October 31 2018					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal[1]	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Normal[1] - .This indicator status is based on the Baltimore City reservoirs only. The WSSC Patuxent reservoirs are not included in this assessment since Brighton Dam is being rehabilitated.

Summary of Hydrologic Indicators for September 30 2018					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal[1]	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Normal[1] - .This indicator status is based on the Baltimore City reservoirs only. The WSSC Patuxent reservoirs are not included in this assessment since Brighton Dam is being rehabilitated.

Summary of Hydrologic Indicators for August 31 2018					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal[1]	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Normal[1] - .This indicator status is based on the Baltimore City reservoirs only. The WSSC Patuxent reservoirs are not included in this assessment since Brighton Dam is being rehabilitated.

Summary of Hydrologic Indicators for July 31 2018					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal[1]	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Normal[1] - .This indicator status is based on the Baltimore City reservoirs only. The WSSC Patuxent reservoirs are not included in this assessment since Brighton Dam is being rehabilitated.

Summary of Hydrologic Indicators for June 30 2018					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal[1]	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Normal[1] - .This indicator status is based on the Baltimore City reservoirs only. The WSSC Patuxent reservoirs are not included in this assessment since Brighton Dam is being rehabilitated.

Summary of Hydrologic Indicators for May 31 2018					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal[1]	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Normal[1] - .This indicator status is based on the Baltimore City reservoirs only. The WSSC Patuxent reservoirs are not included in this assessment since Brighton Dam is being rehabilitated.

Summary of Hydrologic Indicators for April 30 2018					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal[1]	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Normal[1] - .This indicator status is based on the Baltimore City reservoirs only. The WSSC Patuxent reservoirs are not included in this assessment since Brighton Dam is being rehabilitated.

Summary of Hydrologic Indicators for March 31 2018					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Watch	Normal	Normal[1]	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Watch	N/A	Normal

Normal[1] - .The WSSC Patuxent reservoirs have less than 120 days of water in storage. This is as a result of Brighton Dam's rehabilitation project. Therefore, this indicator status is based on the Baltimore City reservoirs only.

Summary of Hydrologic Indicators for February 28 2018					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal[1]	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Watch	N/A	Normal

Normal[1] - .The WSSC Patuxent reservoirs have less than 90 days of water in storage. This is as a result of Brighton Dam's rehabilitation project. Therefore, this indicator status is based on the Baltimore City reservoirs only.

Summary of Hydrologic Indicators for January 31 2018					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Warning	Watch[2]	Watch	Normal[1]	Watch
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Emergency	N/A	Watch	N/A	Watch

Normal[1] - .The WSSC Patuxent reservoirs have less than 90 days of water in storage. This is as a result of Brighton Dam's rehabilitation project. Therefore, this indicator status is based on the Baltimore City reservoirs only.

Watch[2] - The status is considered as tentative and subject to change as missing information is estimated by USGS, since not all the data points were available at the time of the assessment.

Summary of Hydrologic Indicators for December 31 2017					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Watch[2]	Watch	Normal	Watch[2]
Central	Warning	Watch[2]	Normal	Normal[1]	Watch[2]
Eastern	Watch	Normal	Normal	N/A	Normal
Southern	Emergency	N/A	Normal	N/A	Normal

Normal[1] - The WSSC Patuxent reservoirs have less than 90 days of water in storage as of the end of December, but this is in part because Triadelphia has been drawn down for a two-year project to rehabilitate Brighton Dam. Therefore, this indicator status is based on the Baltimore City reservoirs only.

Watch[2] Because of the large number of missing daily streamflow values at this time (2018-Jan-10), this status must be regarded as tentative and subject to change as missing information is estimated by USGS.

Summary of Hydrologic Indicators for November 30 2017					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal[1]	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Normal[1] - The WSSC Patuxent reservoirs have less than 90 days of water in storage as of the end of November, but this is in part because Triadelphia has been drawn down for a two-year project to rehabilitate Brighton Dam. Therefore, this indicator status is based on the Baltimore City reservoirs only.

Summary of Hydrologic Indicators for October 31 2017					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for September 30 2017					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for August 31 2017					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for July 31 2017					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for June 30 2017					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Watch	Normal	Watch	Normal	Watch
Eastern	Watch	Normal	Normal	N/A	Normal
Southern	Watch	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for May 31 2017					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Watch	Normal	Watch	Normal	Watch
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Watch	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for May 16 2017					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Central	Watch	Normal	Watch	Normal	Warning[1]
Eastern	Watch	Normal	Watch	N/A	Watch

[1] Status held at Warning until the end-of-month evaluation.

Summary of Hydrologic Indicators for April 30 2017					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal[1]	Normal
Central	Watch	Normal	Warning	Normal	Warning
Eastern	Watch	Normal	Watch	N/A	Watch
Southern	Warning	N/A	Normal	N/A	Normal

[1] Data not received for the end of March 2017

Summary of Hydrologic Indicators for April 15 2017					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Central	Warning	Normal	Warning	Normal[1]	Warning

[1] Not updated from the end of March 2017

Summary of Hydrologic Indicators for March 31 2017					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Watch	Normal[1]	Normal
Central	Warning	Warning	Warning	Normal	Warning
Eastern	Watch	Normal	Normal	N/A	Normal
Southern	Warning	N/A	Normal	N/A	Normal

[1] Data not received for the end of March 2017

Summary of Hydrologic Indicators for Central and Eastern Maryland Drought Regions for March 15 2017[1]

Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Central	Warning	Emergency	Emergency	Normal	Warning[2]
Eastern	Watch	Normal	Normal	N/A	Watch[3]

[1] - Because of the drought status of the Central and Eastern regions when last evaluated, these regions are being evaluated biweekly.

[2] - Although two indicators are in Emergency, we are not increasing the drought status to Emergency at this time since there is no water supply in the region reporting water shortage.

[3] - The regional remains in watch pending re-evaluation at the end of the month.

Summary of Hydrologic Indicators for February 28 2017

Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Watch	Normal	Normal
Central	Warning	Warning	Emergency	Normal	Warning
Eastern	Watch	Watch	Normal	N/A	Watch
Southern	Warning	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for February 14 2017

Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Warning	Normal	Watch	Normal	Watch
Eastern	Watch	Normal	Normal	N/A	Normal
Southern	Warning	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for January 31 2017

Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Warning	Normal	Watch	Normal	Watch
Eastern	Watch	Normal	Normal	N/A	Normal
Southern	Warning	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for January 16 2017					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Warning	Watch	Watch	Normal	Watch
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Watch	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for December 31 2016					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Watch	Normal	Normal	Normal	Normal
Central	Warning	Watch	Watch	Normal	Watch
Eastern	Watch	Normal	Normal	N/A	Normal
Southern	Warning	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for December 14 2016					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Watch	Watch	Normal	Watch
Central	Normal	Watch	Watch	Normal	Watch
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for November 30 2016					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal[1]	Warning	Watch	Normal	Watch
Central	Normal[2]	Watch	Watch	Normal	Watch
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal[3]	N/A	Normal	N/A	Normal

Normal[1] - Although rainfall for the first two months of Water Year 2017 was 63% of normal for the Western region, a minimum of three months is needed to evaluate rainfall deficit. The normal status is based on the twelve months ending 2016-Nov-30

Normal[2] - Although rainfall for the first two months of Water Year 2017 was 46% of normal for the Central region, a minimum of three months is needed to evaluate rainfall deficit. The normal status is based on the twelve months ending 2016-Nov-30

Normal[3] - Although rainfall for the first two months of Water Year 2017 was 49% of normal for the Southern region, a minimum of three months is needed to evaluate rainfall deficit. The normal status is based on the twelve months ending 2016-Nov-30

Summary of Hydrologic Indicators for October 31 2016					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Watch	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for September 30 2016					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for August 31 2016					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for July 31 2016					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for June 30 2016					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for May 31 2016					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for May 15 2016					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal[1.]	Warning[1.]	Watch	Normal	Normal[2.]
Central	Normal[1.]	Normal	Watch	Normal	Normal
Eastern	Normal[1.]	Normal[1.]	Normal[1.]	N/A	Normal
Southern	Normal[1.]	N/A	Normal	N/A	Normal

[1.] These indicators were updated to 2016-May-15. All other values are as of 2016-Apr-30.

[2.] While the 30 day average streamflows had not yet recovered at the time of this evaluation, the higher daily flows since the start of the month and the response to more recent rainfall make it clear that at least three of the stream gages in this region, and probably all four, will be within the normal range when evaluated at the end of the month. Since the rainfall and reservoir indicators are also expected to be normal at the end of the month, the drought status is also expected to be normal when evaluated at the end of the month. While the US Drought Monitor for 2016-May-17 still indicates a moderate drought within part of the area, we do not believe that a drought watch is warranted at this time.

Summary of Hydrologic Indicators for April 30 2016					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Watch	Warning	Watch	Normal	Normal[1.]
Central	Normal	Normal	Watch	Normal	Normal
Eastern	Normal	Watch	Watch	N/A	Normal[1.]
Southern	Normal	N/A	Normal	N/A	Normal

[1.] Because of the rainfall that had already occurred at the time this evaluation was completed, and the predicted rainfall at that time, it was decided to defer any drought declaration until a mid-month assessment could be made.

Summary of Hydrologic Indicators for March 31 2016					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Watch	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Watch	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for February 29 2016					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for January 31 2016					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for December 31 2015					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for November 30 2015					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for October 31 2015					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for September 30 2015					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Watch	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for August 31 2015					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for July 31 2015					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for June 30 2015					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for May 31 2015					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Watch	Watch	Normal	Normal[1.]
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Watch	N/A	Normal

Normal[1.] - Although two indicators are in drought Watch, recent precipitation and stream flow response indicate that a drought Watch declaration would not be appropriate at this time.

Summary of Hydrologic Indicators for April 30 2015					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for March 31 2015					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for February 28 2015					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Watch	Watch	Normal	Normal[1.]
Central	Normal	Watch	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

[1.] Although there are two indicators in the Watch status for the Western Region, the overall status is considered Normal because:

1. According to the *US Drought Monitor*, conditions have improved between 3/3/2015 and 3/10/2015.
2. There was only one stream gage with reliable data available, making our evaluation limited.
3. Any declaration of drought Watch during a sseason when there is no outdoor water use would have no real impact.

Summary of Hydrologic Indicators for January 31 2015					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for December 31 2014					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for November 30 2014					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal

Summary of Hydrologic Indicators for October 31 2014					
Region	Rainfall	Stream Flow	Groundwater	Reservoirs	Overall Status
Western	Normal	Normal	Normal	Normal	Normal
Central	Normal	Normal	Normal	Normal	Normal
Eastern	Normal	Normal	Normal	N/A	Normal
Southern	Normal	N/A	Normal	N/A	Normal