| Summary of Hydrologic Indicators for September 30 2015 | | | | | | | | | |
|--|----------|-------------|-------------|------------|----------------|--|--|--|--|
| Region | Rainfall | Stream Flow | Groundwater | Reservoirs | Overall Status | | | | |
| Western | Normal | Normal | Watch | Normal | Normal | | | | |
| Central | Normal | Normal | Normal | Normal | Normal | | | | |
| Eastern | Normal | Normal | Normal | N/A | Normal | | | | |
| Southern | Normal | N/A | Normal | N/A | Normal | | | | |

| Summary of Hydrologic Indicators for August 31 2015 | | | | | | | | | |
|---|----------|-------------|-------------|------------|----------------|--|--|--|--|
| Region | Rainfall | Stream Flow | Groundwater | Reservoirs | Overall Status | | | | |
| Western | Normal | Normal | Normal | Normal | Normal | | | | |
| Central | Normal | Normal | Normal | Normal | Normal | | | | |
| Eastern | Normal | Normal | Normal | N/A | Normal | | | | |
| Southern | Normal | N/A | Normal | N/A | Normal | | | | |

| Summary of Hydrologic Indicators for July 31 2015 | | | | | | | | | |
|---|----------|-------------|-------------|------------|----------------|--|--|--|--|
| Region | Rainfall | Stream Flow | Groundwater | Reservoirs | Overall Status | | | | |
| Western | Normal | Normal | Normal | Normal | Normal | | | | |
| Central | Normal | Normal | Normal | Normal | Normal | | | | |
| Eastern | Normal | Normal | Normal | N/A | Normal | | | | |
| Southern | Normal | N/A | Normal | N/A | Normal | | | | |

| Summary of Hydrologic Indicators for June 30 2015 | | | | | | | | | |
|---|----------|-------------|-------------|------------|----------------|--|--|--|--|
| Region | Rainfall | Stream Flow | Groundwater | Reservoirs | Overall Status | | | | |
| Western | Normal | Normal | Normal | Normal | Normal | | | | |
| Central | Normal | Normal | Normal | Normal | Normal | | | | |
| Eastern | Normal | Normal | Normal | N/A | Normal | | | | |
| Southern | Normal | N/A | Normal | N/A | Normal | | | | |

| Summary of Hydrologic Indicators for May 31 2015 | | | | | | | | | |
|--|----------|-------------|-------------|------------|----------------|--|--|--|--|
| Region | Rainfall | Stream Flow | Groundwater | Reservoirs | Overall Status | | | | |
| Western | Normal | Watch | Watch | Normal | Normal[1.] | | | | |
| Central | Normal | Normal | Normal | Normal | Normal | | | | |
| Eastern | Normal | Normal | Normal | N/A | Normal | | | | |
| Southern | Normal | N/A | Watch | N/A | Normal | | | | |

Normal[1.] - Although two indicators are in drought Watch, recent precipitation and stream flow responce indicate that a drought Watch declaration would not be appropriate at this time.

Summary of Hydrologic Indicators for April 30 2015

| | an ore great and account to the control of the cont | | | | | | |
|----------|--|-------------|-------------|------------|----------------|--|--|
| Region | Rainfall | Stream Flow | Groundwater | Reservoirs | Overall Status | | |
| Western | Normal | Normal | Normal | Normal | Normal | | |
| Central | Normal | Normal | Normal | Normal | Normal | | |
| Eastern | Normal | Normal | Normal | N/A | Normal | | |
| Southern | Normal | N/A | Normal | N/A | Normal | | |

| Summary of Hydrologic Indicators for March 31 2015 | | | | | | | | | |
|--|----------|-------------|-------------|------------|----------------|--|--|--|--|
| Region | Rainfall | Stream Flow | Groundwater | Reservoirs | Overall Status | | | | |
| Western | Normal | Normal | Normal | Normal | Normal | | | | |
| Central | Normal | Normal | Normal | Normal | Normal | | | | |
| Eastern | Normal | Normal | Normal | N/A | Normal | | | | |
| Southern | Normal | N/A | Normal | N/A | Normal | | | | |

| Summary of Hydrologic Indicators for February 28 2015 | | | | | | | | | |
|---|----------|-------------|-------------|------------|----------------|--|--|--|--|
| Region | Rainfall | Stream Flow | Groundwater | Reservoirs | Overall Status | | | | |
| Western | Normal | Watch | Watch | Normal | Normal[1.] | | | | |
| Central | Normal | Watch | Normal | Normal | Normal | | | | |
| Eastern | Normal | Normal | Normal | N/A | Normal | | | | |
| Southern | Normal | N/A | Normal | N/A | Normal | | | | |

- [1.] Although there are two indicators in the Watch status for the Western Region, the overall status is considered Normal because:
 - A. According to the US Drought Monitor. conditions have improved between 3/3/2015 and 3/10/2015.
 - B. There was only one stream gage with reliable data available, making our evaluation limited.
 - C. Any declaration of drought Watch during a sseason when there is no outdoor water use would have no real impact.

| Summary of Hydrologic Indicators for January 31 2015 | | | | | | | | | |
|--|----------|-------------|-------------|------------|----------------|--|--|--|--|
| Region | Rainfall | Stream Flow | Groundwater | Reservoirs | Overall Status | | | | |
| Western | Normal | Normal | Normal | Normal | Normal | | | | |
| Central | Normal | Normal | Normal | Normal | Normal | | | | |
| Eastern | Normal | Normal | Normal | N/A | Normal | | | | |
| Southern | Normal | N/A | Normal | N/A | Normal | | | | |

| Summary of Hydrologic Indicators for December 31 2014 | | | | | | | | | |
|---|----------|-------------|-------------|------------|----------------|--|--|--|--|
| Region | Rainfall | Stream Flow | Groundwater | Reservoirs | Overall Status | | | | |
| Western | Normal | Normal | Normal | Normal | Normal | | | | |
| Central | Normal | Normal | Normal | Normal | Normal | | | | |
| Eastern | Normal | Normal | Normal | N/A | Normal | | | | |
| Southern | Normal | N/A | Normal | N/A | Normal | | | | |

| Summary of Hydrologic Indicators for November 30 2014 | | | | | | | | |
|---|----------|-------------|-------------|------------|----------------|--|--|--|
| Region | Rainfall | Stream Flow | Groundwater | Reservoirs | Overall Status | | | |
| Western | Normal | Normal | Normal | Normal | Normal | | | |
| Central | Normal | Normal | Normal | Normal | Normal | | | |
| Eastern | Normal | Normal | Normal | N/A | Normal | | | |
| Southern | Normal | N/A | Normal | N/A | Normal | | | |

Summary of Hydrologic Indicators for October 31 2014


| Region | Rainfall | Stream Flow | Groundwater | Reservoirs | Overall Status |
|----------|----------|-------------|-------------|------------|----------------|
| Western | Normal | Normal | Normal | Normal | Normal |
| Central | Normal | Normal | Normal | Normal | Normal |
| Eastern | Normal | Normal | Normal | N/A | Normal |
| Southern | Normal | N/A | Normal | N/A | Normal |


Precipitation Indicators for Maryland Drought Regions

Maryland precipitation indicators for periods ending 30-September-2015

| Precipitation Indicators for Maryland Drought RegionsSeptember 30, 2015 | | | | | | | | |
|---|-----------------------------|------------|---------------------------|--------|---------------------------|--------|--|--|
| | Since Jur | e 30, 2015 | Since March 31, 2015 | | Since Since 30, 2014 | | | |
| Regions | Percent of Norm Condition F | | Percent of Norm Condition | | Percent of Norm Condition | | | |
| Western | 108% | Normal | 109% | Normal | 98% | Normal | | |
| Central | 91% | Normal | 115% | Normal | 108% | Normal | | |
| Eastern | 80% | Normal | 98% | Normal | 98% | Normal | | |
| Southern | 86% | Normal | 118% | Normal | 107% | Normal | | |

1WY or Water Year begins on October 1.





| Precipitation Indicators for Maryland Drought RegionsAugust 31, 2015 | | | | | | | | |
|--|-----------------------------|--------|---------------------------|------------|---------------------------|--------------|--|--|
| | Since May 31, 2015 | | WY to | WY to Date | | ust 31, 2014 | | |
| Regions | Percent of Norm Condition F | | Percent of Norm Condition | | Percent of Norm Condition | | | |
| Western | 127% | Normal | 97% | Normal | 93% | Normal | | |
| Central | 145% | Normal | 108% | Normal | 104% | Normal | | |
| Eastern | 128% | Normal | 100% | Normal | 99% | Normal | | |
| Southern | 138% | Normal | 107% | Normal | 103% | Normal | | |

1WY or Water Year begins on October 1.

| Precipitation Indicators for Maryland Drought RegionsJuly 31, 2015 | | | | | | | | |
|--|-----------------------------|--------|---------------------------|------------|---------------------------|------------|--|--|
| | Since Apr 30, 2015 | | WY to | WY to Date | | y 31, 2014 | | |
| Regions | Percent of Norm Condition F | | Percent of Norm Condition | | Percent of Norm Condition | | | |
| Western | 111% | Normal | 94% | Normal | 94% | Normal | | |
| Central | 138% | Normal | 112% | Normal | 109% | Normal | | |
| Eastern | 111% | Normal | 102% | Normal | 102% | Normal | | |
| Southern | 135% | Normal | 111% | Normal | 107% | Normal | | |

1WY or Water Year begins on October 1.

| Precipitation Indicators for Maryland Drought RegionsJune 30, 2015 | | | | | | | | | |
|--|---------------------------|----------|---------------------------|--------|---------------------------|--------|--|--|--|
| | Since Mar | 31, 2015 | WY to | o Date | Since June 30, 2014 | | | | |
| Regions | Percent of Norm Condition | | Percent of Norm Condition | | Percent of Norm Condition | | | | |
| Western | 111% | Normal | 95% | Normal | 95% | Normal | | | |
| Central | 139% | Normal | 115% | Normal | 109% | Normal | | | |
| Eastern | 118% | Normal | 105% | Normal | 102% | Normal | | | |
| Southern | 150% | Normal | 115% | Normal | 107% | Normal | | | |

1WY or Water Year begins on October 1.

| Precipitation Indicators for Maryland Drought RegionsMay 31, 2015 | | | | | | | | | |
|---|-----------------------------|--------|---------------------------|------------|---------------------------|------------|--|--|--|
| | Since Feb 28, 2015 | | WY t | WY to Date | | y 31, 2014 | | | |
| Regions | Percent of Norm Condition F | | Percent of Norm Condition | | Percent of Norm Condition | | | | |
| Western | 81% | Normal | 84% | Normal | 92% | Normal | | | |
| Central | 94% | Normal | 94% | Normal | 96% | Normal | | | |
| Eastern | 88% | Normal | 92% | Normal | 90% | Normal | | | |
| Southern | 96% | Normal | 94% | Normal | 90% | Normal | | | |

1WY or Water Year begins on October 1.

| Precipitation Indicators for Maryland Drought RegionsApril 30, 2015 | | | | | | | | |
|---|-----------------------------|--------------------|-----------------|---------------------------|------|------------|--|--|
| | Since Jar | Since Jan 31, 2015 | | WY to Date | | r 30, 2014 | | |
| Regions | Percent of Norm Condition F | | Percent of Norn | Percent of Norm Condition | | Condition | | |
| Western | 80% | Normal | 85% | Normal | 96% | Normal | | |
| Central | 97% | Normal | 98% | Normal | 101% | Normal | | |
| Eastern | 99% | Normal | 97% | Normal | 93% | Normal | | |
| Southern | 105% | Normal | 99% | Normal | 92% | Normal | | |

1WY or Water Year begins on October 1.

| Precipitation Indicators for Maryland Drought RegionsMarch 31, 2015 | | | | | | | | | |
|---|---------------------------|------------|---------------------------|--------|---------------------------|--------|--|--|--|
| | Since De | c 31, 2014 | WY to Date | | Since Mar 31, 2014 | | | | |
| Regions | Percent of Norm Condition | | Percent of Norm Condition | | Percent of Norm Condition | | | | |
| Western | 68% | Watch | 85% | Normal | 96% | Normal | | | |
| Central | 99% | Normal | 100% | Normal | 111% | Normal | | | |
| Eastern | 96% | Normal | 97% | Normal | 96% | Normal | | | |
| Southern | 94% | Normal | 95% | Normal | 97% | Normal | | | |

1WY or Water Year begins on October 1.

| Precipitation Indicators for Maryland Drought RegionsFebruary 28, 2015 | | | | | | | | | |
|--|-----------------------------|------------|---------------------------|--------|---------------------------|--------|--|--|--|
| | Since Nov | / 30, 2014 | WY to Date | | Since Feb 28, 2014 | | | | |
| Regions | Percent of Norm Condition F | | Percent of Norm Condition | | Percent of Norm Condition | | | | |
| Western | 80% | Normal | 87% | Normal | 95% | Normal | | | |
| Central | 87% | Normal | 94% | Normal | 110% | Normal | | | |
| Eastern | 93% | Normal | 95% | Normal | 95% | Normal | | | |
| Southern | 94% | Normal | 92% | Normal | 97% | Normal | | | |

1WY or Water Year begins on October 1.

| Precipitation Indicators for Maryland Drought RegionsJanuary 31, 2015 | | | | | | | | | |
|---|-----------------------------|------------|---------------------------|------------|---------------------------|----------|--|--|--|
| - | Since Oc | t 31, 2014 | WY to | WY to Date | | 31, 2014 | | | |
| Regions | Percent of Norm Condition F | | Percent of Norm Condition | | Percent of Norm Condition | | | | |
| Western | 76% | Normal | 90% | Normal | 100% | Normal | | | |
| Central | 96% | Normal | 100% | Normal | 116% | Normal | | | |
| Eastern | 98% | Normal | 95% | Normal | 98% | Normal | | | |
| Southern | 93% | Normal | 94% | Normal | 102% | Normal | | | |

1WY or Water Year begins on October 1.

| Precipitation Indicators for Maryland Drought RegionsDecember 31, 2014 | | | | | | | | |
|--|-----------------------------|--------|---------------------------|--------|---------------------------|--------|--|--|
| | WY to Date | | Since Jun 30, 2014 | | Since Dec 31, 2013 | | | |
| Regions | Percent of Norm Condition F | | Percent of Norm Condition | | Percent of Norm Condition | | | |
| Western | 101% | Normal | 99% | Normal | 100% | Normal | | |
| Central | 101% | Normal | 98% | Normal | 116% | Normal | | |
| Eastern | 99% | Normal | 97% | Normal | 98% | Normal | | |
| Southern | 96% | Normal | 90% | Normal | 102% | Normal | | |

1WY or Water Year begins on October 1.

| Precipitation Indicators for Maryland Drought RegionsNovember 30, 2014 | | | | | | | | |
|--|-----------------------------|----------|---------------------------|--------|---------------------------|--------|--|--|
| | Since Aug | 31, 2014 | Since May 31, 2014 | | Since Nov 30, 2013 | | | |
| Regions | Percent of Norm Condition F | | Percent of Norm Condition | | Percent of Norm Condition | | | |
| Western | 79% | Normal | 103% | Normal | 101% | Normal | | |
| Central | 88% | Normal | 100% | Normal | 121% | Normal | | |
| Eastern | 94% | Normal | 90% | Normal | 101% | Normal | | |
| Southern | 80% | Normal | 85% | Normal | 106% | Normal | | |

1WY or Water Year begins on October 1.

| Precipitation Indicators for Maryland Drought RegionsOctober 31, 2014 | | | | | | | | |
|---|-----------------------------|--------|---------------------------|--------------------|---------------------------|------------|--|--|
| | Since Jul 31, 2014 | | Since Ap | Since Apr 30, 2014 | | t 31, 2013 | | |
| Regions | Percent of Norm Condition F | | Percent of Norm Condition | | Percent of Norm Condition | | | |
| Western | 104% | Normal | 111% | Normal | 101% | Normal | | |
| Central | 98% | Normal | 104% | Normal | 119% | Normal | | |
| Eastern | 98% | Normal | 87% | Normal | 100% | Normal | | |
| Southern | 92% | Normal | 87% | Normal | 106% | Normal | | |

1WY or Water Year begins on October 1.

| Stream Flow Status Based on 30 Day Average as of September 30, 2015 | | | | | | |
|---|---------------------|----------------------|------------|--------|--|--|
| Stream Gage Location | Region | Notes 30 Day Average | Percentage | Status | | |
| Youghiogheny(near Oakland) | Western | 30 | 30% - 35% | Normal | | |
| Savage River(near Barton) | Western | 10.5 | 60% - 65% | Normal | | |
| Wills Creek(near Cumberland) | Western | 39 | 35% - 40% | Normal | | |
| Antietam Creek(near Sharpsburg) | Western and Central | 142 | 55% - 60% | Normal | | |
| Monocacy(Jug Bridgenear Frederick) | Central | 372 | 65% - 70% | Normal | | |
| Patuxent(near Unity) | Central | 11.5 | 35% - 40% | Normal | | |
| Deer Cr(at Rocks) | Central | 121 | 80% - 85% | Normal | | |
| Choptank(near Greensboro) | Eastern | 20 | 35% - 40% | Normal | | |
| Nassawango Creek(near Snow Hill) | Eastern | 4.4 | 30% - 35% | Normal | | |
| Susquehanna(at Marietta) | | 6,848 | 35% - 40% | Normal | | |
| Potomac(at Little Falls)Corrected) | | 2,591 | 35% - 40% | Normal | | |

| Stream Flow Status Based on 30 Day Average as of Auguat 31, 2015 | | | | | | |
|--|---------------------|----------------------|------------|--------|--|--|
| Stream Gage Location | Region | Notes 30 Day Average | Percentage | Status | | |
| Youghiogheny(near Oakland) | Western | 41 | 25% - 30% | Normal | | |
| Savage River(near Barton) | Western | 6.2 | 35% | Normal | | |
| Wills Creek(near Cumberland) | Western | 37 | 20% - 25% | Watch | | |
| Antietam Creek(near Sharpsburg) | Western and Central | 168 | 60% - 65% | Normal | | |
| Monocacy(Jug Bridgenear Frederick) | Central | 258 | 50% - 55% | Normal | | |
| Patuxent(near Unity) | Central | 12.6 | 35% - 40% | Normal | | |
| Deer Cr(at Rocks) | Central | 67 | 40% - 45% | Normal | | |
| Choptank(near Greensboro) | Eastern | 20 | 35% | Normal | | |
| Nassawango Creek(near Snow Hill) | Eastern | 50 | 70% - 75% | Normal | | |
| Susquehanna(at Marietta) | | 11,339 | 55% - 60% | Normal | | |
| Potomac(at Little Falls)Corrected) | | 2,938 | 35% - 40% | Normal | | |

| Stream Flow Status Based on 30 Day Average as of July 31, 2015 | | | | | | |
|--|---------------------|----------------------|------------|--------|--|--|
| Stream Gage Location | Region | Notes 30 Day Average | Percentage | Status | | |
| Youghiogheny(near Oakland) | Western | 292 | 80% - 85% | Normal | | |
| Savage River(near Barton) | Western | 55.7 | 90% - 95% | Normal | | |
| Wills Creek(near Cumberland) | Western | 175 | 80% - 85% | Normal | | |
| Antietam Creek(near Sharpsburg) | Western and Central | 279 | 85% - 90% | Normal | | |
| Monocacy(Jug Bridgenear Frederick) | Central | 740 | 80% - 85% | Normal | | |
| Patuxent(near Unity) | Central | 29.5 | 70% - 75% | Normal | | |
| Deer Cr(at Rocks) | Central | 116 | 65% - 70% | Normal | | |
| Choptank(near Greensboro) | Eastern | 58 | 60% - 65% | Normal | | |
| Nassawango Creek(near Snow Hill) | Eastern | 11.1 | 55% - 60% | Normal | | |
| Susquehanna(at Marietta) | | 49,183 | >95% | Normal | | |
| Potomac(at Little Falls)Corrected) | | 8,286 | 85% - 90% | Normal | | |

| Stream Flow Status Based on 30 Day Average as of June 30, 2015 | | | | | | |
|--|---------------------|----------------------|------------|--------|--|--|
| Stream Gage Location | Region | Notes 30 Day Average | Percentage | Status | | |
| Youghiogheny(near Oakland) | Western | 363 | 80% - 85% | Normal | | |
| Savage River(near Barton) | Western | 142 | >95% | Normal | | |
| Wills Creek(near Cumberland) | Western | 449 | 85% - 90% | Normal | | |
| Antietam Creek(near Sharpsburg) | Western and Central | 353 | 80% - 85% | Normal | | |
| Monocacy(Jug Bridgenear Frederick) | Central | 1898 | 90% - 95% | Normal | | |
| Patuxent(near Unity) | Central | 77.1 | 90% -95 % | Normal | | |
| Deer Cr(at Rocks) | Central | 150 | 70% - 75% | Normal | | |
| Choptank(near Greensboro) | Eastern | 159 | 80% - 85% | Normal | | |
| Nassawango Creek(near Snow Hill) | Eastern | 15.2 | 40% - 45% | Normal | | |
| Susquehanna(at Marietta) | | 34,367 | 75% - 80% | Normal | | |
| Potomac(at Little Falls)Corrected) | | 9,903 | 65% - 70% | Normal | | |

| Stream Flow Status Based on 30 Day Average as of May 31, 2015 | | | | | | |
|---|---------------------|----------------------|------------|---------|--|--|
| Stream Gage Location | Region | Notes 30 Day Average | Percentage | Status | | |
| Youghiogheny(near Oakland) | Western | 112 | 5% - 10% | Warning | | |
| Savage River(near Barton) | Western | 47.1 | 25% - 30% | Normal | | |
| Wills Creek(near Cumberland) | Western | 174 | 15% - 20% | Watch | | |
| Antietam Creek(near Sharpsburg) | Western and Central | 230 | 15% - 20% | Watch | | |
| Monocacy(Jug Bridgenear Frederick) | Central | 552 | 30% - 35% | Normal | | |
| Patuxent(near Unity) | Central | 35 | 40% -45 % | Normal | | |
| Deer Cr(at Rocks) | Central | 89 | 15% - 20% | Watch | | |
| Choptank(near Greensboro) | Eastern | 89 | 30% - 35% | Normal | | |
| Nassawango Creek(near Snow Hill) | Eastern | 15.9 | 15% - 20% | Watch | | |
| Susquehanna(at Marietta) | | 23,200 | 10% - 15% | Watch | | |
| Potomac(at Little Falls)Corrected) | | 9,035 | 25% - 30% | Normal | | |

| Stream Flow Status Based on 30 Day Average as of April 30, 2015 | | | | | | |
|---|---------------------|----------------------|------------|--------|--|--|
| Stream Gage Location | Region | Notes 30 Day Average | Percentage | Status | | |
| Youghiogheny(near Oakland) | Western | 540 | 65% - 70% | Normal | | |
| Savage River(near Barton) | Western | 127.2 | 50% - 55% | Normal | | |
| Wills Creek(near Cumberland) | Western | 625 | 50% - 55% | Normal | | |
| Antietam Creek(near Sharpsburg) | Western and Central | 337 | 25% - 30% | Normal | | |
| Monocacy(Jug Bridgenear Frederick) | Central | 1116 | 35% - 40% | Normal | | |
| Patuxent(near Unity) | Central | 58.7 | 55% - 60% | Normal | | |
| Deer Cr(at Rocks) | Central | 110 | 25% - 30% | Normal | | |
| Choptank(near Greensboro) | Eastern | 281 | 55% - 60% | Normal | | |
| Nassawango Creek(near Snow Hill) | Eastern | 75.8 | 50% - 55% | Normal | | |
| Susquehanna(at Marietta) | | 92,433 | 75% - 80% | Normal | | |
| Potomac(at Little Falls)Corrected) | | 18,776 | 50% - 55% | Normal | | |

| Stream Flow Status Based on 30 Day Average as of March 31, 2015 | | | | | | |
|---|---------------------|-------|----------------|------------|--------|--|
| Stream Gage Location | Region | Notes | 30 Day Average | Percentage | Status | |
| Youghiogheny(near Oakland) | Western | [2] | 1,080 | 90% - 95% | Normal | |
| Savage River(near Barton) | Western | [3] | 227.3 | 70% - 75% | Normal | |
| Wills Creek(near Cumberland) | Western | [2] | 899 | 60% - 65% | Normal | |
| Antietam Creek(near Sharpsburg) | Western and Central | | 518 | 65% - 70% | Normal | |
| Monocacy(Jug Bridgenear Frederick) | Central | | 2,830 | 90% - 95% | Normal | |
| Patuxent(near Unity) | Central | [1] | 124.5 | >95% | Normal | |
| Deer Cr(at Rocks) | Central | | 310 | >95% | Normal | |
| Choptank(near Greensboro) | Eastern | | 451 | 90% - 95% | Normal | |
| Nassawango Creek(near Snow Hill) | Eastern | | 122.4 | 55% - 60% | Normal | |
| Susquehanna(at Marietta) | | | 49,727 | 15% - 20% | Watch | |
| Potomac(at Little Falls)Corrected) | | | 25,132 | 60% - 65% | Normal | |

- [1] One daily value was missing as of 2015-Apr-02 and was neglected
- [2] Two daily values were missing as of 2015-Apr-02 and wre neglected [3] Three daily values were missing as of 2015-Apr-02 and were neglected

| Stream Flow Status Based on 30 Day Average as of February 28, 2015 | | | | | | |
|--|---------------------|-------|----------------|------------|-----------|--|
| Stream Gage Location | Region | Notes | 30 Day Average | Percentage | Status | |
| Youghiogheny(near Oakland) | Western | [1] | | | Unknown | |
| Savage River(near Barton) | Western | [1] | | | Unknown | |
| Wills Creek(near Cumberland) | Western | [1] | | | Unknown | |
| Antietam Creek(near Sharpsburg) | Western and Central | | 208 | 20% - 25% | Watch | |
| Monocacy(Jug Bridgenear Frederick) | Central | [1] | | | Unknown | |
| Patuxent(near Unity) | Central | | 28.6 | 5% - 10% | Warning | |
| Deer Cr(at Rocks) | Central | [1] | | | Unknown | |
| Choptank(near Greensboro) | Eastern | | 207 | 50% - 55% | Normal | |
| Nassawango Creek(near Snow Hill) | Eastern | | 49.4 | 30% | Normal | |
| Susquehanna(at Marietta) | | | 11,727 | < 5% | Emergency | |
| Potomac(at Little Falls)Corrected) | | | 6,843 | 10% - 15% | Watch | |

Notes:

[1] As of 2015-03-16, too many values were missing to evaluate for drought

| Stream Flow Status Based on 30 Day Average as of January 31, 2015 | | | | | | |
|---|---------------------|-------|----------------|------------|---------|--|
| Stream Gage Location | Region | Notes | 30 Day Average | Percentage | Status | |
| Youghiogheny(near Oakland) | Western | [1] | | | Unknown | |
| Savage River(near Barton) | Western | [2] | | | Unknown | |
| Wills Creek(near Cumberland) | Western | [3] | | | Unknown | |
| Antietam Creek(near Sharpsburg) | Western and Central | | 244 | 45% - 50% | Normal | |
| Monocacy(Jug Bridgenear Frederick) | Central | | 1094 | 50% - 55% | Normal | |
| Patuxent(near Unity) | Central | | 39.8 | 50% | Normal | |
| Deer Cr(at Rocks) | Central | [4] | 128 | 50% - 55% | Normal | |
| Choptank(near Greensboro) | Eastern | | 378 | 90% - 95% | Normal | |
| Nassawango Creek(near Snow Hill) | Eastern | | 55.4 | 30% - 35% | Normal | |
| Susquehanna(at Marietta) | | | 21,720 | 25% - 30% | Normal | |
| Potomac(at Little Falls)Corrected) | | | 8,578 | 25% - 30% | Normal | |

- [1] As of 2015-02-02, fourteeen values were unavailable due to ice, so this gage was not evaluated
- [2] As of 2015-02-02, twenty-seven values are unavialable due to ice, so this gage was not evaluated
- [3] As of 2015-02-02, thirteen values were unavailable, so this gage was not evaluated
- [4] As of 2015-02-02, eight values were missing. Two values were estimated using real time data.

The remaining six missing values were neglected.

| Stream Flow Status Based on 30 Day Average as of December 31, 2014 | | | | | | | |
|--|---------------------|----------------------|------------|--------|--|--|--|
| Stream Gage Location | Region | Notes 30 Day Average | Percentage | Status | | | |
| Youghiogheny(near Oakland) | Western | 434 | 60% - 65% | Normal | | | |
| Savage River(near Barton) | Western | 55.3 | 30% - 35% | Normal | | | |
| Wills Creek(near Cumberland) | Western | 141 | 25% - 30% | Normal | | | |
| Antietam Creek(near Sharpsburg) | Western and Central | 253 | 60% - 65% | Normal | | | |
| Monocacy(Jug Bridgenear Frederick) | Central | 1,387 | 70% | Normal | | | |
| Patuxent(near Unity) | Central | 30.7 | 45% - 50% | Normal | | | |
| Deer Cr(at Rocks) | Central | 109 | 55% - 60% | Normal | | | |
| Choptank(near Greensboro) | Eastern | 169 | 70% - 75% | Normal | | | |
| Nassawango Creek(near Snow Hill) | Eastern | 19.2 | 15% - 20% | Watch | | | |
| Susquehanna(at Marietta) | | 38,130 | 50% - 55% | Normal | | | |
| Potomac(at Little Falls)Corrected) | | 9,905 | 50% - 55% | Normal | | | |

| Stream Flow Status Based on 30 Day Average as of November 30, 2014 | | | | | | |
|--|---------------------|-------|----------------|------------|--------|--|
| Stream Gage Location | Region | Notes | 30 Day Average | Percentage | Status | |
| Youghiogheny(near Oakland) | Western | 2 | 196 | 40% - 45% | Normal | |
| Savage River(near Barton) | Western | 2 | 10.1 | 10% - 15% | Watch | |
| Wills Creek(near Cumberland) | Western | 2 | 36 | 10% - 15% | Watch | |
| Antietam Creek(near Sharpsburg) | Western and Central | 1 | 155 | 50% - 55% | Normal | |
| Monocacy(Jug Bridgenear Frederick) | Central | 4 | 486 | 45% - 50% | Normal | |
| Patuxent(near Unity) | Central | 1 | 17.8 | 30% - 35% | Normal | |
| Deer Cr(at Rocks) | Central | 1 | 82 | 40% - 45% | Normal | |
| Choptank(near Greensboro) | Eastern | | 66 | 50% - 55% | Normal | |
| Nassawango Creek(near Snow Hill) | Eastern | 3 | 7.2 | 10% - 15% | Watch | |
| Susquehanna(at Marietta) | | | 11,349 | 15% - 20% | Watch | |
| Potomac(at Little Falls)Corrected) | | 1 | 3,521 | 30% - 35% | Normal | |

- [1.] One value was unavailable and was estimated by interpolation
- [2.] Two values were unavailable and were estimated by interpolation
- [3.] Three values were unavailable and were estimated by interpolation [4.] Four values were unavailable and were estimated by interpolation

| Stream Flow Status Based on 30 Day Average as of October 31, 2014 | | | | | | |
|---|---------------------|-------|----------------|------------|--------|--|
| Stream Gage Location | Region | Notes | 30 Day Average | Percentage | Status | |
| Youghiogheny(near Oakland) | Western | | 266 | 85% - 90% | Normal | |
| Savage River(near Barton) | Western | | 10.3 | 70% - 75% | Normal | |
| Wills Creek(near Cumberland) | Western | | 43 | 40% - 45% | Normal | |
| Antietam Creek(near Sharpsburg) | Western and Central | [1.] | 186 | 75% - 80% | Normal | |
| Monocacy(Jug Bridgenear Frederick) | Central | [2.] | 459 | 65% - 70% | Normal | |
| Patuxent(near Unity) | Central | | 14.5 | 45% - 50% | Normal | |
| Deer Cr(at Rocks) | Central | [1.] | 80 | 60% - 65% | Normal | |
| Choptank(near Greensboro) | Eastern | | 24 | 35% - 40% | Normal | |
| Nassawango Creek(near Snow Hill) | Eastern | [1.] | 3.9 | 10% - 15% | Watch | |
| Susquehanna(at Marietta) | | | 12,600 | 50% - 55% | Normal | |
| Potomac(at Little Falls)Corrected) | | | 4,167 | 55% - 60% | Normal | |

- [1.] Two values were unavailable and were estimated by interpolation[2.] One value was unavailable and was estimated by interpolation

| Ground | Water Status - | End of Se | ptember, | 2015 |
|----------|-----------------------|---------------|-------------|-----------------|
| Region | USGS Well ID | Well Level[1] | Status | Regional Status |
| | AL Ah 1 | 5.96 | Watch | |
| Western | WA Be 2 | 35.39 | Watch | Normal |
| | WA Bk 25 | 46.72 | Normal | |
| | BA Ea 18 | 21.24 | Normal | |
| | HA Bd 31 | 11.58 | Normal | |
| Central | HA Ca 23 | 7.47 | Normal | Normal |
| | MO Cc 14 | 37.8 | Normal | |
| | MO Eh 20 | 14.92 | Normal | |
| | QA Cg 69 | 5.24 | Normal | |
| Eastern | WI Cg 20 | 7.12 | Normal | Normal |
| Lastelli | MC51-01 | 14.88 | Watch | INUIIIIai |
| | SO Cf 2 | 5.62 | Watch | |
| | CH Bg 12 (unconfined) | 8.68 | Normal | |
| Southern | AA Cc 40 (confined) | 49 | On Trend[4] | |
| | CA Bb 27 (confined) | 181.03[3] | On Trend[4] | Normal |
| | CH Dd 33 (confined) | 148.85 | On Trend[4] | ivoillai |
| | PG De 21 (confined) | 64.27 | On Trend[4] | |
| | SM Fg 45 (confined) | 93.34 | On Trend[4] | |

On Trend[4] - In accordance with Maryland's drought monitoring and response plan, the impact of drought upon confined aquifers is analyzed as a departure from long term trend. Selected ground water levels are availble from USGS at:

http://md.water.usgs.gov/groundwater/

^{[2] -} Measurements not reported as of 2015-Oct-10 at 09:30

^{[3] -} Value computed from real time measurement

| Ground | Water Status - | End of Au | gust, 201 | 5 |
|---------------|-----------------------|---------------|-------------|-----------------|
| Region | USGS Well ID | Well Level[1] | Status | Regional Status |
| | AL Ah 1 | 5.41 | Normal | |
| Western | WA Be 2 | 34.81 | Watch | Normal |
| | WA Bk 25 | 45.28 | Normal | |
| | BA Ea 18 | 20.19 | Normal | |
| | HA Bd 31 | 6.89 | Normal | |
| Central | HA Ca 23 | 6.72 | Normal | Normal |
| | MO Cc 14 | 35.77 | Normal | |
| | MO Eh 20 | 14.46 | Normal | |
| | QA Cg 69 | 5.3 | Normal | |
| Eastern | WI Cg 20 | 6.02 | Normal | Normal |
| Lastern | MC51-01 | 14.3 | Watch | INOIIIIai |
| | SO Cf 2 | 5.32 | Watch | |
| | CH Bg 12 (unconfined) | 6.63 | Normal | |
| | AA Cc 40 (confined) | NA[2] | Unknown | |
| Southern | CA Bb 27 (confined) | 180.22 | On Trend[4] | Normal |
| | CH Dd 33 (confined) | NA[2] | Unknown | INUITIAI |
| | PG De 21 (confined) | NA[2] | Unknown | |
| 107 11 1 1547 | SM Fg 45 (confined) | | Unknown | |

On Trend[4] - In accordance with Maryland's drought monitoring and response plan, the impact of drought upon confined aquifers is analyzed as a departure from long term trend.

Selected ground water levels are availble from USGS at: http://md.water.usgs.gov/groundwater/

^{[2] -} Measurements not reported as of 2015-Sep-10 at 09:30

^{[3] -} Value computed from real time measurement

| Ground Water Status - End of July, 2015 | | | | |
|---|-----------------------|---------------|-------------|-----------------|
| Region | USGS Well ID | Well Level[1] | Status | Regional Status |
| | AL Ah 1 | 5.09 | Normal | |
| Western | WA Be 2 | 34.35 | Watch | Normal |
| | WA Bk 25 | 42.95 | Normal | |
| | BA Ea 18 | 19.37 | Normal | |
| | HA Bd 31 | 7.24 | Normal | |
| Central | HA Ca 23 | 6.16 | Normal | Normal |
| | MO Cc 14 | 33.49 | Normal | |
| | MO Eh 20 | 13.26 | Normal | |
| | QA Cg 69 | 4.27 | Normal | |
| Eastern | WI Cg 20 | 6.05 | Normal | Normal |
| Eastern | MC51-01 | 13.37 | Watch | INUIIIIai |
| | SO Cf 2 | 4.77 | Normal | |
| | CH Bg 12 (unconfined) | 5.52 | Normal | |
| Southern | AA Cc 40 (confined) | | Unknown | |
| | CA Bb 27 (confined) | 178.31 | On Trend[4] | Normal |
| | CH Dd 33 (confined) | NA[2] | Unknown | inuilliai |
| | PG De 21 (confined) | NA[2] | Unknown | |
| NA | SM Fg 45 (confined) | NA[2] | Unknown | |

On Trend[4] - In accordance with Maryland's drought monitoring and response plan, the impact of drought upon confined aquifers is analyzed as a departure from long term trend.

Selected ground water levels are availble from USGS at:

http://md.water.usgs.gov/groundwater/

^{[2] -} Measurements not reported as of 2015-Aug-01 at 08:30

^{[3] -} Value computed from real time measurement

| Ground | Ground Water Status - End of June, 2015 | | | | |
|---------------|---|---------------|-------------|-----------------|--|
| Region | USGS Well ID | Well Level[1] | Status | Regional Status | |
| | AL Ah 1 | 4 | Normal | | |
| Western | WA Be 2 | 33.61 | Watch | Normal | |
| | WA Bk 25 | 39.97 | Normal | | |
| | BA Ea 18 | 19.85 | Normal | | |
| | HA Bd 31 | 7.26 | Normal | | |
| Central | HA Ca 23 | 6.37 | Normal | Normal | |
| | MO Cc 14 | 33.79 | Normal | | |
| | MO Eh 20 | 12.18 | Normal | | |
| | QA Cg 69 | 5.24 | Normal | | |
| Eastern | WI Cg 20 | 5 | Normal | Normal | |
| Eastern | MC51-01 | 12.3 | Normal | INOIIIIai | |
| | SO Cf 2 | 2.07 | Normal | | |
| | CH Bg 12 (unconfined) | 4.36 | Normal | | |
| Southern | AA Cc 40 (confined) | NA[2] | Unknown | | |
| | CA Bb 27 (confined) | 177.47 | On Trend[4] | Normal | |
| | CH Dd 33 (confined) | NA[2] | Unknown | Normal | |
| | PG De 21 (confined) | NA[2] | Unknown | | |
| M/- II I IF41 | SM Fg 45 (confined) | | Unknown | | |

On Trend[4] - In accordance with Maryland's drought monitoring and response plan, the impact of drought upon confined aquifers is analyzed as a departure from long term trend.

Selected ground water levels are availble from USGS at:

http://md.water.usgs.gov/groundwater/

^{[2] -} Measurements not reported as of 2015-Jul-01 at 08:30

^{[3] -} Value computed from real time measurement

| Ground Water Status - End of May, 2015 | | | | |
|--|-----------------------|---------------|-------------|-----------------|
| Region | USGS Well ID | Well Level[1] | Status | Regional Status |
| | AL Ah 1 | 4.92 | Watch | |
| Western | WA Be 2 | 31.54 | Watch | Watch |
| | WA Bk 25 | 43.62 | Watch | |
| | BA Ea 18 | 19.81 | Watch | |
| | HA Bd 31 | 9.62 | Normal | |
| Central | HA Ca 23 | 6.95 | Watch | Normal |
| | MO Cc 14 | 31.86 | Normal | |
| | MO Eh 20 | 12.85 | Normal | |
| | QA Cg 69 | 4.5 | Normal | |
| Eastern | WI Cg 20 | 5.58 | Watch | Normal |
| Lastelli | MC51-01 | 11.47 | Normal | INOIIIIai |
| | SO Cf 2 | 3.08 | Watch | |
| | CH Bg 12 (unconfined) | 4.44 | Warning | |
| | AA Cc 40 (confined) | | Unknown | |
| Southern | CA Bb 27 (confined) | 176.29 | On Trend[4] | Watch |
| Southern | CH Dd 33 (confined) | NA[2] | Unknown | vvalcii |
| | PG De 21 (confined) | NA[2] | Unknown | |
| | SM Fg 45 (confined) | NA[2] | Unknown | |

On Trend[4] - In accordance with Maryland's drought monitoring and response plan, the impact of drought upon confined aquifers is analyzed as a departure from long term trend. Selected ground water levels are available from USGS at:

http://md.water.usgs.gov/groundwater/

^{[2] -} Measurements not reported as of 2015-Jun-16

^{[3] -} Value computed from real time measurement

| Ground | Water Status - | End of Ap | ril, 2015 | |
|-----------|-----------------------|------------------|-------------|-----------------|
| Region | USGS Well ID | Well Level[1] | Status | Regional Status |
| | AL Ah 1 | 4.19 | Normal | |
| Western | WA Be 2 | 28.73 | Normal | Normal |
| | WA Bk 25 | 39.38 | Normal | |
| | BA Ea 18 | 19.12 | Normal | |
| | HA Bd 31 | 7.93 | Normal | |
| Central | HA Ca 23 | 6.62 | Normal | Normal |
| | MO Cc 14 | 27.46 | Normal | |
| | MO Eh 20 | 11.63 | Normal | |
| | QA Cg 69 | 3.6 | Normal | |
| | QA Ec 1 | 1.8 | Normal | |
| Eastern | WI Cg 20 | 4.24 | Normal | Normal |
| | MC51-01 | 10.02 | Normal | |
| | SO Cf 2 | 1.16 | Normal | |
| | CH Bg 12 (unconfined) | 2.5 | Normal | |
| | AA Cc 40 (confined) | 47.35 | On Trend[4] | |
| Southern | CA Bb 27 (confined) | | On Trend[4] | Normal |
| Southelli | CH Dd 33 (confined) | 148.61 | On Trend[4] | NUIIIIai |
| | PG De 21 (confined) | 61.81 | On Trend[4] | |
| | SM Fg 45 (confined) | 92.82[5] | On Trend[4] | |

On Trend[4] - In accordance with Maryland's drought monitoring and response plan, the impact of drought upon confined aquifers is analyzed as a departure from long term trend.

[5] - Measurement included in March drought update

Selected ground water levels are availble from USGS at:

http://md.water.usgs.gov/groundwater/

^{[2] -} Measurements not reported as of 2015-May-18 at 10:54 AM

^{[3] -} Value computed from real time measurement

| Ground | Water Status - | End of Ma | rch, 2015 | |
|----------|-----------------------|------------------|-------------|-----------------|
| Region | USGS Well ID | Well Level[1] | Status | Regional Status |
| | AL Ah 1 | 3.57 | Normal | |
| Western | WA Be 2 | 29.52 | Normal | Normal |
| | WA Bk 25 | 32.95 | Normal | |
| | BA Ea 18 | 19.52 | Normal | |
| | HA Bd 31 | 6.59 | Normal | |
| Central | HA Ca 23 | 6.33 | Normal | Normal |
| | MO Cc 14 | 23.81 | Normal | |
| | MO Eh 20 | 11.57 | Normal | |
| | QA Cg 69 | 3.1 | Normal | |
| | QA Ec 1 | 1.34 | Normal | |
| Eastern | WI Cg 20 | 4.18 | Normal | Normal |
| | MC51-01 | 8.76 | Normal | |
| | SO Cf 2 | 0.99 | Normal | |
| | CH Bg 12 (unconfined) | 2.87 | Normal | |
| | AA Cc 40 (confined) | NA[2] | Unknown | |
| Southern | CA Bb 27 (confined) | 174.03[3] | On Trend[4] | Normal |
| Southern | CH Dd 33 (confined) | NA[2] | Unknown | Noillai |
| | PG De 21 (confined) | NA[2] | Unknown | |
| | SM Fg 45 (confined) | 92.82[5] | On Trend[4] | |

On Trend[4] - In accordance with Maryland's drought monitoring and response plan, the impact of drought upon confined aquifers is analyzed as a departure from long term trend. [5] - Measurement made 4/2/2015

Selected ground water levels are availble from USGS at: http://md.water.usgs.gov/groundwater/

^{[2] -} Measurements not reported as of 2015-Apr-06 at 08:30 AM

^{[3] -} Value computed from real time measurement

| Ground Water Status - End of February, 2015 | | | | |
|---|-----------------------|---------------|-------------|-----------------|
| Region | USGS Well ID | Well Level[1] | Status | Regional Status |
| | AL Ah 1 | 4.82 | Warning | |
| Western | WA Be 2 | 31.69 | Watch | Watch |
| | WA Bk 25 | 43.52 | Normal | |
| | BA Ea 18 | 20.46 | Normal | |
| | HA Bd 31 | 9.12 | Normal | |
| Central | HA Ca 23 | 7.09 | Watch | Normal |
| | MO Cc 14 | 30.16 | Normal | |
| | MO Eh 20 | 12.79 | Watch | |
| | QA Ec 1 | 2.12 | Normal | |
| Eastern | WI Cg 20 | 4.3 | Normal | Normal |
| Lastelli | MC51-01 | 10.26 | Normal | INUITIAI |
| | SO Cf 2 | 0.82 | Normal | |
| | CH Bg 12 (unconfined) | 3.23 | Normal | |
| | AA Cc 40 (confined) | NA[2] | Unknown | |
| Southern | CA Bb 27 (confined) | 174.53 | On Trend[4] | Normal |
| | CH Dd 33 (confined) | NA[2] | Unknown | Normal |
| | PG De 21 (confined) | NA[2] | Unknown | |
| | SM Fg 45 (confined) | NA[2] | Unknown | |

On Trend[4] - In accordance with Maryland's drought monitoring and response plan, the impact of drought upon confined aquifers is analyzed as a departure from long term trend. Selected ground water levels are available from USGS at:

http://md.water.usgs.gov/groundwater/

^{[2] -} Measurements not reported as of 2015-Mar-10

^{[3] -} Value computed from real time measurement

| Ground | Ground Water Status - End of January, 2014 | | | |
|----------|--|---------------|-------------|-----------------|
| Region | USGS Well ID | Well Level[1] | Status | Regional Status |
| | AL Ah 1 | 4.22 | Normal | |
| Western | WA Be 2 | 31.24 | Normal | Normal |
| | WA Bk 25 | 41.17 | Normal | |
| | BA Ea 18 | 20.53 | Normal | |
| | HA Bd 31 | 7.64 | Normal | |
| Central | HA Ca 23 | 6.89 | Normal | Normal |
| | MO Cc 14 | 26.28 | Normal | |
| | MO Eh 20 | 12.4 | Normal | |
| | QA Ec 1 | 1.43 | Normal | |
| Eastern | WI Cg 20 | 4.42 | Normal | Normal |
| Lastern | MC51-01 | 9.71 | Normal | INUITIAI |
| | SO Cf 2 | 1.45 | Watch | |
| | CH Bg 12 (unconfined) | 2.8 | Normal | |
| | AA Cc 40 (confined) | | Unknown | |
| Southern | CA Bb 27 (confined) | 175.01[3] | On Trend[4] | Normal |
| | CH Dd 33 (confined) | NA[2] | Unknown | Normal |
| | PG De 21 (confined) | NA[2] | Unknown | |
| | SM Fg 45 (confined) | NA[2] | Unknown | |

On Trend[4] - In accordance with Maryland's drought monitoring and response plan, the impact of drought upon confined aquifers is analyzed as a departure from long term trend.

Selected ground water levels are availble from USGS at:

http://md.water.usgs.gov/groundwater/

^{[2] -} Measurements not reported as of 2015-Feb-05

^{[3] -} Value computed from real time measurement

| Ground | Water Status - | End of De | cember, 2 | 2014 |
|----------|-----------------------|------------------|-------------|-----------------|
| Region | USGS Well ID | Well Level[1] | Status | Regional Status |
| | AL Ah 1 | 4.25 | Normal | |
| Western | WA Be 2 | 31.42 | Normal | Normal |
| | WA Bk 25 | 41.36 | Normal | |
| | BA Ea 18 | 21.32 | Normal | |
| | HA Bd 31 | 9.57 | Normal | |
| Central | HA Ca 23 | 7.32 | Normal | Normal |
| | MO Cc 14 | 29.36 | Normal | |
| | MO Eh 20 | 13.28 | Normal | |
| | QA Ec 1 | 3.4 | Normal | |
| Eastern | WI Cg 20 | 5.9 | Watch | Normal |
| Lastelli | MC51-01 | 12.01 | Normal | INUITIAI |
| | SO Cf 2 | 5.04 | Watch | |
| | CH Bg 12 (unconfined) | 4.62 | Normal | |
| Southern | AA Cc 40 (confined) | NA[2] | Unknown | |
| | CA Bb 27 (confined) | 175.76[3] | On Trend[4] | Normal |
| | CH Dd 33 (confined) | NA[2] | Unknown | NUIIIIai |
| | PG De 21 (confined) | NA[2] | Unknown | |
| 10.4 | SM Fg 45 (confined) | NA[2] | Unknown | |

Selected ground water levels are availble from USGS at: http://md.water.usgs.gov/groundwater/

^{[2] -} Measurements not reported as of 2015-Jan-07

^{[3] -} Value computed from real time measurement
On Trend[4] - In accordance with Maryland's drought monitoring and response plan, the impact of drought upon confined aquifers is analyzed as a departure from long term trend.

| Ground | Water Status - | End of No | vember, 2 | 2014 |
|----------|-----------------------|------------------|-------------|-----------------|
| Region | USGS Well ID | Well Level[1] | Status | Regional Status |
| | AL Ah 1 | 5.08 | Normal | |
| Western | WA Be 2 | 34.64 | Watch | Normal |
| | WA Bk 25 | 45.69 | Normal | |
| | BA Ea 18 | 21.49 | Normal | |
| | CL Ad 47 | 3.12 | Normal | |
| Central | HA Bd 31 | 11.18 | Normal | Normal |
| Central | HA Ca 23 | 7.62 | Normal | Nomai |
| | MO Cc 14 | 34.81 | Normal | |
| | MO Eh 20 | 14.15 | Normal | |
| | QA Ec 1 | 4.92 | Normal | |
| Eastern | WI Cg 20 | 7.47 | Watch | Normal |
| Eastern | MC51-01 | 13.88 | Normal | INOIIIIai |
| | SO Cf 2 | 5.89 | Warning | |
| | CH Bg 12 (unconfined) | 6.66 | Normal | |
| Southern | AA Cc 40 (confined) | NA[2] | Unknown | |
| | CA Bb 27 (confined) | 177.26 | On Trend[4] | Normal |
| | CH Dd 33 (confined) | NA[2] | Unknown | Nomai |
| | PG De 21 (confined) | NA[2] | Unknown | |
| | SM Fg 45 (confined) | NA[2] | Unknown | |

On Trend[4] - In accordance with Maryland's drought monitoring and response plan, the impact of drought upon confined aquifers is analyzed as a departure from long term trend. Selected ground water levels are availble from USGS at:

http://md.water.usgs.gov/groundwater/

^{[2] -} Measurements not reported as of 2014-Dec-17

| Ground | Water Status - | End of Oc | tober, 20 ² | 14 |
|----------|-----------------------|---------------|------------------------|-----------------|
| Region | USGS Well ID | Well Level[1] | Status | Regional Status |
| | AL Ah 1 | 5.09 | Normal | |
| Western | WA Be 2 | 34.09 | Normal | Normal |
| | WA Bk 25 | 43.24 | Normal | |
| | BA Ea 18 | 20.53 | Normal | |
| | CL Ad 47 | 3.28 | Normal | |
| Central | HA Bd 31 | 11.01 | Normal | Normal |
| Central | HA Ca 23 | 7.43 | Normal | INOIIIIai |
| | MO Cc 14 | 33.08 | Normal | |
| | MO Eh 20 | 13.93 | Normal | |
| | QA Ec 1 | 5.17 | Normal | |
| Eastern | WI Cg 20 | 7.27 | Watch | Normal |
| Lasieiii | MC51-01 | 13.86 | Normal | INUIIIIai |
| | SO Cf 2 | 5.66 | Watch | |
| | CH Bg 12 (unconfined) | 7.42 | Normal | |
| Southern | AA Cc 40 (confined) | NA[2] | Unknown | |
| | CA Bb 27 (confined) | 179.02 | On Trend[4] | Normal |
| | CH Dd 33 (confined) | NA[2] | Unknown | inoilliai |
| | PG De 21 (confined) | NA[2] | Unknown | |
| | SM Fg 45 (confined) | NA[2] | Unknown | |

[2] - Measurements not reported as of 11/10/2014

On Trend[4] - In accordance with Maryland's drought monitoring and response plan, the impact of drought upon confined aquifers is analyzed as a departure from long term trend.

Selected ground water levels are availble from USGS at:

http://md.water.usgs.gov/groundwater/

| Reservoir Volumes and Storage for Drought Monitoring as of September 2015 | | | |
|---|------------------------------|---------------|-------------------|
| Water System | Reservoir | Percent Full* | Days of Storage** |
| City of Frostburg | Piney | 99% | 595 |
| | | | |
| | Lake Gordon | 100% | |
| City of Cumberland | Lake Koon | 81% | 361 |
| | | | |
| | Liberty | 99% | |
| | Loch Raven | 100% | |
| | Prettyboy | 100% | |
| City of Baltimore | Total | 99% | 364 |
| | | | |
| | Triadelphia Reservoir | | |
| | Rocky Gorge/Duckett | 65% | 129 |
| WSSC | Seneca Creek Reserve | 96% | NA |
| | | | |
| All Potomac River Plants | Jennings-Randolph Reserve*** | 100% | NA |

^{*} Percent Full is the ratio of current volume to the maximum usable volume in each reservoir at the end of the month.

^{**} Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average raw water withdrawals from similar time frame from previous two years.

^{***} Percent full for Jennings-Randolph Reservoir is based on alloted amount of water in reservoir used to supplement Potomac River flow for drinking water purposes.

| Reservoir Volumes and Storage for Drought Monitoring as of August 2015 | | | |
|--|------------------------------|---------------|-------------------|
| Water System | Reservoir | Percent Full* | Days of Storage** |
| City of Frostburg | Piney | 99% | 598 |
| | | | |
| | Lake Gordon | 100% | |
| City of Cumberland | Lake Koon | 91% | 395 |
| | | | |
| | Liberty | 96% | |
| | Loch Raven | 96% | |
| | Prettyboy | 98% | |
| City of Baltimore | Total | 97% | 341 |
| | | | |
| | Triadelphia Reservoir | | |
| | Rocky Gorge/Duckett | 79% | 151 |
| WSSC | Seneca Creek Reserve | 98% | NA |
| | | | |
| All Potomac River Plants | Jennings-Randolph Reserve*** | 100% | NA |

^{*} Percent Full is the ratio of current volume to the maximum usable volume in each reservoir at the end of the month.

^{**} Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average raw water withdrawals from similar time frame from previous two years.

^{***} Percent full for Jennings-Randolph Reservoir is based on alloted amount of water in reservoir used to supplement Potomac River flow for drinking water purposes.

| Reservoir Volumes and Storage for Drought Monitoring as of July 2015 | | | | |
|--|------------------------------|---------------|-------------------|--|
| Water System | Reservoir | Percent Full* | Days of Storage** | |
| City of Frostburg | Piney | 99% | 598 | |
| | | | | |
| | Lake Gordon | 100% | | |
| City of Cumberland | Lake Koon | 100% | 418 | |
| | | | | |
| | Liberty | 100% | | |
| | Loch Raven | 100% | | |
| | Prettyboy | 99% | | |
| City of Baltimore | Total | 100% | 332 | |
| | | | | |
| | Triadelphia Reservoir | | | |
| | Rocky Gorge/Duckett | 93% | 167 | |
| WSSC | Seneca Creek Reserve | 100% | NA | |
| | | | | |
| All Potomac River Plants | Jennings-Randolph Reserve*** | 100% | NA | |

^{*} Percent Full is the ratio of current volume to the maximum usable volume in each reservoir at the end of the month.

^{**} Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average raw water withdrawals from similar time frame from previous two years.

^{***} Percent full for Jennings-Randolph Reservoir is based on alloted amount of water in reservoir used to supplement Potomac River flow for drinking water purposes.

Reservoir Volumes and Storage for Drought Monitoring as of June 2015 Water System Percent Full* Days of Storage** Reservoir City of Frostburg Est 634 Days Pinev Lake Gordon 100% City of Cumberland Lake Koon 411 100% Liberty 100% Loch Raven 100% Prettyboy 100% City of Baltimore Total 100% 315 Triadelphia Reservoir Rocky Gorge/Duckett 100% 175 Seneca Creek Reserve WSSC 100% NA All Potomac River Plants Jennings-Randolph Reserve*** 100% NA

^{*} Percent Full is the ratio of current volume to the maximum usable volume in each reservoir at the end of the month.

^{**} Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average raw water withdrawals from similar time frame from previous two years.

^{***} Percent full for Jennings-Randolph Reservoir is based on alloted amount of water in reservoir used to supplement Potomac River flow for drinking water purposes.

^{****}Value was not available as of 2015-Jul-02 at 9:30 AM, but the days of storare are estimated based on the assumption that the reservoir is full.

| Reservoir Volumes and Storage for Drought Monitoring as of May 2015 | | | |
|---|------------------------------|---------------|-------------------|
| Water System | Reservoir | Percent Full* | Days of Storage** |
| City of Frostburg | Piney | 99% | 634 |
| | | | |
| | Lake Gordon | 100% | |
| City of Cumberland | Lake Koon | 100% | 404 |
| | | | |
| | Liberty | 98% | |
| | Loch Raven | 100% | |
| | Prettyboy | 99% | |
| City of Baltimore | Total | 99% | 309 |
| | | | |
| | Triadelphia Reservoir | | |
| | Rocky Gorge/Duckett | 99% | 170 |
| WSSC | Seneca Creek Reserve | 100% | NA |
| | | | |
| All Potomac River Plants | Jennings-Randolph Reserve*** | 100% | NA |

^{*} Percent Full is the ratio of current volume to the maximum usable volume in each reservoir at the end of the month.

^{**} Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average raw water withdrawals from similar time frame from previous two years.

^{***} Percent full for Jennings-Randolph Reservoir is based on alloted amount of water in reservoir used to supplement Potomac River flow for drinking water purposes.

| Reservoir Volumes and Storage for Drought Monitoring as of April 2015 | | | |
|---|------------------------------|---------------|-------------------|
| Water System | Reservoir | Percent Full* | Days of Storage** |
| City of Frostburg | Piney | **** | *** |
| | | | |
| | Lake Gordon | 100% | |
| City of Cumberland | Lake Koon | 100% | 404 |
| | | | |
| | Liberty | 100% | |
| | Loch Raven | 100% | |
| | Prettyboy | 100% | |
| City of Baltimore | Total | 100% | 324 |
| | | | |
| | Triadelphia Reservoir | | |
| | Rocky Gorge/Duckett | 99% | 173 |
| WSSC | Seneca Creek Reserve | 100% | NA |
| | | | |
| All Potomac River Plants | Jennings-Randolph Reserve*** | 100% | NA |

^{*} Percent Full is the ratio of current volume to the maximum usable volume in each reservoir at the end of the month.

^{**} Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average raw water withdrawals from similar time frame from previous two years.

^{***} Percent full for Jennings-Randolph Reservoir is based on alloted amount of water in reservoir used to supplement Potomac River flow for drinking water purposes.

^{****}Value was not available as of 2015-May-15 at 9:20AM

| Reservoir Volumes and Storage for Drought Monitoring as of March 2015 | | | | |
|---|------------------------------|---------------|-------------------|--|
| Water System | Reservoir | Percent Full* | Days of Storage** | |
| City of Frostburg | Piney | **** | *** | |
| | | | | |
| | Lake Gordon | 100% | | |
| City of Cumberland | Lake Koon | 98% | 425 | |
| | | | | |
| | Liberty | 99% | | |
| | Loch Raven | 100% | | |
| | Prettyboy | 100% | | |
| City of Baltimore | Total | 100% | 340 | |
| | | | | |
| | Triadelphia Reservoir | | | |
| | Rocky Gorge/Duckett | 96% | 176 | |
| WSSC | Seneca Creek Reserve | 100% | NA | |
| | | | | |
| All Potomac River Plants | Jennings-Randolph Reserve*** | 100% | NA | |

^{*} Percent Full is the ratio of current volume to the maximum usable volume in each reservoir at the end of the month.

^{**} Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average raw water withdrawals from similar time frame from previous two years.

^{***} Percent full for Jennings-Randolph Reservoir is based on alloted amount of water in reservoir used to supplement Potomac River flow for drinking water purposes.

^{****}Value was not available as of 2015-Apr-10 at 7:10AM

| Reservoir Volumes and Storage for Drought Monitoring as of February 2015 | | | |
|--|------------------------------|---------------|-------------------|
| Water System | Reservoir | Percent Full* | Days of Storage** |
| City of Frostburg | Piney | 99% | 442 |
| | | | |
| | Lake Gordon | 100% | |
| City of Cumberland | Lake Koon | 64% | 327 |
| | | | |
| | Liberty | 99% | |
| | Loch Raven | 100% | |
| | Prettyboy | 100% | |
| City of Baltimore | Total | 100% | 353 |
| | | | |
| | Triadelphia Reservoir | | |
| | Rocky Gorge/Duckett | 95% | 181 |
| WSSC | Seneca Creek Reserve | 100% | NA |
| | | | |
| All Potomac River Plants | Jennings-Randolph Reserve*** | 100% | NA |

^{*} Percent Full is the ratio of current volume to the maximum usable volume in each reservoir at the end of the month.

^{**} Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average raw water withdrawals from similar time frame from previous two years.

^{***} Percent full for Jennings-Randolph Reservoir is based on alloted amount of water in reservoir used to supplement Potomac River flow for drinking water purposes.

| Reservoir Volumes and Storage for Drought Monitoring as of January 2015 | | | |
|---|------------------------------|---------------|-------------------|
| Water System | Reservoir | Percent Full* | Days of Storage** |
| City of Frostburg | Piney | 99% | 622 |
| | | | |
| | Lake Gordon | 99% | |
| City of Cumberland | Lake Koon | 65% | 327 |
| | | | |
| | Liberty | 100% | |
| | Loch Raven | 100% | |
| | Prettyboy | 100% | |
| City of Baltimore | Total | 100% | 358 |
| | | | |
| | Triadelphia Reservoir | | |
| | Rocky Gorge/Duckett | 94% | 180 |
| WSSC | Seneca Creek Reserve | 100% | NA |
| | | | |
| All Potomac River Plants | Jennings-Randolph Reserve*** | 100% | NA |

^{*} Percent Full is the ratio of current volume to the maximum usable volume in each reservoir at the end of the month.

^{**} Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average raw water withdrawals from similar time frame from previous two years.

^{***} Percent full for Jennings-Randolph Reservoir is based on alloted amount of water in reservoir used to supplement Potomac River flow for drinking water purposes.

| Reservoir Volumes and Storage for Drought Monitoring as of December 2014 | | | |
|--|--|------------------------------|-------------------|
| Water System | Reservoir | Percent Full* | Days of Storage** |
| City of Frostburg | Piney | **** | *** |
| | | | |
| City of Cumberland | Lake Gordon Lake Koon | 100% 66% | 311 |
| City of Cumberiand | Lake Noon | 00 /6 | 311 |
| City of Baltimore | Liberty Loch Raven Prettyboy Total | 100% 100% 100% 100% | 385 |
| | | | |
| WSSC | Triadelphia Reservoir Rocky Gorge/Duckett Seneca Creek Reserve | 82% 100% | 155 NA |
| All Potomac River Plants | Jennings-Randolph Reserve*** | 100% | NA |

^{*} Percent Full is the ratio of current volume to the maximum usable volume in each reservoir at the end of the month.

^{**} Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average raw water withdrawals from similar time frame from previous two years.

^{***} Percent full for Jennings-Randolph Reservoir is based on alloted amount of water in reservoir used to supplement Potomac River flow for drinking water purposes.

^{****}Storage is not available as of 2015-01-15. Frostburg had 621 days of stroage at the end of November.

Reservoir Volumes and Storage for Drought Monitoring as of November 2014 Reservoir Volumes and Storage for Drought Monitoring

For the End of November 2015

| Water System | Reservoir | Percent Full* | Days of Storage** |
|--------------------------|------------------------------|---------------|-------------------|
| | | | |
| City of Frostburg | Piney | 99% | 621 |
| | | | |
| City of Cumberland | Lake Gordon | 100% | |
| | Lake Koon | 74% | 333 |
| | | | |
| City of Baltimore | Liberty | 99% | |
| | Loch Raven | 100% | |
| | Prettyboy | 100% | |
| | Total | 100% | 359 |
| | | | |
| WSSC | Tridelphia Reservoir | | |
| | Rocky Gorge/Duckett | 61% | 122 |
| | Seneca Creek Reserve | 100% | NA |
| | | | |
| All Potomac River Plants | Jennings-Randolph Reserve*** | 100% | NA |

Percent Full is the ratio of current volume to the maximum usable volume in each reservoir as of the end of November 2015

^{**} Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average raw water withdrawals from similar time frame from previous three years.

^{***} Percent full for Jennings-Randolph Reservoir is based on alloted amount of water in reservoir used to supplement Potomac River flow for drinking water purposes.

| Reservoir Volumes and Storage for Drought Monitoring as of October 2014 | | | |
|---|--|--------------------------|-------------------|
| Water System | Reservoir | Percent Full* | Days of Storage** |
| City of Frostburg | Piney | 99% | 655 |
| | | | |
| City of Cumberland | Lake Gordon Lake Koon | 100% 72% | 318% |
| City of Baltimore | Liberty Loch Raven Prettyboy Total | 96% 99% 99% 97% | 354 |
| ony or Danimero | 1 0 (a) | 0170 | 00 1 |
| WSSC | Triadelphia Reservoir Rocky Gorge/Duckett Seneca Creek Reserve | 77% 100% | 132 NA |
| All Potomac River Plants | Jennings-Randolph Reserve*** | 100% | NA |

^{*} Percent Full is the ratio of current volume to the maximum usable volume in each reservoir at the end of the month.

^{**} Days of Storage is the amount of days it would take to use current volume of reservoir (w/o recharge) based on average raw water withdrawals from similar time frame from previous two years.

^{***} Percent full for Jennings-Randolph Reservoir is based on alloted amount of water in reservoir used to supplement Potomac River flow for drinking water purposes.

Drought Status in Maryland

